Keller Crossing Specific Plan

CONSTRUCTION HEALTH RISK ASSESSMENT

COUNTY OF RIVERSIDE

PREPARED BY:

Haseeb Qureshi
hqureshi@urbanxroads.com

Ali Dadabhoy
adadabhoy@urbanxroads.com

APRIL 3, 2025

TABLE OF CONTENTS

TABLE OF CONTENTS I
APPENDICES I
LIST OF EXHIBITS II
LIST OF TABLES II
LIST OF ABBREVIATED TERMS III
EXECUTIVE SUMMARY 1
1 INTRODUCTION 5
1.1 Site Location 5
1.2 Project Description 6
2 BACKGROUND 10
2.1 Background on Recommended Methodology 10
2.2 Construction Health Risk Assessment 10
2.3 Exposure Quantification 14
2.4 Carcinogenic Chemical Risk 16
2.5 Non-carcinogenic Exposures 17
2.6 Potential Project DPM-Source Cancer and Non-Cancer Risks 17
3 REFERENCES 23
4 CERTIFICATIONS 25

APPENDICES

APPENDIX 2.1: CALEEMOD OUTPUTS AND EMISSION CALCULATIONS
APPENDIX 2.2: AERMOD MODEL INPUT/OUTPUT
APPENDIX 2.3: RISK CALCULATIONS
APPENDIX 2.4: MODELED RECEPTORS

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP 7
EXHIBIT 1-B: SITE PLAN 8
EXHIBIT 2-A: MODELED CONSTRUCTION EMISSION SOURCES 13
EXHIBIT 2-B: RECEPTOR LOCATIONS 21

LIST OF TABLES

TABLE ES-1: SUMMARY OF CONSTRUCTION CANCER AND NON-CANCER RISKS – WITHOUT MITIGATION 4
TABLE ES-2: SUMMARY OF CONSTRUCTION CANCER AND NON-CANCER RISKS – WITH MITIGATION 4
TABLE 2-1: CONSTRUCTION DURATION 11
TABLE 2-2: CONSTRUCTION EQUIPMENT ASSUMPTIONS 11
TABLE 2-3: AERMOD MODEL PARAMETERS 14
TABLE 2-4: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (RESIDENTIAL) 15
TABLE 2-5: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (WORKER) 15
TABLE 2-6: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (9 YEAR SCHOOL CHILD) 15

LIST OF ABBREVIATED TERMS

(1)	Reference
µg	Microgram
AERMOD	American Meteorological Society/Environmental Protection Agency Regulatory Model
AQMD	Air Quality Management District
ARB	Air Resources Board
ASF	Age Sensitivity Factor
CEQA	California Environmental Quality Act
CPF	Cancer Potency Factor
DPM	Diesel Particulate Matter
EMFAC	Emission Factor Model
EPA	Environmental Protection Agency
FAH	Fraction of Time at Home
HI	Hazard Index
HRA	Health Risk Assessment
MEIR	Maximally Exposed Individual Receptor
MEISC	Maximally Exposed Individual School Child
MEIW	Maximally Exposed Individual Worker
NAD	North American Datum
OEHHA	Office of Environmental Health Hazard Assessment
PM_{10}	Particulate Matter 10 microns in diameter or less
Project	Keller Crossing Specific Plan
REL	Reference Exposure Level
SCAQMD	South Coast Air Quality Management District
TAC	Toxic Air Contaminant
TA	Traffic Analysis
URF	Unit Risk Factor
UTM	Universal Transverse Mercator

This page intentionally left blank

EXECUTIVE SUMMARY

This report evaluates the potential health risk impacts to sensitive receptors (which are residents, workers and students) associated with the development of the Project, more specifically, health risk impacts as a result of exposure to Toxic Air Contaminants (TACs) including diesel particulate matter (DPM) as a result of heavy-duty diesel trucks and construction equipment used during construction of the proposed Project. This section summarizes the significance criteria and Project health risks.

The results of the health risk assessment from Project construction-generated DPM emissions are provided without mitigation in Table ES-1 and with mitigation in Table ES-2 below for the Project. Because the proposed Project would not generate TAC emissions during long-term operation, an operational HRA is not required.

CONSTRUCTION IMPACTS

Residential Exposure Scenario:

The land use with the greatest potential exposure to Project construction-source DPM emissions is Location R7 which is located approximately 209 feet south of the Project site at an existing residence located at 34044 Winchester Road. Since there are no private outdoor living areas (backyards) facing the Project site, R7 is placed at the residential building façade. Without mitigation, the maximally exposed individual receptor (MEIR), the maximum incremental cancer risk attributable to Project construction-source DPM emissions is estimated at 5.79 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be less than ≤0.01, which would not exceed the applicable threshold of 1.0. Although Location R5 is not the nearest residential receptor to the Project site, it would experience the highest concentrations of DPM during Project construction due to meteorological conditions at the site. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.

Although implementation of mitigation is not required for cancer and non-cancer risk, MM AQ-1 which would require tier 4 for equipment more than 150 HP is required to reduce regional air quality construction NOx emissions to less than significant. Implementation of MM AQ-1 will also provide the co-benefit of reducing DPM emissions from construction equipment and would therefore further reduce cancer and non-cancer risk. With implementation of MM AQ-1 the land use with the greatest potential exposure to Project construction DPM source emissions is Location R5 which is located approximately 90 feet south of the Project site at an existing residence located at 32265 Keller Road. At the MEIR, with mitigation the maximum incremental cancer risk is estimated at 1.58 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be ≤0.01, which would not exceed the applicable threshold of 1.0.

Because all other modeled receptors would experience lower concentrations of DPM during Project construction, all other receptors in the vicinity of the Project would be exposed to less

emissions and therefore less risk than the MEIR identified herein. As such, the Project will not cause a significant human health or cancer risk to adjacent land uses as a result of Project construction activity. All other receptors during construction activity would experience less risk than what is identified for this location. The modeled receptors are illustrated on Exhibit 2-B.

Worker Exposure Scenario[1]*:*

The worker receptor land use with the greatest potential exposure to Project construction-source DPM emissions is Location R8, which represents the potential worker receptor, Bill and Dave's Landscape located at 32750 Keller Road approximately 986 east of the Project site. Without mitigation, at the maximally exposed individual worker (MEIW), the maximum incremental cancer risk impact is 0.05 in one million which is less than the SCAQMD's threshold of 10 in one million. Maximum non-cancer risks at this same location were estimated to be ≤0.01, which would not exceed the applicable significance threshold of 1.0. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.

Although implementation of mitigation is not required for cancer and non-cancer risk, MM AQ-1 which would require tier 4 for equipment more than 150 HP is required to reduce regional air quality construction NOx emissions to less than significant. Implementation of MM AQ-1 will also provide the co-benefit of reducing DPM emissions from construction equipment and would therefore further reduce cancer and non-cancer risk. With implementation of MM AQ-1, the worker receptor land use with the greatest potential exposure to Project DPM source emissions is Location R8. At the MEIW, with mitigation the maximum incremental cancer risk is estimated at 0.02 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be ≤0.01, which would not exceed the applicable threshold of 1.0.

Location R8 is the worker receptor that would experience the highest concentrations of DPM during Project construction due to meteorological conditions at the site. All other worker receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIW identified herein. As such, the Project will not cause a significant human health or cancer risk to nearby workers. The modeled receptors are illustrated on Exhibit 2-B.

School Child Exposure Scenario:

Proximity to sources of toxics is critical to determining the impact. In traffic-related studies, the additional non-cancer health risk attributable to proximity was seen within 1,000 feet and was strongest within 300 feet. California freeway studies show about a 70-percent drop-off in particulate pollution levels at 500 feet. Based on California Air Resources Board (CARB) and SCAQMD emissions and modeling analyses, an 80-percent drop-off in pollutant concentrations is expected at approximately 1,000 feet from a distribution center (1).

1 SCAQMD guidance does not require assessment of the potential health risk to on-site workers. Excerpts from the document OEHHA Air Toxics Hot Spots Program Risk Assessment Guidelines—The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments (OEHHA 2003), also indicate that it is not necessary to examine the health effects to on-site workers unless required by RCRA (Resource Conservation and Recovery Act) / CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) or the worker resides on-site.

The 1,000-foot evaluation distance is supported by research-based findings concerning Toxic Air Contaminant (TAC) emission dispersion rates from roadways and large sources showing that emissions diminish substantially between 500 and 1,000 feet from emission sources.

A one-quarter mile radius, or 1,320 feet, is commonly utilized for identifying sensitive receptors, such as schools, that may be impacted by a proposed project. This radius is more robust than, and therefore provides a more health protective scenario for evaluation than the 1,000-foot impact radius identified above. Notwithstanding, for full disclosure purposes, the nearest school was also evaluated.

The nearest school and location of the maximally exposed individual school child (MEISC) is MESI Ranch Academy located at 33303 Louise Road, approximately 4,317 feet northwest of the Project site and represented by Receptor R9. With mitigation, at the MEISC, the maximum incremental cancer risk impact attributable to the Project is calculated to be 0.03 in one million, which is less than the significance threshold of 10 in one million. At this same location, non-cancer risks attributable to the Project were calculated to be ≤0.01, which would not exceed the applicable significance threshold of 1.0. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.

Although implementation of mitigation is not required for cancer and non-cancer risk, MM AQ-1 which would require tier 4 for equipment more than 150 HP is required to reduce regional air quality construction NOx emissions to less than significant. Implementation of MM AQ-1 will also provide the co-benefit of reducing DPM emissions from construction equipment and would therefore further reduce cancer and non-cancer risk. With implementation of MM AQ-1, the school receptor land use with the greatest potential exposure to Project DPM source emissions is Location R9. At the MEISC, with mitigation the maximum incremental cancer risk is estimated at 0.01 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be ≤0.01, which would not exceed the applicable threshold of 1.0.

Because all other modeled school receptors would be exposed to lower concentrations of DPM, all other school receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEISC identified herein. The modeled receptors are illustrated on Exhibit 2-B.

TABLE ES-1: SUMMARY OF CONSTRUCTION CANCER AND NON-CANCER RISKS – WITHOUT MITIGATION

Time Period	Location	Maximum Lifetime Cancer Risk (Risk per Million)	Significance Threshold (Risk per Million)	Exceeds Significance Threshold
4.22 Year Exposure[1]	Maximum Exposed Sensitive Receptor (Location R7)	5.79	10	NO
4.22 Year Exposure[1]	Maximum Exposed Worker Receptor (Location R8)	0.05	10	NO
4.22 Year Exposure[1]	Maximum Exposed Individual School Child (Location R9)	0.03	10	NO
Time Period	**Location**	**Maximum Hazard Index**	**Significance Threshold**	**Exceeds Significance Threshold**
Annual Average	Maximum Exposed Sensitive Receptor (Location R7)	≤0.01	1.0	NO
Annual Average	Maximum Exposed Worker Receptor (Location R8)	≤0.01	1.0	NO
Annual Average	Maximum Exposed Individual School Child (Location R9)	≤0.01	1.0	NO

[1] 4.22 years Is the expected duration of construction activities.

TABLE ES-2: SUMMARY OF CONSTRUCTION CANCER AND NON-CANCER RISKS – WITH MITIGATION

Time Period	Location	Maximum Lifetime Cancer Risk (Risk per Million)	Significance Threshold (Risk per Million)	Exceeds Significance Threshold
4.22 Year Exposure[1]	Maximum Exposed Sensitive Receptor (Location R5)	1.58	10	NO
4.22 Year Exposure[1]	Maximum Exposed Worker Receptor (Location R8)	0.02	10	NO
4.22 Year Exposure[1]	Maximum Exposed Individual School Child (Location R9)	0.01	10	NO
Time Period	**Location**	**Maximum Hazard Index**	**Significance Threshold**	**Exceeds Significance Threshold**
Annual Average	Maximum Exposed Sensitive Receptor (Location R5)	≤0.01	1.0	NO
Annual Average	Maximum Exposed Worker Receptor (Location R8)	≤0.01	1.0	NO
Annual Average	Maximum Exposed Individual School Child (Location R9)	≤0.01	1.0	NO

[1] 4.22 years Is the expected duration of construction activities.

1 INTRODUCTION

This HRA has been prepared in accordance with the document Health Risk Assessment Guidance for Analyzing Cancer Risk from Mobile Source Diesel Idling Emissions for CEQA Air Quality Analysis (2) and is comprised of all relevant and appropriate procedures presented by the United States Environmental Protection Agency (U.S. EPA), California EPA and SCAQMD. Cancer risk is expressed in terms of expected incremental incidence per million population. The SCAQMD has established an incidence rate of ten (10) persons per million as the maximum acceptable incremental cancer risk due to TAC exposure from a project such as the proposed Project. This threshold serves to determine whether or not a given project has a potentially significant development-specific and cumulatively considerable impact.

The AQMD has published a report on how to address cumulative impacts from air pollution: *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution* (3). In this report the AQMD states (Page D-3):

"…the AQMD uses the same significance thresholds for project specific and cumulative impacts for all environmental topics analyzed in an Environmental Assessment or EIR. The only case where the significance thresholds for project specific and cumulative impacts differ is the Hazard Index (HI) significance threshold for toxic air contaminant (TAC) emissions. The project specific (project increment) significance threshold is HI > 1.0 while the cumulative (facility-wide) is HI > 3.0. It should be noted that the HI is only one of three TAC emission significance thresholds considered (when applicable) in a CEQA analysis. The other two are the maximum individual cancer risk (MICR) and the cancer burden, both of which use the same significance thresholds (MICR of 10 in 1 million and cancer burden of 0.5) for project specific and cumulative impacts.

Projects that exceed the project-specific significance thresholds are considered by the SCAQMD to be cumulatively considerable. This is the reason project-specific and cumulative significance thresholds are the same. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant."

The SCAQMD has also established non-carcinogenic risk parameters for use in HRAs. Non-carcinogenic risks are quantified by calculating a "hazard index," expressed as the ratio between the ambient pollutant concentration and its toxicity or Reference Exposure Level (REL). A REL is a concentration at or below which health effects are not likely to occur. A hazard index less than one (1.0) means that adverse health effects are not expected. In this HRA, non-carcinogenic exposures of less than 1.0 are considered less-than-significant. Both the cancer risk and non-carcinogenic risk thresholds are applied to the nearest sensitive receptors below.

1.1 SITE LOCATION

The Project site is located on the northwest corner of Winchester Road (SR-79) and Keller Road in the County of Riverside, as shown on Exhibit 1-A. The area surrounding the Project site consists mostly of rural residential homes.

1.2 PROJECT DESCRIPTION


A preliminary land use plan for the proposed Project is shown on Exhibit 1-B. The Project is proposing to amend the Specific Plan with residential uses, as described below:

- Phase 1 (Opening Year of 2028) is anticipated to include the development of 180 single family detached residential dwelling units and 98 multifamily (low-rise) residential dwelling units.
- Project Buildout (Buildout Year of 2030) is anticipated to include a total of 384 single-family detached residential dwelling units, 230 multi-family (low-rise) residential dwelling units, 80 attached senior housing units, and a 8.97-acre active park.

EXHIBIT 1-A: LOCATION MAP



EXHIBIT 1-B: SITE PLAN



This page intentionally left blank

2 BACKGROUND

2.1 BACKGROUND ON RECOMMENDED METHODOLOGY

This HRA is based on applicable guidelines to produce conservative estimates of human health risk posed by exposure to DPM. The conservative nature of this analysis is due primarily to the following factors:

- The ARB-adopted diesel exhaust Unit Risk Factor (URF) of 300 in one million per $\mu g/m^3$ is based upon the upper 95 percentile of estimated risk for each of the epidemiological studies utilized to develop the URF. Using the 95th percentile URF represents a very conservative (health-protective) risk posed by DPM because it represents breathing rates that are high for the human body.

2.2 CONSTRUCTION HEALTH RISK ASSESSMENT

2.2.1 EMISSIONS CALCULATIONS

The emissions calculations for the construction HRA component are based on an assumed mix of construction equipment and hauling activity as presented in the *Keller Crossing Specific Plan Air Quality Impact Analysis* ("technical study") prepared by Urban Crossroads, Inc. (4). Construction related DPM emissions are expected to occur primarily as a function of the operation of heavy-duty construction equipment.

In addition, to support the Project development, there will be roadway construction and utility installation along Keller Road east of Leon Road and Keller Road east of Pourroy Road to Winchester Road (SR-79) and Pourroy Road north of Keller Road to Winchester Road (SR-79) and along Winchester Road at the intersection of La Alba Drive and Winchester Road. It is expected that the off-site construction activities would not take place at one location for the entire duration of construction. Impacts associated with these activities are not expected to exceed the emissions identified for Project-related construction activities since the off-site construction areas would have physical constraints on the amount of daily activity that could occur.

Emissions resulting from this construction activity were modeled conservatively and would total approximately 23,760 linear feet (4.50 miles) over 35.2 acres disturbed. Construction emissions from this off-site work would be relatively short term and not concentrated in one area. The construction schedule and associated equipment are included in Tables 2-1 and 2-2. Emissions resulting from off-site construction without mitigation and with mitigation have been quantified and are included as a part of the overall construction risk. Appendix 2.4 presents a figure detailing the locations of all receptors including off-site construction receptors as modeled in AERMOD.

As discussed in the technical study, the Project would result in approximately 1,102 total working-days of construction activity. The construction duration by phase is shown on Table 2-1. A detailed summary of construction equipment assumptions by phase is provided at Table 2-2. The CalEEMod emissions outputs are presented in Appendix 2.1. The modeled emission sources for construction activity are illustrated on Exhibit 2-A.

TABLE 2-1: CONSTRUCTION DURATION

Phase	Construction Activity	Start Date	End Date	Working Days
Off-Site	Grading	10/13/2025	3/2/2026	101
	Sewer, Drain, Water	3/3/2026	10/2/2026	154
	Utility Crossing	10/2/2026	11/6/2026	26
	Dry Utilities	2/1/2026	3/19/2026	34
	Curb, Gutter, Street Improvement	11/2/2026	2/1/2027	66
1 (In-Tract)	Sewer, Drain, Water	2/3/2027	4/30/2027	63
	Utility Sleeving	5/3/2027	5/14/2027	10
	Curb, Gutter, Street Improvement	5/17/2027	6/18/2027	25
	Dry Utilities	6/21/2027	7/30/2027	30
1 (On-Site)	Grading	6/1/2026	2/2/2027	177
	Building Construction	2/3/2027	12/29/2028	498
	Paving	9/18/2028	12/29/2028	75
	Architectural Coating	9/18/2028	12/29/2028	75
2	Building Construction	3/2/2026	1/1/2030	1002
	Paving	8/1/2029	1/1/2030	110
	Architectural Coating	8/1/2029	1/1/2030	110


TABLE 2-2: CONSTRUCTION EQUIPMENT ASSUMPTIONS

Phase	Construction Activity	Equipment[1]	Amount	Hours Per Day
Off-Site	Grading	Scrapers	4	8
		Rubber Tired Dozers	1	8
		Water Truck	1	8
	Sewer, Drain, Water	Excavators	2	8
		Rubber Tires Loaders	2	8
		Water Truck	1	8
	Utility Crossing	Tractors/Loaders/Backhoes	2	8
		Water Truck	1	8
	Dry Utilities	Tractors/Loaders/Backhoes	2	8
		Water Truck	1	8
	Curb, Gutter, Street Improvement	Grader	1	8
		Skid Steer Loader	1	8
		Scraper	1	8

Phase	Construction Activity	Equipment[1]	Amount	Hours Per Day
		Water Truck	1	8
1 (In-Tract)	Sewer, Drain, Water	Excavators	2	8
		Rubber Tires Loaders	2	8
		Water Truck	2	8
	Utility Sleeving	Tractors/Loaders/Backhoes	2	8
		Water Truck	2	8
	Curb, Gutter, Street Improvement	Grader	1	8
		Skid Steer Loader	1	8
		Water Truck	1	8
	Dry Utilities	Tractors/Loaders/Backhoes	2	8
		Water Truck	1	8
1 (On-Site)	Grading	Scrapers	8	8
		Rubber Tired Dozers	5	8
		Water Truck	2	8
	Building Construction	Cranes	1	8
		Forklifts	3	8
		Generator Sets	1	8
		Tractors/Loaders/Backhoes	3	8
		Welders	1	8
	Paving	Pavers	2	8
		Paving Equipment	2	8
		Rollers	2	8
	Architectural Coating	Air Compressors	1	8
2	Building Construction	Cranes	1	8
		Forklifts	3	8
		Generator Sets	1	8
		Tractors/Loaders/Backhoes	3	8
		Welders	1	8
	Paving	Pavers	2	8
		Paving Equipment	2	8
		Rollers	2	8
	Architectural Coating	Air Compressors	1	8

[1] It should be noted that based on CalEEMod User's Guide Version 2022, Projects that include on-road water or cement trucks, "can account for the on-road emissions by entering this information as additional vendor trips on the Trips and VMT screen". As such, water trucks associated with all phases were accounted for as additional vendor trips.

EXHIBIT 2-A: MODELED CONSTRUCTION EMISSION SOURCES



2.3 EXPOSURE QUANTIFICATION

The analysis herein has been conducted in accordance with the guidelines in the Health Risk Assessment Guidance for Analyzing Cancer Risks from Mobile Source Diesel Idling Emissions for CEQA Air Quality Analysis (2). The Environmental Protection Agency's (U.S. EPA's) AERMOD model has been utilized. For purposes of this analysis, the Lakes AERMOD View (Version 13.0.0) was used to calculate annual average particulate concentrations associated with site operations. Lakes AERMOD View was utilized to incorporate the U.S. EPA's latest AERMOD Version 24142 (5).

The model offers additional flexibility by allowing the user to assign an initial release height and vertical dispersion parameters for mobile sources representative of a roadway. For this HRA, the roadways were modeled as adjacent volume sources. Roadways were modeled using the U.S. EPA's haul route methodology for modeling construction haul truck and vendor truck movement. More specifically, the Haul Road Volume Source Calculator in Lakes AERMOD View has been utilized to determine the release height parameters. Based on the US EPA methodology, the Project's modeled sources would result in a release height of 3.49 meters and an initial lateral dimension of 4.0 meters, and an initial vertical dimension of 3.25 meters.

Model parameters are presented in Table 2-3 (6). The model requires additional input parameters including emission data and local meteorology. Meteorological data from the SCAQMD's Perris Airport monitoring station was used to represent local weather conditions and prevailing winds (7).

TABLE 2-3: AERMOD MODEL PARAMETERS

Dispersion Coefficient (Urban/Rural)	Urban (population 2,189,641)
Terrain (Flat/Elevated)	Elevated (Regulatory Default)
Averaging Time	1 year (5-year Meteorological Data Set)
Receptor Height	0 meters (Regulatory Default)

Universal Transverse Mercator (UTM) coordinates for World Geodetic System (WGS) 84 were used to locate the Project site boundaries, each volume source location, and receptor locations in the Project vicinity. The AERMOD dispersion model summary output files for the Project are presented in Appendix 2.2. Modeled sensitive receptors were placed at residential and non-residential locations.

Receptors may be placed at applicable structure locations for residential property and not necessarily the boundaries of the properties containing these uses because the human receptors spend a majority of their time at the residence's building, and not on the property line. It should be noted that the primary purpose of receptor placement is focused on long-term exposure. For example, the HRA evaluates the potential health risks to residents, workers and school children over a period of 30, 25, or 9 years of exposure, respectively. Notwithstanding, as a conservative measure, receptors were placed at either the outdoor living area or the building façade, whichever is closer to the Project site.

For purposes of this HRA, receptors include both residential, non-residential (worker) and school land uses in the vicinity of the Project. These receptors are included in the HRA since residents

and workers may be exposed at these locations over a long-term duration of 30, 25 and 9 years respectively. This methodology is consistent with SCAQMD and OEHHA recommended guidance.

Any impacts to residents, workers or school children located further away from the Project site than the modeled residents or workers would have a lesser impact than what has already been disclosed in the HRA at the MEIR, MEIW and MEISC because concentrations dissipate with distance.

All receptors were set to existing elevation height so that only ground-level concentrations are analyzed. United States Geological Survey (USGS) Digital Elevation Model (DEM) terrain data based on a 7.5-minute topographic quadrangle map series using AERMAP was utilized in the HRA modeling to set elevations (8).

Discrete variants for daily breathing rates, exposure frequency, and exposure duration were obtained from relevant distribution profiles presented in the 2015 OEHHA Guidelines. Tables 2-4 through 2-6 summarize the Exposure Parameters for residents, workers, and school children based on 2015 OEHHA Guidelines. Appendix 2.3 includes the detailed risk calculation.

TABLE 2-4: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (RESIDENTIAL)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Fraction of Time at Home	Exposure Frequency (days/year)	Exposure Time (hours/day)
-0.25 to 0	361	10	0.25	1.00	250	8
0 to 2	1,090	10	2	1.00	250	8
2 to 16	572	3	1.97	1.00	250	8

TABLE 2-5: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (WORKER)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Exposure Frequency (days/year)	Exposure Time (hours/day)
16 to 41	230	1	4.22	250	8

TABLE 2-6: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (9 YEAR SCHOOL CHILD)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Exposure Frequency (days/year) [a]	Exposure Time (hours/day)
4 to 13	572	3	4.22	180	12

[a] To represent the unique characteristics of the school-based population, the assessment employed the U.S. Environmental Protection Agency's guidance to develop viable dose estimates based on reasonable maximum exposures (RME). RME's are defined as the "highest exposure that is reasonably expected to occur" for a given receptor population. As a result, lifetime risk values for the student population were adjusted to account for an exposure duration of 180 days per year for nine (9) years. The 9 year exposure duration is also consistent with OEHHA Recommendations

and consistent with the exposure duration utilized in school-based risk assessments for various schools within the Los Angeles County Unified School District (LAUSD) that have been accepted by the SCAQMD.

2.4 CARCINOGENIC CHEMICAL RISK

Excess cancer risks are estimated as the upper-bound incremental probability that an individual will develop cancer over a lifetime as a direct result of exposure to potential carcinogens over a specified exposure duration. The estimated risk is expressed as a unitless probability. The cancer risk attributed to a chemical is calculated by multiplying the chemical intake or dose at the human exchange boundaries (e.g., lungs) by the chemical-specific cancer potency factor (CPF). A risk level of 10 in one million implies a likelihood that up to 10 people, out of one million equally exposed people would contract cancer if exposed continuously (24 hours per day) to the levels of toxic air contaminants over a specified duration of time.

Guidance from CARB and the California Environmental Protection Agency, Office of Environmental Health Hazard Assessment (OEHHA) recommends a refinement to the standard point estimate approach when alternate human body weights and breathing rates are utilized to assess risk for susceptible subpopulations such as children. For the inhalation pathway, the procedure requires the incorporation of several discrete variates to effectively quantify dose. Once determined, contaminant dose is multiplied by the cancer potency factor (CPF) in units of inverse dose expressed in milligrams per kilogram per day $(mg/kg/day)^{-1}$ to derive the cancer risk estimate. Therefore, to assess exposures, the following dose algorithm was utilized.

$$DOSE_{AIR} = \left(C_{AIR} \times \frac{BR}{BW} \times A \times EF\right) \times (1 \times 10^{-6})$$

Where:

$DOSE_{AIR}$	=	chronic daily intake (mg/kg/day)
C_{AIR}	=	concentration of contaminant in air (µg/m^3)
$\frac{BR}{BW}$	=	daily breathing rate normalized to body weight (L/kg BW-day)
A	=	inhalation absorption factor
EF	=	exposure frequency (days/365 days)
BW	=	body weight (kg)
1×10^{-6}	=	conversion factors (µg to mg, L to m^3)

$$RISK_{AIR} = DOSE_{AIR} \times CPF \times ASF \times FAH \times \frac{ED}{AT}$$

Where:

$DOSE_{AIR}$	=	chronic daily intake (mg/kg/day)
CPF	=	cancer potency factor
ASF	=	age sensitivity factor
FAH	=	fraction of time at home
ED	=	number of years within particular age group
AT	=	averaging time

2.5 NON-CARCINOGENIC EXPOSURES

An evaluation of the potential noncarcinogenic effects of chronic exposures was also conducted. Adverse health effects are evaluated by comparing a compound's annual concentration with its toxicity factor or Reference Exposure Level (REL). The REL for diesel particulates was obtained from OEHHA for this analysis. The chronic reference exposure level (REL) for DPM was established by OEHHA as 5 µg/m^3 (9).

Non-cancer health effects are expressed as a hazard index (HI), which is calculated using the following equation:

$$HI_{DPM} = \frac{C_{DPM}}{REL_{DPM}}$$

Where:

HI_{DPM}	=	Hazard index (unitless)
C_{DPM}	=	Annual average DPM concentration (µg/m^3)
REL_{DPM}	=	REL for DPM (the DPM concentration at which no adverse health effects are anticipated).

2.6 POTENTIAL PROJECT DPM-SOURCE CANCER AND NON-CANCER RISKS

CONSTRUCTION IMPACTS

Residential Exposure Scenario:

The land use with the greatest potential exposure to Project construction-source DPM emissions is Location R7 which is located approximately 209 feet south of the Project site at an existing residence located at 34044 Winchester Road. Since there are no private outdoor living areas (backyards) facing the Project site, R7 is placed at the residential building façade. Without mitigation, the maximally exposed individual receptor (MEIR), the maximum incremental cancer risk attributable to Project construction-source DPM emissions is estimated at 5.79 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be less than ≤0.01, which would not exceed the applicable threshold of 1.0. Although Location R5 is not

the nearest residential receptor to the Project site, it would experience the highest concentrations of DPM during Project construction due to meteorological conditions at the site. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.

Although implementation of mitigation is not required for cancer and non-cancer risk, MM AQ-1 which would require tier 4 for equipment more than 150 HP is required to reduce regional air quality construction NOx emissions to less than significant. Implementation of MM AQ-1 will also provide the co-benefit of reducing DPM emissions from construction equipment and would therefore further reduce cancer and non-cancer risk. With implementation of MM AQ-1 the land use with the greatest potential exposure to Project construction DPM source emissions is Location R5 which is located approximately 90 feet south of the Project site at an existing residence located at 32265 Keller Road. At the MEIR, with mitigation the maximum incremental cancer risk is estimated at 1.58 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be ≤0.01, which would not exceed the applicable threshold of 1.0.

Because all other modeled receptors would experience lower concentrations of DPM during Project construction, all other receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIR identified herein. As such, the Project will not cause a significant human health or cancer risk to adjacent land uses as a result of Project construction activity. All other receptors during construction activity would experience less risk than what is identified for this location. The modeled receptors are illustrated on Exhibit 2-B.

Worker Exposure Scenario[2]*:*

The worker receptor land use with the greatest potential exposure to Project construction-source DPM emissions is Location R8, which represents the potential worker receptor, Bill and Dave's Landscape located at 32750 Keller Road approximately 986 east of the Project site. Without mitigation, at the maximally exposed individual worker (MEIW), the maximum incremental cancer risk impact is 0.05 in one million which is less than the SCAQMD's threshold of 10 in one million. Maximum non-cancer risks at this same location were estimated to be ≤0.01, which would not exceed the applicable significance threshold of 1.0. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.

Although implementation of mitigation is not required for cancer and non-cancer risk, MM AQ-1 which would require tier 4 for equipment more than 150 HP is required to reduce regional air quality construction NOx emissions to less than significant. Implementation of MM AQ-1 will also provide the co-benefit of reducing DPM emissions from construction equipment and would

2 SCAQMD guidance does not require assessment of the potential health risk to on-site workers. Excerpts from the document OEHHA Air Toxics Hot Spots Program Risk Assessment Guidelines—The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments (OEHHA 2003), also indicate that it is not necessary to examine the health effects to on-site workers unless required by RCRA (Resource Conservation and Recovery Act) / CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) or the worker resides on-site.

therefore further reduce cancer and non-cancer risk. With implementation of MM AQ-1, the worker receptor land use with the greatest potential exposure to Project DPM source emissions is Location R8. At the MEIW, with mitigation the maximum incremental cancer risk is estimated at 0.02 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be ≤0.01, which would not exceed the applicable threshold of 1.0.

Location R8 is the worker receptor that would experience the highest concentrations of DPM during Project construction due to meteorological conditions at the site. All other worker receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIW identified herein. As such, the Project will not cause a significant human health or cancer risk to nearby workers. The modeled receptors are illustrated on Exhibit 2-B.

School Child Exposure Scenario:

Proximity to sources of toxics is critical to determining the impact. In traffic-related studies, the additional non-cancer health risk attributable to proximity was seen within 1,000 feet and was strongest within 300 feet. California freeway studies show about a 70-percent drop-off in particulate pollution levels at 500 feet. Based on California Air Resources Board (CARB) and SCAQMD emissions and modeling analyses, an 80-percent drop-off in pollutant concentrations is expected at approximately 1,000 feet from a distribution center (1).

The 1,000-foot evaluation distance is supported by research-based findings concerning Toxic Air Contaminant (TAC) emission dispersion rates from roadways and large sources showing that emissions diminish substantially between 500 and 1,000 feet from emission sources.

A one-quarter mile radius, or 1,320 feet, is commonly utilized for identifying sensitive receptors, such as schools, that may be impacted by a proposed project. This radius is more robust than, and therefore provides a more health protective scenario for evaluation than the 1,000-foot impact radius identified above. Notwithstanding, for full disclosure purposes, the nearest school was also evaluated.

The nearest school and location of the maximally exposed individual school child (MEISC) is MESI Ranch Academy located at 33303 Louise Road, approximately 4,317 feet northwest of the Project site and represented by Receptor R9. With mitigation, at the MEISC, the maximum incremental cancer risk impact attributable to the Project is calculated to be 0.03 in one million, which is less than the significance threshold of 10 in one million. At this same location, non-cancer risks attributable to the Project were calculated to be ≤0.01, which would not exceed the applicable significance threshold of 1.0. As such, based on the previous discussion, a less than significant impact is expected for cancer and non-cancer risk and no mitigation is required.


Although implementation of mitigation is not required for cancer and non-cancer risk, MM AQ-1 which would require tier 4 for equipment more than 150 HP is required to reduce regional air quality construction NOx emissions to less than significant. Implementation of MM AQ-1 will also provide the co-benefit of reducing DPM emissions from construction equipment and would therefore further reduce cancer and non-cancer risk. With implementation of MM AQ-1, the school receptor land use with the greatest potential exposure to Project DPM source emissions

is Location R9. At the MEISC, with mitigation the maximum incremental cancer risk is estimated at 0.01 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be ≤0.01, which would not exceed the applicable threshold of 1.0.

Because all other modeled school receptors would be exposed to lower concentrations of DPM, all other school receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEISC identified herein. The modeled receptors are illustrated on Exhibit 2-B.

It should be noted that for clarity purposes, the receptors presented in Exhibit 2-B do not represent all modeled receptors and instead presents the nearest receptors that would experience the highest pollutant concentrations. A total of 78 receptors were modeled in the analysis. Appendix 2.4 presents a figure detailing the locations of all receptors as modeled in AERMOD.

EXHIBIT 2-B: RECEPTOR LOCATIONS



This page intentionally left blank

3 REFERENCES

1. **Air Resources Board.** *Air Quality and Land Use Handbook: A Community Health Perspective.* 2005.

2. **South Coast Air Quality Managment District.** Mobile Source Toxics Analysis. [Online] 2003. http://www.aqmd.gov/ceqa/handbook/mobile_toxic/mobile_toxic.html.

3. **Goss, Tracy A and Kroeger, Amy.** White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution. [Online] South Coast Air Quality Management District, 2003. [Cited: June 6, 2019.] http://www.aqmd.gov/docs/default-source/Agendas/Environmental-Justice/cumulative-impacts-working-group/cumulative-impacts-white-paper.pdf?sfvrsn=2.

4. **Urban Crossroads, Inc.** *Keller Crossing Specific Plan Air Quality Impact Analysis.* 2024.

5. **Environmental Protection Agency.** User's Guide for the AMS/EPA Regulatory Model (AERMOD). [Online] October 2023. https://gaftp.epa.gov/Air/aqmg/SCRAM/models/preferred/aermod/aermod_userguide.pdf.

6. —. User's Guide for the AMS/EPA Regulatory Model (AERMOD). [Online] April 2018. https://www3.epa.gov/ttn/scram/models/aermod/aermod_userguide.pdf.

7. **South Coast Air Quality Management District.** Data for AERMOD. [Online] [Cited: May 9, 2022.] https://www.aqmd.gov/home/air-quality/air-quality-data-studies/meteorological-data/data-for-aermod.

8. **Environmental Protection Agency.** User's Guide for the AERMOD Terrain Preprocessor (AERMAP). [Online] 2018. https://gaftp.epa.gov/Air/aqmg/SCRAM/models/related/aermap/aermap_userguide_v18081.pdf.

9. **Office of Environmental Health Hazard Assessment.** Chemical Toxicity Database. [Online] https://oehha.ca.gov/chemicals.

This page intentionally left blank

4 CERTIFICATIONS

The contents of this health risk assessment represent an accurate depiction of the impacts to sensitive receptors associated with the proposed Keller Crossing Specific Plan Project. The information contained in this health risk assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me at (949) 660-1994.

Haseeb Qureshi
Principal
URBAN CROSSROADS, INC.
(949) 660-1994
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies
California State University, Fullerton • May 2010

Bachelor of Arts in Environmental Analysis and Design
University of California, Irvine • June 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Professionals
AWMA – Air and Waste Management Association
ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Environmental Site Assessment – American Society for Testing and Materials • June 2013
Planned Communities and Urban Infill – Urban Land Institute • June 2011
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April 2008
Principles of Ambient Air Monitoring – California Air Resources Board • August 2007
AB2588 Regulatory Standards – Trinity Consultants • November 2006
Air Dispersion Modeling – Lakes Environmental • June 2006

This page intentionally left blank

APPENDIX 2.1:

CALEEMOD OUTPUTS AND EMISSION CALCULATIONS

16056 - Keller Crossing Entitlements (Off-Site) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Grading (2025) - Unmitigated

3.3. Grading (2026) - Unmitigated

3.5. Sewer, Drain, Water (2026) - Unmitigated

3.7. Utility Crossing (2026) - Unmitigated

3.9. Dry Utilities (2026) - Unmitigated

3.11. Curb, Gutter, Street Improvement (2026) - Unmitigated

3.13. Curb, Gutter, Street Improvement (2027) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	16056 - Keller Crossing Entitlements (Off-Site)
Construction Start Date	10/13/2025
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.627346, -117.093822
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.28

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Road Construction	4.50	Mile	35.2	0.00	—	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.76	0.64	4.44	9.06	0.01	0.19	0.16	0.34	0.17	0.04	0.21	—	1,514	1,514	0.06	0.03	0.71	1,525
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	4.75	4.00	36.6	33.9	0.09	1.46	3.07	4.48	1.34	1.06	2.38	—	9,877	9,877	0.39	0.10	0.03	9,918
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.06	0.89	7.38	9.30	0.02	0.30	0.47	0.75	0.28	0.16	0.42	—	2,182	2,182	0.08	0.03	0.22	2,193
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.19	0.16	1.35	1.70	< 0.005	0.05	0.09	0.14	0.05	0.03	0.08	—	361	361	0.01	< 0.005	0.04	363

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	0.76	0.64	4.44	9.06	0.01	0.19	0.16	0.34	0.17	0.04	0.21	—	1,514	1,514	0.06	0.03	0.71	1,525

Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	4.69	3.94	36.6	30.8	0.08	1.46	2.99	4.45	1.34	1.04	2.38	—	9,178	9,178	0.37	0.09	0.02	9,213
2026	4.75	4.00	35.6	33.9	0.09	1.41	3.07	4.48	1.30	1.06	2.36	—	9,877	9,877	0.39	0.10	0.03	9,918
2027	1.29	1.09	9.11	11.0	0.03	0.39	0.12	0.50	0.35	0.03	0.38	—	2,859	2,859	0.11	0.03	0.01	2,872
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.73	0.62	5.72	4.83	0.01	0.23	0.47	0.70	0.21	0.16	0.37	—	1,437	1,437	0.06	0.01	0.06	1,443
2026	1.06	0.89	7.38	9.30	0.02	0.30	0.45	0.75	0.28	0.15	0.42	—	2,182	2,182	0.08	0.03	0.22	2,193
2027	0.08	0.07	0.57	0.69	< 0.005	0.02	0.01	0.03	0.02	< 0.005	0.02	—	179	179	0.01	< 0.005	0.01	180
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.13	0.11	1.04	0.88	< 0.005	0.04	0.09	0.13	0.04	0.03	0.07	—	238	238	0.01	< 0.005	0.01	239
2026	0.19	0.16	1.35	1.70	< 0.005	0.05	0.08	0.14	0.05	0.03	0.08	—	361	361	0.01	< 0.005	0.04	363
2027	0.01	0.01	0.10	0.13	< 0.005	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	—	29.7	29.7	< 0.005	< 0.005	< 0.005	29.8

3. Construction Emissions Details

3.1. Grading (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	4.63	3.89	36.4	30.1	0.08	1.46	—	1.46	1.34	—	1.34	—	8,954	8,954	0.36	0.07	—	8,985

Dust From Material Movement	—	—	—	—	—	—	2.81	2.81	—	0.99	0.99	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.72	0.61	5.70	4.71	0.01	0.23	—	0.23	0.21	—	0.21	—	1,402	1,402	0.06	0.01	—	1,407
Dust From Material Movement	—	—	—	—	—	—	0.44	0.44	—	0.16	0.16	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	1.04	0.86	< 0.005	0.04	—	0.04	0.04	—	0.04	—	232	232	0.01	< 0.005	—	233
Dust From Material Movement	—	—	—	—	—	—	0.08	0.08	—	0.03	0.03	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.06	0.73	0.00	0.00	0.16	0.16	0.00	0.04	0.04	—	162	162	0.01	0.01	0.02	164

Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	61.2	61.2	< 0.005	0.01	< 0.005	64.0
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.12	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	25.7	25.7	< 0.005	< 0.005	0.04	26.0
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	9.58	9.58	< 0.005	< 0.005	0.01	10.0
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.25	4.25	< 0.005	< 0.005	0.01	4.31
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.59	1.59	< 0.005	< 0.005	< 0.005	1.66
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	4.43	3.72	33.3	29.1	0.08	1.34	—	1.34	1.23	—	1.23	—	8,954	8,954	0.36	0.07	—	8,985
Dust From Material Movement	—	—	—	—	—	—	2.81	2.81	—	0.99	0.99	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.53	0.44	3.97	3.47	0.01	0.16	—	0.16	0.15	—	0.15	—	1,069	1,069	0.04	0.01	—	1,073
Dust From Material Movement	—	—	—	—	—	—	0.34	0.34	—	0.12	0.12	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.10	0.08	0.72	0.63	< 0.005	0.03	—	0.03	0.03	—	0.03	—	177	177	0.01	< 0.005	—	178
Dust From Material Movement	—	—	—	—	—	—	0.06	0.06	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.05	0.68	0.00	0.00	0.16	0.16	0.00	0.04	0.04	—	159	159	< 0.005	0.01	0.02	160
Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.2	60.2	< 0.005	0.01	< 0.005	63.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	19.2	19.2	< 0.005	< 0.005	0.03	19.4

Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.19	7.19	< 0.005	< 0.005	0.01	7.53
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.17	3.17	< 0.005	< 0.005	< 0.005	3.22
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.19	1.19	< 0.005	< 0.005	< 0.005	1.25
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Sewer, Drain, Water (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.71	0.59	4.31	8.31	0.01	0.19	—	0.19	0.17	—	0.17	—	1,286	1,286	0.05	0.01	—	1,290
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.71	0.59	4.31	8.31	0.01	0.19	—	0.19	0.17	—	0.17	—	1,286	1,286	0.05	0.01	—	1,290

Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.30	0.25	1.82	3.51	0.01	0.08	—	0.08	0.07	—	0.07	—	543	543	0.02	< 0.005	—	544
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	0.33	0.64	< 0.005	0.01	—	0.01	0.01	—	0.01	—	89.8	89.8	< 0.005	< 0.005	—	90.1
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.04	0.72	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	138	138	0.01	< 0.005	0.47	140
Vendor	< 0.005	< 0.005	0.10	0.03	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	90.3	90.3	< 0.005	0.01	0.25	94.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.04	0.54	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	127	127	< 0.005	< 0.005	0.01	128
Vendor	< 0.005	< 0.005	0.10	0.03	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	90.4	90.4	< 0.005	0.01	0.01	94.6
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.24	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	54.2	54.2	< 0.005	< 0.005	0.09	54.9
Vendor	< 0.005	< 0.005	0.04	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	38.1	38.1	< 0.005	0.01	0.04	39.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	8.97	8.97	< 0.005	< 0.005	0.01	9.09
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	6.31	6.31	< 0.005	< 0.005	0.01	6.61
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Utility Crossing (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.24	0.20	2.07	3.82	0.01	0.07	—	0.07	0.06	—	0.06	—	581	581	0.02	< 0.005	—	583

Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.01	0.15	0.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	41.4	41.4	< 0.005	< 0.005	—	41.5
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.85	6.85	< 0.005	< 0.005	—	6.87
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	63.4	63.4	< 0.005	< 0.005	0.01	64.2

Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.2	60.2	< 0.005	0.01	< 0.005	63.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.57	4.57	< 0.005	< 0.005	0.01	4.64
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.29	4.29	< 0.005	< 0.005	0.01	4.49
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.76	0.76	< 0.005	< 0.005	< 0.005	0.77
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.71	0.71	< 0.005	< 0.005	< 0.005	0.74
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Dry Utilities (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.24	0.20	2.07	3.82	0.01	0.07	—	0.07	0.06	—	0.06	—	581	581	0.02	< 0.005	—	583
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	0.02	0.02	0.19	0.36	< 0.005	0.01	—	0.01	0.01	—	0.01	—	54.1	54.1	< 0.005	< 0.005	—	54.3
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.96	8.96	< 0.005	< 0.005	—	8.99
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	63.4	63.4	< 0.005	< 0.005	0.01	64.2
Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.2	60.2	< 0.005	0.01	< 0.005	63.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.98	5.98	< 0.005	< 0.005	0.01	6.06
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	5.61	5.61	< 0.005	< 0.005	0.01	5.88
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.99	0.99	< 0.005	< 0.005	< 0.005	1.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.93	0.93	< 0.005	< 0.005	< 0.005	0.97
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Curb, Gutter, Street Improvement (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.31	1.10	9.78	10.7	0.02	0.42	—	0.42	0.38	—	0.38	—	2,707	2,707	0.11	0.02	—	2,716
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.13	1.15	1.25	< 0.005	0.05	—	0.05	0.05	—	0.05	—	318	318	0.01	< 0.005	—	319
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.02	0.21	0.23	< 0.005	0.01	—	0.01	0.01	—	0.01	—	52.6	52.6	< 0.005	< 0.005	—	52.8
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.41	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	95.1	95.1	< 0.005	< 0.005	0.01	96.3
Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.2	60.2	< 0.005	0.01	< 0.005	63.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	11.3	11.3	< 0.005	< 0.005	0.02	11.5
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.07	7.07	< 0.005	< 0.005	0.01	7.41
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.87	1.87	< 0.005	< 0.005	< 0.005	1.90
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.17	1.17	< 0.005	< 0.005	< 0.005	1.23
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Curb, Gutter, Street Improvement (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.26	1.06	9.02	10.6	0.02	0.38	—	0.38	0.35	—	0.35	—	2,707	2,707	0.11	0.02	—	2,716
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.08	0.07	0.56	0.66	< 0.005	0.02	—	0.02	0.02	—	0.02	—	170	170	0.01	< 0.005	—	170
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.10	0.12	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	28.1	28.1	< 0.005	< 0.005	—	28.2
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.38	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	93.4	93.4	< 0.005	< 0.005	0.01	94.5
Vendor	< 0.005	< 0.005	0.06	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	59.1	59.1	< 0.005	0.01	< 0.005	61.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.92	5.92	< 0.005	< 0.005	0.01	6.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.70	3.70	< 0.005	< 0.005	< 0.005	3.87
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.98	0.98	< 0.005	< 0.005	< 0.005	0.99
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.61	0.61	< 0.005	< 0.005	< 0.005	0.64
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Grading	Linear, Grubbing & Land Clearing	10/13/2025	3/2/2026	5.00	101	—
Sewer, Drain, Water	Linear, Grading & Excavation	3/3/2026	10/2/2026	5.00	154	—
Utility Crossing	Linear, Drainage, Utilities, & Sub-Grade	10/2/2026	11/6/2026	5.00	26.0	—
Dry Utilities	Linear, Paving	2/1/2026	3/19/2026	5.00	34.0	—
Curb, Gutter, Street Improvement	Linear, Trenching	11/2/2026	2/1/2027	5.00	66.0	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Grading	Scrapers	Diesel	Average	4.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Average	1.00	8.00	367	0.40
Sewer, Drain, Water	Excavators	Diesel	Average	2.00	8.00	36.0	0.38

Sewer, Drain, Water	Rubber Tired Loaders	Diesel	Average	2.00	8.00	150	0.36
Utility Crossing	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Dry Utilities	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Curb, Gutter, Street Improvement	Graders	Diesel	Average	1.00	8.00	148	0.41
Curb, Gutter, Street Improvement	Skid Steer Loaders	Diesel	Average	1.00	8.00	71.0	0.37
Curb, Gutter, Street Improvement	Scrapers	Diesel	Average	1.00	8.00	423	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Grading	—	—	—	—
Grading	Worker	12.5	18.5	LDA,LDT1,LDT2
Grading	Vendor	2.00	10.2	HHDT,MHDT
Grading	Hauling	0.00	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Sewer, Drain, Water	—	—	—	—
Sewer, Drain, Water	Worker	10.0	18.5	LDA,LDT1,LDT2
Sewer, Drain, Water	Vendor	3.00	10.2	HHDT,MHDT
Sewer, Drain, Water	Hauling	0.00	20.0	HHDT
Sewer, Drain, Water	Onsite truck	—	—	HHDT
Utility Crossing	—	—	—	—
Utility Crossing	Worker	5.00	18.5	LDA,LDT1,LDT2
Utility Crossing	Vendor	2.00	10.2	HHDT,MHDT
Utility Crossing	Hauling	0.00	20.0	HHDT

Utility Crossing	Onsite truck	—	—	HHDT
Dry Utilities	—	—	—	—
Dry Utilities	Worker	5.00	18.5	LDA,LDT1,LDT2
Dry Utilities	Vendor	2.00	10.2	HHDT,MHDT
Dry Utilities	Hauling	0.00	20.0	HHDT
Dry Utilities	Onsite truck	—	—	HHDT
Curb, Gutter, Street Improvement	—	—	—	—
Curb, Gutter, Street Improvement	Worker	7.50	18.5	LDA,LDT1,LDT2
Curb, Gutter, Street Improvement	Vendor	2.00	10.2	HHDT,MHDT
Curb, Gutter, Street Improvement	Hauling	0.00	20.0	HHDT
Curb, Gutter, Street Improvement	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Grading	—	—	35.2	0.00	—
Sewer, Drain, Water	—	—	35.2	0.00	—
Utility Crossing	—	—	35.2	0.00	—

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Road Construction	35.2	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	532	0.03	< 0.005
2026	0.00	532	0.03	< 0.005
2027	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A

Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00
Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Median HI	82.34312845
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328
Social	—
2-parent households	67.89426408
Voting	50.86616194
Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256

Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1
Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0
Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0

Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Based on client provided schedule
Construction: Off-Road Equipment	Equipment taken from client provided data. Water Trucks modeled as vendor trips in Trips and VMT.
Construction: Trips and VMT	Water Trucks added to vendor trips.

16056 - Keller Crossing Entitlements (Phase 1 In-Tract Construction) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Sewer, Drain, Water (2027) - Unmitigated

3.3. Utility Sleeving (2027) - Unmitigated

3.5. Curb, Gutter, Street Improvement (2027) - Unmitigated

3.7. Dry Utilities (2027) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	16056 - Keller Crossing Entitlements (Phase 1 In-Tract Construction)
Construction Start Date	2/3/2027
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.62770066552069, -117.09743051429581
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Road Construction	2.50	Mile	18.6	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.72	0.61	4.15	9.03	0.01	0.17	0.22	0.38	0.15	0.04	0.19	—	1,540	1,540	0.06	0.03	0.72	1,552
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.72	0.60	4.16	8.87	0.01	0.17	0.16	0.33	0.15	0.04	0.19	—	1,529	1,529	0.06	0.03	0.02	1,541
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.18	0.16	1.18	2.36	< 0.005	0.05	0.05	0.10	0.04	0.01	0.05	—	408	408	0.02	0.01	0.08	411
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.03	0.03	0.21	0.43	< 0.005	0.01	0.01	0.02	0.01	< 0.005	0.01	—	67.5	67.5	< 0.005	< 0.005	0.01	68.0

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	0.72	0.61	4.15	9.03	0.01	0.17	0.22	0.38	0.15	0.04	0.19	—	1,540	1,540	0.06	0.03	0.72	1,552

Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	0.72	0.60	4.16	8.87	0.01	0.17	0.16	0.33	0.15	0.04	0.19	—	1,529	1,529	0.06	0.03	0.02	1,541
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	0.18	0.16	1.18	2.36	< 0.005	0.05	0.05	0.10	0.04	0.01	0.05	—	408	408	0.02	0.01	0.08	411
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	0.03	0.03	0.21	0.43	< 0.005	0.01	0.01	0.02	0.01	< 0.005	0.01	—	67.5	67.5	< 0.005	< 0.005	0.01	68.0

3. Construction Emissions Details

3.1. Sewer, Drain, Water (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.67	0.56	3.99	8.33	0.01	0.16	—	0.16	0.15	—	0.15	—	1,287	1,287	0.05	0.01	—	1,291
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	0.67	0.56	3.99	8.33	0.01	0.16	—	0.16	0.15	—	0.15	—	1,287	1,287	0.05	0.01	—	1,291
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.12	0.10	0.69	1.44	< 0.005	0.03	—	0.03	0.03	—	0.03	—	222	222	0.01	< 0.005	—	223
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.13	0.26	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	36.8	36.8	< 0.005	< 0.005	—	36.9
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.03	0.66	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	135	135	< 0.005	< 0.005	0.42	137

Vendor	0.01	< 0.005	0.12	0.04	< 0.005	< 0.005	0.03	0.04	< 0.005	0.01	0.01	—	118	118	< 0.005	0.02	0.30	124
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.04	0.50	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	124	124	< 0.005	< 0.005	0.01	126
Vendor	0.01	< 0.005	0.13	0.04	< 0.005	< 0.005	0.03	0.04	< 0.005	0.01	0.01	—	118	118	< 0.005	0.02	0.01	124
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	21.8	21.8	< 0.005	< 0.005	0.03	22.0
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	20.4	20.4	< 0.005	< 0.005	0.02	21.4
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.60	3.60	< 0.005	< 0.005	0.01	3.65
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.38	3.38	< 0.005	< 0.005	< 0.005	3.54
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Utility Sleeving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.19	1.98	3.82	0.01	0.06	—	0.06	0.05	—	0.05	—	581	581	0.02	< 0.005	—	583

Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.05	0.10	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	15.9	15.9	< 0.005	< 0.005	—	16.0
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.63	2.63	< 0.005	< 0.005	—	2.64
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.33	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	67.7	67.7	< 0.005	< 0.005	0.21	68.6

Vendor	0.01	< 0.005	0.15	0.05	< 0.005	< 0.005	0.04	0.05	< 0.005	0.01	0.01	—	148	148	< 0.005	0.02	0.38	155
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.73	1.73	< 0.005	< 0.005	< 0.005	1.75
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.05	4.05	< 0.005	< 0.005	< 0.005	4.24
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.29	0.29	< 0.005	< 0.005	< 0.005	0.29
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.67	0.67	< 0.005	< 0.005	< 0.005	0.70
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Curb, Gutter, Street Improvement (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.45	0.38	3.26	5.15	0.01	0.16	—	0.16	0.14	—	0.14	—	813	813	0.03	0.01	—	816
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.22	0.35	< 0.005	0.01	—	0.01	0.01	—	0.01	—	55.7	55.7	< 0.005	< 0.005	—	55.9
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	< 0.005	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	9.22	9.22	< 0.005	< 0.005	—	9.26
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.33	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	67.7	67.7	< 0.005	< 0.005	0.21	68.6
Vendor	< 0.005	< 0.005	0.06	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	59.1	59.1	< 0.005	0.01	0.15	61.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.32	4.32	< 0.005	< 0.005	0.01	4.37
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.05	4.05	< 0.005	< 0.005	< 0.005	4.24
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.71	0.71	< 0.005	< 0.005	< 0.005	0.72
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.67	0.67	< 0.005	< 0.005	< 0.005	0.70
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Dry Utilities (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.19	1.98	3.82	0.01	0.06	—	0.06	0.05	—	0.05	—	581	581	0.02	< 0.005	—	583
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.16	0.31	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	47.7	47.7	< 0.005	< 0.005	—	47.9

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.90	7.90	< 0.005	< 0.005	—	7.93
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.33	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	67.7	67.7	< 0.005	< 0.005	0.21	68.6
Vendor	< 0.005	< 0.005	0.06	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	59.1	59.1	< 0.005	0.01	0.15	61.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.18	5.18	< 0.005	< 0.005	0.01	5.25
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.86	4.86	< 0.005	< 0.005	0.01	5.08
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.86	0.86	< 0.005	< 0.005	< 0.005	0.87
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.80	0.80	< 0.005	< 0.005	< 0.005	0.84
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Remove	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Sewer, Drain, Water	Linear, Grubbing & Land Clearing	2/3/2027	4/30/2027	5.00	63.0	—
Utility Sleeving	Linear, Grading & Excavation	5/3/2027	5/14/2027	5.00	10.0	—
Curb, Gutter, Street Improvement	Linear, Drainage, Utilities, & Sub-Grade	5/17/2027	6/18/2027	5.00	25.0	—
Dry Utilities	Linear, Paving	6/21/2027	7/30/2027	5.00	30.0	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Sewer, Drain, Water	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Sewer, Drain, Water	Rubber Tired Loaders	Diesel	Average	2.00	8.00	150	0.36
Utility Sleeving	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Curb, Gutter, Street Improvement	Graders	Diesel	Average	1.00	8.00	148	0.41
Curb, Gutter, Street Improvement	Skid Steer Loaders	Diesel	Average	1.00	8.00	71.0	0.37
Dry Utilities	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Sewer, Drain, Water	—	—	—	—
Sewer, Drain, Water	Worker	10.0	18.5	LDA,LDT1,LDT2
Sewer, Drain, Water	Vendor	4.00	10.2	HHDT,MHDT
Sewer, Drain, Water	Hauling	0.00	20.0	HHDT
Sewer, Drain, Water	Onsite truck	—	—	HHDT
Utility Sleeving	—	—	—	—
Utility Sleeving	Worker	5.00	18.5	LDA,LDT1,LDT2
Utility Sleeving	Vendor	5.00	10.2	HHDT,MHDT
Utility Sleeving	Hauling	0.00	20.0	HHDT
Utility Sleeving	Onsite truck	—	—	HHDT
Curb, Gutter, Street Improvement	—	—	—	—
Curb, Gutter, Street Improvement	Worker	5.00	18.5	LDA,LDT1,LDT2
Curb, Gutter, Street Improvement	Vendor	2.00	10.2	HHDT,MHDT
Curb, Gutter, Street Improvement	Hauling	0.00	20.0	HHDT
Curb, Gutter, Street Improvement	Onsite truck	—	—	HHDT
Dry Utilities	—	—	—	—
Dry Utilities	Worker	5.00	18.5	LDA,LDT1,LDT2
Dry Utilities	Vendor	2.00	10.2	HHDT,MHDT
Dry Utilities	Hauling	0.00	20.0	HHDT
Dry Utilities	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Sewer, Drain, Water	—	—	18.6	0.00	—
Utility Sleeving	—	—	18.6	0.00	—
Curb, Gutter, Street Improvement	—	—	18.6	0.00	—

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Road Construction	18.6	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2027	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2

Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00

Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00
Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Median HI	82.34312845
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328

Social	—
2-parent households	67.89426408
Voting	50.86616194
Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256
Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1

Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0
Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0
Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Taken from client data.
Construction: Off-Road Equipment	Taken from client data. Standard 8 hours work days. Water trucks modeled as vendor trips in Trips and VMT
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Grading and Building Construction Water trucks added to vendor trips
Construction: Architectural Coatings	SCAQMD Rule 1113
Land Use	Total Project acreage for Phase 1 on-site construction is 39 acres.

16056 - Keller Crossing Entitlements (Phase 1 On-Site Construction) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Grading (2026) - Unmitigated

3.3. Grading (2027) - Unmitigated

3.5. Building Construction (2027) - Unmitigated

3.7. Building Construction (2028) - Unmitigated

3.9. Paving (2028) - Unmitigated

3.11. Architectural Coating (2028) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	16056 - Keller Crossing Entitlements (Phase 1 On-Site Construction)
Construction Start Date	6/1/2026
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.62770066552069, -117.09743051429581
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	180	Dwelling Unit	23.2	351,000	2,108,314	—	581	—

Apartments Low Rise	98.0	Dwelling Unit	8.26	103,880	0.00	—	317	—
Other Non-Asphalt Surfaces	8.02	Acre	8.02	0.00	0.00	—	—	Open Space

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	42.3	41.8	92.1	81.8	0.21	3.79	11.3	15.0	3.49	4.74	8.23	—	22,854	22,854	0.92	0.25	8.19	22,954
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	42.2	41.8	92.1	81.3	0.21	3.79	11.3	15.0	3.49	4.74	8.23	—	22,818	22,818	0.91	0.25	0.21	22,916
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	9.59	9.38	38.6	34.1	0.09	1.59	4.71	6.30	1.46	1.99	3.45	—	9,558	9,558	0.38	0.14	2.17	9,599
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.75	1.71	7.04	6.22	0.02	0.29	0.86	1.15	0.27	0.36	0.63	—	1,582	1,582	0.06	0.02	0.36	1,589

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	12.3	10.3	92.1	81.8	0.21	3.79	11.3	15.0	3.49	4.74	8.23	—	22,854	22,854	0.92	0.25	2.51	22,954
2027	1.97	1.67	11.3	23.2	0.03	0.37	1.96	2.33	0.35	0.47	0.81	—	5,112	5,112	0.14	0.18	7.35	5,177
2028	42.3	41.8	18.6	36.6	0.05	0.61	2.51	3.12	0.56	0.60	1.16	—	7,311	7,311	0.21	0.22	8.19	7,389
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	12.3	10.3	92.1	81.3	0.21	3.79	11.3	15.0	3.49	4.74	8.23	—	22,818	22,818	0.91	0.25	0.07	22,916
2027	11.9	10.0	86.6	79.7	0.21	3.57	11.3	14.8	3.29	4.74	8.03	—	22,800	22,800	0.91	0.25	0.19	22,897
2028	42.2	41.8	18.7	34.0	0.05	0.61	2.51	3.12	0.56	0.60	1.16	—	7,123	7,123	0.22	0.22	0.21	7,193
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	5.14	4.32	38.6	34.1	0.09	1.59	4.71	6.30	1.46	1.99	3.45	—	9,558	9,558	0.38	0.11	0.45	9,599
2027	2.03	1.71	13.0	19.1	0.03	0.47	1.99	2.46	0.44	0.61	1.04	—	4,712	4,712	0.15	0.13	2.12	4,759
2028	9.59	9.38	9.36	17.7	0.03	0.30	1.49	1.79	0.27	0.36	0.63	—	3,973	3,973	0.12	0.14	2.17	4,019
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	0.94	0.79	7.04	6.22	0.02	0.29	0.86	1.15	0.27	0.36	0.63	—	1,582	1,582	0.06	0.02	0.07	1,589
2027	0.37	0.31	2.38	3.48	0.01	0.09	0.36	0.45	0.08	0.11	0.19	—	780	780	0.03	0.02	0.35	788
2028	1.75	1.71	1.71	3.23	< 0.005	0.05	0.27	0.33	0.05	0.06	0.11	—	658	658	0.02	0.02	0.36	665

3. Construction Emissions Details

3.1. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	12.1	10.2	91.6	79.4	0.20	3.78	—	3.78	3.48	—	3.48	—	22,045	22,045	0.89	0.18	—	22,120
Dust From Material Movement	—	—	—	—	—	—	10.7	10.7	—	4.62	4.62	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	12.1	10.2	91.6	79.4	0.20	3.78	—	3.78	3.48	—	3.48	—	22,045	22,045	0.89	0.18	—	22,120
Dust From Material Movement	—	—	—	—	—	—	10.7	10.7	—	4.62	4.62	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	5.08	4.26	38.4	33.2	0.09	1.58	—	1.58	1.46	—	1.46	—	9,232	9,232	0.37	0.07	—	9,264
Dust From Material Movement	—	—	—	—	—	—	4.49	4.49	—	1.93	1.93	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.93	0.78	7.00	6.07	0.02	0.29	—	0.29	0.27	—	0.27	—	1,528	1,528	0.06	0.01	—	1,534

Dust From Material Movement	—	—	—	—	—	—	0.82	0.82	—	0.35	0.35	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.14	0.13	2.33	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	448	448	0.02	0.02	1.52	455
Vendor	0.02	0.01	0.39	0.12	< 0.005	0.01	0.10	0.11	0.01	0.03	0.03	—	361	361	0.01	0.06	0.99	379
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.13	0.14	1.77	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	412	412	0.01	0.02	0.04	417
Vendor	0.02	0.01	0.40	0.12	< 0.005	0.01	0.10	0.11	0.01	0.03	0.03	—	361	361	0.01	0.06	0.03	378
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.07	0.78	0.00	0.00	0.18	0.18	0.00	0.04	0.04	—	175	175	< 0.005	0.01	0.27	177
Vendor	0.01	< 0.005	0.17	0.05	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	151	151	< 0.005	0.02	0.18	159
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.14	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	28.9	28.9	< 0.005	< 0.005	0.05	29.3
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	25.1	25.1	< 0.005	< 0.005	0.03	26.2
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Grading (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	11.8	9.90	86.1	78.0	0.20	3.57	—	3.57	3.28	—	3.28	—	22,041	22,041	0.89	0.18	—	22,116
Dust From Material Movement	—	—	—	—	—	—	10.7	10.7	—	4.62	4.62	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.76	0.64	5.56	5.04	0.01	0.23	—	0.23	0.21	—	0.21	—	1,423	1,423	0.06	0.01	—	1,428
Dust From Material Movement	—	—	—	—	—	—	0.69	0.69	—	0.30	0.30	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.14	0.12	1.02	0.92	< 0.005	0.04	—	0.04	0.04	—	0.04	—	236	236	0.01	< 0.005	—	236

Dust From Material Movement	—	—	—	—	—	—	0.13	0.13	—	0.05	0.05	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.14	0.12	0.13	1.63	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	405	405	0.01	0.02	0.04	409
Vendor	0.02	0.01	0.39	0.12	< 0.005	0.01	0.10	0.11	0.01	0.03	0.03	—	355	355	0.01	0.05	0.02	371
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.11	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	26.5	26.5	< 0.005	< 0.005	0.04	26.8
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	22.9	22.9	< 0.005	< 0.005	0.03	24.0
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.38	4.38	< 0.005	< 0.005	0.01	4.44
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.79	3.79	< 0.005	< 0.005	< 0.005	3.97
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.33	1.11	10.2	14.0	0.03	0.36	—	0.36	0.34	—	0.34	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.33	1.11	10.2	14.0	0.03	0.36	—	0.36	0.34	—	0.34	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.86	0.72	6.61	9.12	0.02	0.24	—	0.24	0.22	—	0.22	—	1,709	1,709	0.07	0.01	—	1,714
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.13	1.21	1.66	< 0.005	0.04	—	0.04	0.04	—	0.04	—	283	283	0.01	< 0.005	—	284
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.61	0.54	0.47	8.99	0.00	0.00	1.77	1.77	0.00	0.41	0.41	—	1,832	1,832	0.02	0.06	5.69	1,858
Vendor	0.03	0.01	0.68	0.21	< 0.005	0.01	0.19	0.20	0.01	0.05	0.06	—	650	650	0.02	0.10	1.66	681
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.58	0.51	0.53	6.80	0.00	0.00	1.77	1.77	0.00	0.41	0.41	—	1,685	1,685	0.02	0.06	0.15	1,705
Vendor	0.03	0.01	0.71	0.22	< 0.005	0.01	0.19	0.20	0.01	0.05	0.06	—	651	651	0.01	0.10	0.04	680
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.38	0.33	0.38	4.63	0.00	0.00	1.14	1.14	0.00	0.27	0.27	—	1,109	1,109	0.02	0.04	1.60	1,123
Vendor	0.02	0.01	0.46	0.14	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	—	423	423	0.01	0.06	0.46	442
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.85	0.00	0.00	0.21	0.21	0.00	0.05	0.05	—	184	184	< 0.005	0.01	0.26	186
Vendor	< 0.005	< 0.005	0.08	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	70.0	70.0	< 0.005	0.01	0.08	73.2
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Building Construction (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	9.66	14.0	0.03	0.33	—	0.33	0.30	—	0.30	—	2,630	2,630	0.11	0.02	—	2,639

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	9.66	14.0	0.03	0.33	—	0.33	0.30	—	0.30	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.91	0.76	6.88	10.00	0.02	0.23	—	0.23	0.21	—	0.21	—	1,874	1,874	0.08	0.02	—	1,880
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.26	1.82	< 0.005	0.04	—	0.04	0.04	—	0.04	—	310	310	0.01	< 0.005	—	311
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.59	0.53	0.47	8.38	0.00	0.00	1.77	1.77	0.00	0.41	0.41	—	1,798	1,798	0.02	0.06	5.10	1,823
Vendor	0.03	0.01	0.65	0.21	< 0.005	0.01	0.19	0.20	0.01	0.05	0.06	—	635	635	0.01	0.10	1.51	666
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.51	0.50	0.53	6.34	0.00	0.00	1.77	1.77	0.00	0.41	0.41	—	1,654	1,654	0.02	0.06	0.13	1,674
Vendor	0.03	0.01	0.68	0.21	< 0.005	0.01	0.19	0.20	0.01	0.05	0.06	—	636	636	0.01	0.10	0.04	665
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.36	0.35	0.38	4.76	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	1,193	1,193	0.02	0.05	1.57	1,209
Vendor	0.02	0.01	0.49	0.15	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	—	453	453	0.01	0.07	0.46	474
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.87	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	198	198	< 0.005	0.01	0.26	200
Vendor	< 0.005	< 0.005	0.09	0.03	< 0.005	< 0.005	0.02	0.03	< 0.005	0.01	0.01	—	75.0	75.0	< 0.005	0.01	0.08	78.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Paving (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.82	0.69	6.63	9.91	0.01	0.26	—	0.26	0.24	—	0.24	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	0.82	0.69	6.63	9.91	0.01	0.26	—	0.26	0.24	—	0.24	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.36	2.04	< 0.005	0.05	—	0.05	0.05	—	0.05	—	310	310	0.01	< 0.005	—	312
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.25	0.37	< 0.005	0.01	—	0.01	0.01	—	0.01	—	51.4	51.4	< 0.005	< 0.005	—	51.6
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.05	0.93	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	199	199	< 0.005	0.01	0.57	202
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.06	0.70	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	183	183	< 0.005	0.01	0.01	185

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	38.1	38.1	< 0.005	< 0.005	0.05	38.6
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.31	6.31	< 0.005	< 0.005	0.01	6.40
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Architectural Coating (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.08	1.49	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	39.2	39.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.17	0.14	1.08	1.49	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	39.2	39.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.03	0.22	0.31	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	36.6	36.6	< 0.005	< 0.005	—	36.7
Architectural Coatings	8.06	8.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.06	6.06	< 0.005	< 0.005	—	6.08
Architectural Coatings	1.47	1.47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.12	0.11	0.09	1.68	0.00	0.00	0.35	0.35	0.00	0.08	0.08	—	360	360	< 0.005	0.01	1.02	365
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.10	0.11	1.27	0.00	0.00	0.35	0.35	0.00	0.08	0.08	—	331	331	< 0.005	0.01	0.03	335
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	68.8	68.8	< 0.005	< 0.005	0.09	69.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	11.4	11.4	< 0.005	< 0.005	0.01	11.5
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Grading	Grading	6/1/2026	2/2/2027	5.00	177	110
Building Construction	Building Construction	2/3/2027	12/29/2028	5.00	498	1110
Paving	Paving	9/18/2028	12/29/2028	5.00	75.0	75
Architectural Coating	Architectural Coating	9/18/2028	12/29/2028	5.00	75.0	75

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Grading	Scrapers	Diesel	Average	8.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Average	5.00	8.00	367	0.40
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Average	1.00	8.00	367	0.29
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Back hoes	Diesel	Average	3.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix

Grading	—	—	—	—
Grading	Worker	32.5	18.5	LDA,LDT1,LDT2
Grading	Vendor	12.0	10.2	HHDT,MHDT
Grading	Hauling	0.00	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	135	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	22.0	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	27.1	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)

Architectural Coating	921,132	307,044	0.00	0.00	20,438

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Grading	—	—	1,859	0.00	—
Paving	0.00	0.00	0.00	0.00	9.80

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Single Family Housing	1.98	0%
Apartments Low Rise	—	0%
Other Non-Asphalt Surfaces	7.82	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2026	0.00	532	0.03	< 0.005
2027	0.00	532	0.03	< 0.005
2028	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2

Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00

Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00
Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Median HI	82.34312845
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328

Social	—
2-parent households	67.89426408
Voting	50.86616194
Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256
Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1

Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0
Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0
Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Taken from client data. Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis.
Construction: Off-Road Equipment	Taken from client data. Standard 8 hours work days. Off-highway trucks modeled as vendor trips in Trips and VMT
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Grading and Building Construction Off-highway trucks added to vendor trips
Construction: Architectural Coatings	SCAQMD Rule 1113
Land Use	Total Project acreage for Phase 1 on-site construction is 39.48 acres.

16056 - Keller Crossing Entitlements (Phase 2 Construction) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Building Construction (2026) - Unmitigated

3.3. Building Construction (2027) - Unmitigated

3.5. Building Construction (2028) - Unmitigated

3.7. Building Construction (2029) - Unmitigated

3.9. Building Construction (2030) - Unmitigated

3.11. Paving (2029) - Unmitigated

3.13. Paving (2030) - Unmitigated

3.15. Architectural Coating (2029) - Unmitigated

3.17. Architectural Coating (2030) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	16056 - Keller Crossing Entitlements (Phase 2 Construction)
Construction Start Date	3/2/2026
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.63070756315338, -117.09225924720047
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	204	Dwelling Unit	37.6	397,800	2,389,423	—	659	—

Apartments Low Rise	132	Dwelling Unit	11.1	139,920	0.00	—	426	—
Retirement Community	80.0	Dwelling Unit	7.32	84,800	0.00	—	258	Senior Housing
City Park	8.97	Acre	8.97	0.00	0.00	0.00	—	—
Other Non-Asphalt Surfaces	73.0	Acre	73.0	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	46.8	46.4	18.9	42.4	0.05	0.58	4.12	4.70	0.53	0.98	1.51	—	9,304	9,304	0.27	0.36	14.2	9,429
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	46.7	46.2	19.1	38.3	0.05	0.58	4.12	4.70	0.53	0.98	1.51	—	9,007	9,007	0.24	0.36	0.37	9,120
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	14.9	14.6	10.4	22.0	0.03	0.30	2.60	2.90	0.28	0.62	0.90	—	5,460	5,460	0.14	0.24	3.96	5,537
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.71	2.66	1.91	4.01	0.01	0.06	0.47	0.53	0.05	0.11	0.16	—	904	904	0.02	0.04	0.66	917

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.51	2.14	13.0	30.7	0.04	0.43	3.34	3.76	0.40	0.80	1.19	—	7,086	7,086	0.27	0.34	14.2	7,207
2027	2.41	2.05	12.3	29.5	0.04	0.38	3.34	3.72	0.36	0.80	1.15	—	7,004	7,004	0.17	0.33	12.9	7,118
2028	2.32	1.98	11.7	28.5	0.04	0.35	3.34	3.68	0.32	0.80	1.12	—	6,918	6,918	0.16	0.33	11.6	7,030
2029	46.8	46.4	18.9	42.4	0.05	0.58	4.12	4.70	0.53	0.98	1.51	—	9,304	9,304	0.23	0.36	12.4	9,429
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.45	2.08	13.2	26.8	0.04	0.43	3.34	3.76	0.40	0.80	1.19	—	6,836	6,836	0.18	0.34	0.37	6,943
2027	2.36	1.99	12.5	25.8	0.04	0.38	3.34	3.72	0.36	0.80	1.15	—	6,759	6,759	0.18	0.33	0.33	6,861
2028	2.18	1.92	11.9	25.1	0.04	0.35	3.34	3.68	0.32	0.80	1.12	—	6,678	6,678	0.17	0.33	0.30	6,779
2029	46.7	46.2	19.1	38.3	0.05	0.58	4.12	4.70	0.53	0.98	1.51	—	9,007	9,007	0.24	0.36	0.32	9,120
2030	46.6	46.1	18.5	37.5	0.05	0.54	4.12	4.66	0.50	0.98	1.48	—	8,913	8,913	0.24	0.36	0.28	9,025
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	1.46	1.24	7.91	16.4	0.02	0.26	1.97	2.23	0.24	0.47	0.71	—	4,102	4,102	0.11	0.20	3.66	4,169
2027	1.68	1.43	8.99	18.8	0.03	0.27	2.36	2.64	0.25	0.56	0.82	—	4,853	4,853	0.13	0.23	3.96	4,929
2028	1.56	1.38	8.54	18.3	0.03	0.25	2.37	2.62	0.23	0.57	0.80	—	4,808	4,808	0.12	0.23	3.58	4,884
2029	14.9	14.6	10.4	22.0	0.03	0.30	2.60	2.90	0.28	0.62	0.90	—	5,460	5,460	0.14	0.24	3.45	5,537
2030	0.09	0.09	0.04	0.07	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	17.5	17.5	< 0.005	< 0.005	0.01	17.8
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	0.27	0.23	1.44	2.98	< 0.005	0.05	0.36	0.41	0.04	0.09	0.13	—	679	679	0.02	0.03	0.61	690
2027	0.31	0.26	1.64	3.44	< 0.005	0.05	0.43	0.48	0.05	0.10	0.15	—	803	803	0.02	0.04	0.66	816
2028	0.28	0.25	1.56	3.35	< 0.005	0.05	0.43	0.48	0.04	0.10	0.15	—	796	796	0.02	0.04	0.59	809
2029	2.71	2.66	1.91	4.01	0.01	0.06	0.47	0.53	0.05	0.11	0.16	—	904	904	0.02	0.04	0.57	917

2030	0.02	0.02	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.90	2.90	< 0.005	< 0.005	< 0.005	2.94

3. Construction Emissions Details

3.1. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.38	1.16	10.7	14.1	0.03	0.41	—	0.41	0.38	—	0.38	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.38	1.16	10.7	14.1	0.03	0.41	—	0.41	0.38	—	0.38	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.82	0.69	6.37	8.40	0.02	0.24	—	0.24	0.22	—	0.22	—	1,570	1,570	0.06	0.01	—	1,575
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.13	1.16	1.53	< 0.005	0.04	—	0.04	0.04	—	0.04	—	260	260	0.01	< 0.005	—	261
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.06	0.96	0.89	16.2	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	3,118	3,118	0.13	0.11	10.6	3,164
Vendor	0.06	0.03	1.43	0.44	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,339	1,339	0.03	0.21	3.66	1,405
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.01	0.90	0.99	12.3	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,867	2,867	0.04	0.11	0.27	2,902
Vendor	0.06	0.03	1.49	0.46	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,340	1,340	0.03	0.21	0.09	1,402
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.60	0.54	0.65	7.69	0.00	0.00	1.75	1.75	0.00	0.41	0.41	—	1,733	1,733	0.03	0.07	2.72	1,756
Vendor	0.04	0.02	0.89	0.27	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	799	799	0.02	0.12	0.94	837
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.10	0.12	1.40	0.00	0.00	0.32	0.32	0.00	0.07	0.07	—	287	287	< 0.005	0.01	0.45	291
Vendor	0.01	< 0.005	0.16	0.05	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	132	132	< 0.005	0.02	0.16	139
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.33	1.11	10.2	14.0	0.03	0.36	—	0.36	0.34	—	0.34	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.33	1.11	10.2	14.0	0.03	0.36	—	0.36	0.34	—	0.34	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.95	0.79	7.27	10.0	0.02	0.26	—	0.26	0.24	—	0.24	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.33	1.83	< 0.005	0.05	—	0.05	0.04	—	0.04	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.02	0.91	0.79	15.0	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	3,060	3,060	0.03	0.11	9.51	3,102
Vendor	0.06	0.03	1.37	0.43	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,314	1,314	0.03	0.20	3.35	1,377
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.97	0.86	0.89	11.4	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,814	2,814	0.04	0.11	0.25	2,848
Vendor	0.06	0.03	1.44	0.44	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,315	1,315	0.03	0.20	0.09	1,375
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.69	0.61	0.70	8.51	0.00	0.00	2.09	2.09	0.00	0.49	0.49	—	2,036	2,036	0.03	0.08	2.93	2,062
Vendor	0.04	0.02	1.02	0.31	0.01	0.01	0.27	0.28	0.01	0.07	0.09	—	939	939	0.02	0.14	1.03	982
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.13	0.11	0.13	1.55	0.00	0.00	0.38	0.38	0.00	0.09	0.09	—	337	337	< 0.005	0.01	0.48	341
Vendor	0.01	< 0.005	0.19	0.06	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	155	155	< 0.005	0.02	0.17	163
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Building Construction (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road	1.28	1.07	9.66	14.0	0.03	0.33	—	0.33	0.30	—	0.30	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.28	1.07	9.66	14.0	0.03	0.33	—	0.33	0.30	—	0.30	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.92	0.77	6.92	10.1	0.02	0.23	—	0.23	0.21	—	0.21	—	1,884	1,884	0.08	0.02	—	1,890
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.26	1.83	< 0.005	0.04	—	0.04	0.04	—	0.04	—	312	312	0.01	< 0.005	—	313
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.98	0.88	0.78	14.0	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	3,003	3,003	0.03	0.11	8.52	3,044
Vendor	0.06	0.03	1.31	0.42	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,284	1,284	0.02	0.20	3.05	1,347
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.85	0.83	0.88	10.6	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,762	2,762	0.04	0.11	0.22	2,795
Vendor	0.06	0.03	1.37	0.43	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,285	1,285	0.02	0.20	0.08	1,345
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.60	0.59	0.63	7.99	0.00	0.00	2.10	2.10	0.00	0.49	0.49	—	2,003	2,003	0.03	0.08	2.63	2,030
Vendor	0.04	0.02	0.99	0.31	0.01	0.01	0.27	0.28	0.01	0.07	0.09	—	920	920	0.01	0.14	0.94	964
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.11	0.12	1.46	0.00	0.00	0.38	0.38	0.00	0.09	0.09	—	332	332	< 0.005	0.01	0.44	336
Vendor	0.01	< 0.005	0.18	0.06	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	152	152	< 0.005	0.02	0.16	160
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Building Construction (2029) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.25	1.04	9.28	14.0	0.03	0.30	—	0.30	0.28	—	0.28	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	1.25	1.04	9.28	14.0	0.03	0.30	—	0.30	0.28	—	0.28	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.89	0.74	6.63	10.00	0.02	0.21	—	0.21	0.20	—	0.20	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.14	1.21	1.82	< 0.005	0.04	—	0.04	0.04	—	0.04	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.85	0.84	0.68	13.1	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,950	2,950	0.03	0.11	7.61	2,990
Vendor	0.06	0.03	1.26	0.41	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,251	1,251	0.02	0.19	2.72	1,310
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.81	0.70	0.78	9.83	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,714	2,714	0.03	0.11	0.20	2,747
Vendor	0.06	0.03	1.31	0.42	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,252	1,252	0.02	0.19	0.07	1,308
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.58	0.50	0.56	7.42	0.00	0.00	2.09	2.09	0.00	0.49	0.49	—	1,963	1,963	0.02	0.08	2.35	1,989
Vendor	0.04	0.02	0.94	0.30	0.01	0.01	0.27	0.28	0.01	0.07	0.09	—	894	894	0.01	0.13	0.84	935
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.09	0.10	1.36	0.00	0.00	0.38	0.38	0.00	0.09	0.09	—	325	325	< 0.005	0.01	0.39	329
Vendor	0.01	< 0.005	0.17	0.05	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	148	148	< 0.005	0.02	0.14	155
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Building Construction (2030) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.21	1.02	9.07	14.0	0.03	0.28	—	0.28	0.26	—	0.26	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.03	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.15	5.15	< 0.005	< 0.005	—	5.16
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.85	0.85	< 0.005	< 0.005	—	0.85
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.77	0.67	0.68	9.26	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,669	2,669	0.03	0.11	0.18	2,702
Vendor	0.06	0.03	1.27	0.41	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,215	1,215	0.02	0.19	0.06	1,271
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.29	5.29	< 0.005	< 0.005	0.01	5.36
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.38	2.38	< 0.005	< 0.005	< 0.005	2.49
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.88	0.88	< 0.005	< 0.005	< 0.005	0.89
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.39	0.39	< 0.005	< 0.005	< 0.005	0.41
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Paving (2029) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.80	0.67	6.46	9.92	0.01	0.24	—	0.24	0.22	—	0.22	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.80	0.67	6.46	9.92	0.01	0.24	—	0.24	0.22	—	0.22	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.24	0.20	1.93	2.97	< 0.005	0.07	—	0.07	0.07	—	0.07	—	452	452	0.02	< 0.005	—	454
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.04	0.04	0.35	0.54	< 0.005	0.01	—	0.01	0.01	—	0.01	—	74.9	74.9	< 0.005	< 0.005	—	75.1
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.06	0.04	0.87	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	196	196	< 0.005	0.01	0.50	198
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.05	0.05	0.65	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	180	180	< 0.005	0.01	0.01	182
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.01	0.02	0.21	0.00	0.00	0.06	0.06	0.00	0.01	0.01	—	54.6	54.6	< 0.005	< 0.005	0.07	55.3
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	9.04	9.04	< 0.005	< 0.005	0.01	9.16
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Paving (2030) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.77	0.64	6.28	9.90	0.01	0.22	—	0.22	0.20	—	0.20	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.96	2.96	< 0.005	< 0.005	—	2.97
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.49	0.49	< 0.005	< 0.005	—	0.49
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.05	0.61	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	177	177	< 0.005	0.01	0.01	179

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.35	0.35	< 0.005	< 0.005	< 0.005	0.36
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.06	0.06	< 0.005	< 0.005	< 0.005	0.06
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.15. Architectural Coating (2029) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.06	1.48	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	43.5	43.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.17	0.14	1.06	1.48	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	43.5	43.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.04	0.32	0.44	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	53.3	53.3	< 0.005	< 0.005	—	53.5
Architectural Coatings	13.0	13.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.06	0.08	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.82	8.82	< 0.005	< 0.005	—	8.85
Architectural Coatings	2.37	2.37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.17	0.14	2.62	0.00	0.00	0.59	0.59	0.00	0.14	0.14	—	590	590	0.01	0.02	1.52	598
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.14	0.16	1.97	0.00	0.00	0.59	0.59	0.00	0.14	0.14	—	543	543	0.01	0.02	0.04	549
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.05	0.62	0.00	0.00	0.18	0.18	0.00	0.04	0.04	—	165	165	< 0.005	0.01	0.20	167
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.11	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	27.2	27.2	< 0.005	< 0.005	0.03	27.6
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.17. Architectural Coating (2030) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.13	1.05	1.48	< 0.005	0.01	—	0.01	0.01	—	0.01	—	178	178	0.01	< 0.005	—	179

Architectural	43.5	43.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.35	0.35	< 0.005	< 0.005	—	0.35
Architectural Coatings	0.09	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.06	0.06	< 0.005	< 0.005	—	0.06
Architectural Coatings	0.02	0.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.13	0.14	1.85	0.00	0.00	0.59	0.59	0.00	0.14	0.14	—	534	534	0.01	0.02	0.04	540
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.06	1.06	< 0.005	< 0.005	< 0.005	1.07
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.18	0.18	< 0.005	< 0.005	< 0.005	0.18
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Building Construction	Building Construction	3/2/2026	1/1/2030	5.00	1,002	—
Paving	Paving	8/1/2029	1/1/2030	5.00	110	—
Architectural Coating	Architectural Coating	8/1/2029	1/1/2030	5.00	110	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Average	1.00	8.00	367	0.29
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	3.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Building Construction	—	—	—	—
Building Construction	Worker	226	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	44.5	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT

Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	45.2	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	1,260,603	420,201	0.00	0.00	190,662

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Paving	0.00	0.00	0.00	0.00	75.2

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Single Family Housing	2.25	0%
Apartments Low Rise	—	0%
Retirement Community	—	0%
City Park	0.00	0%
Other Non-Asphalt Surfaces	73.0	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2027	0.00	532	0.03	< 0.005
2026	0.00	532	0.03	< 0.005
2028	0.00	532	0.03	< 0.005
2029	0.00	532	0.03	< 0.005
2030	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A

Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00
Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Median HI	82.34312845
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328
Social	—
2-parent households	67.89426408
Voting	50.86616194
Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256

Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1
Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0
Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0

Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Taken from client data. Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis.
Construction: Off-Road Equipment	Taken from client data. Standard 8 hours work days.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Grading and Building Construction
Construction: Architectural Coatings	SCAQMD Rule 1113
Land Use	Total Project acreage for Phase 2 is 137.93 acres.

16056 - Keller Crossing Entitlements (Off-Site - Mitigated) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Grading (2025) - Unmitigated

3.3. Grading (2026) - Unmitigated

3.5. Sewer, Drain, Water (2026) - Unmitigated

3.7. Utility Crossing (2026) - Unmitigated

3.9. Dry Utilities (2026) - Unmitigated

3.11. Curb, Gutter, Street Improvement (2026) - Unmitigated

3.13. Curb, Gutter, Street Improvement (2027) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	16056 - Keller Crossing Entitlements (Off-Site - Mitigated)
Construction Start Date	10/13/2025
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.627346, -117.093822
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.28

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Road Construction	4.50	Mile	35.2	0.00	—	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.43	0.39	5.87	9.83	0.01	0.07	0.16	0.22	0.06	0.04	0.10	—	1,514	1,514	0.06	0.03	0.71	1,525
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.34	1.29	24.1	48.8	0.09	0.28	3.07	3.31	0.26	1.06	1.29	—	9,877	9,877	0.39	0.10	0.03	9,918
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.44	0.40	6.43	11.8	0.02	0.09	0.47	0.53	0.08	0.16	0.23	—	2,182	2,182	0.08	0.03	0.22	2,193
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.08	0.07	1.17	2.16	< 0.005	0.02	0.09	0.10	0.01	0.03	0.04	—	361	361	0.01	< 0.005	0.04	363

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	0.43	0.39	5.87	9.83	0.01	0.07	0.16	0.22	0.06	0.04	0.10	—	1,514	1,514	0.06	0.03	0.71	1,525

Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	1.08	1.07	21.9	44.7	0.08	0.17	2.99	3.16	0.17	1.04	1.21	—	9,178	9,178	0.37	0.09	0.02	9,213
2026	1.34	1.29	24.1	48.8	0.09	0.28	3.07	3.31	0.26	1.06	1.29	—	9,877	9,877	0.39	0.10	0.03	9,918
2027	0.70	0.62	7.97	14.9	0.03	0.19	0.12	0.31	0.18	0.03	0.21	—	2,859	2,859	0.11	0.03	0.01	2,872
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.17	0.17	3.44	7.01	0.01	0.03	0.47	0.49	0.03	0.16	0.19	—	1,437	1,437	0.06	0.01	0.06	1,443
2026	0.44	0.40	6.43	11.8	0.02	0.09	0.45	0.53	0.08	0.15	0.23	—	2,182	2,182	0.08	0.03	0.22	2,193
2027	0.04	0.04	0.50	0.93	< 0.005	0.01	0.01	0.02	0.01	< 0.005	0.01	—	179	179	0.01	< 0.005	0.01	180
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.03	0.03	0.63	1.28	< 0.005	< 0.005	0.09	0.09	< 0.005	0.03	0.03	—	238	238	0.01	< 0.005	0.01	239
2026	0.08	0.07	1.17	2.16	< 0.005	0.02	0.08	0.10	0.01	0.03	0.04	—	361	361	0.01	< 0.005	0.04	363
2027	0.01	0.01	0.09	0.17	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	29.7	29.7	< 0.005	< 0.005	< 0.005	29.8

3. Construction Emissions Details

3.1. Grading (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.01	1.01	21.8	44.0	0.08	0.17	—	0.17	0.17	—	0.17	—	8,954	8,954	0.36	0.07	—	8,985

Dust From Material Movement	—	—	—	—	—	—	2.81	2.81	—	0.99	0.99	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.16	3.42	6.88	0.01	0.03	—	0.03	0.03	—	0.03	—	1,402	1,402	0.06	0.01	—	1,407
Dust From Material Movement	—	—	—	—	—	—	0.44	0.44	—	0.16	0.16	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.62	1.26	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	232	232	0.01	< 0.005	—	233
Dust From Material Movement	—	—	—	—	—	—	0.08	0.08	—	0.03	0.03	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.06	0.73	0.00	0.00	0.16	0.16	0.00	0.04	0.04	—	162	162	0.01	0.01	0.02	164

Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	61.2	61.2	< 0.005	0.01	< 0.005	64.0
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.12	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	25.7	25.7	< 0.005	< 0.005	0.04	26.0
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	9.58	9.58	< 0.005	< 0.005	0.01	10.0
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.25	4.25	< 0.005	< 0.005	0.01	4.31
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.59	1.59	< 0.005	< 0.005	< 0.005	1.66
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.01	1.01	21.8	44.0	0.08	0.17	—	0.17	0.17	—	0.17	—	8,954	8,954	0.36	0.07	—	8,985
Dust From Material Movement	—	—	—	—	—	—	2.81	2.81	—	0.99	0.99	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.12	0.12	2.60	5.25	0.01	0.02	—	0.02	0.02	—	0.02	—	1,069	1,069	0.04	0.01	—	1,073
Dust From Material Movement	—	—	—	—	—	—	0.34	0.34	—	0.12	0.12	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.48	0.96	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	177	177	0.01	< 0.005	—	178
Dust From Material Movement	—	—	—	—	—	—	0.06	0.06	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.05	0.68	0.00	0.00	0.16	0.16	0.00	0.04	0.04	—	159	159	< 0.005	0.01	0.02	160
Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.2	60.2	< 0.005	0.01	< 0.005	63.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	19.2	19.2	< 0.005	< 0.005	0.03	19.4

Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.19	7.19	< 0.005	< 0.005	0.01	7.53
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.17	3.17	< 0.005	< 0.005	< 0.005	3.22
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.19	1.19	< 0.005	< 0.005	< 0.005	1.25
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Sewer, Drain, Water (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.38	0.34	5.74	9.08	0.01	0.07	—	0.07	0.06	—	0.06	—	1,286	1,286	0.05	0.01	—	1,290
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.38	0.34	5.74	9.08	0.01	0.07	—	0.07	0.06	—	0.06	—	1,286	1,286	0.05	0.01	—	1,290

Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.14	2.42	3.83	0.01	0.03	—	0.03	0.03	—	0.03	—	543	543	0.02	< 0.005	—	544
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.44	0.70	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	89.8	89.8	< 0.005	< 0.005	—	90.1
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.04	0.72	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	138	138	0.01	< 0.005	0.47	140
Vendor	< 0.005	< 0.005	0.10	0.03	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	90.3	90.3	< 0.005	0.01	0.25	94.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.04	0.54	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	127	127	< 0.005	< 0.005	0.01	128
Vendor	< 0.005	< 0.005	0.10	0.03	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	90.4	90.4	< 0.005	0.01	0.01	94.6
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.24	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	54.2	54.2	< 0.005	< 0.005	0.09	54.9
Vendor	< 0.005	< 0.005	0.04	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	38.1	38.1	< 0.005	0.01	0.04	39.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	8.97	8.97	< 0.005	< 0.005	0.01	9.09
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	6.31	6.31	< 0.005	< 0.005	0.01	6.61
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Utility Crossing (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.24	0.20	2.07	3.82	0.01	0.07	—	0.07	0.06	—	0.06	—	581	581	0.02	< 0.005	—	583

Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.01	0.15	0.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	41.4	41.4	< 0.005	< 0.005	—	41.5
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.05	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.85	6.85	< 0.005	< 0.005	—	6.87
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	63.4	63.4	< 0.005	< 0.005	0.01	64.2

Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.2	60.2	< 0.005	0.01	< 0.005	63.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.57	4.57	< 0.005	< 0.005	0.01	4.64
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.29	4.29	< 0.005	< 0.005	0.01	4.49
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.76	0.76	< 0.005	< 0.005	< 0.005	0.77
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.71	0.71	< 0.005	< 0.005	< 0.005	0.74
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Dry Utilities (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.24	0.20	2.07	3.82	0.01	0.07	—	0.07	0.06	—	0.06	—	581	581	0.02	< 0.005	—	583
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	0.02	0.02	0.19	0.36	< 0.005	0.01	—	0.01	0.01	—	0.01	—	54.1	54.1	< 0.005	< 0.005	—	54.3
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.96	8.96	< 0.005	< 0.005	—	8.99
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	63.4	63.4	< 0.005	< 0.005	0.01	64.2
Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.2	60.2	< 0.005	0.01	< 0.005	63.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.98	5.98	< 0.005	< 0.005	0.01	6.06
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	5.61	5.61	< 0.005	< 0.005	0.01	5.88
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.99	0.99	< 0.005	< 0.005	< 0.005	1.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.93	0.93	< 0.005	< 0.005	< 0.005	0.97
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Curb, Gutter, Street Improvement (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.69	0.61	8.16	14.4	0.02	0.21	—	0.21	0.20	—	0.20	—	2,707	2,707	0.11	0.02	—	2,716
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.08	0.07	0.96	1.70	< 0.005	0.02	—	0.02	0.02	—	0.02	—	318	318	0.01	< 0.005	—	319
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.17	0.31	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	52.6	52.6	< 0.005	< 0.005	—	52.8
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.41	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	95.1	95.1	< 0.005	< 0.005	0.01	96.3
Vendor	< 0.005	< 0.005	0.07	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	60.2	60.2	< 0.005	0.01	< 0.005	63.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	11.3	11.3	< 0.005	< 0.005	0.02	11.5
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	7.07	7.07	< 0.005	< 0.005	0.01	7.41
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.87	1.87	< 0.005	< 0.005	< 0.005	1.90
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.17	1.17	< 0.005	< 0.005	< 0.005	1.23
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Curb, Gutter, Street Improvement (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.66	0.59	7.88	14.5	0.02	0.19	—	0.19	0.18	—	0.18	—	2,707	2,707	0.11	0.02	—	2,716
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.04	0.49	0.91	< 0.005	0.01	—	0.01	0.01	—	0.01	—	170	170	0.01	< 0.005	—	170
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.09	0.17	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	28.1	28.1	< 0.005	< 0.005	—	28.2
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.38	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	93.4	93.4	< 0.005	< 0.005	0.01	94.5
Vendor	< 0.005	< 0.005	0.06	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	59.1	59.1	< 0.005	0.01	< 0.005	61.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.92	5.92	< 0.005	< 0.005	0.01	6.00
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.70	3.70	< 0.005	< 0.005	< 0.005	3.87
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.98	0.98	< 0.005	< 0.005	< 0.005	0.99
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.61	0.61	< 0.005	< 0.005	< 0.005	0.64
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Grading	Linear, Grubbing & Land Clearing	10/13/2025	3/2/2026	5.00	101	—
Sewer, Drain, Water	Linear, Grading & Excavation	3/3/2026	10/2/2026	5.00	154	—
Utility Crossing	Linear, Drainage, Utilities, & Sub-Grade	10/2/2026	11/6/2026	5.00	26.0	—
Dry Utilities	Linear, Paving	2/1/2026	3/19/2026	5.00	34.0	—
Curb, Gutter, Street Improvement	Linear, Trenching	11/2/2026	2/1/2027	5.00	66.0	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Grading	Scrapers	Diesel	Tier 4 Interim	4.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40
Sewer, Drain, Water	Excavators	Diesel	Average	2.00	8.00	36.0	0.38

Sewer, Drain, Water	Rubber Tired Loaders	Diesel	Tier 4 Interim	2.00	8.00	150	0.36
Utility Crossing	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Dry Utilities	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Curb, Gutter, Street Improvement	Graders	Diesel	Average	1.00	8.00	148	0.41
Curb, Gutter, Street Improvement	Skid Steer Loaders	Diesel	Average	1.00	8.00	71.0	0.37
Curb, Gutter, Street Improvement	Scrapers	Diesel	Tier 4 Interim	1.00	8.00	423	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Grading	—	—	—	—
Grading	Worker	12.5	18.5	LDA,LDT1,LDT2
Grading	Vendor	2.00	10.2	HHDT,MHDT
Grading	Hauling	0.00	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Sewer, Drain, Water	—	—	—	—
Sewer, Drain, Water	Worker	10.0	18.5	LDA,LDT1,LDT2
Sewer, Drain, Water	Vendor	3.00	10.2	HHDT,MHDT
Sewer, Drain, Water	Hauling	0.00	20.0	HHDT
Sewer, Drain, Water	Onsite truck	—	—	HHDT
Utility Crossing	—	—	—	—
Utility Crossing	Worker	5.00	18.5	LDA,LDT1,LDT2
Utility Crossing	Vendor	2.00	10.2	HHDT,MHDT
Utility Crossing	Hauling	0.00	20.0	HHDT

Utility Crossing	Onsite truck	—	—	HHDT
Dry Utilities	—	—	—	—
Dry Utilities	Worker	5.00	18.5	LDA,LDT1,LDT2
Dry Utilities	Vendor	2.00	10.2	HHDT,MHDT
Dry Utilities	Hauling	0.00	20.0	HHDT
Dry Utilities	Onsite truck	—	—	HHDT
Curb, Gutter, Street Improvement	—	—	—	—
Curb, Gutter, Street Improvement	Worker	7.50	18.5	LDA,LDT1,LDT2
Curb, Gutter, Street Improvement	Vendor	2.00	10.2	HHDT,MHDT
Curb, Gutter, Street Improvement	Hauling	0.00	20.0	HHDT
Curb, Gutter, Street Improvement	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Grading	—	—	35.2	0.00	—
Sewer, Drain, Water	—	—	35.2	0.00	—
Utility Crossing	—	—	35.2	0.00	—

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Road Construction	35.2	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	532	0.03	< 0.005
2026	0.00	532	0.03	< 0.005
2027	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A

Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00
Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Median HI	82.34312845
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328
Social	—
2-parent households	67.89426408
Voting	50.86616194
Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256

Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1
Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0
Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0

Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Based on client provided schedule
Construction: Off-Road Equipment	Equipment taken from client provided data. Water Trucks modeled as vendor trips in Trips and VMT. Equipment rated 150 HP or greater will comply with EPA/CARB Tier 4 emissions standards or equivalent
Construction: Trips and VMT	Water Trucks added to vendor trips.

16056 - Keller Crossing Entitlements (Phase 1 In-Tract Construction Mitigated) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Sewer, Drain, Water (2027) - Unmitigated

3.3. Utility Sleeving (2027) - Unmitigated

3.5. Curb, Gutter, Street Improvement (2027) - Unmitigated

3.7. Dry Utilities (2027) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	16056 - Keller Crossing Entitlements (Phase 1 In-Tract Construction Mitigated)
Construction Start Date	2/3/2027
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.62770066552069, -117.09743051429581
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Road Construction	2.50	Mile	18.6	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.47	0.40	5.88	9.79	0.01	0.16	0.22	0.38	0.15	0.04	0.18	—	1,540	1,540	0.06	0.03	0.72	1,552
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.42	0.38	5.89	9.62	0.01	0.06	0.16	0.23	0.06	0.04	0.10	—	1,529	1,529	0.06	0.03	0.02	1,541
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.13	0.12	1.48	2.49	< 0.005	0.03	0.05	0.08	0.03	0.01	0.04	—	408	408	0.02	0.01	0.08	411
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.02	0.02	0.27	0.45	< 0.005	0.01	0.01	0.01	< 0.005	< 0.005	0.01	—	67.5	67.5	< 0.005	< 0.005	0.01	68.0

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	0.47	0.40	5.88	9.79	0.01	0.16	0.22	0.38	0.15	0.04	0.18	—	1,540	1,540	0.06	0.03	0.72	1,552

Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	0.42	0.38	5.89	9.62	0.01	0.06	0.16	0.23	0.06	0.04	0.10	—	1,529	1,529	0.06	0.03	0.02	1,541
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	0.13	0.12	1.48	2.49	< 0.005	0.03	0.05	0.08	0.03	0.01	0.04	—	408	408	0.02	0.01	0.08	411
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2027	0.02	0.02	0.27	0.45	< 0.005	0.01	0.01	0.01	< 0.005	< 0.005	0.01	—	67.5	67.5	< 0.005	< 0.005	0.01	68.0

3. Construction Emissions Details

3.1. Sewer, Drain, Water (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.37	0.33	5.72	9.08	0.01	0.06	—	0.06	0.06	—	0.06	—	1,287	1,287	0.05	0.01	—	1,291
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	0.37	0.33	5.72	9.08	0.01	0.06	—	0.06	0.06	—	0.06	—	1,287	1,287	0.05	0.01	—	1,291
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.06	0.06	0.99	1.57	< 0.005	0.01	—	0.01	0.01	—	0.01	—	222	222	0.01	< 0.005	—	223
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.18	0.29	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	36.8	36.8	< 0.005	< 0.005	—	36.9
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.03	0.66	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	135	135	< 0.005	< 0.005	0.42	137

Vendor	0.01	< 0.005	0.12	0.04	< 0.005	< 0.005	0.03	0.04	< 0.005	0.01	0.01	—	118	118	< 0.005	0.02	0.30	124
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.04	0.04	0.50	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	124	124	< 0.005	< 0.005	0.01	126
Vendor	0.01	< 0.005	0.13	0.04	< 0.005	< 0.005	0.03	0.04	< 0.005	0.01	0.01	—	118	118	< 0.005	0.02	0.01	124
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	21.8	21.8	< 0.005	< 0.005	0.03	22.0
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	20.4	20.4	< 0.005	< 0.005	0.02	21.4
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.60	3.60	< 0.005	< 0.005	0.01	3.65
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.38	3.38	< 0.005	< 0.005	< 0.005	3.54
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Utility Sleeving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.19	1.98	3.82	0.01	0.06	—	0.06	0.05	—	0.05	—	581	581	0.02	< 0.005	—	583

Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.05	0.10	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	15.9	15.9	< 0.005	< 0.005	—	16.0
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.63	2.63	< 0.005	< 0.005	—	2.64
Dust From Material Movement	—	—	—	—	—	—	0.00	0.00	—	0.00	0.00	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.33	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	67.7	67.7	< 0.005	< 0.005	0.21	68.6

Vendor	0.01	< 0.005	0.15	0.05	< 0.005	< 0.005	0.04	0.05	< 0.005	0.01	0.01	—	148	148	< 0.005	0.02	0.38	155
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.73	1.73	< 0.005	< 0.005	< 0.005	1.75
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.05	4.05	< 0.005	< 0.005	< 0.005	4.24
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.29	0.29	< 0.005	< 0.005	< 0.005	0.29
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.67	0.67	< 0.005	< 0.005	< 0.005	0.70
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Curb, Gutter, Street Improvement (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.45	0.38	3.26	5.15	0.01	0.16	—	0.16	0.14	—	0.14	—	813	813	0.03	0.01	—	816
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.22	0.35	< 0.005	0.01	—	0.01	0.01	—	0.01	—	55.7	55.7	< 0.005	< 0.005	—	55.9
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	< 0.005	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	9.22	9.22	< 0.005	< 0.005	—	9.26
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.33	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	67.7	67.7	< 0.005	< 0.005	0.21	68.6
Vendor	< 0.005	< 0.005	0.06	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	59.1	59.1	< 0.005	0.01	0.15	61.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.32	4.32	< 0.005	< 0.005	0.01	4.37
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.05	4.05	< 0.005	< 0.005	< 0.005	4.24
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.71	0.71	< 0.005	< 0.005	< 0.005	0.72
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.67	0.67	< 0.005	< 0.005	< 0.005	0.70
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Dry Utilities (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.23	0.19	1.98	3.82	0.01	0.06	—	0.06	0.05	—	0.05	—	581	581	0.02	< 0.005	—	583
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.16	0.31	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	47.7	47.7	< 0.005	< 0.005	—	47.9

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.90	7.90	< 0.005	< 0.005	—	7.93
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.33	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	67.7	67.7	< 0.005	< 0.005	0.21	68.6
Vendor	< 0.005	< 0.005	0.06	0.02	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	0.01	—	59.1	59.1	< 0.005	0.01	0.15	61.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.18	5.18	< 0.005	< 0.005	0.01	5.25
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.86	4.86	< 0.005	< 0.005	0.01	5.08
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.86	0.86	< 0.005	< 0.005	< 0.005	0.87
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.80	0.80	< 0.005	< 0.005	< 0.005	0.84
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Remove	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Sewer, Drain, Water	Linear, Grubbing & Land Clearing	2/3/2027	4/30/2027	5.00	63.0	—
Utility Sleeving	Linear, Grading & Excavation	5/3/2027	5/14/2027	5.00	10.0	—
Curb, Gutter, Street Improvement	Linear, Drainage, Utilities, & Sub-Grade	5/17/2027	6/18/2027	5.00	25.0	—
Dry Utilities	Linear, Paving	6/21/2027	7/30/2027	5.00	30.0	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Sewer, Drain, Water	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Sewer, Drain, Water	Rubber Tired Loaders	Diesel	Tier 4 Interim	2.00	8.00	150	0.36
Utility Sleeving	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37
Curb, Gutter, Street Improvement	Graders	Diesel	Average	1.00	8.00	148	0.41
Curb, Gutter, Street Improvement	Skid Steer Loaders	Diesel	Average	1.00	8.00	71.0	0.37
Dry Utilities	Tractors/Loaders/Backhoes	Diesel	Average	2.00	8.00	84.0	0.37

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Sewer, Drain, Water	—	—	—	—
Sewer, Drain, Water	Worker	10.0	18.5	LDA,LDT1,LDT2
Sewer, Drain, Water	Vendor	4.00	10.2	HHDT,MHDT
Sewer, Drain, Water	Hauling	0.00	20.0	HHDT
Sewer, Drain, Water	Onsite truck	—	—	HHDT
Utility Sleeving	—	—	—	—
Utility Sleeving	Worker	5.00	18.5	LDA,LDT1,LDT2
Utility Sleeving	Vendor	5.00	10.2	HHDT,MHDT
Utility Sleeving	Hauling	0.00	20.0	HHDT
Utility Sleeving	Onsite truck	—	—	HHDT
Curb, Gutter, Street Improvement	—	—	—	—
Curb, Gutter, Street Improvement	Worker	5.00	18.5	LDA,LDT1,LDT2
Curb, Gutter, Street Improvement	Vendor	2.00	10.2	HHDT,MHDT
Curb, Gutter, Street Improvement	Hauling	0.00	20.0	HHDT
Curb, Gutter, Street Improvement	Onsite truck	—	—	HHDT
Dry Utilities	—	—	—	—
Dry Utilities	Worker	5.00	18.5	LDA,LDT1,LDT2
Dry Utilities	Vendor	2.00	10.2	HHDT,MHDT
Dry Utilities	Hauling	0.00	20.0	HHDT
Dry Utilities	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Sewer, Drain, Water	—	—	18.6	0.00	—
Utility Sleeving	—	—	18.6	0.00	—
Curb, Gutter, Street Improvement	—	—	18.6	0.00	—

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Road Construction	18.6	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2027	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2

Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00

Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00
Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Median HI	82.34312845
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328

Social	—
2-parent households	67.89426408
Voting	50.86616194
Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256
Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1

Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0
Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0
Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Taken from client data.
Construction: Off-Road Equipment	Taken from client data. Standard 8 hours work days. Water trucks modeled as vendor trips in Trips and VMT Equipment rated 150 HP or greater will comply with EPA/CARB Tier 4 emissions standards or equivalent
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Grading and Building Construction Water trucks added to vendor trips
Construction: Architectural Coatings	SCAQMD Rule 1113
Land Use	Total Project acreage for Phase 1 on-site construction is 39 acres.

16056 - Keller Crossing Entitlements (Phase 1 On-Site Construction Mitigated) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Grading (2026) - Unmitigated

3.3. Grading (2027) - Unmitigated

3.5. Building Construction (2027) - Unmitigated

3.7. Building Construction (2028) - Unmitigated

3.9. Paving (2028) - Unmitigated

3.11. Architectural Coating (2028) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	16056 - Keller Crossing Entitlements (Phase 1 On-Site Construction Mitigated)
Construction Start Date	6/1/2026
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.62770066552069, -117.09743051429581
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	180	Dwelling Unit	23.2	351,000	2,108,314	—	581	—

Apartments Low Rise	98.0	Dwelling Unit	8.26	103,880	0.00	—	317	—
Other Non-Asphalt Surfaces	8.02	Acre	8.02	0.00	0.00	—	—	Open Space

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	42.0	41.6	54.2	111	0.21	0.51	11.3	11.7	0.47	4.74	5.17	—	22,854	22,854	0.92	0.25	8.19	22,954
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	41.9	41.6	54.2	110	0.21	0.51	11.3	11.7	0.47	4.74	5.17	—	22,818	22,818	0.91	0.25	0.21	22,916
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	9.38	9.22	22.7	46.1	0.09	0.22	4.71	4.89	0.20	1.99	2.16	—	9,558	9,558	0.38	0.14	2.17	9,599
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.71	1.68	4.14	8.42	0.02	0.04	0.86	0.89	0.04	0.36	0.39	—	1,582	1,582	0.06	0.02	0.36	1,589

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.67	2.64	54.2	111	0.21	0.42	11.3	11.7	0.42	4.74	5.17	—	22,854	22,854	0.92	0.25	2.51	22,954
2027	1.65	1.42	10.5	25.1	0.03	0.26	1.96	2.22	0.24	0.47	0.71	—	5,112	5,112	0.14	0.18	7.35	5,177
2028	42.0	41.6	18.0	38.5	0.05	0.51	2.51	3.01	0.47	0.60	1.06	—	7,311	7,311	0.21	0.22	8.19	7,389
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.66	2.63	54.2	110	0.21	0.42	11.3	11.7	0.42	4.74	5.17	—	22,818	22,818	0.91	0.25	0.07	22,916
2027	2.65	2.63	54.2	110	0.21	0.42	11.3	11.7	0.42	4.74	5.17	—	22,800	22,800	0.91	0.25	0.19	22,897
2028	41.9	41.6	18.2	35.8	0.05	0.51	2.51	3.01	0.47	0.60	1.06	—	7,123	7,123	0.22	0.22	0.21	7,193
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	1.11	1.10	22.7	46.1	0.09	0.18	4.71	4.89	0.18	1.99	2.16	—	9,558	9,558	0.38	0.11	0.45	9,599
2027	1.22	1.07	10.4	22.2	0.03	0.20	1.99	2.18	0.18	0.61	0.79	—	4,712	4,712	0.15	0.13	2.12	4,759
2028	9.38	9.22	8.94	19.0	0.03	0.22	1.49	1.71	0.20	0.36	0.56	—	3,973	3,973	0.12	0.14	2.17	4,019
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	0.20	0.20	4.14	8.42	0.02	0.03	0.86	0.89	0.03	0.36	0.39	—	1,582	1,582	0.06	0.02	0.07	1,589
2027	0.22	0.20	1.90	4.05	0.01	0.04	0.36	0.40	0.03	0.11	0.14	—	780	780	0.03	0.02	0.35	788
2028	1.71	1.68	1.63	3.46	< 0.005	0.04	0.27	0.31	0.04	0.06	0.10	—	658	658	0.02	0.02	0.36	665

3. Construction Emissions Details

3.1. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	2.50	2.50	53.7	108	0.20	0.42	—	0.42	0.42	—	0.42	—	22,045	22,045	0.89	0.18	—	22,120
Dust From Material Movement	—	—	—	—	—	—	10.7	10.7	—	4.62	4.62	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	2.50	2.50	53.7	108	0.20	0.42	—	0.42	0.42	—	0.42	—	22,045	22,045	0.89	0.18	—	22,120
Dust From Material Movement	—	—	—	—	—	—	10.7	10.7	—	4.62	4.62	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.05	1.05	22.5	45.3	0.09	0.17	—	0.17	0.17	—	0.17	—	9,232	9,232	0.37	0.07	—	9,264
Dust From Material Movement	—	—	—	—	—	—	4.49	4.49	—	1.93	1.93	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.19	4.10	8.27	0.02	0.03	—	0.03	0.03	—	0.03	—	1,528	1,528	0.06	0.01	—	1,534

Dust From Material Movement	—	—	—	—	—	—	0.82	0.82	—	0.35	0.35	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.14	0.13	2.33	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	448	448	0.02	0.02	1.52	455
Vendor	0.02	0.01	0.39	0.12	< 0.005	0.01	0.10	0.11	0.01	0.03	0.03	—	361	361	0.01	0.06	0.99	379
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.13	0.14	1.77	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	412	412	0.01	0.02	0.04	417
Vendor	0.02	0.01	0.40	0.12	< 0.005	0.01	0.10	0.11	0.01	0.03	0.03	—	361	361	0.01	0.06	0.03	378
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.07	0.78	0.00	0.00	0.18	0.18	0.00	0.04	0.04	—	175	175	< 0.005	0.01	0.27	177
Vendor	0.01	< 0.005	0.17	0.05	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	151	151	< 0.005	0.02	0.18	159
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.14	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	28.9	28.9	< 0.005	< 0.005	0.05	29.3
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	25.1	25.1	< 0.005	< 0.005	0.03	26.2
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Grading (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	2.50	2.50	53.7	108	0.20	0.42	—	0.42	0.42	—	0.42	—	22,041	22,041	0.89	0.18	—	22,116
Dust From Material Movement	—	—	—	—	—	—	10.7	10.7	—	4.62	4.62	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.16	3.47	6.98	0.01	0.03	—	0.03	0.03	—	0.03	—	1,423	1,423	0.06	0.01	—	1,428
Dust From Material Movement	—	—	—	—	—	—	0.69	0.69	—	0.30	0.30	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.63	1.27	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	236	236	0.01	< 0.005	—	236

Dust From Material Movement	—	—	—	—	—	—	0.13	0.13	—	0.05	0.05	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.14	0.12	0.13	1.63	0.00	0.00	0.42	0.42	0.00	0.10	0.10	—	405	405	0.01	0.02	0.04	409
Vendor	0.02	0.01	0.39	0.12	< 0.005	0.01	0.10	0.11	0.01	0.03	0.03	—	355	355	0.01	0.05	0.02	371
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.11	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	26.5	26.5	< 0.005	< 0.005	0.04	26.8
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	22.9	22.9	< 0.005	< 0.005	0.03	24.0
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	4.38	4.38	< 0.005	< 0.005	0.01	4.44
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.79	3.79	< 0.005	< 0.005	< 0.005	3.97
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.01	0.86	9.31	15.9	0.03	0.25	—	0.25	0.23	—	0.23	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.01	0.86	9.31	15.9	0.03	0.25	—	0.25	0.23	—	0.23	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.65	0.56	6.05	10.3	0.02	0.16	—	0.16	0.15	—	0.15	—	1,709	1,709	0.07	0.01	—	1,714
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.12	0.10	1.10	1.88	< 0.005	0.03	—	0.03	0.03	—	0.03	—	283	283	0.01	< 0.005	—	284
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.61	0.54	0.47	8.99	0.00	0.00	1.77	1.77	0.00	0.41	0.41	—	1,832	1,832	0.02	0.06	5.69	1,858
Vendor	0.03	0.01	0.68	0.21	< 0.005	0.01	0.19	0.20	0.01	0.05	0.06	—	650	650	0.02	0.10	1.66	681
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.58	0.51	0.53	6.80	0.00	0.00	1.77	1.77	0.00	0.41	0.41	—	1,685	1,685	0.02	0.06	0.15	1,705
Vendor	0.03	0.01	0.71	0.22	< 0.005	0.01	0.19	0.20	0.01	0.05	0.06	—	651	651	0.01	0.10	0.04	680
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.38	0.33	0.38	4.63	0.00	0.00	1.14	1.14	0.00	0.27	0.27	—	1,109	1,109	0.02	0.04	1.60	1,123
Vendor	0.02	0.01	0.46	0.14	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	—	423	423	0.01	0.06	0.46	442
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.85	0.00	0.00	0.21	0.21	0.00	0.05	0.05	—	184	184	< 0.005	0.01	0.26	186
Vendor	< 0.005	< 0.005	0.08	0.03	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	70.0	70.0	< 0.005	0.01	0.08	73.2
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Building Construction (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.97	0.83	9.08	15.9	0.03	0.22	—	0.22	0.20	—	0.20	—	2,630	2,630	0.11	0.02	—	2,639

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.97	0.83	9.08	15.9	0.03	0.22	—	0.22	0.20	—	0.20	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.69	0.59	6.47	11.3	0.02	0.16	—	0.16	0.15	—	0.15	—	1,874	1,874	0.08	0.02	—	1,880
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	1.18	2.06	< 0.005	0.03	—	0.03	0.03	—	0.03	—	310	310	0.01	< 0.005	—	311
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.59	0.53	0.47	8.38	0.00	0.00	1.77	1.77	0.00	0.41	0.41	—	1,798	1,798	0.02	0.06	5.10	1,823
Vendor	0.03	0.01	0.65	0.21	< 0.005	0.01	0.19	0.20	0.01	0.05	0.06	—	635	635	0.01	0.10	1.51	666
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.51	0.50	0.53	6.34	0.00	0.00	1.77	1.77	0.00	0.41	0.41	—	1,654	1,654	0.02	0.06	0.13	1,674
Vendor	0.03	0.01	0.68	0.21	< 0.005	0.01	0.19	0.20	0.01	0.05	0.06	—	636	636	0.01	0.10	0.04	665
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.36	0.35	0.38	4.76	0.00	0.00	1.25	1.25	0.00	0.29	0.29	—	1,193	1,193	0.02	0.05	1.57	1,209
Vendor	0.02	0.01	0.49	0.15	< 0.005	0.01	0.13	0.14	0.01	0.04	0.04	—	453	453	0.01	0.07	0.46	474
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.87	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	198	198	< 0.005	0.01	0.26	200
Vendor	< 0.005	< 0.005	0.09	0.03	< 0.005	< 0.005	0.02	0.03	< 0.005	0.01	0.01	—	75.0	75.0	< 0.005	0.01	0.08	78.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Paving (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.82	0.69	6.63	9.91	0.01	0.26	—	0.26	0.24	—	0.24	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	0.82	0.69	6.63	9.91	0.01	0.26	—	0.26	0.24	—	0.24	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.36	2.04	< 0.005	0.05	—	0.05	0.05	—	0.05	—	310	310	0.01	< 0.005	—	312
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.25	0.37	< 0.005	0.01	—	0.01	0.01	—	0.01	—	51.4	51.4	< 0.005	< 0.005	—	51.6
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.05	0.93	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	199	199	< 0.005	0.01	0.57	202
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.06	0.70	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	183	183	< 0.005	0.01	0.01	185

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.15	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	38.1	38.1	< 0.005	< 0.005	0.05	38.6
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.31	6.31	< 0.005	< 0.005	0.01	6.40
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Architectural Coating (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.08	1.49	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	39.3	39.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.17	0.14	1.08	1.49	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	39.3	39.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.03	0.22	0.31	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	36.6	36.6	< 0.005	< 0.005	—	36.7
Architectural Coatings	8.07	8.07	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.04	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	6.06	6.06	< 0.005	< 0.005	—	6.08
Architectural Coatings	1.47	1.47	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.12	0.11	0.09	1.68	0.00	0.00	0.35	0.35	0.00	0.08	0.08	—	360	360	< 0.005	0.01	1.02	365
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.10	0.10	0.11	1.27	0.00	0.00	0.35	0.35	0.00	0.08	0.08	—	331	331	< 0.005	0.01	0.03	335
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.07	0.07	0.00	0.02	0.02	—	68.8	68.8	< 0.005	< 0.005	0.09	69.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.05	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	11.4	11.4	< 0.005	< 0.005	0.01	11.5
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Grading	Grading	6/1/2026	2/2/2027	5.00	177	110
Building Construction	Building Construction	2/3/2027	12/29/2028	5.00	498	1110
Paving	Paving	9/18/2028	12/29/2028	5.00	75.0	75
Architectural Coating	Architectural Coating	9/18/2028	12/29/2028	5.00	75.0	75

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Grading	Scrapers	Diesel	Tier 4 Interim	8.00	8.00	423	0.48
Grading	Rubber Tired Dozers	Diesel	Tier 4 Interim	5.00	8.00	367	0.40
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Tier 4 Interim	1.00	8.00	367	0.29
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Back hoes	Diesel	Average	3.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix

Grading	—	—	—	—
Grading	Worker	32.5	18.5	LDA,LDT1,LDT2
Grading	Vendor	12.0	10.2	HHDT,MHDT
Grading	Hauling	0.00	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	135	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	22.0	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	27.1	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)

Architectural Coating	921,132	307,044	0.00	0.00	20,961

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Grading	—	—	1,859	0.00	—
Paving	0.00	0.00	0.00	0.00	10.0

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Single Family Housing	1.98	0%
Apartments Low Rise	—	0%
Other Non-Asphalt Surfaces	8.02	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2026	0.00	532	0.03	< 0.005
2027	0.00	532	0.03	< 0.005
2028	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2

Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00

Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00
Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Median HI	82.34312845
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328

Social	—
2-parent households	67.89426408
Voting	50.86616194
Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256
Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1

Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0
Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0
Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Taken from client data. Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis.
Construction: Off-Road Equipment	Taken from client data. Standard 8 hours work days. Off-highway trucks modeled as vendor trips in Trips and VMT Equipment rated 150 HP or greater will comply with EPA/CARB Tier 4 emissions standards or equivalent
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Grading and Building Construction Off-highway trucks added to vendor trips

Construction: Architectural Coatings	SCAQMD Rule 1113
Land Use	Total Project acreage for Phase 1 on-site construction is 39.48 acres.

16056 - Keller Crossing Entitlements (Phase 2 Construction Mitigated) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

3. Construction Emissions Details

3.1. Building Construction (2026) - Unmitigated

3.3. Building Construction (2027) - Unmitigated

3.5. Building Construction (2028) - Unmitigated

3.7. Building Construction (2029) - Unmitigated

3.9. Building Construction (2030) - Unmitigated

3.11. Paving (2029) - Unmitigated

3.13. Paving (2030) - Unmitigated

3.15. Architectural Coating (2029) - Unmitigated

3.17. Architectural Coating (2030) - Unmitigated

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	16056 - Keller Crossing Entitlements (Phase 2 Construction Mitigated)
Construction Start Date	3/2/2026
Lead Agency	—
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	14.0
Location	33.63070756315338, -117.09225924720047
County	Riverside-South Coast
City	Unincorporated
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5545
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Single Family Housing	204	Dwelling Unit	37.6	397,800	2,389,423	—	659	—

Apartments Low Rise	132	Dwelling Unit	11.1	139,920	0.00	—	426	—
Retirement Community	80.0	Dwelling Unit	7.32	84,800	0.00	—	258	Senior Housing
City Park	8.97	Acre	8.97	0.00	0.00	0.00	—	—
Other Non-Asphalt Surfaces	73.0	Acre	73.0	0.00	0.00	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	46.5	46.2	18.6	44.2	0.05	0.48	4.12	4.60	0.44	0.98	1.42	—	9,304	9,304	0.27	0.36	14.2	9,429
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	46.5	46.0	18.7	40.1	0.05	0.48	4.12	4.60	0.44	0.98	1.42	—	9,007	9,007	0.24	0.36	0.37	9,120
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	14.7	14.4	10.2	23.3	0.03	0.23	2.60	2.83	0.22	0.62	0.84	—	5,460	5,460	0.14	0.24	3.96	5,537
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.68	2.63	1.86	4.25	0.01	0.04	0.47	0.52	0.04	0.11	0.15	—	904	904	0.02	0.04	0.66	917

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.18	1.88	12.0	32.6	0.04	0.31	3.34	3.64	0.29	0.80	1.08	—	7,086	7,086	0.27	0.34	14.2	7,207
2027	2.08	1.79	11.5	31.3	0.04	0.27	3.34	3.60	0.25	0.80	1.05	—	7,004	7,004	0.17	0.33	12.9	7,118
2028	2.02	1.74	11.2	30.3	0.04	0.24	3.34	3.58	0.22	0.80	1.02	—	6,918	6,918	0.16	0.33	11.6	7,030
2029	46.5	46.2	18.6	44.2	0.05	0.48	4.12	4.60	0.44	0.98	1.42	—	9,304	9,304	0.23	0.36	12.4	9,429
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.13	1.83	12.1	28.6	0.04	0.31	3.34	3.64	0.29	0.80	1.08	—	6,836	6,836	0.18	0.34	0.37	6,943
2027	2.03	1.74	11.6	27.7	0.04	0.27	3.34	3.60	0.25	0.80	1.05	—	6,759	6,759	0.18	0.33	0.33	6,861
2028	1.88	1.68	11.3	26.9	0.04	0.24	3.34	3.58	0.22	0.80	1.02	—	6,678	6,678	0.17	0.33	0.30	6,779
2029	46.5	46.0	18.7	40.1	0.05	0.48	4.12	4.60	0.44	0.98	1.42	—	9,007	9,007	0.24	0.36	0.32	9,120
2030	46.3	45.9	18.3	39.4	0.05	0.44	4.12	4.57	0.41	0.98	1.39	—	8,913	8,913	0.24	0.36	0.28	9,025
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	1.27	1.09	7.30	17.4	0.02	0.18	1.97	2.16	0.17	0.47	0.64	—	4,102	4,102	0.11	0.20	3.66	4,169
2027	1.45	1.25	8.38	20.2	0.03	0.19	2.36	2.55	0.18	0.56	0.74	—	4,853	4,853	0.13	0.23	3.96	4,929
2028	1.34	1.20	8.12	19.7	0.03	0.17	2.37	2.54	0.16	0.57	0.73	—	4,808	4,808	0.12	0.23	3.58	4,884
2029	14.7	14.4	10.2	23.3	0.03	0.23	2.60	2.83	0.22	0.62	0.84	—	5,460	5,460	0.14	0.24	3.45	5,537
2030	0.09	0.09	0.04	0.08	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	17.5	17.5	< 0.005	< 0.005	0.01	17.8
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	0.23	0.20	1.33	3.18	< 0.005	0.03	0.36	0.39	0.03	0.09	0.12	—	679	679	0.02	0.03	0.61	690
2027	0.27	0.23	1.53	3.68	< 0.005	0.04	0.43	0.47	0.03	0.10	0.14	—	803	803	0.02	0.04	0.66	816
2028	0.24	0.22	1.48	3.59	< 0.005	0.03	0.43	0.46	0.03	0.10	0.13	—	796	796	0.02	0.04	0.59	809
2029	2.68	2.63	1.86	4.25	0.01	0.04	0.47	0.52	0.04	0.11	0.15	—	904	904	0.02	0.04	0.57	917

2030	0.02	0.02	0.01	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.90	2.90	< 0.005	< 0.005	< 0.005	2.94

3. Construction Emissions Details

3.1. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.05	0.90	9.65	15.9	0.03	0.29	—	0.29	0.27	—	0.27	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.05	0.90	9.65	15.9	0.03	0.29	—	0.29	0.27	—	0.27	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.63	0.54	5.76	9.47	0.02	0.17	—	0.17	0.16	—	0.16	—	1,570	1,570	0.06	0.01	—	1,575
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.11	0.10	1.05	1.73	< 0.005	0.03	—	0.03	0.03	—	0.03	—	260	260	0.01	< 0.005	—	261
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.06	0.96	0.89	16.2	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	3,118	3,118	0.13	0.11	10.6	3,164
Vendor	0.06	0.03	1.43	0.44	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,339	1,339	0.03	0.21	3.66	1,405
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.01	0.90	0.99	12.3	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,867	2,867	0.04	0.11	0.27	2,902
Vendor	0.06	0.03	1.49	0.46	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,340	1,340	0.03	0.21	0.09	1,402
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.60	0.54	0.65	7.69	0.00	0.00	1.75	1.75	0.00	0.41	0.41	—	1,733	1,733	0.03	0.07	2.72	1,756
Vendor	0.04	0.02	0.89	0.27	0.01	0.01	0.23	0.24	0.01	0.06	0.07	—	799	799	0.02	0.12	0.94	837
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.10	0.12	1.40	0.00	0.00	0.32	0.32	0.00	0.07	0.07	—	287	287	< 0.005	0.01	0.45	291
Vendor	0.01	< 0.005	0.16	0.05	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	132	132	< 0.005	0.02	0.16	139
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.01	0.86	9.31	15.9	0.03	0.25	—	0.25	0.23	—	0.23	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.01	0.86	9.31	15.9	0.03	0.25	—	0.25	0.23	—	0.23	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.72	0.61	6.65	11.3	0.02	0.18	—	0.18	0.16	—	0.16	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	1.21	2.07	< 0.005	0.03	—	0.03	0.03	—	0.03	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.02	0.91	0.79	15.0	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	3,060	3,060	0.03	0.11	9.51	3,102
Vendor	0.06	0.03	1.37	0.43	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,314	1,314	0.03	0.20	3.35	1,377
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.97	0.86	0.89	11.4	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,814	2,814	0.04	0.11	0.25	2,848
Vendor	0.06	0.03	1.44	0.44	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,315	1,315	0.03	0.20	0.09	1,375
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.69	0.61	0.70	8.51	0.00	0.00	2.09	2.09	0.00	0.49	0.49	—	2,036	2,036	0.03	0.08	2.93	2,062
Vendor	0.04	0.02	1.02	0.31	0.01	0.01	0.27	0.28	0.01	0.07	0.09	—	939	939	0.02	0.14	1.03	982
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.13	0.11	0.13	1.55	0.00	0.00	0.38	0.38	0.00	0.09	0.09	—	337	337	< 0.005	0.01	0.48	341
Vendor	0.01	< 0.005	0.19	0.06	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	155	155	< 0.005	0.02	0.17	163
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Building Construction (2028) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road	0.97	0.83	9.08	15.9	0.03	0.22	—	0.22	0.20	—	0.20	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.97	0.83	9.08	15.9	0.03	0.22	—	0.22	0.20	—	0.20	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.70	0.60	6.50	11.4	0.02	0.16	—	0.16	0.15	—	0.15	—	1,884	1,884	0.08	0.02	—	1,890
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.11	1.19	2.07	< 0.005	0.03	—	0.03	0.03	—	0.03	—	312	312	0.01	< 0.005	—	313
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.98	0.88	0.78	14.0	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	3,003	3,003	0.03	0.11	8.52	3,044
Vendor	0.06	0.03	1.31	0.42	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,284	1,284	0.02	0.20	3.05	1,347
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.85	0.83	0.88	10.6	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,762	2,762	0.04	0.11	0.22	2,795
Vendor	0.06	0.03	1.37	0.43	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,285	1,285	0.02	0.20	0.08	1,345
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.60	0.59	0.63	7.99	0.00	0.00	2.10	2.10	0.00	0.49	0.49	—	2,003	2,003	0.03	0.08	2.63	2,030
Vendor	0.04	0.02	0.99	0.31	0.01	0.01	0.27	0.28	0.01	0.07	0.09	—	920	920	0.01	0.14	0.94	964
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.11	0.12	1.46	0.00	0.00	0.38	0.38	0.00	0.09	0.09	—	332	332	< 0.005	0.01	0.44	336
Vendor	0.01	< 0.005	0.18	0.06	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	152	152	< 0.005	0.02	0.16	160
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Building Construction (2029) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.95	0.81	8.92	15.9	0.03	0.20	—	0.20	0.19	—	0.19	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.95	0.81	8.92	15.9	0.03	0.20	—	0.20	0.19	—	0.19	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.68	0.58	6.37	11.3	0.02	0.14	—	0.14	0.13	—	0.13	—	1,878	1,878	0.08	0.02	—	1,885
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.12	0.11	1.16	2.07	< 0.005	0.03	—	0.03	0.02	—	0.02	—	311	311	0.01	< 0.005	—	312
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.85	0.84	0.68	13.1	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,950	2,950	0.03	0.11	7.61	2,990
Vendor	0.06	0.03	1.26	0.41	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,251	1,251	0.02	0.19	2.72	1,310
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.81	0.70	0.78	9.83	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,714	2,714	0.03	0.11	0.20	2,747
Vendor	0.06	0.03	1.31	0.42	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,252	1,252	0.02	0.19	0.07	1,308
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.58	0.50	0.56	7.42	0.00	0.00	2.09	2.09	0.00	0.49	0.49	—	1,963	1,963	0.02	0.08	2.35	1,989
Vendor	0.04	0.02	0.94	0.30	0.01	0.01	0.27	0.28	0.01	0.07	0.09	—	894	894	0.01	0.13	0.84	935
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.09	0.10	1.36	0.00	0.00	0.38	0.38	0.00	0.09	0.09	—	325	325	< 0.005	0.01	0.39	329
Vendor	0.01	< 0.005	0.17	0.05	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	148	148	< 0.005	0.02	0.14	155
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Building Construction (2030) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.93	0.80	8.81	15.8	0.03	0.19	—	0.19	0.17	—	0.17	—	2,629	2,629	0.11	0.02	—	2,638
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.03	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.15	5.15	< 0.005	< 0.005	—	5.16
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	< 0.005	< 0.005	< 0.005	0.01	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.85	0.85	< 0.005	< 0.005	—	0.85
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.77	0.67	0.68	9.26	0.00	0.00	2.96	2.96	0.00	0.69	0.69	—	2,669	2,669	0.03	0.11	0.18	2,702
Vendor	0.06	0.03	1.27	0.41	0.01	0.02	0.38	0.40	0.02	0.11	0.13	—	1,215	1,215	0.02	0.19	0.06	1,271
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.29	5.29	< 0.005	< 0.005	0.01	5.36
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.38	2.38	< 0.005	< 0.005	< 0.005	2.49
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.88	0.88	< 0.005	< 0.005	< 0.005	0.89
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.39	0.39	< 0.005	< 0.005	< 0.005	0.41
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Paving (2029) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.80	0.67	6.46	9.92	0.01	0.24	—	0.24	0.22	—	0.22	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.80	0.67	6.46	9.92	0.01	0.24	—	0.24	0.22	—	0.22	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.24	0.20	1.93	2.97	< 0.005	0.07	—	0.07	0.07	—	0.07	—	452	452	0.02	< 0.005	—	454
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.04	0.04	0.35	0.54	< 0.005	0.01	—	0.01	0.01	—	0.01	—	74.9	74.9	< 0.005	< 0.005	—	75.1
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.06	0.04	0.87	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	196	196	< 0.005	0.01	0.50	198
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.05	0.05	0.65	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	180	180	< 0.005	0.01	0.01	182
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.01	0.02	0.21	0.00	0.00	0.06	0.06	0.00	0.01	0.01	—	54.6	54.6	< 0.005	< 0.005	0.07	55.3
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	9.04	9.04	< 0.005	< 0.005	0.01	9.16
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Paving (2030) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.77	0.64	6.28	9.90	0.01	0.22	—	0.22	0.20	—	0.20	—	1,511	1,511	0.06	0.01	—	1,516
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.96	2.96	< 0.005	< 0.005	—	2.97
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.49	0.49	< 0.005	< 0.005	—	0.49
Paving	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.05	0.61	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	177	177	< 0.005	0.01	0.01	179

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.35	0.35	< 0.005	< 0.005	< 0.005	0.36
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.06	0.06	< 0.005	< 0.005	< 0.005	0.06
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.15. Architectural Coating (2029) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.17	0.14	1.06	1.48	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	43.5	43.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	0.17	0.14	1.06	1.48	< 0.005	0.02	—	0.02	0.02	—	0.02	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	43.5	43.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.04	0.32	0.44	< 0.005	0.01	—	0.01	< 0.005	—	< 0.005	—	53.3	53.3	< 0.005	< 0.005	—	53.5
Architectural Coatings	13.0	13.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.06	0.08	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.82	8.82	< 0.005	< 0.005	—	8.85
Architectural Coatings	2.37	2.37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.17	0.14	2.62	0.00	0.00	0.59	0.59	0.00	0.14	0.14	—	590	590	0.01	0.02	1.52	598
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.14	0.16	1.97	0.00	0.00	0.59	0.59	0.00	0.14	0.14	—	543	543	0.01	0.02	0.04	549
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.05	0.62	0.00	0.00	0.18	0.18	0.00	0.04	0.04	—	165	165	< 0.005	0.01	0.20	167
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.11	0.00	0.00	0.03	0.03	0.00	0.01	0.01	—	27.2	27.2	< 0.005	< 0.005	0.03	27.6
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.17. Architectural Coating (2030) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.16	0.13	1.05	1.48	< 0.005	0.01	—	0.01	0.01	—	0.01	—	178	178	0.01	< 0.005	—	179

Architectural	43.5	43.5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.35	0.35	< 0.005	< 0.005	—	0.35
Architectural Coatings	0.09	0.09	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.06	0.06	< 0.005	< 0.005	—	0.06
Architectural Coatings	0.02	0.02	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.13	0.14	1.85	0.00	0.00	0.59	0.59	0.00	0.14	0.14	—	534	534	0.01	0.02	0.04	540
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.06	1.06	< 0.005	< 0.005	< 0.005	1.07
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.18	0.18	< 0.005	< 0.005	< 0.005	0.18
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Building Construction	Building Construction	3/2/2026	1/1/2030	5.00	1,002	—
Paving	Paving	8/1/2029	1/1/2030	5.00	110	—
Architectural Coating	Architectural Coating	8/1/2029	1/1/2030	5.00	110	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Building Construction	Forklifts	Diesel	Average	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Average	1.00	8.00	14.0	0.74
Building Construction	Cranes	Diesel	Tier 4 Interim	1.00	8.00	367	0.29
Building Construction	Welders	Diesel	Average	1.00	8.00	46.0	0.45
Building Construction	Tractors/Loaders/Backhoes	Diesel	Average	3.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Average	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Average	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Average	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Average	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Building Construction	—	—	—	—
Building Construction	Worker	226	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	44.5	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT

Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	45.2	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	1,260,603	420,201	0.00	0.00	190,662

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Paving	0.00	0.00	0.00	0.00	75.2

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Single Family Housing	2.25	0%
Apartments Low Rise	—	0%
Retirement Community	—	0%
City Park	0.00	0%
Other Non-Asphalt Surfaces	73.0	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2027	0.00	532	0.03	< 0.005
2026	0.00	532	0.03	< 0.005
2028	0.00	532	0.03	< 0.005
2029	0.00	532	0.03	< 0.005
2030	0.00	532	0.03	< 0.005

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	28.9	annual days of extreme heat
Extreme Precipitation	2.65	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	27.9	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A

Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	3	1	1	3
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	80.0
AQ-PM	37.9
AQ-DPM	44.4
Drinking Water	10.2
Lead Risk Housing	9.44
Pesticides	0.00
Toxic Releases	14.8
Traffic	16.4
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	5.57
Impaired Water Bodies	58.7
Solid Waste	0.00
Sensitive Population	—
Asthma	29.8
Cardio-vascular	78.4
Low Birth Weights	36.1
Socioeconomic Factor Indicators	—
Education	27.6
Housing	13.6
Linguistic	17.3
Poverty	41.5
Unemployment	87.4

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	73.36070833
Employed	15.11612986
Median HI	82.34312845
Education	—
Bachelor's or higher	49.0183498
High school enrollment	9.611189529
Preschool enrollment	44.32182728
Transportation	—
Auto Access	92.6344155
Active commuting	1.039394328
Social	—
2-parent households	67.89426408
Voting	50.86616194
Neighborhood	—
Alcohol availability	97.0101373
Park access	2.194276915
Retail density	3.195175157
Supermarket access	12.42140382
Tree canopy	3.284999358
Housing	—
Homeownership	79.76389067
Housing habitability	86.52636982
Low-inc homeowner severe housing cost burden	61.08045682
Low-inc renter severe housing cost burden	79.71256256

Uncrowded housing	59.34813294
Health Outcomes	—
Insured adults	89.88836135
Arthritis	14.6
Asthma ER Admissions	91.2
High Blood Pressure	23.1
Cancer (excluding skin)	16.1
Asthma	49.0
Coronary Heart Disease	25.9
Chronic Obstructive Pulmonary Disease	35.3
Diagnosed Diabetes	68.9
Life Expectancy at Birth	59.4
Cognitively Disabled	68.5
Physically Disabled	41.1
Heart Attack ER Admissions	13.8
Mental Health Not Good	60.0
Chronic Kidney Disease	55.3
Obesity	44.9
Pedestrian Injuries	58.6
Physical Health Not Good	57.2
Stroke	51.7
Health Risk Behaviors	—
Binge Drinking	15.4
Current Smoker	54.4
No Leisure Time for Physical Activity	70.6
Climate Change Exposures	—
Wildfire Risk	4.5
SLR Inundation Area	0.0

Children	3.5
Elderly	83.1
English Speaking	72.6
Foreign-born	27.2
Outdoor Workers	51.2
Climate Change Adaptive Capacity	—
Impervious Surface Cover	68.6
Traffic Density	14.8
Traffic Access	23.0
Other Indices	—
Hardship	36.3
Other Decision Support	—
2016 Voting	63.0

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	18.0
Healthy Places Index Score for Project Location (b)	53.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Taken from client data. Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis.
Construction: Off-Road Equipment	Taken from client data. Standard 8 hours work days. Equipment rated 150 HP or greater will comply with EPA/CARB Tier 4 emissions standards or equivalent
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Grading and Building Construction
Construction: Architectural Coatings	SCAQMD Rule 1113
Land Use	Total Project acreage for Phase 2 is 138.94 acres.

Unmitigated

Emissions	Phase	Lb/Day	# Days	Emissions	Avg/Lb Day	Avg/Hourly
	Off-Site					
	Grading	1.40	101	141.2947772	1.39895819	0.174869774
	Sewer, Drain, Water	0.19	154	28.70211562	0.186377374	0.023297172
	Utility Crossing	0.07	26	1.809065871	0.069579457	0.008697432
	Dry Utilities	0.07	34	2.365701523	0.069579457	0.008697432
	Curb, Gutter, Street Improvement	0.40	66	26.45472416	0.400829154	0.050103644
		2.13	341	200.6263843	0.588347168	0.073543396
	Phase 1 (In-Tract)					
	Sewer, Drain, Water	0.16	63	10.2942512	0.163400813	0.020425102
On-Site	Utility Sleeving	0.06	10	0.596447697	0.05964477	0.007455596
Exhaust PM-10	Curb, Gutter, Street Improvement	0.16	25	3.939448	0.15757792	0.01969724
	Dry Utilities	0.06	30	1.789343092	0.05964477	0.007455596
	Phase 1 (On-Site)					
	Grading	3.68	177	650.7239047	3.676406241	0.45955078
	Building Construction	0.35	498	171.863377	0.345107183	0.043138398
	Paving	0.26	75	19.16553265	0.255540435	0.031942554
	Architectural Coating	0.02	75	1.535641058	0.020475214	0.002559402
	Phase 2					
	Building Construction	0.34	1002	336.9410807	0.336268544	0.042033568
	Paving	0.23	110	25.266767	0.229697882	0.028712235
	Architectural Coating	0.02	110	1.746052357	0.015873203	0.00198415
		5.32	760	1223.861845	1.610344533	0.201293067
	Off-Site					
	Grading	8.99E-04	101	0.090848089	0.000899486	0.000112436
	Sewer, Drain, Water	1.35E-03	154	0.207781273	0.001349229	0.000168654
	Utility Crossing	8.99E-04	26	0.023386637	0.000899486	0.000112436
	Dry Utilities	8.99E-04	34	0.030582525	0.000899486	0.000112436
	Curb, Gutter, Street Improvement	8.99E-04	66	5.94E-02	8.99E-04	1.12E-04
		4.95E-03	341	0.411964601	0.001208107	0.000151013
	Phase 1 (In-Tract)					
	Sewer, Drain, Water	1.80E-03	63	0.11333524	0.001798972	0.000224872
Off-Site	Utility Sleeving	2.25E-03	10	0.022487151	0.002248715	0.000281089
Exhaust PM-10	Curb, Gutter, Street Improvement	8.99E-04	25	0.022487151	0.000899486	0.000112436
	Dry Utilities	8.99E-04	30	0.026984581	0.000899486	0.000112436
	Phase 1 (On-Site)					
	Grading	5.40E-03	177	0.955254163	0.005396916	0.000674615
	Building Construction	9.89E-03	498	4.927384467	0.009894346	0.001236793
	Paving	0.00E+00	75	0	0	0
	Architectural Coating	0.00E+00	75	0	0	0
	Phase 2					
	Building Construction	2.00E-02	1002	20.04025225	0.020000252	0.002500031
	Paving	0.00E+00	110	0	0	0
	Architectural Coating	0.00E+00	110	0	0	0
		4.11E-02	760	26.10818501	0.034352875	0.004294109

Phase	Start Date	End Date	No. Days
Off-Site			
Grading	10/13/2025	3/2/2026	101
Sewer, Drain, Water	3/3/2026	10/2/2026	154
Utility Crossing	10/2/2026	11/6/2026	26
Dry Utilities	2/1/2026	3/19/2026	34
Curb, Gutter, Street Improvement	11/2/2026	2/1/2027	66
		Total Days of Construction	**341**
Phase 1 (In-Tract)			
Sewer, Drain, Water	2/3/2027	4/30/2027	63
Utility Sleeving	5/3/2027	5/14/2027	10
Curb, Gutter, Street Improvement	5/17/2027	6/18/2027	25
Dry Utilities	6/21/2027	7/30/2027	30
Phase 1 (On-Site)			
Grading	6/1/2026	2/2/2027	177
Building Construction	2/3/2027	12/29/2028	498
Paving	9/18/2028	12/29/2028	75
Architectural Coating	9/18/2028	12/29/2028	75
Phase 2			
Building Construction	3/2/2026	1/1/2030	1002
Paving	8/1/2029	1/1/2030	110
Architectural Coating	8/1/2029	1/1/2030	110
		Total Days of Construction	**760**
		Total Days of Construction	**1102**

Mitigated

Emissions	Phase	Lb/Day	# Days	Emissions	Avg/Lb Day	Avg/Hourly
	Off-Site					
	Grading	0.17	101	17.08229047	0.169131589	0.021141449
	Sewer, Drain, Water	0.07	154	10.26033499	0.066625552	0.008328194
	Utility Crossing	0.07	26	1.809065871	0.069579457	0.008697432
	Dry Utilities	0.07	34	2.365701523	0.069579457	0.008697432
	Curb, Gutter, Street Improvement	0.20	66	13.30895068	0.201650768	0.025206346
		0.58	341	44.82634353	0.131455553	0.016431944
	Phase 1 (In-Tract)					
	Sewer, Drain, Water	0.06	63	3.89935069	0.061894455	0.007736807
On-Site	Utility Sleeving	0.06	10	0.596447697	0.05964477	0.007455596
Exhaust PM-10	Curb, Gutter, Street Improvement	0.16	25	3.939448	0.15757792	0.01969724
	Dry Utilities	0.06	30	1.789343092	0.05964477	0.007455596
	Phase 1 (On-Site)					
	Grading	0.42	177	73.62074989	0.41593644	0.051992055
	Building Construction	0.23	498	116.7154617	0.234368397	0.02929605
	Paving	0.26	75	19.16553265	0.255540435	0.031942554
	Architectural Coating	0.02	75	1.535641058	0.020475214	0.002559402
	Phase 2					
	Building Construction	0.23	1002	229.3180699	0.228860349	0.028607544
	Paving	0.23	110	25.266767	0.229697882	0.028712235
	Architectural Coating	0.02	110	1.746052357	0.015873203	0.00198415
		1.74	760	477.592864	0.628411663	0.078551458
	Off-Site					
	Grading	8.99E-04	101	0.090848089	0.000899486	0.000112436
	Sewer, Drain, Water	1.35E-03	154	0.207781273	0.001349229	0.000168654
	Utility Crossing	8.99E-04	26	0.023386637	0.000899486	0.000112436
	Dry Utilities	8.99E-04	34	0.030582525	0.000899486	0.000112436
	Curb, Gutter, Street Improvement	8.99E-04	66	5.94E-02	8.99E-04	1.12E-04
		4.95E-03	341	0.411964601	0.001208107	0.000151013
	Phase 1 (In-Tract)					
	Sewer, Drain, Water	1.80E-03	63	0.11333524	0.001798972	0.000224872
Off-Site	Utility Sleeving	2.25E-03	10	0.022487151	0.002248715	0.000281089
Exhaust PM-10	Curb, Gutter, Street Improvement	8.99E-04	25	0.022487151	0.000899486	0.000112436
	Dry Utilities	8.99E-04	30	0.026984581	0.000899486	0.000112436
	Phase 1 (On-Site)					
	Grading	5.40E-03	177	0.955254163	0.005396916	0.000674615
	Building Construction	9.89E-03	498	4.927384467	0.009894346	0.001236793
	Paving	0.00E+00	75	0	0	0
	Architectural Coating	0.00E+00	75	0	0	0
	Phase 2					
	Building Construction	2.00E-02	1002	20.04025225	0.020000252	0.002500031
	Paving	0.00E+00	110	0	0	0
	Architectural Coating	0.00E+00	110	0	0	0
		4.11E-02	760	26.10818501	0.034352875	0.004294109

Phase	Start Date	End Date	No. Days
Off-Site			
Grading	10/13/2025	3/2/2026	101
Sewer, Drain, Water	3/3/2026	10/2/2026	154
Utility Crossing	10/2/2026	11/6/2026	26
Dry Utilities	2/1/2026	3/19/2026	34
Curb, Gutter, Street Improvement	11/2/2026	2/1/2027	66
		Total Days of Construction	**341**
Phase 1 (In-Tract)			
Sewer, Drain, Water	2/3/2027	4/30/2027	63
Utility Sleeving	5/3/2027	5/14/2027	10
Curb, Gutter, Street Improvement	5/17/2027	6/18/2027	25
Dry Utilities	6/21/2027	7/30/2027	30
Phase 1 (On-Site)			
Grading	6/1/2026	2/2/2027	177
Building Construction	2/3/2027	12/29/2028	498
Paving	9/18/2028	12/29/2028	75
Architectural Coating	9/18/2028	12/29/2028	75
Phase 2			
Building Construction	3/2/2026	1/1/2030	1002
Paving	8/1/2029	1/1/2030	110
Architectural Coating	8/1/2029	1/1/2030	110
		Total Days of Construction	**760**
		Total Days of Construction	**1102**

This page intentionally left blank

APPENDIX 2.2:

AERMOD MODEL INPUT/OUTPUT

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 10/30/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing
Construction\Construction Unmitigated\Construction Unmitigated.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction
   MODELOPT DFAULT CONC
   AVERTIME PERIOD
   URBANOPT 2189641 County_of_Riverside
   POLLUTID DPM
   RUNORNOT RUN
   ERRORFIL "Construction Unmitigated.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL2         VOLUME     491245.498  3720910.257      437.140
   LOCATION VOL3         VOLUME     491281.580  3720991.153      438.760
   LOCATION VOL4         VOLUME     491317.807  3721040.422      438.100
   LOCATION VOL5         VOLUME     491385.914  3721095.487      437.000
   LOCATION VOL6         VOLUME     491419.243  3721186.779      439.070
   LOCATION VOL7         VOLUME     491471.410  3721244.742      444.920
   LOCATION VOL8         VOLUME     491513.433  3721307.053      453.550
   LOCATION VOL9         VOLUME     491578.642  3721379.507      455.530
   LOCATION VOL10        VOLUME     491646.749  3721467.901      449.530
   LOCATION VOL11        VOLUME     491066.463  3720905.514      437.660
   LOCATION VOL12        VOLUME     490886.379  3720906.566      445.370
   LOCATION VOL13        VOLUME     490704.846  3720902.218      445.600
   LOCATION VOL14        VOLUME     490703.397  3721076.649      456.790
   LOCATION VOL15        VOLUME     490697.600  3721262.131      463.130
```

```
   LOCATION VOL16        VOLUME     490694.702  3721443.266      458.580
   LOCATION VOL17        VOLUME     490883.083  3721085.343      447.140
   LOCATION VOL18        VOLUME     491067.116  3721083.894      448.540
   LOCATION VOL19        VOLUME     490880.185  3721265.030      458.400
   LOCATION VOL20        VOLUME     490874.388  3721443.266      462.630
   LOCATION VOL21        VOLUME     491055.524  3721441.817      466.170
   LOCATION VOL22        VOLUME     491055.524  3721265.030      457.210
   LOCATION VOL23        VOLUME     491216.372  3721088.242      450.790
   LOCATION VOL24        VOLUME     491235.210  3721269.377      452.670
   LOCATION VOL25        VOLUME     491238.108  3721441.817      449.400
   LOCATION VOL26        VOLUME     491411.997  3721360.669      451.460
   LOCATION VOL27        VOLUME     491416.345  3721543.253      471.140
   LOCATION VOL28        VOLUME     490691.804  3721541.804      461.860
   LOCATION VOL29        VOLUME     490872.939  3721541.804      463.880
   LOCATION VOL30        VOLUME     491048.278  3721540.355      468.370
   LOCATION VOL31        VOLUME     491227.964  3721541.804      454.100
   LOCATION VOL32        VOLUME     491598.929  3721543.253      460.300
   LOCATION VOL33        VOLUME     491772.819  3721546.151      456.910
   LOCATION VOL34        VOLUME     491125.060  3720797.040      437.290
** DESCRSRC Off-Site
   LOCATION VOL35        VOLUME     491311.142  3720805.625      430.430
** DESCRSRC Off-Site
   LOCATION VOL36        VOLUME     491126.237  3720772.618      435.640
** DESCRSRC Off-Site
   LOCATION VOL37        VOLUME     491126.237  3720748.031      433.250
** DESCRSRC Off-Site
   LOCATION VOL38        VOLUME     491126.237  3720723.444      432.000
** DESCRSRC Off-Site
   LOCATION VOL39        VOLUME     491127.247  3720699.194      432.000
** DESCRSRC Off-Site
   LOCATION VOL40        VOLUME     491127.584  3720674.944      432.000
** DESCRSRC Off-Site
   LOCATION VOL41        VOLUME     491127.584  3720650.358      432.000
** DESCRSRC Off-Site
   LOCATION VOL42        VOLUME     491295.986  3720787.100      429.950
** DESCRSRC Off-Site
   LOCATION VOL43        VOLUME     491278.136  3720764.198      429.970
** DESCRSRC Off-Site
   LOCATION VOL44        VOLUME     491261.295  3720739.948      429.980
** DESCRSRC Off-Site
   LOCATION VOL45        VOLUME     491243.445  3720715.698      430.380
** DESCRSRC Off-Site
   LOCATION VOL46        VOLUME     491225.257  3720691.448      430.670
** DESCRSRC Off-Site
   LOCATION VOL47        VOLUME     491209.764  3720666.187      431.000
** DESCRSRC Off-Site
   LOCATION VOL48        VOLUME     491190.230  3720641.937      431.910
** DESCRSRC Off-Site
   LOCATION VOL49        VOLUME     490615.176  3720793.338      443.600
** DESCRSRC Off-Site
```

```
   LOCATION VOL50       VOLUME     490615.176  3720771.108      444.340
** DESCRSRC Off-Site
   LOCATION VOL51       VOLUME     490615.176  3720746.184      444.200
** DESCRSRC Off-Site
   LOCATION VOL52       VOLUME     490615.176  3720721.597      444.040
** DESCRSRC Off-Site
   LOCATION VOL53       VOLUME     490615.176  3720697.346      444.180
** DESCRSRC Off-Site
   LOCATION VOL54       VOLUME     490615.176  3720672.758      444.610
** DESCRSRC Off-Site
   LOCATION VOL55       VOLUME     490615.176  3720648.845      445.020
** DESCRSRC Off-Site
   LOCATION VOL56       VOLUME     490615.513  3720624.257      444.660
** DESCRSRC Off-Site
   LOCATION VOL57       VOLUME     490615.850  3720600.006      444.490
** DESCRSRC Off-Site
   LOCATION VOL58       VOLUME     490615.513  3720575.419      440.920
** DESCRSRC Off-Site
   LOCATION VOL59       VOLUME     490615.513  3720551.842      438.710
** DESCRSRC Off-Site
   LOCATION VOL60       VOLUME     490616.186  3720527.254      437.030
** DESCRSRC Off-Site
   LOCATION VOL61       VOLUME     490615.513  3720503.004      435.450
** DESCRSRC Off-Site
   LOCATION VOL62       VOLUME     490614.839  3720478.416      433.860
** DESCRSRC Off-Site
   LOCATION VOL63       VOLUME     490615.513  3720453.492      432.580
** DESCRSRC Off-Site
   LOCATION VOL64       VOLUME     490615.176  3720428.905      431.880
** DESCRSRC Off-Site
   LOCATION VOL65       VOLUME     490615.850  3720404.317      431.460
** DESCRSRC Off-Site
   LOCATION VOL66       VOLUME     490613.829  3720379.056      431.060
** DESCRSRC Off-Site
   LOCATION VOL67       VOLUME     490613.492  3720354.468      430.690
** DESCRSRC Off-Site
   LOCATION VOL68       VOLUME     490614.502  3720329.881      430.530
** DESCRSRC Off-Site
   LOCATION VOL69       VOLUME     490614.166  3720305.967      429.870
** DESCRSRC Off-Site
   LOCATION VOL70       VOLUME     490614.502  3720281.380      428.370
** DESCRSRC Off-Site
   LOCATION VOL71       VOLUME     490618.544  3720257.129      427.430
** DESCRSRC Off-Site
   LOCATION VOL72       VOLUME     490628.649  3720232.878      426.280
** DESCRSRC Off-Site
   LOCATION VOL73       VOLUME     490635.722  3720208.291      426.250
** DESCRSRC Off-Site
   LOCATION VOL74       VOLUME     490648.521  3720183.366      426.770
** DESCRSRC Off-Site
```

```
   LOCATION VOL75       VOLUME     490665.025  3720167.199      427.310
** DESCRSRC Off-Site
   LOCATION VOL76       VOLUME     490677.487  3720148.001      428.060
** DESCRSRC Off-Site
   LOCATION VOL77       VOLUME     490692.980  3720131.834      428.000
** DESCRSRC Off-Site
   LOCATION VOL78       VOLUME     490705.779  3720118.361      428.000
** DESCRSRC Off-Site
   LOCATION VOL79       VOLUME     490718.578  3720107.920      428.000
** DESCRSRC Off-Site
   LOCATION VOL80       VOLUME     490734.072  3720098.826      427.650
** DESCRSRC Off-Site
   LOCATION VOL81       VOLUME     490751.586  3720085.017      426.540
** DESCRSRC Off-Site
   LOCATION VOL82       VOLUME     490773.383  3720071.541      425.080
** DESCRSRC Off-Site
   LOCATION VOL83       VOLUME     490795.529  3720052.802      423.720
** DESCRSRC Off-Site
   LOCATION VOL84       VOLUME     490594.263  3720832.793      444.380
** DESCRSRC Off-Site
   LOCATION VOL85       VOLUME     490568.998  3720833.130      445.860
** DESCRSRC Off-Site
   LOCATION VOL86       VOLUME     490544.408  3720833.467      447.270
** DESCRSRC Off-Site
   LOCATION VOL87       VOLUME     490519.817  3720833.804      448.860
** DESCRSRC Off-Site
   LOCATION VOL88       VOLUME     490494.553  3720843.573      450.650
** DESCRSRC Off-Site
   LOCATION VOL89       VOLUME     490469.625  3720848.289      452.860
** DESCRSRC Off-Site
   LOCATION VOL90       VOLUME     490444.698  3720849.299      455.450
** DESCRSRC Off-Site
   LOCATION VOL91       VOLUME     490419.433  3720850.984      458.530
** DESCRSRC Off-Site
   LOCATION VOL92       VOLUME     490394.506  3720858.058      458.550
** DESCRSRC Off-Site
   LOCATION VOL93       VOLUME     490370.252  3720860.416      459.070
** DESCRSRC Off-Site
   LOCATION VOL94       VOLUME     490345.325  3720864.458      459.360
** DESCRSRC Off-Site
   LOCATION VOL95       VOLUME     490320.397  3720868.500      459.450
** DESCRSRC Off-Site
   LOCATION VOL96       VOLUME     490295.807  3720869.174      459.900
** DESCRSRC Off-Site
   LOCATION VOL97       VOLUME     490270.879  3720869.174      461.100
** DESCRSRC Off-Site
   LOCATION VOL98       VOLUME     490245.952  3720868.837      461.130
** DESCRSRC Off-Site
   LOCATION VOL99       VOLUME     490221.361  3720869.174      461.400
** DESCRSRC Off-Site
```

```
   LOCATION VOL100      VOLUME     490196.770  3720869.174      461.550
** DESCRSRC Off-Site
   LOCATION VOL101      VOLUME     490171.843  3720868.837      461.440
** DESCRSRC Off-Site
   LOCATION VOL102      VOLUME     490146.915  3720866.479      461.240
** DESCRSRC Off-Site
   LOCATION VOL103      VOLUME     490122.998  3720866.142      460.990
** DESCRSRC Off-Site
   LOCATION VOL104      VOLUME     490099.082  3720866.142      459.770
** DESCRSRC Off-Site
   LOCATION VOL105      VOLUME     490074.828  3720863.784      459.330
** DESCRSRC Off-Site
   LOCATION VOL106      VOLUME     490049.563  3720858.731      459.000
** DESCRSRC Off-Site
   LOCATION VOL107      VOLUME     490024.636  3720852.331      457.690
** DESCRSRC Off-Site
   LOCATION VOL108      VOLUME     490000.382  3720842.562      455.960
** DESCRSRC Off-Site
   LOCATION VOL109      VOLUME     489976.128  3720835.825      453.810
** DESCRSRC Off-Site
   LOCATION VOL110      VOLUME     489951.201  3720829.088      453.130
** DESCRSRC Off-Site
   LOCATION VOL111      VOLUME     489926.610  3720824.709      452.080
** DESCRSRC Off-Site
   LOCATION VOL112      VOLUME     489902.020  3720822.014      450.170
** DESCRSRC Off-Site
   LOCATION VOL113      VOLUME     489877.092  3720821.003      448.000
** DESCRSRC Off-Site
   LOCATION VOL114      VOLUME     489852.165  3720821.003      446.900
** DESCRSRC Off-Site
   LOCATION VOL115      VOLUME     489827.237  3720818.982      445.990
** DESCRSRC Off-Site
   LOCATION VOL116      VOLUME     489803.320  3720818.982      446.220
** DESCRSRC Off-Site
   LOCATION VOL117      VOLUME     489778.730  3720818.982      446.640
** DESCRSRC Off-Site
   LOCATION VOL118      VOLUME     489754.139  3720818.645      446.980
** DESCRSRC Off-Site
   LOCATION VOL119      VOLUME     489729.548  3720818.645      447.880
** DESCRSRC Off-Site
   LOCATION VOL120      VOLUME     489704.621  3720818.645      450.370
** DESCRSRC Off-Site
   LOCATION VOL121      VOLUME     489680.030  3720817.635      451.920
** DESCRSRC Off-Site
   LOCATION VOL122      VOLUME     489655.440  3720817.298      452.580
** DESCRSRC Off-Site
   LOCATION VOL123      VOLUME     489630.512  3720817.972      453.080
** DESCRSRC Off-Site
   LOCATION VOL124      VOLUME     489605.585  3720819.319      453.610
** DESCRSRC Off-Site
```

```
   LOCATION VOL125      VOLUME     489580.994  3720820.330      452.830
** DESCRSRC Off-Site
   LOCATION VOL126      VOLUME     489556.740  3720820.330      452.160
** DESCRSRC Off-Site
   LOCATION VOL127      VOLUME     489532.150  3720820.330      451.380
** DESCRSRC Off-Site
   LOCATION VOL128      VOLUME     489507.222  3720819.993      450.640
** DESCRSRC Off-Site
   LOCATION VOL129      VOLUME     489482.968  3720819.319      449.960
** DESCRSRC Off-Site
   LOCATION VOL130      VOLUME     489458.378  3720819.656      449.130
** DESCRSRC Off-Site
   LOCATION VOL131      VOLUME     489433.787  3720819.656      448.310
** DESCRSRC Off-Site
   LOCATION VOL132      VOLUME     489408.860  3720820.330      447.780
** DESCRSRC Off-Site
   LOCATION VOL133      VOLUME     489384.269  3720819.993      446.730
** DESCRSRC Off-Site
   LOCATION VOL134      VOLUME     491354.424  3720825.624      429.990
** DESCRSRC Off-Site
   LOCATION VOL135      VOLUME     491378.990  3720825.196      430.000
** DESCRSRC Off-Site
   LOCATION VOL136      VOLUME     491403.494  3720825.076      430.020
** DESCRSRC Off-Site
   LOCATION VOL137      VOLUME     491428.217  3720824.983      430.600
** DESCRSRC Off-Site
   LOCATION VOL138      VOLUME     491453.532  3720824.983      430.990
** DESCRSRC Off-Site
   LOCATION VOL139      VOLUME     491478.603  3720824.496      430.960
** DESCRSRC Off-Site
   LOCATION VOL140      VOLUME     491503.431  3720824.496      430.960
** DESCRSRC Off-Site
   LOCATION VOL141      VOLUME     491528.016  3720824.739      430.960
** DESCRSRC Off-Site
   LOCATION VOL142      VOLUME     491552.357  3720825.713      431.000
** DESCRSRC Off-Site
   LOCATION VOL143      VOLUME     491577.185  3720827.174      431.570
** DESCRSRC Off-Site
   LOCATION VOL144      VOLUME     491601.526  3720827.417      432.000
** DESCRSRC Off-Site
   LOCATION VOL145      VOLUME     491626.598  3720827.174      432.000
** DESCRSRC Off-Site
   LOCATION VOL146      VOLUME     491650.764  3720828.136      432.000
** DESCRSRC Off-Site
   LOCATION VOL147      VOLUME     491675.106  3720828.136      432.000
** DESCRSRC Off-Site
   LOCATION VOL148      VOLUME     491699.734  3720828.422      432.000
** DESCRSRC Off-Site
   LOCATION VOL149      VOLUME     491723.790  3720829.281      432.000
** DESCRSRC Off-Site
```

```
   LOCATION VOL150       VOLUME     491748.704  3720829.281      432.030
** DESCRSRC Off-Site
   LOCATION VOL151       VOLUME     491773.046  3720828.995      432.110
** DESCRSRC Off-Site
   LOCATION VOL152       VOLUME     491797.674  3720829.281      432.120
** DESCRSRC Off-Site
   LOCATION VOL153       VOLUME     491822.876  3720829.568      432.030
** DESCRSRC Off-Site
   LOCATION VOL154       VOLUME     491847.790  3720829.281      432.000
** DESCRSRC Off-Site
   LOCATION VOL155       VOLUME     491872.705  3720829.281      432.000
** DESCRSRC Off-Site
   LOCATION VOL156       VOLUME     491896.188  3720829.281      432.000
** DESCRSRC Off-Site
   LOCATION VOL157       VOLUME     491920.243  3720829.854      432.000
** DESCRSRC Off-Site
   LOCATION VOL158       VOLUME     491348.195  3720859.487      432.210
** DESCRSRC Off-Site
   LOCATION VOL159       VOLUME     491364.655  3720885.824      433.000
** DESCRSRC Off-Site
   LOCATION VOL160       VOLUME     491384.957  3720914.904      433.970
** DESCRSRC Off-Site
   LOCATION VOL161       VOLUME     491403.063  3720939.046      434.000
** DESCRSRC Off-Site
   LOCATION VOL162       VOLUME     491420.072  3720965.382      434.650
** DESCRSRC Off-Site
   LOCATION VOL163       VOLUME     491438.179  3720991.719      435.000
** DESCRSRC Off-Site
   LOCATION VOL164       VOLUME     491485.914  3721055.366      436.000
** DESCRSRC Off-Site
   LOCATION VOL165       VOLUME     491503.472  3721081.154      436.510
** DESCRSRC Off-Site
   LOCATION VOL166       VOLUME     491522.675  3721112.977      437.570
** DESCRSRC Off-Site
   LOCATION VOL167       VOLUME     491542.977  3721138.765      438.260
** DESCRSRC Off-Site
   LOCATION VOL168       VOLUME     491573.154  3721173.881      438.600
** DESCRSRC Off-Site
   LOCATION VOL169       VOLUME     491596.199  3721201.315      439.520
** DESCRSRC Off-Site
   LOCATION VOL170       VOLUME     491614.305  3721227.652      440.960
** DESCRSRC Off-Site
   LOCATION VOL171       VOLUME     491627.473  3721252.891      442.010
** DESCRSRC Off-Site
   LOCATION VOL172       VOLUME     491642.288  3721277.033      442.320
** DESCRSRC Off-Site
   LOCATION VOL173       VOLUME     491678.501  3721325.865      443.720
** DESCRSRC Off-Site
   LOCATION VOL174       VOLUME     491698.253  3721351.653      444.750
** DESCRSRC Off-Site
```

```
   LOCATION VOL175      VOLUME     491746.537  3721414.203      447.420
** DESCRSRC Off-Site
   LOCATION VOL176      VOLUME     491764.644  3721438.894      448.070
** DESCRSRC Off-Site
   LOCATION VOL177      VOLUME     491874.380  3721595.268      455.190
** DESCRSRC Off-Site
   LOCATION VOL178      VOLUME     491889.194  3721620.507      456.690
** DESCRSRC Off-Site
   LOCATION VOL179      VOLUME     487598.142  3715596.293      402.940
** DESCRSRC Off-Site
   LOCATION VOL180      VOLUME     487593.795  3715571.511      402.820
** DESCRSRC Off-Site
   LOCATION VOL181      VOLUME     487590.795  3715547.643      402.980
** DESCRSRC Off-Site
   LOCATION VOL182      VOLUME     487584.292  3715522.756      403.770
** DESCRSRC Off-Site
   LOCATION VOL183      VOLUME     487575.833  3715498.280      404.110
** DESCRSRC Off-Site
   LOCATION VOL184      VOLUME     487569.094  3715473.375      404.410
** DESCRSRC Off-Site
   LOCATION VOL185      VOLUME     487564.112  3715449.055      404.800
** DESCRSRC Off-Site
   LOCATION VOL186      VOLUME     487559.424  3715424.443      404.650
** DESCRSRC Off-Site
   LOCATION VOL187      VOLUME     487554.443  3715399.830      404.480
** DESCRSRC Off-Site
   LOCATION VOL188      VOLUME     487548.876  3715375.218      404.290
** DESCRSRC Off-Site
   LOCATION VOL189      VOLUME     487544.774  3715350.605      404.160
** DESCRSRC Off-Site
   LOCATION VOL190      VOLUME     487538.914  3715325.700      404.310
** DESCRSRC Off-Site
   LOCATION VOL191      VOLUME     487532.468  3715301.087      404.750
** DESCRSRC Off-Site
   LOCATION VOL192      VOLUME     487527.780  3715276.475      404.590
** DESCRSRC Off-Site
   LOCATION VOL193      VOLUME     487522.506  3715251.862      404.750
** DESCRSRC Off-Site
   LOCATION VOL194      VOLUME     487518.404  3715227.543      405.170
** DESCRSRC Off-Site
   LOCATION VOL195      VOLUME     487510.785  3715202.930      405.480
** DESCRSRC Off-Site
   LOCATION VOL196      VOLUME     487506.097  3715178.318      405.740
** DESCRSRC Off-Site
   LOCATION VOL197      VOLUME     487499.944  3715153.413      405.240
** DESCRSRC Off-Site
   LOCATION VOL198      VOLUME     487494.670  3715128.800      404.070
** DESCRSRC Off-Site
   LOCATION VOL199      VOLUME     487491.154  3715104.774      403.920
** DESCRSRC Off-Site
```

```
   LOCATION VOL200       VOLUME     487485.001  3715079.868      402.920
** DESCRSRC Off-Site
   LOCATION VOL201       VOLUME     487480.020  3715054.963      402.000
** DESCRSRC Off-Site
   LOCATION VOL202       VOLUME     487473.574  3715030.057      402.000
** DESCRSRC Off-Site
   LOCATION VOL203       VOLUME     487467.714  3715005.445      402.000
** DESCRSRC Off-Site
   LOCATION VOL204       VOLUME     487464.198  3714980.832      402.000
** DESCRSRC Off-Site
   LOCATION VOL205       VOLUME     487459.217  3714955.927      402.000
** DESCRSRC Off-Site
   LOCATION VOL206       VOLUME     487453.942  3714931.900      402.000
** DESCRSRC Off-Site
   LOCATION VOL207       VOLUME     487447.841  3714907.908      402.000
** DESCRSRC Off-Site
   LOCATION VOL208       VOLUME     487440.602  3714883.778      402.000
** DESCRSRC Off-Site
   LOCATION VOL209       VOLUME     487435.086  3714858.959      402.000
** DESCRSRC Off-Site
   LOCATION VOL210       VOLUME     487428.882  3714834.829      402.000
** DESCRSRC Off-Site
   LOCATION VOL211       VOLUME     487424.745  3714810.009      402.000
** DESCRSRC Off-Site
   LOCATION VOL212       VOLUME     487419.919  3714785.535      402.000
** DESCRSRC Off-Site
   LOCATION VOL213       VOLUME     487415.438  3714761.060      402.000
** DESCRSRC Off-Site
** --------------------------------------------------------------------
** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE2
** DESCRSRC On-Site Construction
** PREFIX
** Length of Side = 14.00
** Configuration = Adjacent
** Emission Rate = 0.0000190273
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 9
** 491314.421, 3720808.861, 429.84, 3.49, 6.51
** 491055.983, 3720456.324, 431.00, 3.49, 6.51
** 490610.674, 3719830.771, 422.05, 3.49, 6.51
** 490494.045, 3719672.395, 421.42, 3.49, 6.51
** 490066.628, 3719077.324, 421.84, 3.49, 6.51
** 489987.771, 3718967.322, 419.37, 3.49, 6.51
** 489554.390, 3718364.299, 414.00, 3.49, 6.51
** 489496.076, 3718284.780, 415.11, 3.49, 6.51
** 489007.694, 3717604.226, 410.07, 3.49, 6.51
** --------------------------------------------------------------------
   LOCATION L0001979     VOLUME   491310.283 3720803.215 430.33
```

LOCATION L0001980 VOLUME 491302.005 3720791.924 429.95
LOCATION L0001981 VOLUME 491293.728 3720780.633 429.95
LOCATION L0001982 VOLUME 491285.451 3720769.342 430.02
LOCATION L0001983 VOLUME 491277.174 3720758.051 429.86
LOCATION L0001984 VOLUME 491268.896 3720746.760 429.83
LOCATION L0001985 VOLUME 491260.619 3720735.469 430.01
LOCATION L0001986 VOLUME 491252.342 3720724.178 430.34
LOCATION L0001987 VOLUME 491244.065 3720712.887 430.26
LOCATION L0001988 VOLUME 491235.787 3720701.596 430.07
LOCATION L0001989 VOLUME 491227.510 3720690.305 430.62
LOCATION L0001990 VOLUME 491219.233 3720679.014 430.97
LOCATION L0001991 VOLUME 491210.956 3720667.723 431.00
LOCATION L0001992 VOLUME 491202.678 3720656.432 431.00
LOCATION L0001993 VOLUME 491194.401 3720645.141 431.46
LOCATION L0001994 VOLUME 491186.124 3720633.850 432.58
LOCATION L0001995 VOLUME 491177.847 3720622.559 433.48
LOCATION L0001996 VOLUME 491169.569 3720611.268 433.96
LOCATION L0001997 VOLUME 491161.292 3720599.977 433.69
LOCATION L0001998 VOLUME 491153.015 3720588.686 433.41
LOCATION L0001999 VOLUME 491144.738 3720577.395 432.13
LOCATION L0002000 VOLUME 491136.460 3720566.104 431.09
LOCATION L0002001 VOLUME 491128.183 3720554.813 430.37
LOCATION L0002002 VOLUME 491119.906 3720543.522 430.26
LOCATION L0002003 VOLUME 491111.629 3720532.231 430.16
LOCATION L0002004 VOLUME 491103.351 3720520.940 429.83
LOCATION L0002005 VOLUME 491095.074 3720509.649 429.45
LOCATION L0002006 VOLUME 491086.797 3720498.358 429.08
LOCATION L0002007 VOLUME 491078.520 3720487.067 429.41
LOCATION L0002008 VOLUME 491070.242 3720475.775 430.12
LOCATION L0002009 VOLUME 491061.965 3720464.484 430.61
LOCATION L0002010 VOLUME 491053.732 3720453.162 430.89
LOCATION L0002011 VOLUME 491045.613 3720441.756 431.32
LOCATION L0002012 VOLUME 491037.494 3720430.351 431.67
LOCATION L0002013 VOLUME 491029.375 3720418.946 431.83
LOCATION L0002014 VOLUME 491021.256 3720407.541 431.99
LOCATION L0002015 VOLUME 491013.137 3720396.135 432.49
LOCATION L0002016 VOLUME 491005.018 3720384.730 432.86
LOCATION L0002017 VOLUME 490996.898 3720373.325 432.91
LOCATION L0002018 VOLUME 490988.779 3720361.919 432.53
LOCATION L0002019 VOLUME 490980.660 3720350.514 432.38
LOCATION L0002020 VOLUME 490972.541 3720339.109 432.55
LOCATION L0002021 VOLUME 490964.422 3720327.703 432.42
LOCATION L0002022 VOLUME 490956.303 3720316.298 431.87
LOCATION L0002023 VOLUME 490948.184 3720304.893 431.66
LOCATION L0002024 VOLUME 490940.065 3720293.487 431.06
LOCATION L0002025 VOLUME 490931.946 3720282.082 429.89
LOCATION L0002026 VOLUME 490923.827 3720270.677 428.54
LOCATION L0002027 VOLUME 490915.708 3720259.271 427.62
LOCATION L0002028 VOLUME 490907.589 3720247.866 426.97
LOCATION L0002029 VOLUME 490899.470 3720236.461 426.37

LOCATION L0002030 VOLUME 490891.351 3720225.055 426.29
LOCATION L0002031 VOLUME 490883.232 3720213.650 426.34
LOCATION L0002032 VOLUME 490875.113 3720202.245 426.17
LOCATION L0002033 VOLUME 490866.994 3720190.840 426.00
LOCATION L0002034 VOLUME 490858.875 3720179.434 426.00
LOCATION L0002035 VOLUME 490850.756 3720168.029 426.00
LOCATION L0002036 VOLUME 490842.637 3720156.624 425.98
LOCATION L0002037 VOLUME 490834.518 3720145.218 426.06
LOCATION L0002038 VOLUME 490826.399 3720133.813 425.92
LOCATION L0002039 VOLUME 490818.280 3720122.408 425.54
LOCATION L0002040 VOLUME 490810.161 3720111.002 425.17
LOCATION L0002041 VOLUME 490802.042 3720099.597 425.06
LOCATION L0002042 VOLUME 490793.923 3720088.192 424.95
LOCATION L0002043 VOLUME 490785.804 3720076.786 424.84
LOCATION L0002044 VOLUME 490777.684 3720065.381 424.73
LOCATION L0002045 VOLUME 490769.565 3720053.976 424.62
LOCATION L0002046 VOLUME 490761.446 3720042.570 424.51
LOCATION L0002047 VOLUME 490753.327 3720031.165 424.40
LOCATION L0002048 VOLUME 490745.208 3720019.760 424.45
LOCATION L0002049 VOLUME 490737.089 3720008.354 424.51
LOCATION L0002050 VOLUME 490728.970 3719996.949 424.34
LOCATION L0002051 VOLUME 490720.851 3719985.544 423.97
LOCATION L0002052 VOLUME 490712.732 3719974.139 424.01
LOCATION L0002053 VOLUME 490704.613 3719962.733 423.86
LOCATION L0002054 VOLUME 490696.494 3719951.328 423.64
LOCATION L0002055 VOLUME 490688.375 3719939.923 423.53
LOCATION L0002056 VOLUME 490680.256 3719928.517 423.42
LOCATION L0002057 VOLUME 490672.137 3719917.112 423.31
LOCATION L0002058 VOLUME 490664.018 3719905.707 423.20
LOCATION L0002059 VOLUME 490655.899 3719894.301 422.95
LOCATION L0002060 VOLUME 490647.780 3719882.896 422.75
LOCATION L0002061 VOLUME 490639.661 3719871.491 422.75
LOCATION L0002062 VOLUME 490631.542 3719860.085 422.77
LOCATION L0002063 VOLUME 490623.423 3719848.680 422.42
LOCATION L0002064 VOLUME 490615.304 3719837.275 422.04
LOCATION L0002065 VOLUME 490607.106 3719825.926 422.00
LOCATION L0002066 VOLUME 490598.805 3719814.653 422.01
LOCATION L0002067 VOLUME 490590.503 3719803.380 421.94
LOCATION L0002068 VOLUME 490582.202 3719792.107 421.82
LOCATION L0002069 VOLUME 490573.900 3719780.834 421.90
LOCATION L0002070 VOLUME 490565.598 3719769.560 421.82
LOCATION L0002071 VOLUME 490557.297 3719758.287 421.67
LOCATION L0002072 VOLUME 490548.995 3719747.014 421.72
LOCATION L0002073 VOLUME 490540.694 3719735.741 421.65
LOCATION L0002074 VOLUME 490532.392 3719724.468 421.47
LOCATION L0002075 VOLUME 490524.091 3719713.195 421.49
LOCATION L0002076 VOLUME 490515.789 3719701.922 421.43
LOCATION L0002077 VOLUME 490507.487 3719690.648 421.23
LOCATION L0002078 VOLUME 490499.186 3719679.375 421.29
LOCATION L0002079 VOLUME 490490.935 3719668.065 421.26

LOCATION L0002080 VOLUME 490482.768 3719656.694 421.02
LOCATION L0002081 VOLUME 490474.601 3719645.323 421.12
LOCATION L0002082 VOLUME 490466.434 3719633.952 421.12
LOCATION L0002083 VOLUME 490458.266 3719622.582 421.00
LOCATION L0002084 VOLUME 490450.099 3719611.211 421.00
LOCATION L0002085 VOLUME 490441.932 3719599.840 421.00
LOCATION L0002086 VOLUME 490433.765 3719588.469 421.00
LOCATION L0002087 VOLUME 490425.597 3719577.098 421.00
LOCATION L0002088 VOLUME 490417.430 3719565.727 421.00
LOCATION L0002089 VOLUME 490409.263 3719554.356 421.00
LOCATION L0002090 VOLUME 490401.096 3719542.986 421.00
LOCATION L0002091 VOLUME 490392.928 3719531.615 421.00
LOCATION L0002092 VOLUME 490384.761 3719520.244 420.91
LOCATION L0002093 VOLUME 490376.594 3719508.873 420.96
LOCATION L0002094 VOLUME 490368.427 3719497.502 420.71
LOCATION L0002095 VOLUME 490360.259 3719486.131 420.34
LOCATION L0002096 VOLUME 490352.092 3719474.761 420.26
LOCATION L0002097 VOLUME 490343.925 3719463.390 420.32
LOCATION L0002098 VOLUME 490335.758 3719452.019 420.16
LOCATION L0002099 VOLUME 490327.590 3719440.648 420.18
LOCATION L0002100 VOLUME 490319.423 3719429.277 420.56
LOCATION L0002101 VOLUME 490311.256 3719417.906 420.94
LOCATION L0002102 VOLUME 490303.089 3719406.536 420.97
LOCATION L0002103 VOLUME 490294.921 3719395.165 421.00
LOCATION L0002104 VOLUME 490286.754 3719383.794 420.96
LOCATION L0002105 VOLUME 490278.587 3719372.423 420.88
LOCATION L0002106 VOLUME 490270.420 3719361.052 421.00
LOCATION L0002107 VOLUME 490262.252 3719349.681 420.84
LOCATION L0002108 VOLUME 490254.085 3719338.311 420.73
LOCATION L0002109 VOLUME 490245.918 3719326.940 420.82
LOCATION L0002110 VOLUME 490237.751 3719315.569 421.09
LOCATION L0002111 VOLUME 490229.583 3719304.198 421.36
LOCATION L0002112 VOLUME 490221.416 3719292.827 421.59
LOCATION L0002113 VOLUME 490213.249 3719281.456 421.86
LOCATION L0002114 VOLUME 490205.082 3719270.085 422.38
LOCATION L0002115 VOLUME 490196.914 3719258.715 422.90
LOCATION L0002116 VOLUME 490188.747 3719247.344 423.44
LOCATION L0002117 VOLUME 490180.580 3719235.973 423.98
LOCATION L0002118 VOLUME 490172.413 3719224.602 423.88
LOCATION L0002119 VOLUME 490164.245 3719213.231 423.78
LOCATION L0002120 VOLUME 490156.078 3719201.860 423.67
LOCATION L0002121 VOLUME 490147.911 3719190.490 423.56
LOCATION L0002122 VOLUME 490139.744 3719179.119 423.46
LOCATION L0002123 VOLUME 490131.576 3719167.748 423.35
LOCATION L0002124 VOLUME 490123.409 3719156.377 423.24
LOCATION L0002125 VOLUME 490115.242 3719145.006 423.13
LOCATION L0002126 VOLUME 490107.075 3719133.635 422.84
LOCATION L0002127 VOLUME 490098.907 3719122.265 422.35
LOCATION L0002128 VOLUME 490090.740 3719110.894 422.00
LOCATION L0002129 VOLUME 490082.573 3719099.523 422.12

LOCATION L0002130 VOLUME 490074.406 3719088.152 422.04
LOCATION L0002131 VOLUME 490066.239 3719076.781 421.63
LOCATION L0002132 VOLUME 490058.082 3719065.402 421.26
LOCATION L0002133 VOLUME 490049.925 3719054.024 420.54
LOCATION L0002134 VOLUME 490041.769 3719042.646 419.76
LOCATION L0002135 VOLUME 490033.612 3719031.267 419.19
LOCATION L0002136 VOLUME 490025.455 3719019.889 418.96
LOCATION L0002137 VOLUME 490017.298 3719008.511 418.85
LOCATION L0002138 VOLUME 490009.141 3718997.132 418.74
LOCATION L0002139 VOLUME 490000.985 3718985.754 418.98
LOCATION L0002140 VOLUME 489992.828 3718974.376 419.32
LOCATION L0002141 VOLUME 489984.666 3718963.001 419.42
LOCATION L0002142 VOLUME 489976.496 3718951.632 419.31
LOCATION L0002143 VOLUME 489968.325 3718940.264 419.21
LOCATION L0002144 VOLUME 489960.155 3718928.895 419.10
LOCATION L0002145 VOLUME 489951.984 3718917.527 418.99
LOCATION L0002146 VOLUME 489943.814 3718906.158 418.89
LOCATION L0002147 VOLUME 489935.644 3718894.789 418.78
LOCATION L0002148 VOLUME 489927.473 3718883.421 418.67
LOCATION L0002149 VOLUME 489919.303 3718872.052 418.70
LOCATION L0002150 VOLUME 489911.132 3718860.684 418.97
LOCATION L0002151 VOLUME 489902.962 3718849.315 419.25
LOCATION L0002152 VOLUME 489894.792 3718837.947 419.25
LOCATION L0002153 VOLUME 489886.621 3718826.578 419.14
LOCATION L0002154 VOLUME 489878.451 3718815.209 419.03
LOCATION L0002155 VOLUME 489870.280 3718803.841 418.79
LOCATION L0002156 VOLUME 489862.110 3718792.472 418.34
LOCATION L0002157 VOLUME 489853.940 3718781.104 417.98
LOCATION L0002158 VOLUME 489845.769 3718769.735 418.07
LOCATION L0002159 VOLUME 489837.599 3718758.366 418.03
LOCATION L0002160 VOLUME 489829.429 3718746.998 417.91
LOCATION L0002161 VOLUME 489821.258 3718735.629 417.98
LOCATION L0002162 VOLUME 489813.088 3718724.261 418.18
LOCATION L0002163 VOLUME 489804.917 3718712.892 418.08
LOCATION L0002164 VOLUME 489796.747 3718701.524 417.97
LOCATION L0002165 VOLUME 489788.577 3718690.155 417.86
LOCATION L0002166 VOLUME 489780.406 3718678.786 417.76
LOCATION L0002167 VOLUME 489772.236 3718667.418 417.65
LOCATION L0002168 VOLUME 489764.065 3718656.049 417.54
LOCATION L0002169 VOLUME 489755.895 3718644.681 417.48
LOCATION L0002170 VOLUME 489747.725 3718633.312 417.33
LOCATION L0002171 VOLUME 489739.554 3718621.943 417.22
LOCATION L0002172 VOLUME 489731.384 3718610.575 417.12
LOCATION L0002173 VOLUME 489723.213 3718599.206 417.01
LOCATION L0002174 VOLUME 489715.043 3718587.838 416.90
LOCATION L0002175 VOLUME 489706.873 3718576.469 416.80
LOCATION L0002176 VOLUME 489698.702 3718565.100 416.71
LOCATION L0002177 VOLUME 489690.532 3718553.732 416.83
LOCATION L0002178 VOLUME 489682.361 3718542.363 417.13
LOCATION L0002179 VOLUME 489674.191 3718530.995 417.31

LOCATION L0002180 VOLUME 489666.021 3718519.626 417.26
LOCATION L0002181 VOLUME 489657.850 3718508.258 417.05
LOCATION L0002182 VOLUME 489649.680 3718496.889 416.61
LOCATION L0002183 VOLUME 489641.510 3718485.520 416.00
LOCATION L0002184 VOLUME 489633.339 3718474.152 416.00
LOCATION L0002185 VOLUME 489625.169 3718462.783 416.00
LOCATION L0002186 VOLUME 489616.998 3718451.415 415.97
LOCATION L0002187 VOLUME 489608.828 3718440.046 415.92
LOCATION L0002188 VOLUME 489600.658 3718428.677 415.38
LOCATION L0002189 VOLUME 489592.487 3718417.309 414.69
LOCATION L0002190 VOLUME 489584.317 3718405.940 414.18
LOCATION L0002191 VOLUME 489576.146 3718394.572 414.00
LOCATION L0002192 VOLUME 489567.976 3718383.203 414.00
LOCATION L0002193 VOLUME 489559.806 3718371.835 414.00
LOCATION L0002194 VOLUME 489551.599 3718360.493 414.00
LOCATION L0002195 VOLUME 489543.320 3718349.203 414.00
LOCATION L0002196 VOLUME 489535.040 3718337.913 414.00
LOCATION L0002197 VOLUME 489526.761 3718326.624 414.00
LOCATION L0002198 VOLUME 489518.482 3718315.334 414.00
LOCATION L0002199 VOLUME 489510.203 3718304.044 414.07
LOCATION L0002200 VOLUME 489501.924 3718292.755 414.44
LOCATION L0002201 VOLUME 489493.679 3718281.440 414.82
LOCATION L0002202 VOLUME 489485.517 3718270.066 415.37
LOCATION L0002203 VOLUME 489477.354 3718258.691 415.91
LOCATION L0002204 VOLUME 489469.192 3718247.317 416.24
LOCATION L0002205 VOLUME 489461.029 3718235.943 417.35
LOCATION L0002206 VOLUME 489452.867 3718224.569 418.26
LOCATION L0002207 VOLUME 489444.704 3718213.194 418.59
LOCATION L0002208 VOLUME 489436.542 3718201.820 418.75
LOCATION L0002209 VOLUME 489428.380 3718190.446 419.26
LOCATION L0002210 VOLUME 489420.217 3718179.072 418.31
LOCATION L0002211 VOLUME 489412.055 3718167.697 417.46
LOCATION L0002212 VOLUME 489403.892 3718156.323 417.22
LOCATION L0002213 VOLUME 489395.730 3718144.949 415.91
LOCATION L0002214 VOLUME 489387.567 3718133.574 414.44
LOCATION L0002215 VOLUME 489379.405 3718122.200 413.15
LOCATION L0002216 VOLUME 489371.242 3718110.826 411.64
LOCATION L0002217 VOLUME 489363.080 3718099.452 410.82
LOCATION L0002218 VOLUME 489354.917 3718088.077 410.88
LOCATION L0002219 VOLUME 489346.755 3718076.703 411.00
LOCATION L0002220 VOLUME 489338.592 3718065.329 410.93
LOCATION L0002221 VOLUME 489330.430 3718053.954 411.01
LOCATION L0002222 VOLUME 489322.268 3718042.580 410.89
LOCATION L0002223 VOLUME 489314.105 3718031.206 410.52
LOCATION L0002224 VOLUME 489305.943 3718019.832 410.39
LOCATION L0002225 VOLUME 489297.780 3718008.457 410.50
LOCATION L0002226 VOLUME 489289.618 3717997.083 410.40
LOCATION L0002227 VOLUME 489281.455 3717985.709 410.06
LOCATION L0002228 VOLUME 489273.293 3717974.334 409.82
LOCATION L0002229 VOLUME 489265.130 3717962.960 409.93

```
   LOCATION L0002230     VOLUME   489256.968 3717951.586 410.04
   LOCATION L0002231     VOLUME   489248.805 3717940.212 410.20
   LOCATION L0002232     VOLUME   489240.643 3717928.837 410.58
   LOCATION L0002233     VOLUME   489232.481 3717917.463 410.95
   LOCATION L0002234     VOLUME   489224.318 3717906.089 411.04
   LOCATION L0002235     VOLUME   489216.156 3717894.714 410.96
   LOCATION L0002236     VOLUME   489207.993 3717883.340 411.09
   LOCATION L0002237     VOLUME   489199.831 3717871.966 411.47
   LOCATION L0002238     VOLUME   489191.668 3717860.592 411.85
   LOCATION L0002239     VOLUME   489183.506 3717849.217 412.00
   LOCATION L0002240     VOLUME   489175.343 3717837.843 412.11
   LOCATION L0002241     VOLUME   489167.181 3717826.469 412.22
   LOCATION L0002242     VOLUME   489159.018 3717815.095 412.28
   LOCATION L0002243     VOLUME   489150.856 3717803.720 412.11
   LOCATION L0002244     VOLUME   489142.693 3717792.346 411.90
   LOCATION L0002245     VOLUME   489134.531 3717780.972 411.71
   LOCATION L0002246     VOLUME   489126.369 3717769.597 411.75
   LOCATION L0002247     VOLUME   489118.206 3717758.223 411.60
   LOCATION L0002248     VOLUME   489110.044 3717746.849 411.32
   LOCATION L0002249     VOLUME   489101.881 3717735.475 411.07
   LOCATION L0002250     VOLUME   489093.719 3717724.100 411.18
   LOCATION L0002251     VOLUME   489085.556 3717712.726 411.29
   LOCATION L0002252     VOLUME   489077.394 3717701.352 411.23
   LOCATION L0002253     VOLUME   489069.231 3717689.977 410.96
   LOCATION L0002254     VOLUME   489061.069 3717678.603 410.69
   LOCATION L0002255     VOLUME   489052.906 3717667.229 410.42
   LOCATION L0002256     VOLUME   489044.744 3717655.855 410.15
   LOCATION L0002257     VOLUME   489036.582 3717644.480 410.05
   LOCATION L0002258     VOLUME   489028.419 3717633.106 410.26
   LOCATION L0002259     VOLUME   489020.257 3717621.732 410.27
   LOCATION L0002260     VOLUME   489012.094 3717610.357 410.06
** End of LINE VOLUME Source ID = SLINE2
** ----------------------------------------------------------------------
** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE1
** DESCRSRC Off-Site Construction
** PREFIX
** Length of Side = 14.00
** Configuration = Adjacent
** Emission Rate = 0.0005230789
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 11
** 491319.090, 3720813.562, 430.73, 3.49, 6.51
** 491132.786, 3720561.000, 430.07, 3.49, 6.51
** 490976.884, 3720348.972, 432.34, 3.49, 6.51
** 490894.255, 3720229.706, 426.10, 3.49, 6.51
** 490678.330, 3719926.476, 423.30, 3.49, 6.51
** 490523.986, 3719712.889, 421.53, 3.49, 6.51
** 490301.046, 3719401.084, 421.00, 3.49, 6.51
```

```
** 489537.578, 3718341.981, 414.00, 3.49, 6.51
** 489306.540, 3718018.274, 411.11, 3.49, 6.51
** 489109.777, 3717736.458, 411.19, 3.49, 6.51
** 489000.605, 3717596.820, 410.08, 3.49, 6.51
** ------------------------------------------------------------------
   LOCATION L0002261     VOLUME   491314.934 3720807.929 430.48
   LOCATION L0002262     VOLUME   491306.624 3720796.662 430.04
   LOCATION L0002263     VOLUME   491298.313 3720785.396 429.91
   LOCATION L0002264     VOLUME   491290.002 3720774.129 430.01
   LOCATION L0002265     VOLUME   491281.692 3720762.863 429.93
   LOCATION L0002266     VOLUME   491273.381 3720751.597 429.80
   LOCATION L0002267     VOLUME   491265.070 3720740.330 429.88
   LOCATION L0002268     VOLUME   491256.759 3720729.064 430.20
   LOCATION L0002269     VOLUME   491248.449 3720717.797 430.33
   LOCATION L0002270     VOLUME   491240.138 3720706.531 430.03
   LOCATION L0002271     VOLUME   491231.827 3720695.264 430.31
   LOCATION L0002272     VOLUME   491223.517 3720683.998 430.86
   LOCATION L0002273     VOLUME   491215.206 3720672.732 431.00
   LOCATION L0002274     VOLUME   491206.895 3720661.465 431.00
   LOCATION L0002275     VOLUME   491198.584 3720650.199 431.13
   LOCATION L0002276     VOLUME   491190.274 3720638.932 432.07
   LOCATION L0002277     VOLUME   491181.963 3720627.666 433.08
   LOCATION L0002278     VOLUME   491173.652 3720616.400 433.88
   LOCATION L0002279     VOLUME   491165.342 3720605.133 433.82
   LOCATION L0002280     VOLUME   491157.031 3720593.867 433.54
   LOCATION L0002281     VOLUME   491148.720 3720582.600 432.65
   LOCATION L0002282     VOLUME   491140.409 3720571.334 431.53
   LOCATION L0002283     VOLUME   491132.100 3720560.066 430.64
   LOCATION L0002284     VOLUME   491123.807 3720548.787 430.31
   LOCATION L0002285     VOLUME   491115.513 3720537.508 430.21
   LOCATION L0002286     VOLUME   491107.220 3720526.229 430.01
   LOCATION L0002287     VOLUME   491098.926 3720514.950 429.63
   LOCATION L0002288     VOLUME   491090.633 3720503.671 429.25
   LOCATION L0002289     VOLUME   491082.339 3720492.392 429.11
   LOCATION L0002290     VOLUME   491074.046 3720481.113 429.82
   LOCATION L0002291     VOLUME   491065.752 3720469.834 430.42
   LOCATION L0002292     VOLUME   491057.459 3720458.554 430.76
   LOCATION L0002293     VOLUME   491049.165 3720447.275 431.08
   LOCATION L0002294     VOLUME   491040.872 3720435.996 431.63
   LOCATION L0002295     VOLUME   491032.579 3720424.717 431.81
   LOCATION L0002296     VOLUME   491024.285 3720413.438 431.99
   LOCATION L0002297     VOLUME   491015.992 3720402.159 432.26
   LOCATION L0002298     VOLUME   491007.698 3720390.880 432.71
   LOCATION L0002299     VOLUME   490999.405 3720379.601 432.96
   LOCATION L0002300     VOLUME   490991.111 3720368.322 432.74
   LOCATION L0002301     VOLUME   490982.818 3720357.042 432.43
   LOCATION L0002302     VOLUME   490974.616 3720345.698 432.52
   LOCATION L0002303     VOLUME   490966.643 3720334.190 432.56
   LOCATION L0002304     VOLUME   490958.670 3720322.682 432.16
   LOCATION L0002305     VOLUME   490950.697 3720311.174 431.73
```

LOCATION L0002306 VOLUME 490942.724 3720299.666 431.31
LOCATION L0002307 VOLUME 490934.751 3720288.158 430.49
LOCATION L0002308 VOLUME 490926.778 3720276.650 429.09
LOCATION L0002309 VOLUME 490918.806 3720265.142 427.99
LOCATION L0002310 VOLUME 490910.833 3720253.634 427.27
LOCATION L0002311 VOLUME 490902.860 3720242.126 426.62
LOCATION L0002312 VOLUME 490894.887 3720230.618 426.31
LOCATION L0002313 VOLUME 490886.778 3720219.206 426.35
LOCATION L0002314 VOLUME 490878.657 3720207.802 426.28
LOCATION L0002315 VOLUME 490870.537 3720196.398 426.01
LOCATION L0002316 VOLUME 490862.416 3720184.994 426.00
LOCATION L0002317 VOLUME 490854.295 3720173.589 426.00
LOCATION L0002318 VOLUME 490846.175 3720162.185 425.98
LOCATION L0002319 VOLUME 490838.054 3720150.781 426.04
LOCATION L0002320 VOLUME 490829.933 3720139.377 426.04
LOCATION L0002321 VOLUME 490821.813 3720127.973 425.73
LOCATION L0002322 VOLUME 490813.692 3720116.569 425.35
LOCATION L0002323 VOLUME 490805.571 3720105.165 425.13
LOCATION L0002324 VOLUME 490797.450 3720093.760 425.02
LOCATION L0002325 VOLUME 490789.330 3720082.356 424.91
LOCATION L0002326 VOLUME 490781.209 3720070.952 424.80
LOCATION L0002327 VOLUME 490773.088 3720059.548 424.69
LOCATION L0002328 VOLUME 490764.968 3720048.144 424.58
LOCATION L0002329 VOLUME 490756.847 3720036.740 424.47
LOCATION L0002330 VOLUME 490748.726 3720025.336 424.40
LOCATION L0002331 VOLUME 490740.606 3720013.931 424.56
LOCATION L0002332 VOLUME 490732.485 3720002.527 424.47
LOCATION L0002333 VOLUME 490724.364 3719991.123 424.18
LOCATION L0002334 VOLUME 490716.244 3719979.719 424.03
LOCATION L0002335 VOLUME 490708.123 3719968.315 423.98
LOCATION L0002336 VOLUME 490700.002 3719956.911 423.73
LOCATION L0002337 VOLUME 490691.882 3719945.507 423.60
LOCATION L0002338 VOLUME 490683.761 3719934.102 423.49
LOCATION L0002339 VOLUME 490675.614 3719922.717 423.38
LOCATION L0002340 VOLUME 490667.414 3719911.370 423.28
LOCATION L0002341 VOLUME 490659.214 3719900.023 423.13
LOCATION L0002342 VOLUME 490651.014 3719888.675 422.83
LOCATION L0002343 VOLUME 490642.814 3719877.328 422.74
LOCATION L0002344 VOLUME 490634.614 3719865.981 422.86
LOCATION L0002345 VOLUME 490626.415 3719854.633 422.62
LOCATION L0002346 VOLUME 490618.215 3719843.286 422.24
LOCATION L0002347 VOLUME 490610.015 3719831.939 422.00
LOCATION L0002348 VOLUME 490601.815 3719820.591 422.00
LOCATION L0002349 VOLUME 490593.615 3719809.244 422.02
LOCATION L0002350 VOLUME 490585.415 3719797.897 421.86
LOCATION L0002351 VOLUME 490577.215 3719786.549 421.85
LOCATION L0002352 VOLUME 490569.015 3719775.202 421.97
LOCATION L0002353 VOLUME 490560.815 3719763.855 421.72
LOCATION L0002354 VOLUME 490552.616 3719752.507 421.68
LOCATION L0002355 VOLUME 490544.416 3719741.160 421.72

LOCATION L0002356 VOLUME 490536.216 3719729.813 421.53
LOCATION L0002357 VOLUME 490528.016 3719718.465 421.46
LOCATION L0002358 VOLUME 490519.845 3719707.097 421.48
LOCATION L0002359 VOLUME 490511.702 3719695.709 421.31
LOCATION L0002360 VOLUME 490503.560 3719684.320 421.21
LOCATION L0002361 VOLUME 490495.417 3719672.932 421.28
LOCATION L0002362 VOLUME 490487.274 3719661.543 421.14
LOCATION L0002363 VOLUME 490479.131 3719650.155 421.03
LOCATION L0002364 VOLUME 490470.989 3719638.767 421.13
LOCATION L0002365 VOLUME 490462.846 3719627.378 421.03
LOCATION L0002366 VOLUME 490454.703 3719615.990 421.00
LOCATION L0002367 VOLUME 490446.561 3719604.601 421.00
LOCATION L0002368 VOLUME 490438.418 3719593.213 421.00
LOCATION L0002369 VOLUME 490430.275 3719581.824 421.00
LOCATION L0002370 VOLUME 490422.132 3719570.436 421.00
LOCATION L0002371 VOLUME 490413.990 3719559.048 421.00
LOCATION L0002372 VOLUME 490405.847 3719547.659 421.00
LOCATION L0002373 VOLUME 490397.704 3719536.271 421.00
LOCATION L0002374 VOLUME 490389.562 3719524.882 420.98
LOCATION L0002375 VOLUME 490381.419 3719513.494 420.93
LOCATION L0002376 VOLUME 490373.276 3719502.106 420.87
LOCATION L0002377 VOLUME 490365.133 3719490.717 420.49
LOCATION L0002378 VOLUME 490356.991 3719479.329 420.20
LOCATION L0002379 VOLUME 490348.848 3719467.940 420.28
LOCATION L0002380 VOLUME 490340.705 3719456.552 420.23
LOCATION L0002381 VOLUME 490332.563 3719445.163 420.03
LOCATION L0002382 VOLUME 490324.420 3719433.775 420.41
LOCATION L0002383 VOLUME 490316.277 3719422.387 420.79
LOCATION L0002384 VOLUME 490308.134 3719410.998 420.96
LOCATION L0002385 VOLUME 490299.986 3719399.614 421.00
LOCATION L0002386 VOLUME 490291.799 3719388.257 421.00
LOCATION L0002387 VOLUME 490283.612 3719376.900 420.87
LOCATION L0002388 VOLUME 490275.426 3719365.543 420.88
LOCATION L0002389 VOLUME 490267.239 3719354.187 420.94
LOCATION L0002390 VOLUME 490259.052 3719342.830 420.73
LOCATION L0002391 VOLUME 490250.866 3719331.473 420.71
LOCATION L0002392 VOLUME 490242.679 3719320.116 420.92
LOCATION L0002393 VOLUME 490234.492 3719308.759 421.20
LOCATION L0002394 VOLUME 490226.305 3719297.402 421.47
LOCATION L0002395 VOLUME 490218.119 3719286.045 421.66
LOCATION L0002396 VOLUME 490209.932 3719274.689 422.03
LOCATION L0002397 VOLUME 490201.745 3719263.332 422.57
LOCATION L0002398 VOLUME 490193.559 3719251.975 423.12
LOCATION L0002399 VOLUME 490185.372 3719240.618 423.67
LOCATION L0002400 VOLUME 490177.185 3719229.261 423.88
LOCATION L0002401 VOLUME 490168.998 3719217.904 423.77
LOCATION L0002402 VOLUME 490160.812 3719206.548 423.67
LOCATION L0002403 VOLUME 490152.625 3719195.191 423.56
LOCATION L0002404 VOLUME 490144.438 3719183.834 423.46
LOCATION L0002405 VOLUME 490136.252 3719172.477 423.35

```
LOCATION L0002406     VOLUME   490128.065 3719161.120 423.24
LOCATION L0002407     VOLUME   490119.878 3719149.763 423.14
LOCATION L0002408     VOLUME   490111.691 3719138.407 422.96
LOCATION L0002409     VOLUME   490103.505 3719127.050 422.57
LOCATION L0002410     VOLUME   490095.318 3719115.693 422.00
LOCATION L0002411     VOLUME   490087.131 3719104.336 422.07
LOCATION L0002412     VOLUME   490078.945 3719092.979 422.09
LOCATION L0002413     VOLUME   490070.758 3719081.622 421.80
LOCATION L0002414     VOLUME   490062.571 3719070.266 421.43
LOCATION L0002415     VOLUME   490054.384 3719058.909 420.91
LOCATION L0002416     VOLUME   490046.198 3719047.552 420.09
LOCATION L0002417     VOLUME   490038.011 3719036.195 419.42
LOCATION L0002418     VOLUME   490029.824 3719024.838 418.98
LOCATION L0002419     VOLUME   490021.638 3719013.481 418.87
LOCATION L0002420     VOLUME   490013.451 3719002.125 418.77
LOCATION L0002421     VOLUME   490005.264 3718990.768 418.84
LOCATION L0002422     VOLUME   489997.077 3718979.411 419.16
LOCATION L0002423     VOLUME   489988.891 3718968.054 419.41
LOCATION L0002424     VOLUME   489980.704 3718956.697 419.34
LOCATION L0002425     VOLUME   489972.517 3718945.340 419.24
LOCATION L0002426     VOLUME   489964.331 3718933.984 419.13
LOCATION L0002427     VOLUME   489956.144 3718922.627 419.03
LOCATION L0002428     VOLUME   489947.957 3718911.270 418.92
LOCATION L0002429     VOLUME   489939.770 3718899.913 418.81
LOCATION L0002430     VOLUME   489931.584 3718888.556 418.71
LOCATION L0002431     VOLUME   489923.397 3718877.199 418.60
LOCATION L0002432     VOLUME   489915.210 3718865.843 418.84
LOCATION L0002433     VOLUME   489907.024 3718854.486 419.11
LOCATION L0002434     VOLUME   489898.837 3718843.129 419.29
LOCATION L0002435     VOLUME   489890.650 3718831.772 419.18
LOCATION L0002436     VOLUME   489882.463 3718820.415 419.07
LOCATION L0002437     VOLUME   489874.277 3718809.058 418.92
LOCATION L0002438     VOLUME   489866.090 3718797.702 418.57
LOCATION L0002439     VOLUME   489857.903 3718786.345 418.02
LOCATION L0002440     VOLUME   489849.717 3718774.988 418.01
LOCATION L0002441     VOLUME   489841.530 3718763.631 418.07
LOCATION L0002442     VOLUME   489833.343 3718752.274 417.95
LOCATION L0002443     VOLUME   489825.156 3718740.917 417.92
LOCATION L0002444     VOLUME   489816.970 3718729.561 418.13
LOCATION L0002445     VOLUME   489808.783 3718718.204 418.12
LOCATION L0002446     VOLUME   489800.596 3718706.847 418.02
LOCATION L0002447     VOLUME   489792.410 3718695.490 417.91
LOCATION L0002448     VOLUME   489784.223 3718684.133 417.81
LOCATION L0002449     VOLUME   489776.036 3718672.776 417.70
LOCATION L0002450     VOLUME   489767.849 3718661.420 417.60
LOCATION L0002451     VOLUME   489759.663 3718650.063 417.50
LOCATION L0002452     VOLUME   489751.476 3718638.706 417.41
LOCATION L0002453     VOLUME   489743.289 3718627.349 417.28
LOCATION L0002454     VOLUME   489735.103 3718615.992 417.17
LOCATION L0002455     VOLUME   489726.916 3718604.635 417.07
```

LOCATION L0002456 VOLUME 489718.729 3718593.279 416.96
LOCATION L0002457 VOLUME 489710.542 3718581.922 416.86
LOCATION L0002458 VOLUME 489702.356 3718570.565 416.76
LOCATION L0002459 VOLUME 489694.169 3718559.208 416.76
LOCATION L0002460 VOLUME 489685.982 3718547.851 416.99
LOCATION L0002461 VOLUME 489677.795 3718536.494 417.26
LOCATION L0002462 VOLUME 489669.609 3718525.138 417.33
LOCATION L0002463 VOLUME 489661.422 3718513.781 417.20
LOCATION L0002464 VOLUME 489653.235 3718502.424 416.86
LOCATION L0002465 VOLUME 489645.049 3718491.067 416.31
LOCATION L0002466 VOLUME 489636.862 3718479.710 416.00
LOCATION L0002467 VOLUME 489628.675 3718468.353 416.00
LOCATION L0002468 VOLUME 489620.488 3718456.997 416.00
LOCATION L0002469 VOLUME 489612.302 3718445.640 415.98
LOCATION L0002470 VOLUME 489604.115 3718434.283 415.64
LOCATION L0002471 VOLUME 489595.928 3718422.926 414.98
LOCATION L0002472 VOLUME 489587.742 3718411.569 414.37
LOCATION L0002473 VOLUME 489579.555 3718400.212 414.00
LOCATION L0002474 VOLUME 489571.368 3718388.856 414.00
LOCATION L0002475 VOLUME 489563.181 3718377.499 414.00
LOCATION L0002476 VOLUME 489554.995 3718366.142 414.00
LOCATION L0002477 VOLUME 489546.808 3718354.785 414.00
LOCATION L0002478 VOLUME 489538.621 3718343.428 414.00
LOCATION L0002479 VOLUME 489530.481 3718332.038 414.00
LOCATION L0002480 VOLUME 489522.348 3718320.643 414.00
LOCATION L0002481 VOLUME 489514.215 3718309.247 414.00
LOCATION L0002482 VOLUME 489506.082 3718297.852 414.27
LOCATION L0002483 VOLUME 489497.949 3718286.457 414.65
LOCATION L0002484 VOLUME 489489.816 3718275.061 415.07
LOCATION L0002485 VOLUME 489481.683 3718263.666 415.71
LOCATION L0002486 VOLUME 489473.550 3718252.271 416.14
LOCATION L0002487 VOLUME 489465.417 3718240.876 416.78
LOCATION L0002488 VOLUME 489457.283 3718229.480 418.00
LOCATION L0002489 VOLUME 489449.150 3718218.085 418.66
LOCATION L0002490 VOLUME 489441.017 3718206.690 418.67
LOCATION L0002491 VOLUME 489432.884 3718195.294 419.16
LOCATION L0002492 VOLUME 489424.751 3718183.899 419.03
LOCATION L0002493 VOLUME 489416.618 3718172.504 417.88
LOCATION L0002494 VOLUME 489408.485 3718161.109 417.34
LOCATION L0002495 VOLUME 489400.352 3718149.713 416.79
LOCATION L0002496 VOLUME 489392.219 3718138.318 415.21
LOCATION L0002497 VOLUME 489384.085 3718126.923 413.84
LOCATION L0002498 VOLUME 489375.952 3718115.527 412.53
LOCATION L0002499 VOLUME 489367.819 3718104.132 411.14
LOCATION L0002500 VOLUME 489359.686 3718092.737 410.83
LOCATION L0002501 VOLUME 489351.553 3718081.342 411.05
LOCATION L0002502 VOLUME 489343.420 3718069.946 411.06
LOCATION L0002503 VOLUME 489335.287 3718058.551 411.12
LOCATION L0002504 VOLUME 489327.154 3718047.156 411.10
LOCATION L0002505 VOLUME 489319.021 3718035.760 410.87

```
   LOCATION L0002506     VOLUME   489310.887 3718024.365 410.44
   LOCATION L0002507     VOLUME   489302.810 3718012.931 410.52
   LOCATION L0002508     VOLUME   489294.795 3718001.452 410.56
   LOCATION L0002509     VOLUME   489286.780 3717989.973 410.33
   LOCATION L0002510     VOLUME   489278.766 3717978.494 409.94
   LOCATION L0002511     VOLUME   489270.751 3717967.015 409.98
   LOCATION L0002512     VOLUME   489262.737 3717955.536 410.10
   LOCATION L0002513     VOLUME   489254.722 3717944.057 410.21
   LOCATION L0002514     VOLUME   489246.707 3717932.578 410.45
   LOCATION L0002515     VOLUME   489238.693 3717921.099 410.83
   LOCATION L0002516     VOLUME   489230.678 3717909.620 411.07
   LOCATION L0002517     VOLUME   489222.664 3717898.141 411.05
   LOCATION L0002518     VOLUME   489214.649 3717886.662 411.00
   LOCATION L0002519     VOLUME   489206.635 3717875.183 411.36
   LOCATION L0002520     VOLUME   489198.620 3717863.704 411.75
   LOCATION L0002521     VOLUME   489190.605 3717852.226 412.13
   LOCATION L0002522     VOLUME   489182.591 3717840.747 412.25
   LOCATION L0002523     VOLUME   489174.576 3717829.268 412.37
   LOCATION L0002524     VOLUME   489166.562 3717817.789 412.48
   LOCATION L0002525     VOLUME   489158.547 3717806.310 412.54
   LOCATION L0002526     VOLUME   489150.532 3717794.831 412.36
   LOCATION L0002527     VOLUME   489142.518 3717783.352 412.06
   LOCATION L0002528     VOLUME   489134.503 3717771.873 411.97
   LOCATION L0002529     VOLUME   489126.489 3717760.394 411.87
   LOCATION L0002530     VOLUME   489118.474 3717748.915 411.60
   LOCATION L0002531     VOLUME   489110.459 3717737.436 411.34
   LOCATION L0002532     VOLUME   489101.888 3717726.368 411.38
   LOCATION L0002533     VOLUME   489093.265 3717715.339 411.46
   LOCATION L0002534     VOLUME   489084.643 3717704.310 411.48
   LOCATION L0002535     VOLUME   489076.020 3717693.280 411.19
   LOCATION L0002536     VOLUME   489067.397 3717682.251 410.90
   LOCATION L0002537     VOLUME   489058.774 3717671.222 410.61
   LOCATION L0002538     VOLUME   489050.151 3717660.193 410.33
   LOCATION L0002539     VOLUME   489041.528 3717649.163 410.04
   LOCATION L0002540     VOLUME   489032.905 3717638.134 410.20
   LOCATION L0002541     VOLUME   489024.282 3717627.105 410.29
   LOCATION L0002542     VOLUME   489015.659 3717616.075 410.18
   LOCATION L0002543     VOLUME   489007.036 3717605.046 410.00
** End of LINE VOLUME Source ID = SLINE1
** Source Parameters **
   SRCPARAM VOL2         0.0007925781     5.000    41.114     1.400
   SRCPARAM VOL3         0.0007925781     5.000    41.114     1.400
   SRCPARAM VOL4         0.0007925781     5.000    41.114     1.400
   SRCPARAM VOL5         0.0007925781     5.000    41.114     1.400
   SRCPARAM VOL6         0.0007925781     5.000    41.114     1.400
   SRCPARAM VOL7         0.0007925781     5.000    41.114     1.400
   SRCPARAM VOL8         0.0007925781     5.000    41.114     1.400
   SRCPARAM VOL9         0.0007925781     5.000    41.114     1.400
   SRCPARAM VOL10        0.0007925781     5.000    41.114     1.400
   SRCPARAM VOL11        0.0007925781     5.000    41.114     1.400
```

```
SRCPARAM VOL12        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL13        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL14        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL15        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL16        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL17        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL18        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL19        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL20        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL21        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL22        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL23        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL24        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL25        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL26        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL27        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL28        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL29        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL30        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL31        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL32        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL33        0.0007925781     5.000    41.114     1.400
SRCPARAM VOL34        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL35        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL36        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL37        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL38        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL39        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL40        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL41        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL42        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL43        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL44        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL45        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL46        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL47        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL48        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL49        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL50        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL51        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL52        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL53        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL54        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL55        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL56        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL57        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL58        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL59        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL60        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL61        0.0000514795     5.000     5.560     1.400
```

```
SRCPARAM VOL62        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL63        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL64        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL65        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL66        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL67        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL68        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL69        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL70        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL71        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL72        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL73        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL74        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL75        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL76        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL77        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL78        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL79        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL80        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL81        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL82        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL83        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL84        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL85        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL86        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL87        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL88        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL89        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL90        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL91        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL92        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL93        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL94        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL95        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL96        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL97        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL98        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL99        0.0000514795     5.000     5.560     1.400
SRCPARAM VOL100       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL101       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL102       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL103       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL104       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL105       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL106       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL107       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL108       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL109       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL110       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL111       0.0000514795     5.000     5.560     1.400
```

```
SRCPARAM VOL112       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL113       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL114       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL115       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL116       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL117       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL118       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL119       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL120       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL121       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL122       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL123       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL124       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL125       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL126       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL127       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL128       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL129       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL130       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL131       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL132       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL133       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL134       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL135       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL136       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL137       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL138       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL139       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL140       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL141       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL142       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL143       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL144       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL145       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL146       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL147       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL148       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL149       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL150       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL151       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL152       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL153       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL154       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL155       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL156       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL157       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL158       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL159       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL160       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL161       0.0000514795     5.000     5.560     1.400
```

```
SRCPARAM VOL162       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL163       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL164       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL165       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL166       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL167       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL168       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL169       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL170       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL171       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL172       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL173       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL174       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL175       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL176       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL177       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL178       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL179       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL180       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL181       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL182       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL183       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL184       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL185       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL186       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL187       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL188       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL189       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL190       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL191       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL192       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL193       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL194       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL195       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL196       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL197       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL198       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL199       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL200       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL201       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL202       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL203       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL204       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL205       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL206       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL207       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL208       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL209       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL210       0.0000514795     5.000     5.560     1.400
SRCPARAM VOL211       0.0000514795     5.000     5.560     1.400
```

```
   SRCPARAM VOL212       0.0000514795     5.000     5.560     1.400
   SRCPARAM VOL213       0.0000514795     5.000     5.560     1.400
** LINE VOLUME Source ID = SLINE2
   SRCPARAM L0001979     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001980     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001981     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001982     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001983     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001984     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001985     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001986     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001987     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001988     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001989     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001990     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001991     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001992     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001993     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001994     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001995     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001996     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001997     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001998     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0001999     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002000     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002001     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002002     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002003     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002004     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002005     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002006     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002007     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002008     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002009     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002010     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002011     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002012     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002013     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002014     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002015     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002016     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002017     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002018     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002019     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002020     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002021     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002022     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002023     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002024     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002025     0.00000006747      3.49      6.51      3.25
```

```
SRCPARAM L0002026     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002027     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002028     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002029     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002030     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002031     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002032     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002033     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002034     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002035     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002036     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002037     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002038     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002039     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002040     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002041     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002042     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002043     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002044     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002045     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002046     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002047     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002048     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002049     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002050     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002051     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002052     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002053     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002054     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002055     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002056     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002057     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002058     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002059     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002060     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002061     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002062     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002063     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002064     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002065     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002066     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002067     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002068     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002069     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002070     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002071     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002072     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002073     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002074     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002075     0.00000006747      3.49      6.51      3.25
```

```
SRCPARAM L0002076     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002077     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002078     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002079     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002080     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002081     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002082     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002083     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002084     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002085     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002086     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002087     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002088     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002089     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002090     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002091     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002092     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002093     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002094     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002095     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002096     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002097     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002098     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002099     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002100     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002101     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002102     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002103     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002104     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002105     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002106     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002107     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002108     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002109     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002110     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002111     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002112     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002113     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002114     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002115     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002116     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002117     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002118     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002119     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002120     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002121     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002122     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002123     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002124     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002125     0.00000006747      3.49      6.51      3.25
```

```
SRCPARAM L0002126     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002127     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002128     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002129     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002130     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002131     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002132     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002133     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002134     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002135     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002136     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002137     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002138     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002139     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002140     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002141     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002142     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002143     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002144     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002145     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002146     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002147     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002148     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002149     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002150     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002151     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002152     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002153     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002154     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002155     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002156     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002157     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002158     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002159     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002160     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002161     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002162     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002163     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002164     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002165     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002166     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002167     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002168     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002169     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002170     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002171     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002172     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002173     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002174     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002175     0.00000006747      3.49      6.51      3.25
```

```
SRCPARAM L0002176     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002177     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002178     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002179     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002180     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002181     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002182     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002183     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002184     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002185     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002186     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002187     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002188     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002189     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002190     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002191     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002192     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002193     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002194     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002195     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002196     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002197     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002198     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002199     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002200     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002201     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002202     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002203     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002204     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002205     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002206     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002207     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002208     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002209     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002210     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002211     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002212     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002213     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002214     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002215     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002216     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002217     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002218     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002219     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002220     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002221     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002222     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002223     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002224     0.00000006747      3.49      6.51      3.25
SRCPARAM L0002225     0.00000006747      3.49      6.51      3.25
```

```
   SRCPARAM L0002226     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002227     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002228     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002229     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002230     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002231     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002232     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002233     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002234     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002235     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002236     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002237     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002238     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002239     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002240     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002241     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002242     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002243     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002244     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002245     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002246     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002247     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002248     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002249     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002250     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002251     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002252     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002253     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002254     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002255     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002256     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002257     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002258     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002259     0.00000006747      3.49      6.51      3.25
   SRCPARAM L0002260     0.00000006747      3.49      6.51      3.25
** ------------------------------------------------------------------
** LINE VOLUME Source ID = SLINE1
   SRCPARAM L0002261     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002262     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002263     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002264     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002265     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002266     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002267     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002268     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002269     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002270     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002271     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002272     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002273     0.000001848      3.49      6.51      3.25
```

```
SRCPARAM L0002274     0.000001848      3.49      6.51      3.25
SRCPARAM L0002275     0.000001848      3.49      6.51      3.25
SRCPARAM L0002276     0.000001848      3.49      6.51      3.25
SRCPARAM L0002277     0.000001848      3.49      6.51      3.25
SRCPARAM L0002278     0.000001848      3.49      6.51      3.25
SRCPARAM L0002279     0.000001848      3.49      6.51      3.25
SRCPARAM L0002280     0.000001848      3.49      6.51      3.25
SRCPARAM L0002281     0.000001848      3.49      6.51      3.25
SRCPARAM L0002282     0.000001848      3.49      6.51      3.25
SRCPARAM L0002283     0.000001848      3.49      6.51      3.25
SRCPARAM L0002284     0.000001848      3.49      6.51      3.25
SRCPARAM L0002285     0.000001848      3.49      6.51      3.25
SRCPARAM L0002286     0.000001848      3.49      6.51      3.25
SRCPARAM L0002287     0.000001848      3.49      6.51      3.25
SRCPARAM L0002288     0.000001848      3.49      6.51      3.25
SRCPARAM L0002289     0.000001848      3.49      6.51      3.25
SRCPARAM L0002290     0.000001848      3.49      6.51      3.25
SRCPARAM L0002291     0.000001848      3.49      6.51      3.25
SRCPARAM L0002292     0.000001848      3.49      6.51      3.25
SRCPARAM L0002293     0.000001848      3.49      6.51      3.25
SRCPARAM L0002294     0.000001848      3.49      6.51      3.25
SRCPARAM L0002295     0.000001848      3.49      6.51      3.25
SRCPARAM L0002296     0.000001848      3.49      6.51      3.25
SRCPARAM L0002297     0.000001848      3.49      6.51      3.25
SRCPARAM L0002298     0.000001848      3.49      6.51      3.25
SRCPARAM L0002299     0.000001848      3.49      6.51      3.25
SRCPARAM L0002300     0.000001848      3.49      6.51      3.25
SRCPARAM L0002301     0.000001848      3.49      6.51      3.25
SRCPARAM L0002302     0.000001848      3.49      6.51      3.25
SRCPARAM L0002303     0.000001848      3.49      6.51      3.25
SRCPARAM L0002304     0.000001848      3.49      6.51      3.25
SRCPARAM L0002305     0.000001848      3.49      6.51      3.25
SRCPARAM L0002306     0.000001848      3.49      6.51      3.25
SRCPARAM L0002307     0.000001848      3.49      6.51      3.25
SRCPARAM L0002308     0.000001848      3.49      6.51      3.25
SRCPARAM L0002309     0.000001848      3.49      6.51      3.25
SRCPARAM L0002310     0.000001848      3.49      6.51      3.25
SRCPARAM L0002311     0.000001848      3.49      6.51      3.25
SRCPARAM L0002312     0.000001848      3.49      6.51      3.25
SRCPARAM L0002313     0.000001848      3.49      6.51      3.25
SRCPARAM L0002314     0.000001848      3.49      6.51      3.25
SRCPARAM L0002315     0.000001848      3.49      6.51      3.25
SRCPARAM L0002316     0.000001848      3.49      6.51      3.25
SRCPARAM L0002317     0.000001848      3.49      6.51      3.25
SRCPARAM L0002318     0.000001848      3.49      6.51      3.25
SRCPARAM L0002319     0.000001848      3.49      6.51      3.25
SRCPARAM L0002320     0.000001848      3.49      6.51      3.25
SRCPARAM L0002321     0.000001848      3.49      6.51      3.25
SRCPARAM L0002322     0.000001848      3.49      6.51      3.25
SRCPARAM L0002323     0.000001848      3.49      6.51      3.25
```

```
SRCPARAM L0002324     0.000001848      3.49      6.51      3.25
SRCPARAM L0002325     0.000001848      3.49      6.51      3.25
SRCPARAM L0002326     0.000001848      3.49      6.51      3.25
SRCPARAM L0002327     0.000001848      3.49      6.51      3.25
SRCPARAM L0002328     0.000001848      3.49      6.51      3.25
SRCPARAM L0002329     0.000001848      3.49      6.51      3.25
SRCPARAM L0002330     0.000001848      3.49      6.51      3.25
SRCPARAM L0002331     0.000001848      3.49      6.51      3.25
SRCPARAM L0002332     0.000001848      3.49      6.51      3.25
SRCPARAM L0002333     0.000001848      3.49      6.51      3.25
SRCPARAM L0002334     0.000001848      3.49      6.51      3.25
SRCPARAM L0002335     0.000001848      3.49      6.51      3.25
SRCPARAM L0002336     0.000001848      3.49      6.51      3.25
SRCPARAM L0002337     0.000001848      3.49      6.51      3.25
SRCPARAM L0002338     0.000001848      3.49      6.51      3.25
SRCPARAM L0002339     0.000001848      3.49      6.51      3.25
SRCPARAM L0002340     0.000001848      3.49      6.51      3.25
SRCPARAM L0002341     0.000001848      3.49      6.51      3.25
SRCPARAM L0002342     0.000001848      3.49      6.51      3.25
SRCPARAM L0002343     0.000001848      3.49      6.51      3.25
SRCPARAM L0002344     0.000001848      3.49      6.51      3.25
SRCPARAM L0002345     0.000001848      3.49      6.51      3.25
SRCPARAM L0002346     0.000001848      3.49      6.51      3.25
SRCPARAM L0002347     0.000001848      3.49      6.51      3.25
SRCPARAM L0002348     0.000001848      3.49      6.51      3.25
SRCPARAM L0002349     0.000001848      3.49      6.51      3.25
SRCPARAM L0002350     0.000001848      3.49      6.51      3.25
SRCPARAM L0002351     0.000001848      3.49      6.51      3.25
SRCPARAM L0002352     0.000001848      3.49      6.51      3.25
SRCPARAM L0002353     0.000001848      3.49      6.51      3.25
SRCPARAM L0002354     0.000001848      3.49      6.51      3.25
SRCPARAM L0002355     0.000001848      3.49      6.51      3.25
SRCPARAM L0002356     0.000001848      3.49      6.51      3.25
SRCPARAM L0002357     0.000001848      3.49      6.51      3.25
SRCPARAM L0002358     0.000001848      3.49      6.51      3.25
SRCPARAM L0002359     0.000001848      3.49      6.51      3.25
SRCPARAM L0002360     0.000001848      3.49      6.51      3.25
SRCPARAM L0002361     0.000001848      3.49      6.51      3.25
SRCPARAM L0002362     0.000001848      3.49      6.51      3.25
SRCPARAM L0002363     0.000001848      3.49      6.51      3.25
SRCPARAM L0002364     0.000001848      3.49      6.51      3.25
SRCPARAM L0002365     0.000001848      3.49      6.51      3.25
SRCPARAM L0002366     0.000001848      3.49      6.51      3.25
SRCPARAM L0002367     0.000001848      3.49      6.51      3.25
SRCPARAM L0002368     0.000001848      3.49      6.51      3.25
SRCPARAM L0002369     0.000001848      3.49      6.51      3.25
SRCPARAM L0002370     0.000001848      3.49      6.51      3.25
SRCPARAM L0002371     0.000001848      3.49      6.51      3.25
SRCPARAM L0002372     0.000001848      3.49      6.51      3.25
SRCPARAM L0002373     0.000001848      3.49      6.51      3.25
```

```
SRCPARAM L0002374     0.000001848      3.49      6.51      3.25
SRCPARAM L0002375     0.000001848      3.49      6.51      3.25
SRCPARAM L0002376     0.000001848      3.49      6.51      3.25
SRCPARAM L0002377     0.000001848      3.49      6.51      3.25
SRCPARAM L0002378     0.000001848      3.49      6.51      3.25
SRCPARAM L0002379     0.000001848      3.49      6.51      3.25
SRCPARAM L0002380     0.000001848      3.49      6.51      3.25
SRCPARAM L0002381     0.000001848      3.49      6.51      3.25
SRCPARAM L0002382     0.000001848      3.49      6.51      3.25
SRCPARAM L0002383     0.000001848      3.49      6.51      3.25
SRCPARAM L0002384     0.000001848      3.49      6.51      3.25
SRCPARAM L0002385     0.000001848      3.49      6.51      3.25
SRCPARAM L0002386     0.000001848      3.49      6.51      3.25
SRCPARAM L0002387     0.000001848      3.49      6.51      3.25
SRCPARAM L0002388     0.000001848      3.49      6.51      3.25
SRCPARAM L0002389     0.000001848      3.49      6.51      3.25
SRCPARAM L0002390     0.000001848      3.49      6.51      3.25
SRCPARAM L0002391     0.000001848      3.49      6.51      3.25
SRCPARAM L0002392     0.000001848      3.49      6.51      3.25
SRCPARAM L0002393     0.000001848      3.49      6.51      3.25
SRCPARAM L0002394     0.000001848      3.49      6.51      3.25
SRCPARAM L0002395     0.000001848      3.49      6.51      3.25
SRCPARAM L0002396     0.000001848      3.49      6.51      3.25
SRCPARAM L0002397     0.000001848      3.49      6.51      3.25
SRCPARAM L0002398     0.000001848      3.49      6.51      3.25
SRCPARAM L0002399     0.000001848      3.49      6.51      3.25
SRCPARAM L0002400     0.000001848      3.49      6.51      3.25
SRCPARAM L0002401     0.000001848      3.49      6.51      3.25
SRCPARAM L0002402     0.000001848      3.49      6.51      3.25
SRCPARAM L0002403     0.000001848      3.49      6.51      3.25
SRCPARAM L0002404     0.000001848      3.49      6.51      3.25
SRCPARAM L0002405     0.000001848      3.49      6.51      3.25
SRCPARAM L0002406     0.000001848      3.49      6.51      3.25
SRCPARAM L0002407     0.000001848      3.49      6.51      3.25
SRCPARAM L0002408     0.000001848      3.49      6.51      3.25
SRCPARAM L0002409     0.000001848      3.49      6.51      3.25
SRCPARAM L0002410     0.000001848      3.49      6.51      3.25
SRCPARAM L0002411     0.000001848      3.49      6.51      3.25
SRCPARAM L0002412     0.000001848      3.49      6.51      3.25
SRCPARAM L0002413     0.000001848      3.49      6.51      3.25
SRCPARAM L0002414     0.000001848      3.49      6.51      3.25
SRCPARAM L0002415     0.000001848      3.49      6.51      3.25
SRCPARAM L0002416     0.000001848      3.49      6.51      3.25
SRCPARAM L0002417     0.000001848      3.49      6.51      3.25
SRCPARAM L0002418     0.000001848      3.49      6.51      3.25
SRCPARAM L0002419     0.000001848      3.49      6.51      3.25
SRCPARAM L0002420     0.000001848      3.49      6.51      3.25
SRCPARAM L0002421     0.000001848      3.49      6.51      3.25
SRCPARAM L0002422     0.000001848      3.49      6.51      3.25
SRCPARAM L0002423     0.000001848      3.49      6.51      3.25
```

```
SRCPARAM L0002424     0.000001848      3.49      6.51      3.25
SRCPARAM L0002425     0.000001848      3.49      6.51      3.25
SRCPARAM L0002426     0.000001848      3.49      6.51      3.25
SRCPARAM L0002427     0.000001848      3.49      6.51      3.25
SRCPARAM L0002428     0.000001848      3.49      6.51      3.25
SRCPARAM L0002429     0.000001848      3.49      6.51      3.25
SRCPARAM L0002430     0.000001848      3.49      6.51      3.25
SRCPARAM L0002431     0.000001848      3.49      6.51      3.25
SRCPARAM L0002432     0.000001848      3.49      6.51      3.25
SRCPARAM L0002433     0.000001848      3.49      6.51      3.25
SRCPARAM L0002434     0.000001848      3.49      6.51      3.25
SRCPARAM L0002435     0.000001848      3.49      6.51      3.25
SRCPARAM L0002436     0.000001848      3.49      6.51      3.25
SRCPARAM L0002437     0.000001848      3.49      6.51      3.25
SRCPARAM L0002438     0.000001848      3.49      6.51      3.25
SRCPARAM L0002439     0.000001848      3.49      6.51      3.25
SRCPARAM L0002440     0.000001848      3.49      6.51      3.25
SRCPARAM L0002441     0.000001848      3.49      6.51      3.25
SRCPARAM L0002442     0.000001848      3.49      6.51      3.25
SRCPARAM L0002443     0.000001848      3.49      6.51      3.25
SRCPARAM L0002444     0.000001848      3.49      6.51      3.25
SRCPARAM L0002445     0.000001848      3.49      6.51      3.25
SRCPARAM L0002446     0.000001848      3.49      6.51      3.25
SRCPARAM L0002447     0.000001848      3.49      6.51      3.25
SRCPARAM L0002448     0.000001848      3.49      6.51      3.25
SRCPARAM L0002449     0.000001848      3.49      6.51      3.25
SRCPARAM L0002450     0.000001848      3.49      6.51      3.25
SRCPARAM L0002451     0.000001848      3.49      6.51      3.25
SRCPARAM L0002452     0.000001848      3.49      6.51      3.25
SRCPARAM L0002453     0.000001848      3.49      6.51      3.25
SRCPARAM L0002454     0.000001848      3.49      6.51      3.25
SRCPARAM L0002455     0.000001848      3.49      6.51      3.25
SRCPARAM L0002456     0.000001848      3.49      6.51      3.25
SRCPARAM L0002457     0.000001848      3.49      6.51      3.25
SRCPARAM L0002458     0.000001848      3.49      6.51      3.25
SRCPARAM L0002459     0.000001848      3.49      6.51      3.25
SRCPARAM L0002460     0.000001848      3.49      6.51      3.25
SRCPARAM L0002461     0.000001848      3.49      6.51      3.25
SRCPARAM L0002462     0.000001848      3.49      6.51      3.25
SRCPARAM L0002463     0.000001848      3.49      6.51      3.25
SRCPARAM L0002464     0.000001848      3.49      6.51      3.25
SRCPARAM L0002465     0.000001848      3.49      6.51      3.25
SRCPARAM L0002466     0.000001848      3.49      6.51      3.25
SRCPARAM L0002467     0.000001848      3.49      6.51      3.25
SRCPARAM L0002468     0.000001848      3.49      6.51      3.25
SRCPARAM L0002469     0.000001848      3.49      6.51      3.25
SRCPARAM L0002470     0.000001848      3.49      6.51      3.25
SRCPARAM L0002471     0.000001848      3.49      6.51      3.25
SRCPARAM L0002472     0.000001848      3.49      6.51      3.25
SRCPARAM L0002473     0.000001848      3.49      6.51      3.25
```

```
SRCPARAM L0002474     0.000001848      3.49      6.51      3.25
SRCPARAM L0002475     0.000001848      3.49      6.51      3.25
SRCPARAM L0002476     0.000001848      3.49      6.51      3.25
SRCPARAM L0002477     0.000001848      3.49      6.51      3.25
SRCPARAM L0002478     0.000001848      3.49      6.51      3.25
SRCPARAM L0002479     0.000001848      3.49      6.51      3.25
SRCPARAM L0002480     0.000001848      3.49      6.51      3.25
SRCPARAM L0002481     0.000001848      3.49      6.51      3.25
SRCPARAM L0002482     0.000001848      3.49      6.51      3.25
SRCPARAM L0002483     0.000001848      3.49      6.51      3.25
SRCPARAM L0002484     0.000001848      3.49      6.51      3.25
SRCPARAM L0002485     0.000001848      3.49      6.51      3.25
SRCPARAM L0002486     0.000001848      3.49      6.51      3.25
SRCPARAM L0002487     0.000001848      3.49      6.51      3.25
SRCPARAM L0002488     0.000001848      3.49      6.51      3.25
SRCPARAM L0002489     0.000001848      3.49      6.51      3.25
SRCPARAM L0002490     0.000001848      3.49      6.51      3.25
SRCPARAM L0002491     0.000001848      3.49      6.51      3.25
SRCPARAM L0002492     0.000001848      3.49      6.51      3.25
SRCPARAM L0002493     0.000001848      3.49      6.51      3.25
SRCPARAM L0002494     0.000001848      3.49      6.51      3.25
SRCPARAM L0002495     0.000001848      3.49      6.51      3.25
SRCPARAM L0002496     0.000001848      3.49      6.51      3.25
SRCPARAM L0002497     0.000001848      3.49      6.51      3.25
SRCPARAM L0002498     0.000001848      3.49      6.51      3.25
SRCPARAM L0002499     0.000001848      3.49      6.51      3.25
SRCPARAM L0002500     0.000001848      3.49      6.51      3.25
SRCPARAM L0002501     0.000001848      3.49      6.51      3.25
SRCPARAM L0002502     0.000001848      3.49      6.51      3.25
SRCPARAM L0002503     0.000001848      3.49      6.51      3.25
SRCPARAM L0002504     0.000001848      3.49      6.51      3.25
SRCPARAM L0002505     0.000001848      3.49      6.51      3.25
SRCPARAM L0002506     0.000001848      3.49      6.51      3.25
SRCPARAM L0002507     0.000001848      3.49      6.51      3.25
SRCPARAM L0002508     0.000001848      3.49      6.51      3.25
SRCPARAM L0002509     0.000001848      3.49      6.51      3.25
SRCPARAM L0002510     0.000001848      3.49      6.51      3.25
SRCPARAM L0002511     0.000001848      3.49      6.51      3.25
SRCPARAM L0002512     0.000001848      3.49      6.51      3.25
SRCPARAM L0002513     0.000001848      3.49      6.51      3.25
SRCPARAM L0002514     0.000001848      3.49      6.51      3.25
SRCPARAM L0002515     0.000001848      3.49      6.51      3.25
SRCPARAM L0002516     0.000001848      3.49      6.51      3.25
SRCPARAM L0002517     0.000001848      3.49      6.51      3.25
SRCPARAM L0002518     0.000001848      3.49      6.51      3.25
SRCPARAM L0002519     0.000001848      3.49      6.51      3.25
SRCPARAM L0002520     0.000001848      3.49      6.51      3.25
SRCPARAM L0002521     0.000001848      3.49      6.51      3.25
SRCPARAM L0002522     0.000001848      3.49      6.51      3.25
SRCPARAM L0002523     0.000001848      3.49      6.51      3.25
```

```
   SRCPARAM L0002524     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002525     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002526     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002527     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002528     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002529     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002530     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002531     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002532     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002533     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002534     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002535     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002536     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002537     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002538     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002539     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002540     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002541     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002542     0.000001848      3.49      6.51      3.25
   SRCPARAM L0002543     0.000001848      3.49      6.51      3.25
** ------------------------------------------------------------------
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL64        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL65        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL66        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL67        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL68        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL69        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL70        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL71        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL72        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL73        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL74        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL75        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL76        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL77        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL78        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL79        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL80        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL81        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL82        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL83        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL84        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL85        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL86        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL87        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL88        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL89        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL90        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL91        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL92        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL93        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL94        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL95        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL96        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL97        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL98        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL99        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL100       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL101       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL102       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL103       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL104       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL105       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL106       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL107       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL108       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL109       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL110       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL111       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL112       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL113       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL114       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL115       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL116       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL117       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL118       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL119       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL120       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL121       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL122       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL123       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL124       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL125       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL126       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL127       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL128       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL129       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL130       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL131       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL132       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL133       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL134       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL135       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL136       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL137       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL138       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL139       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL140       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL141       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL142       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL143       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL144       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL145       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL146       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL147       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL148       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL149       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL150       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL151       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL152       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL153       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL154       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL155       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL156       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL157       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL158       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL159       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL160       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL161       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL162       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL163       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL164       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL165       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL166       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL167       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL168       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL169       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL170       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL171       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL172       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL173       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL174       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL175       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL176       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL177       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL178       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL179       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL180       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL181       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL182       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL183       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL184       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL185       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL186       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL187       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL188       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL189       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL190       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL191       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL192       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL193       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL194       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL195       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL196       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL197       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL198       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL199       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL200       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL201       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL202       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL203       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL204       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL205       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL206       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL207       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL208       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL209       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL210       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL211       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL212       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL213       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002261     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002261     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002262     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002263     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002264     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002264     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002265     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002265     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002266     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002266     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002267     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002267     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002268     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002268     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002269     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002269     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002270     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002270     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002271     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002271     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002272     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002273     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002274     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002275     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002276     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002277     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002278     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002279     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002280     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002281     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002282     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002283     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002284     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002285     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002286     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002287     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002288     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002289     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002290     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002291     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002292     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002293     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002294     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002295     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002296     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002297     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002298     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002299     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002300     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002301     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002302     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002303     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002304     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002305     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002306     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002307     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002308     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002309     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002310     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002311     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002312     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002313     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002314     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002315     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002316     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002317     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002318     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002319     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002320     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002321     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002322     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002323     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002324     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002325     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002326     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002327     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002328     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002329     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002330     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002331     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002332     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002333     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002334     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002335     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002336     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002337     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002338     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002339     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002340     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002341     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002342     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002343     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002344     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002345     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002346     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002347     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002348     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002349     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002350     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002351     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002352     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002353     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002354     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002355     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002356     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002357     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002358     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002359     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002360     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002361     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002362     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002363     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002364     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002365     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002366     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002367     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002368     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002369     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002370     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002371     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002372     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002373     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002374     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002375     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002376     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002377     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002378     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002379     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002380     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002381     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002382     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002383     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002384     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002385     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002386     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002387     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002388     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002389     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002390     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002391     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002392     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002393     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002394     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002395     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002396     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002397     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002398     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002399     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002400     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002401     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002402     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002403     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002404     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002405     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002406     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002407     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002408     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002409     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002410     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002411     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002412     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002413     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002414     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002415     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002416     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002417     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002418     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002419     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002420     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002421     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002422     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002423     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002424     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002425     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002426     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002427     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002428     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002429     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002430     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002431     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002432     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002433     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002434     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002435     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002436     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002437     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002438     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002439     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002440     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002441     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002442     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002443     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002444     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002445     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002446     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002447     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002448     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002449     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002450     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002451     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002452     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002453     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002454     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002455     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002456     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002457     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002458     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002459     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002460     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002461     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002462     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002463     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002464     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002465     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002466     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002467     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002468     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002469     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002470     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002471     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002472     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002473     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002474     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002475     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002476     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002477     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002478     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002479     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002480     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002481     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002482     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002483     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002484     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002485     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002486     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002487     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002488     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002489     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002490     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002491     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002492     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002493     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002494     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002495     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002496     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002497     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002498     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002499     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002500     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002501     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002502     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002503     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002504     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002505     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002506     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002507     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002508     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0002509     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002510     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002511     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002512     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002513     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002514     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002515     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002516     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002517     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002518     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002519     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002520     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002521     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002522     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002523     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002524     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002525     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002526     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002527     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002528     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002529     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002530     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002531     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002532     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002533     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT L0002534     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002535     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002535     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002536     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002536     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002537     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002537     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002538     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002538     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002539     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002539     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002540     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002540     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002541     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002541     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002542     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002542     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002543     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001979     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001979     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001980     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001981     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001982     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001983     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001983     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001984     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001984     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001985     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001985     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001986     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001986     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001987     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001987     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001988     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001988     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001989     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001989     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001990     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001990     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001991     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001992     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001993     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001994     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001995     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001996     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001997     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001998     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001999     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002000     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002001     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002002     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002003     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002004     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002005     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002006     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002007     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002008     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002009     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002010     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002011     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002012     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002013     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002014     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002015     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002015     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002016     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002017     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002018     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002019     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002020     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002021     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002022     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002023     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002024     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002025     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002026     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002027     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002028     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002029     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002030     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002031     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002032     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002033     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002034     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002035     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002036     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002037     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002038     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002039     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002040     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002040     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002041     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002042     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002043     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002044     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002045     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002046     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002047     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002048     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002049     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002050     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002051     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002052     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002053     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002054     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002055     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002056     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002057     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002058     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002059     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002060     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002061     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002062     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002063     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002064     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002065     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002065     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002066     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002067     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002068     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002069     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002070     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002071     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002072     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002073     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002074     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002075     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002076     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002077     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002078     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002079     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002080     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002081     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002082     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002083     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002084     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002085     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002086     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002087     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002088     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002089     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002090     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002090     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002091     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002092     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002093     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002094     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002095     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002096     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002097     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002098     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002099     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002100     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002101     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002102     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002103     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002104     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002105     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002106     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002107     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002108     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002109     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002110     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002111     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002112     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002113     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002114     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002115     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002115     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002116     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002117     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002118     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002119     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002120     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002121     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002122     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002123     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002124     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002125     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002126     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002127     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002128     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002129     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002130     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002131     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002132     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002133     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002134     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002135     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002136     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002137     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002138     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002139     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002140     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002140     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002141     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002142     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002143     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002144     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002145     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002146     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002147     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002148     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002149     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002150     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002151     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002152     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002153     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002154     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002155     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002156     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002157     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002158     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002159     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002160     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002161     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002162     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002163     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002164     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002165     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002165     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002166     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002167     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002168     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002169     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002170     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002171     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002172     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002173     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002174     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002175     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002176     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002177     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002178     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002179     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002180     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002181     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002182     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002183     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002184     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002185     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002186     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002187     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002188     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002189     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002190     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002190     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002191     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002192     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002193     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002194     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002195     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002196     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002197     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002198     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002199     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002200     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002201     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002202     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002203     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002204     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002205     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002206     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002207     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002208     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002209     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002210     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002211     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002212     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002213     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002214     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002215     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002215     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002216     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002217     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002218     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002219     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002220     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002221     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002222     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002223     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002224     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002225     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002226     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002227     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002228     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002229     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002230     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002231     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002232     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002233     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002234     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002235     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002236     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002237     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002238     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002239     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002240     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002240     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002241     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002242     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002243     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002244     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002245     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002246     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002247     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002248     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002249     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002250     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002251     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002251     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002252     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0002252     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
   EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002253     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002253     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002254     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002254     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002255     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002255     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002256     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002256     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002257     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002257     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002258     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002259     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0002260     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001979     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001980     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001981     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001982     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001983     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001984     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001985     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001986     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001987     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001988     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001989     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001990     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001991     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001992     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001993     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001994     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001995     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001996     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001997     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001998     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001999     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002000     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002001     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002002     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002003     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002004     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002005     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002006     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002007     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002008     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002009     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002010     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002011     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002012     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002013     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002014     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002015     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002016     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002017     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002018     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002019     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002020     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002021     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002022     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002023     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002024     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002025     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002026     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002027     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002028     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002029     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002030     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002031     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002032     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002033     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002034     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002035     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002036     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002037     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002038     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002039     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002040     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002041     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002042     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002043     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002044     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002045     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002046     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002047     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002048     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002049     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002050     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002051     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002052     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002053     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002054     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002055     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002056     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002057     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002058     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002059     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002060     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002061     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002062     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002063     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002064     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002065     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002066     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002067     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002068     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002069     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002070     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002071     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002072     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002073     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002074     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002075     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002076     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002077     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002078     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002079     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002080     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002081     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002082     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002083     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002084     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002085     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002086     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002087     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002088     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002089     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002090     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002091     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002092     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002093     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002094     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002095     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002096     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002097     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002098     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002099     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002103     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002104     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002105     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002106     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002107     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002108     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002109     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002110     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002111     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002112     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002113     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002114     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002115     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002116     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002117     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002118     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002119     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002120     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002121     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002122     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002123     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002124     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002125     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002126     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002127     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002128     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002129     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002130     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0002250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0002260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
```

```
   INCLUDED "Construction Unmitigated.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
** Auto-Generated Plotfiles
   PLOTFILE PERIOD ALL "CONSTRUCTION UNMITIGATED.AD\PE00GALL.PLT" 31
   SUMMFILE "Construction Unmitigated.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186   11815       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187   11815       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 **********************************
 *** SETUP Finishes Successfully ***
```

```
 **********************************

↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                         ***       12:30:53

                                   PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for   777 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   2189641.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Assumes No FLAGPOLE Receptor Heights.
      * The User Specified a Pollutant Type of: DPM

 **Model Calculates PERIOD Averages Only

 **This Run Includes:    777 Source(s);       1 Source Group(s); and      78
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:    777 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
```

```
                and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  16216

 **Output Options Selected:
          Model Outputs Tables of PERIOD Averages by Receptor
          Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
          Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours

 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =   442.00 ;  Decay
Coef. =    0.000     ;  Rot. Angle =     0.0
                  Emission Units = GRAMS/SEC                                ;
Emission Rate Unit Factor =   0.10000E+07
                  Output Units   = MICROGRAMS/M**3

 **Approximate Storage Requirements of Model =      4.3 MB of RAM.

 **Input Runstream File:          aermod.inp

 **Output Print File:             aermod.out


 **Detailed Error/Message File:   Construction Unmitigated.err

 **File for Summary of Results:   Construction Unmitigated.sum

↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE   2
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*


                                                  *** VOLUME SOURCE DATA ***
```

SOURCE ID	NUMBER PART. SCALAR CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE VARY BY	AIRCRAFT
VOL2	0	0.79258E-03	491245.5	3720910.3	437.1	5.00	41.11	1.40	YES	HRDOW	NO
VOL3	0	0.79258E-03	491281.6	3720991.2	438.8	5.00	41.11	1.40	YES	HRDOW	NO
VOL4	0	0.79258E-03	491317.8	3721040.4	438.1	5.00	41.11	1.40	YES	HRDOW	NO
VOL5	0	0.79258E-03	491385.9	3721095.5	437.0	5.00	41.11	1.40	YES	HRDOW	NO
VOL6	0	0.79258E-03	491419.2	3721186.8	439.1	5.00	41.11	1.40	YES	HRDOW	NO
VOL7	0	0.79258E-03	491471.4	3721244.7	444.9	5.00	41.11	1.40	YES	HRDOW	NO
VOL8	0	0.79258E-03	491513.4	3721307.1	453.6	5.00	41.11	1.40	YES	HRDOW	NO
VOL9	0	0.79258E-03	491578.6	3721379.5	455.5	5.00	41.11	1.40	YES	HRDOW	NO
VOL10	0	0.79258E-03	491646.7	3721467.9	449.5	5.00	41.11	1.40	YES	HRDOW	NO
VOL11	0	0.79258E-03	491066.5	3720905.5	437.7	5.00	41.11	1.40	YES	HRDOW	NO
VOL12	0	0.79258E-03	490886.4	3720906.6	445.4	5.00	41.11	1.40	YES	HRDOW	NO
VOL13	0	0.79258E-03	490704.8	3720902.2	445.6	5.00	41.11	1.40	YES	HRDOW	NO
VOL14	0	0.79258E-03	490703.4	3721076.6	456.8	5.00	41.11	1.40	YES	HRDOW	NO
VOL15	0	0.79258E-03	490697.6	3721262.1	463.1	5.00	41.11	1.40	YES	HRDOW	NO
VOL16	0	0.79258E-03	490694.7	3721443.3	458.6	5.00	41.11	1.40	YES	HRDOW	NO
VOL17	0	0.79258E-03	490883.1	3721085.3	447.1	5.00	41.11	1.40	YES	HRDOW	NO
VOL18	0	0.79258E-03	491067.1	3721083.9	448.5	5.00	41.11	1.40	YES	HRDOW	NO
VOL19	0	0.79258E-03	490880.2	3721265.0	458.4	5.00	41.11	1.40	YES	HRDOW	NO
VOL20	0	0.79258E-03	490874.4	3721443.3	462.6	5.00	41.11	1.40	YES	HRDOW	NO
VOL21	0	0.79258E-03	491055.5	3721441.8	466.2	5.00	41.11	1.40	YES	HRDOW	NO
VOL22	0	0.79258E-03	491055.5	3721265.0	457.2	5.00	41.11				

```
1.40     YES   HRDOW            NO
 VOL23           0   0.79258E-03  491216.4 3721088.2   450.8     5.00    41.11
1.40     YES   HRDOW            NO
 VOL24           0   0.79258E-03  491235.2 3721269.4   452.7     5.00    41.11
1.40     YES   HRDOW            NO
 VOL25           0   0.79258E-03  491238.1 3721441.8   449.4     5.00    41.11
1.40     YES   HRDOW            NO
 VOL26           0   0.79258E-03  491412.0 3721360.7   451.5     5.00    41.11
1.40     YES   HRDOW            NO
 VOL27           0   0.79258E-03  491416.3 3721543.3   471.1     5.00    41.11
1.40     YES   HRDOW            NO
 VOL28           0   0.79258E-03  490691.8 3721541.8   461.9     5.00    41.11
1.40     YES   HRDOW            NO
 VOL29           0   0.79258E-03  490872.9 3721541.8   463.9     5.00    41.11
1.40     YES   HRDOW            NO
 VOL30           0   0.79258E-03  491048.3 3721540.4   468.4     5.00    41.11
1.40     YES   HRDOW            NO
 VOL31           0   0.79258E-03  491228.0 3721541.8   454.1     5.00    41.11
1.40     YES   HRDOW            NO
 VOL32           0   0.79258E-03  491598.9 3721543.3   460.3     5.00    41.11
1.40     YES   HRDOW            NO
 VOL33           0   0.79258E-03  491772.8 3721546.2   456.9     5.00    41.11
1.40     YES   HRDOW            NO
 VOL34           0   0.51480E-04  491125.1 3720797.0   437.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL35           0   0.51480E-04  491311.1 3720805.6   430.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL36           0   0.51480E-04  491126.2 3720772.6   435.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL37           0   0.51480E-04  491126.2 3720748.0   433.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL38           0   0.51480E-04  491126.2 3720723.4   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL39           0   0.51480E-04  491127.2 3720699.2   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL40           0   0.51480E-04  491127.6 3720674.9   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL41           0   0.51480E-04  491127.6 3720650.4   432.0     5.00     5.56
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE   3
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*


                                                    *** VOLUME SOURCE DATA ***
```

SOURCE ID	URBAN SOURCE	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	AIRCRAFT SOURCE	EMISSION RATE SCALAR VARY BY
VOL42	YES	0	0.51480E-04	491296.0	3720787.1	429.9	5.00	5.56	1.40	NO	HRDOW
VOL43	YES	0	0.51480E-04	491278.1	3720764.2	430.0	5.00	5.56	1.40	NO	HRDOW
VOL44	YES	0	0.51480E-04	491261.3	3720739.9	430.0	5.00	5.56	1.40	NO	HRDOW
VOL45	YES	0	0.51480E-04	491243.4	3720715.7	430.4	5.00	5.56	1.40	NO	HRDOW
VOL46	YES	0	0.51480E-04	491225.3	3720691.4	430.7	5.00	5.56	1.40	NO	HRDOW
VOL47	YES	0	0.51480E-04	491209.8	3720666.2	431.0	5.00	5.56	1.40	NO	HRDOW
VOL48	YES	0	0.51480E-04	491190.2	3720641.9	431.9	5.00	5.56	1.40	NO	HRDOW
VOL49	YES	0	0.51480E-04	490615.2	3720793.3	443.6	5.00	5.56	1.40	NO	HRDOW
VOL50	YES	0	0.51480E-04	490615.2	3720771.1	444.3	5.00	5.56	1.40	NO	HRDOW
VOL51	YES	0	0.51480E-04	490615.2	3720746.2	444.2	5.00	5.56	1.40	NO	HRDOW
VOL52	YES	0	0.51480E-04	490615.2	3720721.6	444.0	5.00	5.56	1.40	NO	HRDOW
VOL53	YES	0	0.51480E-04	490615.2	3720697.3	444.2	5.00	5.56	1.40	NO	HRDOW
VOL54	YES	0	0.51480E-04	490615.2	3720672.8	444.6	5.00	5.56	1.40	NO	HRDOW
VOL55	YES	0	0.51480E-04	490615.2	3720648.8	445.0	5.00	5.56	1.40	NO	HRDOW
VOL56	YES	0	0.51480E-04	490615.5	3720624.3	444.7	5.00	5.56	1.40	NO	HRDOW
VOL57	YES	0	0.51480E-04	490615.8	3720600.0	444.5	5.00	5.56	1.40	NO	HRDOW
VOL58	YES	0	0.51480E-04	490615.5	3720575.4	440.9	5.00	5.56	1.40	NO	HRDOW
VOL59	YES	0	0.51480E-04	490615.5	3720551.8	438.7	5.00	5.56	1.40	NO	HRDOW
VOL60	YES	0	0.51480E-04	490616.2	3720527.3	437.0	5.00	5.56	1.40	NO	HRDOW
VOL61	YES	0	0.51480E-04	490615.5	3720503.0	435.4	5.00	5.56	1.40	NO	HRDOW

```
 VOL62            0   0.51480E-04  490614.8 3720478.4   433.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL63            0   0.51480E-04  490615.5 3720453.5   432.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL64            0   0.51480E-04  490615.2 3720428.9   431.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL65            0   0.51480E-04  490615.8 3720404.3   431.5     5.00     5.56
1.40     YES   HRDOW            NO
 VOL66            0   0.51480E-04  490613.8 3720379.1   431.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL67            0   0.51480E-04  490613.5 3720354.5   430.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL68            0   0.51480E-04  490614.5 3720329.9   430.5     5.00     5.56
1.40     YES   HRDOW            NO
 VOL69            0   0.51480E-04  490614.2 3720306.0   429.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL70            0   0.51480E-04  490614.5 3720281.4   428.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL71            0   0.51480E-04  490618.5 3720257.1   427.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL72            0   0.51480E-04  490628.6 3720232.9   426.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL73            0   0.51480E-04  490635.7 3720208.3   426.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL74            0   0.51480E-04  490648.5 3720183.4   426.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL75            0   0.51480E-04  490665.0 3720167.2   427.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL76            0   0.51480E-04  490677.5 3720148.0   428.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL77            0   0.51480E-04  490693.0 3720131.8   428.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL78            0   0.51480E-04  490705.8 3720118.4   428.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL79            0   0.51480E-04  490718.6 3720107.9   428.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL80            0   0.51480E-04  490734.1 3720098.8   427.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL81            0   0.51480E-04  490751.6 3720085.0   426.5     5.00     5.56
1.40     YES   HRDOW            NO
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL82	0	0.51480E-04	490773.4	3720071.5	425.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL83	0	0.51480E-04	490795.5	3720052.8	423.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL84	0	0.51480E-04	490594.3	3720832.8	444.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL85	0	0.51480E-04	490569.0	3720833.1	445.9	5.00	5.56	1.40	YES	HRDOW	NO
VOL86	0	0.51480E-04	490544.4	3720833.5	447.3	5.00	5.56	1.40	YES	HRDOW	NO
VOL87	0	0.51480E-04	490519.8	3720833.8	448.9	5.00	5.56	1.40	YES	HRDOW	NO
VOL88	0	0.51480E-04	490494.6	3720843.6	450.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL89	0	0.51480E-04	490469.6	3720848.3	452.9	5.00	5.56	1.40	YES	HRDOW	NO
VOL90	0	0.51480E-04	490444.7	3720849.3	455.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL91	0	0.51480E-04	490419.4	3720851.0	458.5	5.00	5.56	1.40	YES	HRDOW	NO
VOL92	0	0.51480E-04	490394.5	3720858.1	458.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL93	0	0.51480E-04	490370.3	3720860.4	459.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL94	0	0.51480E-04	490345.3	3720864.5	459.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL95	0	0.51480E-04	490320.4	3720868.5	459.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL96	0	0.51480E-04	490295.8	3720869.2	459.9	5.00	5.56	1.40	YES	HRDOW	NO
VOL97	0	0.51480E-04	490270.9	3720869.2	461.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL98	0	0.51480E-04	490246.0	3720868.8	461.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL99	0	0.51480E-04	490221.4	3720869.2	461.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL100	0	0.51480E-04	490196.8	3720869.2	461.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL101	0	0.51480E-04	490171.8	3720868.8	461.4	5.00	5.56				

```
1.40     YES   HRDOW            NO
 VOL102           0   0.51480E-04  490146.9 3720866.5   461.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL103           0   0.51480E-04  490123.0 3720866.1   461.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL104           0   0.51480E-04  490099.1 3720866.1   459.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL105           0   0.51480E-04  490074.8 3720863.8   459.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL106           0   0.51480E-04  490049.6 3720858.7   459.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL107           0   0.51480E-04  490024.6 3720852.3   457.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL108           0   0.51480E-04  490000.4 3720842.6   456.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL109           0   0.51480E-04  489976.1 3720835.8   453.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL110           0   0.51480E-04  489951.2 3720829.1   453.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL111           0   0.51480E-04  489926.6 3720824.7   452.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL112           0   0.51480E-04  489902.0 3720822.0   450.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL113           0   0.51480E-04  489877.1 3720821.0   448.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL114           0   0.51480E-04  489852.2 3720821.0   446.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL115           0   0.51480E-04  489827.2 3720819.0   446.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL116           0   0.51480E-04  489803.3 3720819.0   446.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL117           0   0.51480E-04  489778.7 3720819.0   446.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL118           0   0.51480E-04  489754.1 3720818.6   447.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL119           0   0.51480E-04  489729.5 3720818.6   447.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL120           0   0.51480E-04  489704.6 3720818.6   450.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL121           0   0.51480E-04  489680.0 3720817.6   451.9     5.00     5.56
1.40     YES   HRDOW            NO
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE   5
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. SCALAR CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE VARY BY	AIRCRAFT
VOL122	0	0.51480E-04	489655.4	3720817.3	452.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL123	0	0.51480E-04	489630.5	3720818.0	453.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL124	0	0.51480E-04	489605.6	3720819.3	453.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL125	0	0.51480E-04	489581.0	3720820.3	452.8	5.00	5.56	1.40	YES	HRDOW	NO
VOL126	0	0.51480E-04	489556.7	3720820.3	452.2	5.00	5.56	1.40	YES	HRDOW	NO
VOL127	0	0.51480E-04	489532.1	3720820.3	451.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL128	0	0.51480E-04	489507.2	3720820.0	450.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL129	0	0.51480E-04	489483.0	3720819.3	450.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL130	0	0.51480E-04	489458.4	3720819.7	449.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL131	0	0.51480E-04	489433.8	3720819.7	448.3	5.00	5.56	1.40	YES	HRDOW	NO
VOL132	0	0.51480E-04	489408.9	3720820.3	447.8	5.00	5.56	1.40	YES	HRDOW	NO
VOL133	0	0.51480E-04	489384.3	3720820.0	446.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL134	0	0.51480E-04	491354.4	3720825.6	430.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL135	0	0.51480E-04	491379.0	3720825.2	430.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL136	0	0.51480E-04	491403.5	3720825.1	430.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL137	0	0.51480E-04	491428.2	3720825.0	430.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL138	0	0.51480E-04	491453.5	3720825.0	431.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL139	0	0.51480E-04	491478.6	3720824.5	431.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL140	0	0.51480E-04	491503.4	3720824.5	431.0	5.00	5.56	1.40	YES	HRDOW	NO

 VOL141   0   0.51480E-04 491528.0 3720824.7   431.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL142   0   0.51480E-04 491552.4 3720825.7   431.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL143   0   0.51480E-04 491577.2 3720827.2   431.6   5.00   5.56
1.40   YES   HRDOW   NO
 VOL144   0   0.51480E-04 491601.5 3720827.4   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL145   0   0.51480E-04 491626.6 3720827.2   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL146   0   0.51480E-04 491650.8 3720828.1   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL147   0   0.51480E-04 491675.1 3720828.1   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL148   0   0.51480E-04 491699.7 3720828.4   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL149   0   0.51480E-04 491723.8 3720829.3   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL150   0   0.51480E-04 491748.7 3720829.3   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL151   0   0.51480E-04 491773.0 3720829.0   432.1   5.00   5.56
1.40   YES   HRDOW   NO
 VOL152   0   0.51480E-04 491797.7 3720829.3   432.1   5.00   5.56
1.40   YES   HRDOW   NO
 VOL153   0   0.51480E-04 491822.9 3720829.6   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL154   0   0.51480E-04 491847.8 3720829.3   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL155   0   0.51480E-04 491872.7 3720829.3   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL156   0   0.51480E-04 491896.2 3720829.3   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL157   0   0.51480E-04 491920.2 3720829.9   432.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL158   0   0.51480E-04 491348.2 3720859.5   432.2   5.00   5.56
1.40   YES   HRDOW   NO
 VOL159   0   0.51480E-04 491364.7 3720885.8   433.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL160   0   0.51480E-04 491385.0 3720914.9   434.0   5.00   5.56
1.40   YES   HRDOW   NO
 VOL161   0   0.51480E-04 491403.1 3720939.0   434.0   5.00   5.56
1.40   YES   HRDOW   NO

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL162	0	0.51480E-04	491420.1	3720965.4	434.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL163	0	0.51480E-04	491438.2	3720991.7	435.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL164	0	0.51480E-04	491485.9	3721055.4	436.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL165	0	0.51480E-04	491503.5	3721081.2	436.5	5.00	5.56	1.40	YES	HRDOW	NO
VOL166	0	0.51480E-04	491522.7	3721113.0	437.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL167	0	0.51480E-04	491543.0	3721138.8	438.3	5.00	5.56	1.40	YES	HRDOW	NO
VOL168	0	0.51480E-04	491573.2	3721173.9	438.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL169	0	0.51480E-04	491596.2	3721201.3	439.5	5.00	5.56	1.40	YES	HRDOW	NO
VOL170	0	0.51480E-04	491614.3	3721227.7	441.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL171	0	0.51480E-04	491627.5	3721252.9	442.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL172	0	0.51480E-04	491642.3	3721277.0	442.3	5.00	5.56	1.40	YES	HRDOW	NO
VOL173	0	0.51480E-04	491678.5	3721325.9	443.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL174	0	0.51480E-04	491698.3	3721351.7	444.8	5.00	5.56	1.40	YES	HRDOW	NO
VOL175	0	0.51480E-04	491746.5	3721414.2	447.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL176	0	0.51480E-04	491764.6	3721438.9	448.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL177	0	0.51480E-04	491874.4	3721595.3	455.2	5.00	5.56	1.40	YES	HRDOW	NO
VOL178	0	0.51480E-04	491889.2	3721620.5	456.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL179	0	0.51480E-04	487598.1	3715596.3	402.9	5.00	5.56	1.40	YES	HRDOW	NO
VOL180	0	0.51480E-04	487593.8	3715571.5	402.8	5.00	5.56				

```
1.40     YES   HRDOW            NO
 VOL181           0   0.51480E-04  487590.8 3715547.6   403.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL182           0   0.51480E-04  487584.3 3715522.8   403.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL183           0   0.51480E-04  487575.8 3715498.3   404.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL184           0   0.51480E-04  487569.1 3715473.4   404.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL185           0   0.51480E-04  487564.1 3715449.1   404.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL186           0   0.51480E-04  487559.4 3715424.4   404.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL187           0   0.51480E-04  487554.4 3715399.8   404.5     5.00     5.56
1.40     YES   HRDOW            NO
 VOL188           0   0.51480E-04  487548.9 3715375.2   404.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL189           0   0.51480E-04  487544.8 3715350.6   404.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL190           0   0.51480E-04  487538.9 3715325.7   404.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL191           0   0.51480E-04  487532.5 3715301.1   404.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL192           0   0.51480E-04  487527.8 3715276.5   404.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL193           0   0.51480E-04  487522.5 3715251.9   404.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL194           0   0.51480E-04  487518.4 3715227.5   405.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL195           0   0.51480E-04  487510.8 3715202.9   405.5     5.00     5.56
1.40     YES   HRDOW            NO
 VOL196           0   0.51480E-04  487506.1 3715178.3   405.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL197           0   0.51480E-04  487499.9 3715153.4   405.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL198           0   0.51480E-04  487494.7 3715128.8   404.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL199           0   0.51480E-04  487491.2 3715104.8   403.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL200           0   0.51480E-04  487485.0 3715079.9   402.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL201           0   0.51480E-04  487480.0 3715055.0   402.0     5.00     5.56
1.40     YES   HRDOW            NO
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***       12:30:53

                                  PAGE   7
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT SCALAR VARY BY
VOL202	0	0.51480E-04	487473.6	3715030.1	402.0	5.00	5.56	1.40	YES	HRDOW
VOL203	0	0.51480E-04	487467.7	3715005.4	402.0	5.00	5.56	1.40	YES	HRDOW
VOL204	0	0.51480E-04	487464.2	3714980.8	402.0	5.00	5.56	1.40	YES	HRDOW
VOL205	0	0.51480E-04	487459.2	3714955.9	402.0	5.00	5.56	1.40	YES	HRDOW
VOL206	0	0.51480E-04	487453.9	3714931.9	402.0	5.00	5.56	1.40	YES	HRDOW
VOL207	0	0.51480E-04	487447.8	3714907.9	402.0	5.00	5.56	1.40	YES	HRDOW
VOL208	0	0.51480E-04	487440.6	3714883.8	402.0	5.00	5.56	1.40	YES	HRDOW
VOL209	0	0.51480E-04	487435.1	3714859.0	402.0	5.00	5.56	1.40	YES	HRDOW
VOL210	0	0.51480E-04	487428.9	3714834.8	402.0	5.00	5.56	1.40	YES	HRDOW
VOL211	0	0.51480E-04	487424.7	3714810.0	402.0	5.00	5.56	1.40	YES	HRDOW
VOL212	0	0.51480E-04	487419.9	3714785.5	402.0	5.00	5.56	1.40	YES	HRDOW
VOL213	0	0.51480E-04	487415.4	3714761.1	402.0	5.00	5.56	1.40	YES	HRDOW
L0001979	0	0.67470E-07	491310.3	3720803.2	430.3	3.49	6.51	3.25	YES	HRDOW
L0001980	0	0.67470E-07	491302.0	3720791.9	429.9	3.49	6.51	3.25	YES	HRDOW
L0001981	0	0.67470E-07	491293.7	3720780.6	429.9	3.49	6.51	3.25	YES	HRDOW
L0001982	0	0.67470E-07	491285.5	3720769.3	430.0	3.49	6.51	3.25	YES	HRDOW
L0001983	0	0.67470E-07	491277.2	3720758.1	429.9	3.49	6.51	3.25	YES	HRDOW
L0001984	0	0.67470E-07	491268.9	3720746.8	429.8	3.49	6.51	3.25	YES	HRDOW

```
 L0001985         0   0.67470E-07  491260.6 3720735.5   430.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001986         0   0.67470E-07  491252.3 3720724.2   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001987         0   0.67470E-07  491244.1 3720712.9   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001988         0   0.67470E-07  491235.8 3720701.6   430.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001989         0   0.67470E-07  491227.5 3720690.3   430.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001990         0   0.67470E-07  491219.2 3720679.0   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001991         0   0.67470E-07  491211.0 3720667.7   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001992         0   0.67470E-07  491202.7 3720656.4   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001993         0   0.67470E-07  491194.4 3720645.1   431.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001994         0   0.67470E-07  491186.1 3720633.8   432.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001995         0   0.67470E-07  491177.8 3720622.6   433.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001996         0   0.67470E-07  491169.6 3720611.3   434.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001997         0   0.67470E-07  491161.3 3720600.0   433.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001998         0   0.67470E-07  491153.0 3720588.7   433.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001999         0   0.67470E-07  491144.7 3720577.4   432.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002000         0   0.67470E-07  491136.5 3720566.1   431.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002001         0   0.67470E-07  491128.2 3720554.8   430.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002002         0   0.67470E-07  491119.9 3720543.5   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002003         0   0.67470E-07  491111.6 3720532.2   430.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002004         0   0.67470E-07  491103.4 3720520.9   429.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002005         0   0.67470E-07  491095.1 3720509.6   429.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002006         0   0.67470E-07  491086.8 3720498.4   429.1     3.49     6.51
3.25     YES   HRDOW            NO
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***       12:30:53
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT EMISSION RATE SCALAR VARY BY
L0002007	0	0.67470E-07	491078.5	3720487.1	429.4	3.49	6.51	3.25	YES	HRDOW NO
L0002008	0	0.67470E-07	491070.2	3720475.8	430.1	3.49	6.51	3.25	YES	HRDOW NO
L0002009	0	0.67470E-07	491062.0	3720464.5	430.6	3.49	6.51	3.25	YES	HRDOW NO
L0002010	0	0.67470E-07	491053.7	3720453.2	430.9	3.49	6.51	3.25	YES	HRDOW NO
L0002011	0	0.67470E-07	491045.6	3720441.8	431.3	3.49	6.51	3.25	YES	HRDOW NO
L0002012	0	0.67470E-07	491037.5	3720430.4	431.7	3.49	6.51	3.25	YES	HRDOW NO
L0002013	0	0.67470E-07	491029.4	3720418.9	431.8	3.49	6.51	3.25	YES	HRDOW NO
L0002014	0	0.67470E-07	491021.3	3720407.5	432.0	3.49	6.51	3.25	YES	HRDOW NO
L0002015	0	0.67470E-07	491013.1	3720396.1	432.5	3.49	6.51	3.25	YES	HRDOW NO
L0002016	0	0.67470E-07	491005.0	3720384.7	432.9	3.49	6.51	3.25	YES	HRDOW NO
L0002017	0	0.67470E-07	490996.9	3720373.3	432.9	3.49	6.51	3.25	YES	HRDOW NO
L0002018	0	0.67470E-07	490988.8	3720361.9	432.5	3.49	6.51	3.25	YES	HRDOW NO
L0002019	0	0.67470E-07	490980.7	3720350.5	432.4	3.49	6.51	3.25	YES	HRDOW NO
L0002020	0	0.67470E-07	490972.5	3720339.1	432.6	3.49	6.51	3.25	YES	HRDOW NO
L0002021	0	0.67470E-07	490964.4	3720327.7	432.4	3.49	6.51	3.25	YES	HRDOW NO
L0002022	0	0.67470E-07	490956.3	3720316.3	431.9	3.49	6.51	3.25	YES	HRDOW NO
L0002023	0	0.67470E-07	490948.2	3720304.9	431.7	3.49	6.51	3.25	YES	HRDOW NO
L0002024	0	0.67470E-07	490940.1	3720293.5	431.1	3.49	6.51			

```
3.25     YES   HRDOW            NO
 L0002025         0   0.67470E-07  490931.9 3720282.1   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002026         0   0.67470E-07  490923.8 3720270.7   428.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002027         0   0.67470E-07  490915.7 3720259.3   427.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002028         0   0.67470E-07  490907.6 3720247.9   427.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002029         0   0.67470E-07  490899.5 3720236.5   426.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002030         0   0.67470E-07  490891.4 3720225.1   426.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002031         0   0.67470E-07  490883.2 3720213.6   426.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002032         0   0.67470E-07  490875.1 3720202.2   426.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002033         0   0.67470E-07  490867.0 3720190.8   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002034         0   0.67470E-07  490858.9 3720179.4   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002035         0   0.67470E-07  490850.8 3720168.0   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002036         0   0.67470E-07  490842.6 3720156.6   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002037         0   0.67470E-07  490834.5 3720145.2   426.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002038         0   0.67470E-07  490826.4 3720133.8   425.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002039         0   0.67470E-07  490818.3 3720122.4   425.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002040         0   0.67470E-07  490810.2 3720111.0   425.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002041         0   0.67470E-07  490802.0 3720099.6   425.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002042         0   0.67470E-07  490793.9 3720088.2   424.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002043         0   0.67470E-07  490785.8 3720076.8   424.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002044         0   0.67470E-07  490777.7 3720065.4   424.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002045         0   0.67470E-07  490769.6 3720054.0   424.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002046         0   0.67470E-07  490761.4 3720042.6   424.5     3.49     6.51
3.25     YES   HRDOW            NO
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0002047	0	0.67470E-07	490753.3	3720031.2	424.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002048	0	0.67470E-07	490745.2	3720019.8	424.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002049	0	0.67470E-07	490737.1	3720008.4	424.5	3.49	6.51	3.25	YES	HRDOW	NO
L0002050	0	0.67470E-07	490729.0	3719996.9	424.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002051	0	0.67470E-07	490720.9	3719985.5	424.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002052	0	0.67470E-07	490712.7	3719974.1	424.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002053	0	0.67470E-07	490704.6	3719962.7	423.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002054	0	0.67470E-07	490696.5	3719951.3	423.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002055	0	0.67470E-07	490688.4	3719939.9	423.5	3.49	6.51	3.25	YES	HRDOW	NO
L0002056	0	0.67470E-07	490680.3	3719928.5	423.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002057	0	0.67470E-07	490672.1	3719917.1	423.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002058	0	0.67470E-07	490664.0	3719905.7	423.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002059	0	0.67470E-07	490655.9	3719894.3	422.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002060	0	0.67470E-07	490647.8	3719882.9	422.8	3.49	6.51	3.25	YES	HRDOW	NO
L0002061	0	0.67470E-07	490639.7	3719871.5	422.8	3.49	6.51	3.25	YES	HRDOW	NO
L0002062	0	0.67470E-07	490631.5	3719860.1	422.8	3.49	6.51	3.25	YES	HRDOW	NO
L0002063	0	0.67470E-07	490623.4	3719848.7	422.4	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0002064         0   0.67470E-07  490615.3 3719837.3   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002065         0   0.67470E-07  490607.1 3719825.9   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002066         0   0.67470E-07  490598.8 3719814.7   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002067         0   0.67470E-07  490590.5 3719803.4   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002068         0   0.67470E-07  490582.2 3719792.1   421.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002069         0   0.67470E-07  490573.9 3719780.8   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002070         0   0.67470E-07  490565.6 3719769.6   421.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002071         0   0.67470E-07  490557.3 3719758.3   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002072         0   0.67470E-07  490549.0 3719747.0   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002073         0   0.67470E-07  490540.7 3719735.7   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002074         0   0.67470E-07  490532.4 3719724.5   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002075         0   0.67470E-07  490524.1 3719713.2   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002076         0   0.67470E-07  490515.8 3719701.9   421.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002077         0   0.67470E-07  490507.5 3719690.6   421.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002078         0   0.67470E-07  490499.2 3719679.4   421.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002079         0   0.67470E-07  490490.9 3719668.1   421.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002080         0   0.67470E-07  490482.8 3719656.7   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002081         0   0.67470E-07  490474.6 3719645.3   421.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002082         0   0.67470E-07  490466.4 3719634.0   421.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002083         0   0.67470E-07  490458.3 3719622.6   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002084         0   0.67470E-07  490450.1 3719611.2   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002085         0   0.67470E-07  490441.9 3719599.8   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002086         0   0.67470E-07  490433.8 3719588.5   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0002087	0	0.67470E-07	490425.6	3719577.1	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002088	0	0.67470E-07	490417.4	3719565.7	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002089	0	0.67470E-07	490409.3	3719554.4	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002090	0	0.67470E-07	490401.1	3719543.0	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002091	0	0.67470E-07	490392.9	3719531.6	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002092	0	0.67470E-07	490384.8	3719520.2	420.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002093	0	0.67470E-07	490376.6	3719508.9	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002094	0	0.67470E-07	490368.4	3719497.5	420.7	3.49	6.51	3.25	YES	HRDOW	NO
L0002095	0	0.67470E-07	490360.3	3719486.1	420.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002096	0	0.67470E-07	490352.1	3719474.8	420.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002097	0	0.67470E-07	490343.9	3719463.4	420.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002098	0	0.67470E-07	490335.8	3719452.0	420.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002099	0	0.67470E-07	490327.6	3719440.6	420.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002100	0	0.67470E-07	490319.4	3719429.3	420.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002101	0	0.67470E-07	490311.3	3719417.9	420.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002102	0	0.67470E-07	490303.1	3719406.5	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002103	0	0.67470E-07	490294.9	3719395.2	421.0	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0002104         0   0.67470E-07  490286.8 3719383.8   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002105         0   0.67470E-07  490278.6 3719372.4   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002106         0   0.67470E-07  490270.4 3719361.1   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002107         0   0.67470E-07  490262.3 3719349.7   420.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002108         0   0.67470E-07  490254.1 3719338.3   420.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002109         0   0.67470E-07  490245.9 3719326.9   420.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002110         0   0.67470E-07  490237.8 3719315.6   421.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002111         0   0.67470E-07  490229.6 3719304.2   421.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002112         0   0.67470E-07  490221.4 3719292.8   421.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002113         0   0.67470E-07  490213.2 3719281.5   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002114         0   0.67470E-07  490205.1 3719270.1   422.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002115         0   0.67470E-07  490196.9 3719258.7   422.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002116         0   0.67470E-07  490188.7 3719247.3   423.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002117         0   0.67470E-07  490180.6 3719236.0   424.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002118         0   0.67470E-07  490172.4 3719224.6   423.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002119         0   0.67470E-07  490164.2 3719213.2   423.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002120         0   0.67470E-07  490156.1 3719201.9   423.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002121         0   0.67470E-07  490147.9 3719190.5   423.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002122         0   0.67470E-07  490139.7 3719179.1   423.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002123         0   0.67470E-07  490131.6 3719167.7   423.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002124         0   0.67470E-07  490123.4 3719156.4   423.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002125         0   0.67470E-07  490115.2 3719145.0   423.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002126         0   0.67470E-07  490107.1 3719133.6   422.8     3.49     6.51
3.25     YES   HRDOW            NO
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. SCALAR VARY BY	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE CATS.	AIRCRAFT
L0002127	0	0.67470E-07	490098.9	3719122.3	422.4	3.49	6.51	3.25	YES	HRDOW NO
L0002128	0	0.67470E-07	490090.7	3719110.9	422.0	3.49	6.51	3.25	YES	HRDOW NO
L0002129	0	0.67470E-07	490082.6	3719099.5	422.1	3.49	6.51	3.25	YES	HRDOW NO
L0002130	0	0.67470E-07	490074.4	3719088.2	422.0	3.49	6.51	3.25	YES	HRDOW NO
L0002131	0	0.67470E-07	490066.2	3719076.8	421.6	3.49	6.51	3.25	YES	HRDOW NO
L0002132	0	0.67470E-07	490058.1	3719065.4	421.3	3.49	6.51	3.25	YES	HRDOW NO
L0002133	0	0.67470E-07	490049.9	3719054.0	420.5	3.49	6.51	3.25	YES	HRDOW NO
L0002134	0	0.67470E-07	490041.8	3719042.6	419.8	3.49	6.51	3.25	YES	HRDOW NO
L0002135	0	0.67470E-07	490033.6	3719031.3	419.2	3.49	6.51	3.25	YES	HRDOW NO
L0002136	0	0.67470E-07	490025.5	3719019.9	419.0	3.49	6.51	3.25	YES	HRDOW NO
L0002137	0	0.67470E-07	490017.3	3719008.5	418.9	3.49	6.51	3.25	YES	HRDOW NO
L0002138	0	0.67470E-07	490009.1	3718997.1	418.7	3.49	6.51	3.25	YES	HRDOW NO
L0002139	0	0.67470E-07	490001.0	3718985.8	419.0	3.49	6.51	3.25	YES	HRDOW NO
L0002140	0	0.67470E-07	489992.8	3718974.4	419.3	3.49	6.51	3.25	YES	HRDOW NO
L0002141	0	0.67470E-07	489984.7	3718963.0	419.4	3.49	6.51	3.25	YES	HRDOW NO
L0002142	0	0.67470E-07	489976.5	3718951.6	419.3	3.49	6.51	3.25	YES	HRDOW NO

```
 L0002143         0   0.67470E-07  489968.3 3718940.3   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002144         0   0.67470E-07  489960.2 3718928.9   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002145         0   0.67470E-07  489952.0 3718917.5   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002146         0   0.67470E-07  489943.8 3718906.2   418.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002147         0   0.67470E-07  489935.6 3718894.8   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002148         0   0.67470E-07  489927.5 3718883.4   418.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002149         0   0.67470E-07  489919.3 3718872.1   418.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002150         0   0.67470E-07  489911.1 3718860.7   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002151         0   0.67470E-07  489903.0 3718849.3   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002152         0   0.67470E-07  489894.8 3718837.9   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002153         0   0.67470E-07  489886.6 3718826.6   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002154         0   0.67470E-07  489878.5 3718815.2   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002155         0   0.67470E-07  489870.3 3718803.8   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002156         0   0.67470E-07  489862.1 3718792.5   418.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002157         0   0.67470E-07  489853.9 3718781.1   418.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002158         0   0.67470E-07  489845.8 3718769.7   418.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002159         0   0.67470E-07  489837.6 3718758.4   418.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002160         0   0.67470E-07  489829.4 3718747.0   417.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002161         0   0.67470E-07  489821.3 3718735.6   418.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002162         0   0.67470E-07  489813.1 3718724.3   418.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002163         0   0.67470E-07  489804.9 3718712.9   418.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002164         0   0.67470E-07  489796.7 3718701.5   418.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002165         0   0.67470E-07  489788.6 3718690.2   417.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002166         0   0.67470E-07  489780.4 3718678.8   417.8     3.49     6.51
3.25     YES   HRDOW            NO
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT EMISSION RATE SCALAR VARY BY
L0002167	0	0.67470E-07	489772.2	3718667.4	417.7	3.49	6.51	3.25	YES	HRDOW
L0002168	0	0.67470E-07	489764.1	3718656.0	417.5	3.49	6.51	3.25	YES	HRDOW
L0002169	0	0.67470E-07	489755.9	3718644.7	417.5	3.49	6.51	3.25	YES	HRDOW
L0002170	0	0.67470E-07	489747.7	3718633.3	417.3	3.49	6.51	3.25	YES	HRDOW
L0002171	0	0.67470E-07	489739.6	3718621.9	417.2	3.49	6.51	3.25	YES	HRDOW
L0002172	0	0.67470E-07	489731.4	3718610.6	417.1	3.49	6.51	3.25	YES	HRDOW
L0002173	0	0.67470E-07	489723.2	3718599.2	417.0	3.49	6.51	3.25	YES	HRDOW
L0002174	0	0.67470E-07	489715.0	3718587.8	416.9	3.49	6.51	3.25	YES	HRDOW
L0002175	0	0.67470E-07	489706.9	3718576.5	416.8	3.49	6.51	3.25	YES	HRDOW
L0002176	0	0.67470E-07	489698.7	3718565.1	416.7	3.49	6.51	3.25	YES	HRDOW
L0002177	0	0.67470E-07	489690.5	3718553.7	416.8	3.49	6.51	3.25	YES	HRDOW
L0002178	0	0.67470E-07	489682.4	3718542.4	417.1	3.49	6.51	3.25	YES	HRDOW
L0002179	0	0.67470E-07	489674.2	3718531.0	417.3	3.49	6.51	3.25	YES	HRDOW
L0002180	0	0.67470E-07	489666.0	3718519.6	417.3	3.49	6.51	3.25	YES	HRDOW
L0002181	0	0.67470E-07	489657.8	3718508.3	417.1	3.49	6.51	3.25	YES	HRDOW
L0002182	0	0.67470E-07	489649.7	3718496.9	416.6	3.49	6.51			

```
3.25     YES   HRDOW            NO
 L0002183         0   0.67470E-07  489641.5 3718485.5   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002184         0   0.67470E-07  489633.3 3718474.2   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002185         0   0.67470E-07  489625.2 3718462.8   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002186         0   0.67470E-07  489617.0 3718451.4   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002187         0   0.67470E-07  489608.8 3718440.0   415.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002188         0   0.67470E-07  489600.7 3718428.7   415.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002189         0   0.67470E-07  489592.5 3718417.3   414.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002190         0   0.67470E-07  489584.3 3718405.9   414.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002191         0   0.67470E-07  489576.1 3718394.6   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002192         0   0.67470E-07  489568.0 3718383.2   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002193         0   0.67470E-07  489559.8 3718371.8   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002194         0   0.67470E-07  489551.6 3718360.5   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002195         0   0.67470E-07  489543.3 3718349.2   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002196         0   0.67470E-07  489535.0 3718337.9   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002197         0   0.67470E-07  489526.8 3718326.6   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002198         0   0.67470E-07  489518.5 3718315.3   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002199         0   0.67470E-07  489510.2 3718304.0   414.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002200         0   0.67470E-07  489501.9 3718292.8   414.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002201         0   0.67470E-07  489493.7 3718281.4   414.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002202         0   0.67470E-07  489485.5 3718270.1   415.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002203         0   0.67470E-07  489477.4 3718258.7   415.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002204         0   0.67470E-07  489469.2 3718247.3   416.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002205         0   0.67470E-07  489461.0 3718235.9   417.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002206         0   0.67470E-07  489452.9 3718224.6   418.3     3.49     6.51
3.25     YES   HRDOW            NO
↟ *** AERMOD - VERSION 23132  ***   ***
```

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                                                *** VOLUME SOURCE DATA ***

               NUMBER EMISSION RATE   BASE   RELEASE   INIT.
INIT.   URBAN EMISSION RATE   AIRCRAFT
   SOURCE   PART. (GRAMS/SEC)   X   Y   ELEV.   HEIGHT   SY
SZ   SOURCE SCALAR VARY
     ID   CATS.   (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS)   BY
 -
- - - - - - - - - - - - - - - - - - - -

 L0002207   0   0.67470E-07 489444.7 3718213.2   418.6   3.49   6.51
3.25   YES   HRDOW   NO
 L0002208   0   0.67470E-07 489436.5 3718201.8   418.8   3.49   6.51
3.25   YES   HRDOW   NO
 L0002209   0   0.67470E-07 489428.4 3718190.4   419.3   3.49   6.51
3.25   YES   HRDOW   NO
 L0002210   0   0.67470E-07 489420.2 3718179.1   418.3   3.49   6.51
3.25   YES   HRDOW   NO
 L0002211   0   0.67470E-07 489412.1 3718167.7   417.5   3.49   6.51
3.25   YES   HRDOW   NO
 L0002212   0   0.67470E-07 489403.9 3718156.3   417.2   3.49   6.51
3.25   YES   HRDOW   NO
 L0002213   0   0.67470E-07 489395.7 3718144.9   415.9   3.49   6.51
3.25   YES   HRDOW   NO
 L0002214   0   0.67470E-07 489387.6 3718133.6   414.4   3.49   6.51
3.25   YES   HRDOW   NO
 L0002215   0   0.67470E-07 489379.4 3718122.2   413.2   3.49   6.51
3.25   YES   HRDOW   NO
 L0002216   0   0.67470E-07 489371.2 3718110.8   411.6   3.49   6.51
3.25   YES   HRDOW   NO
 L0002217   0   0.67470E-07 489363.1 3718099.5   410.8   3.49   6.51
3.25   YES   HRDOW   NO
 L0002218   0   0.67470E-07 489354.9 3718088.1   410.9   3.49   6.51
3.25   YES   HRDOW   NO
 L0002219   0   0.67470E-07 489346.8 3718076.7   411.0   3.49   6.51
3.25   YES   HRDOW   NO
 L0002220   0   0.67470E-07 489338.6 3718065.3   410.9   3.49   6.51
3.25   YES   HRDOW   NO
 L0002221   0   0.67470E-07 489330.4 3718054.0   411.0   3.49   6.51
3.25   YES   HRDOW   NO

```
 L0002222         0   0.67470E-07  489322.3 3718042.6   410.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002223         0   0.67470E-07  489314.1 3718031.2   410.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002224         0   0.67470E-07  489305.9 3718019.8   410.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002225         0   0.67470E-07  489297.8 3718008.5   410.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002226         0   0.67470E-07  489289.6 3717997.1   410.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002227         0   0.67470E-07  489281.5 3717985.7   410.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002228         0   0.67470E-07  489273.3 3717974.3   409.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002229         0   0.67470E-07  489265.1 3717963.0   409.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002230         0   0.67470E-07  489257.0 3717951.6   410.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002231         0   0.67470E-07  489248.8 3717940.2   410.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002232         0   0.67470E-07  489240.6 3717928.8   410.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002233         0   0.67470E-07  489232.5 3717917.5   410.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002234         0   0.67470E-07  489224.3 3717906.1   411.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002235         0   0.67470E-07  489216.2 3717894.7   411.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002236         0   0.67470E-07  489208.0 3717883.3   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002237         0   0.67470E-07  489199.8 3717872.0   411.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002238         0   0.67470E-07  489191.7 3717860.6   411.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002239         0   0.67470E-07  489183.5 3717849.2   412.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002240         0   0.67470E-07  489175.3 3717837.8   412.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002241         0   0.67470E-07  489167.2 3717826.5   412.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002242         0   0.67470E-07  489159.0 3717815.1   412.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002243         0   0.67470E-07  489150.9 3717803.7   412.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002244         0   0.67470E-07  489142.7 3717792.3   411.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002245         0   0.67470E-07  489134.5 3717781.0   411.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002246         0   0.67470E-07  489126.4 3717769.6   411.8     3.49     6.51
3.25     YES   HRDOW            NO
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0002247	0	0.67470E-07	489118.2	3717758.2	411.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002248	0	0.67470E-07	489110.0	3717746.8	411.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002249	0	0.67470E-07	489101.9	3717735.5	411.1	3.49	6.51	3.25	YES	HRDOW	NO
L0002250	0	0.67470E-07	489093.7	3717724.1	411.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002251	0	0.67470E-07	489085.6	3717712.7	411.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002252	0	0.67470E-07	489077.4	3717701.4	411.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002253	0	0.67470E-07	489069.2	3717690.0	411.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002254	0	0.67470E-07	489061.1	3717678.6	410.7	3.49	6.51	3.25	YES	HRDOW	NO
L0002255	0	0.67470E-07	489052.9	3717667.2	410.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002256	0	0.67470E-07	489044.7	3717655.9	410.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002257	0	0.67470E-07	489036.6	3717644.5	410.1	3.49	6.51	3.25	YES	HRDOW	NO
L0002258	0	0.67470E-07	489028.4	3717633.1	410.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002259	0	0.67470E-07	489020.3	3717621.7	410.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002260	0	0.67470E-07	489012.1	3717610.4	410.1	3.49	6.51	3.25	YES	HRDOW	NO
L0002261	0	0.18480E-05	491314.9	3720807.9	430.5	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0002262         0   0.18480E-05  491306.6 3720796.7   430.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002263         0   0.18480E-05  491298.3 3720785.4   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002264         0   0.18480E-05  491290.0 3720774.1   430.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002265         0   0.18480E-05  491281.7 3720762.9   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002266         0   0.18480E-05  491273.4 3720751.6   429.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002267         0   0.18480E-05  491265.1 3720740.3   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002268         0   0.18480E-05  491256.8 3720729.1   430.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002269         0   0.18480E-05  491248.4 3720717.8   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002270         0   0.18480E-05  491240.1 3720706.5   430.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002271         0   0.18480E-05  491231.8 3720695.3   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002272         0   0.18480E-05  491223.5 3720684.0   430.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002273         0   0.18480E-05  491215.2 3720672.7   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002274         0   0.18480E-05  491206.9 3720661.5   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002275         0   0.18480E-05  491198.6 3720650.2   431.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002276         0   0.18480E-05  491190.3 3720638.9   432.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002277         0   0.18480E-05  491182.0 3720627.7   433.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002278         0   0.18480E-05  491173.7 3720616.4   433.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002279         0   0.18480E-05  491165.3 3720605.1   433.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002280         0   0.18480E-05  491157.0 3720593.9   433.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002281         0   0.18480E-05  491148.7 3720582.6   432.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002282         0   0.18480E-05  491140.4 3720571.3   431.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002283         0   0.18480E-05  491132.1 3720560.1   430.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002284         0   0.18480E-05  491123.8 3720548.8   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002285         0   0.18480E-05  491115.5 3720537.5   430.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002286         0   0.18480E-05  491107.2 3720526.2   430.0     3.49     6.51
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT EMISSION RATE SCALAR VARY BY
L0002287	0	0.18480E-05	491098.9	3720514.9	429.6	3.49	6.51	3.25	YES	HRDOW NO
L0002288	0	0.18480E-05	491090.6	3720503.7	429.2	3.49	6.51	3.25	YES	HRDOW NO
L0002289	0	0.18480E-05	491082.3	3720492.4	429.1	3.49	6.51	3.25	YES	HRDOW NO
L0002290	0	0.18480E-05	491074.0	3720481.1	429.8	3.49	6.51	3.25	YES	HRDOW NO
L0002291	0	0.18480E-05	491065.8	3720469.8	430.4	3.49	6.51	3.25	YES	HRDOW NO
L0002292	0	0.18480E-05	491057.5	3720458.6	430.8	3.49	6.51	3.25	YES	HRDOW NO
L0002293	0	0.18480E-05	491049.2	3720447.3	431.1	3.49	6.51	3.25	YES	HRDOW NO
L0002294	0	0.18480E-05	491040.9	3720436.0	431.6	3.49	6.51	3.25	YES	HRDOW NO
L0002295	0	0.18480E-05	491032.6	3720424.7	431.8	3.49	6.51	3.25	YES	HRDOW NO
L0002296	0	0.18480E-05	491024.3	3720413.4	432.0	3.49	6.51	3.25	YES	HRDOW NO
L0002297	0	0.18480E-05	491016.0	3720402.2	432.3	3.49	6.51	3.25	YES	HRDOW NO
L0002298	0	0.18480E-05	491007.7	3720390.9	432.7	3.49	6.51	3.25	YES	HRDOW NO
L0002299	0	0.18480E-05	490999.4	3720379.6	433.0	3.49	6.51	3.25	YES	HRDOW NO
L0002300	0	0.18480E-05	490991.1	3720368.3	432.7	3.49	6.51	3.25	YES	HRDOW NO

```
 L0002301         0   0.18480E-05  490982.8 3720357.0   432.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002302         0   0.18480E-05  490974.6 3720345.7   432.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002303         0   0.18480E-05  490966.6 3720334.2   432.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002304         0   0.18480E-05  490958.7 3720322.7   432.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002305         0   0.18480E-05  490950.7 3720311.2   431.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002306         0   0.18480E-05  490942.7 3720299.7   431.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002307         0   0.18480E-05  490934.8 3720288.2   430.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002308         0   0.18480E-05  490926.8 3720276.6   429.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002309         0   0.18480E-05  490918.8 3720265.1   428.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002310         0   0.18480E-05  490910.8 3720253.6   427.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002311         0   0.18480E-05  490902.9 3720242.1   426.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002312         0   0.18480E-05  490894.9 3720230.6   426.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002313         0   0.18480E-05  490886.8 3720219.2   426.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002314         0   0.18480E-05  490878.7 3720207.8   426.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002315         0   0.18480E-05  490870.5 3720196.4   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002316         0   0.18480E-05  490862.4 3720185.0   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002317         0   0.18480E-05  490854.3 3720173.6   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002318         0   0.18480E-05  490846.2 3720162.2   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002319         0   0.18480E-05  490838.1 3720150.8   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002320         0   0.18480E-05  490829.9 3720139.4   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002321         0   0.18480E-05  490821.8 3720128.0   425.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002322         0   0.18480E-05  490813.7 3720116.6   425.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002323         0   0.18480E-05  490805.6 3720105.2   425.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002324         0   0.18480E-05  490797.5 3720093.8   425.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002325         0   0.18480E-05  490789.3 3720082.4   424.9     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0002327	0	0.18480E-05	490773.1	3720059.5	424.7	3.49	6.51	3.25	YES	HRDOW	NO
L0002328	0	0.18480E-05	490765.0	3720048.1	424.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002329	0	0.18480E-05	490756.8	3720036.7	424.5	3.49	6.51	3.25	YES	HRDOW	NO
L0002330	0	0.18480E-05	490748.7	3720025.3	424.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002331	0	0.18480E-05	490740.6	3720013.9	424.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002332	0	0.18480E-05	490732.5	3720002.5	424.5	3.49	6.51	3.25	YES	HRDOW	NO
L0002333	0	0.18480E-05	490724.4	3719991.1	424.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002334	0	0.18480E-05	490716.2	3719979.7	424.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002335	0	0.18480E-05	490708.1	3719968.3	424.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002336	0	0.18480E-05	490700.0	3719956.9	423.7	3.49	6.51	3.25	YES	HRDOW	NO
L0002337	0	0.18480E-05	490691.9	3719945.5	423.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002338	0	0.18480E-05	490683.8	3719934.1	423.5	3.49	6.51	3.25	YES	HRDOW	NO
L0002339	0	0.18480E-05	490675.6	3719922.7	423.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002340	0	0.18480E-05	490667.4	3719911.4	423.3	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0002341         0   0.18480E-05  490659.2 3719900.0   423.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002342         0   0.18480E-05  490651.0 3719888.7   422.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002343         0   0.18480E-05  490642.8 3719877.3   422.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002344         0   0.18480E-05  490634.6 3719866.0   422.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002345         0   0.18480E-05  490626.4 3719854.6   422.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002346         0   0.18480E-05  490618.2 3719843.3   422.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002347         0   0.18480E-05  490610.0 3719831.9   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002348         0   0.18480E-05  490601.8 3719820.6   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002349         0   0.18480E-05  490593.6 3719809.2   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002350         0   0.18480E-05  490585.4 3719797.9   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002351         0   0.18480E-05  490577.2 3719786.5   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002352         0   0.18480E-05  490569.0 3719775.2   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002353         0   0.18480E-05  490560.8 3719763.9   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002354         0   0.18480E-05  490552.6 3719752.5   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002355         0   0.18480E-05  490544.4 3719741.2   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002356         0   0.18480E-05  490536.2 3719729.8   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002357         0   0.18480E-05  490528.0 3719718.5   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002358         0   0.18480E-05  490519.8 3719707.1   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002359         0   0.18480E-05  490511.7 3719695.7   421.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002360         0   0.18480E-05  490503.6 3719684.3   421.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002361         0   0.18480E-05  490495.4 3719672.9   421.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002362         0   0.18480E-05  490487.3 3719661.5   421.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002363         0   0.18480E-05  490479.1 3719650.2   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002364         0   0.18480E-05  490471.0 3719638.8   421.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002365         0   0.18480E-05  490462.8 3719627.4   421.0     3.49     6.51
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0002367	0	0.18480E-05	490446.6	3719604.6	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002368	0	0.18480E-05	490438.4	3719593.2	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002369	0	0.18480E-05	490430.3	3719581.8	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002370	0	0.18480E-05	490422.1	3719570.4	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002371	0	0.18480E-05	490414.0	3719559.0	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002372	0	0.18480E-05	490405.8	3719547.7	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002373	0	0.18480E-05	490397.7	3719536.3	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002374	0	0.18480E-05	490389.6	3719524.9	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002375	0	0.18480E-05	490381.4	3719513.5	420.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002376	0	0.18480E-05	490373.3	3719502.1	420.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002377	0	0.18480E-05	490365.1	3719490.7	420.5	3.49	6.51	3.25	YES	HRDOW	NO
L0002378	0	0.18480E-05	490357.0	3719479.3	420.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002379	0	0.18480E-05	490348.8	3719467.9	420.3	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0002380         0   0.18480E-05  490340.7 3719456.6   420.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002381         0   0.18480E-05  490332.6 3719445.2   420.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002382         0   0.18480E-05  490324.4 3719433.8   420.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002383         0   0.18480E-05  490316.3 3719422.4   420.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002384         0   0.18480E-05  490308.1 3719411.0   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002385         0   0.18480E-05  490300.0 3719399.6   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002386         0   0.18480E-05  490291.8 3719388.3   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002387         0   0.18480E-05  490283.6 3719376.9   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002388         0   0.18480E-05  490275.4 3719365.5   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002389         0   0.18480E-05  490267.2 3719354.2   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002390         0   0.18480E-05  490259.1 3719342.8   420.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002391         0   0.18480E-05  490250.9 3719331.5   420.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002392         0   0.18480E-05  490242.7 3719320.1   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002393         0   0.18480E-05  490234.5 3719308.8   421.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002394         0   0.18480E-05  490226.3 3719297.4   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002395         0   0.18480E-05  490218.1 3719286.0   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002396         0   0.18480E-05  490209.9 3719274.7   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002397         0   0.18480E-05  490201.7 3719263.3   422.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002398         0   0.18480E-05  490193.6 3719252.0   423.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002399         0   0.18480E-05  490185.4 3719240.6   423.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002400         0   0.18480E-05  490177.2 3719229.3   423.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002401         0   0.18480E-05  490169.0 3719217.9   423.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002402         0   0.18480E-05  490160.8 3719206.5   423.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002403         0   0.18480E-05  490152.6 3719195.2   423.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002404         0   0.18480E-05  490144.4 3719183.8   423.5     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE BY	EMISSION RATE SCALAR VARY	AIRCRAFT
L0002407	0	0.18480E-05	490119.9	3719149.8	423.1	3.49	6.51	3.25	YES	HRDOW	NO
L0002408	0	0.18480E-05	490111.7	3719138.4	423.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002409	0	0.18480E-05	490103.5	3719127.0	422.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002410	0	0.18480E-05	490095.3	3719115.7	422.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002411	0	0.18480E-05	490087.1	3719104.3	422.1	3.49	6.51	3.25	YES	HRDOW	NO
L0002412	0	0.18480E-05	490078.9	3719093.0	422.1	3.49	6.51	3.25	YES	HRDOW	NO
L0002413	0	0.18480E-05	490070.8	3719081.6	421.8	3.49	6.51	3.25	YES	HRDOW	NO
L0002414	0	0.18480E-05	490062.6	3719070.3	421.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002415	0	0.18480E-05	490054.4	3719058.9	420.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002416	0	0.18480E-05	490046.2	3719047.6	420.1	3.49	6.51	3.25	YES	HRDOW	NO
L0002417	0	0.18480E-05	490038.0	3719036.2	419.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002418	0	0.18480E-05	490029.8	3719024.8	419.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002419	0	0.18480E-05	490021.6	3719013.5	418.9	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0002420         0   0.18480E-05  490013.5 3719002.1   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002421         0   0.18480E-05  490005.3 3718990.8   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002422         0   0.18480E-05  489997.1 3718979.4   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002423         0   0.18480E-05  489988.9 3718968.1   419.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002424         0   0.18480E-05  489980.7 3718956.7   419.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002425         0   0.18480E-05  489972.5 3718945.3   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002426         0   0.18480E-05  489964.3 3718934.0   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002427         0   0.18480E-05  489956.1 3718922.6   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002428         0   0.18480E-05  489948.0 3718911.3   418.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002429         0   0.18480E-05  489939.8 3718899.9   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002430         0   0.18480E-05  489931.6 3718888.6   418.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0002431         0   0.18480E-05  489923.4 3718877.2   418.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002432         0   0.18480E-05  489915.2 3718865.8   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002433         0   0.18480E-05  489907.0 3718854.5   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002434         0   0.18480E-05  489898.8 3718843.1   419.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002435         0   0.18480E-05  489890.6 3718831.8   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002436         0   0.18480E-05  489882.5 3718820.4   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002437         0   0.18480E-05  489874.3 3718809.1   418.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002438         0   0.18480E-05  489866.1 3718797.7   418.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002439         0   0.18480E-05  489857.9 3718786.3   418.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002440         0   0.18480E-05  489849.7 3718775.0   418.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002441         0   0.18480E-05  489841.5 3718763.6   418.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002442         0   0.18480E-05  489833.3 3718752.3   417.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002443         0   0.18480E-05  489825.2 3718740.9   417.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002444         0   0.18480E-05  489817.0 3718729.6   418.1     3.49     6.51
```

3.25 YES HRDOW NO
L0002445 0 0.18480E-05 489808.8 3718718.2 418.1 3.49 6.51
3.25 YES HRDOW NO
L0002446 0 0.18480E-05 489800.6 3718706.8 418.0 3.49 6.51
3.25 YES HRDOW NO

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE BY	EMISSION RATE SCALAR VARY	AIRCRAFT
L0002447	0	0.18480E-05	489792.4	3718695.5	417.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002448	0	0.18480E-05	489784.2	3718684.1	417.8	3.49	6.51	3.25	YES	HRDOW	NO
L0002449	0	0.18480E-05	489776.0	3718672.8	417.7	3.49	6.51	3.25	YES	HRDOW	NO
L0002450	0	0.18480E-05	489767.8	3718661.4	417.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002451	0	0.18480E-05	489759.7	3718650.1	417.5	3.49	6.51	3.25	YES	HRDOW	NO
L0002452	0	0.18480E-05	489751.5	3718638.7	417.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002453	0	0.18480E-05	489743.3	3718627.3	417.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002454	0	0.18480E-05	489735.1	3718616.0	417.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002455	0	0.18480E-05	489726.9	3718604.6	417.1	3.49	6.51	3.25	YES	HRDOW	NO
L0002456	0	0.18480E-05	489718.7	3718593.3	417.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002457	0	0.18480E-05	489710.5	3718581.9	416.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002458	0	0.18480E-05	489702.4	3718570.6	416.8	3.49	6.51	3.25	YES	HRDOW	NO

L0002459	0	0.18480E-05	489694.2	3718559.2	416.8	3.49	6.51	3.25	YES	HRDOW	NO
L0002460	0	0.18480E-05	489686.0	3718547.9	417.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002461	0	0.18480E-05	489677.8	3718536.5	417.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002462	0	0.18480E-05	489669.6	3718525.1	417.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002463	0	0.18480E-05	489661.4	3718513.8	417.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002464	0	0.18480E-05	489653.2	3718502.4	416.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002465	0	0.18480E-05	489645.0	3718491.1	416.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002466	0	0.18480E-05	489636.9	3718479.7	416.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002467	0	0.18480E-05	489628.7	3718468.4	416.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002468	0	0.18480E-05	489620.5	3718457.0	416.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002469	0	0.18480E-05	489612.3	3718445.6	416.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002470	0	0.18480E-05	489604.1	3718434.3	415.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002471	0	0.18480E-05	489595.9	3718422.9	415.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002472	0	0.18480E-05	489587.7	3718411.6	414.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002473	0	0.18480E-05	489579.6	3718400.2	414.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002474	0	0.18480E-05	489571.4	3718388.9	414.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002475	0	0.18480E-05	489563.2	3718377.5	414.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002476	0	0.18480E-05	489555.0	3718366.1	414.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002477	0	0.18480E-05	489546.8	3718354.8	414.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002478	0	0.18480E-05	489538.6	3718343.4	414.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002479	0	0.18480E-05	489530.5	3718332.0	414.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002480	0	0.18480E-05	489522.3	3718320.6	414.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002481	0	0.18480E-05	489514.2	3718309.2	414.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002482	0	0.18480E-05	489506.1	3718297.9	414.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002483	0	0.18480E-05	489497.9	3718286.5	414.7	3.49	6.51	3.25	YES	HRDOW	NO

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0002487	0	0.18480E-05	489465.4	3718240.9	416.8	3.49	6.51	3.25	YES	HRDOW	NO
L0002488	0	0.18480E-05	489457.3	3718229.5	418.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002489	0	0.18480E-05	489449.1	3718218.1	418.7	3.49	6.51	3.25	YES	HRDOW	NO
L0002490	0	0.18480E-05	489441.0	3718206.7	418.7	3.49	6.51	3.25	YES	HRDOW	NO
L0002491	0	0.18480E-05	489432.9	3718195.3	419.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002492	0	0.18480E-05	489424.8	3718183.9	419.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002493	0	0.18480E-05	489416.6	3718172.5	417.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002494	0	0.18480E-05	489408.5	3718161.1	417.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002495	0	0.18480E-05	489400.4	3718149.7	416.8	3.49	6.51	3.25	YES	HRDOW	NO
L0002496	0	0.18480E-05	489392.2	3718138.3	415.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002497	0	0.18480E-05	489384.1	3718126.9	413.8	3.49	6.51	3.25	YES	HRDOW	NO
L0002498	0	0.18480E-05	489376.0	3718115.5	412.5	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0002499         0   0.18480E-05  489367.8 3718104.1   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002500         0   0.18480E-05  489359.7 3718092.7   410.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002501         0   0.18480E-05  489351.6 3718081.3   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002502         0   0.18480E-05  489343.4 3718069.9   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002503         0   0.18480E-05  489335.3 3718058.6   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002504         0   0.18480E-05  489327.2 3718047.2   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002505         0   0.18480E-05  489319.0 3718035.8   410.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002506         0   0.18480E-05  489310.9 3718024.4   410.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002507         0   0.18480E-05  489302.8 3718012.9   410.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0002508         0   0.18480E-05  489294.8 3718001.5   410.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0002509         0   0.18480E-05  489286.8 3717990.0   410.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002510         0   0.18480E-05  489278.8 3717978.5   409.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0002511         0   0.18480E-05  489270.8 3717967.0   410.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002512         0   0.18480E-05  489262.7 3717955.5   410.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002513         0   0.18480E-05  489254.7 3717944.1   410.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002514         0   0.18480E-05  489246.7 3717932.6   410.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002515         0   0.18480E-05  489238.7 3717921.1   410.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002516         0   0.18480E-05  489230.7 3717909.6   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002517         0   0.18480E-05  489222.7 3717898.1   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002518         0   0.18480E-05  489214.6 3717886.7   411.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002519         0   0.18480E-05  489206.6 3717875.2   411.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0002520         0   0.18480E-05  489198.6 3717863.7   411.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0002521         0   0.18480E-05  489190.6 3717852.2   412.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0002522         0   0.18480E-05  489182.6 3717840.7   412.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002523         0   0.18480E-05  489174.6 3717829.3   412.4     3.49     6.51
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0002527	0	0.18480E-05	489142.5	3717783.4	412.1	3.49	6.51	3.25	YES	HRDOW	NO
L0002528	0	0.18480E-05	489134.5	3717771.9	412.0	3.49	6.51	3.25	YES	HRDOW	NO
L0002529	0	0.18480E-05	489126.5	3717760.4	411.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002530	0	0.18480E-05	489118.5	3717748.9	411.6	3.49	6.51	3.25	YES	HRDOW	NO
L0002531	0	0.18480E-05	489110.5	3717737.4	411.3	3.49	6.51	3.25	YES	HRDOW	NO
L0002532	0	0.18480E-05	489101.9	3717726.4	411.4	3.49	6.51	3.25	YES	HRDOW	NO
L0002533	0	0.18480E-05	489093.3	3717715.3	411.5	3.49	6.51	3.25	YES	HRDOW	NO
L0002534	0	0.18480E-05	489084.6	3717704.3	411.5	3.49	6.51	3.25	YES	HRDOW	NO
L0002535	0	0.18480E-05	489076.0	3717693.3	411.2	3.49	6.51	3.25	YES	HRDOW	NO
L0002536	0	0.18480E-05	489067.4	3717682.3	410.9	3.49	6.51	3.25	YES	HRDOW	NO
L0002537	0	0.18480E-05	489058.8	3717671.2	410.6	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0002538         0   0.18480E-05  489050.2 3717660.2   410.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002539         0   0.18480E-05  489041.5 3717649.2   410.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0002540         0   0.18480E-05  489032.9 3717638.1   410.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002541         0   0.18480E-05  489024.3 3717627.1   410.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0002542         0   0.18480E-05  489015.7 3717616.1   410.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0002543         0   0.18480E-05  489007.0 3717605.0   410.0     3.49     6.51
3.25     YES   HRDOW            NO
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  22
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINING SOURCE GROUPS
***

 SRCGROUP ID                                          SOURCE IDs
 -----------                                          ----------


  ALL        VOL2        , VOL3        , VOL4        , VOL5        , VOL6        ,
VOL7        , VOL8        , VOL9        ,

             VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
VOL15       , VOL16       , VOL17       ,

             VOL18       , VOL19       , VOL20       , VOL21       , VOL22       ,
VOL23       , VOL24       , VOL25       ,

             VOL26       , VOL27       , VOL28       , VOL29       , VOL30       ,
VOL31       , VOL32       , VOL33       ,

             VOL34       , VOL35       , VOL36       , VOL37       , VOL38       ,
VOL39       , VOL40       , VOL41       ,

             VOL42       , VOL43       , VOL44       , VOL45       , VOL46       ,
VOL47       , VOL48       , VOL49       ,

             VOL50       , VOL51       , VOL52       , VOL53       , VOL54       ,
VOL55       , VOL56       , VOL57       ,
```

```
             VOL58       , VOL59       , VOL60       , VOL61       , VOL62       ,
VOL63       , VOL64       , VOL65       ,

             VOL66       , VOL67       , VOL68       , VOL69       , VOL70       ,
VOL71       , VOL72       , VOL73       ,

             VOL74       , VOL75       , VOL76       , VOL77       , VOL78       ,
VOL79       , VOL80       , VOL81       ,

             VOL82       , VOL83       , VOL84       , VOL85       , VOL86       ,
VOL87       , VOL88       , VOL89       ,

             VOL90       , VOL91       , VOL92       , VOL93       , VOL94       ,
VOL95       , VOL96       , VOL97       ,

             VOL98       , VOL99       , VOL100      , VOL101      , VOL102      ,
VOL103      , VOL104      , VOL105      ,

             VOL106      , VOL107      , VOL108      , VOL109      , VOL110      ,
VOL111      , VOL112      , VOL113      ,

             VOL114      , VOL115      , VOL116      , VOL117      , VOL118      ,
VOL119      , VOL120      , VOL121      ,

             VOL122      , VOL123      , VOL124      , VOL125      , VOL126      ,
VOL127      , VOL128      , VOL129      ,

             VOL130      , VOL131      , VOL132      , VOL133      , VOL134      ,
VOL135      , VOL136      , VOL137      ,

             VOL138      , VOL139      , VOL140      , VOL141      , VOL142      ,
VOL143      , VOL144      , VOL145      ,

             VOL146      , VOL147      , VOL148      , VOL149      , VOL150      ,
VOL151      , VOL152      , VOL153      ,

             VOL154      , VOL155      , VOL156      , VOL157      , VOL158      ,
VOL159      , VOL160      , VOL161      ,
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE  23
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINING SOURCE GROUPS
***
```

SRCGROUP ID	SOURCE IDs
	VOL162 , VOL163 , VOL164 , VOL165 , VOL166 , VOL167 , VOL168 , VOL169 ,
	VOL170 , VOL171 , VOL172 , VOL173 , VOL174 , VOL175 , VOL176 , VOL177 ,
	VOL178 , VOL179 , VOL180 , VOL181 , VOL182 , VOL183 , VOL184 , VOL185 ,
	VOL186 , VOL187 , VOL188 , VOL189 , VOL190 , VOL191 , VOL192 , VOL193 ,
	VOL194 , VOL195 , VOL196 , VOL197 , VOL198 , VOL199 , VOL200 , VOL201 ,
	VOL202 , VOL203 , VOL204 , VOL205 , VOL206 , VOL207 , VOL208 , VOL209 ,
	VOL210 , VOL211 , VOL212 , VOL213 , L0001979 , L0001980 , L0001981 , L0001982 ,
	L0001983 , L0001984 , L0001985 , L0001986 , L0001987 , L0001988 , L0001989 , L0001990 ,
	L0001991 , L0001992 , L0001993 , L0001994 , L0001995 , L0001996 , L0001997 , L0001998 ,
	L0001999 , L0002000 , L0002001 , L0002002 , L0002003 , L0002004 , L0002005 , L0002006 ,
	L0002007 , L0002008 , L0002009 , L0002010 , L0002011 , L0002012 , L0002013 , L0002014 ,
	L0002015 , L0002016 , L0002017 , L0002018 , L0002019 , L0002020 , L0002021 , L0002022 ,
	L0002023 , L0002024 , L0002025 , L0002026 , L0002027 , L0002028 , L0002029 , L0002030 ,
	L0002031 , L0002032 , L0002033 , L0002034 , L0002035 , L0002036 , L0002037 , L0002038 ,
	L0002039 , L0002040 , L0002041 , L0002042 , L0002043 , L0002044 , L0002045 , L0002046 ,

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
L0002087 , L0002088 , L0002089 , L0002090 , L0002091 , L0002092 , L0002093 , L0002094 ,	
L0002095 , L0002096 , L0002097 , L0002098 , L0002099 , L0002100 , L0002101 , L0002102 ,	
L0002103 , L0002104 , L0002105 , L0002106 , L0002107 , L0002108 , L0002109 , L0002110 ,	
L0002111 , L0002112 , L0002113 , L0002114 , L0002115 , L0002116 , L0002117 , L0002118 ,	
L0002119 , L0002120 , L0002121 , L0002122 , L0002123 , L0002124 , L0002125 , L0002126 ,	
L0002127 , L0002128 , L0002129 , L0002130 , L0002131 , L0002132 , L0002133 , L0002134 ,	
L0002135 , L0002136 , L0002137 , L0002138 , L0002139 ,	

```
L0002140    , L0002141    , L0002142    ,

             L0002143    , L0002144    , L0002145    , L0002146    , L0002147    ,
L0002148    , L0002149    , L0002150    ,

             L0002151    , L0002152    , L0002153    , L0002154    , L0002155    ,
L0002156    , L0002157    , L0002158    ,

             L0002159    , L0002160    , L0002161    , L0002162    , L0002163    ,
L0002164    , L0002165    , L0002166    ,

             L0002167    , L0002168    , L0002169    , L0002170    , L0002171    ,
L0002172    , L0002173    , L0002174    ,

             L0002175    , L0002176    , L0002177    , L0002178    , L0002179    ,
L0002180    , L0002181    , L0002182    ,

             L0002183    , L0002184    , L0002185    , L0002186    , L0002187    ,
L0002188    , L0002189    , L0002190    ,

             L0002191    , L0002192    , L0002193    , L0002194    , L0002195    ,
L0002196    , L0002197    , L0002198    ,

             L0002199    , L0002200    , L0002201    , L0002202    , L0002203    ,
L0002204    , L0002205    , L0002206    ,

             L0002207    , L0002208    , L0002209    , L0002210    , L0002211    ,
L0002212    , L0002213    , L0002214    ,

             L0002215    , L0002216    , L0002217    , L0002218    , L0002219    ,
L0002220    , L0002221    , L0002222    ,

             L0002223    , L0002224    , L0002225    , L0002226    , L0002227    ,
L0002228    , L0002229    , L0002230    ,

             L0002231    , L0002232    , L0002233    , L0002234    , L0002235    ,
L0002236    , L0002237    , L0002238    ,

             L0002239    , L0002240    , L0002241    , L0002242    , L0002243    ,
L0002244    , L0002245    , L0002246    ,
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                         ***       12:30:53

                                   PAGE  25
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*
```

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
	L0002247 , L0002248 , L0002249 , L0002250 , L0002251 , L0002252 , L0002253 , L0002254 ,
	L0002255 , L0002256 , L0002257 , L0002258 , L0002259 , L0002260 , L0002261 , L0002262 ,
	L0002263 , L0002264 , L0002265 , L0002266 , L0002267 , L0002268 , L0002269 , L0002270 ,
	L0002271 , L0002272 , L0002273 , L0002274 , L0002275 , L0002276 , L0002277 , L0002278 ,
	L0002279 , L0002280 , L0002281 , L0002282 , L0002283 , L0002284 , L0002285 , L0002286 ,
	L0002287 , L0002288 , L0002289 , L0002290 , L0002291 , L0002292 , L0002293 , L0002294 ,
	L0002295 , L0002296 , L0002297 , L0002298 , L0002299 , L0002300 , L0002301 , L0002302 ,
	L0002303 , L0002304 , L0002305 , L0002306 , L0002307 , L0002308 , L0002309 , L0002310 ,
	L0002311 , L0002312 , L0002313 , L0002314 , L0002315 , L0002316 , L0002317 , L0002318 ,
	L0002319 , L0002320 , L0002321 , L0002322 , L0002323 , L0002324 , L0002325 , L0002326 ,
	L0002327 , L0002328 , L0002329 , L0002330 , L0002331 , L0002332 , L0002333 , L0002334 ,
	L0002335 , L0002336 , L0002337 , L0002338 , L0002339 , L0002340 , L0002341 , L0002342 ,
	L0002343 , L0002344 , L0002345 , L0002346 , L0002347 , L0002348 , L0002349 , L0002350 ,
	L0002351 , L0002352 , L0002353 , L0002354 , L0002355 , L0002356 , L0002357 , L0002358 ,
	L0002359 , L0002360 , L0002361 , L0002362 , L0002363 ,

L0002364   , L0002365   , L0002366   ,

             L0002367   , L0002368   , L0002369   , L0002370   , L0002371   ,
L0002372   , L0002373   , L0002374   ,

             L0002375   , L0002376   , L0002377   , L0002378   , L0002379   ,
L0002380   , L0002381   , L0002382   ,

             L0002383   , L0002384   , L0002385   , L0002386   , L0002387   ,
L0002388   , L0002389   , L0002390   ,

             L0002391   , L0002392   , L0002393   , L0002394   , L0002395   ,
L0002396   , L0002397   , L0002398   ,

             L0002399   , L0002400   , L0002401   , L0002402   , L0002403   ,
L0002404   , L0002405   , L0002406   ,

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                                          *** SOURCE IDs DEFINING SOURCE GROUPS
***

 SRCGROUP ID   SOURCE IDs
 -----------   ----------

             L0002407   , L0002408   , L0002409   , L0002410   , L0002411   ,
L0002412   , L0002413   , L0002414   ,

             L0002415   , L0002416   , L0002417   , L0002418   , L0002419   ,
L0002420   , L0002421   , L0002422   ,

             L0002423   , L0002424   , L0002425   , L0002426   , L0002427   ,
L0002428   , L0002429   , L0002430   ,

             L0002431   , L0002432   , L0002433   , L0002434   , L0002435   ,
L0002436   , L0002437   , L0002438   ,

             L0002439   , L0002440   , L0002441   , L0002442   , L0002443   ,
L0002444   , L0002445   , L0002446   ,

             L0002447   , L0002448   , L0002449   , L0002450   , L0002451   ,
L0002452   , L0002453   , L0002454   ,

```
             L0002455    , L0002456    , L0002457    , L0002458    , L0002459    ,
L0002460    , L0002461    , L0002462    ,

             L0002463    , L0002464    , L0002465    , L0002466    , L0002467    ,
L0002468    , L0002469    , L0002470    ,

             L0002471    , L0002472    , L0002473    , L0002474    , L0002475    ,
L0002476    , L0002477    , L0002478    ,

             L0002479    , L0002480    , L0002481    , L0002482    , L0002483    ,
L0002484    , L0002485    , L0002486    ,

             L0002487    , L0002488    , L0002489    , L0002490    , L0002491    ,
L0002492    , L0002493    , L0002494    ,

             L0002495    , L0002496    , L0002497    , L0002498    , L0002499    ,
L0002500    , L0002501    , L0002502    ,

             L0002503    , L0002504    , L0002505    , L0002506    , L0002507    ,
L0002508    , L0002509    , L0002510    ,

             L0002511    , L0002512    , L0002513    , L0002514    , L0002515    ,
L0002516    , L0002517    , L0002518    ,

             L0002519    , L0002520    , L0002521    , L0002522    , L0002523    ,
L0002524    , L0002525    , L0002526    ,

             L0002527    , L0002528    , L0002529    , L0002530    , L0002531    ,
L0002532    , L0002533    , L0002534    ,

             L0002535    , L0002536    , L0002537    , L0002538    , L0002539    ,
L0002540    , L0002541    , L0002542    ,

             L0002543    ,
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE  27
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*


                                        *** SOURCE IDs DEFINED AS URBAN SOURCES
***

  URBAN ID   URBAN POP                                  SOURCE IDs
  --------   ---------                                  ----------
```

```
              2189641.   VOL2        , VOL3        , VOL4        , VOL5        ,
VOL6        , VOL7        , VOL8        ,
 VOL9        ,

              VOL10       , VOL11       , VOL12       , VOL13       , VOL14       ,
VOL15       , VOL16       , VOL17       ,

              VOL18       , VOL19       , VOL20       , VOL21       , VOL22       ,
VOL23       , VOL24       , VOL25       ,

              VOL26       , VOL27       , VOL28       , VOL29       , VOL30       ,
VOL31       , VOL32       , VOL33       ,

              VOL34       , VOL35       , VOL36       , VOL37       , VOL38       ,
VOL39       , VOL40       , VOL41       ,

              VOL42       , VOL43       , VOL44       , VOL45       , VOL46       ,
VOL47       , VOL48       , VOL49       ,

              VOL50       , VOL51       , VOL52       , VOL53       , VOL54       ,
VOL55       , VOL56       , VOL57       ,

              VOL58       , VOL59       , VOL60       , VOL61       , VOL62       ,
VOL63       , VOL64       , VOL65       ,

              VOL66       , VOL67       , VOL68       , VOL69       , VOL70       ,
VOL71       , VOL72       , VOL73       ,

              VOL74       , VOL75       , VOL76       , VOL77       , VOL78       ,
VOL79       , VOL80       , VOL81       ,

              VOL82       , VOL83       , VOL84       , VOL85       , VOL86       ,
VOL87       , VOL88       , VOL89       ,

              VOL90       , VOL91       , VOL92       , VOL93       , VOL94       ,
VOL95       , VOL96       , VOL97       ,

              VOL98       , VOL99       , VOL100      , VOL101      , VOL102      ,
VOL103      , VOL104      , VOL105      ,

              VOL106      , VOL107      , VOL108      , VOL109      , VOL110      ,
VOL111      , VOL112      , VOL113      ,

              VOL114      , VOL115      , VOL116      , VOL117      , VOL118      ,
VOL119      , VOL120      , VOL121      ,

              VOL122      , VOL123      , VOL124      , VOL125      , VOL126      ,
VOL127      , VOL128      , VOL129      ,
```

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs

VOL162 , VOL163 , VOL164 , VOL165 , VOL166 ,
VOL167 , VOL168 , VOL169 ,

VOL170 , VOL171 , VOL172 , VOL173 , VOL174 ,
VOL175 , VOL176 , VOL177 ,

VOL178 , VOL179 , VOL180 , VOL181 , VOL182 ,
VOL183 , VOL184 , VOL185 ,

VOL186 , VOL187 , VOL188 , VOL189 , VOL190 ,
VOL191 , VOL192 , VOL193 ,

VOL194 , VOL195 , VOL196 , VOL197 , VOL198 ,
VOL199 , VOL200 , VOL201 ,

VOL202 , VOL203 , VOL204 , VOL205 , VOL206 ,
VOL207 , VOL208 , VOL209 ,

VOL210 , VOL211 , VOL212 , VOL213 , L0001979 ,
L0001980 , L0001981 , L0001982 ,

```
             L0001983    , L0001984    , L0001985    , L0001986    , L0001987    ,
L0001988    , L0001989    , L0001990    ,

             L0001991    , L0001992    , L0001993    , L0001994    , L0001995    ,
L0001996    , L0001997    , L0001998    ,

             L0001999    , L0002000    , L0002001    , L0002002    , L0002003    ,
L0002004    , L0002005    , L0002006    ,

             L0002007    , L0002008    , L0002009    , L0002010    , L0002011    ,
L0002012    , L0002013    , L0002014    ,

             L0002015    , L0002016    , L0002017    , L0002018    , L0002019    ,
L0002020    , L0002021    , L0002022    ,

             L0002023    , L0002024    , L0002025    , L0002026    , L0002027    ,
L0002028    , L0002029    , L0002030    ,

             L0002031    , L0002032    , L0002033    , L0002034    , L0002035    ,
L0002036    , L0002037    , L0002038    ,

             L0002039    , L0002040    , L0002041    , L0002042    , L0002043    ,
L0002044    , L0002045    , L0002046    ,

             L0002047    , L0002048    , L0002049    , L0002050    , L0002051    ,
L0002052    , L0002053    , L0002054    ,

             L0002055    , L0002056    , L0002057    , L0002058    , L0002059    ,
L0002060    , L0002061    , L0002062    ,

             L0002063    , L0002064    , L0002065    , L0002066    , L0002067    ,
L0002068    , L0002069    , L0002070    ,

             L0002071    , L0002072    , L0002073    , L0002074    , L0002075    ,
L0002076    , L0002077    , L0002078    ,

             L0002079    , L0002080    , L0002081    , L0002082    , L0002083    ,
L0002084    , L0002085    , L0002086    ,
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE  29
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINED AS URBAN SOURCES
***
```

URBAN ID	URBAN POP	SOURCE IDs
	L0002087 , L0002088 , L0002089 , L0002090 , L0002091 , L0002092 , L0002093 , L0002094 ,	
	L0002095 , L0002096 , L0002097 , L0002098 , L0002099 , L0002100 , L0002101 , L0002102 ,	
	L0002103 , L0002104 , L0002105 , L0002106 , L0002107 , L0002108 , L0002109 , L0002110 ,	
	L0002111 , L0002112 , L0002113 , L0002114 , L0002115 , L0002116 , L0002117 , L0002118 ,	
	L0002119 , L0002120 , L0002121 , L0002122 , L0002123 , L0002124 , L0002125 , L0002126 ,	
	L0002127 , L0002128 , L0002129 , L0002130 , L0002131 , L0002132 , L0002133 , L0002134 ,	
	L0002135 , L0002136 , L0002137 , L0002138 , L0002139 , L0002140 , L0002141 , L0002142 ,	
	L0002143 , L0002144 , L0002145 , L0002146 , L0002147 , L0002148 , L0002149 , L0002150 ,	
	L0002151 , L0002152 , L0002153 , L0002154 , L0002155 , L0002156 , L0002157 , L0002158 ,	
	L0002159 , L0002160 , L0002161 , L0002162 , L0002163 , L0002164 , L0002165 , L0002166 ,	
	L0002167 , L0002168 , L0002169 , L0002170 , L0002171 , L0002172 , L0002173 , L0002174 ,	
	L0002175 , L0002176 , L0002177 , L0002178 , L0002179 , L0002180 , L0002181 , L0002182 ,	
	L0002183 , L0002184 , L0002185 , L0002186 , L0002187 , L0002188 , L0002189 , L0002190 ,	
	L0002191 , L0002192 , L0002193 , L0002194 , L0002195 , L0002196 , L0002197 , L0002198 ,	
	L0002199 , L0002200 , L0002201 , L0002202 , L0002203 , L0002204 , L0002205 , L0002206 ,	

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs

L0002247 , L0002248 , L0002249 , L0002250 , L0002251 ,
L0002252 , L0002253 , L0002254 ,

L0002255 , L0002256 , L0002257 , L0002258 , L0002259 ,
L0002260 , L0002261 , L0002262 ,

L0002263 , L0002264 , L0002265 , L0002266 , L0002267 ,
L0002268 , L0002269 , L0002270 ,

L0002271 , L0002272 , L0002273 , L0002274 , L0002275 ,
L0002276 , L0002277 , L0002278 ,

L0002279 , L0002280 , L0002281 , L0002282 , L0002283 ,
L0002284 , L0002285 , L0002286 ,

L0002287 , L0002288 , L0002289 , L0002290 , L0002291 ,
L0002292 , L0002293 , L0002294 ,

L0002295 , L0002296 , L0002297 , L0002298 , L0002299 ,

```
L0002300    , L0002301    , L0002302    ,

             L0002303    , L0002304    , L0002305    , L0002306    , L0002307    ,
L0002308    , L0002309    , L0002310    ,

             L0002311    , L0002312    , L0002313    , L0002314    , L0002315    ,
L0002316    , L0002317    , L0002318    ,

             L0002319    , L0002320    , L0002321    , L0002322    , L0002323    ,
L0002324    , L0002325    , L0002326    ,

             L0002327    , L0002328    , L0002329    , L0002330    , L0002331    ,
L0002332    , L0002333    , L0002334    ,

             L0002335    , L0002336    , L0002337    , L0002338    , L0002339    ,
L0002340    , L0002341    , L0002342    ,

             L0002343    , L0002344    , L0002345    , L0002346    , L0002347    ,
L0002348    , L0002349    , L0002350    ,

             L0002351    , L0002352    , L0002353    , L0002354    , L0002355    ,
L0002356    , L0002357    , L0002358    ,

             L0002359    , L0002360    , L0002361    , L0002362    , L0002363    ,
L0002364    , L0002365    , L0002366    ,

             L0002367    , L0002368    , L0002369    , L0002370    , L0002371    ,
L0002372    , L0002373    , L0002374    ,

             L0002375    , L0002376    , L0002377    , L0002378    , L0002379    ,
L0002380    , L0002381    , L0002382    ,

             L0002383    , L0002384    , L0002385    , L0002386    , L0002387    ,
L0002388    , L0002389    , L0002390    ,

             L0002391    , L0002392    , L0002393    , L0002394    , L0002395    ,
L0002396    , L0002397    , L0002398    ,

             L0002399    , L0002400    , L0002401    , L0002402    , L0002403    ,
L0002404    , L0002405    , L0002406    ,
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE  31
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*
```

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
		L0002407 , L0002408 , L0002409 , L0002410 , L0002411 , L0002412 , L0002413 , L0002414 ,
		L0002415 , L0002416 , L0002417 , L0002418 , L0002419 , L0002420 , L0002421 , L0002422 ,
		L0002423 , L0002424 , L0002425 , L0002426 , L0002427 , L0002428 , L0002429 , L0002430 ,
		L0002431 , L0002432 , L0002433 , L0002434 , L0002435 , L0002436 , L0002437 , L0002438 ,
		L0002439 , L0002440 , L0002441 , L0002442 , L0002443 , L0002444 , L0002445 , L0002446 ,
		L0002447 , L0002448 , L0002449 , L0002450 , L0002451 , L0002452 , L0002453 , L0002454 ,
		L0002455 , L0002456 , L0002457 , L0002458 , L0002459 , L0002460 , L0002461 , L0002462 ,
		L0002463 , L0002464 , L0002465 , L0002466 , L0002467 , L0002468 , L0002469 , L0002470 ,
		L0002471 , L0002472 , L0002473 , L0002474 , L0002475 , L0002476 , L0002477 , L0002478 ,
		L0002479 , L0002480 , L0002481 , L0002482 , L0002483 , L0002484 , L0002485 , L0002486 ,
		L0002487 , L0002488 , L0002489 , L0002490 , L0002491 , L0002492 , L0002493 , L0002494 ,
		L0002495 , L0002496 , L0002497 , L0002498 , L0002499 , L0002500 , L0002501 , L0002502 ,
		L0002503 , L0002504 , L0002505 , L0002506 , L0002507 , L0002508 , L0002509 , L0002510 ,
		L0002511 , L0002512 , L0002513 , L0002514 , L0002515 , L0002516 , L0002517 , L0002518 ,
		L0002519 , L0002520 , L0002521 , L0002522 , L0002523 ,

L0002524   , L0002525   , L0002526   ,

             L0002527   , L0002528   , L0002529   , L0002530   , L0002531   ,
L0002532   , L0002533   , L0002534   ,

             L0002535   , L0002536   , L0002537   , L0002538   , L0002539   ,
L0002540   , L0002541   , L0002542   ,

             L0002543   ,

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL2   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL3   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL4   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

```
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE  35
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL5        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE  36
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL6          ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL7   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL8   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  39
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL9         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  40
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL10        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL11   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL12         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE  43
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL13         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL14   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL15   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL16        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  47
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL17        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
```

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  48
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL18        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL19   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL20        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  51
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL21        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL22   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL24   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL25   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL26   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  57
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL27        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL28   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL29   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE  61
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL31        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL32   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL33   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  64
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL34        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  65
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL35        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL36   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL37        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE  68
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL38        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL39   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL40   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL41        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  72
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL42        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
```

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  73
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL43        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  74
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL44        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  75
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL47   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL48   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL49   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL50   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  81
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL51        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  82
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL52        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL53   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL54   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE  86
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL56        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL57   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL58   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  89
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL59        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  90
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL60        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL61   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL62        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  93
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL63        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL64   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL65   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL66 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL67 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01						

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  98
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL68        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE  99
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL69        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 100
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL72   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL73   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL74 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL76   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL77   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL78   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL79   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 111
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL81        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL82   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL83   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 114
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL84        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 115
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL85        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL86   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL87        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 118
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL88        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL89   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL90   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 123
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL93        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL94   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL95 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL96 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL97   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL98   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL99 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL100 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL101 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL102   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL103   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL104   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL105 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL106   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL107   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL108   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 139
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL109       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 140
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL110       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL111   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL112       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 143
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL113       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL114   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL115   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 148
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL118       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL119   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL120 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL121 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL122   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL123 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL124 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL125 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL126   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL127   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL128   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL129   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL130 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 161
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL131       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL132   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL133   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 164
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL134       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 165
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL135       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL136   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL137       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 168
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL138       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL139   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL140   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL141 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL142 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01						

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL143   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL144   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL145 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL146 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL147   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL148 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL149   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL150   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 181
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL151       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL152   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL153   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL154   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

```
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL155       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 186
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL156       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL157   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL158   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 189
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL159       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 190
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL160       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL161   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL162       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 193
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL163       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL164   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL165   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL166 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL167 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01						

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 198
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL168       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL169   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL170 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL171 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL172   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL173   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL174   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   12:30:53

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL175   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL176 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL177   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL178   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL179   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL180 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL181   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL182   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL183   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 214
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL184       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 215
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL185       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL186   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL187       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 218
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL188       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL189   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL190   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL191 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL192 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01						

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 223
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL193       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL194   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL195 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL196 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL197   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL198 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL199 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL200 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL201 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL202   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL203   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL204   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL205 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL206   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL207   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL208   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 239
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL209       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 240
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL210       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL211   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL212       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 243
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL213       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001979   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001980   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001983   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001984   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001985 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001986 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001987   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001988   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001989 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001990 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001991 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001992   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001993   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001994   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001995 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001996   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001997   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                            DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                            DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                            DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001998   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 264
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001999     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 265
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002000     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002001   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002002     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 268
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002003     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002004   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002005   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002006   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   12:30:53

                                  PAGE 272
 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002007   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 273
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002008     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002009   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                             DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                             DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                             DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002010 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002011 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002012   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 278
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002013     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002014 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002015 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002016 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002017   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002018   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002019   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002020 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002021   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002022   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002023   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 289
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002024     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 290
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002025     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002026   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002027     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 293
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002028     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002029   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002030   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 298
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002033     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002034   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002035 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002036 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002037   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002038   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002039   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                   DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   12:30:53

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002040   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002041 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002042   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002043   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002044   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002045 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 311
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002046     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002047   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002048   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 314
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002049     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 315
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002050     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002051   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002052     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 318
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002053     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002054   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002055   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 SOURCE ID = L0002056   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002057   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 323
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002058     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002059   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002060     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 326
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002061     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002062   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 328
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002063     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002064 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002065 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002066 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002067   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002068   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002069   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002070 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002071   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002072   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002073   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 339
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002074     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 340
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002075     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002076   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002077     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 343
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002078     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002079   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002080   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002082   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 348
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002083     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002084   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002085     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 351
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002086     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002087   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002088   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002089 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002090 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002091 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002092   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002093   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002094   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002095 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 361
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002096     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002097   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002098   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 364
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002099     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 365
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002100     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002101   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002102     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 368
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002103     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002104   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002105   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 SOURCE ID = L0002106   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002107   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 373
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002108     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002109   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002110 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002111 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002112   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002113   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002114 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002115 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002116 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002117   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002118   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002119   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

```
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - 
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```



```
                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002120     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - 
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002121   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002122   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002123   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 389
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002124     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 390
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002125     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002126   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002127     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 393
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002128     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002129   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002130   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002131   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002132   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 398
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002133     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002134   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002135 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002136 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002137   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002138 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002139 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002140 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002141 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002142   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002143   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002144   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002145 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 411
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002146     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002147   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002148   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 414
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002149     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 415
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002150     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002151   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002152     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 418
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002153     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002154   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002155   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002156   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002157   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 423
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002158     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002159   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002160 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002161 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002162   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002163   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002164 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002165 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002166 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002167   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002168   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002169   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002170 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 436
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002171     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002172   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002173   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 439
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002174     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 440
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002175     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002176   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002177     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 443
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002178     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002179   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002180   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002181   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002182   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 448
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002183     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002184   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002185     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 451
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002186     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002187   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002188   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002189 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002190 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002191 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002192   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002193   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002194   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002195 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002196   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002197   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002198   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 464
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002199     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 465
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002200     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002201   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002202     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 468
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002203     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002204   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002205   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002206   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002207   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 473
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002208     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002209   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002210 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002211 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002212   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 478
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002213     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002214 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002215 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002216 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002217   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002218   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002219   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002220 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 486
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002221     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002222   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002223   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 489
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002224     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 490
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002225     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002226   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002227     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 493
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002228     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002229   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002230   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002233   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002234   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002235 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002236 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002237   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002238   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002239 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002240 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002241 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002242   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002243   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002244   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0002245 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002246   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002247   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002248   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 514
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002249     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 515
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002250     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002251   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002252     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 518
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002253     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002254   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002255   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 SOURCE ID = L0002256   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002257   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002258   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002259   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002260     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 526
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002261     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002262   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002263   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002264 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002265 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002266 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002267   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002268   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002269   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002270 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 536
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002271     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002272   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002273   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 539
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002274     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 540
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002275     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002276   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002277     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 543
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002278     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002279   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002280   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002281   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   12:30:53

                                  PAGE 547
 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002282   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 548
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002283     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002284   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002285     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 551
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002286     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002287   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002288   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002289 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002290 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002291 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002292   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002293   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002294   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002295 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 561
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002296     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002297   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002298   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 564
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002299     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 565
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002300     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002301   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002302     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 568
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002303     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002304   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002305   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002308   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002309   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002310 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002311 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002312   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 578
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002313     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002314 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002315 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002316 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002317   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002318   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002319   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002320 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002321   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002322   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                            DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                            DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                            DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002323   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 589
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002324     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 590
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002325     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002326   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002327     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 593
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002328     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002329   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002330   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002331   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   12:30:53

                                  PAGE 597
 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002332   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 598
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002333     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002334   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002335     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 601
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002336     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002337   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002338   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002339 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002340 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```



```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002341     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002342   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002343   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002344   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002345 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 611
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002346     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002347   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002348   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 614
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002349     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 615
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002350     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002351   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002352     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 618
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002353     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002354   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002355   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002358   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 624
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002359     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 625
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002360 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002361 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002362   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002363   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002364 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002365 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002366 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 632
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002367     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002368   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002369   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002370 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002371   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002372   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002373   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 639
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002374     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 640
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002375     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002376   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002377     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 643
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002378     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002379   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002380   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 648
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002383     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002384   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002385 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002386 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002387   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002388   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002389 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002390 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002391 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002392   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002393   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002394   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002395 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 661
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002396     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002397   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002398   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 664
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002399     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 665
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002400     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002401   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002402     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 668
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002403     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002404   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002405   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002406   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   12:30:53

                                  PAGE 672
 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002407   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 673
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002408     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002409   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002410 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002411 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002412   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002413 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002414 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002415 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002416 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002417   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002418   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002419   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002420 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002421   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002422   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002423   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 689
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002424     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 690
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002425     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002426   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002427     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 693
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002428     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002429   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002430   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 SOURCE ID = L0002431   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002432   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002433   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002434   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002435     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 701
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002436     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002437   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002438 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002439 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002440 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002441 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002442   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002443   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002444   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

```
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002445     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002447   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002448   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 714
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002449     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 715
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002450     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002451   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002452     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 718
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002453     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002454   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002455   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 SOURCE ID = L0002456   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002457   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 723
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002458     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 724
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002459     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 725
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002460 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002461 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002462   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002463 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002464 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002465 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002466 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002467   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002468   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002469   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002470 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 736
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002471     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002472   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002473   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 739
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002474     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 740
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002475     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002476   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002477     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 743
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002478     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002479   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002480   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002481   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   12:30:53

                                  PAGE 747
 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002482   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002483   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002484   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002485     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 751
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002486     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002487   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 753
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002488     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002489   ; SOURCE TYPE = VOLUME   :
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002490   ; SOURCE TYPE = VOLUME   :
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002491 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002492   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002493   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002494   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002495 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 761
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002496     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002497   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002498   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 764
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002499     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 765
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002500     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002501   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002502     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 768
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002503     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002504   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002505   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 773
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002508     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002509   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002510 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002511 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002512   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                   PAGE 778
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002513     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002514 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002515 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002516 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 782
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002517     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002518   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002519   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002520 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 786
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002521     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002522   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002523   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 789
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002524     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 790
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002525     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002526   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0002527     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 793
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002528     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002529   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002530   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002531   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002532   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 798
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002533     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002534   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002535     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        12:30:53

                                  PAGE 801
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002536     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002537   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002538   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002539   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                   DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002540   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0002541 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0002542   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0002543   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                  *** DISCRETE CARTESIAN RECEPTORS ***
                                                (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
                                                             (METERS)

     (490994.7, 3721839.7,   478.2,   575.0,   0.0);   (490768.8, 3722080.3,   452.1,   576.0,   0.0);

```
     ( 490567.1, 3720965.9,     450.9,     576.0,       0.0);         ( 490533.3,
3721540.8,     461.6,     576.0,       0.0);
     ( 490701.1, 3720792.0,     441.4,     576.0,       0.0);         ( 491048.4,
3720789.5,     432.9,     576.0,       0.0);
     ( 490963.6, 3720764.3,     433.9,     576.0,       0.0);         ( 490863.1,
3720782.8,     436.7,     576.0,       0.0);
     ( 490928.6, 3720708.5,     434.0,     576.0,       0.0);         ( 490641.6,
3720741.3,     442.8,     576.0,       0.0);
     ( 490651.4, 3720697.8,     441.6,     576.0,       0.0);         ( 490646.6,
3720652.8,     441.9,     576.0,       0.0);
     ( 490649.4, 3720558.0,     436.9,     576.0,       0.0);         ( 490823.9,
3720607.7,     440.8,     576.0,       0.0);
     ( 490562.0, 3720753.5,     450.3,     576.0,       0.0);         ( 490575.1,
3720674.9,     450.3,     576.0,       0.0);
     ( 490572.2, 3720590.2,     450.8,     576.0,       0.0);         ( 490555.9,
3720504.3,     441.8,     576.0,       0.0);
     ( 490535.2, 3720464.0,     439.3,     576.0,       0.0);         ( 490648.4,
3720471.7,     432.3,     576.0,       0.0);
     ( 490532.7, 3720398.4,     434.4,     576.0,       0.0);         ( 490440.4,
3720352.2,     439.5,     576.0,       0.0);
     ( 490434.7, 3720272.4,     435.1,     576.0,       0.0);         ( 490437.5,
3720170.2,     431.6,     576.0,       0.0);
     ( 491490.4, 3720272.0,     427.3,     775.0,       0.0);         ( 491481.0,
3720254.9,     427.4,     775.0,       0.0);
     ( 491614.2, 3721100.0,     437.0,     482.0,       0.0);         ( 491847.2,
3721029.6,     435.0,     470.0,       0.0);
     ( 491899.7, 3720738.4,     433.0,     775.0,       0.0);         ( 491906.5,
3720898.4,     433.0,     775.0,       0.0);
     ( 492053.0, 3720932.5,     434.0,     775.0,       0.0);         ( 492001.8,
3721138.4,     442.1,     470.0,       0.0);
     ( 490689.2, 3722151.2,     444.9,     576.0,       0.0);         ( 490632.2,
3722325.5,     439.1,     576.0,       0.0);
     ( 489877.9, 3721044.6,     470.2,     576.0,       0.0);         ( 489945.5,
3720583.5,     455.9,     576.0,       0.0);
     ( 489937.6, 3720500.1,     452.9,     576.0,       0.0);         ( 489560.5,
3721030.2,     456.1,     576.0,       0.0);
     ( 489518.7, 3720971.2,     450.9,     576.0,       0.0);         ( 489434.5,
3720982.4,     450.2,     576.0,       0.0);
     ( 489773.4, 3721056.1,     462.8,     576.0,       0.0);         ( 489358.2,
3720774.9,     444.5,     576.0,       0.0);
     ( 490891.4, 3719938.2,     421.9,     521.0,       0.0);         ( 490864.9,
3719919.7,     421.9,     521.0,       0.0);
     ( 490741.8, 3719960.3,     422.4,     521.0,       0.0);         ( 490786.9,
3720019.2,     422.9,     521.0,       0.0);
     ( 490596.6, 3719989.0,     425.1,     521.0,       0.0);         ( 490587.9,
3719858.7,     423.2,     521.0,       0.0);
     ( 490549.6, 3719804.5,     422.7,     521.0,       0.0);         ( 490238.6,
3719517.9,     420.5,     420.5,       0.0);
     ( 490424.3, 3719425.0,     421.0,     421.0,       0.0);         ( 490308.8,
3719200.3,     418.8,     418.8,       0.0);
```

```
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1

                NOTE:  METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON
WHAT IS INCLUDED IN THE DATA FILE.



                                    *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***
                                                          (METERS/SEC)

                                                 1.54,   3.09,   5.14,   8.23,
10.80,
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       12:30:53

                                  PAGE 811
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                                   *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL
DATA ***

   Surface file:   PERI_V9_ADJU\PERI_v9.SFC
                 Met Version:  16216
   Profile file:   PERI_V9_ADJU\PERI_v9.PFL

   Surface format: FREE

   Profile format: FREE

   Surface station no.:     3171                 Upper air station no.:     3190
                 Name: UNKNOWN                                    Name: UNKNOWN

                 Year:   2010                                     Year:   2010

 First 24 hours of scalar data
 YR MO DY JDY HR     H0     U*     W*  DT/DZ ZICNV ZIMCH  M-O LEN    Z0  BOWEN
ALBEDO  REF WS   WD     HT  REF TA     HT
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - -
 10 01 01   1 01   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61
1.00    1.30  335.    9.1  282.5    5.5
 10 01 01   1 02   -3.9  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61
1.00    0.90  142.    9.1  280.9    5.5
```

```
 10 01 01   1 03   -3.9  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61
1.00    0.90  324.    9.1  280.4    5.5
 10 01 01   1 04   -1.3  0.064 -9.000 -9.000 -999.   39.     18.3  0.19   0.61
1.00    0.40  294.    9.1  278.8    5.5
 10 01 01   1 05   -3.9  0.088 -9.000 -9.000 -999.   62.     15.0  0.19   0.61
1.00    0.90  205.    9.1  278.1    5.5
 10 01 01   1 06   -1.3  0.065 -9.000 -9.000 -999.   39.     18.3  0.19   0.61
1.00    0.40    3.    9.1  277.0    5.5
 10 01 01   1 07   -8.0  0.125 -9.000 -9.000 -999.  106.     21.0  0.19   0.61
1.00    1.30   99.    9.1  277.0    5.5
 10 01 01   1 08   -3.3  0.086 -9.000 -9.000 -999.   61.     16.8  0.19   0.61
0.54    0.90  319.    9.1  278.8    5.5
 10 01 01   1 09   20.1  0.128  0.307  0.010   49.  110.     -9.0  0.19   0.61
0.33    0.90  239.    9.1  284.2    5.5
 10 01 01   1 10   56.7  0.087  0.560  0.010  107.   62.     -1.0  0.19   0.61
0.26    0.40  188.    9.1  289.2    5.5
 10 01 01   1 11   81.5  0.323  0.867  0.008  277.  441.    -35.9  0.19   0.61
0.23    2.70  310.    9.1  290.9    5.5
 10 01 01   1 12   97.1  0.281  1.058  0.008  421.  357.    -19.7  0.19   0.61
0.22    2.20  357.    9.1  293.1    5.5
 10 01 01   1 13   92.2  0.279  1.117  0.008  523.  354.    -20.4  0.19   0.61
0.22    2.20  356.    9.1  293.8    5.5
 10 01 01   1 14   77.6  0.275  1.102  0.008  595.  347.    -23.2  0.19   0.61
0.23    2.20   50.    9.1  294.2    5.5
 10 01 01   1 15   54.9  0.230  1.006  0.008  640.  266.    -19.2  0.19   0.61
0.27    1.80   53.    9.1  293.8    5.5
 10 01 01   1 16   12.3  0.206  0.613  0.008  648.  225.    -61.5  0.19   0.61
0.36    1.80   11.    9.1  292.5    5.5
 10 01 01   1 17   -3.6  0.087 -9.000 -9.000 -999.   71.     15.6  0.19   0.61
0.64    0.90  351.    9.1  290.4    5.5
 10 01 01   1 18   -3.8  0.087 -9.000 -9.000 -999.   62.     15.2  0.19   0.61
1.00    0.90  186.    9.1  287.5    5.5
 10 01 01   1 19   -3.8  0.087 -9.000 -9.000 -999.   62.     15.2  0.19   0.61
1.00    0.90  275.    9.1  285.9    5.5
 10 01 01   1 20   -1.2  0.064 -9.000 -9.000 -999.   39.     18.1  0.19   0.61
1.00    0.40  181.    9.1  285.4    5.5
 10 01 01   1 21   -7.8  0.125 -9.000 -9.000 -999.  106.     21.3  0.19   0.61
1.00    1.30  318.    9.1  284.9    5.5
 10 01 01   1 22   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61
1.00    0.90  196.    9.1  283.1    5.5
 10 01 01   1 23   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61
1.00    0.90  330.    9.1  281.4    5.5
 10 01 01   1 24   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61
1.00    1.30  332.    9.1  280.9    5.5


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 10 01 01 01    5.5 0 -999.  -99.00   282.6   99.0  -99.00  -99.00
 10 01 01 01    9.1 1  335.    1.30  -999.0   99.0  -99.00  -99.00
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** THE PERIOD (43824 HRS) AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL2 , VOL3 , VOL4 , VOL5 , VOL6 ,
VOL7 , VOL8 , VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 ,
VOL15 , VOL16 , VOL17 , VOL18 , VOL19 , VOL20 , VOL21 , VOL22 ,
VOL23 , VOL24 , VOL25 , VOL26 , VOL27 , VOL28 , VOL29 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF DPM IN MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)	Y-COORD (M)	CONC
490994.73	3721839.68	0.00360	490768.78	3722080.32	0.00190
490567.13	3720965.89	0.00826	490533.29	3721540.84	0.00526
490701.15	3720792.03	0.01385	491048.40	3720789.53	0.01626
490963.65	3720764.28	0.01162	490863.15	3720782.78	0.01220
490928.65	3720708.53	0.00870	490641.65	3720741.28	0.02161
490651.40	3720697.78	0.01677	490646.65	3720652.77	0.01797
490649.40	3720558.02	0.01594	490823.91	3720607.70	0.00590
490562.05	3720753.46	0.01256	490575.08	3720674.89	0.01252
490572.23	3720590.21	0.01039	490555.94	3720504.30	0.00810

```
         490535.18    3720464.00        0.00623                    490648.36
3720471.74        0.01601
         490532.74    3720398.45        0.00595                    490440.39
3720352.21        0.00307
         490434.69    3720272.41        0.00275                    490437.54
3720170.22        0.00242
         491490.37    3720272.00        0.00292                    491481.01
3720254.91        0.00283
         491614.21    3721100.05        0.01442                    491847.19
3721029.65        0.00499
         491899.71    3720738.36        0.00621                    491906.48
3720898.39        0.00623
         492052.98    3720932.52        0.00260                    492001.79
3721138.44        0.00297
         490689.25    3722151.20        0.00160                    490632.24
3722325.48        0.00123
         489877.88    3721044.61        0.00188                    489945.52
3720583.53        0.00243
         489937.63    3720500.10        0.00197                    489560.52
3721030.19        0.00164
         489518.74    3720971.17        0.00218                    489434.51
3720982.44        0.00176
         489773.40    3721056.06        0.00172                    489358.25
3720774.87        0.00408
         490891.44    3719938.24        0.00282                    490864.92
3719919.67        0.00290
         490741.78    3719960.31        0.00478                    490786.86
3720019.21        0.01080
         490596.57    3719989.02        0.00288                    490587.94
3719858.69        0.00245
         490549.61    3719804.54        0.00221                    490238.59
3719517.86        0.00100
         490424.29    3719425.00        0.00115                    490308.81
3719200.29        0.00089
         490102.04    3719222.92        0.00104                    489972.52
3718850.74        0.00105
         489843.78    3718704.83        0.00130                    489802.43
3718771.93        0.00117
         489700.70    3718622.48        0.00124                    489680.74
3718596.00        0.00122
         489207.97    3717735.32        0.00065                    489528.03
3718383.93        0.00121
         489606.39    3718484.85        0.00137                    489673.48
3718465.68        0.00121
         489529.16    3718196.76        0.00074                    489416.97
3718110.50        0.00113
         487564.20    3715589.39        0.00878                    487424.79
3714958.98        0.01158
         487463.69    3715137.14        0.01181                    487386.45
3714792.65        0.00931
```

*** THE SUMMARY OF MAXIMUM PERIOD (43824 HRS) RESULTS ***

** CONC OF DPM IN MICROGRAMS/M**3 **

GROUP ID	NETWORK AVERAGE CONC	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	GRID-ID
ALL	1ST HIGHEST VALUE IS	0.02161 AT (490641.65, 3720741.28, 442.75, 576.00, 0.00)	DC	
	2ND HIGHEST VALUE IS	0.01797 AT (490646.65, 3720652.77, 441.94, 576.00, 0.00)	DC	
	3RD HIGHEST VALUE IS	0.01677 AT (490651.40, 3720697.78, 441.62, 576.00, 0.00)	DC	
	4TH HIGHEST VALUE IS	0.01626 AT (491048.40, 3720789.53, 432.87, 576.00, 0.00)	DC	
	5TH HIGHEST VALUE IS	0.01601 AT (490648.36, 3720471.74, 432.27, 576.00, 0.00)	DC	
	6TH HIGHEST VALUE IS	0.01594 AT (490649.40, 3720558.02, 436.86, 576.00, 0.00)	DC	
	7TH HIGHEST VALUE IS	0.01442 AT (491614.21, 3721100.05, 437.00, 482.00, 0.00)	DC	
	8TH HIGHEST VALUE IS	0.01385 AT (490701.15, 3720792.03, 441.44, 576.00, 0.00)	DC	
	9TH HIGHEST VALUE IS	0.01256 AT (490562.05, 3720753.46,		

```
450.33,   576.00,    0.00)  DC
         10TH HIGHEST VALUE IS       0.01252 AT (  490575.08,  3720674.89,
450.30,   576.00,    0.00)  DC


 *** RECEPTOR TYPES:  GC = GRIDCART
                      GP = GRIDPOLR
                      DC = DISCCART
                      DP = DISCPOLR
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        12:30:53

                                   PAGE 814
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

 *** Message Summary : AERMOD Model Execution ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            4 Warning Message(s)
 A Total of         2028 Informational Message(s)

 A Total of        43824 Hours Were Processed

 A Total of          978 Calm Hours Identified

 A Total of         1050 Missing Hours Identified (  2.40 Percent)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186   11815       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187   11815       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 MX W450   17521       CHKDAT: Record Out of Sequence in Meteorological File at:
  14010101
 MX W450   17521       CHKDAT: Record Out of Sequence in Meteorological File at:
2 year gap

    ***********************************
    *** AERMOD Finishes Successfully ***
    ***********************************
```

```
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 10/30/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing
Construction\16056-Keller Crossing Construction.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction
   MODELOPT DFAULT CONC
   AVERTIME 1 PERIOD
   URBANOPT 2189641 County_of_Riverside
   POLLUTID DPM
   RUNORNOT RUN
   ERRORFIL "16056-Keller Crossing Construction.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL2         VOLUME     491245.498  3720910.257      437.140
   LOCATION VOL3         VOLUME     491281.580  3720991.153      438.760
   LOCATION VOL4         VOLUME     491317.807  3721040.422      438.100
   LOCATION VOL5         VOLUME     491385.914  3721095.487      437.000
   LOCATION VOL6         VOLUME     491419.243  3721186.779      439.070
   LOCATION VOL7         VOLUME     491471.410  3721244.742      444.920
   LOCATION VOL8         VOLUME     491513.433  3721307.053      453.550
   LOCATION VOL9         VOLUME     491578.642  3721379.507      455.530
   LOCATION VOL10        VOLUME     491646.749  3721467.901      449.530
   LOCATION VOL11        VOLUME     491066.463  3720905.514      437.660
   LOCATION VOL12        VOLUME     490886.379  3720906.566      445.370
   LOCATION VOL13        VOLUME     490704.846  3720902.218      445.600
   LOCATION VOL14        VOLUME     490703.397  3721076.649      456.790
   LOCATION VOL15        VOLUME     490697.600  3721262.131      463.130
```

```
   LOCATION VOL16        VOLUME     490694.702  3721443.266      458.580
   LOCATION VOL17        VOLUME     490883.083  3721085.343      447.140
   LOCATION VOL18        VOLUME     491067.116  3721083.894      448.540
   LOCATION VOL19        VOLUME     490880.185  3721265.030      458.400
   LOCATION VOL20        VOLUME     490874.388  3721443.266      462.630
   LOCATION VOL21        VOLUME     491055.524  3721441.817      466.170
   LOCATION VOL22        VOLUME     491055.524  3721265.030      457.210
   LOCATION VOL23        VOLUME     491216.372  3721088.242      450.790
   LOCATION VOL24        VOLUME     491235.210  3721269.377      452.670
   LOCATION VOL25        VOLUME     491238.108  3721441.817      449.400
   LOCATION VOL26        VOLUME     491411.997  3721360.669      451.460
   LOCATION VOL27        VOLUME     491416.345  3721543.253      471.140
   LOCATION VOL28        VOLUME     490691.804  3721541.804      461.860
   LOCATION VOL29        VOLUME     490872.939  3721541.804      463.880
   LOCATION VOL30        VOLUME     491048.278  3721540.355      468.370
   LOCATION VOL31        VOLUME     491227.964  3721541.804      454.100
   LOCATION VOL32        VOLUME     491598.929  3721543.253      460.300
   LOCATION VOL33        VOLUME     491772.819  3721546.151      456.910
   LOCATION VOL34        VOLUME     491125.060  3720797.040      437.290
** DESCRSRC Off-Site
   LOCATION VOL35        VOLUME     491311.142  3720805.625      430.430
** DESCRSRC Off-Site
   LOCATION VOL36        VOLUME     491126.237  3720772.618      435.640
** DESCRSRC Off-Site
   LOCATION VOL37        VOLUME     491126.237  3720748.031      433.250
** DESCRSRC Off-Site
   LOCATION VOL38        VOLUME     491126.237  3720723.444      432.000
** DESCRSRC Off-Site
   LOCATION VOL39        VOLUME     491127.247  3720699.194      432.000
** DESCRSRC Off-Site
   LOCATION VOL40        VOLUME     491127.584  3720674.944      432.000
** DESCRSRC Off-Site
   LOCATION VOL41        VOLUME     491127.584  3720650.358      432.000
** DESCRSRC Off-Site
   LOCATION VOL42        VOLUME     491295.986  3720787.100      429.950
** DESCRSRC Off-Site
   LOCATION VOL43        VOLUME     491278.136  3720764.198      429.970
** DESCRSRC Off-Site
   LOCATION VOL44        VOLUME     491261.295  3720739.948      429.980
** DESCRSRC Off-Site
   LOCATION VOL45        VOLUME     491243.445  3720715.698      430.380
** DESCRSRC Off-Site
   LOCATION VOL46        VOLUME     491225.257  3720691.448      430.670
** DESCRSRC Off-Site
   LOCATION VOL47        VOLUME     491209.764  3720666.187      431.000
** DESCRSRC Off-Site
   LOCATION VOL48        VOLUME     491190.230  3720641.937      431.910
** DESCRSRC Off-Site
   LOCATION VOL49        VOLUME     490615.176  3720793.338      443.600
** DESCRSRC Off-Site
```

```
   LOCATION VOL50       VOLUME     490615.176  3720771.108      444.340
** DESCRSRC Off-Site
   LOCATION VOL51       VOLUME     490615.176  3720746.184      444.200
** DESCRSRC Off-Site
   LOCATION VOL52       VOLUME     490615.176  3720721.597      444.040
** DESCRSRC Off-Site
   LOCATION VOL53       VOLUME     490615.176  3720697.346      444.180
** DESCRSRC Off-Site
   LOCATION VOL54       VOLUME     490615.176  3720672.758      444.610
** DESCRSRC Off-Site
   LOCATION VOL55       VOLUME     490615.176  3720648.845      445.020
** DESCRSRC Off-Site
   LOCATION VOL56       VOLUME     490615.513  3720624.257      444.660
** DESCRSRC Off-Site
   LOCATION VOL57       VOLUME     490615.850  3720600.006      444.490
** DESCRSRC Off-Site
   LOCATION VOL58       VOLUME     490615.513  3720575.419      440.920
** DESCRSRC Off-Site
   LOCATION VOL59       VOLUME     490615.513  3720551.842      438.710
** DESCRSRC Off-Site
   LOCATION VOL60       VOLUME     490616.186  3720527.254      437.030
** DESCRSRC Off-Site
   LOCATION VOL61       VOLUME     490615.513  3720503.004      435.450
** DESCRSRC Off-Site
   LOCATION VOL62       VOLUME     490614.839  3720478.416      433.860
** DESCRSRC Off-Site
   LOCATION VOL63       VOLUME     490615.513  3720453.492      432.580
** DESCRSRC Off-Site
   LOCATION VOL64       VOLUME     490615.176  3720428.905      431.880
** DESCRSRC Off-Site
   LOCATION VOL65       VOLUME     490615.850  3720404.317      431.460
** DESCRSRC Off-Site
   LOCATION VOL66       VOLUME     490613.829  3720379.056      431.060
** DESCRSRC Off-Site
   LOCATION VOL67       VOLUME     490613.492  3720354.468      430.690
** DESCRSRC Off-Site
   LOCATION VOL68       VOLUME     490614.502  3720329.881      430.530
** DESCRSRC Off-Site
   LOCATION VOL69       VOLUME     490614.166  3720305.967      429.870
** DESCRSRC Off-Site
   LOCATION VOL70       VOLUME     490614.502  3720281.380      428.370
** DESCRSRC Off-Site
   LOCATION VOL71       VOLUME     490618.544  3720257.129      427.430
** DESCRSRC Off-Site
   LOCATION VOL72       VOLUME     490628.649  3720232.878      426.280
** DESCRSRC Off-Site
   LOCATION VOL73       VOLUME     490635.722  3720208.291      426.250
** DESCRSRC Off-Site
   LOCATION VOL74       VOLUME     490648.521  3720183.366      426.770
** DESCRSRC Off-Site
```

```
   LOCATION VOL75       VOLUME     490665.025  3720167.199      427.310
** DESCRSRC Off-Site
   LOCATION VOL76       VOLUME     490677.487  3720148.001      428.060
** DESCRSRC Off-Site
   LOCATION VOL77       VOLUME     490692.980  3720131.834      428.000
** DESCRSRC Off-Site
   LOCATION VOL78       VOLUME     490705.779  3720118.361      428.000
** DESCRSRC Off-Site
   LOCATION VOL79       VOLUME     490718.578  3720107.920      428.000
** DESCRSRC Off-Site
   LOCATION VOL80       VOLUME     490734.072  3720098.826      427.650
** DESCRSRC Off-Site
   LOCATION VOL81       VOLUME     490751.586  3720085.017      426.540
** DESCRSRC Off-Site
   LOCATION VOL82       VOLUME     490773.383  3720071.541      425.080
** DESCRSRC Off-Site
   LOCATION VOL83       VOLUME     490795.529  3720052.802      423.720
** DESCRSRC Off-Site
   LOCATION VOL84       VOLUME     490594.263  3720832.793      444.380
** DESCRSRC Off-Site
   LOCATION VOL85       VOLUME     490568.998  3720833.130      445.860
** DESCRSRC Off-Site
   LOCATION VOL86       VOLUME     490544.408  3720833.467      447.270
** DESCRSRC Off-Site
   LOCATION VOL87       VOLUME     490519.817  3720833.804      448.860
** DESCRSRC Off-Site
   LOCATION VOL88       VOLUME     490494.553  3720843.573      450.650
** DESCRSRC Off-Site
   LOCATION VOL89       VOLUME     490469.625  3720848.289      452.860
** DESCRSRC Off-Site
   LOCATION VOL90       VOLUME     490444.698  3720849.299      455.450
** DESCRSRC Off-Site
   LOCATION VOL91       VOLUME     490419.433  3720850.984      458.530
** DESCRSRC Off-Site
   LOCATION VOL92       VOLUME     490394.506  3720858.058      458.550
** DESCRSRC Off-Site
   LOCATION VOL93       VOLUME     490370.252  3720860.416      459.070
** DESCRSRC Off-Site
   LOCATION VOL94       VOLUME     490345.325  3720864.458      459.360
** DESCRSRC Off-Site
   LOCATION VOL95       VOLUME     490320.397  3720868.500      459.450
** DESCRSRC Off-Site
   LOCATION VOL96       VOLUME     490295.807  3720869.174      459.900
** DESCRSRC Off-Site
   LOCATION VOL97       VOLUME     490270.879  3720869.174      461.100
** DESCRSRC Off-Site
   LOCATION VOL98       VOLUME     490245.952  3720868.837      461.130
** DESCRSRC Off-Site
   LOCATION VOL99       VOLUME     490221.361  3720869.174      461.400
** DESCRSRC Off-Site
```

```
   LOCATION VOL100      VOLUME     490196.770  3720869.174      461.550
** DESCRSRC Off-Site
   LOCATION VOL101      VOLUME     490171.843  3720868.837      461.440
** DESCRSRC Off-Site
   LOCATION VOL102      VOLUME     490146.915  3720866.479      461.240
** DESCRSRC Off-Site
   LOCATION VOL103      VOLUME     490122.998  3720866.142      460.990
** DESCRSRC Off-Site
   LOCATION VOL104      VOLUME     490099.082  3720866.142      459.770
** DESCRSRC Off-Site
   LOCATION VOL105      VOLUME     490074.828  3720863.784      459.330
** DESCRSRC Off-Site
   LOCATION VOL106      VOLUME     490049.563  3720858.731      459.000
** DESCRSRC Off-Site
   LOCATION VOL107      VOLUME     490024.636  3720852.331      457.690
** DESCRSRC Off-Site
   LOCATION VOL108      VOLUME     490000.382  3720842.562      455.960
** DESCRSRC Off-Site
   LOCATION VOL109      VOLUME     489976.128  3720835.825      453.810
** DESCRSRC Off-Site
   LOCATION VOL110      VOLUME     489951.201  3720829.088      453.130
** DESCRSRC Off-Site
   LOCATION VOL111      VOLUME     489926.610  3720824.709      452.080
** DESCRSRC Off-Site
   LOCATION VOL112      VOLUME     489902.020  3720822.014      450.170
** DESCRSRC Off-Site
   LOCATION VOL113      VOLUME     489877.092  3720821.003      448.000
** DESCRSRC Off-Site
   LOCATION VOL114      VOLUME     489852.165  3720821.003      446.900
** DESCRSRC Off-Site
   LOCATION VOL115      VOLUME     489827.237  3720818.982      445.990
** DESCRSRC Off-Site
   LOCATION VOL116      VOLUME     489803.320  3720818.982      446.220
** DESCRSRC Off-Site
   LOCATION VOL117      VOLUME     489778.730  3720818.982      446.640
** DESCRSRC Off-Site
   LOCATION VOL118      VOLUME     489754.139  3720818.645      446.980
** DESCRSRC Off-Site
   LOCATION VOL119      VOLUME     489729.548  3720818.645      447.880
** DESCRSRC Off-Site
   LOCATION VOL120      VOLUME     489704.621  3720818.645      450.370
** DESCRSRC Off-Site
   LOCATION VOL121      VOLUME     489680.030  3720817.635      451.920
** DESCRSRC Off-Site
   LOCATION VOL122      VOLUME     489655.440  3720817.298      452.580
** DESCRSRC Off-Site
   LOCATION VOL123      VOLUME     489630.512  3720817.972      453.080
** DESCRSRC Off-Site
   LOCATION VOL124      VOLUME     489605.585  3720819.319      453.610
** DESCRSRC Off-Site
```

```
   LOCATION VOL125      VOLUME     489580.994  3720820.330      452.830
** DESCRSRC Off-Site
   LOCATION VOL126      VOLUME     489556.740  3720820.330      452.160
** DESCRSRC Off-Site
   LOCATION VOL127      VOLUME     489532.150  3720820.330      451.380
** DESCRSRC Off-Site
   LOCATION VOL128      VOLUME     489507.222  3720819.993      450.640
** DESCRSRC Off-Site
   LOCATION VOL129      VOLUME     489482.968  3720819.319      449.960
** DESCRSRC Off-Site
   LOCATION VOL130      VOLUME     489458.378  3720819.656      449.130
** DESCRSRC Off-Site
   LOCATION VOL131      VOLUME     489433.787  3720819.656      448.310
** DESCRSRC Off-Site
   LOCATION VOL132      VOLUME     489408.860  3720820.330      447.780
** DESCRSRC Off-Site
   LOCATION VOL133      VOLUME     489384.269  3720819.993      446.730
** DESCRSRC Off-Site
   LOCATION VOL134      VOLUME     491354.424  3720825.624      429.990
** DESCRSRC Off-Site
   LOCATION VOL135      VOLUME     491378.990  3720825.196      430.000
** DESCRSRC Off-Site
   LOCATION VOL136      VOLUME     491403.494  3720825.076      430.020
** DESCRSRC Off-Site
   LOCATION VOL137      VOLUME     491428.217  3720824.983      430.600
** DESCRSRC Off-Site
   LOCATION VOL138      VOLUME     491453.532  3720824.983      430.990
** DESCRSRC Off-Site
   LOCATION VOL139      VOLUME     491478.603  3720824.496      430.960
** DESCRSRC Off-Site
   LOCATION VOL140      VOLUME     491503.431  3720824.496      430.960
** DESCRSRC Off-Site
   LOCATION VOL141      VOLUME     491528.016  3720824.739      430.960
** DESCRSRC Off-Site
   LOCATION VOL142      VOLUME     491552.357  3720825.713      431.000
** DESCRSRC Off-Site
   LOCATION VOL143      VOLUME     491577.185  3720827.174      431.570
** DESCRSRC Off-Site
   LOCATION VOL144      VOLUME     491601.526  3720827.417      432.000
** DESCRSRC Off-Site
   LOCATION VOL145      VOLUME     491626.598  3720827.174      432.000
** DESCRSRC Off-Site
   LOCATION VOL146      VOLUME     491650.764  3720828.136      432.000
** DESCRSRC Off-Site
   LOCATION VOL147      VOLUME     491675.106  3720828.136      432.000
** DESCRSRC Off-Site
   LOCATION VOL148      VOLUME     491699.734  3720828.422      432.000
** DESCRSRC Off-Site
   LOCATION VOL149      VOLUME     491723.790  3720829.281      432.000
** DESCRSRC Off-Site
```

```
   LOCATION VOL150       VOLUME     491748.704  3720829.281      432.030
** DESCRSRC Off-Site
   LOCATION VOL151       VOLUME     491773.046  3720828.995      432.110
** DESCRSRC Off-Site
   LOCATION VOL152       VOLUME     491797.674  3720829.281      432.120
** DESCRSRC Off-Site
   LOCATION VOL153       VOLUME     491822.876  3720829.568      432.030
** DESCRSRC Off-Site
   LOCATION VOL154       VOLUME     491847.790  3720829.281      432.000
** DESCRSRC Off-Site
   LOCATION VOL155       VOLUME     491872.705  3720829.281      432.000
** DESCRSRC Off-Site
   LOCATION VOL156       VOLUME     491896.188  3720829.281      432.000
** DESCRSRC Off-Site
   LOCATION VOL157       VOLUME     491920.243  3720829.854      432.000
** DESCRSRC Off-Site
   LOCATION VOL158       VOLUME     491348.195  3720859.487      432.210
** DESCRSRC Off-Site
   LOCATION VOL159       VOLUME     491364.655  3720885.824      433.000
** DESCRSRC Off-Site
   LOCATION VOL160       VOLUME     491384.957  3720914.904      433.970
** DESCRSRC Off-Site
   LOCATION VOL161       VOLUME     491403.063  3720939.046      434.000
** DESCRSRC Off-Site
   LOCATION VOL162       VOLUME     491420.072  3720965.382      434.650
** DESCRSRC Off-Site
   LOCATION VOL163       VOLUME     491438.179  3720991.719      435.000
** DESCRSRC Off-Site
   LOCATION VOL164       VOLUME     491485.914  3721055.366      436.000
** DESCRSRC Off-Site
   LOCATION VOL165       VOLUME     491503.472  3721081.154      436.510
** DESCRSRC Off-Site
   LOCATION VOL166       VOLUME     491522.675  3721112.977      437.570
** DESCRSRC Off-Site
   LOCATION VOL167       VOLUME     491542.977  3721138.765      438.260
** DESCRSRC Off-Site
   LOCATION VOL168       VOLUME     491573.154  3721173.881      438.600
** DESCRSRC Off-Site
   LOCATION VOL169       VOLUME     491596.199  3721201.315      439.520
** DESCRSRC Off-Site
   LOCATION VOL170       VOLUME     491614.305  3721227.652      440.960
** DESCRSRC Off-Site
   LOCATION VOL171       VOLUME     491627.473  3721252.891      442.010
** DESCRSRC Off-Site
   LOCATION VOL172       VOLUME     491642.288  3721277.033      442.320
** DESCRSRC Off-Site
   LOCATION VOL173       VOLUME     491678.501  3721325.865      443.720
** DESCRSRC Off-Site
   LOCATION VOL174       VOLUME     491698.253  3721351.653      444.750
** DESCRSRC Off-Site
```

```
   LOCATION VOL175      VOLUME     491746.537  3721414.203      447.420
** DESCRSRC Off-Site
   LOCATION VOL176      VOLUME     491764.644  3721438.894      448.070
** DESCRSRC Off-Site
   LOCATION VOL177      VOLUME     491874.380  3721595.268      455.190
** DESCRSRC Off-Site
   LOCATION VOL178      VOLUME     491889.194  3721620.507      456.690
** DESCRSRC Off-Site
   LOCATION VOL179      VOLUME     487598.142  3715596.293      402.940
** DESCRSRC Off-Site
   LOCATION VOL180      VOLUME     487593.795  3715571.511      402.820
** DESCRSRC Off-Site
   LOCATION VOL181      VOLUME     487590.795  3715547.643      402.980
** DESCRSRC Off-Site
   LOCATION VOL182      VOLUME     487584.292  3715522.756      403.770
** DESCRSRC Off-Site
   LOCATION VOL183      VOLUME     487575.833  3715498.280      404.110
** DESCRSRC Off-Site
   LOCATION VOL184      VOLUME     487569.094  3715473.375      404.410
** DESCRSRC Off-Site
   LOCATION VOL185      VOLUME     487564.112  3715449.055      404.800
** DESCRSRC Off-Site
   LOCATION VOL186      VOLUME     487559.424  3715424.443      404.650
** DESCRSRC Off-Site
   LOCATION VOL187      VOLUME     487554.443  3715399.830      404.480
** DESCRSRC Off-Site
   LOCATION VOL188      VOLUME     487548.876  3715375.218      404.290
** DESCRSRC Off-Site
   LOCATION VOL189      VOLUME     487544.774  3715350.605      404.160
** DESCRSRC Off-Site
   LOCATION VOL190      VOLUME     487538.914  3715325.700      404.310
** DESCRSRC Off-Site
   LOCATION VOL191      VOLUME     487532.468  3715301.087      404.750
** DESCRSRC Off-Site
   LOCATION VOL192      VOLUME     487527.780  3715276.475      404.590
** DESCRSRC Off-Site
   LOCATION VOL193      VOLUME     487522.506  3715251.862      404.750
** DESCRSRC Off-Site
   LOCATION VOL194      VOLUME     487518.404  3715227.543      405.170
** DESCRSRC Off-Site
   LOCATION VOL195      VOLUME     487510.785  3715202.930      405.480
** DESCRSRC Off-Site
   LOCATION VOL196      VOLUME     487506.097  3715178.318      405.740
** DESCRSRC Off-Site
   LOCATION VOL197      VOLUME     487499.944  3715153.413      405.240
** DESCRSRC Off-Site
   LOCATION VOL198      VOLUME     487494.670  3715128.800      404.070
** DESCRSRC Off-Site
   LOCATION VOL199      VOLUME     487491.154  3715104.774      403.920
** DESCRSRC Off-Site
```

```
   LOCATION VOL200       VOLUME     487485.001  3715079.868      402.920
** DESCRSRC Off-Site
   LOCATION VOL201       VOLUME     487480.020  3715054.963      402.000
** DESCRSRC Off-Site
   LOCATION VOL202       VOLUME     487473.574  3715030.057      402.000
** DESCRSRC Off-Site
   LOCATION VOL203       VOLUME     487467.714  3715005.445      402.000
** DESCRSRC Off-Site
   LOCATION VOL204       VOLUME     487464.198  3714980.832      402.000
** DESCRSRC Off-Site
   LOCATION VOL205       VOLUME     487459.217  3714955.927      402.000
** DESCRSRC Off-Site
   LOCATION VOL206       VOLUME     487453.942  3714931.900      402.000
** DESCRSRC Off-Site
   LOCATION VOL207       VOLUME     487447.841  3714907.908      402.000
** DESCRSRC Off-Site
   LOCATION VOL208       VOLUME     487440.602  3714883.778      402.000
** DESCRSRC Off-Site
   LOCATION VOL209       VOLUME     487435.086  3714858.959      402.000
** DESCRSRC Off-Site
   LOCATION VOL210       VOLUME     487428.882  3714834.829      402.000
** DESCRSRC Off-Site
   LOCATION VOL211       VOLUME     487424.745  3714810.009      402.000
** DESCRSRC Off-Site
   LOCATION VOL212       VOLUME     487419.919  3714785.535      402.000
** DESCRSRC Off-Site
   LOCATION VOL213       VOLUME     487415.438  3714761.060      402.000
** DESCRSRC Off-Site
** ----------------------------------------------------------------------
** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE1
** DESCRSRC Off-Site Construction
** PREFIX
** Length of Side = 14.00
** Configuration = Adjacent
** Emission Rate = 0.0000190273
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 11
** 491319.090, 3720813.562, 430.73, 3.49, 6.51
** 491132.786, 3720561.000, 430.07, 3.49, 6.51
** 490976.884, 3720348.972, 432.34, 3.49, 6.51
** 490894.255, 3720229.706, 426.10, 3.49, 6.51
** 490678.330, 3719926.476, 423.30, 3.49, 6.51
** 490523.986, 3719712.889, 421.53, 3.49, 6.51
** 490301.046, 3719401.084, 421.00, 3.49, 6.51
** 489537.578, 3718341.981, 414.00, 3.49, 6.51
** 489306.540, 3718018.274, 411.11, 3.49, 6.51
** 489109.777, 3717736.458, 411.19, 3.49, 6.51
** 489000.605, 3717596.820, 410.08, 3.49, 6.51
```

```
** ------------------------------------------------------------------
   LOCATION L0001131     VOLUME   491314.934 3720807.929 430.48
   LOCATION L0001132     VOLUME   491306.624 3720796.662 430.04
   LOCATION L0001133     VOLUME   491298.313 3720785.396 429.91
   LOCATION L0001134     VOLUME   491290.002 3720774.129 430.01
   LOCATION L0001135     VOLUME   491281.692 3720762.863 429.93
   LOCATION L0001136     VOLUME   491273.381 3720751.597 429.80
   LOCATION L0001137     VOLUME   491265.070 3720740.330 429.88
   LOCATION L0001138     VOLUME   491256.759 3720729.064 430.20
   LOCATION L0001139     VOLUME   491248.449 3720717.797 430.33
   LOCATION L0001140     VOLUME   491240.138 3720706.531 430.03
   LOCATION L0001141     VOLUME   491231.827 3720695.264 430.31
   LOCATION L0001142     VOLUME   491223.517 3720683.998 430.86
   LOCATION L0001143     VOLUME   491215.206 3720672.732 431.00
   LOCATION L0001144     VOLUME   491206.895 3720661.465 431.00
   LOCATION L0001145     VOLUME   491198.584 3720650.199 431.13
   LOCATION L0001146     VOLUME   491190.274 3720638.932 432.07
   LOCATION L0001147     VOLUME   491181.963 3720627.666 433.08
   LOCATION L0001148     VOLUME   491173.652 3720616.400 433.88
   LOCATION L0001149     VOLUME   491165.342 3720605.133 433.82
   LOCATION L0001150     VOLUME   491157.031 3720593.867 433.54
   LOCATION L0001151     VOLUME   491148.720 3720582.600 432.65
   LOCATION L0001152     VOLUME   491140.409 3720571.334 431.53
   LOCATION L0001153     VOLUME   491132.100 3720560.066 430.64
   LOCATION L0001154     VOLUME   491123.807 3720548.787 430.31
   LOCATION L0001155     VOLUME   491115.513 3720537.508 430.21
   LOCATION L0001156     VOLUME   491107.220 3720526.229 430.01
   LOCATION L0001157     VOLUME   491098.926 3720514.950 429.63
   LOCATION L0001158     VOLUME   491090.633 3720503.671 429.25
   LOCATION L0001159     VOLUME   491082.339 3720492.392 429.11
   LOCATION L0001160     VOLUME   491074.046 3720481.113 429.82
   LOCATION L0001161     VOLUME   491065.752 3720469.834 430.42
   LOCATION L0001162     VOLUME   491057.459 3720458.554 430.76
   LOCATION L0001163     VOLUME   491049.165 3720447.275 431.08
   LOCATION L0001164     VOLUME   491040.872 3720435.996 431.63
   LOCATION L0001165     VOLUME   491032.579 3720424.717 431.81
   LOCATION L0001166     VOLUME   491024.285 3720413.438 431.99
   LOCATION L0001167     VOLUME   491015.992 3720402.159 432.26
   LOCATION L0001168     VOLUME   491007.698 3720390.880 432.71
   LOCATION L0001169     VOLUME   490999.405 3720379.601 432.96
   LOCATION L0001170     VOLUME   490991.111 3720368.322 432.74
   LOCATION L0001171     VOLUME   490982.818 3720357.042 432.43
   LOCATION L0001172     VOLUME   490974.616 3720345.698 432.52
   LOCATION L0001173     VOLUME   490966.643 3720334.190 432.56
   LOCATION L0001174     VOLUME   490958.670 3720322.682 432.16
   LOCATION L0001175     VOLUME   490950.697 3720311.174 431.73
   LOCATION L0001176     VOLUME   490942.724 3720299.666 431.31
   LOCATION L0001177     VOLUME   490934.751 3720288.158 430.49
   LOCATION L0001178     VOLUME   490926.778 3720276.650 429.09
   LOCATION L0001179     VOLUME   490918.806 3720265.142 427.99
```

LOCATION L0001180 VOLUME 490910.833 3720253.634 427.27
LOCATION L0001181 VOLUME 490902.860 3720242.126 426.62
LOCATION L0001182 VOLUME 490894.887 3720230.618 426.31
LOCATION L0001183 VOLUME 490886.778 3720219.206 426.35
LOCATION L0001184 VOLUME 490878.657 3720207.802 426.28
LOCATION L0001185 VOLUME 490870.537 3720196.398 426.01
LOCATION L0001186 VOLUME 490862.416 3720184.994 426.00
LOCATION L0001187 VOLUME 490854.295 3720173.589 426.00
LOCATION L0001188 VOLUME 490846.175 3720162.185 425.98
LOCATION L0001189 VOLUME 490838.054 3720150.781 426.04
LOCATION L0001190 VOLUME 490829.933 3720139.377 426.04
LOCATION L0001191 VOLUME 490821.813 3720127.973 425.73
LOCATION L0001192 VOLUME 490813.692 3720116.569 425.35
LOCATION L0001193 VOLUME 490805.571 3720105.165 425.13
LOCATION L0001194 VOLUME 490797.450 3720093.760 425.02
LOCATION L0001195 VOLUME 490789.330 3720082.356 424.91
LOCATION L0001196 VOLUME 490781.209 3720070.952 424.80
LOCATION L0001197 VOLUME 490773.088 3720059.548 424.69
LOCATION L0001198 VOLUME 490764.968 3720048.144 424.58
LOCATION L0001199 VOLUME 490756.847 3720036.740 424.47
LOCATION L0001200 VOLUME 490748.726 3720025.336 424.40
LOCATION L0001201 VOLUME 490740.606 3720013.931 424.56
LOCATION L0001202 VOLUME 490732.485 3720002.527 424.47
LOCATION L0001203 VOLUME 490724.364 3719991.123 424.18
LOCATION L0001204 VOLUME 490716.244 3719979.719 424.03
LOCATION L0001205 VOLUME 490708.123 3719968.315 423.98
LOCATION L0001206 VOLUME 490700.002 3719956.911 423.73
LOCATION L0001207 VOLUME 490691.882 3719945.507 423.60
LOCATION L0001208 VOLUME 490683.761 3719934.102 423.49
LOCATION L0001209 VOLUME 490675.614 3719922.717 423.38
LOCATION L0001210 VOLUME 490667.414 3719911.370 423.28
LOCATION L0001211 VOLUME 490659.214 3719900.023 423.13
LOCATION L0001212 VOLUME 490651.014 3719888.675 422.83
LOCATION L0001213 VOLUME 490642.814 3719877.328 422.74
LOCATION L0001214 VOLUME 490634.614 3719865.981 422.86
LOCATION L0001215 VOLUME 490626.415 3719854.633 422.62
LOCATION L0001216 VOLUME 490618.215 3719843.286 422.24
LOCATION L0001217 VOLUME 490610.015 3719831.939 422.00
LOCATION L0001218 VOLUME 490601.815 3719820.591 422.00
LOCATION L0001219 VOLUME 490593.615 3719809.244 422.02
LOCATION L0001220 VOLUME 490585.415 3719797.897 421.86
LOCATION L0001221 VOLUME 490577.215 3719786.549 421.85
LOCATION L0001222 VOLUME 490569.015 3719775.202 421.97
LOCATION L0001223 VOLUME 490560.815 3719763.855 421.72
LOCATION L0001224 VOLUME 490552.616 3719752.507 421.68
LOCATION L0001225 VOLUME 490544.416 3719741.160 421.72
LOCATION L0001226 VOLUME 490536.216 3719729.813 421.53
LOCATION L0001227 VOLUME 490528.016 3719718.465 421.46
LOCATION L0001228 VOLUME 490519.845 3719707.097 421.48
LOCATION L0001229 VOLUME 490511.702 3719695.709 421.31

LOCATION L0001230 VOLUME 490503.560 3719684.320 421.21
LOCATION L0001231 VOLUME 490495.417 3719672.932 421.28
LOCATION L0001232 VOLUME 490487.274 3719661.543 421.14
LOCATION L0001233 VOLUME 490479.131 3719650.155 421.03
LOCATION L0001234 VOLUME 490470.989 3719638.767 421.13
LOCATION L0001235 VOLUME 490462.846 3719627.378 421.03
LOCATION L0001236 VOLUME 490454.703 3719615.990 421.00
LOCATION L0001237 VOLUME 490446.561 3719604.601 421.00
LOCATION L0001238 VOLUME 490438.418 3719593.213 421.00
LOCATION L0001239 VOLUME 490430.275 3719581.824 421.00
LOCATION L0001240 VOLUME 490422.132 3719570.436 421.00
LOCATION L0001241 VOLUME 490413.990 3719559.048 421.00
LOCATION L0001242 VOLUME 490405.847 3719547.659 421.00
LOCATION L0001243 VOLUME 490397.704 3719536.271 421.00
LOCATION L0001244 VOLUME 490389.562 3719524.882 420.98
LOCATION L0001245 VOLUME 490381.419 3719513.494 420.93
LOCATION L0001246 VOLUME 490373.276 3719502.106 420.87
LOCATION L0001247 VOLUME 490365.133 3719490.717 420.49
LOCATION L0001248 VOLUME 490356.991 3719479.329 420.20
LOCATION L0001249 VOLUME 490348.848 3719467.940 420.28
LOCATION L0001250 VOLUME 490340.705 3719456.552 420.23
LOCATION L0001251 VOLUME 490332.563 3719445.163 420.03
LOCATION L0001252 VOLUME 490324.420 3719433.775 420.41
LOCATION L0001253 VOLUME 490316.277 3719422.387 420.79
LOCATION L0001254 VOLUME 490308.134 3719410.998 420.96
LOCATION L0001255 VOLUME 490299.986 3719399.614 421.00
LOCATION L0001256 VOLUME 490291.799 3719388.257 421.00
LOCATION L0001257 VOLUME 490283.612 3719376.900 420.87
LOCATION L0001258 VOLUME 490275.426 3719365.543 420.88
LOCATION L0001259 VOLUME 490267.239 3719354.187 420.94
LOCATION L0001260 VOLUME 490259.052 3719342.830 420.73
LOCATION L0001261 VOLUME 490250.866 3719331.473 420.71
LOCATION L0001262 VOLUME 490242.679 3719320.116 420.92
LOCATION L0001263 VOLUME 490234.492 3719308.759 421.20
LOCATION L0001264 VOLUME 490226.305 3719297.402 421.47
LOCATION L0001265 VOLUME 490218.119 3719286.045 421.66
LOCATION L0001266 VOLUME 490209.932 3719274.689 422.03
LOCATION L0001267 VOLUME 490201.745 3719263.332 422.57
LOCATION L0001268 VOLUME 490193.559 3719251.975 423.12
LOCATION L0001269 VOLUME 490185.372 3719240.618 423.67
LOCATION L0001270 VOLUME 490177.185 3719229.261 423.88
LOCATION L0001271 VOLUME 490168.998 3719217.904 423.77
LOCATION L0001272 VOLUME 490160.812 3719206.548 423.67
LOCATION L0001273 VOLUME 490152.625 3719195.191 423.56
LOCATION L0001274 VOLUME 490144.438 3719183.834 423.46
LOCATION L0001275 VOLUME 490136.252 3719172.477 423.35
LOCATION L0001276 VOLUME 490128.065 3719161.120 423.24
LOCATION L0001277 VOLUME 490119.878 3719149.763 423.14
LOCATION L0001278 VOLUME 490111.691 3719138.407 422.96
LOCATION L0001279 VOLUME 490103.505 3719127.050 422.57

LOCATION L0001280 VOLUME 490095.318 3719115.693 422.00
LOCATION L0001281 VOLUME 490087.131 3719104.336 422.07
LOCATION L0001282 VOLUME 490078.945 3719092.979 422.09
LOCATION L0001283 VOLUME 490070.758 3719081.622 421.80
LOCATION L0001284 VOLUME 490062.571 3719070.266 421.43
LOCATION L0001285 VOLUME 490054.384 3719058.909 420.91
LOCATION L0001286 VOLUME 490046.198 3719047.552 420.09
LOCATION L0001287 VOLUME 490038.011 3719036.195 419.42
LOCATION L0001288 VOLUME 490029.824 3719024.838 418.98
LOCATION L0001289 VOLUME 490021.638 3719013.481 418.87
LOCATION L0001290 VOLUME 490013.451 3719002.125 418.77
LOCATION L0001291 VOLUME 490005.264 3718990.768 418.84
LOCATION L0001292 VOLUME 489997.077 3718979.411 419.16
LOCATION L0001293 VOLUME 489988.891 3718968.054 419.41
LOCATION L0001294 VOLUME 489980.704 3718956.697 419.34
LOCATION L0001295 VOLUME 489972.517 3718945.340 419.24
LOCATION L0001296 VOLUME 489964.331 3718933.984 419.13
LOCATION L0001297 VOLUME 489956.144 3718922.627 419.03
LOCATION L0001298 VOLUME 489947.957 3718911.270 418.92
LOCATION L0001299 VOLUME 489939.770 3718899.913 418.81
LOCATION L0001300 VOLUME 489931.584 3718888.556 418.71
LOCATION L0001301 VOLUME 489923.397 3718877.199 418.60
LOCATION L0001302 VOLUME 489915.210 3718865.843 418.84
LOCATION L0001303 VOLUME 489907.024 3718854.486 419.11
LOCATION L0001304 VOLUME 489898.837 3718843.129 419.29
LOCATION L0001305 VOLUME 489890.650 3718831.772 419.18
LOCATION L0001306 VOLUME 489882.463 3718820.415 419.07
LOCATION L0001307 VOLUME 489874.277 3718809.058 418.92
LOCATION L0001308 VOLUME 489866.090 3718797.702 418.57
LOCATION L0001309 VOLUME 489857.903 3718786.345 418.02
LOCATION L0001310 VOLUME 489849.717 3718774.988 418.01
LOCATION L0001311 VOLUME 489841.530 3718763.631 418.07
LOCATION L0001312 VOLUME 489833.343 3718752.274 417.95
LOCATION L0001313 VOLUME 489825.156 3718740.917 417.92
LOCATION L0001314 VOLUME 489816.970 3718729.561 418.13
LOCATION L0001315 VOLUME 489808.783 3718718.204 418.12
LOCATION L0001316 VOLUME 489800.596 3718706.847 418.02
LOCATION L0001317 VOLUME 489792.410 3718695.490 417.91
LOCATION L0001318 VOLUME 489784.223 3718684.133 417.81
LOCATION L0001319 VOLUME 489776.036 3718672.776 417.70
LOCATION L0001320 VOLUME 489767.849 3718661.420 417.60
LOCATION L0001321 VOLUME 489759.663 3718650.063 417.50
LOCATION L0001322 VOLUME 489751.476 3718638.706 417.41
LOCATION L0001323 VOLUME 489743.289 3718627.349 417.28
LOCATION L0001324 VOLUME 489735.103 3718615.992 417.17
LOCATION L0001325 VOLUME 489726.916 3718604.635 417.07
LOCATION L0001326 VOLUME 489718.729 3718593.279 416.96
LOCATION L0001327 VOLUME 489710.542 3718581.922 416.86
LOCATION L0001328 VOLUME 489702.356 3718570.565 416.76
LOCATION L0001329 VOLUME 489694.169 3718559.208 416.76

LOCATION L0001330 VOLUME 489685.982 3718547.851 416.99
LOCATION L0001331 VOLUME 489677.795 3718536.494 417.26
LOCATION L0001332 VOLUME 489669.609 3718525.138 417.33
LOCATION L0001333 VOLUME 489661.422 3718513.781 417.20
LOCATION L0001334 VOLUME 489653.235 3718502.424 416.86
LOCATION L0001335 VOLUME 489645.049 3718491.067 416.31
LOCATION L0001336 VOLUME 489636.862 3718479.710 416.00
LOCATION L0001337 VOLUME 489628.675 3718468.353 416.00
LOCATION L0001338 VOLUME 489620.488 3718456.997 416.00
LOCATION L0001339 VOLUME 489612.302 3718445.640 415.98
LOCATION L0001340 VOLUME 489604.115 3718434.283 415.64
LOCATION L0001341 VOLUME 489595.928 3718422.926 414.98
LOCATION L0001342 VOLUME 489587.742 3718411.569 414.37
LOCATION L0001343 VOLUME 489579.555 3718400.212 414.00
LOCATION L0001344 VOLUME 489571.368 3718388.856 414.00
LOCATION L0001345 VOLUME 489563.181 3718377.499 414.00
LOCATION L0001346 VOLUME 489554.995 3718366.142 414.00
LOCATION L0001347 VOLUME 489546.808 3718354.785 414.00
LOCATION L0001348 VOLUME 489538.621 3718343.428 414.00
LOCATION L0001349 VOLUME 489530.481 3718332.038 414.00
LOCATION L0001350 VOLUME 489522.348 3718320.643 414.00
LOCATION L0001351 VOLUME 489514.215 3718309.247 414.00
LOCATION L0001352 VOLUME 489506.082 3718297.852 414.27
LOCATION L0001353 VOLUME 489497.949 3718286.457 414.65
LOCATION L0001354 VOLUME 489489.816 3718275.061 415.07
LOCATION L0001355 VOLUME 489481.683 3718263.666 415.71
LOCATION L0001356 VOLUME 489473.550 3718252.271 416.14
LOCATION L0001357 VOLUME 489465.417 3718240.876 416.78
LOCATION L0001358 VOLUME 489457.283 3718229.480 418.00
LOCATION L0001359 VOLUME 489449.150 3718218.085 418.66
LOCATION L0001360 VOLUME 489441.017 3718206.690 418.67
LOCATION L0001361 VOLUME 489432.884 3718195.294 419.16
LOCATION L0001362 VOLUME 489424.751 3718183.899 419.03
LOCATION L0001363 VOLUME 489416.618 3718172.504 417.88
LOCATION L0001364 VOLUME 489408.485 3718161.109 417.34
LOCATION L0001365 VOLUME 489400.352 3718149.713 416.79
LOCATION L0001366 VOLUME 489392.219 3718138.318 415.21
LOCATION L0001367 VOLUME 489384.085 3718126.923 413.84
LOCATION L0001368 VOLUME 489375.952 3718115.527 412.53
LOCATION L0001369 VOLUME 489367.819 3718104.132 411.14
LOCATION L0001370 VOLUME 489359.686 3718092.737 410.83
LOCATION L0001371 VOLUME 489351.553 3718081.342 411.05
LOCATION L0001372 VOLUME 489343.420 3718069.946 411.06
LOCATION L0001373 VOLUME 489335.287 3718058.551 411.12
LOCATION L0001374 VOLUME 489327.154 3718047.156 411.10
LOCATION L0001375 VOLUME 489319.021 3718035.760 410.87
LOCATION L0001376 VOLUME 489310.887 3718024.365 410.44
LOCATION L0001377 VOLUME 489302.810 3718012.931 410.52
LOCATION L0001378 VOLUME 489294.795 3718001.452 410.56
LOCATION L0001379 VOLUME 489286.780 3717989.973 410.33

```
   LOCATION L0001380     VOLUME   489278.766 3717978.494 409.94
   LOCATION L0001381     VOLUME   489270.751 3717967.015 409.98
   LOCATION L0001382     VOLUME   489262.737 3717955.536 410.10
   LOCATION L0001383     VOLUME   489254.722 3717944.057 410.21
   LOCATION L0001384     VOLUME   489246.707 3717932.578 410.45
   LOCATION L0001385     VOLUME   489238.693 3717921.099 410.83
   LOCATION L0001386     VOLUME   489230.678 3717909.620 411.07
   LOCATION L0001387     VOLUME   489222.664 3717898.141 411.05
   LOCATION L0001388     VOLUME   489214.649 3717886.662 411.00
   LOCATION L0001389     VOLUME   489206.635 3717875.183 411.36
   LOCATION L0001390     VOLUME   489198.620 3717863.704 411.75
   LOCATION L0001391     VOLUME   489190.605 3717852.226 412.13
   LOCATION L0001392     VOLUME   489182.591 3717840.747 412.25
   LOCATION L0001393     VOLUME   489174.576 3717829.268 412.37
   LOCATION L0001394     VOLUME   489166.562 3717817.789 412.48
   LOCATION L0001395     VOLUME   489158.547 3717806.310 412.54
   LOCATION L0001396     VOLUME   489150.532 3717794.831 412.36
   LOCATION L0001397     VOLUME   489142.518 3717783.352 412.06
   LOCATION L0001398     VOLUME   489134.503 3717771.873 411.97
   LOCATION L0001399     VOLUME   489126.489 3717760.394 411.87
   LOCATION L0001400     VOLUME   489118.474 3717748.915 411.60
   LOCATION L0001401     VOLUME   489110.459 3717737.436 411.34
   LOCATION L0001402     VOLUME   489101.888 3717726.368 411.38
   LOCATION L0001403     VOLUME   489093.265 3717715.339 411.46
   LOCATION L0001404     VOLUME   489084.643 3717704.310 411.48
   LOCATION L0001405     VOLUME   489076.020 3717693.280 411.19
   LOCATION L0001406     VOLUME   489067.397 3717682.251 410.90
   LOCATION L0001407     VOLUME   489058.774 3717671.222 410.61
   LOCATION L0001408     VOLUME   489050.151 3717660.193 410.33
   LOCATION L0001409     VOLUME   489041.528 3717649.163 410.04
   LOCATION L0001410     VOLUME   489032.905 3717638.134 410.20
   LOCATION L0001411     VOLUME   489024.282 3717627.105 410.29
   LOCATION L0001412     VOLUME   489015.659 3717616.075 410.18
   LOCATION L0001413     VOLUME   489007.036 3717605.046 410.00
** End of LINE VOLUME Source ID = SLINE1
** ----------------------------------------------------------------------
** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE2
** DESCRSRC On-Site Construction
** PREFIX
** Length of Side = 14.00
** Configuration = Adjacent
** Emission Rate = 0.0005230789
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 9
** 491314.421, 3720808.861, 429.84, 3.49, 6.51
** 491055.983, 3720456.324, 431.00, 3.49, 6.51
** 490610.674, 3719830.771, 422.05, 3.49, 6.51
** 490494.045, 3719672.395, 421.42, 3.49, 6.51
```

```
** 490066.628, 3719077.324, 421.84, 3.49, 6.51
** 489987.771, 3718967.322, 419.37, 3.49, 6.51
** 489554.390, 3718364.299, 414.00, 3.49, 6.51
** 489496.076, 3718284.780, 415.11, 3.49, 6.51
** 489007.694, 3717604.226, 410.07, 3.49, 6.51
** ----------------------------------------------------------------
   LOCATION L0001414     VOLUME   491310.283 3720803.215 430.33
   LOCATION L0001415     VOLUME   491302.005 3720791.924 429.95
   LOCATION L0001416     VOLUME   491293.728 3720780.633 429.95
   LOCATION L0001417     VOLUME   491285.451 3720769.342 430.02
   LOCATION L0001418     VOLUME   491277.174 3720758.051 429.86
   LOCATION L0001419     VOLUME   491268.896 3720746.760 429.83
   LOCATION L0001420     VOLUME   491260.619 3720735.469 430.01
   LOCATION L0001421     VOLUME   491252.342 3720724.178 430.34
   LOCATION L0001422     VOLUME   491244.065 3720712.887 430.26
   LOCATION L0001423     VOLUME   491235.787 3720701.596 430.07
   LOCATION L0001424     VOLUME   491227.510 3720690.305 430.62
   LOCATION L0001425     VOLUME   491219.233 3720679.014 430.97
   LOCATION L0001426     VOLUME   491210.956 3720667.723 431.00
   LOCATION L0001427     VOLUME   491202.678 3720656.432 431.00
   LOCATION L0001428     VOLUME   491194.401 3720645.141 431.46
   LOCATION L0001429     VOLUME   491186.124 3720633.850 432.58
   LOCATION L0001430     VOLUME   491177.847 3720622.559 433.48
   LOCATION L0001431     VOLUME   491169.569 3720611.268 433.96
   LOCATION L0001432     VOLUME   491161.292 3720599.977 433.69
   LOCATION L0001433     VOLUME   491153.015 3720588.686 433.41
   LOCATION L0001434     VOLUME   491144.738 3720577.395 432.13
   LOCATION L0001435     VOLUME   491136.460 3720566.104 431.09
   LOCATION L0001436     VOLUME   491128.183 3720554.813 430.37
   LOCATION L0001437     VOLUME   491119.906 3720543.522 430.26
   LOCATION L0001438     VOLUME   491111.629 3720532.231 430.16
   LOCATION L0001439     VOLUME   491103.351 3720520.940 429.83
   LOCATION L0001440     VOLUME   491095.074 3720509.649 429.45
   LOCATION L0001441     VOLUME   491086.797 3720498.358 429.08
   LOCATION L0001442     VOLUME   491078.520 3720487.067 429.41
   LOCATION L0001443     VOLUME   491070.242 3720475.775 430.12
   LOCATION L0001444     VOLUME   491061.965 3720464.484 430.61
   LOCATION L0001445     VOLUME   491053.732 3720453.162 430.89
   LOCATION L0001446     VOLUME   491045.613 3720441.756 431.32
   LOCATION L0001447     VOLUME   491037.494 3720430.351 431.67
   LOCATION L0001448     VOLUME   491029.375 3720418.946 431.83
   LOCATION L0001449     VOLUME   491021.256 3720407.541 431.99
   LOCATION L0001450     VOLUME   491013.137 3720396.135 432.49
   LOCATION L0001451     VOLUME   491005.018 3720384.730 432.86
   LOCATION L0001452     VOLUME   490996.898 3720373.325 432.91
   LOCATION L0001453     VOLUME   490988.779 3720361.919 432.53
   LOCATION L0001454     VOLUME   490980.660 3720350.514 432.38
   LOCATION L0001455     VOLUME   490972.541 3720339.109 432.55
   LOCATION L0001456     VOLUME   490964.422 3720327.703 432.42
   LOCATION L0001457     VOLUME   490956.303 3720316.298 431.87
```

LOCATION L0001458 VOLUME 490948.184 3720304.893 431.66
LOCATION L0001459 VOLUME 490940.065 3720293.487 431.06
LOCATION L0001460 VOLUME 490931.946 3720282.082 429.89
LOCATION L0001461 VOLUME 490923.827 3720270.677 428.54
LOCATION L0001462 VOLUME 490915.708 3720259.271 427.62
LOCATION L0001463 VOLUME 490907.589 3720247.866 426.97
LOCATION L0001464 VOLUME 490899.470 3720236.461 426.37
LOCATION L0001465 VOLUME 490891.351 3720225.055 426.29
LOCATION L0001466 VOLUME 490883.232 3720213.650 426.34
LOCATION L0001467 VOLUME 490875.113 3720202.245 426.17
LOCATION L0001468 VOLUME 490866.994 3720190.840 426.00
LOCATION L0001469 VOLUME 490858.875 3720179.434 426.00
LOCATION L0001470 VOLUME 490850.756 3720168.029 426.00
LOCATION L0001471 VOLUME 490842.637 3720156.624 425.98
LOCATION L0001472 VOLUME 490834.518 3720145.218 426.06
LOCATION L0001473 VOLUME 490826.399 3720133.813 425.92
LOCATION L0001474 VOLUME 490818.280 3720122.408 425.54
LOCATION L0001475 VOLUME 490810.161 3720111.002 425.17
LOCATION L0001476 VOLUME 490802.042 3720099.597 425.06
LOCATION L0001477 VOLUME 490793.923 3720088.192 424.95
LOCATION L0001478 VOLUME 490785.804 3720076.786 424.84
LOCATION L0001479 VOLUME 490777.684 3720065.381 424.73
LOCATION L0001480 VOLUME 490769.565 3720053.976 424.62
LOCATION L0001481 VOLUME 490761.446 3720042.570 424.51
LOCATION L0001482 VOLUME 490753.327 3720031.165 424.40
LOCATION L0001483 VOLUME 490745.208 3720019.760 424.45
LOCATION L0001484 VOLUME 490737.089 3720008.354 424.51
LOCATION L0001485 VOLUME 490728.970 3719996.949 424.34
LOCATION L0001486 VOLUME 490720.851 3719985.544 423.97
LOCATION L0001487 VOLUME 490712.732 3719974.139 424.01
LOCATION L0001488 VOLUME 490704.613 3719962.733 423.86
LOCATION L0001489 VOLUME 490696.494 3719951.328 423.64
LOCATION L0001490 VOLUME 490688.375 3719939.923 423.53
LOCATION L0001491 VOLUME 490680.256 3719928.517 423.42
LOCATION L0001492 VOLUME 490672.137 3719917.112 423.31
LOCATION L0001493 VOLUME 490664.018 3719905.707 423.20
LOCATION L0001494 VOLUME 490655.899 3719894.301 422.95
LOCATION L0001495 VOLUME 490647.780 3719882.896 422.75
LOCATION L0001496 VOLUME 490639.661 3719871.491 422.75
LOCATION L0001497 VOLUME 490631.542 3719860.085 422.77
LOCATION L0001498 VOLUME 490623.423 3719848.680 422.42
LOCATION L0001499 VOLUME 490615.304 3719837.275 422.04
LOCATION L0001500 VOLUME 490607.106 3719825.926 422.00
LOCATION L0001501 VOLUME 490598.805 3719814.653 422.01
LOCATION L0001502 VOLUME 490590.503 3719803.380 421.94
LOCATION L0001503 VOLUME 490582.202 3719792.107 421.82
LOCATION L0001504 VOLUME 490573.900 3719780.834 421.90
LOCATION L0001505 VOLUME 490565.598 3719769.560 421.82
LOCATION L0001506 VOLUME 490557.297 3719758.287 421.67
LOCATION L0001507 VOLUME 490548.995 3719747.014 421.72

LOCATION L0001508 VOLUME 490540.694 3719735.741 421.65
LOCATION L0001509 VOLUME 490532.392 3719724.468 421.47
LOCATION L0001510 VOLUME 490524.091 3719713.195 421.49
LOCATION L0001511 VOLUME 490515.789 3719701.922 421.43
LOCATION L0001512 VOLUME 490507.487 3719690.648 421.23
LOCATION L0001513 VOLUME 490499.186 3719679.375 421.29
LOCATION L0001514 VOLUME 490490.935 3719668.065 421.26
LOCATION L0001515 VOLUME 490482.768 3719656.694 421.02
LOCATION L0001516 VOLUME 490474.601 3719645.323 421.12
LOCATION L0001517 VOLUME 490466.434 3719633.952 421.12
LOCATION L0001518 VOLUME 490458.266 3719622.582 421.00
LOCATION L0001519 VOLUME 490450.099 3719611.211 421.00
LOCATION L0001520 VOLUME 490441.932 3719599.840 421.00
LOCATION L0001521 VOLUME 490433.765 3719588.469 421.00
LOCATION L0001522 VOLUME 490425.597 3719577.098 421.00
LOCATION L0001523 VOLUME 490417.430 3719565.727 421.00
LOCATION L0001524 VOLUME 490409.263 3719554.356 421.00
LOCATION L0001525 VOLUME 490401.096 3719542.986 421.00
LOCATION L0001526 VOLUME 490392.928 3719531.615 421.00
LOCATION L0001527 VOLUME 490384.761 3719520.244 420.91
LOCATION L0001528 VOLUME 490376.594 3719508.873 420.96
LOCATION L0001529 VOLUME 490368.427 3719497.502 420.71
LOCATION L0001530 VOLUME 490360.259 3719486.131 420.34
LOCATION L0001531 VOLUME 490352.092 3719474.761 420.26
LOCATION L0001532 VOLUME 490343.925 3719463.390 420.32
LOCATION L0001533 VOLUME 490335.758 3719452.019 420.16
LOCATION L0001534 VOLUME 490327.590 3719440.648 420.18
LOCATION L0001535 VOLUME 490319.423 3719429.277 420.56
LOCATION L0001536 VOLUME 490311.256 3719417.906 420.94
LOCATION L0001537 VOLUME 490303.089 3719406.536 420.97
LOCATION L0001538 VOLUME 490294.921 3719395.165 421.00
LOCATION L0001539 VOLUME 490286.754 3719383.794 420.96
LOCATION L0001540 VOLUME 490278.587 3719372.423 420.88
LOCATION L0001541 VOLUME 490270.420 3719361.052 421.00
LOCATION L0001542 VOLUME 490262.252 3719349.681 420.84
LOCATION L0001543 VOLUME 490254.085 3719338.311 420.73
LOCATION L0001544 VOLUME 490245.918 3719326.940 420.82
LOCATION L0001545 VOLUME 490237.751 3719315.569 421.09
LOCATION L0001546 VOLUME 490229.583 3719304.198 421.36
LOCATION L0001547 VOLUME 490221.416 3719292.827 421.59
LOCATION L0001548 VOLUME 490213.249 3719281.456 421.86
LOCATION L0001549 VOLUME 490205.082 3719270.085 422.38
LOCATION L0001550 VOLUME 490196.914 3719258.715 422.90
LOCATION L0001551 VOLUME 490188.747 3719247.344 423.44
LOCATION L0001552 VOLUME 490180.580 3719235.973 423.98
LOCATION L0001553 VOLUME 490172.413 3719224.602 423.88
LOCATION L0001554 VOLUME 490164.245 3719213.231 423.78
LOCATION L0001555 VOLUME 490156.078 3719201.860 423.67
LOCATION L0001556 VOLUME 490147.911 3719190.490 423.56
LOCATION L0001557 VOLUME 490139.744 3719179.119 423.46

LOCATION L0001558 VOLUME 490131.576 3719167.748 423.35
LOCATION L0001559 VOLUME 490123.409 3719156.377 423.24
LOCATION L0001560 VOLUME 490115.242 3719145.006 423.13
LOCATION L0001561 VOLUME 490107.075 3719133.635 422.84
LOCATION L0001562 VOLUME 490098.907 3719122.265 422.35
LOCATION L0001563 VOLUME 490090.740 3719110.894 422.00
LOCATION L0001564 VOLUME 490082.573 3719099.523 422.12
LOCATION L0001565 VOLUME 490074.406 3719088.152 422.04
LOCATION L0001566 VOLUME 490066.239 3719076.781 421.63
LOCATION L0001567 VOLUME 490058.082 3719065.402 421.26
LOCATION L0001568 VOLUME 490049.925 3719054.024 420.54
LOCATION L0001569 VOLUME 490041.769 3719042.646 419.76
LOCATION L0001570 VOLUME 490033.612 3719031.267 419.19
LOCATION L0001571 VOLUME 490025.455 3719019.889 418.96
LOCATION L0001572 VOLUME 490017.298 3719008.511 418.85
LOCATION L0001573 VOLUME 490009.141 3718997.132 418.74
LOCATION L0001574 VOLUME 490000.985 3718985.754 418.98
LOCATION L0001575 VOLUME 489992.828 3718974.376 419.32
LOCATION L0001576 VOLUME 489984.666 3718963.001 419.42
LOCATION L0001577 VOLUME 489976.496 3718951.632 419.31
LOCATION L0001578 VOLUME 489968.325 3718940.264 419.21
LOCATION L0001579 VOLUME 489960.155 3718928.895 419.10
LOCATION L0001580 VOLUME 489951.984 3718917.527 418.99
LOCATION L0001581 VOLUME 489943.814 3718906.158 418.89
LOCATION L0001582 VOLUME 489935.644 3718894.789 418.78
LOCATION L0001583 VOLUME 489927.473 3718883.421 418.67
LOCATION L0001584 VOLUME 489919.303 3718872.052 418.70
LOCATION L0001585 VOLUME 489911.132 3718860.684 418.97
LOCATION L0001586 VOLUME 489902.962 3718849.315 419.25
LOCATION L0001587 VOLUME 489894.792 3718837.947 419.25
LOCATION L0001588 VOLUME 489886.621 3718826.578 419.14
LOCATION L0001589 VOLUME 489878.451 3718815.209 419.03
LOCATION L0001590 VOLUME 489870.280 3718803.841 418.79
LOCATION L0001591 VOLUME 489862.110 3718792.472 418.34
LOCATION L0001592 VOLUME 489853.940 3718781.104 417.98
LOCATION L0001593 VOLUME 489845.769 3718769.735 418.07
LOCATION L0001594 VOLUME 489837.599 3718758.366 418.03
LOCATION L0001595 VOLUME 489829.429 3718746.998 417.91
LOCATION L0001596 VOLUME 489821.258 3718735.629 417.98
LOCATION L0001597 VOLUME 489813.088 3718724.261 418.18
LOCATION L0001598 VOLUME 489804.917 3718712.892 418.08
LOCATION L0001599 VOLUME 489796.747 3718701.524 417.97
LOCATION L0001600 VOLUME 489788.577 3718690.155 417.86
LOCATION L0001601 VOLUME 489780.406 3718678.786 417.76
LOCATION L0001602 VOLUME 489772.236 3718667.418 417.65
LOCATION L0001603 VOLUME 489764.065 3718656.049 417.54
LOCATION L0001604 VOLUME 489755.895 3718644.681 417.48
LOCATION L0001605 VOLUME 489747.725 3718633.312 417.33
LOCATION L0001606 VOLUME 489739.554 3718621.943 417.22
LOCATION L0001607 VOLUME 489731.384 3718610.575 417.12

LOCATION L0001608 VOLUME 489723.213 3718599.206 417.01
LOCATION L0001609 VOLUME 489715.043 3718587.838 416.90
LOCATION L0001610 VOLUME 489706.873 3718576.469 416.80
LOCATION L0001611 VOLUME 489698.702 3718565.100 416.71
LOCATION L0001612 VOLUME 489690.532 3718553.732 416.83
LOCATION L0001613 VOLUME 489682.361 3718542.363 417.13
LOCATION L0001614 VOLUME 489674.191 3718530.995 417.31
LOCATION L0001615 VOLUME 489666.021 3718519.626 417.26
LOCATION L0001616 VOLUME 489657.850 3718508.258 417.05
LOCATION L0001617 VOLUME 489649.680 3718496.889 416.61
LOCATION L0001618 VOLUME 489641.510 3718485.520 416.00
LOCATION L0001619 VOLUME 489633.339 3718474.152 416.00
LOCATION L0001620 VOLUME 489625.169 3718462.783 416.00
LOCATION L0001621 VOLUME 489616.998 3718451.415 415.97
LOCATION L0001622 VOLUME 489608.828 3718440.046 415.92
LOCATION L0001623 VOLUME 489600.658 3718428.677 415.38
LOCATION L0001624 VOLUME 489592.487 3718417.309 414.69
LOCATION L0001625 VOLUME 489584.317 3718405.940 414.18
LOCATION L0001626 VOLUME 489576.146 3718394.572 414.00
LOCATION L0001627 VOLUME 489567.976 3718383.203 414.00
LOCATION L0001628 VOLUME 489559.806 3718371.835 414.00
LOCATION L0001629 VOLUME 489551.599 3718360.493 414.00
LOCATION L0001630 VOLUME 489543.320 3718349.203 414.00
LOCATION L0001631 VOLUME 489535.040 3718337.913 414.00
LOCATION L0001632 VOLUME 489526.761 3718326.624 414.00
LOCATION L0001633 VOLUME 489518.482 3718315.334 414.00
LOCATION L0001634 VOLUME 489510.203 3718304.044 414.07
LOCATION L0001635 VOLUME 489501.924 3718292.755 414.44
LOCATION L0001636 VOLUME 489493.679 3718281.440 414.82
LOCATION L0001637 VOLUME 489485.517 3718270.066 415.37
LOCATION L0001638 VOLUME 489477.354 3718258.691 415.91
LOCATION L0001639 VOLUME 489469.192 3718247.317 416.24
LOCATION L0001640 VOLUME 489461.029 3718235.943 417.35
LOCATION L0001641 VOLUME 489452.867 3718224.569 418.26
LOCATION L0001642 VOLUME 489444.704 3718213.194 418.59
LOCATION L0001643 VOLUME 489436.542 3718201.820 418.75
LOCATION L0001644 VOLUME 489428.380 3718190.446 419.26
LOCATION L0001645 VOLUME 489420.217 3718179.072 418.31
LOCATION L0001646 VOLUME 489412.055 3718167.697 417.46
LOCATION L0001647 VOLUME 489403.892 3718156.323 417.22
LOCATION L0001648 VOLUME 489395.730 3718144.949 415.91
LOCATION L0001649 VOLUME 489387.567 3718133.574 414.44
LOCATION L0001650 VOLUME 489379.405 3718122.200 413.15
LOCATION L0001651 VOLUME 489371.242 3718110.826 411.64
LOCATION L0001652 VOLUME 489363.080 3718099.452 410.82
LOCATION L0001653 VOLUME 489354.917 3718088.077 410.88
LOCATION L0001654 VOLUME 489346.755 3718076.703 411.00
LOCATION L0001655 VOLUME 489338.592 3718065.329 410.93
LOCATION L0001656 VOLUME 489330.430 3718053.954 411.01
LOCATION L0001657 VOLUME 489322.268 3718042.580 410.89

```
   LOCATION L0001658     VOLUME   489314.105 3718031.206 410.52
   LOCATION L0001659     VOLUME   489305.943 3718019.832 410.39
   LOCATION L0001660     VOLUME   489297.780 3718008.457 410.50
   LOCATION L0001661     VOLUME   489289.618 3717997.083 410.40
   LOCATION L0001662     VOLUME   489281.455 3717985.709 410.06
   LOCATION L0001663     VOLUME   489273.293 3717974.334 409.82
   LOCATION L0001664     VOLUME   489265.130 3717962.960 409.93
   LOCATION L0001665     VOLUME   489256.968 3717951.586 410.04
   LOCATION L0001666     VOLUME   489248.805 3717940.212 410.20
   LOCATION L0001667     VOLUME   489240.643 3717928.837 410.58
   LOCATION L0001668     VOLUME   489232.481 3717917.463 410.95
   LOCATION L0001669     VOLUME   489224.318 3717906.089 411.04
   LOCATION L0001670     VOLUME   489216.156 3717894.714 410.96
   LOCATION L0001671     VOLUME   489207.993 3717883.340 411.09
   LOCATION L0001672     VOLUME   489199.831 3717871.966 411.47
   LOCATION L0001673     VOLUME   489191.668 3717860.592 411.85
   LOCATION L0001674     VOLUME   489183.506 3717849.217 412.00
   LOCATION L0001675     VOLUME   489175.343 3717837.843 412.11
   LOCATION L0001676     VOLUME   489167.181 3717826.469 412.22
   LOCATION L0001677     VOLUME   489159.018 3717815.095 412.28
   LOCATION L0001678     VOLUME   489150.856 3717803.720 412.11
   LOCATION L0001679     VOLUME   489142.693 3717792.346 411.90
   LOCATION L0001680     VOLUME   489134.531 3717780.972 411.71
   LOCATION L0001681     VOLUME   489126.369 3717769.597 411.75
   LOCATION L0001682     VOLUME   489118.206 3717758.223 411.60
   LOCATION L0001683     VOLUME   489110.044 3717746.849 411.32
   LOCATION L0001684     VOLUME   489101.881 3717735.475 411.07
   LOCATION L0001685     VOLUME   489093.719 3717724.100 411.18
   LOCATION L0001686     VOLUME   489085.556 3717712.726 411.29
   LOCATION L0001687     VOLUME   489077.394 3717701.352 411.23
   LOCATION L0001688     VOLUME   489069.231 3717689.977 410.96
   LOCATION L0001689     VOLUME   489061.069 3717678.603 410.69
   LOCATION L0001690     VOLUME   489052.906 3717667.229 410.42
   LOCATION L0001691     VOLUME   489044.744 3717655.855 410.15
   LOCATION L0001692     VOLUME   489036.582 3717644.480 410.05
   LOCATION L0001693     VOLUME   489028.419 3717633.106 410.26
   LOCATION L0001694     VOLUME   489020.257 3717621.732 410.27
   LOCATION L0001695     VOLUME   489012.094 3717610.357 410.06
** End of LINE VOLUME Source ID = SLINE2
** Source Parameters **
   SRCPARAM VOL2         0.0003092912     5.000    41.114     1.400
   SRCPARAM VOL3         0.0003092912     5.000    41.114     1.400
   SRCPARAM VOL4         0.0003092912     5.000    41.114     1.400
   SRCPARAM VOL5         0.0003092912     5.000    41.114     1.400
   SRCPARAM VOL6         0.0003092912     5.000    41.114     1.400
   SRCPARAM VOL7         0.0003092912     5.000    41.114     1.400
   SRCPARAM VOL8         0.0003092912     5.000    41.114     1.400
   SRCPARAM VOL9         0.0003092912     5.000    41.114     1.400
   SRCPARAM VOL10        0.0003092912     5.000    41.114     1.400
   SRCPARAM VOL11        0.0003092912     5.000    41.114     1.400
```

```
SRCPARAM VOL12        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL13        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL14        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL15        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL16        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL17        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL18        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL19        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL20        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL21        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL22        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL23        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL24        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL25        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL26        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL27        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL28        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL29        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL30        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL31        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL32        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL33        0.0003092912     5.000    41.114     1.400
SRCPARAM VOL34        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL35        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL36        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL37        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL38        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL39        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL40        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL41        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL42        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL43        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL44        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL45        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL46        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL47        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL48        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL49        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL50        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL51        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL52        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL53        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL54        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL55        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL56        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL57        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL58        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL59        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL60        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL61        0.0000115022     5.000     5.560     1.400
```

```
SRCPARAM VOL62        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL63        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL64        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL65        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL66        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL67        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL68        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL69        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL70        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL71        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL72        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL73        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL74        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL75        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL76        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL77        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL78        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL79        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL80        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL81        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL82        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL83        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL84        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL85        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL86        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL87        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL88        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL89        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL90        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL91        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL92        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL93        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL94        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL95        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL96        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL97        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL98        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL99        0.0000115022     5.000     5.560     1.400
SRCPARAM VOL100       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL101       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL102       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL103       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL104       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL105       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL106       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL107       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL108       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL109       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL110       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL111       0.0000115022     5.000     5.560     1.400
```

```
SRCPARAM VOL112       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL113       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL114       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL115       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL116       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL117       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL118       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL119       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL120       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL121       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL122       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL123       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL124       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL125       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL126       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL127       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL128       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL129       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL130       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL131       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL132       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL133       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL134       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL135       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL136       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL137       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL138       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL139       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL140       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL141       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL142       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL143       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL144       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL145       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL146       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL147       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL148       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL149       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL150       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL151       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL152       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL153       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL154       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL155       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL156       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL157       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL158       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL159       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL160       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL161       0.0000115022     5.000     5.560     1.400
```

```
SRCPARAM VOL162       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL163       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL164       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL165       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL166       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL167       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL168       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL169       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL170       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL171       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL172       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL173       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL174       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL175       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL176       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL177       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL178       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL179       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL180       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL181       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL182       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL183       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL184       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL185       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL186       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL187       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL188       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL189       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL190       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL191       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL192       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL193       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL194       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL195       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL196       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL197       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL198       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL199       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL200       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL201       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL202       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL203       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL204       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL205       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL206       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL207       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL208       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL209       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL210       0.0000115022     5.000     5.560     1.400
SRCPARAM VOL211       0.0000115022     5.000     5.560     1.400
```

```
   SRCPARAM VOL212       0.0000115022     5.000     5.560     1.400
   SRCPARAM VOL213       0.0000115022     5.000     5.560     1.400
** LINE VOLUME Source ID = SLINE1
   SRCPARAM L0001131     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001132     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001133     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001134     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001135     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001136     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001137     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001138     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001139     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001140     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001141     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001142     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001143     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001144     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001145     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001146     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001147     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001148     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001149     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001150     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001151     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001152     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001153     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001154     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001155     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001156     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001157     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001158     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001159     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001160     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001161     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001162     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001163     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001164     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001165     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001166     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001167     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001168     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001169     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001170     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001171     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001172     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001173     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001174     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001175     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001176     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001177     0.00000006723      3.49      6.51      3.25
```

```
SRCPARAM L0001178     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001179     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001180     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001181     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001182     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001183     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001184     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001185     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001186     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001187     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001188     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001189     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001190     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001191     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001192     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001193     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001194     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001195     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001196     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001197     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001198     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001199     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001200     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001201     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001202     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001203     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001204     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001205     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001206     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001207     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001208     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001209     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001210     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001211     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001212     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001213     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001214     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001215     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001216     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001217     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001218     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001219     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001220     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001221     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001222     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001223     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001224     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001225     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001226     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001227     0.00000006723      3.49      6.51      3.25
```

```
SRCPARAM L0001228     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001229     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001230     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001231     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001232     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001233     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001234     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001235     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001236     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001237     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001238     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001239     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001240     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001241     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001242     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001243     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001244     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001245     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001246     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001247     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001248     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001249     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001250     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001251     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001252     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001253     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001254     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001255     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001256     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001257     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001258     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001259     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001260     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001261     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001262     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001263     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001264     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001265     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001266     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001267     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001268     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001269     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001270     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001271     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001272     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001273     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001274     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001275     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001276     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001277     0.00000006723      3.49      6.51      3.25
```

```
SRCPARAM L0001278     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001279     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001280     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001281     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001282     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001283     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001284     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001285     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001286     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001287     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001288     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001289     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001290     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001291     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001292     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001293     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001294     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001295     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001296     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001297     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001298     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001299     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001300     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001301     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001302     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001303     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001304     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001305     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001306     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001307     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001308     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001309     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001310     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001311     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001312     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001313     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001314     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001315     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001316     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001317     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001318     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001319     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001320     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001321     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001322     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001323     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001324     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001325     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001326     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001327     0.00000006723      3.49      6.51      3.25
```

```
SRCPARAM L0001328     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001329     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001330     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001331     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001332     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001333     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001334     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001335     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001336     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001337     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001338     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001339     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001340     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001341     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001342     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001343     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001344     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001345     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001346     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001347     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001348     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001349     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001350     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001351     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001352     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001353     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001354     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001355     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001356     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001357     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001358     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001359     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001360     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001361     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001362     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001363     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001364     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001365     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001366     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001367     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001368     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001369     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001370     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001371     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001372     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001373     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001374     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001375     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001376     0.00000006723      3.49      6.51      3.25
SRCPARAM L0001377     0.00000006723      3.49      6.51      3.25
```

```
   SRCPARAM L0001378     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001379     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001380     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001381     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001382     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001383     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001384     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001385     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001386     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001387     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001388     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001389     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001390     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001391     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001392     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001393     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001394     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001395     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001396     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001397     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001398     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001399     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001400     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001401     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001402     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001403     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001404     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001405     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001406     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001407     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001408     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001409     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001410     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001411     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001412     0.00000006723      3.49      6.51      3.25
   SRCPARAM L0001413     0.00000006723      3.49      6.51      3.25
** ------------------------------------------------------------------
** LINE VOLUME Source ID = SLINE2
   SRCPARAM L0001414     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001415     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001416     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001417     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001418     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001419     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001420     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001421     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001422     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001423     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001424     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001425     0.000001855      3.49      6.51      3.25
```

```
SRCPARAM L0001426     0.000001855      3.49      6.51      3.25
SRCPARAM L0001427     0.000001855      3.49      6.51      3.25
SRCPARAM L0001428     0.000001855      3.49      6.51      3.25
SRCPARAM L0001429     0.000001855      3.49      6.51      3.25
SRCPARAM L0001430     0.000001855      3.49      6.51      3.25
SRCPARAM L0001431     0.000001855      3.49      6.51      3.25
SRCPARAM L0001432     0.000001855      3.49      6.51      3.25
SRCPARAM L0001433     0.000001855      3.49      6.51      3.25
SRCPARAM L0001434     0.000001855      3.49      6.51      3.25
SRCPARAM L0001435     0.000001855      3.49      6.51      3.25
SRCPARAM L0001436     0.000001855      3.49      6.51      3.25
SRCPARAM L0001437     0.000001855      3.49      6.51      3.25
SRCPARAM L0001438     0.000001855      3.49      6.51      3.25
SRCPARAM L0001439     0.000001855      3.49      6.51      3.25
SRCPARAM L0001440     0.000001855      3.49      6.51      3.25
SRCPARAM L0001441     0.000001855      3.49      6.51      3.25
SRCPARAM L0001442     0.000001855      3.49      6.51      3.25
SRCPARAM L0001443     0.000001855      3.49      6.51      3.25
SRCPARAM L0001444     0.000001855      3.49      6.51      3.25
SRCPARAM L0001445     0.000001855      3.49      6.51      3.25
SRCPARAM L0001446     0.000001855      3.49      6.51      3.25
SRCPARAM L0001447     0.000001855      3.49      6.51      3.25
SRCPARAM L0001448     0.000001855      3.49      6.51      3.25
SRCPARAM L0001449     0.000001855      3.49      6.51      3.25
SRCPARAM L0001450     0.000001855      3.49      6.51      3.25
SRCPARAM L0001451     0.000001855      3.49      6.51      3.25
SRCPARAM L0001452     0.000001855      3.49      6.51      3.25
SRCPARAM L0001453     0.000001855      3.49      6.51      3.25
SRCPARAM L0001454     0.000001855      3.49      6.51      3.25
SRCPARAM L0001455     0.000001855      3.49      6.51      3.25
SRCPARAM L0001456     0.000001855      3.49      6.51      3.25
SRCPARAM L0001457     0.000001855      3.49      6.51      3.25
SRCPARAM L0001458     0.000001855      3.49      6.51      3.25
SRCPARAM L0001459     0.000001855      3.49      6.51      3.25
SRCPARAM L0001460     0.000001855      3.49      6.51      3.25
SRCPARAM L0001461     0.000001855      3.49      6.51      3.25
SRCPARAM L0001462     0.000001855      3.49      6.51      3.25
SRCPARAM L0001463     0.000001855      3.49      6.51      3.25
SRCPARAM L0001464     0.000001855      3.49      6.51      3.25
SRCPARAM L0001465     0.000001855      3.49      6.51      3.25
SRCPARAM L0001466     0.000001855      3.49      6.51      3.25
SRCPARAM L0001467     0.000001855      3.49      6.51      3.25
SRCPARAM L0001468     0.000001855      3.49      6.51      3.25
SRCPARAM L0001469     0.000001855      3.49      6.51      3.25
SRCPARAM L0001470     0.000001855      3.49      6.51      3.25
SRCPARAM L0001471     0.000001855      3.49      6.51      3.25
SRCPARAM L0001472     0.000001855      3.49      6.51      3.25
SRCPARAM L0001473     0.000001855      3.49      6.51      3.25
SRCPARAM L0001474     0.000001855      3.49      6.51      3.25
SRCPARAM L0001475     0.000001855      3.49      6.51      3.25
```

```
SRCPARAM L0001476     0.000001855      3.49      6.51      3.25
SRCPARAM L0001477     0.000001855      3.49      6.51      3.25
SRCPARAM L0001478     0.000001855      3.49      6.51      3.25
SRCPARAM L0001479     0.000001855      3.49      6.51      3.25
SRCPARAM L0001480     0.000001855      3.49      6.51      3.25
SRCPARAM L0001481     0.000001855      3.49      6.51      3.25
SRCPARAM L0001482     0.000001855      3.49      6.51      3.25
SRCPARAM L0001483     0.000001855      3.49      6.51      3.25
SRCPARAM L0001484     0.000001855      3.49      6.51      3.25
SRCPARAM L0001485     0.000001855      3.49      6.51      3.25
SRCPARAM L0001486     0.000001855      3.49      6.51      3.25
SRCPARAM L0001487     0.000001855      3.49      6.51      3.25
SRCPARAM L0001488     0.000001855      3.49      6.51      3.25
SRCPARAM L0001489     0.000001855      3.49      6.51      3.25
SRCPARAM L0001490     0.000001855      3.49      6.51      3.25
SRCPARAM L0001491     0.000001855      3.49      6.51      3.25
SRCPARAM L0001492     0.000001855      3.49      6.51      3.25
SRCPARAM L0001493     0.000001855      3.49      6.51      3.25
SRCPARAM L0001494     0.000001855      3.49      6.51      3.25
SRCPARAM L0001495     0.000001855      3.49      6.51      3.25
SRCPARAM L0001496     0.000001855      3.49      6.51      3.25
SRCPARAM L0001497     0.000001855      3.49      6.51      3.25
SRCPARAM L0001498     0.000001855      3.49      6.51      3.25
SRCPARAM L0001499     0.000001855      3.49      6.51      3.25
SRCPARAM L0001500     0.000001855      3.49      6.51      3.25
SRCPARAM L0001501     0.000001855      3.49      6.51      3.25
SRCPARAM L0001502     0.000001855      3.49      6.51      3.25
SRCPARAM L0001503     0.000001855      3.49      6.51      3.25
SRCPARAM L0001504     0.000001855      3.49      6.51      3.25
SRCPARAM L0001505     0.000001855      3.49      6.51      3.25
SRCPARAM L0001506     0.000001855      3.49      6.51      3.25
SRCPARAM L0001507     0.000001855      3.49      6.51      3.25
SRCPARAM L0001508     0.000001855      3.49      6.51      3.25
SRCPARAM L0001509     0.000001855      3.49      6.51      3.25
SRCPARAM L0001510     0.000001855      3.49      6.51      3.25
SRCPARAM L0001511     0.000001855      3.49      6.51      3.25
SRCPARAM L0001512     0.000001855      3.49      6.51      3.25
SRCPARAM L0001513     0.000001855      3.49      6.51      3.25
SRCPARAM L0001514     0.000001855      3.49      6.51      3.25
SRCPARAM L0001515     0.000001855      3.49      6.51      3.25
SRCPARAM L0001516     0.000001855      3.49      6.51      3.25
SRCPARAM L0001517     0.000001855      3.49      6.51      3.25
SRCPARAM L0001518     0.000001855      3.49      6.51      3.25
SRCPARAM L0001519     0.000001855      3.49      6.51      3.25
SRCPARAM L0001520     0.000001855      3.49      6.51      3.25
SRCPARAM L0001521     0.000001855      3.49      6.51      3.25
SRCPARAM L0001522     0.000001855      3.49      6.51      3.25
SRCPARAM L0001523     0.000001855      3.49      6.51      3.25
SRCPARAM L0001524     0.000001855      3.49      6.51      3.25
SRCPARAM L0001525     0.000001855      3.49      6.51      3.25
```

```
SRCPARAM L0001526     0.000001855      3.49      6.51      3.25
SRCPARAM L0001527     0.000001855      3.49      6.51      3.25
SRCPARAM L0001528     0.000001855      3.49      6.51      3.25
SRCPARAM L0001529     0.000001855      3.49      6.51      3.25
SRCPARAM L0001530     0.000001855      3.49      6.51      3.25
SRCPARAM L0001531     0.000001855      3.49      6.51      3.25
SRCPARAM L0001532     0.000001855      3.49      6.51      3.25
SRCPARAM L0001533     0.000001855      3.49      6.51      3.25
SRCPARAM L0001534     0.000001855      3.49      6.51      3.25
SRCPARAM L0001535     0.000001855      3.49      6.51      3.25
SRCPARAM L0001536     0.000001855      3.49      6.51      3.25
SRCPARAM L0001537     0.000001855      3.49      6.51      3.25
SRCPARAM L0001538     0.000001855      3.49      6.51      3.25
SRCPARAM L0001539     0.000001855      3.49      6.51      3.25
SRCPARAM L0001540     0.000001855      3.49      6.51      3.25
SRCPARAM L0001541     0.000001855      3.49      6.51      3.25
SRCPARAM L0001542     0.000001855      3.49      6.51      3.25
SRCPARAM L0001543     0.000001855      3.49      6.51      3.25
SRCPARAM L0001544     0.000001855      3.49      6.51      3.25
SRCPARAM L0001545     0.000001855      3.49      6.51      3.25
SRCPARAM L0001546     0.000001855      3.49      6.51      3.25
SRCPARAM L0001547     0.000001855      3.49      6.51      3.25
SRCPARAM L0001548     0.000001855      3.49      6.51      3.25
SRCPARAM L0001549     0.000001855      3.49      6.51      3.25
SRCPARAM L0001550     0.000001855      3.49      6.51      3.25
SRCPARAM L0001551     0.000001855      3.49      6.51      3.25
SRCPARAM L0001552     0.000001855      3.49      6.51      3.25
SRCPARAM L0001553     0.000001855      3.49      6.51      3.25
SRCPARAM L0001554     0.000001855      3.49      6.51      3.25
SRCPARAM L0001555     0.000001855      3.49      6.51      3.25
SRCPARAM L0001556     0.000001855      3.49      6.51      3.25
SRCPARAM L0001557     0.000001855      3.49      6.51      3.25
SRCPARAM L0001558     0.000001855      3.49      6.51      3.25
SRCPARAM L0001559     0.000001855      3.49      6.51      3.25
SRCPARAM L0001560     0.000001855      3.49      6.51      3.25
SRCPARAM L0001561     0.000001855      3.49      6.51      3.25
SRCPARAM L0001562     0.000001855      3.49      6.51      3.25
SRCPARAM L0001563     0.000001855      3.49      6.51      3.25
SRCPARAM L0001564     0.000001855      3.49      6.51      3.25
SRCPARAM L0001565     0.000001855      3.49      6.51      3.25
SRCPARAM L0001566     0.000001855      3.49      6.51      3.25
SRCPARAM L0001567     0.000001855      3.49      6.51      3.25
SRCPARAM L0001568     0.000001855      3.49      6.51      3.25
SRCPARAM L0001569     0.000001855      3.49      6.51      3.25
SRCPARAM L0001570     0.000001855      3.49      6.51      3.25
SRCPARAM L0001571     0.000001855      3.49      6.51      3.25
SRCPARAM L0001572     0.000001855      3.49      6.51      3.25
SRCPARAM L0001573     0.000001855      3.49      6.51      3.25
SRCPARAM L0001574     0.000001855      3.49      6.51      3.25
SRCPARAM L0001575     0.000001855      3.49      6.51      3.25
```

```
SRCPARAM L0001576     0.000001855      3.49      6.51      3.25
SRCPARAM L0001577     0.000001855      3.49      6.51      3.25
SRCPARAM L0001578     0.000001855      3.49      6.51      3.25
SRCPARAM L0001579     0.000001855      3.49      6.51      3.25
SRCPARAM L0001580     0.000001855      3.49      6.51      3.25
SRCPARAM L0001581     0.000001855      3.49      6.51      3.25
SRCPARAM L0001582     0.000001855      3.49      6.51      3.25
SRCPARAM L0001583     0.000001855      3.49      6.51      3.25
SRCPARAM L0001584     0.000001855      3.49      6.51      3.25
SRCPARAM L0001585     0.000001855      3.49      6.51      3.25
SRCPARAM L0001586     0.000001855      3.49      6.51      3.25
SRCPARAM L0001587     0.000001855      3.49      6.51      3.25
SRCPARAM L0001588     0.000001855      3.49      6.51      3.25
SRCPARAM L0001589     0.000001855      3.49      6.51      3.25
SRCPARAM L0001590     0.000001855      3.49      6.51      3.25
SRCPARAM L0001591     0.000001855      3.49      6.51      3.25
SRCPARAM L0001592     0.000001855      3.49      6.51      3.25
SRCPARAM L0001593     0.000001855      3.49      6.51      3.25
SRCPARAM L0001594     0.000001855      3.49      6.51      3.25
SRCPARAM L0001595     0.000001855      3.49      6.51      3.25
SRCPARAM L0001596     0.000001855      3.49      6.51      3.25
SRCPARAM L0001597     0.000001855      3.49      6.51      3.25
SRCPARAM L0001598     0.000001855      3.49      6.51      3.25
SRCPARAM L0001599     0.000001855      3.49      6.51      3.25
SRCPARAM L0001600     0.000001855      3.49      6.51      3.25
SRCPARAM L0001601     0.000001855      3.49      6.51      3.25
SRCPARAM L0001602     0.000001855      3.49      6.51      3.25
SRCPARAM L0001603     0.000001855      3.49      6.51      3.25
SRCPARAM L0001604     0.000001855      3.49      6.51      3.25
SRCPARAM L0001605     0.000001855      3.49      6.51      3.25
SRCPARAM L0001606     0.000001855      3.49      6.51      3.25
SRCPARAM L0001607     0.000001855      3.49      6.51      3.25
SRCPARAM L0001608     0.000001855      3.49      6.51      3.25
SRCPARAM L0001609     0.000001855      3.49      6.51      3.25
SRCPARAM L0001610     0.000001855      3.49      6.51      3.25
SRCPARAM L0001611     0.000001855      3.49      6.51      3.25
SRCPARAM L0001612     0.000001855      3.49      6.51      3.25
SRCPARAM L0001613     0.000001855      3.49      6.51      3.25
SRCPARAM L0001614     0.000001855      3.49      6.51      3.25
SRCPARAM L0001615     0.000001855      3.49      6.51      3.25
SRCPARAM L0001616     0.000001855      3.49      6.51      3.25
SRCPARAM L0001617     0.000001855      3.49      6.51      3.25
SRCPARAM L0001618     0.000001855      3.49      6.51      3.25
SRCPARAM L0001619     0.000001855      3.49      6.51      3.25
SRCPARAM L0001620     0.000001855      3.49      6.51      3.25
SRCPARAM L0001621     0.000001855      3.49      6.51      3.25
SRCPARAM L0001622     0.000001855      3.49      6.51      3.25
SRCPARAM L0001623     0.000001855      3.49      6.51      3.25
SRCPARAM L0001624     0.000001855      3.49      6.51      3.25
SRCPARAM L0001625     0.000001855      3.49      6.51      3.25
```

```
SRCPARAM L0001626     0.000001855      3.49      6.51      3.25
SRCPARAM L0001627     0.000001855      3.49      6.51      3.25
SRCPARAM L0001628     0.000001855      3.49      6.51      3.25
SRCPARAM L0001629     0.000001855      3.49      6.51      3.25
SRCPARAM L0001630     0.000001855      3.49      6.51      3.25
SRCPARAM L0001631     0.000001855      3.49      6.51      3.25
SRCPARAM L0001632     0.000001855      3.49      6.51      3.25
SRCPARAM L0001633     0.000001855      3.49      6.51      3.25
SRCPARAM L0001634     0.000001855      3.49      6.51      3.25
SRCPARAM L0001635     0.000001855      3.49      6.51      3.25
SRCPARAM L0001636     0.000001855      3.49      6.51      3.25
SRCPARAM L0001637     0.000001855      3.49      6.51      3.25
SRCPARAM L0001638     0.000001855      3.49      6.51      3.25
SRCPARAM L0001639     0.000001855      3.49      6.51      3.25
SRCPARAM L0001640     0.000001855      3.49      6.51      3.25
SRCPARAM L0001641     0.000001855      3.49      6.51      3.25
SRCPARAM L0001642     0.000001855      3.49      6.51      3.25
SRCPARAM L0001643     0.000001855      3.49      6.51      3.25
SRCPARAM L0001644     0.000001855      3.49      6.51      3.25
SRCPARAM L0001645     0.000001855      3.49      6.51      3.25
SRCPARAM L0001646     0.000001855      3.49      6.51      3.25
SRCPARAM L0001647     0.000001855      3.49      6.51      3.25
SRCPARAM L0001648     0.000001855      3.49      6.51      3.25
SRCPARAM L0001649     0.000001855      3.49      6.51      3.25
SRCPARAM L0001650     0.000001855      3.49      6.51      3.25
SRCPARAM L0001651     0.000001855      3.49      6.51      3.25
SRCPARAM L0001652     0.000001855      3.49      6.51      3.25
SRCPARAM L0001653     0.000001855      3.49      6.51      3.25
SRCPARAM L0001654     0.000001855      3.49      6.51      3.25
SRCPARAM L0001655     0.000001855      3.49      6.51      3.25
SRCPARAM L0001656     0.000001855      3.49      6.51      3.25
SRCPARAM L0001657     0.000001855      3.49      6.51      3.25
SRCPARAM L0001658     0.000001855      3.49      6.51      3.25
SRCPARAM L0001659     0.000001855      3.49      6.51      3.25
SRCPARAM L0001660     0.000001855      3.49      6.51      3.25
SRCPARAM L0001661     0.000001855      3.49      6.51      3.25
SRCPARAM L0001662     0.000001855      3.49      6.51      3.25
SRCPARAM L0001663     0.000001855      3.49      6.51      3.25
SRCPARAM L0001664     0.000001855      3.49      6.51      3.25
SRCPARAM L0001665     0.000001855      3.49      6.51      3.25
SRCPARAM L0001666     0.000001855      3.49      6.51      3.25
SRCPARAM L0001667     0.000001855      3.49      6.51      3.25
SRCPARAM L0001668     0.000001855      3.49      6.51      3.25
SRCPARAM L0001669     0.000001855      3.49      6.51      3.25
SRCPARAM L0001670     0.000001855      3.49      6.51      3.25
SRCPARAM L0001671     0.000001855      3.49      6.51      3.25
SRCPARAM L0001672     0.000001855      3.49      6.51      3.25
SRCPARAM L0001673     0.000001855      3.49      6.51      3.25
SRCPARAM L0001674     0.000001855      3.49      6.51      3.25
SRCPARAM L0001675     0.000001855      3.49      6.51      3.25
```

```
   SRCPARAM L0001676     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001677     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001678     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001679     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001680     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001681     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001682     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001683     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001684     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001685     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001686     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001687     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001688     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001689     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001690     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001691     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001692     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001693     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001694     0.000001855      3.49      6.51      3.25
   SRCPARAM L0001695     0.000001855      3.49      6.51      3.25
** ------------------------------------------------------------------
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 1"
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL64        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL65        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL66        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL67        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL68        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL69        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL70        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL71        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL72        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL73        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL74        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL75        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL76        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL77        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL78        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL79        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL80        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL81        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL82        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL83        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL84        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL85        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL86        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL87        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL87        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL88        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL88        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL89        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL89        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL90        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL90        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL91        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL91        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL92        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL92        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL93        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL93        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL94        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL94        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL95        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL95        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL96        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL96        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL97        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL97        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL98        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL98        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL99        HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL99        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL100       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL100       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL101       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL101       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL102       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL102       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL103       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL103       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL104       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL104       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL105       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL105       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL106       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL106       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL107       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL107       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL108       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL108       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL109       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL109       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL110       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL110       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL111       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL111       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL112       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL112       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL113       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL113       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL114       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL114       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL115       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL115       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL116       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL116       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL117       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL117       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL118       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL118       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL119       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL119       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL120       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL120       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL121       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL121       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL122       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL122       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL123       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL123       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL124       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL124       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL125       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL125       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL126       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL126       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL127       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL127       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL128       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL128       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL129       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL129       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL130       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL130       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL131       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL131       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL132       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL132       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL133       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL133       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL134       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL134       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL135       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL135       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL136       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL136       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL137       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL137       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL138       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL138       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL139       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL139       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL140       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL140       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL141       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL141       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL142       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL142       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL143       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL143       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL144       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL144       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL145       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL145       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL146       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL146       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL147       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL147       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL148       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL148       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL149       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL149       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL150       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL150       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL151       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL151       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL152       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL152       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL153       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL153       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL154       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL154       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL155       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL155       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL156       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL156       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL157       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL157       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL158       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL158       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL159       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL159       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL160       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL160       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL161       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL161       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL162       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL162       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL163       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL163       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL164       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL164       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL165       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL165       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL166       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL166       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL167       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL167       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL168       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL168       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL169       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL169       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL170       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL170       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL171       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL171       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL172       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL172       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL173       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL173       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL174       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL174       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL175       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL175       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL176       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL176       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL177       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL177       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL178       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL178       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL179       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL179       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL180       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL180       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL181       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL181       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL182       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL182       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL183       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL183       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL184       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL184       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL185       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL185       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL186       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL186       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL187       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL187       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL188       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL188       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL189       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL189       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL190       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL190       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL191       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL191       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL192       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL192       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL193       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL193       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL194       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL194       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL195       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL195       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL196       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL196       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL197       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL197       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL198       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL198       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL199       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL199       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL200       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL200       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL201       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL201       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL202       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL202       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL203       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL203       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL204       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL204       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL205       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL205       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL206       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL206       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL207       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL207       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL208       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL208       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL209       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL209       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL210       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL210       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL211       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL211       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL212       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL212       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL213       HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL213       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001131     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001131     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001132     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001133     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001134     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001134     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001135     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001135     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001136     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001136     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001137     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001137     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001138     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001138     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001139     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001139     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001140     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001140     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001141     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001141     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001142     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001143     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001144     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001145     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001146     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001147     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001148     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001149     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001150     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001151     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001152     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001153     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001154     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001155     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001156     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001157     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001158     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001159     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001160     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001161     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001162     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001163     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001164     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001165     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001166     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001167     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001168     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001169     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001170     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001171     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001172     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001173     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001174     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001175     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001176     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001177     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001178     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001179     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001180     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001181     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001182     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001183     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001184     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001185     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001186     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001187     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001188     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001189     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001190     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001191     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001192     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001193     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001194     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001195     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001196     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001197     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001198     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001199     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001200     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001201     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001202     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001203     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001204     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001205     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001206     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001207     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001208     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001209     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001210     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001211     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001212     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001213     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001214     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001215     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001216     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001217     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001218     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001219     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001220     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001221     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001222     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001223     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001224     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001225     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001226     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001227     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001228     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001229     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001230     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001231     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001232     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001233     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001234     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001235     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001236     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001237     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001238     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001239     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001240     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001241     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001242     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001243     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001244     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001245     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001246     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001247     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001248     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001249     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001250     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001251     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001252     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001253     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001254     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001255     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001256     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001257     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001258     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001259     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001260     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001261     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001262     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001263     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001264     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001265     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001266     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001267     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001268     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001269     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001270     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001271     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001272     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001273     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001274     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001275     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001276     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001277     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001278     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001279     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001280     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001281     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001282     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001283     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001284     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001285     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001286     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001287     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001288     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001289     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001290     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001291     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001292     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001293     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001294     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001295     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001296     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001297     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001298     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001299     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001300     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001301     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001302     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001303     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001304     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001305     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001306     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001307     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001308     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001309     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001310     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001311     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001312     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001313     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001314     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001315     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001316     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001317     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001318     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001319     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001320     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001321     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001322     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001323     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001324     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001325     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001326     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001327     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001328     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001329     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001330     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001331     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001332     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001333     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001334     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001335     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001336     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001337     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001338     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001339     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001340     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001341     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001342     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001343     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001344     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001345     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001346     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001347     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001348     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001349     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001350     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001351     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001352     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001353     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001354     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001355     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001356     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001357     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001358     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001359     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001360     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001361     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001362     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001363     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001364     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001365     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001366     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001367     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001368     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001369     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001370     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001371     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001372     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001373     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001374     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001375     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001376     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001377     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001378     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
EMISFACT L0001379     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001380     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001381     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001382     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001383     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001384     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001385     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001386     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001387     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001388     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001389     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001390     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001391     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001392     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001393     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001394     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001395     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001396     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001397     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001398     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001399     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001400     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001401     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001402     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001403     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT L0001404     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001405     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001405     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001406     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001406     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001407     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001407     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001408     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001408     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001409     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001409     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001410     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001410     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001411     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001411     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001412     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001412     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001413     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001131     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001132     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001133     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001134     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001135     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001136     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001137     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001138     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001139     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001140     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001141     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001142     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001143     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001144     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001145     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001146     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001147     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001148     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001149     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001150     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001151     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001152     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001153     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001154     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001155     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001156     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001157     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001158     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001159     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001160     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001161     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001162     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001163     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001164     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001165     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001166     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001167     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001168     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001169     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001170     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001171     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001172     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001173     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001174     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001175     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001176     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001177     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001178     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001179     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001180     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001181     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001182     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001183     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001184     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001185     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001186     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001187     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001188     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001189     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001190     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001191     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001192     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001193     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001194     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001195     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001196     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001197     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001198     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001199     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001200     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001201     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001202     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001203     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001204     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001205     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001206     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001207     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001208     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001209     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001210     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001211     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001212     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001213     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001214     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001215     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001216     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001217     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001218     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001219     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001220     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001221     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001222     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001223     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001224     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001225     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001226     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001227     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001228     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001229     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001230     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001231     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001232     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001233     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001234     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001235     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001236     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001237     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001238     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001239     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001240     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001241     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001242     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001243     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001244     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001245     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001246     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001247     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001248     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001249     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001250     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001251     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001252     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001253     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001254     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001255     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001256     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001257     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001258     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001259     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001260     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001261     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001262     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001263     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001264     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001265     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001266     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001267     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001268     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001269     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001270     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001271     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001272     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001273     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001274     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001275     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001276     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001277     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001278     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001279     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001280     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001281     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001282     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001283     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001284     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001285     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001286     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001287     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001288     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001289     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001290     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001291     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001292     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001293     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001294     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001295     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001296     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001297     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001298     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001299     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001300     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001301     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001302     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001303     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001304     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001305     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001306     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001307     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001308     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001309     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001310     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001311     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001312     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001313     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001314     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001315     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001316     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001317     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001318     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001319     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001320     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001321     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001322     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001323     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001324     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001325     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001326     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001327     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001328     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001329     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001330     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001331     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001332     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001333     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001334     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001335     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001336     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001337     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001338     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001339     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001340     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001341     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001342     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001343     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001344     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001345     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001346     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001347     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001348     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001349     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001350     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001351     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001352     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001353     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001354     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001355     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001356     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001357     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001358     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001359     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001360     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001361     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001362     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001363     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001364     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001365     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001366     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001367     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001368     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001369     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001370     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001371     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001372     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001373     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001374     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001375     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001376     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001377     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001378     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001379     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001380     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001381     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001382     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001383     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001384     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001385     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001386     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001387     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001388     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001389     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001390     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001391     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001392     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001393     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001394     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001395     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001396     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001397     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001398     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001399     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001400     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001401     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001402     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001403     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001404     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001405     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001406     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001407     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001408     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001409     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001410     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001411     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001412     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001413     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001414     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001414     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001415     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001416     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001417     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001418     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001418     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001419     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001419     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001420     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001420     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001421     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001421     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001422     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001422     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001423     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001423     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001424     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001424     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001425     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001425     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001426     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001427     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001428     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001429     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001430     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001431     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001432     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001433     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001434     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001435     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001436     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001437     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001438     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001439     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001440     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001441     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001442     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001443     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001444     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001445     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001446     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001447     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001448     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001449     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001450     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001450     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001451     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001452     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001453     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001454     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001455     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001456     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001457     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001458     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001459     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001460     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001461     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001462     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001463     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001464     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001465     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001466     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001467     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001468     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001469     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001470     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001471     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001472     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001473     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001474     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001475     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001475     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001476     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001477     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001478     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001479     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001480     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001481     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001482     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001483     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001484     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001485     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001486     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001487     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001488     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001489     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001490     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001491     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001492     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001493     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001494     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001495     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001496     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001497     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001498     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001499     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001500     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001500     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001501     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001502     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001503     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001504     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001505     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001506     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001507     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001508     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001509     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001510     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001511     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001512     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001513     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001514     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001515     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001516     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001517     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001518     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001519     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001520     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001521     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001522     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001523     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001524     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001525     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001525     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001526     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001527     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001528     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001529     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001530     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001531     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001532     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001533     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001534     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001535     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001536     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001537     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001538     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001539     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001540     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001541     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001542     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001543     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001544     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001545     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001546     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001547     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001548     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001549     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001550     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001550     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001551     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001552     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001553     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001554     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001555     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001556     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001557     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001558     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001559     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001560     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001561     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001562     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001563     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001564     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001565     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001566     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001567     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001568     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001569     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001570     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001571     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001572     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001573     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001574     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001575     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001575     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001576     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001577     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001578     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001579     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001580     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001581     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001582     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001583     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001584     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001585     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001586     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001587     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001588     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001589     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001590     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001591     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001592     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001593     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001594     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001595     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001596     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001597     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001598     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001599     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001600     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001600     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001601     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001602     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001603     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001604     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001605     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001606     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001607     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001608     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001609     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001610     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001611     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001612     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001613     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001614     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001615     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001616     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001617     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001618     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001619     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001620     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001621     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001622     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001623     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001624     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001625     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001625     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001626     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001627     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001628     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001629     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001630     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001631     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001632     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001633     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001634     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001635     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001636     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001637     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001638     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001639     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001640     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001641     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001642     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001643     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001644     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001645     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001646     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001647     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001648     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001649     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001650     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001650     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001651     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001652     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001653     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001654     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001655     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001656     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001657     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001658     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001659     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001660     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001661     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001662     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001663     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001664     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001665     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001666     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001667     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001668     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001669     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001670     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001671     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001672     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001673     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001674     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001675     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001675     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001676     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001677     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001678     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001679     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001680     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001681     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001682     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001683     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001684     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001685     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001686     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001686     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001687     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0001687     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
```

```
   EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001688     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001688     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001689     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001689     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001690     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001690     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001691     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001691     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001692     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001692     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001693     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001694     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT L0001695     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001414     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001415     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001416     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001417     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001418     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001419     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001420     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001421     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001422     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001423     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001424     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001425     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001426     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001427     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001428     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001429     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001430     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001431     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001432     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001433     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001434     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001435     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001436     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001437     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001438     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001439     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001440     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001441     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001442     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001443     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001444     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001445     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001446     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001447     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001448     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001449     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001450     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001451     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001452     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001453     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001454     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001455     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001456     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001457     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001458     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001459     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001460     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001461     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001462     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001463     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001464     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001465     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001466     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001467     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001468     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001469     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001470     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001471     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001472     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001473     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001474     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001475     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001476     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001477     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001478     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001479     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001480     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001481     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001482     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001483     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001484     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001485     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001486     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001487     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001488     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001489     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001490     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001491     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001492     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001493     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001494     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001495     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001496     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001497     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001498     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001499     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001500     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001501     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001502     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001503     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001504     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001505     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001506     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001507     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001508     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001509     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001510     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001511     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001512     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001513     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001514     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001515     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001516     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001517     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001518     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001519     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001520     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001521     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001522     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001523     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001524     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001525     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001526     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001527     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001528     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001529     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001530     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001531     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001532     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001533     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001534     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001535     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001536     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001537     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001538     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001539     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001540     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001541     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001542     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001543     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001544     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001545     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001546     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001547     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001548     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001549     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001550     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001551     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001552     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001553     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001554     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001555     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001556     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001557     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001558     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001559     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001560     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001561     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001562     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001563     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001564     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001565     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001566     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001567     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001568     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001569     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001570     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001571     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001572     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001573     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001574     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001575     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001576     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001577     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001578     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001579     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001580     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001581     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001582     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001583     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001584     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001585     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001586     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001587     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001588     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001589     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001590     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001591     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001592     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001593     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001594     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001595     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001596     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001597     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001598     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001599     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001600     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001601     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001602     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001603     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001604     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001605     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001606     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001607     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001608     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001609     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001610     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001611     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001612     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001613     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001614     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001615     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001616     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001617     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001618     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001619     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001620     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001621     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001622     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001623     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001624     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001625     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001626     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001627     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001628     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001629     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001630     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001631     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001632     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001633     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001634     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001635     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001636     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001637     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001638     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001639     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001640     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001641     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001642     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001643     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001644     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001645     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001646     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001647     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001648     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001649     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001650     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001651     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001652     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001653     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001654     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001655     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001656     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001657     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001658     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001659     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001660     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001661     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001662     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001663     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001664     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001665     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001666     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001667     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001668     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001669     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001670     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001671     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001672     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001673     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001674     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001675     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001676     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001677     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001678     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001679     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001680     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001681     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001682     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001683     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001684     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT L0001685     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001686     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001687     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001688     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001689     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001690     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001691     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001692     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001693     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001694     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT L0001695     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
```

```
   INCLUDED "16056-Keller Crossing Construction.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE PERI_V9_ADJU\PERI_v9.SFC
   PROFFILE PERI_V9_ADJU\PERI_v9.PFL
   SURFDATA 3171 2010
   UAIRDATA 3190 2010
   SITEDATA 99999 2010
   PROFBASE 442.0 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "16056-Keller Crossing Construction.AD\01H1GALL.PLT" 31
   PLOTFILE PERIOD ALL "16056-Keller Crossing Construction.AD\PE00GALL.PLT" 32
   SUMMFILE "16056-Keller Crossing Construction.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186   11815       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187   11815       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
```

```
 **********************************
 *** SETUP Finishes Successfully ***
 **********************************

 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                         ***        10:27:54

                                    PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for   777 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   2189641.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Assumes No FLAGPOLE Receptor Heights.
      * The User Specified a Pollutant Type of: DPM

 **Model Calculates  1 Short Term Average(s) of:   1-HR
     and Calculates PERIOD Averages

 **This Run Includes:    777 Source(s);       1 Source Group(s); and      78
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:    777 VOLUME source(s)
```

```
                and:      0 AREA type source(s)
                and:      0 LINE source(s)
                and:      0 RLINE/RLINEXT source(s)
                and:      0 OPENPIT source(s)
                and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  16216

 **Output Options Selected:
         Model Outputs Tables of PERIOD Averages by Receptor
         Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
         Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
         Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours

 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =   442.00 ;  Decay
Coef. =    0.000     ;  Rot. Angle =     0.0
                 Emission Units = GRAMS/SEC                                 ;
Emission Rate Unit Factor =   0.10000E+07
                 Output Units   = MICROGRAMS/M**3

 **Approximate Storage Requirements of Model =      4.3 MB of RAM.

 **Input Runstream File:          aermod.inp

 **Output Print File:             aermod.out


 **Detailed Error/Message File:   16056-Keller Crossing Construction.err

 **File for Summary of Results:   16056-Keller Crossing Construction.sum

 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	AIRCRAFT EMISSION RATE SCALAR VARY BY
VOL2	0	0.30929E-03	491245.5	3720910.3	437.1	5.00	41.11	1.40	YES	HRDOW
VOL3	0	0.30929E-03	491281.6	3720991.2	438.8	5.00	41.11	1.40	YES	HRDOW
VOL4	0	0.30929E-03	491317.8	3721040.4	438.1	5.00	41.11	1.40	YES	HRDOW
VOL5	0	0.30929E-03	491385.9	3721095.5	437.0	5.00	41.11	1.40	YES	HRDOW
VOL6	0	0.30929E-03	491419.2	3721186.8	439.1	5.00	41.11	1.40	YES	HRDOW
VOL7	0	0.30929E-03	491471.4	3721244.7	444.9	5.00	41.11	1.40	YES	HRDOW
VOL8	0	0.30929E-03	491513.4	3721307.1	453.6	5.00	41.11	1.40	YES	HRDOW
VOL9	0	0.30929E-03	491578.6	3721379.5	455.5	5.00	41.11	1.40	YES	HRDOW
VOL10	0	0.30929E-03	491646.7	3721467.9	449.5	5.00	41.11	1.40	YES	HRDOW
VOL11	0	0.30929E-03	491066.5	3720905.5	437.7	5.00	41.11	1.40	YES	HRDOW
VOL12	0	0.30929E-03	490886.4	3720906.6	445.4	5.00	41.11	1.40	YES	HRDOW
VOL13	0	0.30929E-03	490704.8	3720902.2	445.6	5.00	41.11	1.40	YES	HRDOW
VOL14	0	0.30929E-03	490703.4	3721076.6	456.8	5.00	41.11	1.40	YES	HRDOW
VOL15	0	0.30929E-03	490697.6	3721262.1	463.1	5.00	41.11	1.40	YES	HRDOW
VOL16	0	0.30929E-03	490694.7	3721443.3	458.6	5.00	41.11	1.40	YES	HRDOW
VOL17	0	0.30929E-03	490883.1	3721085.3	447.1	5.00	41.11	1.40	YES	HRDOW
VOL18	0	0.30929E-03	491067.1	3721083.9	448.5	5.00	41.11	1.40	YES	HRDOW
VOL19	0	0.30929E-03	490880.2	3721265.0	458.4	5.00	41.11			

```
1.40     YES   HRDOW            NO
 VOL20           0   0.30929E-03  490874.4 3721443.3   462.6     5.00    41.11
1.40     YES   HRDOW            NO
 VOL21           0   0.30929E-03  491055.5 3721441.8   466.2     5.00    41.11
1.40     YES   HRDOW            NO
 VOL22           0   0.30929E-03  491055.5 3721265.0   457.2     5.00    41.11
1.40     YES   HRDOW            NO
 VOL23           0   0.30929E-03  491216.4 3721088.2   450.8     5.00    41.11
1.40     YES   HRDOW            NO
 VOL24           0   0.30929E-03  491235.2 3721269.4   452.7     5.00    41.11
1.40     YES   HRDOW            NO
 VOL25           0   0.30929E-03  491238.1 3721441.8   449.4     5.00    41.11
1.40     YES   HRDOW            NO
 VOL26           0   0.30929E-03  491412.0 3721360.7   451.5     5.00    41.11
1.40     YES   HRDOW            NO
 VOL27           0   0.30929E-03  491416.3 3721543.3   471.1     5.00    41.11
1.40     YES   HRDOW            NO
 VOL28           0   0.30929E-03  490691.8 3721541.8   461.9     5.00    41.11
1.40     YES   HRDOW            NO
 VOL29           0   0.30929E-03  490872.9 3721541.8   463.9     5.00    41.11
1.40     YES   HRDOW            NO
 VOL30           0   0.30929E-03  491048.3 3721540.4   468.4     5.00    41.11
1.40     YES   HRDOW            NO
 VOL31           0   0.30929E-03  491228.0 3721541.8   454.1     5.00    41.11
1.40     YES   HRDOW            NO
 VOL32           0   0.30929E-03  491598.9 3721543.3   460.3     5.00    41.11
1.40     YES   HRDOW            NO
 VOL33           0   0.30929E-03  491772.8 3721546.2   456.9     5.00    41.11
1.40     YES   HRDOW            NO
 VOL34           0   0.11502E-04  491125.1 3720797.0   437.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL35           0   0.11502E-04  491311.1 3720805.6   430.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL36           0   0.11502E-04  491126.2 3720772.6   435.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL37           0   0.11502E-04  491126.2 3720748.0   433.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL38           0   0.11502E-04  491126.2 3720723.4   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL39           0   0.11502E-04  491127.2 3720699.2   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL40           0   0.11502E-04  491127.6 3720674.9   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL41           0   0.11502E-04  491127.6 3720650.4   432.0     5.00     5.56
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. SCALAR VARY BY	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT CATS.
VOL42	0	0.11502E-04	491296.0	3720787.1	429.9	5.00	5.56	1.40	YES	HRDOW NO
VOL43	0	0.11502E-04	491278.1	3720764.2	430.0	5.00	5.56	1.40	YES	HRDOW NO
VOL44	0	0.11502E-04	491261.3	3720739.9	430.0	5.00	5.56	1.40	YES	HRDOW NO
VOL45	0	0.11502E-04	491243.4	3720715.7	430.4	5.00	5.56	1.40	YES	HRDOW NO
VOL46	0	0.11502E-04	491225.3	3720691.4	430.7	5.00	5.56	1.40	YES	HRDOW NO
VOL47	0	0.11502E-04	491209.8	3720666.2	431.0	5.00	5.56	1.40	YES	HRDOW NO
VOL48	0	0.11502E-04	491190.2	3720641.9	431.9	5.00	5.56	1.40	YES	HRDOW NO
VOL49	0	0.11502E-04	490615.2	3720793.3	443.6	5.00	5.56	1.40	YES	HRDOW NO
VOL50	0	0.11502E-04	490615.2	3720771.1	444.3	5.00	5.56	1.40	YES	HRDOW NO
VOL51	0	0.11502E-04	490615.2	3720746.2	444.2	5.00	5.56	1.40	YES	HRDOW NO
VOL52	0	0.11502E-04	490615.2	3720721.6	444.0	5.00	5.56	1.40	YES	HRDOW NO
VOL53	0	0.11502E-04	490615.2	3720697.3	444.2	5.00	5.56	1.40	YES	HRDOW NO
VOL54	0	0.11502E-04	490615.2	3720672.8	444.6	5.00	5.56	1.40	YES	HRDOW NO
VOL55	0	0.11502E-04	490615.2	3720648.8	445.0	5.00	5.56	1.40	YES	HRDOW NO
VOL56	0	0.11502E-04	490615.5	3720624.3	444.7	5.00	5.56	1.40	YES	HRDOW NO
VOL57	0	0.11502E-04	490615.8	3720600.0	444.5	5.00	5.56	1.40	YES	HRDOW NO
VOL58	0	0.11502E-04	490615.5	3720575.4	440.9	5.00	5.56	1.40	YES	HRDOW NO

```
 VOL59            0   0.11502E-04  490615.5 3720551.8   438.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL60            0   0.11502E-04  490616.2 3720527.3   437.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL61            0   0.11502E-04  490615.5 3720503.0   435.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL62            0   0.11502E-04  490614.8 3720478.4   433.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL63            0   0.11502E-04  490615.5 3720453.5   432.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL64            0   0.11502E-04  490615.2 3720428.9   431.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL65            0   0.11502E-04  490615.8 3720404.3   431.5     5.00     5.56
1.40     YES   HRDOW            NO
 VOL66            0   0.11502E-04  490613.8 3720379.1   431.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL67            0   0.11502E-04  490613.5 3720354.5   430.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL68            0   0.11502E-04  490614.5 3720329.9   430.5     5.00     5.56
1.40     YES   HRDOW            NO
 VOL69            0   0.11502E-04  490614.2 3720306.0   429.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL70            0   0.11502E-04  490614.5 3720281.4   428.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL71            0   0.11502E-04  490618.5 3720257.1   427.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL72            0   0.11502E-04  490628.6 3720232.9   426.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL73            0   0.11502E-04  490635.7 3720208.3   426.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL74            0   0.11502E-04  490648.5 3720183.4   426.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL75            0   0.11502E-04  490665.0 3720167.2   427.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL76            0   0.11502E-04  490677.5 3720148.0   428.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL77            0   0.11502E-04  490693.0 3720131.8   428.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL78            0   0.11502E-04  490705.8 3720118.4   428.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL79            0   0.11502E-04  490718.6 3720107.9   428.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL80            0   0.11502E-04  490734.1 3720098.8   427.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL81            0   0.11502E-04  490751.6 3720085.0   426.5     5.00     5.56
1.40     YES   HRDOW            NO
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL82	0	0.11502E-04	490773.4	3720071.5	425.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL83	0	0.11502E-04	490795.5	3720052.8	423.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL84	0	0.11502E-04	490594.3	3720832.8	444.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL85	0	0.11502E-04	490569.0	3720833.1	445.9	5.00	5.56	1.40	YES	HRDOW	NO
VOL86	0	0.11502E-04	490544.4	3720833.5	447.3	5.00	5.56	1.40	YES	HRDOW	NO
VOL87	0	0.11502E-04	490519.8	3720833.8	448.9	5.00	5.56	1.40	YES	HRDOW	NO
VOL88	0	0.11502E-04	490494.6	3720843.6	450.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL89	0	0.11502E-04	490469.6	3720848.3	452.9	5.00	5.56	1.40	YES	HRDOW	NO
VOL90	0	0.11502E-04	490444.7	3720849.3	455.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL91	0	0.11502E-04	490419.4	3720851.0	458.5	5.00	5.56	1.40	YES	HRDOW	NO
VOL92	0	0.11502E-04	490394.5	3720858.1	458.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL93	0	0.11502E-04	490370.3	3720860.4	459.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL94	0	0.11502E-04	490345.3	3720864.5	459.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL95	0	0.11502E-04	490320.4	3720868.5	459.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL96	0	0.11502E-04	490295.8	3720869.2	459.9	5.00	5.56	1.40	YES	HRDOW	NO
VOL97	0	0.11502E-04	490270.9	3720869.2	461.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL98	0	0.11502E-04	490246.0	3720868.8	461.1	5.00	5.56				

```
1.40     YES   HRDOW            NO
 VOL99           0   0.11502E-04  490221.4 3720869.2   461.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL100          0   0.11502E-04  490196.8 3720869.2   461.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL101          0   0.11502E-04  490171.8 3720868.8   461.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL102          0   0.11502E-04  490146.9 3720866.5   461.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL103          0   0.11502E-04  490123.0 3720866.1   461.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL104          0   0.11502E-04  490099.1 3720866.1   459.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL105          0   0.11502E-04  490074.8 3720863.8   459.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL106          0   0.11502E-04  490049.6 3720858.7   459.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL107          0   0.11502E-04  490024.6 3720852.3   457.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL108          0   0.11502E-04  490000.4 3720842.6   456.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL109          0   0.11502E-04  489976.1 3720835.8   453.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL110          0   0.11502E-04  489951.2 3720829.1   453.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL111          0   0.11502E-04  489926.6 3720824.7   452.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL112          0   0.11502E-04  489902.0 3720822.0   450.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL113          0   0.11502E-04  489877.1 3720821.0   448.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL114          0   0.11502E-04  489852.2 3720821.0   446.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL115          0   0.11502E-04  489827.2 3720819.0   446.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL116          0   0.11502E-04  489803.3 3720819.0   446.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL117          0   0.11502E-04  489778.7 3720819.0   446.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL118          0   0.11502E-04  489754.1 3720818.6   447.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL119          0   0.11502E-04  489729.5 3720818.6   447.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL120          0   0.11502E-04  489704.6 3720818.6   450.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL121          0   0.11502E-04  489680.0 3720817.6   451.9     5.00     5.56
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL122	0	0.11502E-04	489655.4	3720817.3	452.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL123	0	0.11502E-04	489630.5	3720818.0	453.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL124	0	0.11502E-04	489605.6	3720819.3	453.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL125	0	0.11502E-04	489581.0	3720820.3	452.8	5.00	5.56	1.40	YES	HRDOW	NO
VOL126	0	0.11502E-04	489556.7	3720820.3	452.2	5.00	5.56	1.40	YES	HRDOW	NO
VOL127	0	0.11502E-04	489532.1	3720820.3	451.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL128	0	0.11502E-04	489507.2	3720820.0	450.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL129	0	0.11502E-04	489483.0	3720819.3	450.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL130	0	0.11502E-04	489458.4	3720819.7	449.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL131	0	0.11502E-04	489433.8	3720819.7	448.3	5.00	5.56	1.40	YES	HRDOW	NO
VOL132	0	0.11502E-04	489408.9	3720820.3	447.8	5.00	5.56	1.40	YES	HRDOW	NO
VOL133	0	0.11502E-04	489384.3	3720820.0	446.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL134	0	0.11502E-04	491354.4	3720825.6	430.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL135	0	0.11502E-04	491379.0	3720825.2	430.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL136	0	0.11502E-04	491403.5	3720825.1	430.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL137	0	0.11502E-04	491428.2	3720825.0	430.6	5.00	5.56	1.40	YES	HRDOW	NO

```
 VOL138           0   0.11502E-04  491453.5 3720825.0   431.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL139           0   0.11502E-04  491478.6 3720824.5   431.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL140           0   0.11502E-04  491503.4 3720824.5   431.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL141           0   0.11502E-04  491528.0 3720824.7   431.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL142           0   0.11502E-04  491552.4 3720825.7   431.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL143           0   0.11502E-04  491577.2 3720827.2   431.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL144           0   0.11502E-04  491601.5 3720827.4   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL145           0   0.11502E-04  491626.6 3720827.2   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL146           0   0.11502E-04  491650.8 3720828.1   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL147           0   0.11502E-04  491675.1 3720828.1   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL148           0   0.11502E-04  491699.7 3720828.4   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL149           0   0.11502E-04  491723.8 3720829.3   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL150           0   0.11502E-04  491748.7 3720829.3   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL151           0   0.11502E-04  491773.0 3720829.0   432.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL152           0   0.11502E-04  491797.7 3720829.3   432.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL153           0   0.11502E-04  491822.9 3720829.6   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL154           0   0.11502E-04  491847.8 3720829.3   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL155           0   0.11502E-04  491872.7 3720829.3   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL156           0   0.11502E-04  491896.2 3720829.3   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL157           0   0.11502E-04  491920.2 3720829.9   432.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL158           0   0.11502E-04  491348.2 3720859.5   432.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL159           0   0.11502E-04  491364.7 3720885.8   433.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL160           0   0.11502E-04  491385.0 3720914.9   434.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL161           0   0.11502E-04  491403.1 3720939.0   434.0     5.00     5.56
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL162	0	0.11502E-04	491420.1	3720965.4	434.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL163	0	0.11502E-04	491438.2	3720991.7	435.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL164	0	0.11502E-04	491485.9	3721055.4	436.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL165	0	0.11502E-04	491503.5	3721081.2	436.5	5.00	5.56	1.40	YES	HRDOW	NO
VOL166	0	0.11502E-04	491522.7	3721113.0	437.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL167	0	0.11502E-04	491543.0	3721138.8	438.3	5.00	5.56	1.40	YES	HRDOW	NO
VOL168	0	0.11502E-04	491573.2	3721173.9	438.6	5.00	5.56	1.40	YES	HRDOW	NO
VOL169	0	0.11502E-04	491596.2	3721201.3	439.5	5.00	5.56	1.40	YES	HRDOW	NO
VOL170	0	0.11502E-04	491614.3	3721227.7	441.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL171	0	0.11502E-04	491627.5	3721252.9	442.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL172	0	0.11502E-04	491642.3	3721277.0	442.3	5.00	5.56	1.40	YES	HRDOW	NO
VOL173	0	0.11502E-04	491678.5	3721325.9	443.7	5.00	5.56	1.40	YES	HRDOW	NO
VOL174	0	0.11502E-04	491698.3	3721351.7	444.8	5.00	5.56	1.40	YES	HRDOW	NO
VOL175	0	0.11502E-04	491746.5	3721414.2	447.4	5.00	5.56	1.40	YES	HRDOW	NO
VOL176	0	0.11502E-04	491764.6	3721438.9	448.1	5.00	5.56	1.40	YES	HRDOW	NO
VOL177	0	0.11502E-04	491874.4	3721595.3	455.2	5.00	5.56				

```
1.40     YES   HRDOW            NO
 VOL178          0   0.11502E-04  491889.2 3721620.5   456.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL179          0   0.11502E-04  487598.1 3715596.3   402.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL180          0   0.11502E-04  487593.8 3715571.5   402.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL181          0   0.11502E-04  487590.8 3715547.6   403.0     5.00     5.56
1.40     YES   HRDOW            NO
 VOL182          0   0.11502E-04  487584.3 3715522.8   403.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL183          0   0.11502E-04  487575.8 3715498.3   404.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL184          0   0.11502E-04  487569.1 3715473.4   404.4     5.00     5.56
1.40     YES   HRDOW            NO
 VOL185          0   0.11502E-04  487564.1 3715449.1   404.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL186          0   0.11502E-04  487559.4 3715424.4   404.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL187          0   0.11502E-04  487554.4 3715399.8   404.5     5.00     5.56
1.40     YES   HRDOW            NO
 VOL188          0   0.11502E-04  487548.9 3715375.2   404.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL189          0   0.11502E-04  487544.8 3715350.6   404.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL190          0   0.11502E-04  487538.9 3715325.7   404.3     5.00     5.56
1.40     YES   HRDOW            NO
 VOL191          0   0.11502E-04  487532.5 3715301.1   404.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL192          0   0.11502E-04  487527.8 3715276.5   404.6     5.00     5.56
1.40     YES   HRDOW            NO
 VOL193          0   0.11502E-04  487522.5 3715251.9   404.8     5.00     5.56
1.40     YES   HRDOW            NO
 VOL194          0   0.11502E-04  487518.4 3715227.5   405.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL195          0   0.11502E-04  487510.8 3715202.9   405.5     5.00     5.56
1.40     YES   HRDOW            NO
 VOL196          0   0.11502E-04  487506.1 3715178.3   405.7     5.00     5.56
1.40     YES   HRDOW            NO
 VOL197          0   0.11502E-04  487499.9 3715153.4   405.2     5.00     5.56
1.40     YES   HRDOW            NO
 VOL198          0   0.11502E-04  487494.7 3715128.8   404.1     5.00     5.56
1.40     YES   HRDOW            NO
 VOL199          0   0.11502E-04  487491.2 3715104.8   403.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL200          0   0.11502E-04  487485.0 3715079.9   402.9     5.00     5.56
1.40     YES   HRDOW            NO
 VOL201          0   0.11502E-04  487480.0 3715055.0   402.0     5.00     5.56
1.40     YES   HRDOW            NO
↟ *** AERMOD - VERSION 23132  ***   ***
```

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL202	0	0.11502E-04	487473.6	3715030.1	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL203	0	0.11502E-04	487467.7	3715005.4	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL204	0	0.11502E-04	487464.2	3714980.8	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL205	0	0.11502E-04	487459.2	3714955.9	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL206	0	0.11502E-04	487453.9	3714931.9	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL207	0	0.11502E-04	487447.8	3714907.9	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL208	0	0.11502E-04	487440.6	3714883.8	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL209	0	0.11502E-04	487435.1	3714859.0	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL210	0	0.11502E-04	487428.9	3714834.8	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL211	0	0.11502E-04	487424.7	3714810.0	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL212	0	0.11502E-04	487419.9	3714785.5	402.0	5.00	5.56	1.40	YES	HRDOW	NO
VOL213	0	0.11502E-04	487415.4	3714761.1	402.0	5.00	5.56	1.40	YES	HRDOW	NO
L0001131	0	0.67230E-07	491314.9	3720807.9	430.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001132	0	0.67230E-07	491306.6	3720796.7	430.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001133	0	0.67230E-07	491298.3	3720785.4	429.9	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0001134         0   0.67230E-07  491290.0 3720774.1   430.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001135         0   0.67230E-07  491281.7 3720762.9   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001136         0   0.67230E-07  491273.4 3720751.6   429.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001137         0   0.67230E-07  491265.1 3720740.3   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001138         0   0.67230E-07  491256.8 3720729.1   430.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001139         0   0.67230E-07  491248.4 3720717.8   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001140         0   0.67230E-07  491240.1 3720706.5   430.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001141         0   0.67230E-07  491231.8 3720695.3   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001142         0   0.67230E-07  491223.5 3720684.0   430.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001143         0   0.67230E-07  491215.2 3720672.7   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001144         0   0.67230E-07  491206.9 3720661.5   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001145         0   0.67230E-07  491198.6 3720650.2   431.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001146         0   0.67230E-07  491190.3 3720638.9   432.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001147         0   0.67230E-07  491182.0 3720627.7   433.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001148         0   0.67230E-07  491173.7 3720616.4   433.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001149         0   0.67230E-07  491165.3 3720605.1   433.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001150         0   0.67230E-07  491157.0 3720593.9   433.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001151         0   0.67230E-07  491148.7 3720582.6   432.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001152         0   0.67230E-07  491140.4 3720571.3   431.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001153         0   0.67230E-07  491132.1 3720560.1   430.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001154         0   0.67230E-07  491123.8 3720548.8   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001155         0   0.67230E-07  491115.5 3720537.5   430.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001156         0   0.67230E-07  491107.2 3720526.2   430.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001157         0   0.67230E-07  491098.9 3720514.9   429.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001158         0   0.67230E-07  491090.6 3720503.7   429.2     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0001159	0	0.67230E-07	491082.3	3720492.4	429.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001160	0	0.67230E-07	491074.0	3720481.1	429.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001161	0	0.67230E-07	491065.8	3720469.8	430.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001162	0	0.67230E-07	491057.5	3720458.6	430.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001163	0	0.67230E-07	491049.2	3720447.3	431.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001164	0	0.67230E-07	491040.9	3720436.0	431.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001165	0	0.67230E-07	491032.6	3720424.7	431.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001166	0	0.67230E-07	491024.3	3720413.4	432.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001167	0	0.67230E-07	491016.0	3720402.2	432.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001168	0	0.67230E-07	491007.7	3720390.9	432.7	3.49	6.51	3.25	YES	HRDOW	NO
L0001169	0	0.67230E-07	490999.4	3720379.6	433.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001170	0	0.67230E-07	490991.1	3720368.3	432.7	3.49	6.51	3.25	YES	HRDOW	NO
L0001171	0	0.67230E-07	490982.8	3720357.0	432.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001172	0	0.67230E-07	490974.6	3720345.7	432.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001173	0	0.67230E-07	490966.6	3720334.2	432.6	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0001174         0   0.67230E-07  490958.7 3720322.7   432.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001175         0   0.67230E-07  490950.7 3720311.2   431.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001176         0   0.67230E-07  490942.7 3720299.7   431.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001177         0   0.67230E-07  490934.8 3720288.2   430.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001178         0   0.67230E-07  490926.8 3720276.6   429.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001179         0   0.67230E-07  490918.8 3720265.1   428.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001180         0   0.67230E-07  490910.8 3720253.6   427.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001181         0   0.67230E-07  490902.9 3720242.1   426.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001182         0   0.67230E-07  490894.9 3720230.6   426.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001183         0   0.67230E-07  490886.8 3720219.2   426.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001184         0   0.67230E-07  490878.7 3720207.8   426.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001185         0   0.67230E-07  490870.5 3720196.4   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001186         0   0.67230E-07  490862.4 3720185.0   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001187         0   0.67230E-07  490854.3 3720173.6   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001188         0   0.67230E-07  490846.2 3720162.2   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001189         0   0.67230E-07  490838.1 3720150.8   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001190         0   0.67230E-07  490829.9 3720139.4   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001191         0   0.67230E-07  490821.8 3720128.0   425.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001192         0   0.67230E-07  490813.7 3720116.6   425.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001193         0   0.67230E-07  490805.6 3720105.2   425.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001194         0   0.67230E-07  490797.5 3720093.8   425.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001195         0   0.67230E-07  490789.3 3720082.4   424.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001196         0   0.67230E-07  490781.2 3720071.0   424.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001197         0   0.67230E-07  490773.1 3720059.5   424.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001198         0   0.67230E-07  490765.0 3720048.1   424.6     3.49     6.51
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT EMISSION RATE SCALAR VARY BY
L0001199	0	0.67230E-07	490756.8	3720036.7	424.5	3.49	6.51	3.25	YES	HRDOW NO
L0001200	0	0.67230E-07	490748.7	3720025.3	424.4	3.49	6.51	3.25	YES	HRDOW NO
L0001201	0	0.67230E-07	490740.6	3720013.9	424.6	3.49	6.51	3.25	YES	HRDOW NO
L0001202	0	0.67230E-07	490732.5	3720002.5	424.5	3.49	6.51	3.25	YES	HRDOW NO
L0001203	0	0.67230E-07	490724.4	3719991.1	424.2	3.49	6.51	3.25	YES	HRDOW NO
L0001204	0	0.67230E-07	490716.2	3719979.7	424.0	3.49	6.51	3.25	YES	HRDOW NO
L0001205	0	0.67230E-07	490708.1	3719968.3	424.0	3.49	6.51	3.25	YES	HRDOW NO
L0001206	0	0.67230E-07	490700.0	3719956.9	423.7	3.49	6.51	3.25	YES	HRDOW NO
L0001207	0	0.67230E-07	490691.9	3719945.5	423.6	3.49	6.51	3.25	YES	HRDOW NO
L0001208	0	0.67230E-07	490683.8	3719934.1	423.5	3.49	6.51	3.25	YES	HRDOW NO
L0001209	0	0.67230E-07	490675.6	3719922.7	423.4	3.49	6.51	3.25	YES	HRDOW NO
L0001210	0	0.67230E-07	490667.4	3719911.4	423.3	3.49	6.51	3.25	YES	HRDOW NO
L0001211	0	0.67230E-07	490659.2	3719900.0	423.1	3.49	6.51	3.25	YES	HRDOW NO
L0001212	0	0.67230E-07	490651.0	3719888.7	422.8	3.49	6.51	3.25	YES	HRDOW NO

```
 L0001213         0   0.67230E-07  490642.8 3719877.3   422.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001214         0   0.67230E-07  490634.6 3719866.0   422.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001215         0   0.67230E-07  490626.4 3719854.6   422.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001216         0   0.67230E-07  490618.2 3719843.3   422.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001217         0   0.67230E-07  490610.0 3719831.9   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001218         0   0.67230E-07  490601.8 3719820.6   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001219         0   0.67230E-07  490593.6 3719809.2   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001220         0   0.67230E-07  490585.4 3719797.9   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001221         0   0.67230E-07  490577.2 3719786.5   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001222         0   0.67230E-07  490569.0 3719775.2   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001223         0   0.67230E-07  490560.8 3719763.9   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001224         0   0.67230E-07  490552.6 3719752.5   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001225         0   0.67230E-07  490544.4 3719741.2   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001226         0   0.67230E-07  490536.2 3719729.8   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001227         0   0.67230E-07  490528.0 3719718.5   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001228         0   0.67230E-07  490519.8 3719707.1   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001229         0   0.67230E-07  490511.7 3719695.7   421.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001230         0   0.67230E-07  490503.6 3719684.3   421.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001231         0   0.67230E-07  490495.4 3719672.9   421.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001232         0   0.67230E-07  490487.3 3719661.5   421.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001233         0   0.67230E-07  490479.1 3719650.2   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001234         0   0.67230E-07  490471.0 3719638.8   421.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001235         0   0.67230E-07  490462.8 3719627.4   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001236         0   0.67230E-07  490454.7 3719616.0   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001237         0   0.67230E-07  490446.6 3719604.6   421.0     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0001239	0	0.67230E-07	490430.3	3719581.8	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001240	0	0.67230E-07	490422.1	3719570.4	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001241	0	0.67230E-07	490414.0	3719559.0	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001242	0	0.67230E-07	490405.8	3719547.7	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001243	0	0.67230E-07	490397.7	3719536.3	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001244	0	0.67230E-07	490389.6	3719524.9	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001245	0	0.67230E-07	490381.4	3719513.5	420.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001246	0	0.67230E-07	490373.3	3719502.1	420.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001247	0	0.67230E-07	490365.1	3719490.7	420.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001248	0	0.67230E-07	490357.0	3719479.3	420.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001249	0	0.67230E-07	490348.8	3719467.9	420.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001250	0	0.67230E-07	490340.7	3719456.6	420.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001251	0	0.67230E-07	490332.6	3719445.2	420.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001252	0	0.67230E-07	490324.4	3719433.8	420.4	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0001253         0   0.67230E-07  490316.3 3719422.4   420.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001254         0   0.67230E-07  490308.1 3719411.0   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001255         0   0.67230E-07  490300.0 3719399.6   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001256         0   0.67230E-07  490291.8 3719388.3   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001257         0   0.67230E-07  490283.6 3719376.9   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001258         0   0.67230E-07  490275.4 3719365.5   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001259         0   0.67230E-07  490267.2 3719354.2   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001260         0   0.67230E-07  490259.1 3719342.8   420.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001261         0   0.67230E-07  490250.9 3719331.5   420.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001262         0   0.67230E-07  490242.7 3719320.1   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001263         0   0.67230E-07  490234.5 3719308.8   421.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001264         0   0.67230E-07  490226.3 3719297.4   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001265         0   0.67230E-07  490218.1 3719286.0   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001266         0   0.67230E-07  490209.9 3719274.7   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001267         0   0.67230E-07  490201.7 3719263.3   422.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001268         0   0.67230E-07  490193.6 3719252.0   423.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001269         0   0.67230E-07  490185.4 3719240.6   423.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001270         0   0.67230E-07  490177.2 3719229.3   423.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001271         0   0.67230E-07  490169.0 3719217.9   423.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001272         0   0.67230E-07  490160.8 3719206.5   423.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001273         0   0.67230E-07  490152.6 3719195.2   423.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001274         0   0.67230E-07  490144.4 3719183.8   423.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001275         0   0.67230E-07  490136.3 3719172.5   423.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001276         0   0.67230E-07  490128.1 3719161.1   423.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001277         0   0.67230E-07  490119.9 3719149.8   423.1     3.49     6.51
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0001279	0	0.67230E-07	490103.5	3719127.0	422.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001280	0	0.67230E-07	490095.3	3719115.7	422.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001281	0	0.67230E-07	490087.1	3719104.3	422.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001282	0	0.67230E-07	490078.9	3719093.0	422.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001283	0	0.67230E-07	490070.8	3719081.6	421.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001284	0	0.67230E-07	490062.6	3719070.3	421.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001285	0	0.67230E-07	490054.4	3719058.9	420.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001286	0	0.67230E-07	490046.2	3719047.6	420.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001287	0	0.67230E-07	490038.0	3719036.2	419.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001288	0	0.67230E-07	490029.8	3719024.8	419.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001289	0	0.67230E-07	490021.6	3719013.5	418.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001290	0	0.67230E-07	490013.5	3719002.1	418.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001291	0	0.67230E-07	490005.3	3718990.8	418.8	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0001292         0   0.67230E-07  489997.1 3718979.4   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001293         0   0.67230E-07  489988.9 3718968.1   419.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001294         0   0.67230E-07  489980.7 3718956.7   419.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001295         0   0.67230E-07  489972.5 3718945.3   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001296         0   0.67230E-07  489964.3 3718934.0   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001297         0   0.67230E-07  489956.1 3718922.6   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001298         0   0.67230E-07  489948.0 3718911.3   418.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001299         0   0.67230E-07  489939.8 3718899.9   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001300         0   0.67230E-07  489931.6 3718888.6   418.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001301         0   0.67230E-07  489923.4 3718877.2   418.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001302         0   0.67230E-07  489915.2 3718865.8   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001303         0   0.67230E-07  489907.0 3718854.5   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001304         0   0.67230E-07  489898.8 3718843.1   419.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001305         0   0.67230E-07  489890.6 3718831.8   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001306         0   0.67230E-07  489882.5 3718820.4   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001307         0   0.67230E-07  489874.3 3718809.1   418.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001308         0   0.67230E-07  489866.1 3718797.7   418.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001309         0   0.67230E-07  489857.9 3718786.3   418.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001310         0   0.67230E-07  489849.7 3718775.0   418.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001311         0   0.67230E-07  489841.5 3718763.6   418.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001312         0   0.67230E-07  489833.3 3718752.3   417.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001313         0   0.67230E-07  489825.2 3718740.9   417.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001314         0   0.67230E-07  489817.0 3718729.6   418.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001315         0   0.67230E-07  489808.8 3718718.2   418.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001316         0   0.67230E-07  489800.6 3718706.8   418.0     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE BY	EMISSION RATE SCALAR VARY	AIRCRAFT
L0001319	0	0.67230E-07	489776.0	3718672.8	417.7	3.49	6.51	3.25	YES	HRDOW	NO
L0001320	0	0.67230E-07	489767.8	3718661.4	417.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001321	0	0.67230E-07	489759.7	3718650.1	417.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001322	0	0.67230E-07	489751.5	3718638.7	417.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001323	0	0.67230E-07	489743.3	3718627.3	417.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001324	0	0.67230E-07	489735.1	3718616.0	417.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001325	0	0.67230E-07	489726.9	3718604.6	417.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001326	0	0.67230E-07	489718.7	3718593.3	417.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001327	0	0.67230E-07	489710.5	3718581.9	416.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001328	0	0.67230E-07	489702.4	3718570.6	416.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001329	0	0.67230E-07	489694.2	3718559.2	416.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001330	0	0.67230E-07	489686.0	3718547.9	417.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001331	0	0.67230E-07	489677.8	3718536.5	417.3	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0001332         0   0.67230E-07  489669.6 3718525.1   417.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001333         0   0.67230E-07  489661.4 3718513.8   417.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001334         0   0.67230E-07  489653.2 3718502.4   416.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001335         0   0.67230E-07  489645.0 3718491.1   416.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001336         0   0.67230E-07  489636.9 3718479.7   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001337         0   0.67230E-07  489628.7 3718468.4   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001338         0   0.67230E-07  489620.5 3718457.0   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001339         0   0.67230E-07  489612.3 3718445.6   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001340         0   0.67230E-07  489604.1 3718434.3   415.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001341         0   0.67230E-07  489595.9 3718422.9   415.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001342         0   0.67230E-07  489587.7 3718411.6   414.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001343         0   0.67230E-07  489579.6 3718400.2   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001344         0   0.67230E-07  489571.4 3718388.9   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001345         0   0.67230E-07  489563.2 3718377.5   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001346         0   0.67230E-07  489555.0 3718366.1   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001347         0   0.67230E-07  489546.8 3718354.8   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001348         0   0.67230E-07  489538.6 3718343.4   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001349         0   0.67230E-07  489530.5 3718332.0   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001350         0   0.67230E-07  489522.3 3718320.6   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001351         0   0.67230E-07  489514.2 3718309.2   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001352         0   0.67230E-07  489506.1 3718297.9   414.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001353         0   0.67230E-07  489497.9 3718286.5   414.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001354         0   0.67230E-07  489489.8 3718275.1   415.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001355         0   0.67230E-07  489481.7 3718263.7   415.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001356         0   0.67230E-07  489473.5 3718252.3   416.1     3.49     6.51
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE BY	EMISSION RATE SCALAR VARY	AIRCRAFT
L0001359	0	0.67230E-07	489449.1	3718218.1	418.7	3.49	6.51	3.25	YES	HRDOW	NO
L0001360	0	0.67230E-07	489441.0	3718206.7	418.7	3.49	6.51	3.25	YES	HRDOW	NO
L0001361	0	0.67230E-07	489432.9	3718195.3	419.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001362	0	0.67230E-07	489424.8	3718183.9	419.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001363	0	0.67230E-07	489416.6	3718172.5	417.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001364	0	0.67230E-07	489408.5	3718161.1	417.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001365	0	0.67230E-07	489400.4	3718149.7	416.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001366	0	0.67230E-07	489392.2	3718138.3	415.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001367	0	0.67230E-07	489384.1	3718126.9	413.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001368	0	0.67230E-07	489376.0	3718115.5	412.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001369	0	0.67230E-07	489367.8	3718104.1	411.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001370	0	0.67230E-07	489359.7	3718092.7	410.8	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0001371         0   0.67230E-07  489351.6 3718081.3   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001372         0   0.67230E-07  489343.4 3718069.9   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001373         0   0.67230E-07  489335.3 3718058.6   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001374         0   0.67230E-07  489327.2 3718047.2   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001375         0   0.67230E-07  489319.0 3718035.8   410.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001376         0   0.67230E-07  489310.9 3718024.4   410.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001377         0   0.67230E-07  489302.8 3718012.9   410.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001378         0   0.67230E-07  489294.8 3718001.5   410.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001379         0   0.67230E-07  489286.8 3717990.0   410.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001380         0   0.67230E-07  489278.8 3717978.5   409.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001381         0   0.67230E-07  489270.8 3717967.0   410.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001382         0   0.67230E-07  489262.7 3717955.5   410.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001383         0   0.67230E-07  489254.7 3717944.1   410.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001384         0   0.67230E-07  489246.7 3717932.6   410.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001385         0   0.67230E-07  489238.7 3717921.1   410.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001386         0   0.67230E-07  489230.7 3717909.6   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001387         0   0.67230E-07  489222.7 3717898.1   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001388         0   0.67230E-07  489214.6 3717886.7   411.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001389         0   0.67230E-07  489206.6 3717875.2   411.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001390         0   0.67230E-07  489198.6 3717863.7   411.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001391         0   0.67230E-07  489190.6 3717852.2   412.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001392         0   0.67230E-07  489182.6 3717840.7   412.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001393         0   0.67230E-07  489174.6 3717829.3   412.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001394         0   0.67230E-07  489166.6 3717817.8   412.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001395         0   0.67230E-07  489158.5 3717806.3   412.5     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0001399	0	0.67230E-07	489126.5	3717760.4	411.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001400	0	0.67230E-07	489118.5	3717748.9	411.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001401	0	0.67230E-07	489110.5	3717737.4	411.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001402	0	0.67230E-07	489101.9	3717726.4	411.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001403	0	0.67230E-07	489093.3	3717715.3	411.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001404	0	0.67230E-07	489084.6	3717704.3	411.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001405	0	0.67230E-07	489076.0	3717693.3	411.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001406	0	0.67230E-07	489067.4	3717682.3	410.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001407	0	0.67230E-07	489058.8	3717671.2	410.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001408	0	0.67230E-07	489050.2	3717660.2	410.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001409	0	0.67230E-07	489041.5	3717649.2	410.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001410	0	0.67230E-07	489032.9	3717638.1	410.2	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0001411         0   0.67230E-07  489024.3 3717627.1   410.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001412         0   0.67230E-07  489015.7 3717616.1   410.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001413         0   0.67230E-07  489007.0 3717605.0   410.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001414         0   0.18550E-05  491310.3 3720803.2   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001415         0   0.18550E-05  491302.0 3720791.9   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001416         0   0.18550E-05  491293.7 3720780.6   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001417         0   0.18550E-05  491285.5 3720769.3   430.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001418         0   0.18550E-05  491277.2 3720758.1   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001419         0   0.18550E-05  491268.9 3720746.8   429.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001420         0   0.18550E-05  491260.6 3720735.5   430.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001421         0   0.18550E-05  491252.3 3720724.2   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001422         0   0.18550E-05  491244.1 3720712.9   430.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001423         0   0.18550E-05  491235.8 3720701.6   430.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001424         0   0.18550E-05  491227.5 3720690.3   430.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001425         0   0.18550E-05  491219.2 3720679.0   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001426         0   0.18550E-05  491211.0 3720667.7   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001427         0   0.18550E-05  491202.7 3720656.4   431.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001428         0   0.18550E-05  491194.4 3720645.1   431.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001429         0   0.18550E-05  491186.1 3720633.8   432.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001430         0   0.18550E-05  491177.8 3720622.6   433.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001431         0   0.18550E-05  491169.6 3720611.3   434.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001432         0   0.18550E-05  491161.3 3720600.0   433.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001433         0   0.18550E-05  491153.0 3720588.7   433.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001434         0   0.18550E-05  491144.7 3720577.4   432.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001435         0   0.18550E-05  491136.5 3720566.1   431.1     3.49     6.51
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE BY	EMISSION RATE SCALAR VARY	AIRCRAFT
L0001439	0	0.18550E-05	491103.4	3720520.9	429.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001440	0	0.18550E-05	491095.1	3720509.6	429.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001441	0	0.18550E-05	491086.8	3720498.4	429.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001442	0	0.18550E-05	491078.5	3720487.1	429.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001443	0	0.18550E-05	491070.2	3720475.8	430.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001444	0	0.18550E-05	491062.0	3720464.5	430.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001445	0	0.18550E-05	491053.7	3720453.2	430.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001446	0	0.18550E-05	491045.6	3720441.8	431.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001447	0	0.18550E-05	491037.5	3720430.4	431.7	3.49	6.51	3.25	YES	HRDOW	NO
L0001448	0	0.18550E-05	491029.4	3720418.9	431.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001449	0	0.18550E-05	491021.3	3720407.5	432.0	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0001450         0   0.18550E-05  491013.1 3720396.1   432.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001451         0   0.18550E-05  491005.0 3720384.7   432.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001452         0   0.18550E-05  490996.9 3720373.3   432.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001453         0   0.18550E-05  490988.8 3720361.9   432.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001454         0   0.18550E-05  490980.7 3720350.5   432.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001455         0   0.18550E-05  490972.5 3720339.1   432.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001456         0   0.18550E-05  490964.4 3720327.7   432.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001457         0   0.18550E-05  490956.3 3720316.3   431.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001458         0   0.18550E-05  490948.2 3720304.9   431.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001459         0   0.18550E-05  490940.1 3720293.5   431.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001460         0   0.18550E-05  490931.9 3720282.1   429.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001461         0   0.18550E-05  490923.8 3720270.7   428.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001462         0   0.18550E-05  490915.7 3720259.3   427.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001463         0   0.18550E-05  490907.6 3720247.9   427.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001464         0   0.18550E-05  490899.5 3720236.5   426.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001465         0   0.18550E-05  490891.4 3720225.1   426.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001466         0   0.18550E-05  490883.2 3720213.6   426.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001467         0   0.18550E-05  490875.1 3720202.2   426.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001468         0   0.18550E-05  490867.0 3720190.8   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001469         0   0.18550E-05  490858.9 3720179.4   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001470         0   0.18550E-05  490850.8 3720168.0   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001471         0   0.18550E-05  490842.6 3720156.6   426.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001472         0   0.18550E-05  490834.5 3720145.2   426.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001473         0   0.18550E-05  490826.4 3720133.8   425.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001474         0   0.18550E-05  490818.3 3720122.4   425.5     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0001475	0	0.18550E-05	490810.2	3720111.0	425.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001476	0	0.18550E-05	490802.0	3720099.6	425.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001477	0	0.18550E-05	490793.9	3720088.2	424.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001478	0	0.18550E-05	490785.8	3720076.8	424.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001479	0	0.18550E-05	490777.7	3720065.4	424.7	3.49	6.51	3.25	YES	HRDOW	NO
L0001480	0	0.18550E-05	490769.6	3720054.0	424.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001481	0	0.18550E-05	490761.4	3720042.6	424.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001482	0	0.18550E-05	490753.3	3720031.2	424.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001483	0	0.18550E-05	490745.2	3720019.8	424.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001484	0	0.18550E-05	490737.1	3720008.4	424.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001485	0	0.18550E-05	490729.0	3719996.9	424.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001486	0	0.18550E-05	490720.9	3719985.5	424.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001487	0	0.18550E-05	490712.7	3719974.1	424.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001488	0	0.18550E-05	490704.6	3719962.7	423.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001489	0	0.18550E-05	490696.5	3719951.3	423.6	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0001490         0   0.18550E-05  490688.4 3719939.9   423.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001491         0   0.18550E-05  490680.3 3719928.5   423.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001492         0   0.18550E-05  490672.1 3719917.1   423.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001493         0   0.18550E-05  490664.0 3719905.7   423.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001494         0   0.18550E-05  490655.9 3719894.3   422.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001495         0   0.18550E-05  490647.8 3719882.9   422.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001496         0   0.18550E-05  490639.7 3719871.5   422.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001497         0   0.18550E-05  490631.5 3719860.1   422.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001498         0   0.18550E-05  490623.4 3719848.7   422.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001499         0   0.18550E-05  490615.3 3719837.3   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001500         0   0.18550E-05  490607.1 3719825.9   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001501         0   0.18550E-05  490598.8 3719814.7   422.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001502         0   0.18550E-05  490590.5 3719803.4   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001503         0   0.18550E-05  490582.2 3719792.1   421.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001504         0   0.18550E-05  490573.9 3719780.8   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001505         0   0.18550E-05  490565.6 3719769.6   421.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001506         0   0.18550E-05  490557.3 3719758.3   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001507         0   0.18550E-05  490549.0 3719747.0   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001508         0   0.18550E-05  490540.7 3719735.7   421.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001509         0   0.18550E-05  490532.4 3719724.5   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001510         0   0.18550E-05  490524.1 3719713.2   421.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001511         0   0.18550E-05  490515.8 3719701.9   421.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001512         0   0.18550E-05  490507.5 3719690.6   421.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001513         0   0.18550E-05  490499.2 3719679.4   421.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001514         0   0.18550E-05  490490.9 3719668.1   421.3     3.49     6.51
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE BY	EMISSION RATE SCALAR VARY	AIRCRAFT
L0001519	0	0.18550E-05	490450.1	3719611.2	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001520	0	0.18550E-05	490441.9	3719599.8	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001521	0	0.18550E-05	490433.8	3719588.5	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001522	0	0.18550E-05	490425.6	3719577.1	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001523	0	0.18550E-05	490417.4	3719565.7	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001524	0	0.18550E-05	490409.3	3719554.4	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001525	0	0.18550E-05	490401.1	3719543.0	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001526	0	0.18550E-05	490392.9	3719531.6	421.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001527	0	0.18550E-05	490384.8	3719520.2	420.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001528	0	0.18550E-05	490376.6	3719508.9	421.0	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0001529         0   0.18550E-05  490368.4 3719497.5   420.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001530         0   0.18550E-05  490360.3 3719486.1   420.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001531         0   0.18550E-05  490352.1 3719474.8   420.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001532         0   0.18550E-05  490343.9 3719463.4   420.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001533         0   0.18550E-05  490335.8 3719452.0   420.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001534         0   0.18550E-05  490327.6 3719440.6   420.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001535         0   0.18550E-05  490319.4 3719429.3   420.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001536         0   0.18550E-05  490311.3 3719417.9   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001537         0   0.18550E-05  490303.1 3719406.5   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001538         0   0.18550E-05  490294.9 3719395.2   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001539         0   0.18550E-05  490286.8 3719383.8   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001540         0   0.18550E-05  490278.6 3719372.4   420.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001541         0   0.18550E-05  490270.4 3719361.1   421.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001542         0   0.18550E-05  490262.3 3719349.7   420.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001543         0   0.18550E-05  490254.1 3719338.3   420.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001544         0   0.18550E-05  490245.9 3719326.9   420.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001545         0   0.18550E-05  490237.8 3719315.6   421.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001546         0   0.18550E-05  490229.6 3719304.2   421.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001547         0   0.18550E-05  490221.4 3719292.8   421.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001548         0   0.18550E-05  490213.2 3719281.5   421.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001549         0   0.18550E-05  490205.1 3719270.1   422.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001550         0   0.18550E-05  490196.9 3719258.7   422.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001551         0   0.18550E-05  490188.7 3719247.3   423.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001552         0   0.18550E-05  490180.6 3719236.0   424.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001553         0   0.18550E-05  490172.4 3719224.6   423.9     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0001554	0	0.18550E-05	490164.2	3719213.2	423.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001555	0	0.18550E-05	490156.1	3719201.9	423.7	3.49	6.51	3.25	YES	HRDOW	NO
L0001556	0	0.18550E-05	490147.9	3719190.5	423.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001557	0	0.18550E-05	490139.7	3719179.1	423.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001558	0	0.18550E-05	490131.6	3719167.7	423.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001559	0	0.18550E-05	490123.4	3719156.4	423.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001560	0	0.18550E-05	490115.2	3719145.0	423.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001561	0	0.18550E-05	490107.1	3719133.6	422.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001562	0	0.18550E-05	490098.9	3719122.3	422.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001563	0	0.18550E-05	490090.7	3719110.9	422.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001564	0	0.18550E-05	490082.6	3719099.5	422.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001565	0	0.18550E-05	490074.4	3719088.2	422.0	3.49	6.51	3.25	YES	HRDOW	NO
L0001566	0	0.18550E-05	490066.2	3719076.8	421.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001567	0	0.18550E-05	490058.1	3719065.4	421.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001568	0	0.18550E-05	490049.9	3719054.0	420.5	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0001569         0   0.18550E-05  490041.8 3719042.6   419.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001570         0   0.18550E-05  490033.6 3719031.3   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001571         0   0.18550E-05  490025.5 3719019.9   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001572         0   0.18550E-05  490017.3 3719008.5   418.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001573         0   0.18550E-05  490009.1 3718997.1   418.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001574         0   0.18550E-05  490001.0 3718985.8   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001575         0   0.18550E-05  489992.8 3718974.4   419.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001576         0   0.18550E-05  489984.7 3718963.0   419.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001577         0   0.18550E-05  489976.5 3718951.6   419.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001578         0   0.18550E-05  489968.3 3718940.3   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001579         0   0.18550E-05  489960.2 3718928.9   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001580         0   0.18550E-05  489952.0 3718917.5   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001581         0   0.18550E-05  489943.8 3718906.2   418.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001582         0   0.18550E-05  489935.6 3718894.8   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001583         0   0.18550E-05  489927.5 3718883.4   418.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001584         0   0.18550E-05  489919.3 3718872.1   418.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001585         0   0.18550E-05  489911.1 3718860.7   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001586         0   0.18550E-05  489903.0 3718849.3   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001587         0   0.18550E-05  489894.8 3718837.9   419.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001588         0   0.18550E-05  489886.6 3718826.6   419.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001589         0   0.18550E-05  489878.5 3718815.2   419.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001590         0   0.18550E-05  489870.3 3718803.8   418.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001591         0   0.18550E-05  489862.1 3718792.5   418.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001592         0   0.18550E-05  489853.9 3718781.1   418.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001593         0   0.18550E-05  489845.8 3718769.7   418.1     3.49     6.51
```

3.25 YES HRDOW NO
L0001594 0 0.18550E-05 489837.6 3718758.4 418.0 3.49 6.51
3.25 YES HRDOW NO
L0001595 0 0.18550E-05 489829.4 3718747.0 417.9 3.49 6.51
3.25 YES HRDOW NO
L0001596 0 0.18550E-05 489821.3 3718735.6 418.0 3.49 6.51
3.25 YES HRDOW NO
L0001597 0 0.18550E-05 489813.1 3718724.3 418.2 3.49 6.51
3.25 YES HRDOW NO
L0001598 0 0.18550E-05 489804.9 3718712.9 418.1 3.49 6.51
3.25 YES HRDOW NO

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE SCALAR VARY BY	AIRCRAFT
L0001599	0	0.18550E-05	489796.7	3718701.5	418.0	3.49	6.51	3.25	YES	HRDOW NO
L0001600	0	0.18550E-05	489788.6	3718690.2	417.9	3.49	6.51	3.25	YES	HRDOW NO
L0001601	0	0.18550E-05	489780.4	3718678.8	417.8	3.49	6.51	3.25	YES	HRDOW NO
L0001602	0	0.18550E-05	489772.2	3718667.4	417.7	3.49	6.51	3.25	YES	HRDOW NO
L0001603	0	0.18550E-05	489764.1	3718656.0	417.5	3.49	6.51	3.25	YES	HRDOW NO
L0001604	0	0.18550E-05	489755.9	3718644.7	417.5	3.49	6.51	3.25	YES	HRDOW NO
L0001605	0	0.18550E-05	489747.7	3718633.3	417.3	3.49	6.51	3.25	YES	HRDOW NO
L0001606	0	0.18550E-05	489739.6	3718621.9	417.2	3.49	6.51	3.25	YES	HRDOW NO
L0001607	0	0.18550E-05	489731.4	3718610.6	417.1	3.49	6.51	3.25	YES	HRDOW NO

```
 L0001608         0   0.18550E-05  489723.2 3718599.2   417.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001609         0   0.18550E-05  489715.0 3718587.8   416.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001610         0   0.18550E-05  489706.9 3718576.5   416.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001611         0   0.18550E-05  489698.7 3718565.1   416.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001612         0   0.18550E-05  489690.5 3718553.7   416.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001613         0   0.18550E-05  489682.4 3718542.4   417.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001614         0   0.18550E-05  489674.2 3718531.0   417.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001615         0   0.18550E-05  489666.0 3718519.6   417.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001616         0   0.18550E-05  489657.8 3718508.3   417.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001617         0   0.18550E-05  489649.7 3718496.9   416.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001618         0   0.18550E-05  489641.5 3718485.5   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001619         0   0.18550E-05  489633.3 3718474.2   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001620         0   0.18550E-05  489625.2 3718462.8   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001621         0   0.18550E-05  489617.0 3718451.4   416.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001622         0   0.18550E-05  489608.8 3718440.0   415.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001623         0   0.18550E-05  489600.7 3718428.7   415.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001624         0   0.18550E-05  489592.5 3718417.3   414.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001625         0   0.18550E-05  489584.3 3718405.9   414.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001626         0   0.18550E-05  489576.1 3718394.6   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001627         0   0.18550E-05  489568.0 3718383.2   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001628         0   0.18550E-05  489559.8 3718371.8   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001629         0   0.18550E-05  489551.6 3718360.5   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001630         0   0.18550E-05  489543.3 3718349.2   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001631         0   0.18550E-05  489535.0 3718337.9   414.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001632         0   0.18550E-05  489526.8 3718326.6   414.0     3.49     6.51
3.25     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
L0001639	0	0.18550E-05	489469.2	3718247.3	416.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001640	0	0.18550E-05	489461.0	3718235.9	417.4	3.49	6.51	3.25	YES	HRDOW	NO
L0001641	0	0.18550E-05	489452.9	3718224.6	418.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001642	0	0.18550E-05	489444.7	3718213.2	418.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001643	0	0.18550E-05	489436.5	3718201.8	418.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001644	0	0.18550E-05	489428.4	3718190.4	419.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001645	0	0.18550E-05	489420.2	3718179.1	418.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001646	0	0.18550E-05	489412.1	3718167.7	417.5	3.49	6.51	3.25	YES	HRDOW	NO
L0001647	0	0.18550E-05	489403.9	3718156.3	417.2	3.49	6.51				

```
3.25     YES   HRDOW            NO
 L0001648         0   0.18550E-05  489395.7 3718144.9   415.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001649         0   0.18550E-05  489387.6 3718133.6   414.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001650         0   0.18550E-05  489379.4 3718122.2   413.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001651         0   0.18550E-05  489371.2 3718110.8   411.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001652         0   0.18550E-05  489363.1 3718099.5   410.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001653         0   0.18550E-05  489354.9 3718088.1   410.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001654         0   0.18550E-05  489346.8 3718076.7   411.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001655         0   0.18550E-05  489338.6 3718065.3   410.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001656         0   0.18550E-05  489330.4 3718054.0   411.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001657         0   0.18550E-05  489322.3 3718042.6   410.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001658         0   0.18550E-05  489314.1 3718031.2   410.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001659         0   0.18550E-05  489305.9 3718019.8   410.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001660         0   0.18550E-05  489297.8 3718008.5   410.5     3.49     6.51
3.25     YES   HRDOW            NO
 L0001661         0   0.18550E-05  489289.6 3717997.1   410.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001662         0   0.18550E-05  489281.5 3717985.7   410.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001663         0   0.18550E-05  489273.3 3717974.3   409.8     3.49     6.51
3.25     YES   HRDOW            NO
 L0001664         0   0.18550E-05  489265.1 3717963.0   409.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001665         0   0.18550E-05  489257.0 3717951.6   410.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001666         0   0.18550E-05  489248.8 3717940.2   410.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001667         0   0.18550E-05  489240.6 3717928.8   410.6     3.49     6.51
3.25     YES   HRDOW            NO
 L0001668         0   0.18550E-05  489232.5 3717917.5   410.9     3.49     6.51
3.25     YES   HRDOW            NO
 L0001669         0   0.18550E-05  489224.3 3717906.1   411.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001670         0   0.18550E-05  489216.2 3717894.7   411.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001671         0   0.18550E-05  489208.0 3717883.3   411.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001672         0   0.18550E-05  489199.8 3717872.0   411.5     3.49     6.51
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE BY	EMISSION RATE SCALAR VARY	AIRCRAFT
L0001679	0	0.18550E-05	489142.7	3717792.3	411.9	3.49	6.51	3.25	YES	HRDOW	NO
L0001680	0	0.18550E-05	489134.5	3717781.0	411.7	3.49	6.51	3.25	YES	HRDOW	NO
L0001681	0	0.18550E-05	489126.4	3717769.6	411.8	3.49	6.51	3.25	YES	HRDOW	NO
L0001682	0	0.18550E-05	489118.2	3717758.2	411.6	3.49	6.51	3.25	YES	HRDOW	NO
L0001683	0	0.18550E-05	489110.0	3717746.8	411.3	3.49	6.51	3.25	YES	HRDOW	NO
L0001684	0	0.18550E-05	489101.9	3717735.5	411.1	3.49	6.51	3.25	YES	HRDOW	NO
L0001685	0	0.18550E-05	489093.7	3717724.1	411.2	3.49	6.51	3.25	YES	HRDOW	NO
L0001686	0	0.18550E-05	489085.6	3717712.7	411.3	3.49	6.51	3.25	YES	HRDOW	NO

```
 L0001687         0   0.18550E-05  489077.4 3717701.4   411.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001688         0   0.18550E-05  489069.2 3717690.0   411.0     3.49     6.51
3.25     YES   HRDOW            NO
 L0001689         0   0.18550E-05  489061.1 3717678.6   410.7     3.49     6.51
3.25     YES   HRDOW            NO
 L0001690         0   0.18550E-05  489052.9 3717667.2   410.4     3.49     6.51
3.25     YES   HRDOW            NO
 L0001691         0   0.18550E-05  489044.7 3717655.9   410.2     3.49     6.51
3.25     YES   HRDOW            NO
 L0001692         0   0.18550E-05  489036.6 3717644.5   410.1     3.49     6.51
3.25     YES   HRDOW            NO
 L0001693         0   0.18550E-05  489028.4 3717633.1   410.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001694         0   0.18550E-05  489020.3 3717621.7   410.3     3.49     6.51
3.25     YES   HRDOW            NO
 L0001695         0   0.18550E-05  489012.1 3717610.4   410.1     3.49     6.51
3.25     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  22
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINING SOURCE GROUPS
***

 SRCGROUP ID                                          SOURCE IDs
 -----------                                          ----------


  ALL        VOL2       , VOL3       , VOL4       , VOL5       , VOL6       ,
VOL7       , VOL8       , VOL9       ,

             VOL10      , VOL11      , VOL12      , VOL13      , VOL14      ,
VOL15      , VOL16      , VOL17      ,

             VOL18      , VOL19      , VOL20      , VOL21      , VOL22      ,
VOL23      , VOL24      , VOL25      ,

             VOL26      , VOL27      , VOL28      , VOL29      , VOL30      ,
VOL31      , VOL32      , VOL33      ,

             VOL34      , VOL35      , VOL36      , VOL37      , VOL38      ,
VOL39      , VOL40      , VOL41      ,
```

```
             VOL42       , VOL43       , VOL44       , VOL45       , VOL46       ,
VOL47        , VOL48       , VOL49       ,

             VOL50       , VOL51       , VOL52       , VOL53       , VOL54       ,
VOL55        , VOL56       , VOL57       ,

             VOL58       , VOL59       , VOL60       , VOL61       , VOL62       ,
VOL63        , VOL64       , VOL65       ,

             VOL66       , VOL67       , VOL68       , VOL69       , VOL70       ,
VOL71        , VOL72       , VOL73       ,

             VOL74       , VOL75       , VOL76       , VOL77       , VOL78       ,
VOL79        , VOL80       , VOL81       ,

             VOL82       , VOL83       , VOL84       , VOL85       , VOL86       ,
VOL87        , VOL88       , VOL89       ,

             VOL90       , VOL91       , VOL92       , VOL93       , VOL94       ,
VOL95        , VOL96       , VOL97       ,

             VOL98       , VOL99       , VOL100      , VOL101      , VOL102      ,
VOL103       , VOL104      , VOL105      ,

             VOL106      , VOL107      , VOL108      , VOL109      , VOL110      ,
VOL111       , VOL112      , VOL113      ,

             VOL114      , VOL115      , VOL116      , VOL117      , VOL118      ,
VOL119       , VOL120      , VOL121      ,

             VOL122      , VOL123      , VOL124      , VOL125      , VOL126      ,
VOL127       , VOL128      , VOL129      ,

             VOL130      , VOL131      , VOL132      , VOL133      , VOL134      ,
VOL135       , VOL136      , VOL137      ,

             VOL138      , VOL139      , VOL140      , VOL141      , VOL142      ,
VOL143       , VOL144      , VOL145      ,

             VOL146      , VOL147      , VOL148      , VOL149      , VOL150      ,
VOL151       , VOL152      , VOL153      ,

             VOL154      , VOL155      , VOL156      , VOL157      , VOL158      ,
VOL159       , VOL160      , VOL161      ,
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***       10:27:54
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
	VOL162 , VOL163 , VOL164 , VOL165 , VOL166 , VOL167 , VOL168 , VOL169 ,
	VOL170 , VOL171 , VOL172 , VOL173 , VOL174 , VOL175 , VOL176 , VOL177 ,
	VOL178 , VOL179 , VOL180 , VOL181 , VOL182 , VOL183 , VOL184 , VOL185 ,
	VOL186 , VOL187 , VOL188 , VOL189 , VOL190 , VOL191 , VOL192 , VOL193 ,
	VOL194 , VOL195 , VOL196 , VOL197 , VOL198 , VOL199 , VOL200 , VOL201 ,
	VOL202 , VOL203 , VOL204 , VOL205 , VOL206 , VOL207 , VOL208 , VOL209 ,
	VOL210 , VOL211 , VOL212 , VOL213 , L0001131 , L0001132 , L0001133 , L0001134 ,
	L0001135 , L0001136 , L0001137 , L0001138 , L0001139 , L0001140 , L0001141 , L0001142 ,
	L0001143 , L0001144 , L0001145 , L0001146 , L0001147 , L0001148 , L0001149 , L0001150 ,
	L0001151 , L0001152 , L0001153 , L0001154 , L0001155 , L0001156 , L0001157 , L0001158 ,
	L0001159 , L0001160 , L0001161 , L0001162 , L0001163 , L0001164 , L0001165 , L0001166 ,
	L0001167 , L0001168 , L0001169 , L0001170 , L0001171 , L0001172 , L0001173 , L0001174 ,
	L0001175 , L0001176 , L0001177 , L0001178 , L0001179 , L0001180 , L0001181 , L0001182 ,

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
L0001239 , L0001240 , L0001241 , L0001242 , L0001243 , L0001244 , L0001245 , L0001246 ,	
L0001247 , L0001248 , L0001249 , L0001250 , L0001251 , L0001252 , L0001253 , L0001254 ,	
L0001255 , L0001256 , L0001257 , L0001258 , L0001259 , L0001260 , L0001261 , L0001262 ,	
L0001263 , L0001264 , L0001265 , L0001266 , L0001267 , L0001268 , L0001269 , L0001270 ,	
L0001271 , L0001272 , L0001273 , L0001274 , L0001275 ,	

```
L0001276    , L0001277    , L0001278    ,

             L0001279    , L0001280    , L0001281    , L0001282    , L0001283    ,
L0001284    , L0001285    , L0001286    ,

             L0001287    , L0001288    , L0001289    , L0001290    , L0001291    ,
L0001292    , L0001293    , L0001294    ,

             L0001295    , L0001296    , L0001297    , L0001298    , L0001299    ,
L0001300    , L0001301    , L0001302    ,

             L0001303    , L0001304    , L0001305    , L0001306    , L0001307    ,
L0001308    , L0001309    , L0001310    ,

             L0001311    , L0001312    , L0001313    , L0001314    , L0001315    ,
L0001316    , L0001317    , L0001318    ,

             L0001319    , L0001320    , L0001321    , L0001322    , L0001323    ,
L0001324    , L0001325    , L0001326    ,

             L0001327    , L0001328    , L0001329    , L0001330    , L0001331    ,
L0001332    , L0001333    , L0001334    ,

             L0001335    , L0001336    , L0001337    , L0001338    , L0001339    ,
L0001340    , L0001341    , L0001342    ,

             L0001343    , L0001344    , L0001345    , L0001346    , L0001347    ,
L0001348    , L0001349    , L0001350    ,

             L0001351    , L0001352    , L0001353    , L0001354    , L0001355    ,
L0001356    , L0001357    , L0001358    ,

             L0001359    , L0001360    , L0001361    , L0001362    , L0001363    ,
L0001364    , L0001365    , L0001366    ,

             L0001367    , L0001368    , L0001369    , L0001370    , L0001371    ,
L0001372    , L0001373    , L0001374    ,

             L0001375    , L0001376    , L0001377    , L0001378    , L0001379    ,
L0001380    , L0001381    , L0001382    ,

             L0001383    , L0001384    , L0001385    , L0001386    , L0001387    ,
L0001388    , L0001389    , L0001390    ,

             L0001391    , L0001392    , L0001393    , L0001394    , L0001395    ,
L0001396    , L0001397    , L0001398    ,
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
	L0001399 , L0001400 , L0001401 , L0001402 , L0001403 , L0001404 , L0001405 , L0001406 ,
	L0001407 , L0001408 , L0001409 , L0001410 , L0001411 , L0001412 , L0001413 , L0001414 ,
	L0001415 , L0001416 , L0001417 , L0001418 , L0001419 , L0001420 , L0001421 , L0001422 ,
	L0001423 , L0001424 , L0001425 , L0001426 , L0001427 , L0001428 , L0001429 , L0001430 ,
	L0001431 , L0001432 , L0001433 , L0001434 , L0001435 , L0001436 , L0001437 , L0001438 ,
	L0001439 , L0001440 , L0001441 , L0001442 , L0001443 , L0001444 , L0001445 , L0001446 ,
	L0001447 , L0001448 , L0001449 , L0001450 , L0001451 , L0001452 , L0001453 , L0001454 ,
	L0001455 , L0001456 , L0001457 , L0001458 , L0001459 , L0001460 , L0001461 , L0001462 ,
	L0001463 , L0001464 , L0001465 , L0001466 , L0001467 , L0001468 , L0001469 , L0001470 ,
	L0001471 , L0001472 , L0001473 , L0001474 , L0001475 , L0001476 , L0001477 , L0001478 ,
	L0001479 , L0001480 , L0001481 , L0001482 , L0001483 , L0001484 , L0001485 , L0001486 ,
	L0001487 , L0001488 , L0001489 , L0001490 , L0001491 , L0001492 , L0001493 , L0001494 ,
	L0001495 , L0001496 , L0001497 , L0001498 , L0001499 ,

L0001500   , L0001501   , L0001502   ,

             L0001503   , L0001504   , L0001505   , L0001506   , L0001507   ,
L0001508   , L0001509   , L0001510   ,

             L0001511   , L0001512   , L0001513   , L0001514   , L0001515   ,
L0001516   , L0001517   , L0001518   ,

             L0001519   , L0001520   , L0001521   , L0001522   , L0001523   ,
L0001524   , L0001525   , L0001526   ,

             L0001527   , L0001528   , L0001529   , L0001530   , L0001531   ,
L0001532   , L0001533   , L0001534   ,

             L0001535   , L0001536   , L0001537   , L0001538   , L0001539   ,
L0001540   , L0001541   , L0001542   ,

             L0001543   , L0001544   , L0001545   , L0001546   , L0001547   ,
L0001548   , L0001549   , L0001550   ,

             L0001551   , L0001552   , L0001553   , L0001554   , L0001555   ,
L0001556   , L0001557   , L0001558   ,

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                                          *** SOURCE IDs DEFINING SOURCE GROUPS
***

 SRCGROUP ID   SOURCE IDs
 -----------   ----------

             L0001559   , L0001560   , L0001561   , L0001562   , L0001563   ,
L0001564   , L0001565   , L0001566   ,

             L0001567   , L0001568   , L0001569   , L0001570   , L0001571   ,
L0001572   , L0001573   , L0001574   ,

             L0001575   , L0001576   , L0001577   , L0001578   , L0001579   ,
L0001580   , L0001581   , L0001582   ,

             L0001583   , L0001584   , L0001585   , L0001586   , L0001587   ,
L0001588   , L0001589   , L0001590   ,

```
             L0001591    , L0001592    , L0001593    , L0001594    , L0001595    ,
L0001596    , L0001597    , L0001598    ,

             L0001599    , L0001600    , L0001601    , L0001602    , L0001603    ,
L0001604    , L0001605    , L0001606    ,

             L0001607    , L0001608    , L0001609    , L0001610    , L0001611    ,
L0001612    , L0001613    , L0001614    ,

             L0001615    , L0001616    , L0001617    , L0001618    , L0001619    ,
L0001620    , L0001621    , L0001622    ,

             L0001623    , L0001624    , L0001625    , L0001626    , L0001627    ,
L0001628    , L0001629    , L0001630    ,

             L0001631    , L0001632    , L0001633    , L0001634    , L0001635    ,
L0001636    , L0001637    , L0001638    ,

             L0001639    , L0001640    , L0001641    , L0001642    , L0001643    ,
L0001644    , L0001645    , L0001646    ,

             L0001647    , L0001648    , L0001649    , L0001650    , L0001651    ,
L0001652    , L0001653    , L0001654    ,

             L0001655    , L0001656    , L0001657    , L0001658    , L0001659    ,
L0001660    , L0001661    , L0001662    ,

             L0001663    , L0001664    , L0001665    , L0001666    , L0001667    ,
L0001668    , L0001669    , L0001670    ,

             L0001671    , L0001672    , L0001673    , L0001674    , L0001675    ,
L0001676    , L0001677    , L0001678    ,

             L0001679    , L0001680    , L0001681    , L0001682    , L0001683    ,
L0001684    , L0001685    , L0001686    ,

             L0001687    , L0001688    , L0001689    , L0001690    , L0001691    ,
L0001692    , L0001693    , L0001694    ,

             L0001695    ,
♠ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                         ***       10:27:54

                                   PAGE  27
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*
```

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
	2189641.	VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 , VOL9 ,
		VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 , VOL17 ,
		VOL18 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 , VOL25 ,
		VOL26 , VOL27 , VOL28 , VOL29 , VOL30 , VOL31 , VOL32 , VOL33 ,
		VOL34 , VOL35 , VOL36 , VOL37 , VOL38 , VOL39 , VOL40 , VOL41 ,
		VOL42 , VOL43 , VOL44 , VOL45 , VOL46 , VOL47 , VOL48 , VOL49 ,
		VOL50 , VOL51 , VOL52 , VOL53 , VOL54 , VOL55 , VOL56 , VOL57 ,
		VOL58 , VOL59 , VOL60 , VOL61 , VOL62 , VOL63 , VOL64 , VOL65 ,
		VOL66 , VOL67 , VOL68 , VOL69 , VOL70 , VOL71 , VOL72 , VOL73 ,
		VOL74 , VOL75 , VOL76 , VOL77 , VOL78 , VOL79 , VOL80 , VOL81 ,
		VOL82 , VOL83 , VOL84 , VOL85 , VOL86 , VOL87 , VOL88 , VOL89 ,
		VOL90 , VOL91 , VOL92 , VOL93 , VOL94 , VOL95 , VOL96 , VOL97 ,
		VOL98 , VOL99 , VOL100 , VOL101 , VOL102 , VOL103 , VOL104 , VOL105 ,
		VOL106 , VOL107 , VOL108 , VOL109 , VOL110 , VOL111 , VOL112 , VOL113 ,

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs

VOL162 , VOL163 , VOL164 , VOL165 , VOL166 ,
VOL167 , VOL168 , VOL169 ,

VOL170 , VOL171 , VOL172 , VOL173 , VOL174 ,
VOL175 , VOL176 , VOL177 ,

VOL178 , VOL179 , VOL180 , VOL181 , VOL182 ,
VOL183 , VOL184 , VOL185 ,

VOL186 , VOL187 , VOL188 , VOL189 , VOL190 ,
VOL191 , VOL192 , VOL193 ,

VOL194 , VOL195 , VOL196 , VOL197 , VOL198 ,
VOL199 , VOL200 , VOL201 ,

```
             VOL202      , VOL203      , VOL204      , VOL205      , VOL206      ,
VOL207       , VOL208      , VOL209      ,

             VOL210      , VOL211      , VOL212      , VOL213      , L0001131    ,
L0001132     , L0001133    , L0001134    ,

             L0001135    , L0001136    , L0001137    , L0001138    , L0001139    ,
L0001140     , L0001141    , L0001142    ,

             L0001143    , L0001144    , L0001145    , L0001146    , L0001147    ,
L0001148     , L0001149    , L0001150    ,

             L0001151    , L0001152    , L0001153    , L0001154    , L0001155    ,
L0001156     , L0001157    , L0001158    ,

             L0001159    , L0001160    , L0001161    , L0001162    , L0001163    ,
L0001164     , L0001165    , L0001166    ,

             L0001167    , L0001168    , L0001169    , L0001170    , L0001171    ,
L0001172     , L0001173    , L0001174    ,

             L0001175    , L0001176    , L0001177    , L0001178    , L0001179    ,
L0001180     , L0001181    , L0001182    ,

             L0001183    , L0001184    , L0001185    , L0001186    , L0001187    ,
L0001188     , L0001189    , L0001190    ,

             L0001191    , L0001192    , L0001193    , L0001194    , L0001195    ,
L0001196     , L0001197    , L0001198    ,

             L0001199    , L0001200    , L0001201    , L0001202    , L0001203    ,
L0001204     , L0001205    , L0001206    ,

             L0001207    , L0001208    , L0001209    , L0001210    , L0001211    ,
L0001212     , L0001213    , L0001214    ,

             L0001215    , L0001216    , L0001217    , L0001218    , L0001219    ,
L0001220     , L0001221    , L0001222    ,

             L0001223    , L0001224    , L0001225    , L0001226    , L0001227    ,
L0001228     , L0001229    , L0001230    ,

             L0001231    , L0001232    , L0001233    , L0001234    , L0001235    ,
L0001236     , L0001237    , L0001238    ,
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
		L0001239 , L0001240 , L0001241 , L0001242 , L0001243 , L0001244 , L0001245 , L0001246 ,
		L0001247 , L0001248 , L0001249 , L0001250 , L0001251 , L0001252 , L0001253 , L0001254 ,
		L0001255 , L0001256 , L0001257 , L0001258 , L0001259 , L0001260 , L0001261 , L0001262 ,
		L0001263 , L0001264 , L0001265 , L0001266 , L0001267 , L0001268 , L0001269 , L0001270 ,
		L0001271 , L0001272 , L0001273 , L0001274 , L0001275 , L0001276 , L0001277 , L0001278 ,
		L0001279 , L0001280 , L0001281 , L0001282 , L0001283 , L0001284 , L0001285 , L0001286 ,
		L0001287 , L0001288 , L0001289 , L0001290 , L0001291 , L0001292 , L0001293 , L0001294 ,
		L0001295 , L0001296 , L0001297 , L0001298 , L0001299 , L0001300 , L0001301 , L0001302 ,
		L0001303 , L0001304 , L0001305 , L0001306 , L0001307 , L0001308 , L0001309 , L0001310 ,
		L0001311 , L0001312 , L0001313 , L0001314 , L0001315 , L0001316 , L0001317 , L0001318 ,
		L0001319 , L0001320 , L0001321 , L0001322 , L0001323 , L0001324 , L0001325 , L0001326 ,
		L0001327 , L0001328 , L0001329 , L0001330 , L0001331 , L0001332 , L0001333 , L0001334 ,
		L0001335 , L0001336 , L0001337 , L0001338 , L0001339 , L0001340 , L0001341 , L0001342 ,

```
             L0001343    , L0001344    , L0001345    , L0001346    , L0001347    ,
L0001348    , L0001349    , L0001350    ,

             L0001351    , L0001352    , L0001353    , L0001354    , L0001355    ,
L0001356    , L0001357    , L0001358    ,

             L0001359    , L0001360    , L0001361    , L0001362    , L0001363    ,
L0001364    , L0001365    , L0001366    ,

             L0001367    , L0001368    , L0001369    , L0001370    , L0001371    ,
L0001372    , L0001373    , L0001374    ,

             L0001375    , L0001376    , L0001377    , L0001378    , L0001379    ,
L0001380    , L0001381    , L0001382    ,

             L0001383    , L0001384    , L0001385    , L0001386    , L0001387    ,
L0001388    , L0001389    , L0001390    ,

             L0001391    , L0001392    , L0001393    , L0001394    , L0001395    ,
L0001396    , L0001397    , L0001398    ,
```

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                                        *** SOURCE IDs DEFINED AS URBAN SOURCES
***

  URBAN ID   URBAN POP   SOURCE IDs
  --------   ---------   ----------

```
             L0001399    , L0001400    , L0001401    , L0001402    , L0001403    ,
L0001404    , L0001405    , L0001406    ,

             L0001407    , L0001408    , L0001409    , L0001410    , L0001411    ,
L0001412    , L0001413    , L0001414    ,

             L0001415    , L0001416    , L0001417    , L0001418    , L0001419    ,
L0001420    , L0001421    , L0001422    ,

             L0001423    , L0001424    , L0001425    , L0001426    , L0001427    ,
L0001428    , L0001429    , L0001430    ,

             L0001431    , L0001432    , L0001433    , L0001434    , L0001435    ,
```

```
L0001436    , L0001437    , L0001438    ,

             L0001439    , L0001440    , L0001441    , L0001442    , L0001443    ,
L0001444    , L0001445    , L0001446    ,

             L0001447    , L0001448    , L0001449    , L0001450    , L0001451    ,
L0001452    , L0001453    , L0001454    ,

             L0001455    , L0001456    , L0001457    , L0001458    , L0001459    ,
L0001460    , L0001461    , L0001462    ,

             L0001463    , L0001464    , L0001465    , L0001466    , L0001467    ,
L0001468    , L0001469    , L0001470    ,

             L0001471    , L0001472    , L0001473    , L0001474    , L0001475    ,
L0001476    , L0001477    , L0001478    ,

             L0001479    , L0001480    , L0001481    , L0001482    , L0001483    ,
L0001484    , L0001485    , L0001486    ,

             L0001487    , L0001488    , L0001489    , L0001490    , L0001491    ,
L0001492    , L0001493    , L0001494    ,

             L0001495    , L0001496    , L0001497    , L0001498    , L0001499    ,
L0001500    , L0001501    , L0001502    ,

             L0001503    , L0001504    , L0001505    , L0001506    , L0001507    ,
L0001508    , L0001509    , L0001510    ,

             L0001511    , L0001512    , L0001513    , L0001514    , L0001515    ,
L0001516    , L0001517    , L0001518    ,

             L0001519    , L0001520    , L0001521    , L0001522    , L0001523    ,
L0001524    , L0001525    , L0001526    ,

             L0001527    , L0001528    , L0001529    , L0001530    , L0001531    ,
L0001532    , L0001533    , L0001534    ,

             L0001535    , L0001536    , L0001537    , L0001538    , L0001539    ,
L0001540    , L0001541    , L0001542    ,

             L0001543    , L0001544    , L0001545    , L0001546    , L0001547    ,
L0001548    , L0001549    , L0001550    ,

             L0001551    , L0001552    , L0001553    , L0001554    , L0001555    ,
L0001556    , L0001557    , L0001558    ,
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
		L0001559 , L0001560 , L0001561 , L0001562 , L0001563 , L0001564 , L0001565 , L0001566 ,
		L0001567 , L0001568 , L0001569 , L0001570 , L0001571 , L0001572 , L0001573 , L0001574 ,
		L0001575 , L0001576 , L0001577 , L0001578 , L0001579 , L0001580 , L0001581 , L0001582 ,
		L0001583 , L0001584 , L0001585 , L0001586 , L0001587 , L0001588 , L0001589 , L0001590 ,
		L0001591 , L0001592 , L0001593 , L0001594 , L0001595 , L0001596 , L0001597 , L0001598 ,
		L0001599 , L0001600 , L0001601 , L0001602 , L0001603 , L0001604 , L0001605 , L0001606 ,
		L0001607 , L0001608 , L0001609 , L0001610 , L0001611 , L0001612 , L0001613 , L0001614 ,
		L0001615 , L0001616 , L0001617 , L0001618 , L0001619 , L0001620 , L0001621 , L0001622 ,
		L0001623 , L0001624 , L0001625 , L0001626 , L0001627 , L0001628 , L0001629 , L0001630 ,
		L0001631 , L0001632 , L0001633 , L0001634 , L0001635 , L0001636 , L0001637 , L0001638 ,
		L0001639 , L0001640 , L0001641 , L0001642 , L0001643 , L0001644 , L0001645 , L0001646 ,
		L0001647 , L0001648 , L0001649 , L0001650 , L0001651 , L0001652 , L0001653 , L0001654 ,
		L0001655 , L0001656 , L0001657 , L0001658 , L0001659 ,

L0001660   , L0001661   , L0001662   ,

             L0001663   , L0001664   , L0001665   , L0001666   , L0001667   ,
L0001668   , L0001669   , L0001670   ,

             L0001671   , L0001672   , L0001673   , L0001674   , L0001675   ,
L0001676   , L0001677   , L0001678   ,

             L0001679   , L0001680   , L0001681   , L0001682   , L0001683   ,
L0001684   , L0001685   , L0001686   ,

             L0001687   , L0001688   , L0001689   , L0001690   , L0001691   ,
L0001692   , L0001693   , L0001694   ,

             L0001695   ,

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL2   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL3   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL4   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL5   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  36
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL6          ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL7   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL10   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL11   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL12   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL13   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL14   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  45
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL15        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL16   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL17   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE  49
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL19        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL20   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL21   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  52
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL22        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  53
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL23        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL24   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL25         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  56
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL26         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL28   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL29   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL30   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL31   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL32   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL35   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE  66
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL36        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL37   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL38   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL39   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  70
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL40        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL41   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL42   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL43 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL44   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL45   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL46   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  77
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL47        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  78
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL48        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL49   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL50        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  81
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL51        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL52   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL53   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL54   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL55   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  86
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL56        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL57   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL58 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL59 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL60   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL63 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL64   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE  95
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL65        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL66   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL67   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE  99
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL69        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL70   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL71   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 102
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL72        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 103
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL73        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL74   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL75         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 106
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL76         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL77   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL78   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL79   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL80   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 111
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL81        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL82   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL83        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 114
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL84        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL85   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 116
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL86        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL87 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL88 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL89 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 120
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL90        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL91   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL92   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL93 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 124
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL94        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL95   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL96   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 127
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL97        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 128
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL98        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL99   ; SOURCE TYPE = VOLUME   :

HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

```
 SOURCE ID = VOL100       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 131
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL101       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL102   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL103   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL104   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL105   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 136
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL106       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL107   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL108 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL109 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL110   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 141
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL111       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL112 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL113 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL114       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 145
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL115       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL116   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL117   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL118 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 149
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL119       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL120   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL121   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 152
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL122       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 153
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL123       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL124   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL125       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 156
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL126       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL127   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL128   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL129   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL130   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 161
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL131       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL132   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL133 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL134 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL135   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL136 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL137 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL138 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL139 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 170
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL140       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL141   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL142   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL143 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 174
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL144       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL145   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL146   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 177
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL147       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 178
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL148       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL149   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL150       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 181
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL151       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL152   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL153   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = WEEKDAY

    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = WEEKDAY

    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 186
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL156       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL157   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL158 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL159 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL160   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 191
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL161       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL162 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL163 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 194
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL164       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL165   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL166   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL167   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL168 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 199
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL169       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL170   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL171   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 202
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL172       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 203
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL173       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL174   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL175       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 206
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL176       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL177   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL178   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL179   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL180   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL181   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL182   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL183 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL184 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL185   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 216
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL186       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL187 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL188 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 219
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL189       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL190   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL191   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL192   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL193 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 224
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL194       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL195   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL196   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 227
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL197       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 228
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL198       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL199   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL200       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 231
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL201       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL202 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL203   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL204       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 235
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL205       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
```

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL206   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL207   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL208 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL209 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL210   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 241
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL211       ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL212 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL213 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001131 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001132   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001133   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001134   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001135 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 249
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001136     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001137   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001138   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 252
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001139     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 253
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001140     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001141   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001142     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 256
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001143     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001144   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001145   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001146   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001147   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001148   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001149   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001150 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001151 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001152   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001153   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001154   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   10:27:54

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001155   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 269
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001156     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001157   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001158   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001159   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0001160 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001161   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001162   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001163   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 277
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001164     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 278
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001165     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001166   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001167     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 281
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001168     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001169   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001170   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 286
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001173     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001174   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001175 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001176 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001177   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001178   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001179   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                   DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001180   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001181 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001182   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001183   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001184   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001185 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 299
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001186     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001187   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001188   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 302
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001189     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 303
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001190     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001191   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001192     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 306
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001193     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001194   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001195   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

SOURCE ID = L0001196 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001197 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01						

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 311
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001198     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001199   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001200     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 314
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001201     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001202   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001203   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001204 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001205 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001206 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001207   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001208   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001209   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001210 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 324
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001211     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001212   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001213   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 327
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001214     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 328
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001215     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001216   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001217     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 331
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001218     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001219   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001220   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001221   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001222   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 336
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001223     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001224   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001225 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001226 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001227   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001228   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001229 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001230 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001231 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 345
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001232     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001233   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001234   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001235 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001236   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001237   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001238   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 352
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001239     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 353
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001240     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001241   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001242     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 356
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001243     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001244   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001245   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001246 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001247 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 361
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001248     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001249   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001250 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001251 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001252   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001253   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001254   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   10:27:54

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001255   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001256 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001257   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001258   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001259   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001260 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 374
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001261     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001262   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001263   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 377
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001264     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 378
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001265     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001266   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001267     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 381
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001268     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001269   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001270   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001271   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001272   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 386
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001273     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 387
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001274     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 388
```

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001275     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 389
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001276     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001277   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001278   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001279 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001280 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001281 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001282   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001283   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001284   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001285 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001286 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001287   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001288   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 402
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001289     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 403
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001290     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001291   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001292     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 406
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001293     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001294   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001295   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001296   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001297   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 411
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001298     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001299   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001300 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001301 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001302   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001303   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001304   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   10:27:54

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001305   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001306 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001307   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001308   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001309   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00 14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001310 ; SOURCE TYPE = VOLUME :

HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

- -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01 14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00 6 .0000E+00 7 .0000E+00 8 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001311   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001312   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001313   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 427
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001314     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 428
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001315     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001316   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001317     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 431
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001318     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001319   ; SOURCE TYPE = VOLUME   :
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001320   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 436
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001323     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001324   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001325 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001326 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001327   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001328   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001329 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001330 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001331 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 445
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001332     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001333   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001334   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001335 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 449
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001336     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001337   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001338   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 452
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001339     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 453
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001340     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001341   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001342     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 456
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001343     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001344   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001345   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001346 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001347 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01						

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001348   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001349   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001350 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001351 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001352   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 466
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001353     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001354   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   10:27:54

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001355   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001356 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001357   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001358   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001359   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001360 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 474
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001361     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001362   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001363   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 477
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001364     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 478
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001365     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001366   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001367     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 481
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001368     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001369   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001370   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001371   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001372   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 486
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001373     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001374   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001375 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001376 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001377   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001378   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001379   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                   DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001380   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001381 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001382   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001383   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001384   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001385 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 499
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001386     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001387   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001388   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 502
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001389     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 503
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001390     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001391   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001392     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 506
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001393     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001394   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001395   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001396 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001397 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01						

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001398   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001399   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001400     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 514
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001401     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001402   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 516
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001403     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001404   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                   DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                   DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001405   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001406 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001407   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001408   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001409   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001410 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001411   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001412   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001413   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 527
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001414     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 528
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001415     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001416   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001417     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 531
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001418     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001419   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001420   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001421   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   10:27:54

                                  PAGE 535
 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001422   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 536
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001423     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001424   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001425 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001426 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001427   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001428   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001429 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001430 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001431 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001432   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001433   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001434   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001435 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 549
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001436     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001437   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001438   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 552
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001439     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 553
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001440     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001441   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001442     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 556
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001443     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001444   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001445   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 SOURCE ID = L0001446   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001447   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 561
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001448     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001449   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001450 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001451 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001452   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 566
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001453     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001454 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001455 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001456 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001457   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001458   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001459   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001460 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 574
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001461     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001462   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001463   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 577
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001464     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 578
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001465     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001466   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001467     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 581
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001468     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001469   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001470   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 586
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001473     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001474   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001475 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001476 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001477   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 591
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001478     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001479   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001480   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001481 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001482   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001483   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001484   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001485 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 599
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001486     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001487   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001488   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 602
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001489     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 603
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001490     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001491   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001492     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 606
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001493     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001494   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001495   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 611
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001498     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001499   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001500 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001501 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001502   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001503 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001504 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001505 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001506 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                   PAGE 620
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001507     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001508   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001509   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001510 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001511   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001512   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001513   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 627
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001514     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 628
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001515     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001516   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001517     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 631
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001518     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001519   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001520   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001521   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001522   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 636
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001523     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001524   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001525 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001526 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001527   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001528   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001529 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001530 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001531 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001532   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001533   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001534   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001535 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 649
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001536     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001537   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001538   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 652
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001539     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 653
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001540     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001541   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001542     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 656
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001543     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001544   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001545   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001546   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001547   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001548   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001549   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001550 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001551 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00						

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001552   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001553   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001554 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001555 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001556 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001557   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001558   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001559   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

```
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```


```
                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001560     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001561   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001562   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                            DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                            DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                            DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001563   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 677
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001564     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 678
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001565     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001566   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001567     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 681
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001568     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001569   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001570   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001571   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001572   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 686
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001573     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001574   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001575     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 689
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001576     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001577   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 691
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001578     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001579 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001580 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001581 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001582   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001583   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001584   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001585 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001586   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001587   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001588   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 702
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001589     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 703
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001590     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001591   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001592     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 706
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001593     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001594 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001595   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 SOURCE ID = L0001596   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 SOURCE ID = L0001597   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 711
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001598     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001599   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001600     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 714
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001601     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001602   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001603   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001604 ; SOURCE TYPE = VOLUME :

```
  HOUR   SCALAR    HOUR   SCALAR    HOUR   SCALAR    HOUR   SCALAR    HOUR   SCALAR
HOUR   SCALAR    HOUR   SCALAR    HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```


* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001605 ; SOURCE TYPE = VOLUME :

```
  HOUR   SCALAR    HOUR   SCALAR    HOUR   SCALAR    HOUR   SCALAR    HOUR   SCALAR
HOUR   SCALAR    HOUR   SCALAR    HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001606 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001607   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001608   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001609   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001610 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001612   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                            DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                            DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                            DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001613   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 727
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001614     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 728
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001615     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001616   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001617     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 731
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001618     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001619   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001620   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001621   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
↟ *** AERMOD - VERSION 23132 ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION 16216 ***   ***
                       ***   10:27:54

                                  PAGE 735
 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001622   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 736
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001623     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001624   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001625 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001626 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001627   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001628   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001629 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001630 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001631 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001632   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001633   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001634   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001635 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 749
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001636     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001637   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001638   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 752
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001639     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 753
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001640     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001641   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001642     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 756
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001643     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001644   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001645   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001646 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001647 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01						

14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001648   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001649   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001650     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 764
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001651     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001652   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001653 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001654 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001655 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001656   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001657   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001658   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001659   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

```
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```



```
                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001660     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001662   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001663   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 777
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001664     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 778
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001665     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001666   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001667     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 781
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001668     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001669   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001670   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001671   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001672   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 786
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001673     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001674   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001675     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 789
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001676     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001677   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001678   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001679 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.1000E+01
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001680 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001681 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001682   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001683   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = L0001684   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001685 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***        10:27:54

                                   PAGE 799
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001686     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   ***
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001687   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001688   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 802
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001689     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001690 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001691   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = L0001692     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 806
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001693     ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0001694   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = L0001695   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(490994.7, 3721839.7, 478.2, 575.0, 0.0); (490768.8, 3722080.3, 452.1, 576.0, 0.0);
(490567.1, 3720965.9, 450.9, 576.0, 0.0); (490533.3, 3721540.8, 461.6, 576.0, 0.0);
(490701.1, 3720792.0, 441.4, 576.0, 0.0); (491048.4, 3720789.5, 432.9, 576.0, 0.0);
(490963.6, 3720764.3, 433.9, 576.0, 0.0); (490863.1, 3720782.8, 436.7, 576.0, 0.0);
(490928.6, 3720708.5, 434.0, 576.0, 0.0); (490641.6, 3720741.3, 442.8, 576.0, 0.0);
(490651.4, 3720697.8, 441.6, 576.0, 0.0); (490646.6, 3720652.8, 441.9, 576.0, 0.0);
(490649.4, 3720558.0, 436.9, 576.0, 0.0); (490823.9, 3720607.7, 440.8, 576.0, 0.0);
(490562.0, 3720753.5, 450.3, 576.0, 0.0); (490575.1, 3720674.9, 450.3, 576.0, 0.0);
(490572.2, 3720590.2, 450.8, 576.0, 0.0); (490555.9, 3720504.3, 441.8, 576.0, 0.0);
(490535.2, 3720464.0, 439.3, 576.0, 0.0); (490648.4, 3720471.7, 432.3, 576.0, 0.0);
(490532.7, 3720398.4, 434.4, 576.0, 0.0); (490440.4, 3720352.2, 439.5, 576.0, 0.0);
(490434.7, 3720272.4, 435.1, 576.0, 0.0); (490437.5, 3720170.2, 431.6, 576.0, 0.0);
(491490.4, 3720272.0, 427.3, 775.0, 0.0); (491481.0, 3720254.9, 427.4, 775.0, 0.0);
(491614.2, 3721100.0, 437.0, 482.0, 0.0); (491847.2, 3721029.6, 435.0, 470.0, 0.0);
(491899.7, 3720738.4, 433.0, 775.0, 0.0); (491906.5, 3720898.4, 433.0, 775.0, 0.0);
(492053.0, 3720932.5, 434.0, 775.0, 0.0); (492001.8, 3721138.4, 442.1, 470.0, 0.0);
(490689.2, 3722151.2, 444.9, 576.0, 0.0); (490632.2, 3722325.5, 439.1, 576.0, 0.0);
(489877.9, 3721044.6, 470.2, 576.0, 0.0); (489945.5, 3720583.5, 455.9, 576.0, 0.0);
(489937.6, 3720500.1, 452.9, 576.0, 0.0); (489560.5, 3721030.2, 456.1, 576.0, 0.0);
(489518.7, 3720971.2, 450.9, 576.0, 0.0); (489434.5, 3720982.4, 450.2, 576.0, 0.0);
(489773.4, 3721056.1, 462.8, 576.0, 0.0); (489358.2, 3720774.9, 444.5, 576.0, 0.0);
(490891.4, 3719938.2, 421.9, 521.0, 0.0); (490864.9, 3719919.7, 421.9, 521.0, 0.0);
(490741.8, 3719960.3, 422.4, 521.0, 0.0); (490786.9, 3720019.2, 422.9, 521.0, 0.0);

```
     ( 490596.6, 3719989.0,     425.1,     521.0,       0.0);         ( 490587.9,
3719858.7,     423.2,     521.0,       0.0);
     ( 490549.6, 3719804.5,     422.7,     521.0,       0.0);         ( 490238.6,
3719517.9,     420.5,     420.5,       0.0);
     ( 490424.3, 3719425.0,     421.0,     421.0,       0.0);         ( 490308.8,
3719200.3,     418.8,     418.8,       0.0);
     ( 490102.0, 3719222.9,     426.8,     433.0,       0.0);         ( 489972.5,
3718850.7,     417.1,     417.1,       0.0);
     ( 489843.8, 3718704.8,     416.5,     416.5,       0.0);         ( 489802.4,
3718771.9,     419.1,     419.1,       0.0);
     ( 489700.7, 3718622.5,     418.5,     418.5,       0.0);         ( 489680.7,
3718596.0,     418.3,     418.3,       0.0);
     ( 489208.0, 3717735.3,     414.0,     414.0,       0.0);         ( 489528.0,
3718383.9,     414.0,     414.0,       0.0);
     ( 489606.4, 3718484.8,     416.0,     416.0,       0.0);         ( 489673.5,
3718465.7,     415.3,     415.3,       0.0);
     ( 489529.2, 3718196.8,     416.3,     416.3,       0.0);         ( 489417.0,
3718110.5,     417.9,     417.9,       0.0);
     ( 487564.2, 3715589.4,     402.0,     402.0,       0.0);         ( 487424.8,
3714959.0,     402.0,     402.0,       0.0);
     ( 487463.7, 3715137.1,     402.6,     402.6,       0.0);         ( 487386.5,
3714792.6,     402.0,     402.0,       0.0);
     ( 487898.8, 3715523.0,     408.8,     408.8,       0.0);         ( 492042.2,
3721310.2,     461.8,     470.0,       0.0);
     ( 492122.1, 3721351.7,     451.8,     472.0,       0.0);         ( 490186.5,
3720202.5,     438.0,     576.0,       0.0);
     ( 490094.9, 3720109.6,     440.0,     576.0,       0.0);         ( 488923.1,
3723371.0,     435.7,     435.7,       0.0);
     ( 488819.0, 3723279.8,     434.3,     436.0,       0.0);         ( 488823.3,
3723475.8,     438.1,     438.1,       0.0);
     ( 489326.0, 3721935.2,     441.0,     576.0,       0.0);         ( 489908.6,
3720126.2,     433.0,     576.0,       0.0);
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 810
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                                              *** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***
                                                                  (1=YES; 0=NO)

           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
```

```
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
```

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES ***

(METERS/SEC)

1.54, 3.09, 5.14, 8.23, 10.80,

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file: PERI_V9_ADJU\PERI_v9.SFC
Met Version: 16216
Profile file: PERI_V9_ADJU\PERI_v9.PFL

Surface format: FREE

Profile format: FREE

Surface station no.: 3171 Upper air station no.: 3190
Name: UNKNOWN Name: UNKNOWN

Year: 2010 Year: 2010

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - -
 10 01 01   1 01   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61
1.00    1.30  335.    9.1  282.5    5.5
 10 01 01   1 02   -3.9  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61
1.00    0.90  142.    9.1  280.9    5.5
 10 01 01   1 03   -3.9  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61
1.00    0.90  324.    9.1  280.4    5.5
 10 01 01   1 04   -1.3  0.064 -9.000 -9.000 -999.   39.     18.3  0.19   0.61
1.00    0.40  294.    9.1  278.8    5.5
 10 01 01   1 05   -3.9  0.088 -9.000 -9.000 -999.   62.     15.0  0.19   0.61
1.00    0.90  205.    9.1  278.1    5.5
 10 01 01   1 06   -1.3  0.065 -9.000 -9.000 -999.   39.     18.3  0.19   0.61
1.00    0.40    3.    9.1  277.0    5.5
 10 01 01   1 07   -8.0  0.125 -9.000 -9.000 -999.  106.     21.0  0.19   0.61
1.00    1.30   99.    9.1  277.0    5.5
 10 01 01   1 08   -3.3  0.086 -9.000 -9.000 -999.   61.     16.8  0.19   0.61
0.54    0.90  319.    9.1  278.8    5.5
 10 01 01   1 09   20.1  0.128  0.307  0.010   49.  110.     -9.0  0.19   0.61
0.33    0.90  239.    9.1  284.2    5.5
 10 01 01   1 10   56.7  0.087  0.560  0.010  107.   62.     -1.0  0.19   0.61
0.26    0.40  188.    9.1  289.2    5.5
 10 01 01   1 11   81.5  0.323  0.867  0.008  277.  441.    -35.9  0.19   0.61
0.23    2.70  310.    9.1  290.9    5.5
 10 01 01   1 12   97.1  0.281  1.058  0.008  421.  357.    -19.7  0.19   0.61
0.22    2.20  357.    9.1  293.1    5.5
 10 01 01   1 13   92.2  0.279  1.117  0.008  523.  354.    -20.4  0.19   0.61
0.22    2.20  356.    9.1  293.8    5.5
 10 01 01   1 14   77.6  0.275  1.102  0.008  595.  347.    -23.2  0.19   0.61
0.23    2.20   50.    9.1  294.2    5.5
 10 01 01   1 15   54.9  0.230  1.006  0.008  640.  266.    -19.2  0.19   0.61
0.27    1.80   53.    9.1  293.8    5.5
 10 01 01   1 16   12.3  0.206  0.613  0.008  648.  225.    -61.5  0.19   0.61
0.36    1.80   11.    9.1  292.5    5.5
 10 01 01   1 17   -3.6  0.087 -9.000 -9.000 -999.   71.     15.6  0.19   0.61
0.64    0.90  351.    9.1  290.4    5.5
 10 01 01   1 18   -3.8  0.087 -9.000 -9.000 -999.   62.     15.2  0.19   0.61
1.00    0.90  186.    9.1  287.5    5.5
 10 01 01   1 19   -3.8  0.087 -9.000 -9.000 -999.   62.     15.2  0.19   0.61
1.00    0.90  275.    9.1  285.9    5.5
 10 01 01   1 20   -1.2  0.064 -9.000 -9.000 -999.   39.     18.1  0.19   0.61
1.00    0.40  181.    9.1  285.4    5.5
 10 01 01   1 21   -7.8  0.125 -9.000 -9.000 -999.  106.     21.3  0.19   0.61
1.00    1.30  318.    9.1  284.9    5.5
 10 01 01   1 22   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61
1.00    0.90  196.    9.1  283.1    5.5
 10 01 01   1 23   -3.8  0.088 -9.000 -9.000 -999.   62.     15.1  0.19   0.61
1.00    0.90  330.    9.1  281.4    5.5
 10 01 01   1 24   -7.9  0.125 -9.000 -9.000 -999.  106.     21.2  0.19   0.61
1.00    1.30  332.    9.1  280.9    5.5
```

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                               *** THE PERIOD (43824 HRS) AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP: ALL   ***
                                   INCLUDING SOURCE(S):   VOL2   , VOL3
 , VOL4   , VOL5   , VOL6   ,
                 VOL7   , VOL8   , VOL9   , VOL10   , VOL11
 , VOL12   , VOL13   , VOL14   ,
                 VOL15   , VOL16   , VOL17   , VOL18   , VOL19
 , VOL20   , VOL21   , VOL22   ,
                 VOL23   , VOL24   , VOL25   , VOL26   , VOL27
 , VOL28   , VOL29   , . . .   ,

                                             *** DISCRETE CARTESIAN RECEPTOR POINTS
***

                                        ** CONC OF DPM   IN MICROGRAMS/M**3
                  **

       X-COORD (M)   Y-COORD (M)   CONC   X-COORD (M)
Y-COORD (M)   CONC
 -
- -
         490994.73   3721839.68   0.00137   490768.78
3722080.32   0.00071
         490567.13   3720965.89   0.00288   490533.29
3721540.84   0.00200
         490701.15   3720792.03   0.00488   491048.40
3720789.53   0.00589
         490963.65   3720764.28   0.00433   490863.15
3720782.78   0.00459
         490928.65   3720708.53   0.00321   490641.65
3720741.28   0.00569
         490651.40   3720697.78   0.00446   490646.65
3720652.77   0.00460

```
         490649.40    3720558.02        0.00401                    490823.91
3720607.70        0.00205
         490562.05    3720753.46        0.00343                    490575.08
3720674.89        0.00330
         490572.23    3720590.21        0.00273                    490555.94
3720504.30        0.00215
         490535.18    3720464.00        0.00170                    490648.36
3720471.74        0.00395
         490532.74    3720398.45        0.00161                    490440.39
3720352.21        0.00092
         490434.69    3720272.41        0.00083                    490437.54
3720170.22        0.00074
         491490.37    3720272.00        0.00103                    491481.01
3720254.91        0.00101
         491614.21    3721100.05        0.00493                    491847.19
3721029.65        0.00171
         491899.71    3720738.36        0.00179                    491906.48
3720898.39        0.00184
         492052.98    3720932.52        0.00090                    492001.79
3721138.44        0.00106
         490689.25    3722151.20        0.00059                    490632.24
3722325.48        0.00046
         489877.88    3721044.61        0.00056                    489945.52
3720583.53        0.00069
         489937.63    3720500.10        0.00059                    489560.52
3721030.19        0.00047
         489518.74    3720971.17        0.00059                    489434.51
3720982.44        0.00048
         489773.40    3721056.06        0.00051                    489358.25
3720774.87        0.00100
         490891.44    3719938.24        0.00092                    490864.92
3719919.67        0.00094
         490741.78    3719960.31        0.00196                    490786.86
3720019.21        0.00327
         490596.57    3719989.02        0.00095                    490587.94
3719858.69        0.00126
         490549.61    3719804.54        0.00121                    490238.59
3719517.86        0.00045
         490424.29    3719425.00        0.00060                    490308.81
3719200.29        0.00044
         490102.04    3719222.92        0.00062                    489972.52
3718850.74        0.00071
         489843.78    3718704.83        0.00100                    489802.43
3718771.93        0.00087
         489700.70    3718622.48        0.00095                    489680.74
3718596.00        0.00093
         489207.97    3717735.32        0.00042                    489528.03
3718383.93        0.00094
         489606.39    3718484.85        0.00109                    489673.48
3718465.68        0.00095
```

```
         489529.16    3718196.76        0.00050                      489416.97
3718110.50        0.00088
         487564.20    3715589.39        0.00199                      487424.79
3714958.98        0.00261
         487463.69    3715137.14        0.00266                      487386.45
3714792.65        0.00210
         487898.78    3715522.96        0.00013                      492042.17
3721310.23        0.00089
         492122.06    3721351.67        0.00068                      490186.46
3720202.53        0.00052
         490094.91    3720109.65        0.00044                      488923.07
3723371.05        0.00013
         488819.02    3723279.83        0.00013                      488823.30
3723475.81        0.00012
         489325.95    3721935.18        0.00021                      489908.59
3720126.24        0.00038
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                       ***        10:27:54

                                  PAGE 813
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                               *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP:  ALL      ***
                                  INCLUDING SOURCE(S):     VOL2        , VOL3
 , VOL4        , VOL5        , VOL6        ,
                 VOL7        , VOL8        , VOL9        , VOL10       , VOL11
 , VOL12       , VOL13       , VOL14       ,
                 VOL15       , VOL16       , VOL17       , VOL18       , VOL19
 , VOL20       , VOL21       , VOL22       ,
                 VOL23       , VOL24       , VOL25       , VOL26       , VOL27
 , VOL28       , VOL29       ,  . . .      ,

                                     *** DISCRETE CARTESIAN RECEPTOR POINTS
***

                                  ** CONC OF DPM      IN MICROGRAMS/M**3
                  **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)
Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        490994.73   3721839.68        0.10888  (10121716)               490768.78
 3722080.32        0.04437  (10121516)
        490567.13   3720965.89        0.14866  (16010616)               490533.29
 3721540.84        0.15961  (16010616)
```

```
       490701.15   3720792.03        0.15895  (11010316)               491048.40
3720789.53        0.18359  (10121516)
       490963.65   3720764.28        0.16523  (11010316)               490863.15
3720782.78        0.16305  (11010316)
       490928.65   3720708.53        0.12534  (11010316)               490641.65
3720741.28        0.16177  (10121516)
       490651.40   3720697.78        0.13678  (10121516)               490646.65
3720652.77        0.13402  (10121516)
       490649.40   3720558.02        0.11737  (10121516)               490823.91
3720607.70        0.08954  (10121516)
       490562.05   3720753.46        0.16141  (11010316)               490575.08
3720674.89        0.14582  (11010316)
       490572.23   3720590.21        0.12584  (11010316)               490555.94
3720504.30        0.10781  (11010316)
       490535.18   3720464.00        0.09268  (11010316)               490648.36
3720471.74        0.11035  (10121516)
       490532.74   3720398.45        0.08157  (11010316)               490440.39
3720352.21        0.06470  (11010316)
       490434.69   3720272.41        0.05434  (11010316)               490437.54
3720170.22        0.04194  (11010316)
       491490.37   3720272.00        0.04017  (10121516)               491481.01
3720254.91        0.03936  (10121516)
       491614.21   3721100.05        0.17105  (10121516)               491847.19
3721029.65        0.08012  (10121516)
       491899.71   3720738.36        0.06257  (10121516)               491906.48
3720898.39        0.07567  (10121516)
       492052.98   3720932.52        0.04939  (10121516)               492001.79
3721138.44        0.06065  (10121516)
       490689.25   3722151.20        0.03914  (16010516)               490632.24
3722325.48        0.02977  (16010516)
       489877.88   3721044.61        0.03945  (10121516)               489945.52
3720583.53        0.04210  (11010316)
       489937.63   3720500.10        0.04250  (11010316)               489560.52
3721030.19        0.02867  (10121516)
       489518.74   3720971.17        0.03138  (10121516)               489434.51
3720982.44        0.02698  (10121516)
       489773.40   3721056.06        0.03450  (10121516)               489358.25
3720774.87        0.04512  (16010616)
       490891.44   3719938.24        0.03594  (10121516)               490864.92
3719919.67        0.03566  (10121516)
       490741.78   3719960.31        0.05583  (10121516)               490786.86
3720019.21        0.07555  (10121516)
       490596.57   3719989.02        0.04185  (10121516)               490587.94
3719858.69        0.04408  (10121516)
       490549.61   3719804.54        0.04189  (10121516)               490238.59
3719517.86        0.02165  (10121516)
       490424.29   3719425.00        0.02332  (10121516)               490308.81
3719200.29        0.01824  (10121516)
       490102.04   3719222.92        0.02383  (10121516)               489972.52
3718850.74        0.02121  (10121516)
```

```
       489843.78   3718704.83        0.02527  (10121516)               489802.43
 3718771.93        0.02559  (10121516)
       489700.70   3718622.48        0.02776  (16010616)               489680.74
 3718596.00        0.02744  (16010616)
       489207.97   3717735.32        0.01235  (10121516)               489528.03
 3718383.93        0.02642  (16010616)
       489606.39   3718484.85        0.02910  (16010616)               489673.48
 3718465.68        0.02372  (10121516)
       489529.16   3718196.76        0.01518  (10121516)               489416.97
 3718110.50        0.02227  (10121516)
       487564.20   3715589.39        0.06895  (16010616)               487424.79
 3714958.98        0.08640  (16010616)
       487463.69   3715137.14        0.08285  (16010616)               487386.45
 3714792.65        0.07836  (16010616)
       487898.78   3715522.96        0.00671  (10121516)               492042.17
 3721310.23        0.05909  (10121516)
       492122.06   3721351.67        0.05033  (10121516)               490186.46
 3720202.53        0.04598  (11010316)
       490094.91   3720109.65        0.03987  (11010316)               488923.07
 3723371.05        0.00826  (14021910)
       488819.02   3723279.83        0.00849  (10121515)               488823.30
 3723475.81        0.00807  (14021910)
       489325.95   3721935.18        0.01373  (10121516)               489908.59
 3720126.24        0.03914  (11010316)
 *** AERMOD - VERSION 23132  ***   ***
C:\Users\adadabhoy\Desktop\AERMOD\16056-Keller Crossing Construction ***
10/30/24
 *** AERMET - VERSION  16216 ***   ***
                        ***       10:27:54

                                  PAGE 814
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  URBAN  ADJ_U*

                                      *** THE SUMMARY OF MAXIMUM PERIOD ( 43824
HRS) RESULTS ***


                                   ** CONC OF DPM      IN MICROGRAMS/M**3
               **


                         NETWORK
GROUP ID                       AVERAGE CONC                RECEPTOR  (XR, YR,
ZELEV, ZHILL, ZFLAG)  OF TYPE  GRID-ID
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - -

ALL       1ST HIGHEST VALUE IS       0.00589 AT (  491048.40,  3720789.53,
432.87,   576.00,    0.00)  DC
          2ND HIGHEST VALUE IS       0.00569 AT (  490641.65,  3720741.28,
```

442.75,   576.00,   0.00) DC
          3RD HIGHEST VALUE IS   0.00493 AT (491614.21, 3721100.05,
437.00,   482.00,   0.00) DC
          4TH HIGHEST VALUE IS   0.00488 AT (490701.15, 3720792.03,
441.44,   576.00,   0.00) DC
          5TH HIGHEST VALUE IS   0.00460 AT (490646.65, 3720652.77,
441.94,   576.00,   0.00) DC
          6TH HIGHEST VALUE IS   0.00459 AT (490863.15, 3720782.78,
436.68,   576.00,   0.00) DC
          7TH HIGHEST VALUE IS   0.00446 AT (490651.40, 3720697.78,
441.62,   576.00,   0.00) DC
          8TH HIGHEST VALUE IS   0.00433 AT (490963.65, 3720764.28,
433.90,   576.00,   0.00) DC
          9TH HIGHEST VALUE IS   0.00401 AT (490649.40, 3720558.02,
436.86,   576.00,   0.00) DC
         10TH HIGHEST VALUE IS   0.00395 AT (490648.36, 3720471.74,
432.27,   576.00,   0.00) DC

 *** RECEPTOR TYPES: GC = GRIDCART
                      GP = GRIDPOLR
                      DC = DISCCART
                      DP = DISCPOLR

 *** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

                                                *** THE SUMMARY OF HIGHEST 1-HR
RESULTS ***

                                   ** CONC OF DPM   IN MICROGRAMS/M**3
              **

                                                        DATE
                                        NETWORK
GROUP ID   AVERAGE CONC   (YYMMDDHH)   RECEPTOR
(XR, YR, ZELEV, ZHILL, ZFLAG)   OF TYPE GRID-ID
- -
- -

ALL   HIGH   1ST HIGH VALUE IS   0.18359 ON 10121516: AT (491048.40,
3720789.53,   432.87,   576.00,   0.00) DC

*** MODELOPTs: RegDFAULT CONC ELEV URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

 --------- Summary of Total Messages --------

A Total of   0 Fatal Error Message(s)
A Total of   4 Warning Message(s)
A Total of   2028 Informational Message(s)

A Total of   43824 Hours Were Processed

A Total of   978 Calm Hours Identified

A Total of   1050 Missing Hours Identified (2.40 Percent)

   ******** FATAL ERROR MESSAGES ********
              *** NONE ***

   ********   WARNING MESSAGES   ********
ME W186   11815   MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
     0.50
ME W187   11815   MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

MX W450   17521   CHKDAT: Record Out of Sequence in Meteorological File at:
 14010101
MX W450   17521   CHKDAT: Record Out of Sequence in Meteorological File at:
2 year gap

   ****
   *** AERMOD Finishes Successfully ***
   ****

This page intentionally left blank

APPENDIX 2.3:

RISK CALCULATIONS

Construction Risk (Unmitigated)

Receptor No.	Age Bin	DPM Conc. (µg/m^3)	Exposure Frequency (days)	Exposure Duration (years)	Inhalation Rate (L/kg-day)	Inhalation Absorption Factor	Averaging Time (years)	FAH	ASF	Cancer Risk				Non-Cancer Risk								
										URF	CPF	Dose	Risk (per million)	REL	RfD	RESP	CNS/PNS	CV/BL	IMMUN	KIDN	REPRO	EYES
1	-0.25 to 0	0.0036	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	8.9E-07	0.03	5.0E+00	1.4E-03	7.2E-04						
	0 to 2	0.0036	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	2.7E-06	0.81	5.0E+00	1.4E-03	7.2E-04						
	2 to 16	0.0036	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	1.4E-06	0.13	5.0E+00	1.4E-03	7.2E-04						
												Total	0.96			2.2E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
2	-0.25 to 0	0.00526	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	1.3E-06	0.05	5.0E+00	1.4E-03	1.1E-03						
	0 to 2	0.00526	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	3.9E-06	1.18	5.0E+00	1.4E-03	1.1E-03						
	2 to 16	0.00526	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	2.1E-06	0.18	5.0E+00	1.4E-03	1.1E-03						
												Total	1.41			3.2E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
3	-0.25 to 0	0.00826	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	2.0E-06	0.08	5.0E+00	1.4E-03	1.7E-03						
	0 to 2	0.00826	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	6.2E-06	1.85	5.0E+00	1.4E-03	1.7E-03						
	2 to 16	0.00826	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	3.2E-06	0.29	5.0E+00	1.4E-03	1.7E-03						
												Total	2.21			5.0E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
4	-0.25 to 0	0.01385	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	3.4E-06	0.13	5.0E+00	1.4E-03	2.8E-03						
	0 to 2	0.01385	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	1.0E-05	3.10	5.0E+00	1.4E-03	2.8E-03						
	2 to 16	0.01385	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	5.4E-06	0.48	5.0E+00	1.4E-03	2.8E-03						
												Total	3.71			0.01	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
5	-0.25 to 0	0.01626	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	4.0E-06	0.15	5.0E+00	1.4E-03	3.3E-03						
	0 to 2	0.01626	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	1.2E-05	3.64	5.0E+00	1.4E-03	3.3E-03						
	2 to 16	0.01626	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	6.4E-06	0.57	5.0E+00	1.4E-03	3.3E-03						
												Total	4.36			9.8E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
6	-0.25 to 0	0.01442	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	3.6E-06	0.13	5.0E+00	1.4E-03	2.9E-03						
	0 to 2	0.01442	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	1.1E-05	3.23	5.0E+00	1.4E-03	2.9E-03						
	2 to 16	0.01442	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	5.6E-06	0.50	5.0E+00	1.4E-03	2.9E-03						
												Total	3.86			0.008652	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
7 (MEIR)	-0.25 to 0	0.02161	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	5.3E-06	0.20	5.0E+00	1.4E-03	4.3E-03						
	0 to 2	0.02161	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	1.6E-05	4.84	5.0E+00	1.4E-03	4.3E-03						
	2 to 16	0.02161	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	8.5E-06	0.75	5.0E+00	1.4E-03	4.3E-03						
												Total	5.79			0.012966	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
8 (MEIW)	16 to 41	0.00499	250	4.22	230	1	70	1.00	1	3.0E-04	1.1E+00	7.9E-07	0.05	5.0E+00	1.4E-03	1.0E-03						
												Total	0.05			0.000998	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
9 (MEISC)	4 to 13	0.00059	180	4.22	572	1	70	1.00	3	3.0E-04	1.1E+00	1.7E-07	0.03	5.0E+00	1.4E-03	1.2E-04						
												Total	0.03			0.00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00


Construction Risk (Mitigated)

Receptor No.	Age Bin	DPM Conc. (µg/m^3)	Exposure Frequency (days)	Exposure Duration (years)	Inhalation Rate (L/kg-day)	Inhalation Absorption Factor	Averaging Time (years)	FAH	ASF	Cancer Risk				Non-Cancer Risk								
										URF	CPF	Dose	Risk (per million)	REL	RfD	RESP	CNS/PNS	CV/BL	IMMUN	KIDN	REPRO	EYES
1	-0.25 to 0	0.00137	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	3.4E-07	0.01	5.0E+00	1.4E-03	2.7E-04						
	0 to 2	0.00137	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	1.0E-06	0.31	5.0E+00	1.4E-03	2.7E-04						
	2 to 16	0.00137	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	5.4E-07	0.05	5.0E+00	1.4E-03	2.7E-04						
												Total	0.37			0.0003	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
2	-0.25 to 0	0.00200	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	4.9E-07	0.02	5.0E+00	1.4E-03	4.0E-04						
	0 to 2	0.00200	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	1.5E-06	0.45	5.0E+00	1.4E-03	4.0E-04						
	2 to 16	0.00200	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	7.8E-07	0.07	5.0E+00	1.4E-03	4.0E-04						
												Total	0.54			0.0004	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
3	-0.25 to 0	0.00288	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	7.1E-07	0.03	5.0E+00	1.4E-03	5.8E-04						
	0 to 2	0.00288	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	2.2E-06	0.65	5.0E+00	1.4E-03	5.8E-04						
	2 to 16	0.00288	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	1.1E-06	0.10	5.0E+00	1.4E-03	5.8E-04						
												Total	0.77			0.0006	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
4	-0.25 to 0	0.00488	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	1.2E-06	0.05	5.0E+00	1.4E-03	9.8E-04						
	0 to 2	0.00488	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	3.6E-06	1.09	5.0E+00	1.4E-03	9.8E-04						
	2 to 16	0.00488	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	1.9E-06	0.17	5.0E+00	1.4E-03	9.8E-04						
												Total	1.31			0.0010	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
5 (MEIR)	-0.25 to 0	0.00589	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	1.5E-06	0.05	5.0E+00	1.4E-03	1.2E-03						
	0 to 2	0.00589	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	4.4E-06	1.32	5.0E+00	1.4E-03	1.2E-03						
	2 to 16	0.00589	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	2.3E-06	0.20	5.0E+00	1.4E-03	1.2E-03						
												Total	1.58			0.0012	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
6	-0.25 to 0	0.00493	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	1.2E-06	0.05	5.0E+00	1.4E-03	9.9E-04						
	0 to 2	0.00493	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	3.7E-06	1.10	5.0E+00	1.4E-03	9.9E-04						
	2 to 16	0.00493	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	1.9E-06	0.17	5.0E+00	1.4E-03	9.9E-04						
												Total	1.32			0.0010	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
7	-0.25 to 0	0.00569	250	0.25	361	1	70	1.00	10	3.0E-04	1.1E+00	1.4E-06	0.05	5.0E+00	1.4E-03	1.1E-03						
	0 to 2	0.00569	250	2	1090	1	70	1.00	10	3.0E-04	1.1E+00	4.2E-06	1.27	5.0E+00	1.4E-03	1.1E-03						
	2 to 16	0.00569	250	1.97	572	1	70	1.00	3	3.0E-04	1.1E+00	2.2E-06	0.20	5.0E+00	1.4E-03	1.1E-03						
												Total	1.52			0.0011	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
8 (MEIW)	16 to 41	0.00171	250	4.22	230	1	70	1.00	1	3.0E-04	1.1E+00	2.7E-07	0.02	5.0E+00	1.4E-03	3.4E-04						
												Total	0.02			0.0003	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
9 (MEISC)	4 to 13	0.00021	180	4.22	572	1	70	1.00	3	3.0E-04	1.1E+00	5.9E-08	0.01	5.0E+00	1.4E-03	4.2E-05						
												Total	0.01			0.0000	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00

This page intentionally left blank

APPENDIX 2.4:

MODELED RECEPTORS



This page intentionally left blank