Central Valley Regional Water Quality Control Board

California Environmental Quality Act
Notice of Determination
in compliance with Section 21008 or 21152
of the Public Resources Code

To: Office of Planning and Research
P.O. Box 3044
Sacramento, CA 95812-3044

From: California Regional Water Quality Control Board
Central Valley Region, Redding Office
364 Knollcrest Drive, Suite 205
Redding, CA 96002

Date: 13 October 2026

State Clearinghouse Number:
2022020124

Project Title:
Cascade Boulevard over Moody Creek Bridge Replacement Project (WDID 5A45CR00701)

Project Location - Specific:
The project coordinates are as follows: Latitude: 40.68173° and Longitude: -122.34940°

Project Location - County:
Shasta County

Name of Applicant:
William Bond
City of Shasta Lake
4477 Main Street
Shasta Lake, CA 96019

Description of Nature, Purpose, and Beneficiaries of Project:
The purpose of the Project is to replace the functionally obsolete concrete bridge on Cascade Boulevard over Moody Creek with a new structure that meets current structural and geometric design standards. The new concrete bridge will provide safe, reliable service and enhance safety for vehicular, pedestrian, and bicycle traffic. The structure will be approximately 52 feet long and 40 feet wide, with a 36-foot-wide roadway that includes two 12-foot travel lanes and two 6-foot shoulders/Class II bike lanes. To maintain traffic during construction, Cascade Boulevard will be detoured just west of the existing bridge using a temporary low-water crossing constructed on fill material.

Name of Public Agency Approving Project:

This is to advise that the Central Valley Regional Water Quality Control Board, as a Responsible Agency, approved the above-described project on 13 October 2026 and has made the following determinations regarding the above-described project:

1. The Central Valley Regional Water Quality Control Board considered the Mitigated Negative Declaration as prepared by the City of Shasta Lake.
2. The Project will not have a significant effect on the environment.
3. Mitigation measures were made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan was adopted for this project.
5. A Statement of Overriding Considerations was not adopted for this project.
6. Findings were made pursuant to the provisions of CEQA.

The Initial Study/Mitigated Negative Declaration is available to the general public at: CEQAnet Web Portal (https://ceqanet.lci.ca.gov/Project/2022020124).

The record of project approval is available to the general public at: Central Valley Regional Water Quality Control Board's Adopted Orders Web page (https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/401_wqcerts/).

State Responsible Agency Contact Person:

Lynn Coster, Senior Environmental Scientist
Chief Storm Water and Water Quality Certification Unit
Central Valley Regional Water Quality Control Board
Redding Branch Office
(530) 224-2437

Lynn Coster Digitally signed by Lynn Coster
Water Boards Date: 2026.10.13 12:05:54 -07'00'

Lynn Coster
Senior Environmental Scientist
Central Valley Regional Water Quality Control Board, Redding

cc: U.S. EPA, Region 9, San Francisco
Water Quality Certification Program, SWRCB, Sacramento
Gabriel Leggieri, U.S. Army Corps of Engineers, Sacramento District
Kate Blanchard, California Department of Fish & Wildlife, Redding
Aren Der-Gevorgian, Dewberry Engineers Inc., Rancho Cordova
William Bond, City of Shasta Lake, Shasta Lake