

# Appendix H

---

## Land Use Policy Consistency Analysis

This page intentionally left blank

# Pure Water Southern California Land Use Policy Consistency Analysis

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of Carson</b>			
AWP Facility & Warren Facility Improvements	Light Industrial, Heavy Industrial, General Commercial, Flex District	<p><b>Land Use and Revitalization</b></p> <p><b>LUR-P-23</b> Require outdoor storage associated with use/building/business to be screened from any public view, including from adjacent streets as well as residential and commercial uses.</p>	<p><b>Consistent.</b> The AWP Facility site and Warren Facility are screened from public view by walls near the property lines.</p>
		<p><b>Community Health and Environmental Justice</b></p> <p><b>CHE-G-4</b> Protect community health from pollution by toxics and hazardous materials, especially in areas with vulnerable or sensitive populations.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, and Section 5.7, Hazards and Hazardous Materials, Pure Water includes environmental commitments to protect the local community from unhealthful pollutants related to toxics and hazardous materials.</p>
		<p><b>Community Services, Education, and Safety</b></p> <p><b>CSES-G-14</b> Protect Carson residents and workers from hazardous material exposure and minimize the threat to the public health and safety and to the environment posed by a release of hazardous materials.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, and Section 5.7, Hazards and Hazardous Materials, Pure Water includes environmental commitments that would protect workers and residents and minimize the threat to the public health and safety and the environment that could be posed by a release of hazardous materials.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> AWP Facility &amp; Warren Facility Improvements (cont.)</p>		<p><b>CSES-G-16</b> Continue mitigating against and restricting hazardous material usage in efforts to reduce pollution and hazard burden on Carson residents.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, and Section 5.7, Hazards and Hazardous Materials, Pure Water includes environmental commitments that would reduce the pollution and hazard burden on Carson residents.</p>
		<p><b>CSES-P-27</b> Minimize the threat of a release of hazardous materials through strict enforcement of rules and regulations, monitoring business operations which handle hazardous materials through the permitting process, and identifying emergency procedures and evacuation routes.</p>	<p><b>Consistent.</b> As discussed in Section 5.7, Hazards and Hazardous Materials, Pure Water would comply with applicable federal, state, and local rules and regulations related to the transport, use, and disposal of hazardous materials. The proposed AWP Facility and Warren Facility improvements would not affect evacuation routes.</p>
		<p><b>CSES-P-29</b> Continue to require remediation of hazardous material releases from previous land uses as part of any redevelopment activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.7, Hazards and Hazardous Materials, construction of the AWP Facility and Warren Facility improvements would include environmental commitments to address potentially contaminated soils encountered during construction and to facilitate continuation of ongoing remediation efforts.</p>
		<p><b>CSES-P-33</b> Strictly enforce federal, state and local laws and regulations relating to the use, storage, and transportation of toxic, explosive, and other hazardous and extremely hazardous materials to prevent unauthorized discharges.</p>	<p><b>Consistent.</b> As discussed in Section 5.7, Hazards and Hazardous Materials, Pure Water would comply with applicable federal, state, and local rules and regulations related to the transport, use, and disposal of hazardous materials.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> AWP Facility &amp; Warren Facility Improvements (cont.)</p>		<p><b>Open Space and Environmental Conservation</b> <b>OSEC-G-6</b> Identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources for their aesthetic, scientific, educational, and cultural values.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils (which addresses paleontological resources), and Section 5.12, Tribal Cultural Resources, the AWP Facility and Warren Facility improvements would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>
		<p><b>OSEC-G-13</b> Encourage integration of water conservation measures for both existing and new development, and promote utilization of recycled water for appropriate uses.</p>	<p><b>Consistent.</b> Pure Water would result in water reuse, which is a type of water recycling.</p>
		<p><b>OSEC-G-18</b> Continue to work with SCAQMD to reduce generation of air pollutants, improve air quality, and meet all national and State ambient air quality standards.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, the AWP Facility and Warren Facility modifications would comply with SCAQMD rules and regulations, which would help the South Coast Air Basin meet national and state ambient air quality standards.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> AWP Facility &amp; Warren Facility Improvements (cont.)</p>		<p><b>OSEC-G-24</b> Incorporate green infrastructure design in new projects to promote sustainability in the built environment.</p>	<p><b>Consistent.</b> Pure Water would incorporate sustainable design features. Additionally, the provision of purified water from cleaned wastewater is a key element to improving sustainability throughout the region.</p>
		<p><b>OSEC-P-8</b> Development projects shall comply with state and federal law that upon discovery of Native American remains or archaeological artifacts during construction, all activity will cease until qualified professional archaeological examination and reburial in an appropriate manner is accomplished.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, construction of the AWP Facility and Warren Facility improvements would comply with state and federal law regarding the potential discovery of Native American remains or archaeological artifacts, including California Health and Safety Code Section 7050.5. Metropolitan has been in consultation with Native American tribal representatives regarding Pure Water, including the AWP Facility and Warren Facility improvements, in compliance with CEQA (as amended by Assembly Bill [AB] 52).</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> AWP Facility &amp; Warren Facility Improvements (cont.)</p>		<p><b>OSEC-P-9</b> For development and redevelopment proposals in archaeologically—or culturally—sensitive areas of Carson, require an assessment of the potential presence of archaeological and tribal cultural resources, including a site survey and a records search of the California Historical Resources Information System at the South Central Coastal Information Center (SCCIC). As warranted by the results of the assessment, require additional studies to identify and address project-specific impacts on archaeological and tribal cultural resources.</p>	<p><b>Consistent.</b> Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, address the site survey, records search, Native American outreach, and additional studies conducted to identify and address project-specific impacts on archaeological and tribal cultural resources.</p>
		<p><b>OSEC-P-11</b> Proactively coordinate with the area’s native tribes in the review and protection of any tribal cultural resources discovered at development sites.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, construction of the AWP Facility and Warren Facility improvements would comply with state and federal laws regarding the potential discovery of Native American remains or archaeological artifacts, including California Health and Safety Code Section 7050.5. Metropolitan has been in consultation with Native American tribal representatives regarding Pure Water, including the AWP Facility and Warren Facility improvements, in compliance with CEQA (as amended by AB 52).</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> AWP Facility &amp; Warren Facility Improvements (cont.)</p>		<p><b>OSEC-P-12</b> Prior to development of projects that involve ground disturbance or excavations in undisturbed native soils, the project proponent shall retain a paleontologist meeting the Society of Vertebrate Paleontology’s standards for qualified professional paleontologist to conduct a paleontological resources assessment including: a site-specific database search at the Natural History Museum of Los Angeles County and/or other appropriate facilities; geologic map and scientific literature review; a pedestrian field survey, where deemed appropriate by the qualified professional paleontologist; assessment of the project area’s paleontological sensitivity and paleontological monitoring requirements; and preparation of a technical report that documents the methods and results of the study. The report shall be prepared prior to the City of Carson’s approval of project plans.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, which addresses paleontological resources, construction of the AWP Facility and Warren Facility improvements would include environmental commitments and mitigation measures to identify, protect, and preserve important paleontological resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> AWP Facility &amp; Warren Facility Improvements (cont.)</p>		<p><b>OSEC-P-13</b> The City shall require paleontological resources monitoring for any project that has a high potential for encountering subsurface paleontological resources. The location, depths, duration, and timing of monitoring shall be determined by the qualified professional paleontologist based on the sensitivity assessment required as part of OSEC-P-12. Prior to the start of ground disturbance, the project proponent shall retain a qualified monitor meeting the Society of paleontological resource monitors, and who shall work under the direct supervision of the qualified professional paleontologist. In the event that paleontological resources are unearthed during ground-disturbing activities, the monitor shall be empowered to halt or redirect ground-disturbing activities away from the vicinity of the discovery until the qualified professional paleontologist has determined its significance and provided recommendations for preservation in place or recovery of the resource. The monitor shall keep daily logs detailing the types of activities and soils observed, and any discoveries. After cessation of ground disturbance, the qualified professional paleontologist shall prepare a report that details the results of monitoring.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, construction of the AWP Facility and Warren Facility improvements would include environmental commitments and mitigation measures to identify, protect, and preserve important paleontological resources. This includes the preparation and implementation of a Paleontological Monitoring and Management Plan and measures to address paleontological resource discoveries.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> AWP Facility &amp; Warren Facility Improvements (cont.)</p>		<p><b>OSEC-P-25</b> Through partnership with the Los Angeles County Sanitation Districts, promote utilization of recycled water created under the Regional Recycled Water Program [Pure Water Southern California] for non-potable water needs.</p>	<p><b>Consistent.</b> This general plan policy calls for the City of Carson to support the Pure Water program that is being evaluated in this EIR.</p>
		<p><b>OSEC-P-47</b> Through the development review process, reduce air pollutant emissions impacts associated with facilities/industrial uses in Carson, to the greatest extent possible, by preparing air quality mitigation and monitoring measures, implementing reduction strategies, and limiting PM<sub>10</sub> producers and other polluting industries from locating in the City.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, Pure Water includes environmental commitments and mitigation measures that would minimize AWP Facility and Warren Facility pollution emissions within the City of Carson.</p>
		<p><b>Noise</b> <b>NO-G-1</b> Maintain healthy sound environments and protect noise-sensitive uses from excessive noise exposure.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, the AWP Facility and Warren Facility improvements incorporate environmental commitments and mitigation measures that would protect noise-sensitive uses from excessive noise exposure.</p>
		<p><b>NO-P-4</b> For aesthetic reasons, discourage the use of sound walls for noise mitigation; rather, encourage the use of project design techniques such as increasing the distance between the noise source and the noise sensitive receiver, natural berms, and use non-noise sensitive structures (e.g., a garage) to shield noise sensitive areas. If a sound wall is determined necessary to</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, the AWP Facility and Warren Facility improvements incorporate structures to attenuate noise from applicable facilities. While the final design for the AWP Facility and Warren Facility improvements may include the use of sound walls to minimize noise impacts on sensitive receivers, potentially including walls higher than</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> AWP Facility &amp; Warren Facility Improvements (cont.)</p>		<p>mitigate noise, discourage exclusive use of walls in excess of six feet in height and encourage use of natural barriers such as site topography or constructed earthen berms. When walls are determined to be the only feasible solution to noise mitigation, then sound walls shall be designed to limit aesthetic impacts.</p>	<p>six feet, such walls would be similar to the existing perimeter wall and, for the reasons described in Section 5.1, Aesthetics, the AWP Facility and Warren Facility improvements would not contribute to significant aesthetic impacts.</p>
		<p><b>NO-P-5</b> Require control of new developments deemed to be noise generators through site design, building design, landscaping, hours of operation, and other techniques for such that noise at site edges do not exceed performance-based standards outlined in Table 9-3 [of the <i>Carson 2040 General Plan</i>].</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, the AWP Facility and Warren Facility improvements incorporate environmental commitments and mitigation measures that would reduce off-site noise levels to within the City of Carson’s standards.</p>
		<p><b>NO-P-7</b> Seek to mitigate noise impacts from loud noise generating uses—including industrial uses, construction activity, goods movement by train and trucking, and along freeways, major corridors, and truck routes—to surrounding non-industrial uses.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, the AWP Facility and Warren Facility improvements incorporate environmental commitments and mitigation measures that would mitigate loud noise-generating uses, including construction of the AWP Facility and Warren Facility improvements and the operation of the facilities.</p>
<p><b>City of Carson</b> Workforce Training Center</p>	<p>Light Industrial, Heavy Industrial, Park/Open Space, Low Medium Density Residential Mix</p>	<p><b>Land Use and Revitalization</b> <b>LUR-G-15</b> Prioritize uses that provide services to the community, generate sales tax, generate good paying jobs, or provide other benefits to the community.</p>	<p><b>Consistent.</b> The Workforce Training Center would provide a benefit to the community.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Workforce Training Center (cont.)</p>		<p><b>LUR-P-25</b> When industrial land directly adjacent to existing or permitted residential, parks, schools or other sensitive uses is developed or intensified, require a buffer of natural vegetation, open space, berms, and trees between the new residential development and industrial land. Other operation factors, including hours of operation, traffic, noise, and air quality impacts, shall be assessed and mitigated at time of project review.</p>	<p><b>Consistent.</b> Although the Workforce Training Center would be located on land designated by the City of Carson as light industrial and would be adjacent to residences, the Workforce Training Center does not represent an industrial land use and would therefore not require a buffer of natural vegetation, open space, berms, or trees to be consistent with this policy.</p>
		<p><b>Economic Development</b> <b>ED-P-10</b> Strengthen partnerships with and among local institutions, such as CSUDH, the South Bay Small Business Development Center (SBDC), South Bay Workforce Investment Board (SWIB), and the Carson Chamber of Commerce, and other countywide, regional, and local organizations for workforce development, to improve access to job training, placement, and skills development.</p>	<p><b>Consistent.</b> The Workforce Training Center would improve access to job training.</p>
		<p><b>Community Services, Education, and Safety</b> <b>CSES-P-29</b> Continue to require remediation of hazardous material releases from previous land uses as part of any redevelopment activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.7, Hazards and Hazardous Materials, the Workforce Training Center would include environmental commitments to address potentially contaminated soils encountered during construction.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Workforce Training Center (cont.)</p>		<p><b>Open Space and Environmental Conservation</b> <b>OSEC-G-6</b> Identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources for their aesthetic, scientific, educational, and cultural values.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, the Workforce Training Center Facility improvements would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>
		<p><b>OSEC-P-8</b> Development projects shall comply with state and federal law that upon discovery of Native American remains or archaeological artifacts during construction, all activity will cease until qualified professional archaeological examination and reburial in an appropriate manner is accomplished.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, construction of the Workforce Training Center would comply with state and federal law regarding the potential discovery of Native American remains or archaeological artifacts, including California Health and Safety Code Section 7050.5. Metropolitan has been in consultation with Native American tribal representatives regarding Pure Water, including the Workforce Training Center, in compliance with CEQA (as amended by AB 52).</p>
		<p><b>OSEC-P-9</b> For development and redevelopment proposals in archaeologically—or culturally—sensitive areas of Carson, require an assessment of the potential presence of archaeological and tribal cultural resources, including a site survey and a records search of the California Historical Resources Information System at the SCCIC. As warranted by the results of the assessment, require additional studies to identify and address</p>	<p><b>Consistent.</b> Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, address the site survey, records search, Native American outreach, and additional studies conducted to identify and address project-specific impacts on archaeological and tribal cultural resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Workforce Training Center (cont.)</p>		<p>project-specific impacts on archaeological and tribal cultural resources.</p>	
		<p><b>OSEC-G-24</b> Incorporate green infrastructure design in new projects to promote sustainability in the built environment.</p>	<p><b>Consistent.</b> Pure Water would incorporate sustainable design features.</p>
		<p><b>OSEC-P-11</b> Proactively coordinate with the area’s native tribes in the review and protection of any tribal cultural resources discovered at development sites.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, construction of the Workforce Training Center would comply with state and federal law regarding the potential discovery of Native American remains or archaeological artifacts, including California Health and Safety Code Section 7050.5. Metropolitan has been in consultation with Native American tribal representatives regarding Pure Water, including the Workforce Training Center, in compliance with CEQA (as amended by AB 52).</p>
		<p><b>OSEC-P-12</b> Prior to development of projects that involve ground disturbance or excavations in undisturbed native soils, the project proponent shall retain a paleontologist meeting the Society of Vertebrate Paleontology’s standards for qualified professional paleontologist to conduct a paleontological resources assessment including: a site-specific database search at the Natural History Museum of Los Angeles County and/or other appropriate facilities; geologic map and scientific literature</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, construction of the Workforce Training Center would include environmental commitments and mitigation measures to identify, protect, and preserve important paleontological resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Workforce Training Center (cont.)</p>		<p>review; a pedestrian field survey, where deemed appropriate by the qualified professional paleontologist; assessment of the project area’s paleontological sensitivity and paleontological monitoring requirements; and preparation of a technical report that documents the methods and results of the study. The report shall be prepared prior to the City of Carson’s approval of project plans.</p>	
		<p><b>OSEC-P-13</b> The City shall require paleontological resources monitoring for any project that has a high potential for encountering subsurface paleontological resources. The location, depths, duration, and timing of monitoring shall be determined by the qualified professional paleontologist based on the sensitivity assessment required as part of OSEC-P-12. Prior to the start of ground disturbance, the project proponent shall retain a qualified monitor meeting the Society of paleontological resource monitors, and who shall work under the direct supervision of the qualified professional.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, construction of the Workforce Training Center would include environmental commitments and mitigation measures to identify, protect, and preserve important paleontological resources. This includes the preparation and implementation of a Paleontological Monitoring and Management Plan and measures to address paleontological resource discoveries.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Backbone Pipeline</p>	<p>Light Industrial, Heavy Industrial, Corridor Mixed Use, General Commercial, Public/Institutional, Park/Open Space, Low Density Residential, Low Medium Density Residential Mix, High Density Residential</p>	<p><b>Community Services, Education, and Safety</b> <b>CSES-P-18</b> In areas of high liquefaction risk, require that project proponents submit geotechnical investigation reports and demonstration that the project conforms to all recommended mitigation measures prior to City approval.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the backbone pipeline (the only proposed Pure Water element to traverse areas of high liquefaction risk as identified in the <i>Carson 2040 General Plan</i>) would be constructed using measures to address the potential risks and constraints associated with liquefiable soils.</p>
		<p><b>CSES-P-29</b> Continue to require remediation of hazardous material releases from previous land uses as part of any redevelopment activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.7, Hazards and Hazardous Materials, construction of the backbone pipeline would include environmental commitments and mitigation measures to address any potentially contaminated soils encountered during construction.</p>
		<p><b>Open Space and Environmental Conservation</b> <b>OSEC-G-6</b> Identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources for their aesthetic, scientific, educational, and cultural values.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, construction of the backbone pipeline would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Backbone Pipeline (cont.)</p>		<p><b>OSEC-P-12</b> Prior to development of projects that involve ground disturbance or excavations in undisturbed native soils, the project proponent shall retain a paleontologist meeting the Society of Vertebrate Paleontology’s standards for qualified professional paleontologist to conduct a paleontological resources assessment including: a site-specific database search at the Natural History Museum of Los Angeles County and/or other appropriate facilities; geologic map and scientific literature review; a pedestrian field survey, where deemed appropriate by the qualified professional paleontologist; assessment of the project area’s paleontological sensitivity and paleontological monitoring requirements; and preparation of a technical report that documents the methods and results of the study. The report shall be prepared prior to the City of Carson’s approval of project plans.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, which addresses paleontological resources, construction of the backbone pipeline would include environmental commitments and mitigation measures to identify, protect, and preserve important paleontological resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Backbone Pipeline (cont.)</p>		<p><b>OSEC-P-13</b> The City shall require paleontological resources monitoring for any project that has a high potential for encountering subsurface paleontological resources. The location, depths, duration, and timing of monitoring shall be determined by the qualified professional paleontologist based on the sensitivity assessment required as part of OSEC-P-12. Prior to the start of ground disturbance, the project proponent shall retain a qualified monitor meeting the Society of paleontological resource monitors, and who shall work under the direct supervision of the qualified professional.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, construction of the backbone pipeline would include environmental commitments and mitigation measures to identify, protect, and preserve important paleontological resources. This includes the preparation and implementation of a Paleontological Monitoring and Management Plan and measures to address paleontological resource discoveries.</p>
		<p><b>OSEC-P-25</b> Through partnership with the Los Angeles County Sanitation Districts, promote utilization of recycled water created under the Regional Recycled Water Program [Pure Water Southern California] for non-potable water needs.</p>	<p><b>Consistent.</b> This general plan policy calls for the City of Carson to support the Pure Water program that is being evaluated in this EIR.</p>
		<p><b>Noise</b> <b>NO-G-1</b> Maintain healthy sound environments and protect noise-sensitive uses from excessive noise exposure.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, construction of the backbone pipeline would incorporate environmental commitments and mitigation measures that would protect noise-sensitive uses from excessive noise exposure. (The pipeline would not have operational noise impacts.)</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Backbone Pipeline (cont.)</p>		<p><b>NO-P-7</b> Seek to mitigate noise impacts from loud noise generating uses—including industrial uses, construction activity, goods movement by train and trucking, and along freeways, major corridors, and truck routes—to surrounding non-industrial uses.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water incorporates environmental commitments and mitigation measures that would mitigate loud noise-generating uses, including construction of the backbone pipeline.</p>
<p>Injection Wells<sup>1</sup></p>	<p><i>Underlying and adjacent land use designations will be dependent on specific location of the injection wells.</i></p>	<p><b>Open Space and Environmental Conservation</b></p> <p><b>OSEC-G-6</b> Identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources for their aesthetic, scientific, educational, and cultural values.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils (which addresses paleontological resources), and Section 5.12, Tribal Cultural Resources, Pure Water, including construction of the new injection wells, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>
		<p><b>OSEC-G-13</b> Encourage integration of water conservation measures for both existing and new development, and promote utilization of recycled water for appropriate uses.</p>	<p><b>Consistent.</b> Pure Water would result in water reuse, which is a type of water recycling.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Injection Wells (cont.)</p>		<p><b>OSEC-P-8</b> Development projects shall comply with state and federal law that upon discovery of Native American remains or archaeological artifacts during construction, all activity will cease until qualified professional archaeological examination and reburial in an appropriate manner is accomplished.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, Pure Water, including construction of the new injection wells, would comply with state and federal law regarding the potential discovery of Native American remains or archaeological artifacts, including California Health and Safety Code Section 7050.5. Metropolitan has been in consultation with Native American tribal representatives regarding Pure Water in compliance with CEQA (as amended by AB 52).</p>
		<p><b>OSEC-P-9</b> For development and redevelopment proposals in archaeologically—or culturally—sensitive areas of Carson, require an assessment of the potential presence of archaeological and tribal cultural resources, including a site survey and a records search of the California Historical Resources Information System at the South Central Coastal Information Center (SCCIC). As warranted by the results of the assessment, require additional studies to identify and address project-specific impacts on archaeological and tribal cultural resources.</p>	<p><b>Consistent.</b> Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, address the site survey, records search, Native American outreach, and additional studies conducted to identify and address project-specific impacts on archaeological and tribal cultural resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Injection Wells (cont.)</p>		<p><b>OSEC-P-11</b> Proactively coordinate with the area’s native tribes in the review and protection of any tribal cultural resources discovered at development sites.</p>	<p><b>Consistent.</b> Native American remains or archaeological artifacts, including California Health and Safety Code Section 7050.5. Metropolitan has been in consultation with Native American tribal representatives regarding Pure Water, including the injection wells, in compliance with CEQA (as amended by AB 52).</p>
		<p><b>OSEC-P-12</b> Prior to development of projects that involve ground disturbance or excavations in undisturbed native soils, the project proponent shall retain a paleontologist meeting the Society of Vertebrate Paleontology’s standards for qualified professional paleontologist to conduct a paleontological resources assessment including: a site-specific database search at the Natural History Museum of Los Angeles County and/or other appropriate facilities; geologic map and scientific literature review; a pedestrian field survey, where deemed appropriate by the qualified professional paleontologist; assessment of the project area’s paleontological sensitivity and paleontological monitoring requirements; and preparation of a technical report that documents the methods and results of the study. The report shall be prepared prior to the City of Carson’s approval of project plans.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water, including construction of the new injection wells, would include environmental commitments and mitigation measures to identify, protect, and preserve important paleontological resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Injection Wells (cont.)</p>		<p><b>OSEC-P-13</b> The City shall require paleontological resources monitoring for any project that has a high potential for encountering subsurface paleontological resources. The location, depths, duration, and timing of monitoring shall be determined by the qualified professional paleontologist based on the sensitivity assessment required as part of OSEC-P-12. Prior to the start of ground disturbance, the project proponent shall retain a qualified monitor meeting the Society of paleontological resource monitors, and who shall work under the direct supervision of the qualified professional paleontologist. In the event that paleontological resources are unearthed during ground-disturbing activities, the monitor shall be empowered to halt or redirect ground-disturbing activities away from the vicinity of the discovery until the qualified professional paleontologist has determined its significance and provided recommendations for preservation in place or recovery of the resource. The monitor shall keep daily logs detailing the types of activities and soils observed, and any discoveries. After cessation of ground disturbance, the qualified professional paleontologist shall prepare a report that details the results of monitoring.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water, including construction of the new injection wells, would include environmental commitments and mitigation measures to identify, protect, and preserve important paleontological resources. This includes the preparation and implementation of a Paleontological Monitoring and Management Plan and measures to address paleontological resource discoveries.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Injection Wells (cont.)</p>		<p><b>OSEC-P-25</b> Through partnership with the Los Angeles County Sanitation Districts, promote utilization of recycled water created under the Regional Recycled Water Program [Pure Water Southern California] for non-potable water needs.</p>	<p><b>Consistent.</b> This general plan policy calls for the City of Carson to support the Pure Water program that is being evaluated in this EIR.</p>
		<p><b>Noise</b> <b>NO-G-1</b> Maintain healthy sound environments and protect noise-sensitive uses from excessive noise exposure.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the new injection wells, incorporates environmental commitments and mitigation measures that would protect noise-sensitive uses from excessive noise exposure. Although injection well construction could contribute to the potentially significant noise impact (program-level) discussed in Section 5.10, construction noise would be short term, and Pure Water would incorporate setbacks (where feasible), temporary noise barriers, and enclosures (for permanent equipment) to minimize noise impacts.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Carson</b> Injection Wells (cont.)</p>		<p><b>NO-P-4</b> For aesthetic reasons, discourage the use of sound walls for noise mitigation; rather, encourage the use of project design techniques such as increasing the distance between the noise source and the noise sensitive receiver, natural berms, and use non-noise sensitive structures (e.g., a garage) to shield noise sensitive areas. If a sound wall is determined necessary to mitigate noise, discourage exclusive use of walls in excess of six feet in height and encourage use of natural barriers such as site topography or constructed earthen berms. When walls are determined to be the only feasible solution to noise mitigation, then sound walls shall be designed to limit aesthetic impacts.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the new injection wells, would incorporate structures to attenuate noise from applicable facilities. While the final design for the injection wells may include the use of enclosures or sound walls to minimize noise impacts on sensitive receivers, potentially including walls higher than six feet, the use of noise walls would be minimized to the height necessary to reduce operational noise impacts. For the reasons discussed in Section 5.1, Aesthetics, Pure Water facilities, including the proposed injection wells, were found to have less-than-significant aesthetic impacts.</p>
		<p><b>NO-P-7</b> Seek to mitigate noise impacts from loud noise generating uses—including industrial uses, construction activity, goods movement by train and trucking, and along freeways, major corridors, and truck routes—to surrounding non-industrial uses.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the new injection wells, incorporates environmental commitments and mitigation measures that would mitigate loud noise-generating uses, including construction and operation of the injection wells.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of Los Angeles</b>			
AWP Facility	Low Density Residential, Neighborhood Commercial	<p><b>Safety</b></p> <p><b>1.1.3</b> Facility/Systems Location and Maintenance. Locate new critical facilities and infrastructure outside of hazard areas, especially Very High Fire Hazard Severity Zones (VHFHSZs), when feasible.</p>	<p><b>Consistent.</b> The AWP Facility would not be within or adjacent to an area designated as a Very High Fire Hazard Severity Zone.</p>
		<p><b>1.1.4</b> Health/Environmental Protection. Protect the public and workers from the release of hazardous materials and protect City water supplies and resources from contamination resulting from release or intrusion resulting from a disaster event, including protection of the environment and public from potential health and safety hazards associated with program implementation.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, and Section 5.7, Hazards and Hazardous Materials, Pure Water includes environmental commitments that would protect workers and residents and minimize the threat to the public health and safety and the environment that could be posed by a release of hazardous materials.</p>
		<p><b>1.2.3</b> Local Water. Continue to lead in water conservation and smart water policy through improvements to per capita water use, watershed management, and wastewater and stormwater recycling, incorporating more ecological, systems-based approaches to water management.</p>	<p><b>Consistent.</b> Pure Water would recycle cleaned wastewater to create a local water source.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Los Angeles</b> AWP Facility (cont.)</p>		<p><b>1.2.8</b> Industrial Emissions and Air Quality Monitoring. In keeping with the Air Quality Element, ensure that every Angeleno can breathe clean, healthy air by addressing air pollution from all sources, with a particular emphasis on prioritizing the health and wellbeing of overburdened families and delivering environmental justice.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, Pure Water includes environmental commitments and mitigation measures that would minimize AWP Facility pollution emissions.</p>
		<p><b>Air Quality</b> <b>1.3.1</b> Minimize particulate emissions from construction sites.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, Pure Water includes environmental commitments and mitigation measures that would minimize air pollutant emissions, including particulate emissions, during construction. Construction of the AWP Facility would comply with SCAQMD Rule 403 – Fugitive Dust and Rule 1466 – Control of Particulate Emissions from Soils with Toxic Air Contaminants, as applicable.</p>
		<p><b>Noise</b> <b>2.2</b> Enforce and/or implement applicable city, state and federal regulations intended to mitigate proposed noise producing activities, reduce intrusive noise and alleviate noise that is deemed a public nuisance.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, the AWP Facility would incorporate environmental commitments and mitigation measures that would reduce off-site noise levels to within the applicable standards.</p>
		<p><b>Health, Wellness, and Equity</b> <b>5.1</b> Air pollution and respiratory health. Reduce air pollution from stationary and mobile sources; protect human health and welfare and promote improved respiratory health.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, Pure Water includes environmental commitments and mitigation measures that would reduce air pollutant emissions.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Los Angeles</b> AWP Facility (cont.)</p>		<p><b>5.2 People.</b> Reduce negative health impacts for people who live and work in close proximity to industrial uses and freeways through health promoting land uses and design solutions.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Air Quality, and Section 5.7, Hazards and Hazardous Materials, Pure Water includes environmental commitments and mitigation measures to protect health of the local community near the proposed AWP Facility.</p>
		<p><b>Wilmington-Harbor City Community Plan</b> <b>3-1.3</b> Require a transition of industrial uses, from intensive uses to less intensive uses, in those areas in proximity to residential neighborhoods.</p>	<p><b>Consistent.</b> The proposed AWP Facility represents a less intensive industrial land use than other industrial land uses in the community, such as oil and gas extraction/processing. Additionally, the facilities proposed to be across the street from the residential uses in the City of Los Angeles are a maintenance warehouse and a visitor center, which are less intensive uses compared to many other elements of the proposed AWP Facility.</p>
<p><b>City of Long Beach</b></p>			
<p>Backbone Pipeline</p>	<p>Open Space, Founding and Contemporary Neighborhood, Multiple Family Residential Low Density, Multiple Family Residential Moderate Density, Neighborhood Serving Center or Corridor Low Density, Neighborhood Serving Center or Corridor Moderate Density, Neo Industrial, Community Commercial</p>	<p><b>Historic Preservation</b> <b>P.2.4</b> The City shall ensure compliance of all historic preservation, redevelopment, and new construction projects with CEQA, and Section 106 of the National Historic Preservation Act.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, construction of the backbone pipeline would comply with state and federal law regarding the protection of historic resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Long Beach</b> Backbone Pipeline (cont.)</p>		<p><b>Noise</b> <b>N 12-1:</b> Reduce construction, maintenance, and nuisance noise at the source, when possible, to reduce noise conflicts.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water incorporates environmental commitments and mitigation measures that would reduce potential noise conflicts, including those resulting from construction of the backbone pipeline.</p>
		<p><b>N 12-2:</b> Limit the allowable hours for construction activities and maintenance operations near sensitive uses.</p>	<p><b>Consistent.</b> Project activities would exceed the hours of construction activity allowed in the City of Long Beach Municipal Code and while environmental commitments and mitigation measures would lessen the impacts from these exceedances, the noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>
		<p><b>N 12-4:</b> Encourage off-site fabrication to reduce needed onsite construction activities and corresponding noise levels and duration.</p>	<p><b>Consistent.</b> Segments of pipeline would be constructed offsite and brought to the backbone pipeline construction sites.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Long Beach</b> Backbone Pipeline (cont.)</p>		<p><b>N 12-5:</b> Encourage the following construction best practices:</p> <ul style="list-style-type: none"> <li>• Schedule high-noise and vibration-producing activities to a shorter window of time during the day outside early morning hours to minimize disruption to sensitive uses.</li> <li>• Grading and construction contractors should use equipment that generates lower noise and vibration levels, such as rubber-tired equipment rather than metal-tracked equipment.</li> <li>• Construction haul truck and materials delivery traffic should avoid residential areas whenever feasible.</li> <li>• The construction contractor should place noise- and vibration-generating construction equipment and locate construction staging areas away from sensitive uses whenever feasible.</li> <li>• The construction contractor should use on-site electrical sources to power equipment rather than diesel generators where feasible.</li> </ul>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, environmental commitments and mitigation measures similar to those listed in the noted General Plan policies would be employed to minimize impacts from pipeline construction noise. Project activities would, however, not be limited to daytime hours and noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>
<p><b>City of Long Beach</b> Injection Wells<sup>1</sup></p>	<p><i>Underlying and adjacent land use designations will be dependent on the specific location of the injection wells.</i></p>	<p><b>Historic Preservation</b></p> <p><b>P.2.4</b> The City shall ensure compliance of all historic preservation, redevelopment, and new construction projects with CEQA and Section 106 of the National Historic Preservation Act.</p>	<p><b>Consistent.</b> As discussed in Chapter 3, Program Pure Water, including injection wells in the City of Long Beach, would comply with state and federal law regarding protection of historic resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Long Beach</b> Injection Wells<sup>1</sup> (cont.)</p>		<p><b>Noise</b> <b>N 1-4</b> Encourage developers or landowners to incorporate noise reduction features in the site planning process.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the proposed new injection wells, incorporates noise reduction features in the form of environmental commitments and mitigation measures.</p>
		<p><b>N 1-9</b> Utilize noise barriers after all practical design-related noise measures have been integrated into the project. In instances where sound walls are necessary, they should be incorporated into the architectural and site character of the development and pedestrian access should be integrated.</p>	<p><b>Consistent.</b> Pure Water, including the new injection wells, would incorporate structures to attenuate noise from applicable facilities. For the reasons discussed in Section 5.1, Aesthetics, Pure Water facilities, including injection wells, would have a less-than-significant aesthetic impact. Wells would have a small footprint such that they would not impede pedestrian access within a community.</p>
		<p><b>N 5-2</b> Where feasible, require equipment enclosures for pumps and compressors that exceed Municipal Code noise standards.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water incorporates environmental commitments and mitigation measures to minimize noise impacts. Enclosures would be used around well facilities where necessary to meet applicable noise standards.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Long Beach</b> Injection Wells<sup>1</sup> (cont.)</p>		<p><b>N 12-1:</b> Reduce construction, maintenance, and nuisance noise at the source, when possible, to reduce noise conflicts.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water incorporates environmental commitments and mitigation measures that would reduce potential noise conflicts, including those resulting from construction of the injection wells.</p>
		<p><b>N 12-2:</b> Limit the allowable hours for construction activities and maintenance operations near sensitive uses.</p>	<p><b>Consistent.</b> Project activities would exceed the hours of construction activity allowed in the City of Long Beach Municipal Code and while environmental commitments and mitigation measures would lessen the impacts from these exceedances, the noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>
		<p><b>N 12-4:</b> Encourage off-site fabrication to reduce needed onsite construction activities and corresponding noise levels and duration.</p>	<p><b>Consistent.</b> To the extent that new pipeline would need to be installed to connect Pure Water to the existing wells in the City of Long Beach, segments of pipeline would be constructed offsite and brought to the active construction zones for the new pipeline(s).</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Long Beach</b> Injection Wells<sup>1</sup> (cont.)</p>		<p><b>N 12-5:</b> Encourage the following construction best practices:</p> <ul style="list-style-type: none"> <li>• Schedule high-noise and vibration-producing activities to a shorter window of time during the day outside early morning hours to minimize disruption to sensitive uses.</li> <li>• Grading and construction contractors should use equipment that generates lower noise and vibration levels, such as rubber-tired equipment rather than metal-tracked equipment.</li> <li>• Construction haul truck and materials delivery traffic should avoid residential areas whenever feasible.</li> <li>• The construction contractor should place noise- and vibration-generating construction equipment and locate construction staging areas away from sensitive uses whenever feasible.</li> </ul> <p>The construction contractor should use on-site electrical sources to power equipment rather than diesel generators where feasible.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, environmental commitments and mitigation measures similar to those listed in the noted General Plan policies would be employed to minimize impacts from injection well construction noise. Project activities would, however, not be limited to daytime hours and noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>
<p><b>City of Lakewood</b></p>			
<p>Backbone Pipeline</p>	<p>Commercial, Low Density Residential, Medium/High Density Residential, Public/ Quasi Public, Open Space</p>	<p><b>Conservation</b> <b>2.2</b> Promote the continued use and expansion of reclaimed water as a method for conserving Lakewood’s water resources.</p>	<p><b>Consistent.</b> Pure Water would increase the supply of reclaimed water in the region.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of Cerritos</b>			
Backbone Pipeline	Industrial/Commercial, Low Density Residential, Medium Density Residential, Utility and Flood Control	<p><b>Safety</b></p> <p><b>SAF-5.5</b> Require all underground pipeline and related structures be designed, constructed and maintained to resist stress caused by lateral forces during periods of seismic activity.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the backbone pipeline would be constructed using measures to address the potential risks and constraints associated with seismic activity.</p>
		<p><b>Conservation</b></p> <p><b>CON-1.1</b> Continue to expand the utilization of recycled water for irrigation purposes and other appropriate uses.</p>	<p><b>Consistent.</b> Pure Water would result in water reuse, which is a type of water recycling.</p>
		<p><b>Noise</b></p> <p><b>N-1.1</b> Mitigate transportation equipment [noise] impacts at construction sites.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the backbone pipeline, would incorporate environmental commitments and mitigation measures to mitigate noise impacts, including those associated with vehicles used during construction.</p>
		<p><b>N-2.3</b> Ensure noise mitigation techniques are incorporated into all construction-related activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the backbone pipeline, would incorporate noise-reduction environmental commitments and mitigation measures.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of Bellflower</b>			
Backbone Pipeline	Single Family Residential, Low Density Residential, High Density Residential, Open Space	<p><b>Conservation</b></p> <p><b>1.4</b> Cooperate with federal, state and local agencies concerning the maintenance and improvement of the quality and quantity of local and regional groundwater resources.</p>	<p><b>Consistent.</b> Pure Water would augment the regional groundwater supply with purified water using injection wells and spreading basins.</p>
		<p><b>Noise</b></p> <p><b>1.4</b> Limit construction activities which impact adjacent residential uses to the hours of 7 A.M. to 8 P.M. during weekdays and Saturdays.</p>	<p><b>Consistent.</b> Project activities would exceed the hours of construction activity specified in this policy and while environmental commitments and mitigation measures would lessen the impacts from these exceedances, the noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>
		<p><b>1.5</b> Require construction activities to incorporate feasible and practical techniques which minimize noise impacts on adjacent areas.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the backbone pipeline, would incorporate environmental commitments and mitigation measures to minimize noise impacts on adjacent areas.</p>
<b>City of Norwalk</b>			
Backbone Pipeline	Low Density Residential, High Density Residential, Open Space/Schools/Public Facilities, Light Industrial	<p><b>Noise</b></p> <p>Ensure that proposed noise sources are reduced below a level of significance and properly muffled to prevent noise impacts on neighboring properties.</p>	<p><b>Consistent.</b> Although environmental commitments and mitigation measures would lessen the impacts from construction, the noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of Downey</b>			
Backbone Pipeline	Low Density Residential, Medium Density Residential, Open Space, School, Public, General Manufacturing, Commercial Manufacturing	<b>Safety</b> <b>5.5.1</b> Minimize damage in the event of a major earthquake.	<b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the backbone pipeline would be constructed using measures to address the potential risks and constraints associated with seismic damage.
		<b>Design</b> <b>8.4.2</b> Preserve the City’s cultural resources.	<b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, construction of the backbone pipeline would include environmental commitments and mitigation measures to identify, protect, and preserve cultural resources.
<b>City of Santa Fe Springs</b>			
Backbone Pipeline	Parks and Open Space, Industrial, Railroad ROW	<b>Land Use</b> <b>LU-12.3</b> Archaeological Resources. Assure that all development properly addresses the potential for subsurface archeological deposits by requiring archaeological surveys during the development review process as appropriate.	<b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, construction of the backbone pipeline would include environmental commitments and mitigation measures to identify, protect, and preserve cultural resources.

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Santa Fe Springs</b> Backbone Pipeline (cont.)</p>		<p><b>Conservation and Open Space</b> <b>COS-7.2</b> Increased Use of Recycled Water. Support initiatives of the Los Angeles County Sanitation Districts to increase availability and use of recycled wastewater.</p>	<p><b>Consistent.</b> Pure Water is a Los Angeles County Sanitation Districts-supported project to increase the availability and use of recycled water.</p>
		<p><b>COS-11.3</b> Archaeological Resources. Assure that all development properly addresses the potential for subsurface archeological deposits by requiring archaeological surveys during the development review process as appropriate.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, construction of the backbone pipeline would include environmental commitments and mitigation measures to identify, protect, and preserve cultural resources, including potential subsurface archaeological resources.</p>
		<p><b>Safety</b> <b>S-1.8</b> Geotechnical Hazard Mitigation. Require that projects in areas susceptible to liquefaction and other geologic hazards demonstrate that all appropriate engineering and planning mitigations are implemented.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the backbone pipeline would be constructed using measures to address the potential risks and constraints associated with seismic damage.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Santa Fe Springs</b> Backbone Pipeline (cont.)</p>		<p><b>Noise</b> <b>N-2.3</b> Noise Studies. Require developers of projects that are considered potential sources of noise, or when the projects are proposed next to existing or planned noise-sensitive land uses to prepare an acoustical study that describes the existing and future noise environments and defines noise-reducing design incorporated into the project that will achieve a noise environment consistent with City standards and guidelines.</p>	<p><b>Consistent.</b> Although Pure Water would not be required to comply with City of Santa Fe Springs noise standards, as discussed in Section 5.10, Noise, construction of the backbone pipeline would incorporate environmental commitments and mitigation measures to reduce noise impacts on nearby sensitive receptors. Operation of the pipeline would not generate perceptible noise.</p>
		<p><b>N-3.3</b> Construction Noise. Require construction management plans that, in addition to enforcing City regulations, provide for construction noise mitigation to avoid adverse impacts associated with all construction-related activities and limit the permitted hours of construction activity.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, environmental commitments and mitigation measures, including preparation of a Noise Control Plan, would be employed to minimize impacts from pipeline construction noise. Hours of project activities would, however, not be limited and noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of Pico Rivera</b>			
Backbone Pipeline	Low Density Residential, Medium Density Residential, Commercial, Light Industrial, General Industrial, Public Facilities, Park/Open Space, San Gabriel River	<p><b>Safety</b></p> <p><b>9.1-2</b> Geotechnical Studies. Require that geotechnical studies be prepared for development in areas where geologic or seismic hazards may be present, such as liquefaction in the central portion of the city and in the Whittier Narrows Dam area.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the backbone pipeline would be constructed using measures to address the potential risks and constraints associated with potential seismic activity.</p>
		<p><b>Noise</b></p> <p><b>11.3-1</b> Construction Noise. Minimize construction-related noise and vibration by limiting construction activities within 500 feet of noise-sensitive uses from 7:00 A.M. to 7:00 P.M. seven days a week; after hour permission shall be granted by City staff, Planning Commission, or the City Council.</p> <ul style="list-style-type: none"> <li>Require proposed development adjacent to occupied noise sensitive land uses to implement a construction-related noise mitigation plan. This plan would depict the location of construction equipment storage and maintenance areas, and document methods to be employed to minimize noise impacts on adjacent noise sensitive land uses.</li> </ul>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, environmental commitments and mitigation measures, including preparation of a Noise Control Plan, would be employed to minimize impacts from pipeline construction noise. Hours of project activities would, however, not be limited and noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Pico Rivera</b> Backbone Pipeline (cont.)</p>		<ul style="list-style-type: none"> <li>• Require that construction equipment utilize noise reduction features (e.g., mufflers and engine shrouds) that are no less effective than those originally installed by the manufacturer.</li> <li>• Require that haul truck deliveries be subject to the same hours specified for construction. Additionally, the plan shall denote any construction traffic haul routes where heavy trucks would exceed 100 daily trips (counting those both to and from the construction site). To the extent feasible, the plan shall denote haul routes that do not pass sensitive land uses or residential dwellings.</li> </ul>	
		<p><b>11.3-2</b> Vibration Standards. Require construction projects and new development anticipated to generate a significant amount of vibration to ensure acceptable interior vibration levels at nearby noise-sensitive uses based on Federal Transit Administration criteria as shown in Table 11-2 [of the <i>Pico Rivera General Plan</i>].</p>	<p><b>Consistent.</b> As described in Section 5.10, Noise, environmental commitments and mitigation measures would be employed to minimize impacts from pipeline construction vibration to below a level of significance.</p>
<p><b>City of Pico Rivera</b> Whittier Narrows Pump Station<sup>2</sup></p>	<p><i>Underlying and adjacent land use designations (if applicable for this jurisdiction) will be dependent on the specific pump station location.</i></p>	<p><b>Safety</b></p> <p><b>9.1-2</b> Geotechnical Studies. Require that geotechnical studies be prepared for development in areas where geologic or seismic hazards may be present, such as liquefaction in the central portion of the city and in the Whittier Narrows Dam area.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including pump stations, would be constructed using measures to address the potential risks and constraints associated with potential seismic activity.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Pico Rivera</b> Whittier Narrows Pump Station (cont.)</p>		<p><b>Noise</b> <b>11.1-1</b> Land Use Compatibility. Strive to achieve and maintain land use patterns that are consistent with the noise compatibility guidelines set forth in Table 11-1 [of the <i>Pico Rivera General Plan</i>].</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, the pump station would incorporate environmental commitments and mitigation measures that would reduce off-site noise levels to within the applicable standards.</p>
		<p><b>11.3-1</b> Construction Noise. Minimize construction-related noise and vibration by limiting construction activities within 500 feet of noise-sensitive uses from 7:00 A.M. to 7:00 P.M. seven days a week; after hour permission shall be granted by City staff, Planning Commission, or the City Council.</p> <ul style="list-style-type: none"> <li>• Require proposed development adjacent to occupied noise sensitive land uses to implement a construction-related noise mitigation plan. This plan would depict the location of construction equipment storage and maintenance areas, and document methods to be employed to minimize noise impacts on adjacent noise sensitive land uses.</li> <li>• Require that construction equipment utilize noise reduction features (e.g., mufflers and engine shrouds) that are no less effective than those originally installed by the manufacturer.</li> </ul>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, environmental commitments and mitigation measures, including preparation of a Noise Control Plan, would be employed to minimize impacts from construction noise. Hours of project activities would, however, not be limited and noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Pico Rivera</b> Whittier Narrows Pump Station (cont.)</p>		<ul style="list-style-type: none"> <li>Require that haul truck deliveries be subject to the same hours specified for construction. Additionally, the plan shall denote any construction traffic haul routes where heavy trucks would exceed 100 daily trips (counting those both to and from the construction site). To the extent feasible, the plan shall denote haul routes that do not pass sensitive land uses or residential dwellings.</li> </ul>	
		<p><b>11.3-2</b> Vibration Standards. Require construction projects and new development anticipated to generate a significant amount of vibration to ensure acceptable interior vibration levels at nearby noise-sensitive uses based on Federal Transit Administration criteria as shown in Table 11-2 [of the <i>Pico Rivera General Plan</i>].</p>	<p><b>Consistent.</b> As described in Section 5.10, Noise, environmental commitments and mitigation measures would be employed to minimize impacts from construction vibration to below a level of significance.</p>
<p><b>City of Pico Rivera</b> Existing Rio Hondo Spreading Grounds</p>	<p>Public Facilities, General Industrial</p>	<p><b>Land Use</b></p> <p><b>3.5-3</b> Recreation. Identify opportunities for passive recreation areas within and along the Whittier Narrows Dam, Rio Hondo and San Gabriel River channels.</p>	<p><b>Consistent.</b> Pure Water’s proposed use of the Rio Hondo Spreading Grounds for groundwater replenishment would not affect the potential for passive recreation uses at or near the spreading grounds, which are along the Rio Hondo River channel.</p>
		<p><b>Healthy Communities</b></p> <p><b>10.7-12</b> Increasing Recreational Opportunities. Partner with the Watershed Conservation Authority to promote and increase recreational opportunities in the City by:</p>	<p><b>Consistent.</b> Pure Water’s proposed use of the Rio Hondo Spreading Grounds for groundwater replenishment would not affect the potential for passive recreation uses at or near the spreading grounds.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Pico Rivera</b> Existing Rio Hondo Spreading Grounds (cont.)</p>		<ul style="list-style-type: none"> <li>• Expanding trails, where feasible, along the portions of the Rio Hondo and San Gabriel River corridors;</li> <li>• Exploring opportunities to create more passive recreation, including fitness zones at the spreading grounds;</li> <li>• Assisting in improving the access to Whittier Narrows recreation areas; and</li> <li>• Promoting a coordinated approach to future land use decisions adjacent to the Sports Arena.</li> <li>• Conducting an equestrian trails study to identify where equestrian trails may be properly developed and link to the Whittier Narrows equestrian trails and local horse boarding facilities</li> </ul>	
<p><b>City of Pico Rivera</b> Existing San Gabriel Coastal Spreading Grounds</p>	<p>Public Facilities, Low Density Residential</p>	<p><b>Land Use</b> <b>3.5-3 Recreation.</b> Identify opportunities for passive recreation areas within and along the Whittier Narrows Dam, Rio Hondo and San Gabriel River channels.</p>	<p><b>Consistent.</b> Pure Water’s proposed use of the San Gabriel Coastal Spreading Grounds for groundwater replenishment would not affect the potential for passive recreation uses at or near the spreading grounds, which are along the San Gabriel River channel.</p>
		<p><b>Healthy Communities</b> <b>10.7-12 Increasing Recreational Opportunities.</b> Partner with the Watershed Conservation Authority to promote and increase recreational opportunities in the City by:</p> <ul style="list-style-type: none"> <li>• Expanding trails, where feasible, along the portions of the Rio Hondo and San Gabriel River corridors;</li> </ul>	<p><b>Consistent.</b> Pure Water’s proposed use of the San Gabriel Coastal Spreading Grounds for groundwater replenishment would not affect the potential for passive recreation uses at or near the spreading grounds.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Pico Rivera</b> Existing San Gabriel Coastal Spreading Grounds (cont.)</p>		<ul style="list-style-type: none"> <li>• Exploring opportunities to create more passive recreation, including fitness zones at the spreading grounds;</li> <li>• Assisting in improving the access to Whittier Narrows recreation areas; and</li> <li>• Promoting a coordinated approach to future land use decisions adjacent to the Sports Arena.</li> <li>• Conducting an equestrian trails study to identify where equestrian trails may be properly developed and link to the Whittier Narrows equestrian trails and local horse boarding facilities</li> </ul>	
<b>City of Whittier</b>			
<p>Backbone Pipeline</p>	<p>General Industrial, Park</p>	<p><b>Mobility and Infrastructure</b> <b>MI-10.6</b> Support water reclamation agencies' efforts to provide reclaimed water service throughout Whittier.</p> <p><b>Historic Resources</b> <b>HR-3.2</b> Suspend development activity when archaeological and/or paleontological resources are discovered during construction.</p>	<p><b>Consistent.</b> Pure Water would result in water reuse, which is a type of water reclamation.</p> <p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including backbone pipeline construction, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Whittier</b> Backbone Pipeline (cont.)</p>		<p><b>Resource Management</b> <b>RM-3.2</b> Reduce energy use in municipal and construction operations.</p>	<p><b>Consistent.</b> As discussed in Section 5.4, Energy, while Pure Water, including the construction and operation of the backbone pipeline, would consume energy, it would not do so in a wasteful manner.</p>
		<p><b>Public Safety, Noise, and Health</b> <b>PSNH-4.4</b> Strive to ensure that all utility and infrastructure systems have continued functionality during and after a major earthquake.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the backbone pipeline would be constructed using measures to allow it to have continued functionality during and after a major earthquake.</p>
		<p><b>PSNH-4.6</b> Require that projects in areas susceptible to liquefaction, landslides, and other geologic hazards demonstrate that they are [sic] appropriate engineering and planning mitigations have been incorporated.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the backbone pipeline would be constructed using measures to address the potential risks and constraints associated with liquefaction and other geologic hazards.</p>
<p><b>City of Whittier</b> Whittier Narrows Pump Station<sup>2</sup></p>	<p><i>Underlying and adjacent land use designations (if applicable for this jurisdiction) will be dependent on specific location of pump station.</i></p>	<p><b>Resource Management</b> <b>RM-2.6</b> Encourage the use of site and landscaping designs that minimize surface runoff and retain or detain stormwater runoff, minimizing volume and pollutant concentrations.</p>	<p><b>Consistent.</b> Through site design, environmental commitments, compliance with applicable laws and regulations, and implementation of industry standard practices described in Section 5.8, Hydrology and Water Quality, Pure Water, including the proposed Whittier Narrows Pump Station, would minimize surface runoff and associated stormwater-carried pollutants.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Whittier</b> Whittier Narrows Pump Station2 (cont.)</p>		<p><b>RM-12.1</b> Coordinate with local tribes in local land use decisions consistent with state Law.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, Pure Water, including construction of the proposed Whittier Narrows Pump Station, would comply with state and federal law regarding the potential discovery of Native American remains or archaeological artifacts. Metropolitan has been in consultation with Native American tribal representatives regarding Pure Water in compliance with CEQA (as amended by AB 52).</p>
		<p><b>Public Safety, Noise, and Health</b> <b>PSNH-4.3</b> Ensure that all new development abides by current City and state seismic and geotechnical requirements.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the Pure Water facilities, including the proposed Whittier Narrows Pump Station, would comply with applicable requirements related to seismic safety and other geological constraints/hazards.</p>
		<p><b>PSNH-6.5</b> Encourage site drainage features that reduce impermeable surface area, increase surface water infiltration, and minimize surface water runoff during storm events.</p>	<p><b>Consistent.</b> Through site design, environmental commitments, compliance with applicable laws and regulations, and implementation of industry standard practices described in Section 5.8, Hydrology and Water Quality, Pure Water facilities, including the proposed Whittier Narrows Pump Station, would minimize surface runoff during storm events.</p>
		<p><b>PSNH-10.3</b> Control, at their sources, any sounds that exceed community noise levels.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including pump stations, would incorporate environmental commitments and mitigation measures to control noise emissions.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Whittier</b> Whittier Narrows Pump Station (cont.)</p>		<p><b>Mobility and Infrastructure</b> <b>MI-10.6</b> Support water reclamation agencies' efforts to provide reclaimed water service throughout Whittier.</p>	<p><b>Consistent.</b> Pure Water would result in water reuse, which is a type of water reclamation.</p>
		<p><b>Historic Resources</b> <b>HR-3.2</b> Suspend development activity when archaeological and/or paleontological resources are discovered during construction.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including pump station construction, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>
		<p><b>Resource Management</b> <b>RM-3.2</b> Reduce energy use in municipal and construction operations.</p>	<p><b>Consistent.</b> As discussed in Section 5.4, Energy, while Pure Water, including the construction and operation of the backbone pipeline, would consume energy, it would not do so in a wasteful manner.</p>
<p><b>City of Industry</b></p>			
<p>Backbone Pipeline</p>	<p>Employment, Commercial, Recreation &amp; Open Space, Institutional</p>	<p><b>Resource Management</b> <b>RM1-1</b> Encourage the use of recycled water.</p>	<p><b>Consistent.</b> Pure Water would result in water reuse, which is a type of water recycling.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Industry</b> Backbone Pipeline (cont.)</p>		<p><b>RM5-2</b> Support the proper handling and documentation of historically or archaeologically significant sites, burial sites, or objects that may be discovered.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including backbone pipeline construction, would include environmental commitments and mitigation measures to identify, protect, and properly handle Native American remains and important archaeological, tribal, and historical resources.</p>
		<p><b>Safety</b> <b>S1-3</b> Cooperate and coordinate with public and quasi-public agencies to assure seismically strengthened or relocated facilities and other appropriate measures to safeguard water, electricity, natural gas, and other transmission and distribution systems.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the Pure Water facilities, including the proposed backbone pipeline, would comply with applicable requirements related to seismic safety and other geological constraints/hazards.</p>
		<p><b>S6-2</b> Address noise impacts through the effective enforcement of the noise ordinance, project and environmental review, and compliance with state and federal noise standards.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, backbone pipeline construction would incorporate environmental commitments and mitigation measures to control noise emissions. Pipeline operation would not generate noise impacts.</p>
<p><b>City of Industry</b> Whittier Narrows Pump Station<sup>2</sup></p>	<p><i>Underlying and adjacent land use designations (if applicable for this jurisdiction) will be dependent on specific location of pump station.</i></p>	<p><b>Resource Management</b> <b>RM1-1</b> Encourage the use of recycled water.</p>	<p><b>Consistent.</b> Pure Water would result in water reuse, which is a type of water recycling.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Industry</b> Whittier Narrows Pump Station (cont.)</p>		<p><b>RM5-2</b> Support the proper handling and documentation of historically or archaeologically significant sites, burial sites, or objects that may be discovered.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, Pure Water facilities, including pump stations, would include environmental commitments and mitigation measures to ensure the proper handling and documentation of Native American remains and archaeological, tribal, and historic resources.</p>
		<p><b>Safety</b> <b>S1-3</b> Cooperate and coordinate with public and quasi-public agencies to assure seismically strengthened or relocated facilities and other appropriate measures to safeguard water, electricity, natural gas, and other transmission and distribution systems.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the Pure Water facilities, including the proposed Whittier Narrows Pump Station, would comply with applicable requirements related to seismic safety and other geological constraints/hazards.</p>
		<p><b>S6-2</b> Address noise impacts through the effective enforcement of the noise ordinance, project and environmental review, and compliance with state and federal noise standards.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the proposed Whittier Narrows Pump Station, would incorporate environmental commitments and mitigation measures to control noise emissions and comply with applicable noise standards.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of El Monte</b>			
Backbone Pipeline	Low Density Residential, Medium Low Density Residential, Medium Density Residential, High Density Residential, Public and Institutional, Regional Commercial	<b>Public Health and Safety</b> <b>PHS-1.2</b> Geotechnical Study. As necessary, require detailed geologic, geotechnical, or soil investigations in areas of potential seismic or geologic hazards as part of the environmental and/or development review process.	<b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, the Pure Water facilities, including the proposed backbone pipeline, would comply with applicable requirements related to seismic safety and other geological constraints/hazards.
<b>City of Baldwin Park</b>			
Backbone Pipeline	Commercial/Industrial, General Industrial, Public Facilities	<b>Noise</b> <b>1.2</b> Require noise-reduction techniques in site planning, architectural design, and construction where noise reduction is necessary. Provide noise control measures such as berms, walls, and sound attenuating construction in areas of new construction.	<b>Consistent.</b> As discussed in Section 5.10, Noise, backbone pipeline construction would incorporate environmental commitments and mitigation measures to control noise emissions. Pipeline operation would not generate noise impacts.
		<b>Open Space and Conservation</b> <b>5.3</b> Encourage use and production of reclaimed water.	<b>Consistent.</b> Pure Water would result in water reuse, which is a type of water reclamation.
<b>City of Baldwin Park</b> Santa Fe Pump Station <sup>3</sup>	<i>Underlying and adjacent land use designations (if applicable for this jurisdiction) will be dependent on specific location of pump station.</i>	<b>Land Use</b> <b>18.1</b> Evaluate development projects for compliance with NPDES requirements, aiming toward reducing pollutant loads in stormwater runoff, minimizing impervious surface areas, and minimizing peak flow.	<b>Consistent.</b> Through site design, environmental commitments, compliance with applicable laws and regulations, and implementation of industry standard practices described in Section 5.8, Hydrology and Water Quality, Pure Water facilities, including the proposed Santa Fe Pump Station, would minimize surface runoff and comply with NPDES requirements.

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Baldwin Park</b> Santa Fe Pump Station<sup>3</sup> (cont.)</p>		<p><b>Noise</b> <b>1.2</b> Require noise-reduction techniques in site planning, architectural design, and construction where noise reduction is necessary. Provide noise control measures such as berms, walls, and sound attenuating construction in areas of new construction.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the proposed Santa Fe Pump Station, would incorporate environmental commitments and mitigation measures to control noise emissions and attenuate construction noise.</p>
		<p><b>Open Space Conservation</b> <b>5.3</b> Encourage use and production of reclaimed water.</p>	<p><b>Consistent.</b> Pure Water would result in water reuse, which is a type of water reclamation.</p>
<p><b>City of Irwindale</b></p>			
<p>Backbone Pipeline</p>	<p>Open Space/Easements, Industrial/Business Park, Regional Commercial, Commercial/Recreation, Quarry Overlay</p>	<p><b>Resource Management</b> <b>29</b> The City of Irwindale will encourage vegetation or chemical stabilization for disturbed land as well as construction screening on fencing for phased construction projects.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, and Section 5.8, Hydrology and Water Quality, Pure Water would stabilize disturbed land at the completion of construction activities. Construction of the backbone pipeline within the City of Irwindale would not be phased.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Irwindale</b> Backbone Pipeline (cont.)</p>		<p><b>Safety Element</b></p> <p><b>3</b> The City of Irwindale will work to reduce potential hazards through conscientious land use planning. The City shall require liquefaction assessment studies as part of development proposals in areas identified by the California Geological Survey as susceptible to liquefaction. The studies shall be conducted in accordance with the California Geological Survey’s Special Publication 117; Guidelines for Evaluating and Mitigating Seismic Hazards in California, and the Southern California Earthquake Center’s (1999) procedures to implement Special Publication 117 – Liquefaction Hazards (both documents are incorporated herein by reference). On sites shown to be susceptible to liquefaction, the City shall require the implementation of mitigation measures designed to reduce this hazard to an acceptable level. The City shall require a state certified engineering geologist or registered civil engineer; have competence in the field of seismic hazard evaluation and mitigation, to review the study at the Applicant’s expense. The review shall determine the adequacy of the hazard evaluation and proposed mitigation measures and determine whether the requirements of state law are satisfied, as described in Special Publication 117 by the-California Geological Survey.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the backbone pipeline, would be constructed using measures to address the potential risks and constraints associated with liquefiable soils.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Irwindale</b> Santa Fe Pump Station<sup>3</sup></p>	<p><i>Underlying and adjacent land use designations (if applicable for this jurisdiction) will be dependent on specific location of pump station.</i></p>	<p><b>Resource Management</b> <b>29</b> The City of Irwindale will encourage vegetation or chemical stabilization for disturbed land as well as construction screening on fencing for phased construction projects.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, and Section 5.8, Hydrology and Water Quality, Pure Water would stabilize disturbed land at the completion of construction activities. Construction of the Santa Fe Pump Station would not be phased.</p>
		<p><b>Safety Element</b> <b>3</b> The City of Irwindale will work to reduce potential hazards through conscientious land use planning. The City shall require liquefaction assessment studies as part of development proposals in areas identified by the California Geological Survey as susceptible to liquefaction. The studies shall be conducted in accordance with the California Geological Survey’s Special Publication 117; Guidelines for Evaluating and Mitigating Seismic Hazards in California, and the Southern California Earthquake Center’s (1999) procedures to implement Special Publication 117 – Liquefaction Hazards (both documents are incorporated herein by reference). On sites shown to be susceptible to liquefaction, the City shall require the implementation of mitigation measures designed to reduce this hazard to an acceptable level. The City shall require a state certified engineering geologist or registered civil engineer; have competence in the field of seismic hazard evaluation and mitigation, to review the study at the Applicant’s expense.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the Santa Fe Pump Station, would be constructed using measures to address the potential risks and constraints associated with liquefiable soils.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Irwindale</b> Santa Fe Pump Station (cont.)</p>		<p>The review shall determine the adequacy of the hazard evaluation and proposed mitigation measures and determine whether the requirements of state law are satisfied, as described in Special Publication 117 by the- California Geological Survey.</p>	
<p><b>City of Irwindale</b> DPR Pipeline</p>	<p>Residential, Commercial, Regional Commercial, Industrial/Business Park, Public/Institutional</p>	<p><b>Resource Management</b> <b>29</b> The City of Irwindale will encourage vegetation or chemical stabilization for disturbed land as well as construction screening on fencing for phased construction projects.</p> <p><b>Safety Element</b> <b>3</b> The City of Irwindale will work to reduce potential hazards through conscientious land use planning. The City shall require liquefaction assessment studies as part of development proposals in areas identified by the California Geological Survey as susceptible to liquefaction. The studies shall be conducted in accordance with the California Geological Survey’s Special</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, and Section 5.8, Hydrology and Water Quality, Pure Water would stabilize disturbed land at the completion of construction activities. Construction of the DPR pipeline within the City of Irwindale would not be phased.</p> <p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the DPR pipeline, would be constructed using measures to address the potential risks and constraints associated with liquefiable soils.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Irwindale</b> DPR Pipeline (cont.)</p>		<p>Publication 117; Guidelines for Evaluating and Mitigating Seismic Hazards in California, and the Southern California Earthquake Center’s (1999) procedures to implement Special Publication 117 – Liquefaction Hazards (both documents are incorporated herein by reference). On sites shown to be susceptible to liquefaction, the City shall require the implementation of mitigation measures designed to reduce this hazard to an acceptable level. The City shall require a state certified engineering geologist or registered civil engineer; have competence in the field of seismic hazard evaluation and mitigation, to review the study at the Applicant’s expense. The review shall determine the adequacy of the hazard evaluation and proposed mitigation measures and determine whether the requirements of state law are satisfied, as described in Special Publication 117 by the-California Geological Survey.</p>	
<p><b>City of Irwindale</b> Existing Santa Fe Spreading Grounds</p>	<p>Open Space/Easements</p>	<p><i>There are no City of Irwindale General Plan policies related to avoiding or mitigating an environmental effect relevant to Pure Water’s proposed use of the existing Santa Fe Spreading Grounds.</i></p>	<p><i>Not Applicable</i></p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of Duarte</b>			
Backbone Pipeline	Low Density Residential, Hospital, Industrial, Public Facility, Open Space, Specific Plan	<b>Safety</b> <b>Safe 4.1.3</b> Enforce seismic design provisions of the current California Building Standards Code related to geologic, seismic, and slope hazards for all new construction.	<b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the backbone pipeline, would be constructed in compliance with applicable codes related to geologic and seismic hazards.
		<b>Open Space and Conservation</b> <b>Con 2.1.1</b> Work to conserve current water supplies and seek new sources of water.	<b>Consistent.</b> By using an existing wastewater stream to create potable water, Pure Water represents a new source of water for the region.
		<b>Con 2.1.2</b> Maintain groundwater recharge areas to protect water quality and ensure continued recharge of groundwater basins.	<b>Consistent.</b> Pure Water would result in increased groundwater recharge.
		<b>Noise</b> <b>Noise 1.1.5</b> Limit construction, delivery, and through truck traffic to designated routes that avoid residential neighborhoods and disadvantaged communities.	<b>Consistent.</b> As described in Section 5.11, Transportation, haul truck routes during construction would use designated haul routes to the extent feasible and would be designed in conjunction with local jurisdictions considering pedestrian, bicycle, and transit facilities. As described in Section 5.10, Noise, noise impacts associated with construction traffic would be less than significant.
<b>City of Duarte</b> Santa Fe Pump Station <sup>3</sup>	<i>Underlying and adjacent land use designations (if applicable for this jurisdiction) will be dependent on specific location of pump station.</i>	<b>Safety</b> <b>Safe 4.1.3</b> Enforce seismic design provisions of the current California Building Standards Code related to geologic, seismic, and slope hazards for all new construction.	<b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the proposed Santa Fe pump station, would be constructed in compliance with applicable codes related to geologic and seismic hazards.

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Duarte</b> Santa Fe Pump Station (cont.)</p>		<p><b>Open Space and Conservation</b> <b>Con 2.1.1</b> Work to conserve current water supplies and seek new sources of water.</p> <p><b>Con 2.1.2</b> Maintain groundwater recharge areas to protect water quality and ensure continued recharge of groundwater basins.</p>	<p><b>Consistent.</b> By using an existing wastewater stream to create potable water, Pure Water represents a new source of water for the region.</p> <p><b>Consistent.</b> Pure Water would result in increased groundwater recharge.</p>
		<p><b>Noise</b> <b>Noise 1.1.1</b> Ensure noise mitigation measures are included in the design of new developments, including those in, and adjacent to, disadvantaged communities.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the proposed Santa Fe Pump Station, would incorporate noise-related environmental commitments and noise mitigation measures.</p>
		<p><b>Noise 1.1.5</b> Limit construction, delivery, and through truck traffic to designated routes that avoid residential neighborhoods and disadvantaged communities.</p>	<p><b>Consistent.</b> As described in Section 5.11, Transportation, haul truck routes during construction would use designated haul routes to the extent feasible and would be designed in conjunction with local jurisdictions considering pedestrian, bicycle, and transit facilities. As described in Section 5.10, Noise, noise impacts associated with construction traffic would be less than significant.</p>
<p><b>City of Duarte</b> Existing Santa Fe Spreading Grounds</p>	<p>Industrial, Hospital</p>	<p><b>Open Space and Conservation</b> <b>Con 2.1.1</b> Work to conserve current water supplies and seek new sources of water.</p>	<p><b>Consistent.</b> By using an existing wastewater stream to create potable water, Pure Water represents a new source of water for the region.</p>
		<p><b>Con 2.1.2</b> Maintain groundwater recharge areas to protect water quality and ensure continued recharge of groundwater basins.</p>	<p><b>Consistent.</b> Pure Water would result in increased groundwater recharge.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of Azusa</b>			
<p><b>City of Azusa</b> Backbone Pipeline</p>	<p>Light Industrial, Open Space, Recreation</p>	<p><b>Historic/Cultural Resources</b> <b>1.1</b> Determine, early in the planning process, through field surveys and Native American consultation, whether archaeological or cultural resources are located within a proposed development site.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, and Section 5.12, Tribal Cultural Resources, the environmental analysis of Pure Water, including the backbone pipeline, has included field surveys and Native American consultation to help determine whether archaeological or cultural resources are located within the proposed pipeline alignment.</p>
<p><b>City of Azusa</b> Santa Fe Pump Station<sup>3</sup></p>	<p><i>Underlying and adjacent land use designations (if applicable for this jurisdiction) will be dependent on specific location of pump station.</i></p>	<p><b>The Built Environment</b> <b>10.2</b> Require on-site lighting of institutional, commercial, and industrial uses be constructed or located so that only the intended area is illuminated, off -site glare is minimized, and adequate safety is provided.</p>	<p><b>Consistent.</b> As discussed in Section 5.1, Aesthetics, pump stations would include standard site lighting, such as security lighting; however, lighting sources would be minimal and directed away from residences and other sensitive uses.</p>
		<p><b>Historic/Cultural Resources</b> <b>1.1</b> Determine, early in the planning process, through field surveys and Native American consultation, whether archaeological or cultural resources are located within a proposed development site.</p>	<p><b>Consistent.</b> Although a specific pump station location has not yet been identified, prior to approving a specific site for the Santa Fe Pump Station, archaeological field surveys and Native American consultation (as applicable) would be conducted in compliance with CEQA.</p>
		<p><b>Noise</b> <b>1.2</b> Protect those areas of the City where the existing noise environments are considered unacceptable or “noise sensitive.”</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the proposed Santa Fe Pump Station, would incorporate noise-related environmental commitments and noise mitigation measures to minimize noise impacts on sensitive receptors.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Azusa</b> Existing San Gabriel Canyon Spreading Grounds</p>	<p>Recreation, Open Space, Low Density Residential, Moderate Density Residential, Institutional/ School</p>	<p><b>Land Use</b> <b>10.6</b> Work with public and private organizations and individuals to minimize the land use impacts in and around the river, the canyons, and foothills, such impacts may include but not be limited to noise generation, natural resources encroachment, air quality degradation, aesthetic degradation, etc.</p>	<p><b>Consistent.</b> The use of existing spreading grounds for groundwater recharge would not affect any potential coordination between the City of Azusa and local organizations to minimize land use impacts in and around the San Gabriel River, which is adjacent to the spreading grounds.</p>
		<p><b>Open Space and Biological Resources</b> 2.1 Establish, by working with conservation and educational organizations and state and federal agencies, a multitude of City Nature Preserves. These City Nature Preserves should consist of contiguous and diverse habitat areas within identified undeveloped areas, as illustrated in Figure OS-1 [of the Azusa General Plan]. Areas of high priority include: 1) Van Tassel Canyon and Ridgelines, 2) Fish Creek, Fish/Roberts Ridge, 3) Glendora Ridge, 4) San Gabriel Canyon Floodplain, 5) RV Park, 6) Northern Recharge Ponds, and 7) San Gabriel River and Floodway.</p>	<p><b>Consistent.</b> The use of existing spreading grounds for groundwater recharge would not affect any potential coordination between the City of Azusa and local organizations to designate nature preserves at the spreading grounds or the adjacent San Gabriel River and its floodplain.</p>
		<p><b>7.2</b> Determine the feasibility of enhancing groundwater recharge (pond) areas with shallow aquatic bed and emergent vegetation to provide forage and cover for wading birds, dabbling ducks, and nesting species.</p>	<p><b>Consistent.</b> The use of existing spreading grounds for groundwater recharge would not preclude assessing the feasibility of establishing emergent vegetation with ponded areas in those spreading grounds.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
DPR Pipeline	Industrial, Commercial Mixed Use	<b>Historic/Cultural Resources</b> <b>1.1</b> Determine, early in the planning process, through field surveys and Native American consultation, whether archaeological or cultural resources are located within a proposed development site.	<b>Consistent.</b> Prior constructing the DPR pipeline as part of Pure Water, areas of potential ground disturbance would be subject to archaeological field surveys and Native American consultation (as applicable) in compliance with CEQA.
Azusa Pipeline	Low Density Residential, Moderate Density Residential, Light Industrial, Recreation, Neighborhood Center, Monrovia Nursery Specific Plan (Residential, Village Core, Recreation Center)	<b>Historic/Cultural Resources</b> <b>1.1</b> Determine, early in the planning process, through field surveys and Native American consultation, whether archaeological or cultural resources are located within a proposed development site.	<b>Consistent.</b> Prior to implementing modifications or connections to the Azusa Pipeline as part of Pure Water, areas of potential ground disturbance would be subject to archaeological field surveys and Native American consultation (as applicable) in compliance with CEQA.
<b>City of Covina</b>			
DPR Pipeline	Low Density Residential, High Density Residential, School, General Commercial, General Industrial	<b>Safety</b> 1.a. The City shall require all new and expanded or improved buildings and structures to comply with current seismic-related codes, standards, and construction practices.	<b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the DPR pipeline, would be constructed in compliance with applicable codes related to geologic and seismic hazards.

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Covina</b> DPR Pipeline (cont.)</p>		<p><b>Noise</b> <b>F.1</b> Continue implementing the Covina Noise Ordinance to regulate the hours of operation and excessive noise associated with on-site construction activities, particularly activities occurring in or near residential uses, permitting exceptions only under special circumstances.</p>	<p><b>Consistent.</b> Project activities would exceed the hours of construction activity allowed in the Covina Noise Ordinance and while environmental commitments and mitigation measures would lessen the impacts from these exceedances, the noise impacts would still be potentially significant and unmitigable. The short-term policy conflict represents a noise, rather than a land use, impact, and is fully addressed in Section 5.10, Noise.</p>
		<p><b>F.2</b> Where necessary, require the construction of barriers to shield noise-sensitive uses from intrusive, construction-related noise.</p>	<p><b>Consistent.</b> Prior to constructing the DPR pipeline component of Pure Water, a project-level analysis of potential noise impacts would be conducted, including the identification of noise mitigation measures, as applicable, potentially including temporary noise barriers if warranted.</p>
		<p><b>F.3</b> Require that construction activities incorporate feasible and practical techniques, measures, and procedures that minimize the noise impacts on all adjacent uses.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including construction activities along the DPR pipeline, would incorporate noise-related environmental commitments and noise mitigation measures to minimize noise impacts on adjacent uses.</p>
		<p><b>F.4</b> Consider requiring sound attenuation devices on construction equipment to reduce noises associated with building activities.</p>	<p><b>Consistent.</b> Prior to constructing the DPR pipeline component of Pure Water, a project-level analysis of potential noise impacts would be conducted, including the identification of noise mitigation measures, as applicable, potentially including sound attenuation devices on construction equipment, if warranted.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<b>City of Glendora</b>			
DPR Pipeline	Arrow Highway Specific Plan (Corridor Commercial, Commercial Core Mixed-Use, Neighborhood Commercial Mixed-Use, Office/Light Industrial Mixed-Use, Open Space/ Trail, Parks & Parking Overlay, Corridor Industrial, Transition Mixed-Use, Corridor Medium Density Residential, Corridor High Density Residential), Utility and Flood Control	<p><b>Noise</b></p> <p><b>N-2.4</b> Ensure that construction noise does not cause an adverse impact to the residents of the City by requiring that noise mitigation techniques be incorporated into all construction-related activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including construction activities along the DPR pipeline, would incorporate noise-related environmental commitments and noise mitigation measures to minimize noise impacts.</p>
		<p><b>Safety</b></p> <p><b>SAF-4.1</b> Require that new development and infrastructure avoid on-site seismic hazards such as faults, liquefaction zones and landslide areas.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the DPR pipeline, would be constructed in compliance with applicable codes related to geologic and seismic hazards.</p>
		<p><b>SAF-5.2</b> Require proposed developments located within areas identified by California Department of Conservation Seismic Hazard Maps (dated March 25, 2999 or as revised) to prepare a geotechnical investigation report.</p>	<p><b>Consistent.</b> As part of the detailed design process, a geotechnical investigation report would be prepared for the DPR pipeline.</p>
<p><b>City of Glendora</b> Azusa Pipeline</p>	<p>Low Density Residential, Low/Medium Density Residential, Medium Density Residential, Medium/High Density Residential, High Density Residential, Village Mixed Use, General Commercial, Route 66 Specific Plan Area (Grand Avenue Commercial Gateway, Technology, Commerce and Office), Railroad</p>	<p><b>Noise</b></p> <p><b>N-2.4</b> Ensure that construction noise does not cause an adverse impact to the residents of the City by requiring that noise mitigation techniques be incorporated into all construction-related activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including construction activities along the Azusa Pipeline, would incorporate noise-related environmental commitments and noise mitigation measures to minimize noise impacts.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of Glendora</b> Azusa Pipeline (cont.)</p>		<p><b>Safety</b> <b>SAF-4.1</b> Require that new development and infrastructure avoid on-site seismic hazards such as faults, liquefaction zones and landslide areas.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the Azusa Pipeline improvements, would be constructed in compliance with applicable codes related to geologic and seismic hazards.</p>
		<p><b>SAF-5.2</b> Require proposed developments located within areas identified by California Department of Conservation Seismic Hazard Maps (dated March 25, 2999 or as revised) to prepare a geotechnical investigation report.</p>	<p><b>Consistent.</b> As part of the detailed design process, a geotechnical investigation report would be prepared for modifications or connections to the Azusa Pipeline.</p>
<p><b>City of San Dimas</b></p>			
<p>DPR Pipeline</p>	<p>Single Family Low Residential, Low/Medium Residential, Medium Residential, Commercial, Industrial, Public/Semi-public</p>	<p><b>Safety</b> <b>1.1.1</b> Continue to adopt updated version of the Uniform Building Code and require all new private and public construction to conform to its earthquake resistant design provisions.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the DPR pipeline, would be constructed in compliance with applicable codes related to geologic and seismic hazards.</p>
		<p><b>1.1.3</b> Require that adequate soils, geologic, and structural evaluation reports be prepared by registered soils engineers, engineering geologists, and/or structural engineers, as appropriate, for all new development.</p>	<p><b>Consistent.</b> As part of the detailed design process, a geotechnical investigation report would be prepared for the DPR pipeline.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
Azusa Pipeline	Single Family Very Low Residential, Single Family Low Residential, Low/Medium Residential, Office/Professional, Commercial, Public/Semi-public, Open Space/Park	<p><b>Safety</b></p> <p><b>1.1.1</b> Continue to adopt updated version of the Uniform Building Code and require all new private and public construction to conform to its earthquake resistant design provisions.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the Azusa Pipeline improvements, would be constructed in compliance with applicable codes related to geologic and seismic hazards.</p>
		<p><b>1.1.3</b> Require that adequate soils, geologic, and structural evaluation reports be prepared by registered soils engineers, engineering geologists, and/or structural engineers, as appropriate, for all new development.</p>	<p><b>Consistent.</b> As part of the detailed design process, a geotechnical investigation report would be prepared for the Azusa Pipeline improvements.</p>
<b>City of La Verne</b>			
DPR Pipeline	Industrial, Residential, Community Facility/ Freeway	<p><b>Cultural Resources</b></p> <p><b>2.5</b> Pursue preservation of archaeological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the DPR pipeline, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological resources.</p>
		<p><b>Community Facilities</b></p> <p><b>6.1</b> Work with the Metropolitan Water District [of Southern California] to further its goals.</p>	<p><b>Consistent.</b> Pure Water will help further Metropolitan’s goals to provide the region with a sustainable water supply.</p>
		<p><b>6.2</b> Protect the interest of the community [with regard to Metropolitan and its facilities in the City of La Verne].</p>	<p><b>Consistent.</b> Pure Water includes environmental commitments and mitigation measures to avoid or minimize impacts to the local community, including residents of the City of La Verne.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of La Verne</b> DPR Pipeline (cont.)</p>		<p><b>Public Safety</b> <b>2.1</b> Reduce the risk of geologic and groundwater hazards.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the DPR pipeline improvements, would be designed and constructed to reduce geologic hazards, including the potential risks of liquefaction associated with the presence of groundwater.</p>
		<p><b>2.2</b> Minimize personal and property damage from earthquakes.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the DPR pipeline improvements, would be designed and constructed to minimize potential earthquake-related damage.</p>
<p>Azusa Pipeline</p>	<p>Residential</p>	<p><b>Cultural Resources</b> <b>2.5</b> Pursue preservation of archaeological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the Azusa Pipeline, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological resources.</p>
		<p><b>Community Facilities</b> <b>6.1</b> Work with the Metropolitan Water District [of Southern California] to further its goals.</p>	<p><b>Consistent.</b> Pure Water will help further Metropolitan’s goals to provide the region with a sustainable water supply.</p>
		<p><b>6.2</b> Protect the interest of the community [with regard to Metropolitan and its facilities in the City of La Verne].</p>	<p><b>Consistent.</b> Pure Water includes environmental commitments and mitigation measures to avoid or minimize impacts to the local community, including residents of the City of La Verne.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of La Verne</b> Azusa Pipeline (cont.)</p>		<p><b>Public Safety</b> <b>2.1</b> Reduce the risk of geologic and groundwater hazards.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the Azusa Pipeline improvements, would be designed and constructed to reduce geologic hazards, including the potential risks of liquefaction associated with the presence of groundwater.</p>
		<p><b>2.2</b> Minimize personal and property damage from earthquakes.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the Azusa Pipeline improvements, would be designed and constructed to minimize potential earthquake-related damage.</p>
<p><b>City of La Verne</b> Weymouth WTP</p>	<p>Residential, Open Space, Community Facility/ Freeway</p>	<p><b>Land Use</b> <b>4.1</b> Ensure compatibility between our institutional and residential land uses.</p>	<p><b>Consistent.</b> Pure Water would not change the Weymouth WTP’s basic land use, as the facility would continue to function as a water treatment plant. The proposed Pure Water improvements at the Weymouth WTP would not cause incompatibilities with adjacent land uses.</p>
		<p><b>Cultural Resources</b> <b>2.5</b> Pursue preservation of archaeological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the Weymouth WTP improvements, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>City of La Verne</b> Weymouth WTP (cont.)</p>		<p><b>Community Facilities</b> <b>6.1</b> Work with the Metropolitan Water District [of Southern California] to further its goals.</p>	<p><b>Consistent.</b> Pure Water will help further Metropolitan’s goals to provide the region with a sustainable water supply.</p>
		<p><b>6.2</b> Protect the interest of the community [with regard to Metropolitan and its facilities in the City of La Verne].</p>	<p><b>Consistent.</b> Pure Water includes environmental commitments and mitigation measures to avoid or minimize impacts to the local community, including residents of the City of La Verne.</p>
		<p><b>Public Safety</b> <b>2.1</b> Reduce the risk of geologic and groundwater hazards.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the Weymouth WTP improvements, would be designed and constructed to reduce geologic hazards, including the potential risks of liquefaction associated with the presence of groundwater.</p>
		<p><b>2.2</b> Minimize personal and property damage from earthquakes.</p>	<p><b>Consistent.</b> As discussed in Section 5.5, Geology and Soils, Pure Water facilities, including the Weymouth WTP improvements, would be designed and constructed to minimize potential earthquake-related damage.</p>
<p><b>Unincorporated Los Angeles County</b></p>			
<p>Backbone Pipeline</p>	<p>Residential (Residential 5, 9, 18, and 30), General Commercial, Light Industrial, Heavy Industrial, Parks and Recreation, Conservation, Public and Semi-Public, Water</p>	<p><b>C/NR 3.1</b> Conserve and enhance the ecological function of diverse natural habitats and biological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including the backbone pipeline, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to natural habitats.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b> Backbone Pipeline (cont.)</p>		<p><b>C/NR 14.1</b> Mitigate all impacts from new development on or adjacent to historic, cultural, and paleontological resources to the greatest extent feasible.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the backbone pipeline, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>
		<p><b>C/NR 3.10</b> Require environmentally superior mitigation for unavoidable impacts on biologically sensitive areas, and permanently preserve mitigation sites.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including the backbone pipeline, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to natural habitats.</p>
		<p><b>C/NR 3.11</b> Discourage development in riparian habitats, streambeds, wetlands, and other native woodlands in order to maintain and support their preservation in a natural state, unaltered by grading, fill, or diversion activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including the backbone pipeline, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to riparian habitats, streambeds, wetlands, and other native habitat.</p>
		<p><b>C/NR 6.2</b> Protect natural groundwater recharge areas and regional spreading grounds.</p>	<p><b>Consistent.</b> Pure Water would supply water to spreading grounds to help recharge the groundwater supply.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b></p> <p>Backbone Pipeline (cont.)</p>		<p><b>C/NR 14.6</b> Ensure proper notification and recovery processes are carried out for development on or near historic, cultural, and paleontological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the backbone pipeline, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources. Metropolitan has been in consultation with Native American Tribal representatives pursuant to CEQA as amended by AB 52.</p>
		<p><b>S 5.10</b> Protect and improve local groundwater quality and supply to increase opportunities for use as a potable water source during drought periods.</p>	<p><b>Consistent.</b> Pure Water would supply water to spreading grounds to help recharge the groundwater supply.</p>
		<p><b>PS/F 3.1</b> Increase the supply of water through the development of new sources, such as recycled water, gray water, and rainwater harvesting.</p>	<p><b>Consistent.</b> Pure Water would create a recycled water supply in the region.</p>
		<p><b>PS/F 3.2</b> Support the increased production, distribution and use of recycled water, gray water, and rainwater harvesting to provide for groundwater recharge, seawater intrusion barrier injection, irrigation, industrial processes and other beneficial uses.</p>	<p><b>Consistent.</b> Pure Water would create a recycled water supply in the region.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b> Whittier Narrows Pump Station<sup>2</sup></p>	<p><i>Underlying and adjacent land use designations (if applicable for this jurisdiction) will be dependent on specific location of pump station.</i></p>	<p><b>C/NR 1.2</b> Protect and conserve natural resources, natural areas, and available open spaces.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including proposed pump stations, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to natural habitats.</p>
		<p><b>N 1.3</b> Minimize impacts to noise-sensitive land uses by ensuring adequate site design, acoustical construction, and use of barriers, berms, or additional engineering controls through Best Available Technologies (BAT).</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including proposed pump stations, would incorporate noise-related environmental commitments and noise mitigation measures to minimize noise impacts.</p>
		<p><b>C/NR 3.1</b> Conserve and enhance the ecological function of diverse natural habitats and biological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including proposed pump stations, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to natural habitats.</p>
		<p><b>C/NR 3.10</b> Require environmentally superior mitigation for unavoidable impacts on biologically sensitive areas, and permanently preserve mitigation sites.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including proposed pump stations, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to natural habitats.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b> Whittier Narrows Pump Station (cont.)</p>		<p><b>C/NR 3.11</b> Discourage development in riparian habitats, streambeds, wetlands, and other native woodlands in order to maintain and support their preservation in a natural state, unaltered by grading, fill, or diversion activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including proposed pump stations, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to in riparian habitats, streambeds, wetlands, and other native habitat.</p>
		<p><b>C/NR 14.1</b> Mitigate all impacts from new development on or adjacent to historic, cultural, and paleontological resources to the greatest extent feasible.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including proposed pump stations, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>
		<p><b>C/NR 14.6</b> Ensure proper notification and recovery processes are carried out for development on or near historic, cultural, and paleontological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including proposed pump stations, would include environmental commitments and mitigation measures to identify, protect, and preserve archaeological, paleontological, tribal, and historic resources. Metropolitan has been in consultation with Native American Tribal representatives pursuant to CEQA as amended by AB 52.</p>
		<p><b>S 5.10</b> Protect and improve local groundwater quality and supply to increase opportunities for use as a potable water source during drought periods.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b> Whittier Narrows Pump Station (cont.)</p>		<p><b>PS/F 3.1</b> Increase the supply of water through the development of new sources, such as recycled water, gray water, and rainwater harvesting.</p>	<p><b>Consistent.</b> Pure Water would create a recycled water supply in the region.</p>
		<p><b>PS/F 3.2</b> Support the increased production, distribution and use of recycled water, gray water, and rainwater harvesting to provide for groundwater recharge, seawater intrusion barrier injection, irrigation, industrial processes and other beneficial uses.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>
<p><b>County of Los Angeles</b> DPR Pipeline</p>	<p>Residential (Residential 9, 18, 30), Mixed Use, General Commercial, Water, Light Industrial</p>	<p><b>C/NR 3.1</b> Conserve and enhance the ecological function of diverse natural habitats and biological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including the DPR pipeline, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to natural habitats.</p>
		<p><b>C/NR 14.1</b> Mitigate all impacts from new development on or adjacent to historic, cultural, and paleontological resources to the greatest extent feasible.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the DPR pipeline, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b> DPR Pipeline (cont.)</p>		<p><b>C/NR 3.10</b> Require environmentally superior mitigation for unavoidable impacts on biologically sensitive areas, and permanently preserve mitigation sites.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including the DPR pipeline, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to natural habitats.</p>
		<p><b>C/NR 3.11</b> Discourage development in riparian habitats, streambeds, wetlands, and other native woodlands in order to maintain and support their preservation in a natural state, unaltered by grading, fill, or diversion activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including the DPR pipeline, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to in riparian habitats, streambeds, wetlands, and other native habitat.</p>
		<p><b>C/NR 6.2</b> Protect natural groundwater recharge areas and regional spreading grounds.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>
		<p><b>C/NR 14.6</b> Ensure proper notification and recovery processes are carried out for development on or near historic, cultural, and paleontological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the DPR pipeline, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources. Metropolitan has been in consultation with Native American Tribal representatives pursuant to CEQA as amended by AB 52.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b> DPR Pipeline (cont.)</p>		<p><b>S 5.10</b> Protect and improve local groundwater quality and supply to increase opportunities for use as a potable water source during drought periods.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>
		<p><b>PS/F 3.1</b> Increase the supply of water through the development of new sources, such as recycled water, gray water, and rainwater harvesting.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to increase the region’s water supply.</p>
		<p><b>PS/F 3.2</b> Support the increased production, distribution and use of recycled water, gray water, and rainwater harvesting to provide for groundwater recharge, seawater intrusion barrier injection, irrigation, industrial processes and other beneficial uses.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>
<p><b>County of Los Angeles</b> Azusa Pipeline</p>	<p>Residential 5, Residential 9, General Commercial</p>	<p><b>C/NR 3.1</b> Conserve and enhance the ecological function of diverse natural habitats and biological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including the Azusa Pipeline, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to natural habitats.</p>
		<p><b>C/NR 14.1</b> Mitigate all impacts from new development on or adjacent to historic, cultural, and paleontological resources to the greatest extent feasible.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the Azusa Pipeline, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b> Azusa Pipeline (cont.)</p>		<p><b>C/NR 3.10</b> Require environmentally superior mitigation for unavoidable impacts on biologically sensitive areas, and permanently preserve mitigation sites.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including the Azusa Pipeline, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to natural habitats.</p>
		<p><b>C/NR 3.11</b> Discourage development in riparian habitats, streambeds, wetlands, and other native woodlands in order to maintain and support their preservation in a natural state, unaltered by grading, fill, or diversion activities.</p>	<p><b>Consistent.</b> As discussed in Section 5.2, Biological Resources, Pure Water, including the Azusa Pipeline, includes environmental commitments and mitigation measures that would minimize and compensate for impacts to in riparian habitats, streambeds, wetlands, and other native habitat.</p>
		<p><b>C/NR 6.2</b> Protect natural groundwater recharge areas and regional spreading grounds.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>
		<p><b>C/NR 14.6</b> Ensure proper notification and recovery processes are carried out for development on or near historic, cultural, and paleontological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the Azusa Pipeline, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources. Metropolitan has been in consultation with Native American Tribal representatives pursuant to CEQA as amended by AB 52.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b> Azusa Pipeline (cont.)</p>		<p><b>S 5.10</b> Protect and improve local groundwater quality and supply to increase opportunities for use as a potable water source during drought periods.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>
		<p><b>PS/F 3.1</b> Increase the supply of water through the development of new sources, such as recycled water, gray water, and rainwater harvesting.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to increase the region’s water supply.</p>
		<p><b>PS/F 3.2</b> Support the increased production, distribution and use of recycled water, gray water, and rainwater harvesting to provide for groundwater recharge, seawater intrusion barrier injection, irrigation, industrial processes and other beneficial uses.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>
<p><b>County of Los Angeles</b> Weymouth WTP</p>	<p>Residential 9</p>	<p><b>N 1.3</b> Minimize impacts to noise-sensitive land uses by ensuring adequate site design, acoustical construction, and use of barriers, berms, or additional engineering controls through Best Available Technologies (BAT).</p>	<p><b>Consistent.</b> As discussed in Section 5.10, Noise, Pure Water, including the Weymouth WTP improvements, would incorporate noise-related environmental commitments and noise mitigation measures to minimize noise impacts.</p>
		<p><b>C/NR 14.1</b> Mitigate all impacts from new development on or adjacent to historic, cultural, and paleontological resources to the greatest extent feasible.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the Weymouth WTP improvements, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources.</p>

Pure Water Southern California Land Use Policy Consistency (continued)

Jurisdiction/ Project Features	Underlying and Adjacent General Plan Land Use Designations	Applicable General Plan Policies	Consistency Analysis
<p><b>County of Los Angeles</b> Weymouth WTP (cont.)</p>		<p><b>C/NR 14.6</b> Ensure proper notification and recovery processes are carried out for development on or near historic, cultural, and paleontological resources.</p>	<p><b>Consistent.</b> As discussed in Section 5.3, Cultural Resources, Section 5.5, Geology and Soils, and Section 5.12, Tribal Cultural Resources, Pure Water, including the Weymouth WTP improvements, would include environmental commitments and mitigation measures to identify, protect, and preserve important archaeological, paleontological, tribal, and historic resources. Metropolitan has been in consultation with Native American Tribal representatives pursuant to CEQA as amended by AB 52.</p>
		<p><b>S 5.10</b> Protect and improve local groundwater quality and supply to increase opportunities for use as a potable water source during drought periods.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>
		<p><b>PS/F 3.1</b> Increase the supply of water through the development of new sources, such as recycled water, gray water, and rainwater harvesting.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>
		<p><b>PS/F 3.2</b> Support the increased production, distribution and use of recycled water, gray water, and rainwater harvesting to provide for groundwater recharge, seawater intrusion barrier injection, irrigation, industrial processes and other beneficial uses.</p>	<p><b>Consistent.</b> Pure Water would supply recycled water to spreading grounds to help recharge the groundwater supply.</p>

## Pure Water Southern California Land Use Policy Consistency (continued)

- 1 Potential Pure Water injection wells include up to 14 proposed injection wells in the City of Carson and 4 aquifer storage and recovery wells in the City of Long Beach. The specific locations of the proposed new wells have not yet been determined. Injection wells in the City of Carson would be served by pipeline extending from the AWP Facility or branching off from the backbone pipeline. Wells in the City of Long Beach would be served by pipelines branching off from the backbone pipeline. These distribution pipelines, whose alignments have not yet been identified, are considered to be part of the injection wells for purposes of this land use consistency analysis.
- 2 There are four potential jurisdictions which could house the Whittier Narrows Pump Station: City of Whittier, City of Industry, City of Pico Rivera, or unincorporated Los Angeles County.
- 3 There are four potential jurisdictions which could house the Santa Fe Pump Station: City of Irwindale, City of Baldwin Park, City of Duarte, or City of Azusa.

### **Sources:**

City of Azusa: *City of Azusa General Plan*, April 2004; *General Plan Map*, June 21, 2017

City of Baldwin Park: *City of Baldwin Park 2020 General Plan*, November 2002 ; *City of Baldwin Park General Plan Health, Sustainability, & Environmental Justice Element*, April 1 , 2015 (Public Draft Amendment, June 2023)

City of Bellflower: *City of Bellflower General Plan 1995 – 2010*, December 1994

City of Carson: *Carson 2040 General Plan*, April 4, 2023

City of Cerritos: *City of Cerritos General Plan*, January 2004; *City of Cerritos General Plan Land Use Map*, October 30, 2020

City of Covina: *Covina General Plan*, April 18, 2000; *City of Covina General Plan Land Use Map*, July 26, 2022

City of Downey: *Vision 2025 General Plan*, January 25, 2005; *General Plan Land Use Map*, October 2012

City of Duarte: *City of Duarte Comprehensive General Plan 2005 – 2020*, August 14, 2007; *General Plan Environmental Justice Policies*, June 29, 2022

City of El Monte: *Vision El Monte General Plan*, June 2011 (Updated June 2022); *El Monte LU-1 Land Use Plan*, June 20, 2023

City of Glendora: *Community Plan 2025*, 2008; *City of Glendora General Plan Land Use Map*, February 2023; *Arrow Highway Specific Plan*, September 25, 2018

City of Industry: *City of Industry 2014 General Plan*, June 12, 2014; *City of Industry 2014 General Plan Land Use [Map]*, June 12, 2024

City of Irwindale: *City of Irwindale General Plan Update*, June 2008

City of Lakewood: *City of Lakewood General Plan [Land Use Map]*, February 2017

City of La Verne: *Small Town, Big Picture: The City of La Verne General Plan*, December 7, 1998; *Arrow Corridor Specific Plan*, Undated

## Pure Water Southern California Land Use Policy Consistency (continued)

City of Long Beach: *Long Beach 2040 Place Types and Height Standards* (Long Beach 2040 Map Book, multiple pages), December 3, 2019; *Long Beach General Plan Conservation Element*, April 30, 1973; *Historic Preservation Element, City of Long Beach, California 2030 General Plan*, June 22, 2010; *City of Long Beach Air Quality Element*, December 1996; *Noise Element, City of Long Beach General Plan*, June 2023; *Open Space And Recreation Element Of The General Plan*, October 1992; *Long Beach General Plan Program Public Safety Element*, May 1975; *City Of Long Beach General Plan Seismic Safety Element*, October 1988; *Urban Design Element City of Long Beach General Plan 2040*, December 2019

City of Los Angeles: *General Plan Land Use Map, Wilmington – Harbor City Community Plan, March 4, 2014*; *Los Angeles Safety Element of the General Plan*, November 24, 2021; *Air Quality Element, an Element of the General Plan of the City of Los Angeles*, November 24, 1992; *Conservation Element of the City of Los Angeles General Plan*, March 10, 2001; *Mobility Plan 2035, An Element of the General Plan*, September 7, 2016; *Plan for a Healthy Los Angeles, A Health, Wellness, and Equity Element of the General Plan*, November 24, 2021

County of Los Angeles: *Los Angeles County 2035 General Plan*, Updated June 25, 2024

City of Norwalk: *Vision Norwalk, The City of Norwalk General Plan*, February 29, 1996; *City of Norwalk General Plan Land Use Map*, April 2020

City of Pico Rivera: *City of Pico Rivera General Plan*, October 2014

City of San Dimas: *City of San Dimas General Plan*, September 1991

City of Santa Fe Springs: *Re-imagine Santa Fe Springs 2040 General Plan*, 2024

City of Whittier: *Envision Whittier General Plan*, October 12, 2021