FINDINGS

Year	Uses	Source	
1985	SMITH VICKIE J	PACIFIC BELL WHITE PAGES	
	KNOTT J H S	PACIFIC BELL WHITE PAGES	

152 S MYERS ST

Year	Uses	Source	
1965	Dwyer LE	Luskey Brothers Co., Inc.	
	Campbell Larry	Luskey Brothers Co., Inc.	
1938	SNYDER LEONARD (NAONI) SHOE REPR	San Diego Directory Co.	
	SNYDER BEULAH	San Diego Directory Co.	
1933	BURCHFIELD ANNA (WID MARTIN)	San Diego Directory Co.	

158 S MYERS ST

Year	Uses	Source	
2014	JAMES CARLSON	Cole Information Services	
2009	MARY CARLSON	Cole Information Services	
2006	CARLSON Ivan N	Haines Company, Inc.	Image pg. A7
2004	MARY CARLSON	Cole Information Services	
1999	MARY CARLSON	Cole Information Services	
1994	CARLSON, IVAN N	Cole Information Services	
1991	Carlson Ivan N	PACIFIC BELL WHITE PAGES	
	Carlson J	PACIFIC BELL WHITE PAGES	
1985	CARLSON IVAN N	PACIFIC BELL WHITE PAGES	
1976	Carlson Ivan N Mary	Luskey Brothers & Co., Inc.	
1965	Vacant	Luskey Brothers Co., Inc.	
1955	Chernousko Geo	The Pacific Telephone Telegraph Co.	
1938	BURCHFLELD ANNA MRS	San Diego Directory Co.	
	LESTER ELIZ MRS	San Diego Directory Co.	
	RAISON ISOBEL SLSWN	San Diego Directory Co.	
1933	LESTER ELIZ (WID W A) SLSMN	San Diego Directory Co.	
	LESTER ISABELLE SLSMN	San Diego Directory Co.	

161 S MYERS ST

Year	Uses	Source
1938	LEE MAGGIE (WID R A)	San Diego Directory Co.

191 S MYERS ST

Year	Uses	Source
2004	KYLE MULVAEY	Cole Information Services

FINDINGS

201 S MYERS ST

Year	Uses	Source	
2017	SHANE ROBLEY	Cole Information Services	
2009	DBC	Cole Information Services	
2006	XXXX	Haines Company, Inc.	Image pg. A7
2004	EVA MORRELL	Cole Information Services	
1976	Morrell Richard	Luskey Brothers & Co., Inc.	
1965	Varney JE Mrs	Luskey Brothers Co., Inc.	
1938	MILAM GUS E (EDNA C) PLMBR	San Diego Directory Co.	

203 S MYERS ST

Year	Uses	Source	
2017	DAVEEN DIGIACOMO	Cole Information Services	
	ALEXANDRIA GOJNY	Cole Information Services	
2014	EUN HWANG	Cole Information Services	
2009	BRENDON GELFORD	Cole Information Services	
2006	XXXX	Haines Company, Inc.	Image pg. A7
2004	JOHN STAGOWSKI	Cole Information Services	
	ANNETTE STCLAIR	Cole Information Services	
1999	BRENDON GELFORD	Cole Information Services	
1995	WALTERS JACK R&JOANNE	PACIFIC BELL WHITE PAGES	
1994	WALTERS, ROSE M	Cole Information Services	
1991	Gutknecht Gerald P	PACIFIC BELL WHITE PAGES	
	Gutknecht Richard L & Judy.....	PACIFIC BELL WHITE PAGES	
	Walters RM	PACIFIC BELL WHITE PAGES	
1985	GLASS HAROLD	PACIFIC BELL WHITE PAGES	
	HANCOCK JAS R	PACIFIC BELL WHITE PAGES	
1965	A Mc Alister DL	Luskey Brothers Co., Inc.	
	Apartments	Luskey Brothers Co., Inc.	
	Welty JR	Luskey Brothers Co., Inc.	
1945	FOX HARRY N R	Southern California Telephone Co.	
1940	Milam Gus E r	Southern California Telephone Co.	
1933	FOX HARRY N (GERTRUDE E) CARP	San Diego Directory Co.	
1927	CASTORENA MANUEL M (NAOMI) CLK EXTON & NICHOLS	San Diego Directory Co.	

204 S MYERS ST

Year	Uses	Source
2014	DANNY BEHRENS	Cole Information Services
2009	JEFF TROUT	Cole Information Services

FINDINGS

Year	Uses	Source	
2006	BURDICK E	Haines Company, Inc.	Image pg. A7
2004	BRYCE MAURER	Cole Information Services	
1999	OCCUPANT UNKNOWN	Cole Information Services	
	JEFF TROUT	Cole Information Services	
1991	Cantor Louis	PACIFIC BELL WHITE PAGES	
1985	CANTOR LOUIS	PACIFIC BELL WHITE PAGES	
1965	Cantor Louis	Luskey Brothers Co., Inc.	
1950	ELLIS CHARLOTTE R	The Pacific Telephone & Telegraph Co.	

205 S MYERS ST

Year	Uses	Source	
2017	LOIS GADOL	Cole Information Services	
	RICK BARTON	Cole Information Services	
	WILMA CASTRO	Cole Information Services	
2014	ALANNAH MIRANDA	Cole Information Services	
	LOIS GADOL	Cole Information Services	
2009	OCCUPANT UNKNOWN	Cole Information Services	
	BONNIE MCCUTCHEON	Cole Information Services	
	LOIS GADOL	Cole Information Services	
	GAIL SMITH	Cole Information Services	
	ROBERT RYAN	Cole Information Services	
2006	MCCUTCHEON Bonnie	Haines Company, Inc.	Image pg. A7
2004	GAIL SMITH	Cole Information Services	
	DONNA SMOOT	Cole Information Services	
	OCCUPANT UNKNOWN	Cole Information Services	
	AL BOTTS	Cole Information Services	
1999	ROBERT RYAN	Cole Information Services	
	OCCUPANT UNKNOWN	Cole Information Services	
	GAIL SMITH	Cole Information Services	
	BONNIE MCCUTCHEON	Cole Information Services	
	LOIS GADOL	Cole Information Services	
1976	Bertell Joe	Luskey Brothers & Co., Inc.	
	Fish James Hii Apartments	Luskey Brothers & Co., Inc.	
	Fish Lloyd MEvelyn47 Havenview Ln @Oceanside@	Luskey Brothers & Co., Inc.	
1965	Fish Apartments	Luskey Brothers Co., Inc.	
	A Bard Nelson	Luskey Brothers Co., Inc.	
	A Rylee JE	Luskey Brothers Co., Inc.	
	B Mathews A	Luskey Brothers Co., Inc.	

FINDINGS

Year	Uses	Source	
1955	Lail Pauline	The Pacific Telephone Telegraph Co.	
1950	LAIL PAULINE R	The Pacific Telephone & Telegraph Co.	
1945	LAIL PAULINE R	Southern California Telephone Co.	
1938	O ORTICE D (WANZA) BR MNGR STANDARD STAS	San Diego Directory Co.	
1933	HAWKINS JOSIAS (EDNA T)	San Diego Directory Co.	
1927	FOUR HARRY N (GERTRUDE E) CARP	San Diego Directory Co.	

206 S MYERS ST

Year	Uses	Source	
2017	STEVE MCCUTCHEON	Cole Information Services	
2014	STEVE MCCUTCHEON	Cole Information Services	
2006	XXXX	Haines Company, Inc.	Image pg. A7
2004	LISA WILSON	Cole Information Services	
1976	Cimarusti Ralph Lucy	Luskey Brothers & Co., Inc.	
1965	Cimarusti Ralph	Luskey Brothers Co., Inc.	

208 S MYERS ST

Year	Uses	Source
2017	DANA TRIPPE	Cole Information Services
2014	MARC LINDSAY	Cole Information Services
2009	ESCALADE INDUSTRIES	Cole Information Services
1985	HAGUE LW	PACIFIC BELL WHITE PAGES
1965	Vacant	Luskey Brothers Co., Inc.

210 S MYERS ST

Year	Uses	Source	
2017	ELIZABETH LESZCZYNSKI	Cole Information Services	
	ERIC GREENAWALT	Cole Information Services	
2014	ERIC GREENAWALT	Cole Information Services	
	ADRIENNE RAY	Cole Information Services	
2009	ERIC GREENAWALT	Cole Information Services	
	BEHRENS TILE & MARBLE	Cole Information Services	
	MILDRED PIRO	Cole Information Services	
2006	MCNABB J	Haines Company, Inc.	Image pg. A7
2004	SAGE MCELROY	Cole Information Services	
	JEREMY FALLS	Cole Information Services	
	JORDI BAILEY	Cole Information Services	
	MILDRED PIRO	Cole Information Services	
1999	MILDRED PIRO	Cole Information Services	

FINDINGS

Year	Uses	Source
1999	ERIC GREENAWALT	Cole Information Services
1995	PIRO D	PACIFIC BELL WHITE PAGES
	CELANO FRANK	PACIFIC BELL WHITE PAGES
1994	PIRO, JOE C	Cole Information Services
	CELANO, FRANK	Cole Information Services
1991	Piro Joe C	PACIFIC BELL WHITE PAGES
	Celano Frank	PACIFIC BELL WHITE PAGES
1985	PIRO JOE C	PACIFIC BELL WHITE PAGES
	CELANO FRANK	PACIFIC BELL WHITE PAGES
	CEVAILO LUIS	PACIFIC BELL WHITE PAGES
1976	Celano Frank	Luskey Brothers & Co., Inc.
1965	Miller Apartments	Luskey Brothers Co., Inc.
	A Vacant	Luskey Brothers Co., Inc.
	B Vacant	Luskey Brothers Co., Inc.
	C Vacant	Luskey Brothers Co., Inc.
	D Vacant	Luskey Brothers Co., Inc.
1938	MOORE CLARENCE E (EFFIE M) SLSMN	San Diego Directory Co.
	RECHER GAYLO MRS DRESSES	San Diego Directory Co.
1933	BLACKBURN DORA K	San Diego Directory Co.
	RECHER GAYLO M (WID VINCENT) SLSMN SOL GONZALES	San Diego Directory Co.

211 S MYERS ST

Year	Uses	Source
2017	TED LINDBERG	Cole Information Services
	WILLIAM STUART	Cole Information Services
	EDUARD VALDIVIA	Cole Information Services
	TERESA MCINTYRE	Cole Information Services
2014	TERRY RYAN	Cole Information Services
	WILLIAM STUART	Cole Information Services
	DAVID BLANFORD	Cole Information Services
	TED LINDBERG	Cole Information Services
2009	LINDBERG TED	Cole Information Services
	DAVID BLANFORD	Cole Information Services
	TED LINDBERG	Cole Information Services
	RUBY FISH	Cole Information Services
	KENNETH SCHUMM	Cole Information Services
	LEE PAPPILLI	Cole Information Services
	RUBY M FISH	Cole Information Services

FINDINGS

Year	Uses	Source	
2006	FISH Ruby M	Haines Company, Inc.	Image pg. A7
	BLANFORD David	Haines Company, Inc.	Image pg. A7
2004	JERRY VONLIND	Cole Information Services	
	RUBY M FISH	Cole Information Services	
	KENNETH SCHUMM	Cole Information Services	
	RUBY FISH	Cole Information Services	
	DAVID BLANFORD	Cole Information Services	
1999	LINDBERG TED	Cole Information Services	
	DAVID BLANFORD	Cole Information Services	
	KENNETH SCHUMM	Cole Information Services	
	RUBY FISH	Cole Information Services	
	LEE PAPPILLI	Cole Information Services	
	TED LINDBERG	Cole Information Services	
1995	BLANFORD DAVID	PACIFIC BELL WHITE PAGES	
	FISH RUBY M	PACIFIC BELL WHITE PAGES	
	HOWARD J	PACIFIC BELL WHITE PAGES	
1994	BLANFORD, DAVID	Cole Information Services	
1991	Benson A E	PACIFIC BELL WHITE PAGES	
	Benson Ann	PACIFIC BELL WHITE PAGES	
	Blantord David	PACIFIC BELL WHITE PAGES	
	Chacon Richard & Barbara	PACIFIC BELL WHITE PAGES	
	Fish Ruby M	PACIFIC BELL WHITE PAGES	
	Sweeney Dick	PACIFIC BELL WHITE PAGES	
	Sweeney E J	PACIFIC BELL WHITE PAGES	
1985	CHACON RICHARD & BARBARA	PACIFIC BELL WHITE PAGES	
	ALLEN F I	PACIFIC BELL WHITE PAGES	
1976	Wilson CG	Luskey Brothers & Co., Inc.	
	Sweeney Dick	Luskey Brothers & Co., Inc.	
	Fish James H	Luskey Brothers & Co., Inc.	
1965	D Faye PL	Luskey Brothers Co., Inc.	
	C Lenker Steven	Luskey Brothers Co., Inc.	
	B Joffrion TT	Luskey Brothers Co., Inc.	
	A Russell John	Luskey Brothers Co., Inc.	
	Apartments	Luskey Brothers Co., Inc.	
	E Metcalf Colin F Fish JH	Luskey Brothers Co., Inc.	

216 S MYERS ST

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services

FINDINGS

Year	Uses	Source	
2009	LOUISE CONNOR	Cole Information Services	
	LITTLEFOOT DOG WALKING SERVICE	Cole Information Services	
2006	CONNOR Louise	Haines Company, Inc.	Image pg. A7
2004	OCCUPANT UNKNOWN	Cole Information Services	
1999	LOUISE CONNOR	Cole Information Services	
1995	TIM	PACIFIC BELL WHITE PAGES	
1991	Hibler Gregory S & Julie A	PACIFIC BELL WHITE PAGES	
	Hibler Sherri	PACIFIC BELL WHITE PAGES	
1976	Turner Elizabeth Mrs	Luskey Brothers & Co., Inc.	
1965	Stokesberry J P	Luskey Brothers Co., Inc.	
1955	Stokesberry Leatha Mrs	The Pacific Telephone Telegraph Co.	
1950	STOKESBURY LEATHA MRS R	The Pacific Telephone & Telegraph Co.	
1938	WALKER MABEL CLK	San Diego Directory Co.	
	WALKER LEROY JR	San Diego Directory Co.	
	WALKER LEROY (ESTELLA)	San Diego Directory Co.	
1933	CURRY EMMETT C (MABLE) INDY WKR OCEANSIDE LNDY	San Diego Directory Co.	
1927	MESTON DAVID (MARY) PNTR	San Diego Directory Co.	

217 S MYERS ST

Year	Uses	Source	
2017	AXEL LOVE	Cole Information Services	
2014	OCCUPANT UNKNOWN	Cole Information Services	
2009	SUSAN BUTLER	Cole Information Services	
2006	BUTLER Christine	Haines Company, Inc.	Image pg. A7
2004	OCCUPANT UNKNOWN	Cole Information Services	
1999	SUSAN BUTLER	Cole Information Services	
1965	Huffman Gerald I	Luskey Brothers Co., Inc.	
1938	WOLFE ROBT E (AILEEN) PLMBR HOWE HDW CO	San Diego Directory Co.	
1933	JOHNSON HELEN M STEN	San Diego Directory Co.	

218 S MYERS ST

Year	Uses	Source	
2017	LEDEL CAVALIER	Cole Information Services	
2014	LEDEL CAVALIER	Cole Information Services	
	BRIDGET HERRIS	Cole Information Services	
	DENNIS HARRIS	Cole Information Services	
2009	DENNIS HARRIS	Cole Information Services	
2006	CAVALIER Delvin	Haines Company, Inc.	Image pg. A7

FINDINGS

Year	Uses	Source	
2004	LEDEL CAVALIER	Cole Information Services	
1999	DENNIS HARRIS	Cole Information Services	
1965	Hildebrand LMMrs	Luskey Brothers Co., Inc.	
	Coates Apartments B Maxwell BM	Luskey Brothers Co., Inc.	

220 S MYERS ST

Year	Uses	Source	
2017	JEFFREY MORRISON	Cole Information Services	
	WOEPPEL YOUNG	Cole Information Services	
2014	JOSH RAGHEB	Cole Information Services	
	JOANTHAN SCHURKE	Cole Information Services	
2009	SCHURKE MEDICAL ARTS	Cole Information Services	
	OCCUPANT UNKNOWN	Cole Information Services	
2006	XXXX	Haines Company, Inc.	Image pg. A7
2004	DENNIS BOYD	Cole Information Services	
	ROBERTS WALL AID	Cole Information Services	
1999	OCCUPANT UNKNOWN	Cole Information Services	
1965	Apartments	Luskey Brothers Co., Inc.	
	Tyson Ints	Luskey Brothers Co., Inc.	
	B Wagner RP	Luskey Brothers Co., Inc.	
	S MYERS	Luskey Brothers Co., Inc.	

221 S MYERS ST

Year	Uses	Source
2017	RANDY FANNIN	Cole Information Services
	MAKO CSAPO	Cole Information Services
2014	RANDY FANNIN	Cole Information Services
	DAVID COOK	Cole Information Services
2009	ELAINE KARATH	Cole Information Services
	ROBERT HAMILTON	Cole Information Services
	MARIANNA GEGAMIAN	Cole Information Services
2004	CARLENE ROBERTSON	Cole Information Services
	DANIEL GOUGH	Cole Information Services
1999	ELAINE KARATH	Cole Information Services
	ROBERT HAMILTON	Cole Information Services
	MARIANNA GEGAMIAN	Cole Information Services
1994	AUSTIN, CHRISTO	Cole Information Services

FINDINGS

222 S MYERS ST

Year	Uses	Source	
2017	JOHNNY GENG	Cole Information Services	
2014	TANIA KREMPA	Cole Information Services	
2009	OCCUPANT UNKNOWN	Cole Information Services	
2006	BURKE H	Haines Company, Inc.	Image pg. A7
2004	PAULINE MCCAULEY	Cole Information Services	
1999	OCCUPANT UNKNOWN	Cole Information Services	
1994	KIESWETTER, CANDI	Cole Information Services	
1965	Timmons RM	Luskey Brothers Co., Inc.	

224 S MYERS ST

Year	Uses	Source	
2017	CARLO MAZZURRA	Cole Information Services	
2014	CARLO MAZZURRA	Cole Information Services	
2009	CARLO MAZZURRA	Cole Information Services	
2006	XXXX	Haines Company, Inc.	Image pg. A7
2004	OCCUPANT UNKNOWN	Cole Information Services	
1999	CARLO MAZZURRA	Cole Information Services	
	OCCUPANT UNKNOWN	Cole Information Services	
1991	Coggin MR	PACIFIC BELL WHITE PAGES	
1965	Davies HD	Luskey Brothers Co., Inc.	

205A S MYERS ST

Year	Uses	Source
1950	BAILEY H M R	The Pacific Telephone & Telegraph Co.

S TRAMONT

124 S TRAMONT

Year	Uses	Source
1991	om Pro Floors Commercial Floorlng	PACIFIC BELL WHITE PAGES
	ComPak Daeign	PACIFIC BELL WHITE PAGES

S TREMONT

101 S TREMONT

Year	Uses	Source
1955	San Diego County of Contd	The Pacific Telephone Telegraph Co.
	Public Welfare Dept of	The Pacific Telephone Telegraph Co.

FINDINGS

106 S TREMONT

Year	Uses	Source
1955	Quien A E	The Pacific Telephone Telegraph Co.
	Cole Bernice M	The Pacific Telephone Telegraph Co.

114 S TREMONT

Year	Uses	Source
1955	Ellis J Ray	The Pacific Telephone Telegraph Co.

115 S TREMONT

Year	Uses	Source
1955	Martinez Mario	The Pacific Telephone Telegraph Co.
	Toeller E D	The Pacific Telephone Telegraph Co.

118 S TREMONT

Year	Uses	Source
1955	Weatherford Nancy	The Pacific Telephone Telegraph Co.
	Sumner Robt L	The Pacific Telephone Telegraph Co.

119 S TREMONT

Year	Uses	Source
1955	Whitney W M	The Pacific Telephone Telegraph Co.

124 S TREMONT

Year	Uses	Source
1955	Lawson Rand	The Pacific Telephone Telegraph Co.

128 S TREMONT

Year	Uses	Source
1955	Evans Thos H Mrs	The Pacific Telephone Telegraph Co.
	Kelly Mary Mrs	The Pacific Telephone Telegraph Co.
	Smith Edw M	The Pacific Telephone Telegraph Co.

131 S TREMONT

Year	Uses	Source
1955	Trotter Lena J	The Pacific Telephone Telegraph Co.

132 S TREMONT

Year	Uses	Source
1955	Williams Pauline	The Pacific Telephone Telegraph Co.

FINDINGS

213 S TREMONT

Year	Uses	Source
1955	La Flams Washing Mach Serv	The Pacific Telephone Telegraph Co.

215 S TREMONT

Year	Uses	Source
1955	Walker Jas A rl est	The Pacific Telephone Telegraph Co.
	La Flam Ethel M Walker Jas A rl est	The Pacific Telephone Telegraph Co.
	Burd Regina H Walker Jas A rl est	The Pacific Telephone Telegraph Co.

217 S TREMONT

Year	Uses	Source
1955	Bacon Pearl G	The Pacific Telephone Telegraph Co.

218 S TREMONT

Year	Uses	Source
1955	Swaim Robt A	The Pacific Telephone Telegraph Co.

310 S TREMONT

Year	Uses	Source
1955	Snodgrass Norman D	The Pacific Telephone Telegraph Co.

317 S TREMONT

Year	Uses	Source
1955	Cronin F J	The Pacific Telephone Telegraph Co.

320 S TREMONT

Year	Uses	Source
1955	Jackson Vincent F	The Pacific Telephone Telegraph Co.

327 S TREMONT

Year	Uses	Source
1955	Hetrick Mary	The Pacific Telephone Telegraph Co.

119A S TREMONT

Year	Uses	Source
1938	TROTTER THOS	San Diego Directory Co.

S TREMONT ST

12 S TREMONT ST

Year	Uses	Source
1994	ALVAREZ, JOSE	Cole Information Services

101 S TREMONT ST

Year	Uses	Source
2004	GRACE CHRISTIAN CTR	Cole Information Services
1999	GRACE CHRISTIAN CENTER	Cole Information Services
1965	Jesus Way Tabernacle	Luskey Brothers Co., Inc.
1950	SAN DIEGO COUNTY OF DEPT OF PUBLIC WELFARE OCEANSDE BRANCH	The Pacific Telephone & Telegraph Co.

104 S TREMONT ST

Year	Uses	Source
1927	HILLS VICTOR J (MAUDE)	San Diego Directory Co.

105 S TREMONT ST

Year	Uses	Source
1927	BATTY HERBT M (LENA) CLK W B KNAPP	San Diego Directory Co.

106 S TREMONT ST

Year	Uses	Source	
2017	PEDRO TELLEZ	Cole Information Services	
	JUSTIN SMITH	Cole Information Services	
2014	JENNIFER LUTZ	Cole Information Services	
	PEDRO TELLEZ	Cole Information Services	
2009	PEDRO TELLEZ	Cole Information Services	
	CLARENCE CARTER	Cole Information Services	
2006	CRUZ Miguel	Haines Company, Inc.	Image pg. A1
	HARRIS Linda	Haines Company, Inc.	Image pg. A1
2004	MARTHA REYES	Cole Information Services	
	MIGUEL CRUZ	Cole Information Services	
	AQUILINO VAZQUEZ	Cole Information Services	
1999	PEDRO TELLEZ	Cole Information Services	
	CLARENCE CARTER	Cole Information Services	
1991	Grandberry Eric	PACIFIC BELL WHITE PAGES	
1965	C Cordell CA	Luskey Brothers Co., Inc.	
	B Vacant	Luskey Brothers Co., Inc.	

FINDINGS

Year	Uses	Source	
1965	A Hareld RC	Luskey Brothers Co., Inc.	
	Apartments	Luskey Brothers Co., Inc.	
1938	PHIIIPS CHAS H	San Diego Directory Co.	

109 S TREMONT ST

Year	Uses	Source	
2014	GABRIEL GILMORE	Cole Information Services	
1999	OCCUPANT UNKNOWN	Cole Information Services	
1965	Cal away EK Mrs I	Luskey Brothers Co., Inc.	
1950	VAN PELT LARRY R	The Pacific Telephone & Telegraph Co.	
1938	FURST FELIX (RUTH H) LAB	San Diego Directory Co.	
1933	GARCIA FELICE (RUTH) RANCHER	San Diego Directory Co.	

110 S TREMONT ST

Year	Uses	Source	
2017	SHANNON LYNCH	Cole Information Services	
	HAZEL MATIAS	Cole Information Services	
	MICHAEL MECUCCI	Cole Information Services	
	LAUREL LIGAD	Cole Information Services	
2014	JUSTIN MURPHY	Cole Information Services	
	SHAINE DALY	Cole Information Services	
	MIGUEL RUELAS	Cole Information Services	
2009	AARON HAYES	Cole Information Services	
	ANTHONY MATIAS	Cole Information Services	
2006	MONSALE Christopher	Haines Company, Inc.	Image pg. A1
	MONSALE Marvilyn D	Haines Company, Inc.	Image pg. A1
2004	AARON HAYES	Cole Information Services	
	ANTHONY MATIAS	Cole Information Services	
	GRUBBS MICAH	Cole Information Services	
	MARVILYN MONSALE	Cole Information Services	
	MICAH GRUBBS	Cole Information Services	
1999	ANTHONY MATIAS	Cole Information Services	
	AARON HAYES	Cole Information Services	
1991	Cole Rosario	PACIFIC BELL WHITE PAGES	
1985	SANTIAGO ESTRELLA	PACIFIC BELL WHITE PAGES	
	REED JEFFREY L	PACIFIC BELL WHITE PAGES	
1976	Sanderson F Helen	Luskey Brothers & Co., Inc.	
	Orlebar MC	Luskey Brothers & Co., Inc.	
	Baucom Lucille	Luskey Brothers & Co., Inc.	

FINDINGS

Year	Uses	Source	
1965	E Bretz Frank	Luskey Brothers Co., Inc.	
	C Vacant D Ferris Mabel	Luskey Brothers Co., Inc.	
	B Morgan Ruby	Luskey Brothers Co., Inc.	
	Apartments A Bailey HN	Luskey Brothers Co., Inc.	
1945	RECEK GEORGIA B R	Southern California Telephone Co.	

112 S TREMONT ST

Year	Uses	Source	
1950	WILCOX F N REV R	The Pacific Telephone & Telegraph Co.	
1938	PARRA RAFEL (ERNESTINA)	San Diego Directory Co.	

114 S TREMONT ST

Year	Uses	Source	
2017	GERALD DALIT	Cole Information Services	
2014	GERALD DALIT	Cole Information Services	
2009	VICTORIANO DALIT	Cole Information Services	
2006	DALIT Vidoriano	Haines Company, Inc.	Image pg. A1
2004	VICTORIANO DALIT	Cole Information Services	
1999	VICTORIANO DALIT	Cole Information Services	
1985	PICKETT J	PACIFIC BELL WHITE PAGES	
1976	Ellis J Ray	Luskey Brothers & Co., Inc.	
1965	Ellis JR	Luskey Brothers Co., Inc.	
1945	WILCOX F N REV R	Southern California Telephone Co.	
1938	CHOATE ISAAC	San Diego Directory Co.	
	CHOATE VERNON	San Diego Directory Co.	
1933	ROHLEY JOHN C (VIVIAN) LAB	San Diego Directory Co.	
	THOMAS SIDNEY A (HATTIE A) LINEMN	San Diego Directory Co.	

115 S TREMONT ST

Year	Uses	Source	
2017	KEVIN MCPHEETERS	Cole Information Services	
	ROYA BAHRAMI	Cole Information Services	
2014	JAMIE SCHINDLER	Cole Information Services	
	CRAIG WALL	Cole Information Services	
2009	OCCUPANT UNKNOWN	Cole Information Services	
	RITA JIMENEZ	Cole Information Services	
2006	EIS ENDRATH TEAM	Haines Company, Inc.	Image pg. A1
2004	OCCUPANT UNKNOWN	Cole Information Services	
1999	OCCUPANT UNKNOWN	Cole Information Services	

FINDINGS

Year	Uses	Source	
1999	RITA JIMENEZ	Cole Information Services	
1995	GONZALES A	PACIFIC BELL WHITE PAGES	
1994	GONZALES, BERT	Cole Information Services	
1965	v Andress TC	Luskey Brothers Co., Inc.	
	Ray AL	Luskey Brothers Co., Inc.	
1950	TOELLER E D R	The Pacific Telephone & Telegraph Co.	

117 S TREMONT ST

Year	Uses	Source
1999	OCCUPANT UNKNOWN	Cole Information Services

118 S TREMONT ST

Year	Uses	Source	
2017	CHRISTALLE BODIFORD	Cole Information Services	
	ANDY PHITSANOUKANH	Cole Information Services	
2014	PAMELA NICOLAS	Cole Information Services	
	IRINA NATH	Cole Information Services	
2009	BRITTANY BOOZER	Cole Information Services	
	DAMIAN DIAZ	Cole Information Services	
	ANTONIA BAKKE	Cole Information Services	
2006	BROWNBAILEY Revonda	Haines Company, Inc.	Image pg. A1
2004	TREMONT APTS	Cole Information Services	
	CARLOTTA SOUCEK	Cole Information Services	
	WILLIAM HOWE	Cole Information Services	
	DAMIAN DIAZ	Cole Information Services	
	JOHN ROSENTHAL	Cole Information Services	
	DC DIST	Cole Information Services	
	THOMAS MAJESKA	Cole Information Services	
1999	ANTONIA BAKKE	Cole Information Services	
	DAMIAN DIAZ	Cole Information Services	
	BRITTANY BOOZER	Cole Information Services	
1994	PETERAKA, LERMA	Cole Information Services	
1991	Rodejo Bernardo	PACIFIC BELL WHITE PAGES	
	Rodelandler Patti	PACIFIC BELL WHITE PAGES	
1965	E Wilbur CJ	Luskey Brothers Co., Inc.	
	D Vacant	Luskey Brothers Co., Inc.	
	C Graybeal Pearl	Luskey Brothers Co., Inc.	
	B Blough ES Mrs	Luskey Brothers Co., Inc.	
	Apartments A Sankey 10 Mrs	Luskey Brothers Co., Inc.	

FINDINGS

119 S TREMONT ST

Year	Uses	Source	
1965	Ortega MF	Luskey Brothers Co., Inc.	
1950	WHITNEY W M R	The Pacific Telephone & Telegraph Co.	
1945	MUTZ BABE A R	Southern California Telephone Co.	
	WHITNEY W M R	Southern California Telephone Co.	
1938	WHITNEY WINIFRED M (WID F J) NOTARY PUB	San Diego Directory Co.	

124 S TREMONT ST

Year	Uses	Source	
2017	JESSE RUIZ	Cole Information Services	
2014	GREGORY BARNEY	Cole Information Services	
2009	GREGORY BARNEY	Cole Information Services	
2006	VALDOVINOS Desirae	Haines Company, Inc.	Image pg. A1
	MENEFEE Christine	Haines Company, Inc.	Image pg. A1
	BARNEY Gregory A	Haines Company, Inc.	Image pg. A1
2004	NEW VIEW WINDOW CLEANIN	Cole Information Services	
	DESI VALDOVINOS	Cole Information Services	
1999	GREGORY BARNEY	Cole Information Services	
1994	ARONSON, MICHAEL L	Cole Information Services	
	COM PAK DESIGN	Cole Information Services	
1991	Aronson Michael Aronson	PACIFIC BELL WHITE PAGES	
	Compact Design	PACIFIC BELL WHITE PAGES	
	Aronson P	PACIFIC BELL WHITE PAGES	
	Aronson Michael Loren	PACIFIC BELL WHITE PAGES	
1976	Kaaz Barry Dianne	Luskey Brothers & Co., Inc.	
1965	Lawson RM	Luskey Brothers Co., Inc.	
1950	LAWSON RAND R	The Pacific Telephone & Telegraph Co.	
1945	LAWSON RAND R	Southern California Telephone Co.	
1938	STOKESBERRY ELIZ	San Diego Directory Co.	
	STOKESBERRY HORACE (LETHA M) CARP	San Diego Directory Co.	
	STOKESBERRY JAS FISHERMN	San Diego Directory Co.	
1933	ROWLETT DAVID B CLK	San Diego Directory Co.	
	ROWLETT M WITT (HELEN) (ROWLETT BROS)	San Diego Directory Co.	
1927	GRIZZELLE MABEL R CLK P 0	San Diego Directory Co.	
	GRIZZELLE WM H (MARTHA A) GARAGE	San Diego Directory Co.	

FINDINGS

125 S TREMONT ST

Year	Uses	Source	
2004	W 3 COMMERCE INC	Cole Information Services	
1999	ECUMENICAL SERVICE CENTER	Cole Information Services	
	NORTH COASTAL SERVICE CENTER	Cole Information Services	
1995	Ecumenical Service Center	PACIFIC BELL WHITE PAGES	
1994	ECUMENICAL SERVICE CTR	Cole Information Services	
1991	From San Dieguito Del Mar Area	PACIFIC BELL WHITE PAGES	
	GAIN Center	PACIFIC BELL WHITE PAGES	
	Ecumenical Service Center	PACIFIC BELL WHITE PAGES	

128 S TREMONT ST

Year	Uses	Source	
2017	GUSTAVO SANTIAGO	Cole Information Services	
2014	LISA WOOLUMS	Cole Information Services	
	MARK DELEON	Cole Information Services	
2009	LISA WOOLUMS	Cole Information Services	
	JUAN NOGUERA	Cole Information Services	
	MARK DELEON	Cole Information Services	
2006	WOOLUMS Lisa	Haines Company, Inc.	Image pg. A1
	NOGUERA Juan carlos	Haines Company, Inc.	Image pg. A1
	DE Leon E	Haines Company, Inc.	Image pg. A1
2004	MARK DELEON	Cole Information Services	
	DAVID AVILA	Cole Information Services	
	OCCUPANT UNKNOWN	Cole Information Services	
1999	MARK DELEON	Cole Information Services	
	JUAN NOGUERA	Cole Information Services	
	LISA WOOLUMS	Cole Information Services	
1995	VALDOVINOS AGRLCOLA	PACIFIC BELL WHITE PAGES	
1994	MCCARTHY, MAUD	Cole Information Services	
1991	Mc Carthy Maud	PACIFIC BELL WHITE PAGES	
1985	SCHROEDER WM	PACIFIC BELL WHITE PAGES	
	AGUINA C & L	PACIFIC BELL WHITE PAGES	
1965	C Heaton HL	Luskey Brothers Co., Inc.	
	A Alvizo AGI B Cardoza JE	Luskey Brothers Co., Inc.	
	Apartments	Luskey Brothers Co., Inc.	

131 S TREMONT ST

Year	Uses	Source
1965	Vacant	Luskey Brothers Co., Inc.

FINDINGS

Year	Uses	Source	
1950	TROTTER LENA J R	The Pacific Telephone & Telegraph Co.	
1945	TROTTER LENA J R	Southern California Telephone Co.	
1940	Trotter Lena J r	Southern California Telephone Co.	
1938	TROTTER LENA J (WID W H)	San Diego Directory Co.	
1933	TROTTER WM H (LENA J) PATROLMN	San Diego Directory Co.	
1927	W WM H (LENA)	San Diego Directory Co.	

132 S TREMONT ST

Year	Uses	Source	
2009	OCCUPANT UNKNOWN	Cole Information Services	
2006	BROWN Donald	Haines Company, Inc.	Image pg. A1
2004	VICKY SCHER	Cole Information Services	
1999	OCCUPANT UNKNOWN	Cole Information Services	
1965	Morris IJ rrs	Luskey Brothers Co., Inc.	
1950	LARSON JOHN G R	The Pacific Telephone & Telegraph Co.	
1938	W F (FANNY)	San Diego Directory Co.	
1927	GAMWELL HARRY E PRINTER	San Diego Directory Co.	

140 S TREMONT ST

Year	Uses	Source
1976	General Music Tri ity Vendorsl	Luskey Brothers & Co., Inc.

201 S TREMONT ST

Year	Uses	Source
1938	COX VINCENT	San Diego Directory Co.
1933	SAYLES PERCY W BATTERIES	San Diego Directory Co.
1927	SAYLES PERCY W BATTERY SERV	San Diego Directory Co.

205 S TREMONT ST

Year	Uses	Source	
2017	GREYHOUND BUS LINES	Cole Information Services	
2009	GREYHOUND BUS LINES	Cole Information Services	
	MICHAEL D PONCE	Cole Information Services	
2006	GREYHOUND BUS LINES	Haines Company, Inc.	Image pg. A1
2004	OCCUPANT UNKNOWN	Cole Information Services	
	MALLBOXES & MORE	Cole Information Services	
	GREYHOUND	Cole Information Services	
1999	GREYHOUND BUS LINES PACKAGE EXPRESS	Cole Information Services	
	GREYHOUND PACKAGE EXPRESS	Cole Information Services	

Year	Uses	Source
1999	PACKAGE EXPRESS	Cole Information Services
	LOCAL TERMINALS	Cole Information Services
1994	GREYHOUND BUS LINES	Cole Information Services
1991	GRE YHOUN D TRAILW AYS LIN E S CHARTE R S E RVICE	PACIFIC BELL WHITE PAGES
	San Diego Service Only	PACIFIC BELL WHITE PAGES
	Fare& Schedulel Information	PACIFIC BELL WHITE PAGES
	Los Angeles Service Only	PACIFIC BELL WHITE PAGES
	Santa Ana Anaheim Service Only	PACIFIC BELL WHITE PAGES
	Long Beach No Long Beach Service Only	PACIFIC BELL WHITE PAGES
	No Charge To Calling Party	PACIFIC BELL WHITE PAGES
	Package Express & Baggage	PACIFIC BELL WHITE PAGES
1985	GREYHOUND BUS LINES	PACIFIC BELL WHITE PAGES

209 S TREMONT ST

Year	Uses	Source
1965	Vacant	Luskey Brothers Co., Inc.

213 S TREMONT ST

Year	Uses	Source
1999	B & T NEWSSTAND	Cole Information Services
1995	B & TNewsstand	PACIFIC BELL WHITE PAGES
1994	B & T NEWSSTAND	Cole Information Services
1991	Smith Janice Newsstand	PACIFIC BELL WHITE PAGES
1965	Williams Printing Co	Luskey Brothers Co., Inc.

214 S TREMONT ST

Year	Uses	Source
1995	Di Verde Thos attorney at law	PACIFIC BELL WHITE PAGES
1985	LEGAL AID SOCIETY OF $ D INC	PACIFIC BELL WHITE PAGES

215 S TREMONT ST

Year	Uses	Source
2017	GREYHOUND BUS LINES	Cole Information Services
2014	GREYHOUND BUS LINES	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1991	North County Transportation Coalition	PACIFIC BELL WHITE PAGES
1985	AMERICAN TRAVEL SERVICE TRANSIT CENTER	PACIFIC BELL WHITE PAGES
1965	Walker JA Realtor rl est	Luskey Brothers Co., Inc.

FINDINGS

216 S TREMONT ST

Year	Uses	Source	
2017	LEGAL AID SOCIETY	Cole Information Services	
2014	LEAGAL AID SOCIETY OF SAN DIEGO INC	Cole Information Services	
	LEAGAL AID	Cole Information Services	
	LEGAL AID SOCIETY OF SAN DIEGO INC	Cole Information Services	
2009	LEGAL AID SOCIETY OF SAN DIEGO INC	Cole Information Services	
2006	LEAGAL AID SOCIETY OF SD INC	Haines Company, Inc.	Image pg. A1
	LEGAL AID SOCIETY	Haines Company, Inc.	Image pg. A1
2004	OCCUPANT UNKNOWN	Cole Information Services	
1999	LEGAL AID SOCIETY OF S D INCORPORATED	Cole Information Services	
	LGL AID SOCIETY OF S D INCORPORATED FROM FOLLOWING COMMUNITI	Cole Information Services	
	LGL AID SOCIETY OF SAN DIEGO INCORPORATED OCEANSIDE OFFICE	Cole Information Services	
1995	Legal Alternatives	PACIFIC BELL WHITE PAGES	
	Vista Call	PACIFIC BELL WHITE PAGES	
	Legal Aid Society Of S D Inc	PACIFIC BELL WHITE PAGES	
1994	LEGAL AID SOCIETY OF SD INC	Cole Information Services	
1991	Legal Arts	PACIFIC BELL WHITE PAGES	
	Vista Call	PACIFIC BELL WHITE PAGES	
1985	ECUMENICAL SERVICE CENTER	PACIFIC BELL WHITE PAGES	
1976	Hanging Tortoise The plants	Luskey Brothers & Co., Inc.	
1965	B Chase JH	Luskey Brothers Co., Inc.	
	Mc Cullah OE	Luskey Brothers Co., Inc.	
	Apartments	Luskey Brothers Co., Inc.	
	A Torres Floyd	Luskey Brothers Co., Inc.	
1950	JANSEN WILMA E R	The Pacific Telephone & Telegraph Co.	
1945	HANSON NORMAN T R	Southern California Telephone Co.	
1938	WISILLIAMS PERL A DEPT SEC ROSICRUCIAN FELLOWSHIP R RUBY RESTRWKR FRANK MAL	San Diego Directory Co.	
	FORD MADELINE E TCHR OCEANSIDE-CARLSBAD UNION HIGH SCH	San Diego Directory Co.	
	ELLIS MARGT	San Diego Directory Co.	
	ELLIS J RAY (ELVA P) PRINTER BLADE-TRIBUNE PUB CO	San Diego Directory Co.	
	ELLIS ALBT E (JULIA) CLK	San Diego Directory Co.	

Year	Uses	Source	
1933	GRUBER MARTIN (GERTRUDE) MEATS	San Diego Directory Co.	
1927	LOUCKS RUEL L (PEARL) CITY ENGINEER	San Diego Directory Co.	

217 S TREMONT ST

Year	Uses	Source	
1976	Williams Leo Sarah	Luskey Brothers & Co., Inc.	
1965	Samuel FB	Luskey Brothers Co., Inc.	
1950	BACON PEARL G R	The Pacific Telephone & Telegraph Co.	
1945	LUNDIN MILDRED R	Southern California Telephone Co.	
1938	SMITH ALLEN	San Diego Directory Co.	
	JAMES HANNAH C (WID W P)	San Diego Directory Co.	
	GORDON VICTOR	San Diego Directory Co.	
	BRIDGES MARTIN L LINO OPR BLADE-TRIBUNE PUBCO	San Diego Directory Co.	
1933	LAY DELMER C MSNGR WESTN UNION TELEGRAPH	San Diego Directory Co.	
	JAMES HANNAH C (WID W P)	San Diego Directory Co.	
1927	JAMES WM P (HANNAH C)	San Diego Directory Co.	

218 S TREMONT ST

Year	Uses	Source	
2017	R MUNOZ	Cole Information Services	
2014	BRYAN STABLEWSKI	Cole Information Services	
2009	LUCY BOWDEN	Cole Information Services	
2006	PETERSON Kenneth	Haines Company, Inc.	Image pg. A1
2004	ALISA NORRUP	Cole Information Services	
1999	LUCY BOWDEN	Cole Information Services	
1976	Cornelius Frances E	Luskey Brothers & Co., Inc.	
1965	Jenningsl G	Luskey Brothers Co., Inc.	
1950	SWAIM ROBT A R	The Pacific Telephone & Telegraph Co.	
1945	SWAIM ROBT A R	Southern California Telephone Co.	

221 S TREMONT ST

Year	Uses	Source
1965	Laborers Local	Luskey Brothers Co., Inc.
	Hod Carriers Bldg	Luskey Brothers Co., Inc.

224 S TREMONT ST

Year	Uses	Source
1938	HICKS J EDGAR (MAE) LAB	San Diego Directory Co.

FINDINGS

Year	Uses	Source	
1927	OLSON NEAL LOWELL S (EMMA) ELK SHANCK S STORE	San Diego Directory Co.	

225 S TREMONT ST

Year	Uses	Source	
1994	AMERICAN TRAVEL SVC	Cole Information Services	
1991	American Travel Service Transit Center	PACIFIC BELL WHITE PAGES	
	American Tunaboat Assn I Tuna Ln San Diego	PACIFIC BELL WHITE PAGES	

227 S TREMONT ST

Year	Uses	Source	
2017	BURGER KING	Cole Information Services	
2014	BURGER KING	Cole Information Services	
2009	BURGER KING CORP	Cole Information Services	
2006	BURGER KING	Haines Company, Inc.	Image pg. A1
1999	BURGER KING OCEANSIDE	Cole Information Services	
1994	BURGER KING	Cole Information Services	
1991	Burger King	PACIFIC BELL WHITE PAGES	
1985	BURGER KING	PACIFIC BELL WHITE PAGES	

228 S TREMONT ST

Year	Uses	Source	
1938	FISH SELINA (WID GEO)	San Diego Directory Co.	
	ADAIR ANNIE (WID GEO)	San Diego Directory Co.	
1933	PETERSON ARTH W (ALMA) AUTO REPR	San Diego Directory Co.	
1927	MACE JAS E (JENNIE)	San Diego Directory Co.	

229 S TREMONT ST

Year	Uses	Source	
1976	Full Service Garage Corp	Luskey Brothers & Co., Inc.	
1965	Griffith Serv Center tires &	Luskey Brothers Co., Inc.	
	Griffith Serv Cntr	Luskey Brothers Co., Inc.	
1938	CORTEZ JOHN (CELESTMA)	San Diego Directory Co.	
1927	WAITE HAROLD H (ELIZ A) SLSMN UNION OIL CO	San Diego Directory Co.	

230 S TREMONT ST

Year	Uses	Source	
1950	GUEST JOHN W R	The Pacific Telephone & Telegraph Co.	
1945	SMITH P C R	Southern California Telephone Co.	

FINDINGS

Year	Uses	Source	
1938	LEISTER U LLOYD (ELIZ) MUSICIAN	San Diego Directory Co.	
1927	HENRY WALTER (EVA) BARBER RALPH TICO	San Diego Directory Co.	

232 S TREMONT ST

Year	Uses	Source	
1945	HICKS J E R	Southern California Telephone Co.	
1933	BOWMAN BENJ F (RUBY M) CHIROPRACTOR	San Diego Directory Co.	
1927	LAWRENCE DAVID (CALLIE)	San Diego Directory Co.	

310 S TREMONT ST

Year	Uses	Source	
2017	SALVADOR ESPINOZA	Cole Information Services	
2014	SALVADOR ESPINOZA	Cole Information Services	
2009	MARIA VAZQUEZ	Cole Information Services	
	SALVADOR VAZQUEZ	Cole Information Services	
2006	VAZQUEZ Maria A E	Haines Company, Inc.	Image pg. A1
	MIRELES Francisco	Haines Company, Inc.	Image pg. A1
2004	MARIA VAZQUEZ	Cole Information Services	
1999	MARIA VAZQUEZ	Cole Information Services	
	SALVADOR VAZQUEZ	Cole Information Services	
1995	AUGUSTINA	PACIFIC BELL WHITE PAGES	
1994	ARANGO, GERONIM	Cole Information Services	
1965	Langbell KS	Luskey Brothers Co., Inc.	
1950	SMITH CHAS M R	The Pacific Telephone & Telegraph Co.	
1938	WINTON THOS FL (MADELINE) GROUNDMN GAS CO	San Diego Directory Co.	

311 S TREMONT ST

Year	Uses	Source	
2017	HERZOG TECHNOLOGIES INC	Cole Information Services	
2014	HERZOG TECHNOLOGIES INC	Cole Information Services	
2006	NCTD	Haines Company, Inc.	Image pg. A1
2004	OCCUPANT UNKNOWN	Cole Information Services	
	NCTD METRO LINK	Cole Information Services	
	JORGE RAMIREZ	Cole Information Services	
1999	NORTH COUNTY TRANSIT DISTRICT FALLBROOK FAST	Cole Information Services	
	NORTH CNTY TRAN DISTRICT ADMINISTRATION CUST SERVICE	Cole Information Services	

Year	Uses	Source
1999	NORTH COUNTY TRANSIT DISTRICT LIFT PARATRANSIT	Cole Information Services
	NORTH COUNTY TRANSIT DISTRICT RAMONA FAST	Cole Information Services
	NORTH CNTY TRAN DISTRICT BUS RT INFORMATION	Cole Information Services
	NORTH COUNTY TRANSIT DISTRICT VISTA FAST	Cole Information Services
	NCTD	Cole Information Services
1995	N CTD	PACIFIC BELL WHITE PAGES
	Admkiiatrateia Customer Service	PACIFIC BELL WHITE PAGES
	OFT Paratransit	PACIFIC BELL WHITE PAGES
1994	NORTH COUNTY TRANSIT DISTRICT	Cole Information Services
1991	From Escondido & Poway Telephones Call	PACIFIC BELL WHITE PAGES
	Fallbrook Area Service By Transit FAS T	PACIFIC BELL WHITE PAGES
	From Encinitas Fallbrook Oceanside & Vista Telephones Call	PACIFIC BELL WHITE PAGES
	Ramona Area Service By Transit Fast	PACIFIC BELL WHITE PAGES
	Main Ofc	PACIFIC BELL WHITE PAGES
	Fax Line	PACIFIC BELL WHITE PAGES

317 S TREMONT ST

Year	Uses	Source
1976	Mc Intosh Mary	Luskey Brothers & Co., Inc.
1965	Blake WG	Luskey Brothers Co., Inc.
1950	LANE M J R	The Pacific Telephone & Telegraph Co.
1933	ALMAND WM A (GRADE C) PLMBR	San Diego Directory Co.
	ALMAND DOROTHY E	San Diego Directory Co.

320 S TREMONT ST

Year	Uses	Source
1950	JACKSON VINCENT F R	The Pacific Telephone & Telegraph Co.
1938	TAYLOR A L	San Diego Directory Co.
1933	REHA JOS (MYRTLE 0) INDY WKR OCEANSIDE LNDY	San Diego Directory Co.
1927	SCHUTTE PHARIS A (SARAH A)	San Diego Directory Co.

321 S TREMONT ST

Year	Uses	Source
2017	CHRISTOPHER CIESLINSKI	Cole Information Services

FINDINGS

Year	Uses	Source	
2014	PLOTKE PLUMBING	Cole Information Services	
	ERNEST SANCHEZ	Cole Information Services	
2009	KEITH PETERSON	Cole Information Services	
2006	PETERSON Keith	Haines Company, Inc.	Image pg. A1
2004	KEITH PETERSON	Cole Information Services	
1999	KEITH PETERSON	Cole Information Services	
1991	Peterson Keith	PACIFIC BELL WHITE PAGES	
1976	Chambers RA	Luskey Brothers & Co., Inc.	
1965	Nybo LM Mrs	Luskey Brothers Co., Inc.	

324 S TREMONT ST

Year	Uses	Source	
2006	XXXX	Haines Company, Inc.	Image pg. A1
1999	OCCUPANT UNKNOWN	Cole Information Services	
1985	BEAUDRY S COMPLETE AUTO REPAIR OCEANSID	PACIFIC BELL WHITE PAGES	
1938	COULSON JOHN C (SUSIE J)	San Diego Directory Co.	

327 S TREMONT ST

Year	Uses	Source	
2017	DANIEL VANWYHE	Cole Information Services	
2014	LINDSEY NUNEZ	Cole Information Services	
2009	OCCUPANT UNKNOWN	Cole Information Services	
2006	TOTTEN Kara	Haines Company, Inc.	Image pg. A1
2004	JUAN MEZA	Cole Information Services	
1999	OCCUPANT UNKNOWN	Cole Information Services	
1995	MEZA ARTURO	PACIFIC BELL WHITE PAGES	
1994	MEZA, JUAN	Cole Information Services	
1985	ALVAREZ FRANK	PACIFIC BELL WHITE PAGES	
1976	Alvarado P Patricia	Luskey Brothers & Co., Inc.	
1965	Ward Irma	Luskey Brothers Co., Inc.	
1950	SIMPSON CHAS L R	The Pacific Telephone & Telegraph Co.	
1945	LEONARD L G R	Southern California Telephone Co.	
1938	ARGUILEZ FRANK (FLORENCE) RANCHER	San Diego Directory Co.	
1933	RICH FREDK L (ETHEL M)	San Diego Directory Co.	
	RICH ETHO M CLK	San Diego Directory Co.	
	MARLER WM J RESTRWKR A H LAURAINE	San Diego Directory Co.	

FINDINGS

374 S TREMONT ST

Year	Uses	Source	
1985	HENSON LARRY A	PACIFIC BELL WHITE PAGES	

SEAGAZE DR

311 SEAGAZE DR

Year	Uses	Source	
2017	GRACE CHRISTIAN CENTER	Cole Information Services	
2014	GRACE CHRISTIAN CENTER	Cole Information Services	
2009	GRACE CHRISTIAN CENTER	Cole Information Services	
2006	GRACE CHRISTIAN CENTER	Haines Company, Inc.	Image pg. A8
2004	OCCUPANT UNKNOWN	Cole Information Services	

401 SEAGAZE DR

Year	Uses	Source	
2017	CMC FURNITURE	Cole Information Services	
2014	CMC FURNITURE	Cole Information Services	
2009	CMC FURNITURE	Cole Information Services	
2006	LINK OF LOVE INTERNATIONAL	Haines Company, Inc.	Image pg. A8
	CMC FURNITURE	Haines Company, Inc.	Image pg. A8
2004	CMC FURNITURE CORP	Cole Information Services	
	LINK OF LOVE INTERNATIONAL	Cole Information Services	
	GEORGE MITCHELL	Cole Information Services	
2000	OCEANSD MERCHANTS ASSOC	Haines Company, Inc.	
	SULLIVAN R & ASSOCIATES	Haines Company, Inc.	
	LINK OF LOVE INTERNATIONAL	Haines Company, Inc.	
	CULP Oscar	Haines Company, Inc.	
	C M C FURNITURE	Haines Company, Inc.	
1999	LINK OF LOVE INTERNATIONAL	Cole Information Services	
	PROFESSIONAL TOUCH SUPERIOR MAINTAINENCE SYSTEM	Cole Information Services	
	C M C FURNITURE	Cole Information Services	
	OCEANSIDE MERCHANTS ASSOCIATE	Cole Information Services	

405 SEAGAZE DR

Year	Uses	Source	
2017	CARMENS CLASSIC STYLES & CUTS	Cole Information Services	
2014	CARMENS CLASSIC STYLES & CUTS	Cole Information Services	
2006	R & R ADVANT CHECK CASHING	Haines Company, Inc.	Image pg. A8
2004	R & R ADVANCE CHECK CASHING	Cole Information Services	

Year	Uses	Source
2000	H U M P EMTERPRISES	Haines Company, Inc.
1999	HARTS UNIQUE PAGING	Cole Information Services
	HUMP ENTERPRISES	Cole Information Services

407 SEAGAZE DR

Year	Uses	Source	
2006	MAPS	Haines Company, Inc.	Image pg. A8
2004	MAPS	Cole Information Services	
	OCCUPANT UNKNOWN	Cole Information Services	
2000	XXXX	Haines Company, Inc.	

TOPEKA

404 TOPEKA

Year	Uses	Source
1965	OBrien GJ	Luskey Brothers Co., Inc.

405 TOPEKA

Year	Uses	Source
1965	Pinchot RA	Luskey Brothers Co., Inc.

406 TOPEKA

Year	Uses	Source
1965	Vacant	Luskey Brothers Co., Inc.

407 TOPEKA

Year	Uses	Source
1980	FOREIGN TRANSMISSION SERVICE	Pacific Telephone
	NORTH COUNTY TRANSMISSION SERVICE	Pacific Telephone
	OCEANSIDE FOREIGN AUTO REPAIR	Pacific Telephone
1965	Smith C Ed Plymouth	Luskey Brothers Co., Inc.
	Smith C Ed Plymouth	Luskey Brothers Co., Inc.
	Wischan Cleve Plymouth Center	Luskey Brothers Co., Inc.

408 TOPEKA

Year	Uses	Source
1980	OWEN E R	Pacific Telephone
1965	Murray SA	Luskey Brothers Co., Inc.

TOPEKA ST

404 TOPEKA ST

Year	Uses	Source	
2014	OCCUPANT UNKNOWN	Cole Information Services	
2004	LARRY SMITH	Cole Information Services	
2000	HOWE W	Haines Company, Inc.	
1994	VARGAS, L	Cole Information Services	
1991	Vargas L	PACIFIC BELL WHITE PAGES	

406 TOPEKA ST

Year	Uses	Source	
2017	FANTASIA LEWIS	Cole Information Services	
2014	CORDELIA LEWIS	Cole Information Services	
2009	CORDELIA LEWIS	Cole Information Services	
2006	XXXX	Haines Company, Inc.	Image pg. A9
2004	OCCUPANT UNKNOWN	Cole Information Services	
2000	XXXX	Haines Company, Inc.	
1999	CORDELIA LEWIS	Cole Information Services	
1976	Lopez Virginia	Luskey Brothers & Co., Inc.	

407 TOPEKA ST

Year	Uses	Source	
2017	PURRFECT AUTO SERVICE	Cole Information Services	
2014	PERFECT AUTO SERVICE	Cole Information Services	
2006	PURRFECT AUTO SERVICE 91	Haines Company, Inc.	Image pg. A9
	PERFECT AUTO SERVICE 91	Haines Company, Inc.	Image pg. A9
2004	OCCUPANT UNKNOWN	Cole Information Services	
	PURRFECT AUTO SERVICE	Cole Information Services	
2000	PURRFECT AUTO SERVICE 91	Haines Company, Inc.	
	PERFECT AUTO SERVICE 91	Haines Company, Inc.	
	NAUGLER Phillip	Haines Company, Inc.	
1999	PERFECT AUTO SERVICE 91	Cole Information Services	
	RYANS TRANSMISSIONS	Cole Information Services	
	PURRFECT AUTO SERVICE 91	Cole Information Services	
1995	Oceanside Mercedes BMW Independent Service	PACIFIC BELL WHITE PAGES	
	Oceanside Imported Car Service	PACIFIC BELL WHITE PAGES	
	North County Concert Assoc	PACIFIC BELL WHITE PAGES	
	North County Computing	PACIFIC BELL WHITE PAGES	

FINDINGS

Year	Uses	Source
1994	NORTH COUNTY COMPUTING	Cole Information Services
	HAINES BILL ATMTV	Cole Information Services
	OCEANSIDE IMPORTED CAR SVC	Cole Information Services
1991	Oceanside Imported Car Service	PACIFIC BELL WHITE PAGES
	N ORTH COUN TY TRAN S MIS S ION S E RVICE	PACIFIC BELL WHITE PAGES
	Foreign United Marketing Services	PACIFIC BELL WHITE PAGES
	FORE IGN TRAN S MIS S ION S E RVICE	PACIFIC BELL WHITE PAGES
1985	NORTH COUNTY TRANSMISSION SERVICEF	PACIFIC BELL WHITE PAGES
	FOREIGN TRANSMISSION SERVICE	PACIFIC BELL WHITE PAGES
1976	Foreign Transmission	Luskey Brothers & Co., Inc.
	Koyles VW Repair	Luskey Brothers & Co., Inc.
	North County Transmission Service	Luskey Brothers & Co., Inc.
1970	Dixon Ford Get Ready Shop 407 Topeka St	John M. Ducy
1955	Peto Motors New Car Sales & Serv	The Pacific Telephone Telegraph Co.
1950	PETO MOTORS LINCOLN & MERCURY AGCY	The Pacific Telephone & Telegraph Co.
1945	STEPHENSEN STEVE R	Southern California Telephone Co.
1938	HANSON LINNA (WID PAUL)	San Diego Directory Co.
	HANSON EDMUNDS R	San Diego Directory Co.
1933	MILLER OSCAR	San Diego Directory Co.
	GOSS CHAS (LIZZIE) CHF OF POLICE	San Diego Directory Co.

408 TOPEKA ST

Year	Uses	Source	
2014	OCCUPANT UNKNOWN	Cole Information Services	
2009	CHRISTINA PASQUINI	Cole Information Services	
2006	RICE David	Haines Company, Inc.	Image pg. A9
2004	OCCUPANT UNKNOWN	Cole Information Services	
2000	XXXX	Haines Company, Inc.	
1999	CHRISTINA PASQUINI	Cole Information Services	
1991	Barreto P	PACIFIC BELL WHITE PAGES	
1976	Owen Eunice R	Luskey Brothers & Co., Inc.	
1970	Owen Eunice R 408 Topeka St	John M. Ducy	
1955	Shaffer Harry G	The Pacific Telephone Telegraph Co.	
1945	NUNN ROSINA D R	Southern California Telephone Co.	
1940	Nunn J L r	Southern California Telephone Co.	

508 TOPEKA ST

Year	Uses	Source
1927	SCHEUNEMANN GUST (ALICE)	San Diego Directory Co.

510 TOPEKA ST

Year	Uses	Source
1950	NORM S SPORT SHOP	The Pacific Telephone & Telegraph Co.

513 TOPEKA ST

Year	Uses	Source
1994	GONZALEZ, JOSE	Cole Information Services

514 TOPEKA ST

Year	Uses	Source
1945	TICO RALPH B R	Southern California Telephone Co.
1938	CLINE MILDRED A TCHR OCEANSIDE-CARLSBAD UNION HIGH SCH	San Diego Directory Co.
	CLINE HENRIETTA MRS	San Diego Directory Co.
1933	HICKMAN EMMA	San Diego Directory Co.
	DAWSON HARRIETT B MRS NURSE	San Diego Directory Co.

608 TOPEKA ST

Year	Uses	Source
2017	HARRY FRACASSI	Cole Information Services
2014	WILLIAM DAVIS	Cole Information Services
2009	HARRY FRACASSI	Cole Information Services
	CLASSIC CONSTRUCTION	Cole Information Services
2004	HARRY FRACASSI	Cole Information Services
1999	HARRY FRACASSI	Cole Information Services
1970	Vilums Albert 608 Topeka St	John M. Ducy
1950	SCHEUNEMANN GUST R	The Pacific Telephone & Telegraph Co.
1945	SCHEUNEMANN GUST R	Southern California Telephone Co.

510 1/2 TOPEKA ST

Year	Uses	Source
1950	KOLB ROBT-RADIO SERV	The Pacific Telephone & Telegraph Co.

TREMONT S

101 TREMONT S

Year	Uses	Source
1980	JESUS WAY TABERNACLE	Pacific Telephone

106 TREMONT S

Year	Uses	Source
1980	A PACE RALPH G	Pacific Telephone

109 TREMONT S

Year	Uses	Source
1980	HARDIN JAS P	Pacific Telephone

110 TREMONT S

Year	Uses	Source
1980	D ALVARADO RONALD	Pacific Telephone
	C NOCON MAJENCIO P	Pacific Telephone
	A AVIS REAL ESTATE	Pacific Telephone

114 TREMONT S

Year	Uses	Source
1980	ORLEBAR MARY C MRS	Pacific Telephone

115 TREMONT S

Year	Uses	Source
1980	PARKE JOS A	Pacific Telephone

118 TREMONT S

Year	Uses	Source
1980	A STIEWE JOS P	Pacific Telephone

124 TREMONT S

Year	Uses	Source
1980	MUNOZ DIANA	Pacific Telephone

188 TREMONT S

Year	Uses	Source
1980	E MCFARLAND PAUL C	Pacific Telephone

214 TREMONT S

Year	Uses	Source
1980	LEGAL AID SOCIETY OF S D INC	Pacific Telephone

218 TREMONT S

Year	Uses	Source
1980	SAINT-MALO PROPERTIES	Pacific Telephone

221 TREMONT S

Year	Uses	Source
1980	BUNDY S KEY SERVICE	Pacific Telephone

229 TREMONT S

Year	Uses	Source
1980	FULL SERVICE GARAGE CORP	Pacific Telephone
	JUSTUS H W JR	Pacific Telephone

310 TREMONT S

Year	Uses	Source
1980	A HAWLEY TEX	Pacific Telephone

327 TREMONT S

Year	Uses	Source
1980	ALVARADO P	Pacific Telephone

TREMONT ST S

101 TREMONT ST S

Year	Uses	Source
2000	GRACE CHRISTIAN CENTER	Haines Company, Inc.

106 TREMONT ST S

Year	Uses	Source
2000	XXXX	Haines Company, Inc.

109 TREMONT ST S

Year	Uses	Source
2000	TOELLER Eldon	Haines Company, Inc.

110 TREMONT ST S

Year	Uses	Source
2000	MONSALE Christopher B	Haines Company, Inc.
	HAYES Aaron C	Haines Company, Inc.
	GRUBBS Micah L	Haines Company, Inc.
1970	Bretz Georgia 8 110 So Tremont St	John M. Ducy

114 TREMONT ST S

Year	Uses	Source
2000	XXXX	Haines Company, Inc.
1970	Ellis Clell 114 So Tremont St	John M. Ducy

Year	Uses	Source
1970	Ellis Pearl Mrs 114 So Tremont St	John M. Ducy

115 TREMONT ST S

Year	Uses	Source
2000	TOELLER Eldon	Haines Company, Inc.
1970	Davison Carldene 115 So Tremont St	John M. Ducy
	a Andress Thos C Linda 115a So Tremont St	John M. Ducy

118 TREMONT ST S

Year	Uses	Source
2000	HOWE William	Haines Company, Inc.
	DOWD Marc A	Haines Company, Inc.
1970	Baucom Alfred W Lucil 118 So Tremont St	John M. Ducy

124 TREMONT ST S

Year	Uses	Source
2000	MENEFEE Christine	Haines Company, Inc.

125 TREMONT ST S

Year	Uses	Source
2000	NORTH COASTAL SERVICE CENTER	Haines Company, Inc.

128 TREMONT ST S

Year	Uses	Source
2000	CHOAT Darrel	Haines Company, Inc.
	HOWE W	Haines Company, Inc.

132 TREMONT ST S

Year	Uses	Source
2000	XXXX	Haines Company, Inc.

205 TREMONT ST S

Year	Uses	Source
2000	GREYHOUND BUS LINES	Haines Company, Inc.

212 TREMONT ST S

Year	Uses	Source
2000	XXXX	Haines Company, Inc.

FINDINGS

213 TREMONT ST S

Year	Uses	Source
2000	B & T NEWSSTAND	Haines Company, Inc.
1970	Williams Printing Co 213 So Tremont St	John M. Ducy

214 TREMONT ST S

Year	Uses	Source
2000	XXXX	Haines Company, Inc.

215 TREMONT ST S

Year	Uses	Source
2000	XXXX	Haines Company, Inc.

216 TREMONT ST S

Year	Uses	Source
2000	LEGAL AID SOCIETY	Haines Company, Inc.
1970	Jones Furniture Colonial House 216 So Tremont St	John M. Ducy

217 TREMONT ST S

Year	Uses	Source
2000	XXXX	Haines Company, Inc.
1970	Williams Leo Sarah 217 So Tremont St	John M. Ducy

218 TREMONT ST S

Year	Uses	Source
2000	PETERSON Kenneth	Haines Company, Inc.
1970	UNITED CARPET CLEANERS & REPAIRERS	John M. Ducy

220 TREMONT ST S

Year	Uses	Source
1970	Veterans Service Department 220 Tremont	John M. Ducy

221 TREMONT ST S

Year	Uses	Source
2000	XXXX	Haines Company, Inc.

227 TREMONT ST S

Year	Uses	Source
2000	BURGER KING	Haines Company, Inc.

FINDINGS

229 TREMONT ST S

Year	Uses	Source
1970	GRIFFITH SERVICE CENTER	John M. Ducy
	So Trmont St	John M. Ducy

310 TREMONT ST S

Year	Uses	Source
2000	EVAZQUEZ Maria A	Haines Company, Inc.
	MIRELES Francisco	Haines Company, Inc.
	RAMIREZ Irma	Haines Company, Inc.

311 TREMONT ST S

Year	Uses	Source
2000	N C T D	Haines Company, Inc.

317 TREMONT ST S

Year	Uses	Source
1970	Rush Mary 317 So Tremont St	John M. Ducy

321 TREMONT ST S

Year	Uses	Source
2000	PETERSON Keith	Haines Company, Inc.
1970	Hall Jack W Dorothy 321 So Tremont St	John M. Ducy

324 TREMONT ST S

Year	Uses	Source
2000	BEAUDRY Michael	Haines Company, Inc.

327 TREMONT ST S

Year	Uses	Source
2000	MEZA Juan Tomas	Haines Company, Inc.

FINDINGS

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
202 S HILL GALEA ANTONIO LAB	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
101 CLEVELAND ST N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
101 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
101 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
101 S TREMONT ST	2017, 2014, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
101 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
101 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
102 N CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
103 CLEVELAND N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
103 CLEVELAND ST N	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
103 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
103 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
104 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
104 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
104 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
105 CLEVELAND N	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
105 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
105 S COAST HWY	2014, 2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
105 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
105 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
105 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
105 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
106 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
106 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
106 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
106 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
106 S TREMONT ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
106 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
106 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
107 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
107 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
107 S COAST HWY	2017, 2014, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
107 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
107 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
107 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
109 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
109 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
109 S COAST HWY	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
109 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
109 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
109 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
109 S TREMONT ST	2017, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
109 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
109 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
109 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
110 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
110 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
110 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
110 S TREMONT ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
110 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
110 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
111 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
111 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
111 S COAST HWY	2017, 2014, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
111 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
111 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1921, 1907, 1903
111 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
112 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
112 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
112 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1921, 1907, 1903
112 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
113 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
113 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
113 S COAST HWY	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
113 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
113 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
113 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
114 CLEVELAND S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
114 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
114 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1940, 1933, 1927, 1921, 1907, 1903
114 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
114 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
114 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
114 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1940, 1927, 1921, 1907, 1903
114 S TREMONT ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
114 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
114 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
115 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
115 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
115 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
115 S COAST HWY	2017, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
115 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
115 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
115 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
115 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
115 S TREMONT ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
115 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
115 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
116 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
116 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
117 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
117 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
117 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
117 S COAST HWY	2017, 2014, 2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
117 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
117 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1921, 1907, 1903
117 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
118 CLEVELAND S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
118 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
118 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
118 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1921, 1907, 1903
118 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
118 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
118 S TREMONT ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
118 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
118 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
119 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
119 S COAST HWY	2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
119 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
119 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
119 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
119 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
119 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1933, 1927, 1921, 1907, 1903
119A S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
12 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
120 S COAST HWY	2017, 2014, 2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
121 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
121 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1921, 1907, 1903
121 S HILL U IDA MRS	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
122 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
123 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
124 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1938, 1927, 1921, 1907, 1903
124 S TRAMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
124 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
124 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1921, 1907, 1903
124 S TREMONT ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
124 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
124 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
125 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
125 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
125 S COAST HWY	2017, 2014, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
125 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
125 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
125 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
125 S TREMONT ST	2017, 2014, 2009, 2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
125 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
127 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
127 S COAST HWY	2017, 2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
127 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
127 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
128 S CLEVELAND AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
128 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
128 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
128 S TREMONT ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
128 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
129 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
129 S COAST HWY	2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
129 S HILL 1OEGERMAN CHAS W ALICE A	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
129 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
131 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
131 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1938, 1933, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
131 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
131 S COAST HWY	2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
131 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
131 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
131 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
131 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
131 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1921, 1907, 1903
132 CLEVELAND S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
132 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
132 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
132 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
132 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1933, 1921, 1907, 1903
132 S TREMONT ST	2017, 2014, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
132 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
133 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
133 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
133 S COAST HWY	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
133 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
133 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
133 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
136 S COAST HWY	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
140 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
141 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
141 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
141 S MYERS ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
141 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
142 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
142 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
142 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
143 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
143 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1943, 1940, 1938, 1927, 1921, 1907, 1903
143 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
144 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
144 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
144 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
144 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
145 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
145 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
145 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
146 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
146 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
146 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
146 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
146 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
148 S MYERS ST	2017, 2006, 2004, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
148 S MYERS ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
149 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
149 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
149 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
149 S MYERS ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
150 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
150 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
150 S MYERS ST	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
151 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
151 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
151 S COAST HWY	2017, 2014, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
151 S MYERS ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
151 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
152 S MYERS ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
157 S COAST HWY	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
158 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
158 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
158 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
158 S MYERS ST	2017, 2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
161 S MYERS ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
172 S COAST HWY	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
175 S COAST HWY	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
181 S COAST HWY	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
182 MYERS ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
188 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
191 S MYERS ST	2017, 2014, 2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
195 S COAST HWY	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
2 309 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 S COAST HWY	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1938, 1927, 1921, 1907, 1903
232 S COAST HWY	2017, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
232 S FREEMAN ST	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
232 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1940, 1938, 1921, 1907, 1903
233 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
233 S COAST HWY	2017, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
233 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
233 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
233 S FREEMAN ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
233A S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
233B S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234 S COAST HWY	2017, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
234 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1921, 1907, 1903
234 S FREEMAN ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234 S HILL RI OL S DITMAR	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
234 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
234A S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
235 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
235 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
235 S FREEMAN ST	2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
235C S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 S COAST HWY	2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
236 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 S FREEMAN ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
236 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
237 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
237 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
237 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
237 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
237 S FREEMAN ST	2009, 2006, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
237C S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
238 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
238 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
238 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
238 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
238 S FREEMAN ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
239 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
239 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
239 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
239 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
239 S FREEMAN ST	2014, 2009, 2006, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
241 S COAST HWY	2017, 2014, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
242 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
242 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
242 S COAST HWY	2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
242 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
242 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
242 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
249 S COAST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
254 S FREEMAN ST	2017, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
261 S COAST ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
263 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
263 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
263 S COAST HWY	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
263 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
263 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
300 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
301 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
301 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
301 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1921, 1907, 1903
302 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
302 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
302 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
302 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
302 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
303 CLEVELAND S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
303 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
303 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
303 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
303 S COAST HWY	2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
303 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
303 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
303 S FREEMAN ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
303 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
303 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1927, 1921, 1907, 1903
304 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
305 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
305 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
305 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
305 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
305 S COAST HWY	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
305 S FREEMAN ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
305 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
305 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
305 S HILL B FALLBROOK	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
305 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
305 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
306 CLEVELAND S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
307 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
307 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1976, 1975, 1971, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
307 S COAST HWY	2017, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
307 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
307 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
307 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
308 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
308 S COAST HWY	2017, 2014, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
308 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
308 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1933, 1927, 1921, 1907, 1903
308 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
309 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
309 MICHIGAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
309 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
309 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
309 S COAST HWY	2017, 2014, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
309 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
309 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1921, 1907, 1903
309 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
309 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
309 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
309 S HILL T JOS S GEORGIA ROOFER	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
310 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
310 MISSOURI AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
310 MISSOURI ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
310 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
310 S COAST HWY	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
310 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
310 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
310 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
310 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
310 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
310 S TREMONT ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
310 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
310 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
311 CLEVELAND S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
311 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1938, 1933, 1927, 1921, 1907, 1903
311 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
311 S TREMONT ST	2009, 2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
311 SEAGAZE DR	2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
311 SEAGAZE DR	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
311 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
312 MISSOURI	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
312 MISSOURI AVE	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
313 S COAST HWY	2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
313 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
314 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
314 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1921, 1907, 1903
315 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1921, 1907, 1903
315 S COAST ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
316 CLEVELAND S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
316 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
316 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
316 MISSOURI AVE	2017, 2014, 2009, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
316 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1975, 1970, 1966, 1961, 1960, 1956, 1952, 1948, 1943, 1927, 1921, 1907, 1903
316 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
316 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1938, 1933, 1927, 1921, 1907, 1903
317 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1921, 1907, 1903
317 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
317 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
317 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
318 MISSOURI AVENUE FURST EARL C P ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
318 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
319 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
320 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
320 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1921, 1907, 1903
321 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
321 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
321 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
321 S COAST HWY	2017, 2014, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
321 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
321 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1921, 1907, 1903
321 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
321 S TREMONT ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
321 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
321 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
322 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
322 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
322 S COAST HWY	2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
322 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
322 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
323 CLEVELAND S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
323 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
324 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
324 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
324 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
324 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
324 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
325 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
325 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1938, 1933, 1927, 1921, 1907, 1903
325 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
325 S COAST HWY	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
325 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
325 S HILL I	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
325 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
325 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
327 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
327 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
327 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1927, 1921, 1907, 1903
327 S TREMONT ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
327 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
327 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
328 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
328 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
328 S COAST HWY	2017, 2014, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
328 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
328 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
328 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
331 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
331 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
331 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
332 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
332 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
332 S COAST HWY	2017, 2014, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
332 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
332 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
332 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
333 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
333 S COAST HWY	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
335 S COAST ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
344 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
345 S COAST ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
374 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
401 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1921, 1907, 1903
401 SEAGAZE DR	2017, 2014, 2009, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
401 SEAGAZE DR	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
402 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
403 MICHIGAN AVE	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
403 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
201 S MYERS ST	2014, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
201 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
202 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
202 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
202 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
202 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
202 S COAST HWY	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
202 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
202 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
202 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
202 S HILL AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
202 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1921, 1907, 1903
202 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
203 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
203 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
203 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
203 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1938, 1921, 1907, 1903
203 S MYERS ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
203A S MYERS	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
204 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
204 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
204 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
204 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
204 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
204 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
204 S FREEMAN ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
204 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
204 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
204 S MYERS ST	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 S COAST HWY	2014, 2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
205 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 S MYERS	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1940, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
205 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 S TREMONT ST	2014, 2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
205A S MYERS	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
205A S MYERS ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
206 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
206 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
206 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
206 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
206 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
206 S MYERS ST	2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
207 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1938, 1933, 1927, 1921, 1907, 1903
208 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
208 MYERS ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
208 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
208 S COAST HWY	2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
208 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
208 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
208 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
208 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
208 S MYERS ST	2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
208 S MYERS ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
209 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1940, 1938, 1933, 1921, 1907, 1903
209 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
210 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
210 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
210 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1940, 1927, 1921, 1907, 1903
210 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
210 S MYERS ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
211 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
211 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
211 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1940, 1938, 1927, 1921, 1907, 1903
211 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
211 S MYERS ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
212 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
212 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
213 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
213 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
213 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
213 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
213 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1927, 1921, 1907, 1903
213 S FREEMAN ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
213 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
213 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
213 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
213 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
214 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
214 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
214 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
214 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1933, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
214 S FREEMAN ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
214 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
214 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
214 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
215 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
215 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
215 S COAST HWY	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
215 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
215 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
215 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
215 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
215 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
215 S TREMONT ST	2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
215 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
216 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
216 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
216 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
216 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
216 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1945, 1943, 1940, 1921, 1907, 1903
216 S MYERS ST	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
216 S TREMONT ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
216 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1921, 1907, 1903
216 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
217 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
217 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
217 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
217 S FREEMAN M MAXIMILIO INCARNACIO	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
217 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1940, 1933, 1921, 1907, 1903
217 S FREEMAN ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
217 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
217 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
217 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
217 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
217 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
217 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1921, 1907, 1903
218 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
218 S FREEMAN ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 S TREMONT	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 S TREMONT ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
218 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
219 CLEVELAND ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
219 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
220 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
220 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
220 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1921, 1907, 1903
220 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
220 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
220 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
221 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
221 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
221 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
221 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
221 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1921, 1907, 1903
221 S FREEMAN ST	2017, 2014, 2006, 2004, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
221 S MYERS ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
221 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
221 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
221 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
222 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 S COAST HWY	2017, 2014, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
222 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 S FREEMAN ST	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 S MYERS ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
222 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
223 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
223 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
223 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
223 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1921, 1907, 1903
223 S FREEMAN ST	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
224 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
224 MYERS S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
224 MYERS ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
224 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
224 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
224 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
224 S MYERS ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
224 S MYERS ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
224 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1921, 1907, 1903
225 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1927, 1921, 1907, 1903
225 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
225 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
226 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
226 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
226 S COAST HWY	2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
226 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
226 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
226 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
227 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
227 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
227 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1921, 1907, 1903
227 S FREEMAN ST	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
227 S TREMONT ST	2006, 2004, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
227 S TREMONT ST	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
227 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
228 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
228 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
228 S COAST HWY	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
228 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
228 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
228 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
228 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
229 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
229 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
229 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
229 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
229 S COAST HWY	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
229 S FREEMAN ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
229 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
229 S HILL	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
229 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
229 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
229 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1921, 1907, 1903
229 TREMONT S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
229 TREMONT ST S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
230 1/2 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
230 1/2 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
230 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
230 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
230 S FREEMAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
230 S FREEMAN ST	2017, 2014, 2009, 2004, 2000, 1999, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
230 S FREEMAN ST	2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
230 S HILL ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1921, 1907, 1903
230 S TREMONT ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1933, 1921, 1907, 1903
232 1/2 S FREEMAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 CLEVELAND S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 COAST HWY S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 FREEMAN S	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 FREEMAN ST S	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 S CLEVELAND ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
232 S COAST HWY	2017, 2014, 2009, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
404 TOPEKA	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
404 TOPEKA ST	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
404 TOPEKA ST	2017, 2009, 2006, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
405 SEAGAZE DR	2009, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
405 SEAGAZE DR	2017, 2014, 2009, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
405 TOPEKA	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
406 TOPEKA	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
406 TOPEKA ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
406 TOPEKA ST	2017, 2014, 2009, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
407 SEAGAZE DR	2017, 2014, 2009, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
407 SEAGAZE DR	2017, 2014, 2009, 2006, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
407 TOPEKA	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
407 TOPEKA ST	2017, 2014, 2009, 2004, 1999, 1994, 1992, 1989, 1984, 1980, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1948, 1943, 1940, 1927, 1921, 1907, 1903
407 TOPEKA ST	2009, 2006, 2000, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
408 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
408 MICHIGAN ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
408 TOPEKA	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
408 TOPEKA ST	2017, 2014, 2009, 2004, 1999, 1995, 1994, 1992, 1989, 1985, 1984, 1980, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1943, 1938, 1933, 1927, 1921, 1907, 1903
408 TOPEKA ST	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
411 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
508 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
508 TOPEKA ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1921, 1907, 1903
509 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
510 1/2 TOPEKA ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
510 TOPEKA ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

FINDINGS

Address Researched	Address Not Identified in Research Source
511 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1927, 1921, 1907, 1903
513 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1933, 1927, 1921, 1907, 1903
513 TOPEKA ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
514 TOPEKA ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1943, 1940, 1927, 1921, 1907, 1903
515 MICHIGAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
515 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
515 MICHIGAN AVE	2017, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
517 MICHIGAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
517 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 1999, 1995, 1994, 1992, 1991, 1989, 1984, 1975, 1971, 1970, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
517 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
519 MICHIGAN	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
519 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 1999, 1994, 1992, 1991, 1989, 1984, 1975, 1971, 1966, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
603 MICHIGAN AVE	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
603 MICHIGAN AVE	2014, 2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
608 TOPEKA ST	2006, 2000, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903
608 TOPEKA ST	2017, 2014, 2009, 2006, 2004, 2000, 1999, 1995, 1994, 1992, 1991, 1989, 1985, 1984, 1980, 1976, 1975, 1971, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1948, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
235 South Tremont Street	2017, 2004, 1992, 1989, 1984, 1980, 1976, 1975, 1971, 1970, 1966, 1965, 1962, 1961, 1960, 1956, 1955, 1952, 1950, 1948, 1945, 1943, 1940, 1938, 1933, 1927, 1921, 1907, 1903

Source Page Images Appendix

TP ✓ | Adjoining ✓ | Source: Haines Company, Inc.

S TREMONT ST 2006

11451 ○DAVIES Robert 858-513-0957 8
11454 ●ERDEM Hakan OO 9
PETROWSKI Mary 858-748-7595 4
11457 ●BARBUSINSKI Ted 858-513-1926 8
11458 ●HAHN Sung OO 4
RAHAWI Nabil 858-513-1664 4
11462 ●WONG Lester OO +6
11463 ●SOBCZAK Peter 858-513-1939 8
●SOBCZAK Peter 858-513-0231 8
11466 ●HYLTON Doug OO 2
11467 ●WONG Pearl OO 9
11471 ●SAVAGE John 858-391-9128 2
11472 ●THOMPSON Paul S 858-748-5677 0
11477 ●SARACHMAN Peter 858-486-7377 4
11478 ●ABUTIN Hilario OO 4
11481 ●CORDERO Ernest 858-513-0280 1
11482 ●STEINHOUR Sean OO +6
11487 ●TROST Theodore OO 1
11488 ●SCHWARTZ Karen OO 4
SHWARTZ Karen 858-486-9230 4
11491 ●KIM Jaemin OO 4
11492 ●PERRONE Joseph 858-679-5399 0
11496 ●ZHANG Jinkun OO 1
X PORTAL TER
11501 ●HONG C 858-679-4837 9
●HONG H 858-679-4837 9
11510 ●NGO Tu OO 9
11527 ●BOWCOTT Eric 858-679-8081 +6
●BOWCOTT Shalom 858-679-8081 +6
11532 ●MATA Max OO 0
11541 ●BARSTAD David OO 9
11550 ●ZAKHARIA Michael OO 9
11562 ●BOYD Stephen OO 3
11567 ●LIU Ernest OO 9
11570 ●LI Qing OO 3
11581 ●SWANSEN James OO 0
11582 ●PEREIRA Tony 858-486-8762 8
11597 ●YU Lin OO 9
11598 ●FINNECY Jay 858-488-9577 9
X ROLLING MEADOWS CT
11603 ●PEQUEGNAT Leslie 858-748-5974 8
11612 ●BI Yubal OO 9
11619 ●HENSLEY Brett OO 0
11620 ●NOVAK Rodd 858-513-0550 3
11627 ●LAGE Bruce 858-486-3427 8
11635 ●HUBER Richard OO 9
11640 ●TISHENKEL David 858-391-0387 4
11641 ●SCHOENMAKERS Marinus OO 4
11647 ●CHAPATTE Michael OO 9
11653 ●DESHPANDE Salil OO 2
11656 ●WARD David R 858-748-3377 8
11659 ●PRABHAKARAN Rajeev T 858-748-0162 3
11660 ●PUNTAMBEKER Upendra 858-679-6867 4
11663 XXXX OO
11668 ●DELEON Herminio OO +6
11669 ●KIRKBRIDE Theodore OO 4
11673 ●MOHLEJI Sudhir Chandra 858-748-0170 8
11674 ●KAMNITZER David 858-391-2780 2
11677 ●BELL Joseph OO ⊕ 0
★ 0 BUS 58 RES 5 NEW

TREECREST ST 92064 POWAY

WEALTH CODE 8

X BUCKWOOD ST
13001 DILELLA Richard 858-842-1720 4
13013 XXXX OO
13024 ●SPOHR John OO 4
13025 ●HARTE Sa OO 4
13036 ●RIHA Robert OO 4
13037 ●BARBER Barbara OO 0
13045 ●OPREA Craig OO 1
13048 RITTICHIER David 858-486-1957
13057 CARWIN H J Lt 858-748-4217
13060 ●ALRAYYAN Naim OO 4
13069 ○RINEHART Morris Lawler 858-488-0481 4
13072 ★CITYWIDE TELECOM 858-748-8887 4
●NIX Michael OO 9
13079 ●THIYAGARAJAH Aarooran OO 2
13081 ○SPOONER S 858-679-8366 0
○SPOONER V 858-679-8366 0
13084 ○RICE Robin G 858-486-0381 4
13093 ●WHITE Jerry OO 4
13163 XXXX OO
13182 ●ELIAS Peter OO 4
13184 XXXX OO
13185 ●BARLAM Theodore 858-513-1825 8
13186 ●MCCARTY Tony 858-748-2869 4
13187 ●CAMARDA Salvatore 858-679-8184
13188 XXXX OO
13189 BRITTAN Barbara 858-748-1594 4
●MURPHY Perry J 858-488-1285
13190 ●LORENZ Patrick J 858-486-2338
13191 ●LOMICKA Robert OO 4
13192 ●HULSE F OO 4
13193 ○ULRICH Roy 858-486-7765 2
13194 ●WOLL John OO 0
13195 ●ZAJAC Karen 858-513-1155 0
13196 ●FAHLSING Kevin OO 1
13197 ●KAPCZYNSKI Robert OO 4
13198 ●GUCWA Chester OO 8
13199 ●KADEN John 858-486-3275⊕
13217 ●GILL Richard OO +6
★INTEGRITY INTERNATIONAL 858-486-5582 +6
13222 ●SMITH Paul OO 3
13227 ●WIEZEL Edw H 858-679-9476 8
13232 ●LONG Brandon OO 4
13237 ●MEJIA Felix OO 8
13242 XXXX OO
13247 ●DEMULDER Michael OO 4
MICHAEL Demulder 858-513-1423 1
X WOODHUE LN
13257 ★GDC LAYER OHE INC 858-748-0679 3
13262 ●DUURVOORT Johan OO 9
13267 ●PRABHAKARAN M OO 4
13272 ●DAVIDSON William OO 9
13277 ●LYONS Michael A 858-748-8216
13282 XXXX OO
13287 ●KOTANAN Stanley S 858-486-3263
13297 ●CLEMENTS Greg 858-748-1776
★ 3 BUS 51 RES 2 NEW

TREEHAVEN CT 92131 SAN DIEGO

WEALTH CODE 8

10020 ●WRENCH Ed 858-586-0652 9
10025 ●MARK Gary OO 4
10030 ●HURT Robert OO 0
10040 ●PRYATEL Charles OO 9
10045 XXXX OO
10050 ●OWENS Thomas OO 1
10060 ●AMUNDSON Ronald OO 0
10070 ●ADKISON Charles OO 4
10075 ●KERZON J 858-578-7940
X TREE VIEW PL
10080 ●LLAGAS Nilo OO 9
10081 ●GOLDEN Thomas OO 0
10087 ●HOM Jerry OO 0
10090 ●PAOLINO Dominick OO 9
10095 ○QUARANTA Patrick 858-536-8806
X HANDRICH DR
★ 0 BUS 14 RES 0 NEW

TREEHILL PL 92064 POWAY

WEALTH CODE 7

12640 ●POOLE Larry 858-486-3508 4
12645 GOULD Sandra 858-391-9060 4
12650 XXXX OO
12655 WOOD Willis 858-486-2012⊕
WOOD Willis A 858-486-4943⊕
12660 ●HSU Charles OO 8
12665 ●JONES Philip OO 0
12670 ●BOYD Timothy OO +6
X ARBOLITOS DR
★ 0 BUS 8 RES 1 NEW

TREENA ST 92131 SAN DIEGO

WEALTH CODE 9

10410 ★SC SR HI SCRIPPS RANCH 858-621-9020 3
★SCRIPPS RANCH HIGH SCHOOL 858-621-9020
★SD SC SR HI SCRIPPS 858-621-9020
X SCRIPPS LAKE DR
10623 ★CHILDREN'S WRLD LRNNG CT 858-271-4700
10650 ★AGA KHAN JAMATKHANA 858-271-9868
★EMERALD VENTURE GROUP INC 858-271-4500 +6
★HI-SAGE MARKETING INC 858-536-9144
★HI-SAGE MARKETING INC 858-536-9080
★IHRIG JOHN R 858-536-9144
★MEDICAL RSRCE MED SUPPLIES 858-547-8095 3
★MORTGAGE OPTIONS FINANCIAL 858-831-1599 3
★MORTGAGE PARTNERS 858-271-7710 3
★SPHERION 858-693-4959 2
★WATANABE & NASON LLC 858-695-1200 4
10670 ★BOOZ ALLN HMLTN INC MNGMNT CNS 858-549-5151 4
★EXECUTIVE CAFE 858-271-0300 8
★INSILICA INC 858-566-0157 +6
★INSILICA INC 858-831-0837 +6
10675 ★COLBOURN CURRIER 858-695-1914
★GENETIC PROFILES 858-348-0040 +6
★PLATFORMS INTERNATIONAL INC 858-693-6800 2
★SIERRA ACADEMY 858-578-5335 3
★SPECIAL NEEDS 858-578-9923
10680 ★DISCOUNT TRE CO OF SO CLF MN 858-578-9310
★FIRST NLC FINANCIAL 858-695-2247 4
★H & R BLOCK 858-695-0242 3
★MARK ROWE & ASSOCIATES 858-761-0100 2
★NET IMPACT 858-790-6200 4
★SCOTT ROWE& ASSOCIATES LLC 858-547-5900 2
★SCRIPPS CORPORATE PLAZA LLC 858-549-3814 4
★SOUTHRN CA DISC TRE CO INC MN 858-578-9310
★SPEAK INC 858-228-3771 +6
10695 ★COSCO FIRE PROTECTION 858-444-2000 4
★DELAFIELD FLUID TECHNOLOGIES 858-547-1150 8
★FAITH UNTD METH CH 858-695-0380
★UNITD METHODIST CHURCHES 858-695-0380 1
10721 ★CERCO 858-693-7500
★SHEA HOMES 858-549-3156
10724 ★JEROME'S FURNITURE WAREHOUSE 858-695-1300 9
10731 . . . . . BUILDING
★AKERS GREGORY A 858-635-9350
★ARCS COMMERCIAL MORTGAGE 858-537-0704 4
★ATTORNEY RICHARD L ZIERDEN 858-530-9984 4
★CANYON SPRINGS CHURCH 858-653-3684 +6
★DICK LOGAN AND FRIENDS 858-578-1945 1
★GATEWAY FINANCIAL 858-578-6400 9
★GATEWAY SERVICES 858-578-6400 9
★GREATER CA DENTAL PLAN 858-695-9096 4
★MYERS ALAN CPA 858-635-9639
★QUACKENBUSH GARY A 619-297-7171 3
★SIMPSON EDWIN P 30 858-566-4239 4
★SIVERS CORPORATION 858-695-9100 4
★SMILE SAVER BY GRTR CA DNTL 858-695-9096 4
10731 . . . .
X HILBERT ST
★ 52 BUS 0 RES 6 NEW

TREERIDGE TER 92064 POWAY

WEALTH CODE 8

12701 ●SHIELDS William D 858-748-0201⊕ 9
●SHIELDS William D 858-748-6866⊕ 9
12702 ●RACICOT David OO 2
12709 ●CLEGG Kevin OO 4
12710 ●CHOSTNER Vince OO 0
12717 ●WOLLRABE Jeff OO 0
12718 ●HUGHSON Jeffrey OO 2
12725 ●REED Diane 858-679-3399 3
12726 ●SAVOIA Carl OO 4
12733 ●SWEENEY Edward OO 2
12734 STEINMETZ Joseph A 858-748-8821
12741 ●LEWIS Michael OO 3
12742 ●NEUHARTH Kenneth OO 9
12749 ●LASPISA David OO 3
12750 ●FURGAL Michael OO ⊕ 3
12757 LOVELL Barry J 858-486-2735
12758 ●UNO Jimmie OO 0
12765 ●DELAY Jon OO +6
12766 ●SIDLEY Richard OO 0
12773 ●NAREVSKY David 858-513-3770 8
●NAREVSKY David 858-679-2012 8
12781 ●HUTTON Scott 858-513-3931 0
12789 ●FORSEY Colin OO +6
12797 ●ORTEGA Brock 858-679-6794 +6
X PLUMWOOD ST
★ 0 BUS 24 RES 3 NEW

TREESIDE LN 92026 ESCONDIDO

WEALTH CODE 6

RURAL ROUTE 5

10901 ●SLATER Steven OO 8
10905 ★QUICK BRADLEY L INSURANCE AGCY 760-749-8500 7
10908 KENT Brandon 760-297-1003 +6
●PACE Frank OO +6
10913 ○KELLER John H 760-749-3398
10916 ○HAMBLY Edw C 760-749-0929 1
10921 COLLINGBOURNE Al 760-749-1998
10924 ●FONSECA Hector OO +6
10932 ●MILLSOM Mark R 760-749-3694
10937 ●STEED Gregory OO ⊕ 4
10940 TREPANIER Neil M 760-749-1980
10948 ●FISHER Theodore OO 9
X RIM RD
10960 HENRY J M 760-297-1155⊕ +6
10964 ●COUGHRAN Bob 760-749-7689 2
10972 ●PAULSEN Christian OO 4
X MEADOW GLEN WAY E
★ 1 BUS 14 RES 4 NEW

TREEVIEW PL 92131 SAN DIEGO

WEALTH CODE 8

X TREE HAVEN CT
11750 ANIELSKI J 858-566-1877 3
ANIELSKI T 858-566-1877 3
11755 ●DENHART Teri OO 9
11760 ●BAUM Karl OO +6
11765 ●TAVARES Louis OO 0
11770 ●DAVIS David OO 0
11775 ●BALL James OO 8
11780 JOOSSE Stanley 858-566-7549
11785 ●PORRAZZO David OO 3
★ 0 BUS 9 RES 1 NEW

TREEWIND CT 92128 SAN DIEGO

WEALTH CODE 8

11830 XXXX OO
11834 XXXX OO
11835 ●SHIELDS Wayne 858-679-8997 4
11840 ●MAH Bill 858-486-0289 8
11841 ●VANDENBURGH Rory OO 0
11847 ○JACOBSON David 858-679-5125 8
11848 ●KASSEN Teresa 858-679-6968 0
X MIL PITRERO RD
★ 0 BUS 7 RES 0 NEW

TRELAWNEY LN 92028 FALLBROOK

WEALTH CODE 6

X VIA VISTA RD
3035 ●JOHNSON L J 760-731-5978 3
●JOHNSON M B 760-731-5978 3
3074 ●PICONI John OO 0
★ 0 BUS 3 RES 0 NEW

TRELLIS LN 92026 ESCONDIDO

WEALTH CODE 6

103 ●BOWDEN Sidney OO 3
107 LAN Bach Phan 760-738-1853 2
●TRAN Tuoc OO 3
115 ●LY Kiem 760-480-0744 2
119 ●SANTIAGO Noemi OO 4
120 XXXX OO
122 XXXX OO
123 TRUNG Tai 760-233-1071 3
135 ●LE Xuan OO 3
137 ●AHN Abraham OO 3
141 ●CAMINO Juan OO 3
149 ●VALDEZ Nenita OO 4
150 ●ROLDAN Mary OO 2
TOLDAN Mary 760-746-0751 1
157 ●MAY Michael OO 3
1554 XXXX OO
1558 ●FOSTER Cynthia 760-741-5895 1
1560 ●PERREAULT Matthew OO 0
1562 ●ROSLUND Dan 760-745-7231
1563 ●KACZMAREK Mark OO 4
1565 ○CANFIELD Deborah 760-745-4959 9
1592 ●CHAMBERLAIN Thomas OO 8
1593 LUCERO Kim 760-743-3685 +6
●SHARPE Jesse OO +6
★ 0 BUS 24 RES 2 NEW

N TREMONT ST 92054 OCEANSIDE

WEALTH CODE 0

X MISSION AVE
209 ★LA CASA PIZZA 760-722-1949 7
210 ★ALLEY CAT ENTERTAINMENT 760-433-1171 2
★ATLANTIS 760-721-0800 1
211 ★M & H BARBER SHOP 760-967-5458 3
213 ★DOROTHYS MILTRY SH 760-722-5555
★P & P PRODUCTS 760-757-2755
X PIER VIEW WAY
309 ★RINCON'S BARBER SHOP 760-757-3485 4
310 ★PAC POTTERY 760-754-4811 1
311 ★TREMONT STREET BAR & GRILL 760-435-9555 4
X CIVIC CENTER DR
401 ●BABBITT George OO 2
403 ●FREDERICK Norma OO ⊕ 2
405 ●RATTA Andrew OO 2
407 ●WINTER Michael OO 2
408 XXXX OO
409 XXXX OO
411 XXXX OO
412 UN Pei 760-433-9598 4
413 ●GRAVES Patrick OO 4
415 XXXX OO
416 ●LANDUCCI Mary OO 4
417 XXXX OO
420 ●GUERRERO Robert 760-967-6630 4
423 XXXX OO
424 WALLACE Bekcy 760-433-3014 4
428 ●CHIN Pake OO 4
X SPORTFISHER DR
503 ●CHERRY Robin OO 3
J ●FOLK William OO 4
GUGLIETTI Al 760-529-5914 +6
G ●LEITE Mario OO 0
H ●MACKEL Julie OO 3
MOORE Jonathan 760-722-0612 +6
●PARKER Rela OO 2
●SANSOM Peter OO 3
●SECHREST Dennis OO 4
C ●TERRY Patrick OO +6
508 ●HARPER David OO 0
510 XXXX OO
511 ●COLACECI John OO 9
512 XXXX OO
514 ●SANCHEZ Andrew OO 9
515 ●FETTIG Tina OO 3
519 XXXX OO
523 ●WEISS Ruth OO 4
X SURF RIDER WAY
607 HAZZARD S 760-433-8214 3
642 HALL Gerald 760-754-2303 3
HALL Linda 760-754-2303 3
650 ●SCHILLER Jaydee OO 4
SETTLE Robert 760-529-4074 +6
658 ●TRAN Hoa OO +6
664 CRANE J 760-966-0436 3
CRANE J 760-966-0437 3
672 ●WILLIAMS Susan 760-757-2260 3
680 ●NAVAEI Farnaz OO 4
688 ●VANELDEREN Ronnie 760-967-6900 7
X WINDWARD WAY
701 ●KNECHT Steven OO 4
703 ●GEEN Eric OO 4
704 ●MEURS Klaas 760-757-0136 7
705 FINWALL Barbara 760-231-9632 4
707 ●BROWN Joel OO 3
708 XXXX OO
710 XXXX OO
711 XXXX OO
715 ●ROTUNDO Don 760-433-1868 8
716 XXXX OO
719 XXXX OO
720 ●FIFER Leonard OO 4
723 ●HENRY Patrick OO 8
724 WRIGHT G 760-231-1520 +6
WRIGHT J 760-231-1520 +6
727 ●CASTRO Glenn OO 9
728 EDES Elliott 760-529-9549 +6
731 ●THOMAS Dave 760-721-7202
X NEPTUNE WAY
801 XXXX OO
803 ●GOMILLION Marcus OO 0
●IWAOKA Ken OO 2
805 ●BARMER Patricia OO 0
●MILEW Mary 760-433-2227⊕ 0
807 ●GOMEZ Stephanie A 760-757-8174 2
809 ●HARMON Roy OO 0
813 XXXX OO
815 ●CARTER Jerry OO 0
817 ANDERSON Charlene 760-231-9307 +6
●RONGEN Adrian OO 8
★ 9 BUS 74 RES 9 NEW

S TREMONT ST 92054 OCEANSIDE

WEALTH CODE 1.3

X SEAGAZE DR
106 CRUZ Miguel 760-967-6514 3
HARRIS Linda 760-439-3862 +6
110 MONSALE Christopher 760-439-1289 4
MONSALE Marvilyn D 760-439-9458 4
114 DALIT Victoriano 760-433-4868 4
115 ★EISENDRATH TEAM 760-721-8602 +6
118 BROWNBAILEY Revonda 760-757-2909 +6
124 BARNEY Gregory A 760-721-6969 4
●MENEFEE Christine OO 0
VALDOVINOS Desiree 760-754-9627 3
128 DE Leon E 760-433-7098 2
A NOGUERA Juan-carlos 760-433-1303 4
WOOLUMS Lisa 760-433-3170 4
132 BROWN Donald 760-529-0285 +6
X W TOPEKA ST
205 ★GREYHOUND BUS LINES 760-722-1587
216 ★LEAGAL AID SOCIETY OF SD INC 760-722-1935 2
★LEGAL AID SOCIETY 760-722-1935 2
218 ●PETERSON Kenneth OO 9
227 ★BURGER KING 760-439-5207
235 ★AMTRAK 760-722-4622
X MICHIGAN AVE
310 ●MIRELES Francisco OO 0
VAZQUEZ Maria A E 760-439-4927 1
311 ★NCTD 760-967-2828
321 ●PETERSON Keith OO 8
324 XXXX OO
327 TOTTEN Kara 760-529-5775 +6
X MISSOURI AVE
405 XXXX OO
409 XXXX OO
414 SONCRANT Dwayne 760-757-6967 1
★UNITY CAMPAIGN 760-721-2714 +6
415 ●EATON Gregg OO +6
416 OOLBOW Mike 760-757-2715 +8
417 XXXX OO
421 ●SAUERS Jeanie OO 0
422 ●BAKER-OLQUIN Maureen OO 7
425 ●STEWART Lane OO ⊕ 9
426 CORTEZ Judith 760-967-7174 4
●PEARL Lee OO 0
431 ●WADE David 760-754-2967 9
432 XXXX OO
X WASHINGTON AVE
503 BEESON Brock 760-231-5676 +6
FRANGER Blaine 760-754-2948 +6
SOLIZ Cleo 760-433-0219 4
507 DOYAH Kim 760-757-9236 +6
LINDSKOG Elizabeth 760-529-9197 +6
510 ★EDDIES AUTOMOTIVE 760-722-1980 9
511 PETRAS Linsey 760-721-6748 1
515 MORRIS L Carol 760-966-1460 4
517 LUDWICK John 760-529-0858 4
520 XXXX OO
523 DAVIS Raquel 760-754-4701 4
ZEADIE Rebeca 760-722-7960 1
525 XXXX OO
529 ●OLSZEWSKI Krzysztof OO 4
X MINNESOTA AVE
501 ●BEHRENS Danny OO 4
●CRAWFORD Laura OO 7
I ●GARZA Robert R 760-967-9868 9
MARTINEZ Rosa 760-721-0730 4
●MINGLANA Nancy OO 3
RUBIO Jacqueline 760-722-3457 +6
A ●ZIERK Keith OO 3
602 ★AUTO POWER MACHINE& ELECTRIC 760-722-1556 2
★GHETTO CHOPPERS 760-433-3722 4
609 GANT Don J 760-757-5251 +6
MCDONALD Ray R 760-757-0766 +6
REYES Efren 760-967-1575 +6
615 ★ELECTREX USA 760-433-0184 4
OWENS Ken 760-439-9957 4
619 ●SCATTERGOOD Philip OO 4
620 ★S AND S RADIATOR 760-722-3223 1
625 ★TO'S MEXICAN FOOD 760-433-0103 0
X WISCONSIN AVE
809 ○DURHAM Pete 760-722-0128 9
815 ●CUTTER Elvira OO 3
819 ●DROUGHT Dorothy G 760-722-0892
821 ★GF HURLEY LONGBOARDS LLC 760-529-9065 +6
★LOS PIONEROS ALBARRAN 760-967-8300 4
827 REILLY Tara 760-967-0235 4
X W LEONARD AVE
901 VANBEEK Alina 760-722-4537 4
905 XXXX OO
908 ESTES Jesse 760-757-1047 +6
HARRIS Ronnie 760-721-4893 8
MCGLOHIN Lenore 760-754-4898 4
909 ★AUDIOMETRICS 760-435-1034 3
★AUDIOMETRICS 760-435-1380 3
★AUDIOMETRICS 760-439-7502 3
914 PETRY Kalman 760-439-7987 4
920 ●MUSZALSKI Paul OO 1
922 XXXX OO
924 XXXX OO
X WEST ST
1002 HOWSER Rita 760-967-8350 +6
●TROSIC Vladimir OO 0
1010 XXXX OO
1011 DAY Linda 760-754-5493 +6
HICKS James H 760-439-1371
JOHNSON Michael 760-439-8292 4
ZARING David 760-439-9580 +6
1012 XXXX OO
1016 ★INSPECTION TRAINING ASSOCIATES 760-967-4184 4
1018 ●STATESCU Penny OO
1020 MORENO Juan 760-721-4698 4
1026 FITZGIBBONS Amy 760-967-1571 +6
1034 ●DIANELLA Gary OO 3
½ BROWN Maryjo 760-721-3044 4
1036 ●LLANES Sara OO 3
1038 XXXX OO
X EUCALYPTUS ST
1105 ●VILLAFANE Eliseo OO 3
1107 VILLAFANE Lee 760-231-9239 4
1112 ★OCEAN PAINT&BDY SHP 760-722-5479
★OCEAN PAINT& BODY 760-602-1945
1115 KROUT Donald Jr 760-967-6927 4
MCKILLOP John 760-433-0727 0
SMITH Thomas Jr 760-966-5003 4
1119 GANT Joseph 760-529-4048 +6
★MARISOL APARTMENTS 760-966-7407 4
1121 HAGGERTY Kevin 760-435-9841 1
1125 ADKINS Beratta 760-967-9635 4
JENKINS Linda 760-433-6891 4
1127 XXXX OO
1129 XXXX OO
1134 ●BECKERLE Thomas OO 3
1140 ★MANIFEST 760-967-0665 4
★TOMAR ENGINEERING 760-754-8662 3
1145 ★MCCABE'S BEACH CLUB 760-439-6646
X OCEANSIDE BLVD
X GODFREY ST
1414 ★DICKIE WALKER MARINE INC 760-450-0360 3
X MORSE ST
1602 HAWKINS Brad 760-757-2813
1604 GAROFOLO Michael 760-729-8064 9
MAGEE Frank 760-433-1935 4
1605 XXXX OO
1607 CRANE Chela 760-722-2213 +6
MOODY Joel 760-722-8425 +6
1608 WOLDTDEDT Harlan 760-722-4366 4
1610 WRIGHT M C 760-433-5277
1611 VIA L L 760-433-5723⊕
1615 MANGANELLI L 760-722-6378 0
SHEN Vivian 760-721-8130 4
WHITE Tyrone 760-231-5122 +6
1616 B CRIVELLONE Al 760-439-9467 4
GOEDERT Edw N 760-433-5834
1618 ●HORTON Douglas OO 8
1619 XXXX OO
1621 XXXX OO
1622 C JANKOWSKI P 760-754-8477 1
KELLEY Jan 760-967-4330⊕ 1
1623 FLEMING Thuan Thi 760-433-1742
1625 RAMIREZ Isaac 760-967-7046 4
1626 ●BOWDEN Glen 760-721-6327 3
●BOWDEN Glen 760-754-3105 3
1629 XXXX OO
1630 HYSLOP Brenda 760-721-0514 4
LEAL H 760-439-1148 +6
E ORMOND Lawrence 760-754-1152 0
B SPACE L 760-754-2238 0
1635 ESTRELLA M 760-722-3684 2
WEIZEL Stephanie 760-231-5699 +6
1636 ●BOZZO Jaime 760-231-5985 4
1637 XXXX OO
1640 ●GAYLE Lynda OO 0
X WHALEY ST
1701 ○DERRY Michael 760-433-6739 9
1704 ●EISEL Eckhardt OO 4
1705 GUTIERREZ Luzmaria 760-433-0128 4
1709 RUGG Oliver W 760-433-1508
1712 WEICHERT Tim 760-439-3517 +6
1715 ●KISH Michael OO 3
1716 GODINET D 760-757-6077 4
1719 ●GOUDARZI Tim OO 3
1720 XXXX OO
1723 ●RYDER Martin OO
1724 XXXX OO
1728 XXXX OO
1731 ●CALVER John OO 8
1735 XXXX OO
1738 ★COMNTY RESEARCH FOUNDATION 760-439-2800 2
1739 XXXX OO
1743 ●NELSON Douglas OO 1
X CASSIDY ST
1802 CHAVELAS Perla Diego 760-757-9274 4
MONDRAGON Terra 760-721-6470 +6
VALDOVINOS Lucina 760-439-3709 3
VORWERK Scott 760-757-3009 2
1811 XXXX OO
1814 XXXX OO
1815 ●NYENHUIS Paul OO 1
1818 ●GOEDERT Matt 760-435-1320 9
1819 XXXX OO
1821 ●BURDICK Patricia 760-757-2735 3
●BURDICK Patricia 760-757-2156 3
1822 MUNK Haylee 760-721-3494 4
1824 XXXX OO
1825 ●HAGGARD Brenda OO 8
MASON Mary S 760-433-5233 +6
1826 STERLING Larissa 760-967-4090 +6
1829 XXXX OO
1830 XXXX OO
1831 HOLL Hanna 760-721-8030 4
1833 MUENCH Martin 760-754-1994 3
1834 ●CASH Michael OO 4
1836 MCQUAID John 760-439-3115 4
●WITMAN Joan OO 8
1838 ●KYLE Marion OO 9
1841 GITLER Zack 760-722-4450 4
X KELLY ST
1902 LYON Gus 760-529-9039 4
1905 ★CLEAN RITE CARPET&UPHOL CLNG 760-722-3755 2
●VLACH Robert OO 8
1913 WITT Pamela 760-967-9737 4
1914 BRESSAN A D 760-433-6651
1915 SUAREZ Mireya 760-721-6843 4
1919 ●ARNOLD Frank OO 0
1920 ●HERBERT T 760-433-2731 0
1923 ●HABICHT Rick OO 9
1924 XXXX OO
1925 XXXX OO
1927 XXXX OO
1928 ●GREGORY Nancy OO 3
1930 FRAAS Lynette 760-967-6495 4
●JONES Paul OO 3
½ WIESS Lawerence 760-439-9891 2
1931 MILAM Jeff 760-967-8852 4
1933 ●TYLER Robert 760-433-6180
1934 FAILLA Denise 760-966-1503 4
1936 WRIGHT Rebekah 760-754-6972 4
1938 GONZALES Matthew 760-433-1438 4
1940 LETTAU Veronique 760-439-7799 4
1942 XXXX OO
1943 ●WALTER Michael 760-721-7346 7
X VISTA WAY
2003 XXXX OO
2012 JANES Christopher M 760-967-1050 4
2013 DRAY David W 760-433-9040⊕ 4
2017 XXXX OO
2020 A BORING Ken 760-722-5243 4
MICHALSKI Ron 760-529-0775 +6
2021 ●MUIR Emma OO 4
2025 ●CARPENTER David OO 4
2030 . . . . . APARTMENTS
14 COOPER Robert 760-722-6461 4
FITZPATRICK R 760-729-7834 +6
12 GILMARTIN Dawn 760-439-4706 2
HIGHTOWER S 760-754-5401 +6
MEDINACEJA Cirilo 760-967-9857
TREMAYNE Jamie 760-439-9548 +6
2030 . . . .
2040 FELDTHUSEN Mark 760-721-8461 2
SAALFELD Scott 760-721-6940 4
X EATON ST
2106 ●DUGAN K 760-757-9674 1
2107 ●SHELTON Scott OO 3
2109 ●OPPENHUIZEN Gregg OO 4
2115 ●MORRIS Taro 760-421-2500 4
●MORRIS Taro 760-421-2512 4
★ 29 BUS 215 RES 36 NEW

TRENT ST (02) 92054 OCEANSIDE

WEALTH CODE 1

364 HAMILL Beth 760-430-7231 +6
HAMILL Ian 760-430-7231 +6
365 OROZCO Alisa 760-430-8099 +6
368 MCBRIDE Maurice 760-430-7615 +6
379 RENNER Gabriel 760-430-4639 +6
380 XXXX OO
382 SANDERS Brett 760-430-7556 +6
385 XXXX OO
386 XXXX OO
387 MYERS Jason 760-430-7179 +6
390 XXXX OO
392 ROSS Ronnda L 760-430-0564 4
394 OWEN Kendra 760-430-7713 +6
470 XXXX OO
472 SPARACINO Joshua 760-430-8266 +6
474 XXXX OO
475 BUNCH Ray 760-430-7950 2
477 XXXX OO
478 BILLINGS John 760-430-5045 +6
479 XXXX OO
480 GONZALES Mike 760-430-2988 2
482 HAWKINS Meyorshi 760-430-0731 3
484 XXXX OO
485 STRANGE Kimani K 760-430-2148 2
486 XXXX OO
487 XXXX OO
488 GARCIA Jason 760-430-2372 +6
489 BOVEE John 760-430-5114 4
491 SMITH Chet 760-430-2472 +6
492 XXXX OO
★ 0 BUS 30 RES 12 NEW

TRENTO PL (00) 92130 SAN DIEGO

WEALTH CODE 9

13706 ●LIU Walter OO 2
13722 ●PEARSON Dennis OO 1
13725 ●PETERSON Madison OO 4
13728 ●FELLERMAN Linden OO 1
13731 ●NGUYEN Djung OO 4
13734 ●NATHAN Ray OO 1
13741 ●MONTMINY Marc R 858-259-1829 1
●MONTMINY Taylor 858-509-4197 1
13749 ○CHAU Rosemary 858-720-8445 4
X MODENA PL
★ 0 BUS 9 RES 0 NEW

TRENTON AVE 92117 SAN DIEGO

WEALTH CODE 5.7

X BUNKER HILL ST
3550 ●GUERRERO Ignatius OO 0
3570 WINSTON Philip E Jr 858-272-4282
3574 XXXX OO
3578 XXXX OO
3582 XXXX OO
3585 MCDONALD L 858-581-3805 +6
3605 ●HIJAR Robert OO 8
3606 ●HANNASCH Susan OO 9
3615 PAO Chang 858-273-2637 4
3620 ●TIERNAY Robert OO 0
3625 ●MITCHELL Christine D 858-483-0981

⊕-DO NOT MAIL

TP Adjoining Source
- ✓ Haines Company, Inc.

MICHIGAN AVE 2006

6685 ●JOINER Richard S 858-454-4967
X SCARLATI PL
★ 0 BUS 18 RES 1 NEW

MICHELE DR 92084 VISTA

WEALTH CODE 3

X GOODWIN DR
303 ●HOUSE David O 760-758-5296
304 ●LAND John OO 0
307 ●PABLOFF Jesus OO 4
310 ●CUTHILL Kirk S 760-726-4736
315 ●MAJESKI Matthew OO 4
316 ●WHITNEY Scott 760-630-1591 9
★ 0 BUS 6 RES 0 NEW

MICHIGAN AVE 92054 OCEANSIDE

WEALTH CODE 0.4

X S TREMONT ST
403 ★WOOTTON'S APPLIANCES 760-722-8261
X S COAST HWY
X S FREEMAN ST
603 CHOCHON Nicolas Esleban 760-721-4897 1
X S DITMAR ST
711 ●WORBY Pauline OO 7
X S NEVADA ST
801 ●CARBIN Lisa OO 9
802 EMBREY Chad 760-721-3197 3
EMBREY Colin 760-721-3197 3
●OLSON Alix 760-721-3197⊕ 0
½ GRAY Sharon 760-967-0711 4
810 XXXX OO
814 XXXX OO
816 XXXX OO
X S CLEMENTINE ST
★ 1 BUS 10 RES 0 NEW

MICHIGAN AVE 92084 VISTA

WEALTH CODE 1

X VISTA VILLAGE DR
110 ★AMER RSDNTL MRTG CPTL INC 760-732-1322 3
★AMER RSDNTL MRTG CPTL INC 760-295-1610 3
★MOUNTAIN 2 SEA DISCOUNT REALTY 760-295-2321 3
114 ★RING RICHARD D ATTY 760-728-3780
119 XXXX OO
200 ★LIFELINE NORTH COUNTY 760-726-4900 2
211 MOLINA Aracell 760-806-7547 3
215 MALDONADO Clara O 760-732-3512 3
★PEREZ ELECTRIC 760-643-0383 4
217 LOPEZ Miguel 760-945-7249 +6
225 BAUTISTA Jose 760-726-4628 +6
235 XXXX OO
237 GARCIA Pascual 760-724-1130 4
243 LOPEZ Oliverio 760-643-1208 +6
X WASHINGTON ST
★ 6 BUS 8 RES 3 NEW

MICRO PL 92029 ESCONDIDO

WEALTH CODE 2

2200 ★LINE-A-COAT 760-745-3322 4
★OLYMPIC COATINGS 760-745-3322 2
2220 ★JAY-MAR DESIGNS 760-735-9990 3
2229 ★SANDCRAB CAFE 760-480-2722 1
2230 ★HOVEY DEAN R 760-746-2120
★KSKT CHANNEL 43 760-743-9638 4
★PALOMAR COMMUNICATIONS INC 858-566-0400
★PALOMAR COMMUNICTNS 760-746-2120
2235 ★MICROTECH AUDIO RPR 760-741-6660
X OPPER ST
2250 ★MESA POWER SYSTEMS 760-489-8162 0
2255 ★MAXX MARINE OF NORTH CO 760-738-4290 4
2265 ★A & D PLATING INC 760-480-4580
★A & D PLATING INC 760-839-0163
2275 ★STAR METAL PRODUCTS 760-747-4611 4
2285 ★AUTOMTD VEHICLE ANALYSIS INC 760-741-2829
★EXCIMER LASER REPAIR CORP 760-743-3423 +6
★SELCO WELDING 760-737-9200 +6
★ 17 BUS 0 RES 2 NEW

MIDBLUFF AVE 92128 SAN DIEGO

WEALTH CODE 7

X OLD SYCAMORE DR
13106 ●HERNANDEZ Jaime 858-486-0423
13116 ●GENTES A 858-513-0846 0
●GENTES C 858-513-0846 0
13126 ●KUSCHMANN Susanne OO 4
PEARCE K L 858-486-3814
13136 ●STANTON Ted 858-486-3810
X DOVE TAIL TER
13146 ●LUU Mee OO 0
13156 ●FENLASON Donald OO 4
13166 ○MAGNUSON Erick 858-513-7622 0
X OCHRE CT
13176 ○IPPOLITO Mike 858-513-8406 2
○IPPOLITO Noreen 858-513-8406 2
13186 ●OAY Jeffrey OO 0
X COLD SPRINGS CT
13206 ●ABITRIA Romar OO 0
13216 ●CASTILLO Normito M 858-679-1524
13226 ●BAKER K 858-679-8440 4
13235 ●HAMELS Gary 858-679-1420 0
X TWIN POND TER
13245 ●HUNTER John OO 8
13255 ●PAK Chong OO 2
13256 XXXX OO
X MORNING CREEK DR N
13266 ●LEWIS Jack 858-513-1078 0
13276 ●MULLEN George OO 0
13286 ●MISLA James OO 4
13296 ●TRUONG Phat OO 0
X COOL LAKE TER
★ 0 BUS 23 RES 0 NEW

MIDBURY CT 92126 SAN DIEGO

WEALTH CODE 7

9201 ●MANZANO Roger OO 2
9202 ○WURM L E 858-530-0831
9203 ●HONCOOP Marvin OO 9
9204 ●HAMMER Brian OO 0
9205 ●SANDOC Ernesto OO 0
9208 ●THI Oan OO 0
9209 ●RELUCIO Michael OO 4
9212 ●REVILLOSA Adriano OO 8
9215 ●AZARCON Vivian R 858-537-9025 2
9216 ●THAI Ngan Van 858-689-9489 3
9219 ●NGUYEN Khanh OO 8
9220 ○ENCARNACAO Sergio 858-689-2631 7
9223 ●PINEDA Vidal OO 8
9224 CUNG Nguyen 858-566-6168 4
●NGUYEN Cung OO 4
9229 ●WALI Alia OO 4
9230 ●KARGACOS J R 858-530-2413
9233 CHANHMISAY Sam 858-549-3099 +6
●PHANTHAVILAY Champa 858-889-1069
9234 ●BENEDICTOS Leonardo OO 8
9237 XXXX OO
9241 ●BALINGIT Joseph OO 4
X KITE HILL LN
★ 0 BUS 22 RES 1 NEW

MIDDLE RIDGE TER 92128 SAN DIEGO

WEALTH CODE 7

X MORNING CREEK DR S
X MORNING CREEK DR N
11305 ●MARTIN Anthony OO 0
11306 XXXX OO
11315 ○VARGO Joe 858-486-3943 4
○VARGO Joseph 858-513-3775 4
○VARGO Joseph 858-513-3776 4
11316 ●POSPICHAL Joseph OO 2
11325 ○ALLEN Timothy 858-679-9381 3
11326 ●ZANG A C 858-679-8040 7
●ZANG Albert 858-679-3078 7
●ZANG Lm 858-679-8040 7
11335 XXXX OO
11336 ●LAMBETH Merle OO 4
11345 ●ANDERSON Lester OO 4
11346 ●ORLER Jeffrey 858-748-4382 1
11356 ●LUSK Jeffrey OO 3
11365 ●MARKLEY Patrick 858-748-7231
11366 ○FRITZ Fenner M 858-748-9428 2
11375 ●NEGRETE Jose OO 4
11376 ●DUDLEY Derek OO +6
11385 ●LITTLE Ross OO 0
11386 ●SWISSHELM Richard OO 4
11396 ●MILLAN Jeremias 858-679-5717 3
★ 0 BUS 22 RES 1 NEW

MIDDLEBROOK SQ 92128 SAN DIEGO

WEALTH CODE 7

X RUTLEDGE SQ
12115 ●PASHUKOV Vladimir OO D
12118 ○BOHM Teresa 858-487-3239 D
12121 ●GRECO Larry OO 4
12124 ●DENZY Michael OO +6
12129 ●MOULTON Cheryl OO 8
12137 ●BOU-MALHAM Antoine OO 0
12145 ●DINUNZIO Sandro OO 1
12148 KUSHNIR Natalia 858-487-0723 +6
●ZOURKHAEV Anzor OO 4
12153 XXXX OO
X CARROLLTON SQ
12161 ●BOKOLICHZILI N 858-674-4248 3
12164 ●DUBROVSKY Leonid 858-675-0073
12169 ●VIEJOBUENO Alfredo OO 0
12176 ●WARREN Tim 858-875-9606 7
12177 XXXX OO
X STANWIX SQ
12185 XXXX OO
12193 ●MARTINS John 858-716-9269 +6
X HEWES SQ
12198 ●BODROV Sergey OO 4
12216 ●CHRIST Timothy OO D
12221 O'BRIEN Sheila A 858-673-0424 7
TAYLOR Edward M 858-673-0424
12232 ●HOFFMAN Anton 858-487-7090 4
12243 ●RAMPOLDI Paul OO 4
12246 ●GUREVITCH Boris 858-876-9759 3
12254 ●STACK Jon OO 8
12257 ●PEDERSEN D OO 4
12262 XXXX OO
12265 ●TOWNES Sam OO 4
12272 ●BALDAN Fabio G 858-673-3631 3
12277 ●PRASANNA Ganesh 858-451-3229 +6
●PRASANNA Sangeetha 858-451-3229 +6
12286 XXXX OO
12287 ●SHER Scott OO 0
12291 ●OZAWA Toshiro OO 3
12297 ●NG Hok Ching 858-673-9676
★ 0 BUS 35 RES 5 NEW

MIDDLETON RD 92109 SAN DIEGO

WEALTH CODE 9

PACIFIC BEACH AREA

X SOLEDAD MOUNTAIN RD
5101 ●KIRSTEN Oskar 858-581-1056
●KIRSTEN Oskar H 858-274-3472
5102 HERNANDEZ Jesus 858-483-3085
★TORREY PNS PARTNERS 858-483-3088 +6
5109 ●CORONADO Luis Alfonso 858-274-9062 4
●CORONADO Luis Alfonso 858-274-3046 4
5122 ●BARTON Francel OO 0
5136 ●FIGUEROA Marcos OO 4
O'KEEFFE Dennis 858-483-7981 8
5148 ●MARLIN H R 858-272-3698
5160 ROSENBLATT Richard 858-274-8576 4
5172 ●BRISKI Joseph OO ⊕ 3
5184 ●BERENJIAN Nader OO 4
5196 ●KLAUSBRUCKNER Ellie 858-483-0097 8
●KLAUSBRUCKNER Michael 858-483-5711 8
5208 BENSON Todd 858-272-3726 4
5211 RUBENSON David S Md 858-270-5571
5222 ●BARTON Howard 858-272-7778 0
5227 ○PHILLIPS H Thomas 858-274-6686
5234 KINNEY Willard 858-483-5575
5259 ●ROBBINS David 858-483-9553
5262 NIENBERG Michael W 858-483-0735
5275 ●DERBY Francis 619-276-9929
5276 XXXX OO
5290 AGUILAR Margaret 858-273-9687 4
5291 PHILIPS Loren K 858-274-3282
X MIDDLETON WAY
5311 ●ENOSLEY Geo T 858-272-3945 7
5318 ●MOHEET Michael OO 0
5323 ●MARSHALL Gala OO 9
5328 XXXX OO
5335 CONRAD Jill 858-272-5760
5338 ●CROSTON Glenn OO +6
5347 ●SZYMANIAK Erna 858-270-2258 4
5348 ●CATANZARO Antonino OO 9
5358 ERICKSON P A 858-272-1000
5359 JONES Jos M Capt 858-272-6834 4
5366 REILLY Tom 858-272-8154 4
5371 ★COVILL DANIEL L 858-272-2448 4
COVILL Mardi 858-272-1694
5374 XXXX OO
5382 ●FEINGOLD Sara OO 8
5383 ●WILLIAMS Donald OO 7
5395 ●PANTON Rex 858-483-5443 9
●PANTON Rex 858-270-2239 9
X AMITY ST
★ 2 BUS 42 RES 2 NEW

MIDDLETON WAY 92109 SAN DIEGO

WEALTH CODE 9

PACIFIC BEACH AREA

X SOLEDAD RANCHO RD
2275 ●BOOTH Richard OO 0
2290 ○DABIRI Ali 858-483-5095
DABIRI Ali 858-483-5059
X MIDDLETON RD
★ 0 BUS 3 RES 0 NEW

MIDGROVE CT 92064 POWAY

WEALTH CODE 6

X SCOTS WAY
13841 ●CLARK Frank OO +6
13842 ●DAVIS Ethie M 858-748-0709
13843 ●PHAY Reth OO +6
13844 ○SAXON Pete A 858-391-1461 1
SAXON Peter 858-486-5940 1
13847 SUTERA J 858-486-0856
13849 ●BOYD Richard OO 1
13850 ●BACHETY Thos 858-748-9282
13852 ●SERRANO Jose OO 3
13857 ●LAPP William 858-486-3506
13858 ●FALLS Brian 858-513-1630 3
13859 ●WELLS Debra OO 9
13860 ●CANTU Anthony OO 9
13865 NEWELL Timothy D 858-679-1231 2
●SOMERS Philip 858-485-3738⊕ 3
13866 ●BROWN Mark OO 0
13867 ●ZAMORA Federico 858-391-1397 4
13873 ●OURSLER Stuart OO 4
13875 SUCCETTI Joseph 858-679-1866 4
★ 0 BUS 19 RES 2 NEW

MIDLAND RD 92064 POWAY

WEALTH CODE 5.7

X POWAY RD
13355 ★LIBERTY TAX SERVICE 858-513-8200 +6
13409 . . . . . SILVER OAK APTS
ACOSTA Juan 858-668-3379 3
AMBROSIO Mayra 858-679-9523 4
130 ANDERSON Patricia S 858-513-3696 4
76 ANTUNANO Elena 858-486-3493 4
138 ASPRON Massiel 858-513-5312 +6
BADAL Daniel 858-513-8092 +6
BARRETT James 858-679-9937 1
BASTROM Shekinah 858-883-2903 +6
BELL Elisa 858-883-2185 +6
153 BELL Matt 858-748-7611 +6
BRYSON Lisa 858-486-1969 4
CAUDILLO Claudia 858-679-0850 4
CELAYA Marco A 858-679-7151 +6
COLE Nicolette K 858-513-1406 +6
DEDIOS Antonio Marco 858-746-0371 3
DIAZ Eriberto 858-679-4956 4
DIXON David 858-883-2703 +6
FIELDS Joshua 858-883-2984 +6
181 GARCIA Lorena Cueva 858-513-8021 4
134 GAVAGHAN Tom 858-513-0514 3
GIANGRECO Robert Sr 858-883-2173 4
117 GOLUBKOV Vladislav 858-748-1766 4
GOULDMAN Joshua 858-883-2571 +6
GUZMAN Pilar Julia 858-391-2701 2
108 HASH Michael 858-748-0773 4
HOSE Najja 858-486-5949 3
LAM Sau Keung 858-486-3808 +6
51 LAYLANDER Donald 858-486-1761 2
LE Chi 858-748-3154 +6
LICEA Carrasco Jose A 858-513-8073 +6
★LIFESTYLE DECISIONS 858-748-4026 +6
MANSOUR Anmar 858-883-2670 +6
48 NIELSEN Fred 858-391-9257 2
OLSON Gilbert 858-748-1761
178 PATEL Purvi D 858-513-6397 4
RAYFIELD B 858-748-7521 3
RECKNAGEL Peter 858-486-2156 +6
ROBINSON Dwayne 858-883-2580 +6
ROEHRS Kristin 858-486-3264 +6
ROJAS Mauricia 858-679-1730 4
★SILVER OAK APTS 858-748-5570
SMITH Steve 858-513-4322 4
143 TELLO Martha 858-748-5073 3
TOLENTINO Joseph 858-883-2696 +6
TOMASELLO M 858-486-8016 4
TOMASELLO Matthew 858-486-2011 4
UMMADISETTI Kishora 858-748-6275 3
WAGENBACH Doug 858-679-2157 +6
WREGGELWORTH Joseph 858-748-1084 4
YOUNG Gloria 858-883-2137 +6
13409 . . . .
13430 ★PLOWBOYS MARKET 858-513-2750 1
X HILLEARY PL
13505 ★MARCO PLUMBING COMPANY INC 858-487-6333 4
★MIKE BRAGG BUSINESS WRITER 858-748-6753 3
13507 ★PRESTIGE CONCRETE 858-679-2772 8
★PRESTIGE CONCRETE 858-679-8456 8
13525 ★ARCHITCTRL SYSTEMS 858-679-9760 +6
★COMBS WILLIAM DDS 858-748-2364
★DICKSON J CHIROPRACTIC 858-748-1432 9
★HEITING THOMAS A CPA 858-748-1040 9
★JONAH CENTER 858-513-7664 +6
★MUNOZ LORENZO MD 858-486-9100 4
★NAKHSHAB & NEWMAN 858-748-8050 1
★POWAY MEDICAL CLINIC 858-486-9100 4
★TOTAL EXCHANGE WEIGHT REDUCTN 858-486-6357 1
X CYNTHIA LN
13604 ★FIRST BAPTIST CH POWAY-SBC 858-748-3940
13617 ★CORNERSTONE CHRISTIAN SCHOOL 858-748-5880
★CORNERSTONE CHURCH OF POWAY 858-748-2327
X AGSTEN LN
X JANEEN RD
13625 ●STREHLAU Edw 858-748-3249
13634 ★KEANEN ENTPRS 553730 LCNS 858-391-1033 +6
★MIKE'S QLTY TREE & LNDSCP 858-513-0054 +6
13642 ●FOLLAS Theodore OO 0
13645 ●KAISER Eric 858-679-8564 4
●KAISER Eric 858-486-1464 4
13646 ●WINDES Melissa OO 4
13653 ●SMITH Michael OO 4
X PUTNEY RD
13710 ★FOUR SQUARE CHURCHES 858-748-5796
★MOUNT ZION FELLWSHP 858-748-5796
13712 ●ROY Jared OO 4
13714 ●LUTZ Murray OO 9
13716 ●STEINBERG Charles OO 1
13718 XXXX OO
13722 ●JOHNSON Loyal OO 4
13723 ●MOSHER Bret OO 1
13724 ●UYEDA Brian 858-748-5587⊕
13726 ●THOMAS Roy OO 8
13728 ●DELAPENA Jessie OO 4
13729 ●MONCRIEF William OO 8
X APACHE RD
13732 ●OELONG Joseph OO 4
13734 ●WOLMAN Stuart OO 4
13736 ●AVERILL Sean OO 4
HUEBNER Shane 858-842-1922 +6
13738 ●ADAMIEC Raymond OO 4
13742 ●CRISTARELLA Anthony OO 0
13746 ●LOGANATHAN Harinathan OO 4
13748 ●GIBSON Michael OO 4
13752 ●MCKEE Debra OO 1
13754 ●SHUTTLEWORTH Robert OO 4
13756 ●CHOE James OO 4
13758 ●MOGELINSKI Wendy 858-679-7219
13762 ●RENCH James OO 4
13764 ●DUSI Alan OO 4
13768 ●KNAPHUS Rebecca 858-668-0899 3
●KNAPHUS Rebecca 858-668-0789 3
13772 ●DEWAGAN Dilip 858-748-8229 0
13774 ●MASI Michael OO 4
13776 BARBOZA Bernardo 858-486-3092 +6
●SACRISTAN Rodrigo OO 4
13778 XXXX OO
13782 ●SORIA Lee OO 0
13784 ●YEOMANS Jay OO 0
13786 ●LUNDIE Stephen OO 2
13788 ●WALLACE Michael OO 3
X JANETTE LN
13802 XXXX OO
13804 ●LITTLE J OO 4
ZEMO Michelle 858-668-3372 4
13806 ●GROSS John OO 0
13808 XXXX OO
13814 ●REAM Ryan P 858-513-1702 3
13816 ●SALVIN Teena OO 0
13818 ●KIM Micah OO 4
13822 ●MCMENAMIN Joe 858-513-3975 2
13826 XXXX OO
13828 ●AGRAWAL Anand OO 4
13832 ●VU Binh OO 4
13834 ●SHIELDS M 858-668-3423 4
13836 ●WHINNERY William OO 8
X SCOTS WAY
13838 ●SOLOMON Fred OO 4
13844 ●NELSON Charles OO
13850 ●SPECK William 858-748-5914
13852 ARTHUR Dennis 858-748-5799 0
●MADJAR Fred OO 2
13853 ★POWAY TAX SERV INC 858-748-4444
RAUCH Marlene 858-748-7181 7
X SOMERSET RD
13859 ●MCNEW Estrella OO 0
13862 XXXX OO
13864 ●HARTGROVE Adam 858-486-7108 0
13874 ●MCINTOSH Aaron OO 4
13876 ●SONSTENG Debra OO 4
X POINSETTIA DR
13910 ★MIDLAND ELEMENTARY SC ESS 858-748-4905
13913 ●HENDRY John OO 0
13915 ●BASCH Paul 858-486-1356 3
13917 ●BRENNICK Kevin OO 0
13919 XXXX OO
13921 ●RIPANDELLI Alphonse OO 4
YEFCHAK Laura 858-748-3869 4
13925 XXXX OO
13927 ●POLLARO David OO 4
13929 XXXX OO
13931 ●TATE Ollie OO +6
13933 ●MONTGOMERY Eric OO 4
13935 ●MCCOY Norman OO 0
STREETER R 858-748-2483 4
13937 ●MULLIN Todd OO 4
13939 ●COTA Cheri OO 4
13941 ●CHRISTENSEN Debra OO 0
13943 ●MCCUBBIN M 858-513-0340 4
13945 XXXX OO
13947 ●KEGLEY Jack OO 8
13949 ★FOREMAN LANDSCAPE CARE 858-486-4969 8
●FOREMAN Lisa 858-748-4873 9
13951 HANGER Chris 858-883-2281 +6
●WANG Karen OO 4
13953 ○OFNER R 858-679-6849 1
13955 ●GLUSAK William OO +6
13957 ●BISHOP Jessie OO 8
13959 ●GRIZER Bruce OO 4
13961 ●DEAN Joseph OO 4
13963 ●GONZALES Jovan OO +6
13965 XXXX OO
13967 ●GIBBS Lela OO 2
13969 XXXX OO
13971 ●MACARAEG Catherine OO 0
13973 ●YEAGER Kathy OO 0
13975 ●DRESSKELL William 858-486-1925 4
13977 ●DUCKETT Harriet OO 9
13979 WENDLETON Kenneth 858-486-3202 4
13981 ●GONZALEZ Alberto OO 0
13983 ●MCCOY Norman OO 0
13985 ●ALCALAY Darren OO 4
13987 ●MCCOY Norman OO 2
X EDGEMOOR ST
14005 ★ANGEL THYME DESIGN 858-486-7588 4
★MOLLY'S GOURMUTT BAKERY&GIFTS 858-679-1967 +6
14009 ★STAMPING DETAILS 858-513-8024 4
14010 ★BOB'S QUICK DRY 858-486-6601 +6
★GOOD BUDDIES HOME PET CARE 858-453-6857 4
NAHMAN R Denise 858-672-3414 +6
★TORREY PNS SECURITY 858-485-8422 +6
14011 ★JOJO'S HAIR SALON 858-748-1225 2
14013 ★PROFSNL SKIN CARE BY KATHLEEN 858-748-9170 8
14015 ★MOSAIC TILE 858-679-0425 +6
14017 ★ACUPUNCTURE & HERBS 858-748-9880 4
14019 ★CHIROWORKS CRTVE MKTG 858-513-3993 4
14021 ★J BLANCHARD DESIGN 858-679-0966 4
14025 ★JOHN MDY INS AGNCY-FRMRS INSU 858-513-0923 2
★JOHN MOODY INS AGCY-FARMRS INS 858-513-0923 2
★REGIONAL REALTY& INVESTMENTS 858-748-4333 4
14027 ★EXECUTIVE FUNDING 858-679-0162 4
14033 ★GENETTE-GIFTS & INDULGENCES 858-391-0437 2
★JAVA TRADING CO 858-486-6277 4
14037 ★POND CENTRAL 858-679-2100 +6
14041 ★SERENITY GARDENS 858-486-0033 +6
14043 ★TRESCHIC BOTIQUE 858-513-7520 +6
14045 ★SIDEWALK SUNDAE & SODA SHOP 858-513-0400 4
14047 ★OLD POWAY MARKET 858-748-7646 2
★OLD POWAY MARKET & PIZZA 858-413-1318 2
14051 ★BISHER'S QUALITY MEATS 858-513-0509 4
★REMODEL WORKS BATH & KITCHEN 858-413-2305 4
14053 ★RAIL BARON HOBBY COMPANY 858-513-6590 +6
14055 ★ELIZABETH BROOKS HM GARDEN GFT 858-679-9008 +6
X TEMPLE ST
X ADRIAN ST
14114 ★POWAY HSTRCL SOC 858-679-8587
14122 ★HAMBURGER FACT REST 858-486-4575
X AUBREY ST
14210 ★AUGUSTINE JOHN L DVM 858-748-4412
★MCCLURG KAREN DVM 858-748-4412 +6
★MIDLAND ANIMAL CLNC 858-748-4412
★MYERS KELLY DVM 858-748-4412 4
★POLISHUK MARJORIE E DVM 858-748-4412 1
★SWITZER NORMAN DVM 858-748-4412
14221 XXXX OO
14226 ★EUROPEAN AUTO CENTER 858-748-6668 7
14243 TA Oanh 858-679-0774 4
●TA Tiffany OO 4
14249 ●JOHNSON Ted OO 4
14259 ●CARAS Steven 858-486-3002 9
14305 ●HAMEL Bruce OO 8
14319 ●SAXER John W 858-486-1158
14325 ●SHELDON G 858-748-7037
14346 ●LESSIG D 858-748-3417
X VIAN RD
X NORWALK ST
14400 ●VINES Gregory OO 0
14405 ENGSBERG Joshua 858-748-8915
●TROUT Donald OO 4
14422 ●MCDONALD Willis OO 9
14423 ●POE Dennis OO 8
14428 FLEISCHMAN O 858-748-0612 4
14436 ●CHAVEZ Juan OO 0
14452 ●POND Craig 858-486-1261 9
14458 ●FRITZOHN Reinhold OO 0
14469 XXXX OO
X OUTLOOK RD
14521 ●PITZER Brad K 858-486-1717 1
X TWIN PEAKS RD
X ORANGE BLOSSOM LN
14760 ★WADLEIGH GLEN 858-748-7985 4
14812 BRENNICK Bud 858-748-7373
14818 XXXX OO
14825 ●BARTO David OO ⊕ 3
14826 ●KRISTELL Knute H 858-748-6803
14840 ●ANDERSON Darryl 858-748-7670
●ANDERSON Darryl 858-748-2899
15058 ●CROSS Randolph OO 8
X DEL PONIENTE RD
X POWAY SPRINGS RD
15221 XXXX OO
15230 ●BRACKEN Kevin OO 0
15233 XXXX OO
15238 ●HULME Michael OO +6
15245 ●BERNSEN Steven OO 4
15309 ●KREUTZER Kurt OO 4
15322 XXXX OO
15344 ●OGI Stanley 858-748-9345
15345 ●GREGORY T M 858-486-8646 8
15357 ●FETT R P 858-486-6586
15358 ●ALVAREZ Robert OO 0
15371 ●MONEYMAKER Patrick OO 9
15372 ●WILLKIE James OO 4
★ 65 BUS 195 RES 44 NEW

MIDNIGHT WAY (04) 92057 OCEANSIDE

1102 ●FIELD Fermina OO 3
1106 WILSON Vester Bryce 760-721-2789 4
1110 ●MARTINEZ Drew OO 0
1113 ●TRIOLO Kristina 760-231-6434
1114 DEROSE Charles 760-722-9796 4
1117 ●BEARDSLEY Linda OO 2
1118 ROUSER Leticia 760-231-5936 4
1121 ●FUNK Nicholas OO 4
1122 ●ABNEY Jeannette OO 4
1125 ●YOUNG John OO 4
1126 ●KELLY Charles OO
1129 ●KAISER Richard OO
1130 ●RHEE Sun OO
1133 ●COLLINS Keith OO 4
1134 DWAYNE Mercer 760-722-7074 4
●MERCER Dwayne OO 0
1137 ●ENGLISH James 760-433-9070 2
1138 ●BARDSLEY Jody 760-722-4912 2
1141 PARKER Dale 760-757-5346⊕ 4
1142 ●MERDINGER Mary OO 2
1145 ●MISCALL Brian 760-722-4883 4
1146 ●ROEMER Alan OO 4
1149 ●MITRA Maria OO 3
1150 ●CASTILLO Sisenando OO 9
1154 ●PALMATIER David OO 4
1157 ●BARCELLO Edward OO 2
1158 ●PAXTON Robert OO 4
RODRIGUEZ July 760-231-5005 +6
1162 ●WHYTE Robert OO 4
1166 ●STODDARD Alex 760-433-3769
★ 0 BUS 30 RES 1 NEW

MIDORI CT (00) 92075 SOLANA BEACH

WEALTH CODE 8

701 ●LUTHER Michael OO ⊕ 3
702 ●LEWIS Alan OO 2
703 XXXX OO
704 ●KASKADE James OO ⊕ 4
705 ●MORRIS Gregory 858-755-1061 0
706 ●SAGARA Kevin OO 1
708 ●GERST Charles 858-792-0187 0
710 HIPKINS Anastasia 858-794-4967 4
HIPKINS Anastasia 858-794-8517 4
801 ●BECHER Charles OO ⊕ 4
802 ●MCREYNOLDS Donley 858-755-2835 1
●MCREYNOLDS Donley 858-755-2992 1
●MCREYNOLDS Donley 858-755-3168 1
805 ●HILL Malcolm 3D 858-720-9740 3
806 ●FLAX John 858-793-6299 4
808 ●NEVILLE Stephanie 858-350-7529 1
★ 0 BUS 16 RES 0 NEW

N MIDWAY DR 92027 ESCONDIDO

WEALTH CODE 2.7

X E GRAND AVE
206 XXXX OO
260 . . . . . CYPRESS COVE APTS
ACOSTA Yolanda 760-741-6870 4
07 ADAMSON M T 760-432-9416
AGUAS Ramon G 760-741-3695 4
C7 AGUIRRE Gabriela 760-489-6180 4
ALVARADO Mariela 760-294-6934 4
ASCENCIO Rocio 760-839-2931 4
BALDERAS Silveria 760-747-8476 2
BALDERAS Silvia 760-747-9635 2
BERNAL Trevino Raymundo 760-489-8038 +6
BRAMBILA Lourdes 760-737-0438 4
CANTOS Alberto M 760-796-4294 +6
CATOS Cristobal 760-233-9678 4
CHITWOOD Mathew W 760-746-9845 4
C9 COUSIN K 760-480-7375 +6
C16 CRESCENCIO Juan R 760-741-8273
★CYPRESS COVE APTS 760-746-2000
DANG Dau 760-291-1947 +6
DANTE Guillermo 760-884-0586 +6
DIAZ Angelica M 760-480-6396 4
DOYLE Scott A 760-489-8481 4
DURAN Marco Antonio 760-746-0348 4
DURAN Salvador 760-735-8768 4
DURAN Victor H 760-740-0325 4
FLORES Miguel 760-739-0846 4
D11 GALINDO Jaime 760-746-6905 4
C20 GANTE Guillermo 760-747-7405 4
GHAHRAMANISEIS Mahdokht 760-747-2957 +6
GONZALEZ Jose 760-739-0269 1
D28 GONZALEZ Maricela 760-839-1260 1
GUERRERO Delia 760-738-8752 4
B11 GUZMAN Luis 760-740-5026 4
HERNANDEZ Francisco 760-839-5907 4
HILARIO Maria 760-480-2392 4
HONORATO Carlotta 760-884-0262 +6
JAROUIN Jose Perez 760-738-9027 +6
JEAN-PIERRE R 760-747-0761 2
LARA Juana 760-746-1457 4
LARGE Laura 760-839-1558 4
LINARES Alondra 760-796-4347 0
LINARES Inocencio 760-746-2789 0
LINARES Jose 760-737-9754 D
LOPEZ Jaime 760-738-5140 4
A15 LOPEZ Juana 760-747-0368 4
LOZANOMORENO Jesus 760-743-3993 3
MADRID Juan 760-741-4021 4
MARTINEZ Juventino 760-480-1734 4
MARTINEZ Maria 760-739-0456 4
MAURE Ginger 760-741-4077 3
D33 MAYA Aurora 760-796-7903 +6
MAYA Aurora 760-294-0704 +6
MEDELLIN Dionicio R 760-747-3718 3
A37 MEZA Jesus 760-735-5725 4
B31 MONTELLANOS Maria 760-291-0431 4
MORALES Faustino 760-796-4065 4
MORENO Timoteo 760-480-5809 4
MURILLO Carolina 760-233-5635 4
OFELIA Irma Cruz 760-747-8546 3
B18 OLVERA Ana Lisa 760-735-8398 +6
OROZCO Teresa 760-294-1085 +6
ORTIZ Manuel 760-741-7575 1
A41 ORTIZ Vicente 760-781-4254 1
A47 PEDRAZA Hector 760-739-0691
PEDROZA Teodoro 760-796-7923
PERALTA Daniel 760-489-8723
PEREZ Arcelia 760-884-0025
PINEDA Alva 760-745-3822 4
PULIDO Erika 760-737-9129 2

⊕=DO NOT MAIL

MISSOURI AVE 2006

JACKSON Bard 858-571-4773 +6
LOSIER Jeffery A 858-560-8238 +6
NEWTON Yolanda 858-571-8692 +6
TAHMASEBI Mohammad 858-279-8051 4
WHITAKER Patrick 858-874-5654 +6
2712 . . . .
2734 TRUJILLO Louie N 858-278-4976
2748 ● MAGSOMBOL Felix OO 0
2749 ● NADI Jahida OO 3
2763 ★ SPECTRUM FINANCIAL MORTGAGE 858-278-2481 4
★ STANDRD MORTGAGE SERVICE 858-292-1151 +6
2778 FUHR Donald 858-277-7443 4
2779 ● BONSYNET Sangvorn 858-492-9391 1
TECHAKAMONSUK Alisa 858-495-1737 2
2792 ● HALE Alex OO
2793 ● WHALVIN Mark 858-495-0739 8

X IRVINGTON AVE
2803 ● MONTAGUE Robert 858-571-7191
2815 LUJAN Manuel 858-278-4388 4
● VARGAS Maria OO 4
2816 ● BAINO Thomas OO ⊕ 3
2827 SCHRADER Linda 858-571-8952 +6
2828 ● CASTILLO Georgie OO 3
ESGUERRA Margarita C 858-467-0782 3
2839 ALMOOOVAR Marie T 858-278-0129
2840 ● EVANS Elko OO 8
2851 ● ADELMAN Marc OO 0
2852 ● NELSON Thomas E 858-268-3425 8
2863 CETOLA Jack J 858-278-5266
2864 ● ESPINOZA Veronica OO +6
2875 ● CATLEDGE Sara OO 4
2876 ● LOGSDON Daniel OO 4
2905 ● ALVAREZ Julio OO +6
2906 MACIAS Jennifer 858-715-6441 +6
2924 RUBALCABA Fidel J 858-278-0787
2925 ● KELLY Daniel OO 8
2941 ● STEADMAN Clarence OO 4
★ STEADMAN CLARENCE G DR 858-565-8285
2942 GARNIER Jas A 858-278-1897⊕
GARNIER Robert Scott 858-268-3525⊕
● ROGALSKI Michael OO 0
2955 ● BISCHOFF Patrick OO 2
2956 ● NGUYEN Phat Xuan 858-268-3369 4
2975 ● CLARK Frank 858-279-9001
● CLARK Frank C 858-279-9559
2985 XXXX OO
2995 BENSON Todd 858-874-8167 +6
● RICHARDSON John OO 0
2996 CURMAK Gunnur 858-569-6867
MCMANUS Florence 858-874-0484 +6

X FULLERTON AVE
3005 ● NGUYEN Hoi OO 9
3006 XXXX OO
3015 GUZMAN Nancy 858-715-1723 4
3016 ● HINES Cyril J 858-277-7780
3025 ● MCGRATH Gary OO 8
3026 DORMAN Kyla 858-300-8036 +6
● NEWNAM Jeffrey OO +6
3035 XXXX OO
3036 LIU Shao N 858-715-8688 9
● PANG John OO 9
3045 ● MORAN Thomas OO 8
3046 ● MCCLUNG Ruth A 858-278-1337 2
3055 ● HANSEN Justin OO 1
3056 ● NAIM Basir OO 4
3065 PALMER Allan 858-278-2673⊕
3066 ● PERRY Thomas OO 0
3075 ● BUI Dean OO 4
3076 ● FLETCHER Joseph OO 4
3085 ● CHIASERA Victor J 858-277-2881
3086 ● WETTER Randolph OO 8

X FERMI AVE
3114 ● CHAPMAN D 858-278-4320
● CHAPMAN S 858-278-4320
3115 ● MARTINDILL Donald OO 4
3125 CARRERA Eduardo 858-495-1713 +6
● SINOFSKY Brian OO 0
3126 ● KING Masumi OO 9
3137 ● MADOFF Jeremy OO 9
3138 ● MORISHIGE Mike OO 0
3149 BRIDGES Janice C 858-277-4299 4
3159 ● DODD Lavella 858-278-1466 0
3169 ● RAMIREZ Jesus 858-505-9303 9

X ADMIRAL AVE
3201 XXXX OO
3211 ● WHITE Wayne OO 4
3247 ★ REACHOUT PROJECT 858-467-1893 +6

X GRAMERCY DR
★ 11 BUS 112 RES 24 NEW

MISSOURI AVE 92054 OCEANSIDE

WEALTH CODE 0.7

X S CLEVELAND ST
307 ● CASTRO Felix 760-722-4834
316 XXXX OO

X S TREMONT ST

X S COAST HWY
510 ● FRANCIES Dennis OO 4
MORISAKI Bob 760-721-9401 4
511 KELLOGG Lorraine 760-439-4307 +6

X S FREEMAN ST
608 MORRIS Dayna 760-529-5694 +6
609 XXXX OO
610 XXXX OO

X S DITMAR ST
706 ● MENEFEE Christine OO 0
711 ● HOWELL Pat 760-966-2631

X S NEVADA ST
807 XXXX OO
814 DAVIS Stacy 760-529-0488 +6
VANDERIET Randall 760-757-2728 3

X S CLEMENTINE ST

X S HORNE ST

X S WEITZEL ST
1115 HORNER Donald 760-529-5780 +6
KING Patricia 760-529-5738 +6
POIRER'JONES C 760-968-7415 4
1202 . . . . . COLONY APTS
BARRITA Elena 760-439-6379 +6
BRAN Margoth 760-757-8089 4
CANSECO Sara 760-433-5876 +6
CRUZ Gabriel Perez 760-757-0727 +6
HERNANDEZ Juan 760-754-2452 4
MENA Concepcion 760-967-4951 2
MENDOZA Barbara 760-721-1846 2
PENA Sara 760-757-3193 +6
RODRIGUEZ Maximo 760-721-3084 4
SANTOSPARRA Ray 760-966-1259 +6
1202 . . . .

X GRANT ST
1302 JUAREZ Felipe 760-433-6728 4
● WILLIAMS James OO 0
1303 ● CABANAS Ernesto OO 0
KOLEN Black 760-433-5593 4
1306 ● BECK John 760-967-1428 3
1312 ● HERNANDEZ Lauro OO 2
1316 MAGANA Pablo 760-722-2620 4

X GARFIELD ST
1404 NERNANDEZ Bernardino 760-721-8569 4
1408 XXXX OO
1412 XXXX OO
1414 JAVIER Urbano 760-966-0654 +6
RESENDIZ Armando 760-754-1576 4
1415 ● MAGANA Refugio OO 8
1416 ● DONNELLY James OO 4

X S BROOKS ST
1501 ● ANDERSON Daniel OO 8

X ROCKLEDGE ST
1512 ● CHAVEZ William OO 9
1516 XXXX OO
1520 CONTRERAS L 760-754-0250 7
● VAZQUEZ Epidio OO 1
1606 ★ WOMENS CLUB OF OCEANSIDE 760-757-4593 0

X N VINE ST
★ 1 BUS 45 RES 11 NEW

MISSOURI ST 92109 SAN DIEGO

WEALTH CODE 4.2

PACIFIC BEACH AREA

X OCEAN BLVD
624 ● POLSTER William OO 3
626 XXXX OO
628 ★ CAPRI BCH ACCOMMDTN 858-483-6000
632 ● BROWN James OO 9
● CASTELO Tomas OO 0
● DETOMMASO Stephen OO 0
● HOSSEINIAN Alireza 858-581-6766
633 . . . . . OASIS APTS
AGUILAR David M 858-274-7376 3
CLEARY John J 858-483-8621 2
DEWATERS Josh 858-274-8358 4
GREENFIELD Carrie 858-270-6582 2
25 HARRISON Susan R 858-483-7089 9
7 MARTINEZ Jesus Jr 858-270-5364
★ OASIS APARTMENTS 858-483-3335 9
ROZZNIAK Andrew 858-581-0593 2
SCHERE Ian F 858-270-5055 2
SINDLER Tara 858-270-4257 2
VULLO Joseph Edwards 858-274-6395 2
633 . . . .
711 XXXX OO
715 XXXX OO

X MISSION BLVD
818 COLLINS Hamilton P 858-273-5464 8
CROWLEY J M 858-483-8098
MOORE Todd 858-483-4122 3
825 ½ ANDERSON John 858-270-3303 3
827 YOLISH Josh 858-272-1089 +6
828 MCCOLLUM Steve 858-273-8860 2
MEADE Thomas 858-581-6204 +6
829 UMMERER Daniel 858-483-3512 4
830 JADIN Kyle 858-270-3518 1
JIMENEZ Gus 858-270-5603 3
PEDDYCORD Ryan 858-483-9140 3
RASCH Michael 858-272-9166 3
831 MILLER David 858-483-0797 3
834 HALE Christin 858-581-1618 4
835 HAFEN Lance D 858-274-1535 2
836 LOUGHRAN Maureen 858-274-4593 4
838 XXXX OO
840 GIBSON Stephen 858-270-1162
844 XXXX OO
845 OMAHONEY Courtney Patrick 858-731-2705 +6
● SHANK Jh 858-274-4368 2
● SHANK Ml 858-274-4368 2
846 XXXX OO
847 BRIDGES Kona 858-270-9983 3
B ● BRUCK Jeffrey OO 3
A ● DOTSON Frank OO 3
C ● LIPSEY Ryan OO
SHARP Craig W 858-483-8155 +6
C THOMAN David 858-270-6185 3
848 PEPONIS C H 858-483-8097
849 XXXX OO
850 XXXX OO
851 XXXX OO
852 XXXX OO
854 WHITE C 858-483-4857
856 LARROULET J M 858-483-8246
857 ★ CALIFORNIA DREAMIN' 858-272-8013 2
859 XXXX OO
860 . . . . . APARTMENTS
H FREED Jessica 858-274-4127 4
GOLDBERG Adam 858-490-4602 3
KREIS John K 858-270-9385 2
PROCHNOW Garrett 858-483-1734 +6
RODRIGUEZ Allen 858-483-4949 3
860 . . . .
861 DEGEN Lauren 858-490-1375 4
KIM Jamie 858-274-8242
863 RHODEN John 858-483-2684 4
865 DEBOST Jerome 858-270-0647 3
867 SACKETT Jevin 858-274-7974 3
869 XXXX OO
870 . . . . . APARTMENTS
GASTON Kristina L 858-274-0950 3
GASTON Kristina L 858-274-0970 3
LLOYD Jennifer K 858-274-0920 3
MALAVE Daniel 858-273-6939 3
NEEB Trevor 858-274-9149 3
UYEMURA Jeff Y 858-483-0433 8
870 . . . .
871 BROWNE Peggy 858-490-6287 4
MILLS Elsie 858-274-1194
875 ○ JAMES L B 858-483-5844 9

X BAYARD ST
904 ● ALANIS Rita OO 0
911 ALEXANDER Dorothy 858-483-6926
CLARK Keiko Negishi 858-270-5872 8
VAUGHAN Amanda L 858-483-6041 3
912 XXXX OO
914 BREWER Marshall 858-274-5619 4
917 ● TARVIN James OO 4
920 BRIZ Ray 858-272-4035 2
921 GUTIERREZ Cesar 858-273-4368 3
922 XXXX OO
924 XXXX OO
926 MCMANUS Kinsey 858-490-1253 4
PEARL Erik A 858-273-8239 1
927 BENTLEY Millie D 858-273-5320 4
928 COLLINS K 858-483-7717
COLLINS K 858-483-7732
GARCIA Z 858-270-8729
929 ● CULL Jason OO 1
930 CHICKOWSKI Ericka 858-270-1105 4
931 WOJDOWSKI Joe N 858-273-6961 2
935 CALLIHAN Jon 858-273-0073 2
936 LIZOTTE Leo 858-483-6296
938 XXXX OO
941 SHAMUS Tracy 858-273-3686 3
943 MILLER Dan 858-273-2103 +6
947 XXXX OO
951 CUMMINGS Karen A 858-270-6410 9
ROUNTREE Matthew 858-274-8880⊕ 3
953 CROSIGNANI Viera 858-274-3965 +6
HAGOPIAN Chris 858-273-1792 0
960 XXXX OO
962 XXXX OO
964 XXXX OO
976 DEWAVIN Florence 858-483-4093 4

X CASS ST
1001 ★ ST BRIGID CATH CH CCD OFC 858-483-3032
1038 ● EPPS Charles OO 0
1040 HAWTREE Stefanie 858-270-4328 3
1042 LEWIS Dayna 858-273-3983 3
1044 JONES Hollis W Jr 858-272-0507
1045 CONNELLY Mary 858-483-4248
1047 XXXX OO
1050 ALLEN Jennifer L 858-272-5108 2
JOHNSON Alicia 858-274-2071 4
1052 BETTENCOURT Jennifer 858-270-4694 4
1053 ● LIGHTBOWN Lynn OO
1057 SHAHEEN Christen 858-483-4066 2
SMITH Daniel 858-273-3559 4
½ SERENO S 858-581-9341 4
1059 ○ SEELIG Adam 858-273-4992 1
1061 SHEPPARD P 858-273-6595 4
1062 ELLIS Nicole 858-483-4159 4
● WHISENANT John OO 7
1064 BACHMAN William D Jr 858-270-8554 3
CROSBY J 858-270-2376 +6
1065 XXXX OO
1066 SCHNEIDER Hope 858-270-3176 4
1066 EMERY A 858-270-5087 2
1069 CODELUPPI Simone 858-272-9357 2
1073 SLOAN Ashley 858-581-6406 3
1078 XXXX OO

X DAWES ST
1104 MCKILLOP Benjamin 858-272-3722 4
1105 ★ RANDY'S UPHOLSTERY 858-483-9649
1115 HEINICKE R L 858-483-2280
1119 ● BIRSE Alan OO 7
1122 BEINTKEN Hartmug H 858-490-4654 2
1127 ● SMITH Bryan OO 0
1128 GORDON Bruce 858-272-1782 3
1136 ● STEER B A 858-270-9948⊕ 3
1137 NELSEN Jack C 858-483-2080
1144 ● HAYWARD Rachelle OO 4
1145 ● LOOMIS Allan L 858-483-4345
1151 ● PEDDYCORD Ryan OO 3
1152 ● FRAGA Paul OO 7
1158 ● ALLEN Darlene OO 4
1159 MOORE Edwin W Jr 858-483-4519
1175 WEGEMER Donald E 858-483-4288

X EVERTS ST
1203 ● LABETA John M 858-270-0651 9
1204 ● ANTONINETTI Maurizio 858-273-8896 1
1211 ● RYAN Joe OO 0
1212 BYRD Ronald 858-272-7295
1219 ELMORE John 858-273-8487 3
1220 ● BULGER William OO 4
1228 ○ HANSON D 858-270-4283
HANSON Mary K 858-272-6239
1229 YOST Dennis R 858-272-6046
1236 ● KASHIMA Kennon OO 7
1239 XXXX OO
1244 ● SOVINSKY Douglas OO 9
1247 ● BERRY Charles OO 3
1252 ● KIDD Declan OO 8
★ PAC BEACH ELECTRIC 858-483-9201
1255 ARNESON Matt 858-490-1326 4
● HALLMAN Tina 858-272-8250
1262 ● MIUCCI Luigi OO 0
1266 ● BELGER Mark OO 0
1271 ● SULLIVAN Mark J 858-273-4804
1276 PEARSON H 858-272-6048
1277 ● GRAY Dan OO 2

X FANUEL ST
1303 ● SHOEMAKER Randy 858-272-8639 4
1304 ● VACZEK Adam 858-581-1876
1311 ● KEMPHAUS S C 858-272-6408
1312 ALTRUSA C 858-274-9561 8
● MCNAMARA Jas P 858-272-0232
1320 ● SHAULIS Eugene OO 0
1327 ● GERRAN Anthony OO 3
1328 ● WEGNER Wayne F 858-483-2915
1335 ● CAIRNCROSS Sharilynne OO 4
1338 ● JOLLEY Walter OO 9
1341 ● BARANCIK Fabiola OO 4
1344 ● CALLAHAN Evette 858-483-1665 7
1351 XXXX OO
1354 ● MARLATT Thomas OO 7
1364 ● ADLER Jeremy OO ⊕ 2
1370 ● BUSBY Michael OO ⊕ 0
1375 ● ERWIN Lloyd OO 3
1376 ● SCHWDERKE Veda OO 7

X GRESHAM ST
1404 ● CANNON Katherine OO 4
1405 DOUGHERTY Donna J 858-272-8988 3
● JESSEN Evan OO ⊕ 0
1413 RHOADES Bret 858-483-9434
1414 NOVAK Frances 858-272-6240
1415 SMITH Andre 858-273-1089 4
1420 TURMELL Joe 858-273-4895 2
1423 ○ MARQUEZ Carol 858-273-8942
MARQUEZ Carol A 858-274-7908
1430 ● GOEDMAN Robert OO +6
1433 MCKERLIE W E 858-272-6932
1436 DRIVER M Erin 858-483-8858 3
● MCGOLDRICK Patrick OO 2
1439 ● MADUSKA Donald A 858-272-6157
1444 ALDRIDGE Jack 858-272-7994 3
1446 PEPLER Lindsay 858-272-2878 4
1452 FONTES Nancy A 858-273-6614 2
1454 MOSCHETTI Olivia 858-274-4629 3
1455 . . . . . APARTMENTS
8 BARRY Stephanie 858-483-9119 3
DAUOD Leyth 858-274-7803 4
ENGWER Jamie A 858-273-3493 3
MASTROSANTI Nicole 858-270-9751 2
THORNTON-BROWN Julia 858-270-3996 +6
1455 . . . .
1456 ½ SELLEN Jennifer 858-581-3751 +6
1461 . . . . . APARTMENTS
1 ASHTON David 858-272-7915
7 MACSALKA Caroline 858-272-3370 +6
OLSSON Erika N 858-483-4031 2
RIOS Joy 858-272-5123 3
SEPER Stephen 858-272-9486 1
TRUESDELL Timothy 858-272-2033 3
1461 . . . .
1462 XXXX OO
1464 LINDEN Eva 858-483-5141 +6
WATSON Monique E 858-270-0874 4
1468 . . . . . APARTMENTS
CUMMINGS Christian 858-273-3497 1
HANSON Andrew 858-274-7392 4
HUMMEL Jerome 858-483-3941 3
7 LEHMANN Alfred 858-273-7758
4 RUTCHMANN Sophie 858-272-9886 4
1468 . . . .
1476 A HARNER Michael 858-274-4029
HARNER Patrick 858-274-1025
● PELOT Troy OO 3
● RAHN Kenneth OO +6
1478 B ● MIGNOGNA Jeff OO 3
A ● SPRADLEY Geoffrey OO 4
1479 . . . . . APARTMENTS
BOSWORTH Mark 858-272-9694 4
KAPLAN Paul 858-272-2985 3
I LONGLEY Terry A 858-270-7270
MCCOY David 858-270-5727 2
NINO Randy 858-490-8039 2
B TITCOMBE Jeff 858-581-2241 7
1479 . . . .

X HAINES ST
1502 ● BERMAN Ellen OO 3
1505 CLARK Matthew 858-483-2096 1
1508 GONZALEZ Oscar 858-731-0695 +6
MADIGAN Claire 858-483-5604 2
1511 BULLOCK T 858-272-6790 +6
1513 HORN Katie 858-274-9024 2
1515 XXXX OO
1516 GREGG Holland 858-274-8977 3
KRUEGER Sarah 858-273-2807 3
LAVERY Tracey 858-483-4760 2
1519 SIMPSON Aishling 858-272-4385 3
1524 BEAGLE Ronald E 858-274-5037 1
LANDRY Wm J 858-272-2871
MOLL Holden F 858-273-2975 1
1531 ● CURRY Thomas OO 0
EVENSKAAS Sarah 858-270-6794 8
● LEWIS Paul OO 8
● ROSENFELD Nancy OO 3
1534 PENICK Jeffrey 858-490-1304 3
1537 CARTER Sean 858-581-6764 2
HARDINGE Jeep 858-274-8768 3
1538 C PERBIX Cory A 858-581-0437 9
TEZAK Joseph E 858-581-3726 4
1544 WOJTKOWSKI Dave 858-272-2564 +6
1547 HANDY Kyle 858-274-4118 4
1550 SCHMIDT Lindsay A 858-274-5943 3
1552 HELZER Kimberly 858-273-3676 4
1554 MCDONALD James 858-272-5718 4
1556 VIRMONT Jenny 858-270-1027 4
1558 MYERS Stephanie 858-270-3411 3
MYERS Stephanie 858-581-1493 3
1560 XXXX OO
1561 MOWAHED K 858-483-5942 4
1564 TRIETLEY Timothy 858-273-2726 1
1566 XXXX OO
1567 CLARK Tucker 858-273-7078 3
1568 XXXX OO
1572 DEVREEZE Jessica 858-483-3421 3
1574 JIMENEZ Blanca 858-273-2728 4

X INGRAHAM ST
1617 ELLEDGE Jaime A 858-581-6989 3
1623 ● BUECHEL Robert OO 4
1631 ○ TRUP Lorraine 858-273-9439 8
1632 ROGERS J G 858-273-8414
1633 HERNANDEZ Javier 858-483-5328 1
1640 COLLINS Isabel 858-272-5341 4
1641 ● GOLDAU Konrad OO 4
1642 COLLINS Thos 858-273-9935 4
1650 ● GUNN Karey OO 0
1651 LASHCHUK Kathy M 858-273-2403 4
1657 ALLEN Margaret 858-270-9349
BRIGMAN Elizabeth 858-581-1002 4
MARKOWITZ D 858-272-4182 3
MURPHY Emily 858-274-3109 4
1658 BEDSTONE Wilma 858-274-2626 4
MILLER Brett 858-581-6910 3
1661 ● CALLAHAN Robert OO 3
JOHNSON Dennis D 858-273-0187
1663 XXXX OO
1665 ● NORRIS Wm S 858-272-3954 1
1666 ● SKINNER Steven OO
1667 CURTIS Gregory S 858-274-8613 8
● MARKSON Michael OO 0
1671 ELMORE Leah 858-274-7189 3
LOEFFLER Markus 858-483-3310⊕ +6
1672 CUCURULL Robert 858-483-3086 4
OJALA K 858-272-3507 1
STEVENSON Gary 858-483-5730 3
1673 AMENT Samantha C 858-483-5099 3
ANDELL Ylva 858-483-2431 3
LOVEGREN Tomas 858-483-2431 3
RICHARDS Jason C 858-272-5843 1

X JEWELL ST
1713 HERMSMEYER Heidi 858-273-1249 +6
1715 GALLAGHER Kristy 858-731-2910 +6
PAGE T M 858-273-9021
1718 HORN Wm G Jr 858-273-8979
1723 XXXX OO
1726 XXXX OO
1730 ○ MATTA Rodrigo 858-274-4774 9
1732 MEJIAS Luis 858-274-1571 2
1734 XXXX OO
1736 STEINHILBER Scott 858-483-2446 4
1738 SCHROCK Sarah E 858-581-2313 3
SETTLE Sara 858-274-4178 4
½ WALLACE Kerrie 858-273-5099 4
1740 NICHOLS J 858-270-7523 4
1742 ★ BIRCH PHOTO FSHN COMRCL&PORTRT 858-270-7745 3
1743 BARRY Jim 858-273-8263
1747 RAASVELD Roberta 858-274-4488 4
1748 XXXX OO
1757 LOCKE M 858-272-5082
1759 MCLEOD K 858-731-0968 +6
UNRUH Sasha 858-274-9242 1
1761 XXXX OO
1763 GULLBERG Frederick 858-731-0854 +6
WEIR Jason 858-581-6090 +6
1764 HARRIS Ronald E 858-273-7808⊕
1765 XXXX OO
1767 XXXX OO
1769 ● SCHIPA Brian 858-483-8479 3
1773 ● JOHNS Curtis OO 0
1774 B ● HIVORAL Raymond OO 4
● MOORE Arthur OO ⊕ 3
PEARAH Monty 858-272-8293 2
1775 XXXX OO
1776 D ANDREWS George 858-272-2177 3
● CORDRY Scott OO 4
● ROBINSON George OO 0
1777 ● HOUCK Bernard 858-272-6419 7
1779 ● WINN Tina 858-270-7005 4
1780 DEVOSS Julie 858-272-1802 4
HENDRICKS Sean 858-273-7821 4
1781 ● COONAN Bonnie R 858-483-0323 3
1782 DUSZYNSKI Andrea 858-581-5076 3
1783 ● HAINES Thomas OO 0
1785 ● HIDALGO-DEL Rio OO 0
1787 ● MONACO Joseph OO 0
1788 A ● GORALNIK Julia OO 3
B ● MENDOZA Raymundo OO +6
1789 ● BACA Alan OO 0
1790 GOLDMAN Phillip H 858-581-0885 2
B ● ROMING Dorothee OO 4
A ● WITKOWSKI John OO 2
1792 MORAWITZ Kevin J 858-273-8058 4
NELSON Troy 858-483-2783 2
1795 ● ADAMS Bill J 858-274-7491
1797 ● ROSEMAN Deborah 858-270-4231 4
THORP Woody 858-274-5195 9
1798 FU Josh 858-272-8870 1
LINSEY Robin 858-270-7025 3
REED Andrew 858-274-0088 3
WALLACE John C 858-274-7541 3
1804 XXXX OO
1806 ○ MORRILL Robert 858-272-7711 8
1807 . . . . . APARTMENTS
ALBERTINE Karen L 858-581-3731 3
CHISMAR Jeff 858-270-9961 1
3 KOROPECKY Sergio A 858-270-9443 2
RODGERS Brandon 858-270-0221 +6
2 SMITH Andrew 858-272-1730 3
TOWSE Carina 858-272-3151 4
WOOD Lori A 858-273-2812 0
1807 . . . .
1815 RIVES Ashley 858-273-4691 4
● SMOOTZ Claude OO
1817 LAWTON Leticia 858-270-7685 4
1819 CANTER Ryan 858-490-1081 +6
1821 ● PASQUA Geoffrey OO 0
1822 PINE James 858-273-1181 2
1826 MCELWEE Allan 858-483-9874 1
1827 PHILLIPS Cortni 858-274-7671 3
1828 ○ ENYEART Jason 858-272-3624 8
1830 WHITNEY Kristen 858-270-7551 4
1831 ● IRISH Mark OO 1
1832 MCCORMICK Joshua M 858-490-4201 2
1833 ● CORDA Craig OO 4
FLEMING Lani 858-483-8071 4
REMILLARD Priscilla 858-270-9212 3
1835 ● FIELD Andrew 858-274-4590 1
1837 ● GAFFNEY Carter OO 4
1838 ACCIARI Stephen 858-273-7071 1
FOWLEY Jack 858-731-1392 +6
1839 KNOWLES Curt 858-273-5293 9
KNOWLES Curt 858-273-5292 9
● LEZAMA Alfredo OO 4
1840 ½ WYTE Joshua 858-272-9518 4
1841 ANDREWS Jenny 858-581-1305 4
● MCLAUGHLIN Amy OO 0
1843 ● GERTSCH Tracy OO 0
1845 ● WOLFE Stephen OO 8
1847 LITTLE Aaron P 858-270-3802 4
PERRY Luke 858-731-1801 +6
1854 WILKIE Robert 858-273-3709 +6
1855 ★ LEOTTA GLORIA 619-275-3529
● LEOTTA Gloria OO 4
★ MARY KAY COSMETICS INDEP SALES 619-275-3529 8
1857 ● TRAINER Richard R 858-274-5099
1859 ● BANIA Ofelia OO +6
MACY Christopher 858-581-6149 2
1860 ● BISHOP Steven OO 4
● FUCHS Anne OO 3
● MANNIX Paul 858-483-7452
NIKOLICH Tad 858-273-0011 3
SANTIAGO Caroline 858-272-7630 2
● STEVENS Joseph OO 1
1861 ● BANIA Jeffrey OO 8
KRUMENACKER Paul 858-483-5939 3

X LAMONT ST
1909 ● KEENAN John OO 0
1919 ● REAM Christopher OO 0
1922 YEE J 858-270-7481 2
1923 ● WRIGHT Charles OO 0
1924 SMITH Scott A 858-581-9464 2
1926 HELMS P 858-581-6529 9
● WADSWORTH Suzanne OO 4
1928 ● PEARLMUTTER Matthew P 858-272-4515 2
1929 ● ALEXANDER George OO 0
1930 ● SVAJDA Thomas 858-272-9626 4
1932 COBB H 858-273-3623 +6
MAMACONANIAN Alex 858-483-6318 2
MONTGOMERY Don 858-731-1894 +6
1934 ● ALLOWAY Michael OO 4
● ASH Nathan OO 4
● GENTILUOMO Anna OO 4
● JOHNSON Marcus OO 4
● LOPEZ Angela OO 3
● MENDLEZ Rick 858-270-4418 7
● MITCHELL Scott K 858-483-5765 3
SINDONI M 858-581-1870 4
1936 ● BARANOVSKAYA Svetlana OO 0
1938 ● DEMED Christine OO 4
SMITH Jason 858-270-7465 4
1939 EYRES Roger W 858-274-0679
1940 BAUSCHKA Christopher 858-274-6057 7
BUASCHEA Chris 858-274-6057 1
1941 LYNCH Kevin 858-483-5235 4
1942 BAUGHMAN Thomas G 858-272-7403 +6
● HOEFER Kelly OO 4
1944 ● BELOTE Ramona OO 0
1946 ● NEWBERRY Kent OO 4
1948 ● VAUGHN Jeff OO 4
1950 ● NORRIS Elwood OO +6
1952 ● DENOME Jesse OO 1
1954 ● FATTAH Ali OO 4
1955 ● MORLEY Thomas OO 1
USBORNE Scott 858-273-5768 3
1956 ● MCCALLA Lonny OO 7
1958 ● BENSON William OO 2
1959 ● CLAUSSON Glenn M 858-274-2148
1962 ● BIRKLAND Michael J 858-273-4593 4
GILMER Todd 858-273-9391 1
1963 ● MONROE Bryan 858-270-8862 4
1964 SUTTON Dustin 858-273-5015 4
1967 ● YOUNG Faye OO
1968 CAUSEY Christopher 858-273-7729 1
OBLACK Summer 858-581-6891 2
1970 CAMBELL Richard 858-272-5563 2
1971 ALBER Peter 858-272-0132
1974 ● THURMAN Alan 858-272-8726 7
● THURMAN Alan 858-273-3137 7
1975 SINELII Gary 858-273-5018 4
THOMAS Tamara 858-273-3047 3
1976 ● ANIUNAS Virginia DO 4
GEIGER Alisa 858-272-3916 +6
1978 ● POWERS Kenneth OO 4
1980 CUADLE Bill 858-270-1233 9
IRELAND Lisa 858-270-1233 9
2001 XXXX OO
2002 . . . . . APARTMENTS
2 ● DIAZ Monica OO 0
15 ● DUNN Nancy OO +6
11 ● ESPINOSA Ernesto OO 4
● EVANS Gary OO +6
GERHING Jennell 858-273-2280 +6
6 ● JACOBS A 858-273-7671 4
7 ● JOHNSON Nathan OO 4
1 ● LYNDERS Christine 858-581-3293 4
16 ● MAGILL James OO 4
5 ● ORTH Robert OO 4
● PANTUSO Mario OO 4
● PARKINGTON Aaron OO ⊕ 2
9 ● RUMERMAN Joel OO 4
12 ● RUSIGNOLA Michael 858-274-9205 4
14 ● TURKENICH Maxim OO 4
WORTHINGTON Eric 858-270-2351 3
2002 . . . .

X NOYES ST
2101 ● WARREN Bruce 858-273-3938 0
2111 BISHOP Jalsa C 858-274-5978 0
● FEIGHAN Mark 858-274-4454 3
2114 ● GARCIA Basilisa OO ⊕ 0
2119 WHALEY Kathryn B 858-273-1670
2127 ● CUNNINGHAM Kevin 858-272-4537
● CUNNINGHAM Kevin 858-273-5382
2128 ● TASSONE Francesco OO 0
2135 ● ORTIZ C 858-483-1928 4
2140 WAGER Walter 858-274-2358
2143 ● NELSON Brian 858-273-0656
● NELSON Harold C 858-273-2619
● NELSON Warren 858-273-0656
2148 NYGREN John 858-273-2247 3
2152 SCHOOLCRAFT Susan 858-270-0916 3
2155 ● FATTAH Ali 858-274-8251 3
2166 ● STAATS Gary 858-483-5309 9
2169 NORTON Tom 858-272-5668 3
2176 EGAN Jared 858-272-8473 +6
WESTBROOK David 858-274-4407 8
2177 XXXX OO

X OLNEY ST
2205 XXXX OO
2226 HAMILTON Nick 858-273-8831 1

X BETTY ST
★ 9 BUS 518 RES 39 NEW

MISTLETOE LN 92011 CARLSBAD

829 ● DORSCH Steve 760-930-0729 0
830 XXXX OO
831 ● EDWARDS Lynn OO 9
832 ISAACS Jennifer 760-579-0873 +6
● NOVOA Jose OO 0
833 MARKOVICH A 760-930-9475 8
● SANDS Barbara OO 0
834 ● ROEMER Leecia OO 8
835 PEARMAN Helen 760-438-8418
836 ● DORIGATTI Massimo OO 3
839 ● HUNT Roger OO 2
840 ● WAGNER Marlene 760-931-0671 1
● WAGNER Marlene E 760-931-0592 1
842 XXXX OO
843 XXXX OO
844 REED Thomas B 760-931-1578
845 ● FEINMAN Harvey OO 0
846 ● WEINBERG Laurie 760-931-0174 0

X CARNATION DR
★ 0 BUS 18 RES 1 NEW

MISTLETOE ST 92083 VISTA

WEALTH CODE 4

X TYLEE ST
406 ● BLACKBURN Stephanie 760-724-4424 3
412 ● LUNA Mariano 760-945-4952 +6
415 ● MCDANIEL Perran OO 3
418 ● BATEMAN Walter OO 2
424 ● GANN Shannon OO 0
427 ● DEWITH Jason OO 0
430 MYERS Robt H 760-724-3941⊕
431 HORST Harry F 760-726-2481
435 ● VALDOVINOS Ben 760-726-2331
436 ● STRUNK Robert OO 0

X PALMBARK ST
509 ● MORALES Joe OO 0
510 XXXX OO
517 XXXX OO
522 ● MENDOZA Rene OO 4
534 XXXX OO
606 ● PEREZ Maria Delpilar 760-732-0261 0
614 ● MOORE Kellon OO 2
620 ● CHINO James OO 0

X CAREN RD
★ 0 BUS 18 RES 1 NEW

MISTRAL PL 92130 SAN DIEGO

WEALTH CODE 9

4353 ● SKEEN D C 858-792-0418⊕
TELLEZ Robert R 858-509-3925 4
4354 ● BELL Jon D 858-792-4010 7
4361 ● CUNNINGHAM Jennifer OO 2
4364 ● ZELAZNY Leonard OO 1
4371 XXXX OO
4374 ○ KELLY Ray 858-793-0130 9
4379 ● LETAVIC Michael OO 4
4384 ● ROSENBLUM Dawn S 858-523-0411 2
4387 FEITELSON Jerald 858-755-3603
4394 ● IDEKER Trey G 858-720-1974 4
4395 ● SHIEH Chih OO 0

X FUTURA ST
4403 ● EAVES Lawrence OO 0
4409 ● PARCHER D 858-794-5434
● PARCHER L 858-794-5434
4410 ● SHADYAB Mehdi OO 0
4415 ● TANDBERG Gus OO ⊕ 9
4416 ● TUCKER Arthur OO 8
4421 ● MARCELLI Mark 858-793-7630 4
4422 ● CALDWELL Jan OO 8
4427 SCHROEDER Tom 858-259-8670 +6
4428 ● LIN Chen OO 0
4433 ● GOLDMAN S M 858-509-9959 4
4434 ● GAHAVAGLIA Marco OO 8
4439 ● SALAVATCIOGLU Kadri OO 8
4440 ● CASLER Michael OO 4
4445 KOEHLER Craig 858-792-0429
4446 ● RUDENBERG Murray OO 8
4451 ● SHOOB Linda OO 3
TROYCE Laura 858-509-0760 4
WHITTEKER C 858-794-0181 4
4452 ● DRCHANIAN Susan OO 8
4460 ● LORENTZ Barbara OO 0
★ 0 BUS 33 RES 1 NEW

MISTY BLUE CT (98) 92131 SAN DIEGO

WEALTH CODE 8

12204 ● SHEPARD Mark 858-693-3251 9
12212 XXXX OO
12218 ● LINGHAM John OO 9
12226 ● AVILLA Ransom OO +6
12230 ● BOLCH Oscar OO 9
12231 ● DEJESUS R 858-578-7219 3
12237 ● VANNY Russel OO 9
12238 ● NGUYEN Phuc OO 4
12241 ● CLARK Thomas OO 4
12244 ● NGO Chau OO 9

⊕=DO NOT MAIL

TP	Adjoining	Source
-	✓	Haines Company, Inc.

S COAST HWY 2006

714 ★HARBOR HOUSE CAFE 760-722-2254 1

X NEPTUNE WAY
822 KIM Chang Kyu 760-757-1861 3
★MOTEL 9 760-721-0300 9
888 ★COMFORT SUITES MARINA OCEANSDE 760-722-8880 2
901 ISAKOVICH George 760-721-0141 2
★PAC INN OF OCEANSD 760-722-1781 2
909 ★MOTEL 6 760-721-1543 3
★MOTEL SIX 760-721-1168 3
920 ★NAHUM HENDERSHOT 760-421-0331 3
921 ★COAST INN 760-722-6269 7
928 ★CA WELCOME CENTER OF OCEANSD 760-721-1101
★OCEANSD CHAMBER OF COMMERCE 760-722-1534
★SD TOURIST INF CA WELCOME CNTR 760-721-1101 4
★SD VISITOR INF CA WELCOME CNTR 760-721-1101 4
★VISITOR INFO CT OF OCEANSD 760-721-1101 1
936 ★CARROW'S FAMILY RESTAURANT 760-721-8667 8
937 ★LA QUINTA INN OCEANSD 760-722-4235 4
★LAQUINTA INN 760-450-0730 4
939 ★DDAN'S CABARET 760-722-7123 +6
★HUGHES & ASSOCIATES 760-722-7218 +6
★MAIN ATTRACTION 760-722-7123 +6
1009 EDICK Gene 760-439-7859 4
1103 ★GUESTHOUSE INN 760-722-1904 3
1105 ★FLYING BRIDGE 760-722-1151 2
1401 ★OCEANSD TRAVELODGE 760-722-1244
★SD ACCMMDTNS OCNSD TRVLDGE 760-722-1244 4
★TRAVELODGE OCEANSD TRAVELODGE 760-722-1244
1411 ★KRISJON UNFINISHED FURNITURE 760-722-7310
1421 ★PAC ISLAND TRADERS 760-966-0669 4
1429 . . . . . SANDY SHRES TRLR PK
CARDER Clair K 760-433-6619 8
EADIE R 760-722-7854 4
HURTADO Gilbert 760-722-2425
KAY Phyllis 760-967-8535 3
KUBIK Beulah 760-966-0082 4
MILLER C B 760-721-8442
O'NEAL Walter 760-721-8010 9
PARSONS Earl K 760-722-7956
PERRY Frank 760-722-2269
1429 . . . .
1601 ★CHEVRON STATIONS 760-722-5295
1624 DEROUEN Gloria 760-487-1353 4
★ 105 BUS 14 RES 11 NEW

S COAST HWY 92054 OCEANSIDE

WEALTH CODE 3.7

X SEAGAZE DR
101 ★CHECKMATE CHECK CASHING&LOANS 760-433-4014 3
102 ★500 MOTORS 760-722-2777 4
★WESELOH USED CARS OF OCEANSIDE 760-966-5950 8
105 ★EARTH CULTURE 760-721-4434 3
107 ★YARD CARRIBEAN MARKET 760-757-9411 4
109 ★GARAGE DOOR TRANSMITTER'S 760-721-0210 +6
★HILL ST LOCK&KEY 760-722-2674
111 ★YARD RECORDS 760-721-2853 4
113 ★PASTTIME TAVERN 760-722-5968
115 ★THE GAMBLER 760-439-6430 +6
117 ★DICK JANE 760-439-0609 0
125 ★COLLEGIATE PUBLISHING GROUP 760-721-8700 4
127 ★TACTICAL ASSAULT GEAR 760-722-4172 4

X TOPEKA ST
131 ★UNISEX HOUSE OF STYLE 760-967-9483 7
133 ★DOLPHIN HOTEL& APTS 760-722-7200

X W TOPEKA ST
202 ★LOS PANCHOS TACO SH 760-722-9602
205 ★LIBERTY MOTORS OCEANSIDE SALES 760-433-5667 0
208 ★THE WHEEL STORE 760-967-1336 1
215 ★CALIF RURAL LEGAL ASSISTANCE 760-966-0511 0
★CALIF RURAL LGL ASSSTNCE FNDTN 760-433-4085 0
★FERGUSON XPRESS 760-433-8653 4
★WALLENIUS-MARGOLIS RENA ATTY 760-757-3356 1
222 ★HOMETOWN MOTORS INC 760-722-9700 +6
226 ★ALPHA AUTO SALES 760-439-4101 +6
★HUTTER MOTORS 760-721-7736 4
228 ★OCEANSD MUSIC SUPPLY 760-722-5314
229 ★OCEANSD TRANSMISSN UNLIMITED 760-722-7176
★OCEANSD TRANSMISSN UNLIMITED 858-350-5911
★WILLIAMS TOWING 760-639-1111 3
232 ★BESSIE'S CAFE 760-967-9371
234 ★BDS TACTICAL INC 760-722-0004 +6
★SPECIAL OPERATIONS EQUIPMENT 760-722-0004 9
236 ★WHITLOCK INDUSTRIES 760-754-2021 +6
242 ★ACE SMOG 760-721-8484 3
263 ★FREEDOM FURNITURE& ELECTRONICS 760-757-5555

X MICHIGAN AVE
303 ★PRO CUSTOM 760-435-1222 2
305 ★DIGITAL AUDIO VIDEO 760-722-8711 9
★ELECTRNC DISCOUNT CENTER 760-722-8711 2
309 ALVAREZ Jesus Rodriquez 760-722-8123
★ANITA'S RESTAURANT NO 2 760-722-6323
GUERRERO Daniel 760-231-5127 +6
RAZO Jose 760-439-9285 +6
310 ★MASSAGE WEST 760-722-2330
WEST Lynn 760-754-9987 4
316 MARTINEZ Albert 760-231-6469 4
319 ★MONEY STOP 760-754-1111 4
321 ★AAA PAYDAY ADVANCE 760-721-7293 1
★MONEY GUY THE 760-721-4444 4
★THE MONEY GUY 760-721-7293 1
322 ARTHUR Scott T 760-754-9800 0
ARTHUR Scott T 760-722-2200 0
325 ★BEAUDRY'S COMPLETE AUTO REPAIR 760-722-1685
★OMNI MILITARY LOANS 760-435-9990 1
328 ★PIERSIDE AUTO SALES 760-722-5804 4
332 ★COASTAL AUTO SALES 760-722-1256

X MISSOURI AVE
404 ★JOE'S CREDIT FURNITURE 760-722-2000 0
409 ★TOYOTA OCEANSD 760-283-1600 +6
★TOYOTA OCEANSD 760-433-3237 +6
420 ★OCEANSD AUDIO 760-433-0072 4
★QUANTICO ARMS & TACTICAL SPLY 760-721-6666 +6
421 ★LEADING EDGE INSURANCE SERVICE 760-433-5196 8
★PEOPLE'S CHECK CASHING&FNCL SV 760-722-4860
423 ★ABOUT FACE TATTOO 760-757-6628 9
425 ★LABOR READY 760-433-4980 9
427 ★NORTH CO CASINO DLR TRNNG CNTR 760-757-6777 4
429 ★DIAMONDS AND PEARLS HAIR SALON 760-721-7017 +6
431 ★RHINO CHASERS 760-757-9283 3
432 ★COASTAL FOOD 760-433-0961 +6

X WASHINGTON AVE
501 ★LEE MYLES COUNTY TRANSMISSNS 760-433-9745 2
★LEE MYLES TRANSMISSNS 760-722-1851 2
★OCEAN AUTO SALES 760-433-5983 3
★OCEANSD AUTO SALES AND LEASING 760-450-0088 3
★SUPER AUTO 760-754-4888 +6
502 ★HOMETOWN MOTORS INC 760-433-4000 2
★TRANS USA 760-433-1600 4
510 XXXX OO
514 ★AUTUMN'S SANCTUARY 760-721-0499 0
★BAMBOO NEEDLE THE 760-730-9300 4
524 ★HILL STREET CAFE 760-966-0985 3
525 ★APRILIA DUCATI OF OCEANSIDE 760-722-7704 2
★DUCATI APRILIA OF OCEANSIDE 760-722-7704 2
★OCEANSD APRILIA 760-722-7704 3
★OCEANSD DUCATI 760-722-7704 3
530 ★GARDNER'S DISCOUNT FURNITURE 760-722-7227 4

X MINNESOTA AVE
601 ★CONTL MOTORS 760-722-1868
★CONTL MOTORS INC 760-757-1758
602 ★OCEANSD MORTUARY 760-722-4264
612 ★TAILS A WAGGIN 760-722-0811 8
616 ●BANIADAM Behzad OO 4
★MISSN URGENT CR & FMLY PRCTCE 760-722-3203 4
617 XXXX OO
618 ★CELLUCOMM WIRELESS INC 760-722-0446
619 BECKEMEYE Rebecca 760-967-7655 +6
MENDEL Joe 760-967-8095
SANPAOLO K 760-439-9557 +6
624 ★A REAL DREAMS PSYCHIC 760-421-0300 3
625 ★DALEY JOHN 760-439-1319 0
★VINTAGE SANCTUARY 760-439-4535 0
628 ★MOHSEN OIL INC 760-757-3586 3
631 ★101 CAFE 760-722-5220

X WISCONSIN AVE
801 ★101 AUTO SALES 760-433-4299 8
802 ★U-HAUL CO 760-967-1251
805 ★GARDNERS FURNITURE GALLERY 760-450-0800 4
★GEBS FURNITURE 760-722-1568 1
820 ★CONSTRN PROTECTIVE SERVICES 760-433-3466 4
825 ★SHOWCASE FLOORS 760-722-2126
830 ★WEST CST PRODUCTS 760-634-3335 4
835 ★GOLDEN'S TELEVISION SERVICE 760-722-6204
★GOLDEN'S TELEVISION SERVICE 760-745-4440
840 ★UNION BNK OF CA OCEANSD OFC 760-722-1631
845 ★LIER'S MUSIC CO 760-722-1317

X W LEONARD AVE
865 ★ADVANCED COLOR COATINGS INC 760-433-5548 8
875 ★ENTERPRISE RENTACAR 760-966-9090

X LEONARD AVE
907 ★MIKE'S LIQUOR 1 760-722-7255 8
909 ★ATTENTIVE HOME CARE INC 760-722-6933 1
★CHONA'S HAIR DESIGN 760-721-3348 4
★JES TAXES 760-529-9825 +6
★OCEAN BREEZE FLOWERS 760-757-8700 3
913 ★SASTERIA Y ALTERACIONES TLRNG 760-721-5526 4
917 ★JORDAN'S UPHOLSTERY 760-722-6662
920 ★101 AUTO CENTER 760-433-4264 2
★AUTOBUYERS PLUS 760-439-5555 +6
★NINA TAILORING& ALTERATIONS 760-757-7560 3
★S & T AUTO BODY PAINT 760-721-6650
923 ★DEL WEBB INSURANCE 760-722-1297 4
★ROBY INSURANCE AGENCY 760-722-1296 0

X WEST ST
1001 ★AZAFRAN CUBAN CUISINE 760-435-0005 4
1002 ★CHRISTIAN HEALING CENTER 760-966-2956 +6
1009 ★101 MUSCLE CARS 760-433-4031 4
1012 ★CUSTOM PROPERTY BROKERS 760-722-1836
★FARRELL ROBERT DC 760-722-1381
★GOMBAR JOHN REALTOR 760-722-1836
★HUDGINS CHIROPRACTIC OFFICE 760-722-1381
★HUDGINS DENNIS DC 760-722-1381
★HUDGINS QUIROPRACTICA 760-722-1381
★KIRBY CO OF NORTH CO SALES& SRV 760-439-4516 1
★KIRCHNER DESIGN 760-721-7400 1
★LAW OFC SHELIA BRYANT TUCKER 760-433-4526 3
★LEGAL EXPRESS 760-433-8747 2
★REALTY MASTERS INC 760-433-6141
★SIGRIST WM C CPA 760-722-1207
★TECKER INSURANCE AGENCY 760-757-3334 4
1015 ★ROWDYS HOUSE OF SKATE 760-450-0085 3
SANDOVAL Joseph 760-433-1343 1

X STANLEY ST
1017 ★REALTOR RICK 760-435-9751 4
1021 ★EVENT EXTRAVAGANZA-TIKILAND 760-757-8454 +6
★OCEANSD MIX MARTIAL ARTS 760-433-8576 +6
1024 ★POTPOURRI THRIFT & RESALE SHOP 760-722-1880 9
1025 ★GLIMPSES IN GLASS 760-439-6200 4
1029 ★OCEANSD APPLIANCE 760-754-8200
1030 ★ALBERTO'S MEXICAN FOOD 760-721-1985
1034 ★JORGE A CASTANO 760-722-7076 2
1037 ★DISCOUNT TIRE CO OF SO CALIF 760-439-8539
★SOUTHRN CA DISC TIRE CO INC 760-439-8539
1060 ★ANGELOS BURGERS 760-757-4064 7

X EUCALYPTUS ST
1101 ★REAL SURF SURF SHOP 760-754-0670 4
★T N T HAIR DESIGN 760-439-4070 3
1105 ★IMMEDIATE MEDIA 858-755-1136 4
SCHEIDEL Mary Ann 760-967-6949 4
1106 ★OCEANSD AUTO SERVICE 760-439-7068 9
★OCEANSD AUTO SERVICE SHOP 760-439-7840 9
★OCEANSD TEST ONLY SMOG CENTER 760-967-6666 9
1107 ★HYTA CONSTRUCTION INC 760-754-2168 4
1111 ★BEST OFFER AUTO 760-754-1254 9
1112 ★BASKIN-ROBBINS 31 FLVRS ICE C 760-722-0654
1116 ★BARKSDALE PROPERTIES 760-722-6161
1120 ★CUSTOM COMPUTER CARE 760-439-2324 +6
1122 ★NEW CREATION CHILD CARE CENTER 760-435-9617 3
1124 ★HAIR AFFAIR BY DENISE 760-757-7854 1
★HAIR AFFAIR THE 760-722-2897 1
1126 ★THE NAILS AFFAIR 760-722-6061 9
1129 ★DIGITAL COMMUNICATION S 760-721-3675 4
★DIGITAL COMMUNICATIONS 760-721-3686 4
★SK'S DONUTS 760-722-0455
★SUPER RANCHITO 760-721-2707 3
★THE BEACH CO 760-722-2578 3
★TJ'S SKATE SURF & SPAS 760-967-7727 4
1151 ★EXPRESS TIRE 760-722-1261
★GOODYEAR EXPRESS TIEE 760-722-1261
★GOODYEAR SERV OLR OCEANSD 760-722-1261

X OCEANSIDE BLVD
1201 ★RITE AID EXPRESS 1 HOUR PHOTO 760-433-4013 D
1202 ★TJ AUTO BISTRO OCEANSD 760-721-6870 3
1220 ★ALAN'S BIKE SHOP 760-722-3377 8

X GODFREY ST
1303 ★WALT-BILT TRANSMISSNS 760-722-7007 1
1317 ★BODY PIERCING BY TRACY 760-721-9100 1
1319 ★HYDROBREW 760-966-1865 4
1401 ★BOWLERS DEPOT 760-967-2020 8
★LASER STORM 760-721-3907 2
★SURF BOWL 760-722-1371
1403 ★ECLIPSE APPAREL MANUFACTURING 760-450-0341 4
1405 ★WALKER DICKIE 760-450-0616 4
1425 ★MOTOPRO 760-433-4333
1426 ★OCEANSD IMPORTS & VW 760-722-6203
1434 ★WESTCOAST TIRE & WHEEL 760-722-5686 9
1501 BLAKELY Debra D 760-439-5292 3
★SECURITY PBLC STRG OCEANSD 760-722-8700 7
1510 . . . . . APARTMENTS
BAYERS Melba 760-721-3516 1
DAVENPORT Debble 760-757-5833 +6
FOX Christina 760-966-1523 +6
GILBERT Guy F 760-754-8680 8
GOINS Dolly 760-439-1617 +6
HAUGEN Timothy 760-433-1090 +6
JOHNSON John W 760-435-1303 3
KUTCHER Roberta R 760-439-8023 4
LONG Ronnie 760-435-1039 2
MANSFIELD Stephen 760-967-4277 +6
NARROW Earl 760-435-9289 +6
★OCEANSD RV PARK 760-722-4404 2
OWEN Jack 760-757-7523 4
PORTER Bill 760-439-9417 4
SMECK Robert M 760-433-3740 +6
SOLAK Tom 760-722-7336 +6
TRASK Patricia 760-967-7207 +6
WELCH Michael 760-966-0570 4
WERWEE Robert 760-721-6757 4
WOODS Laurie 760-721-2087 +6
YOUNG Brandon 760-439-2388 4
1510 . . . .
1512 ★NORTH CO AUTO BODY 760-722-0250
1515 ★AUTOMAN CAR SERVICE 760-722-6852
★OCEANSD SLF-SRVE CAR WSH&DTLNG 760-722-7952
1517 ★SUNSET MARINE 760-722-5817

X CHANNEL LN
1520 ★CERTIFIED AUTO SALES 760-722-3000 4
★NORTH CO AUTO SERVICE 760-721-2901 2
★VISTA MOTORS 760-722-1216
1521 ★FIDDLER'S GREEN YACHT YARD 760-722-7339
1523 ★B & R BUGGIE SHOP 760-722-1266
★OCEANSD FOREIGN AUTO REPAIR 760-722-7712 0
★TRU SALES DEVELOPMENT 760-433-5041 8
1525 ★ACE WELDING 760-722-2588
★ACE WELDING 760-722-1156
★ACE WELDING 760-722-1525
1531 ★MOORCO AIR CONDG&HEATING INC 760-722-1541
1533 ★CALSTATE ABRASIVES 760-757-9175 +6
★COAST LOGISTICS 760-433-8783 9
★NO LIMIT SK8 BOARDS 760-450-0594 4
★NO LIMIT TRANSPORTATION 760-450-0042 4
★RAMPART REALTY 760-722-1608 3
★TROPICAL VSNS SRFBRDS&SCRN 760-433-8353 +6
1537 BERENS Beverly 760-433-8170 +6
GILLUM Betty Jo 760-433-9719 4
★PARADISE BY THE SEA RV PARK 760-439-1376
PEEK Edward 760-439-0512 4
1540 ★GARY'S AUTORV SERVICE 760-722-4800 9
GIBSON Gary 760-721-4800
★LEFT COAST KUSTOMS 760-722-4334
★OCEANSD BRAKE 760-722-6600 8

X SHERRI LN
1550 ★LA SALINA MOBILE VILLAGE 760-439-8422
SHIELDS Lewis 760-722-1351 1
1555 ★BIGGS HARLEY DAVIDSON SHOP 760-433-2060 4
★HARLEY DAVIDSON NORTH CO 760-433-2060
★HARLEY DVDSN NRTH CO 760-433-2060
★HARLEY'S HOUSE OF HARLEYS 760-433-2060
1575 ★OCEANSD COLLEGE OF BEAUTY 760-757-6161

X MORSE ST
1602 ★BOB'S CARBURETORS 760-722-3119 +6
★COAST MACHINE& REPAIR 760-967-6628 1
★KANEHAILUA SMOKEY 760-433-9770
★LSI AUTO 760-433-9772
★MAUHILI AUTOMOTIVE RESEARCH&SV 760-439-9314
★SMOKEY'S ATO PARTS SPD & MACH 760-433-9995
★SMOKEY'S ATO PARTS SPD & MACH 760-433-9770
★T & T AUTO SMOG TEST ONLY CNTR 760-721-9581 +6
1607 ★HILLTOP MOTEL 760-967-7838 9
1609 ★DUSTY'S GUITAR 760-757-6209
1617 ★OCEANSD CYCLE SUPPLY 760-722-3404
1621 ★HILL ST CAR WASH 760-433-5511
1629 ★SCHNEIDER'S LIQUOR BAIT& TACKLE 760-433-6622 2
★SCHNEIDER'S LIQUOR BAIT& TACKLE 760-433-9604 2
1639 ★KAWASAKI ATHRZD SLS&SV OCNSD 760-433-5464 3
★PAC MOTORSPORTS 760-433-5464
★SUZUKI ATHRZD SLS&SV PAC MTR 760-433-5464
★SUZUKI OF OCEANSD 760-433-5464
1640 ★HAMID AUTO SALES 760-722-2724 4

X WHALEY ST
1702 ★CENTRL ATO BODY AND RPR SHP 760-722-2152
1704 ★SUPERSTAR 99 CENT STORE 760-967-7833 5
1706 ★STAR PIZZA& ITALIAN RESTAURANT 760-722-2541
1707 ★COAST PERFORMANCE & OFFROAD 760-433-5363
★SWTMTS INC 760-433-1514 4
★SWTMTS INC 760-433-5366 4
1709 ★A 2 Z ANTIQUES 2 ZEBRAS 760-450-0071 3
★ANTHONY'S FLOOR COVERINGS 760-966-0087 3
1714 ★AM FURNITURE RSTRTN&CNSRVTN 760-439-9278 4
★COLLECTOR'S ANTIQUE MARKET 760-722-7668 1
1719 ★ESTATE SALE WAREHOUSE THE 760-433-6549 7
1722 ★KGTV NORTH CO BUREAU 760-754-2918 9
★NORTH CO TIMES 760-433-7333 3
★SCOUT THE 760-433-7333 2
1725 ★LEARNING FORUM 760-722-0072
★SUPERCAMP 760-722-4163 8
★SUPERCAMP 760-722-4164 8
★SUPERCAMP 760-722-1830 8
1733 ★HON SUSHI 760-529-0255 4
1742 ★E P & SERVICE 760-433-6711
1743 ★ARIEL'S DANCE 760-722-7021 2
1745 ★MAGNOLIA HAIR STUDIO 760-433-6655
1749 ★SEVEN-ELEVEN FD STRS A DIV OF 760-433-6505

X CASSIDY ST
1813 ★LEMON GRASS RESTAURANT 760-433-1783 3
1815 ★HELPING HANDS HOME SERVICE 760-696-9001 +6
★HELPING HANDS HOME SERVICE 760-757-2347 +6
1817 ★ATLANTIC TRAVEL 760-439-4726
★AUTOMTD FINANCIAL SERVICES 760-721-3307
★ILO ILO BAMBOO 760-757-0894 4
1820 ★OCEANSD INN & SUITES 760-433-5751 1
1821 ★REGISTRY NETWORK INC 760-963-3700 4
★REGISTRY NETWORK INC CORP 760-966-3708 4
1826 ★FRAME HOUSE THE 760-433-5055
1827 ★WAG'S PARTY STORE 760-433-7272 9
1828 ★BELL BLUEPRINTS 760-433-6881
★SNOW WHITE LAUNDRY 760-433-6323
1829 ★BLOCK H & R 760-433-1040
1832 ★BARGAIN HOUSE 760-722-4848
1833 ★T & T NAILS 760-721-4876 4
1836 ★TREASURES ON THE COAST 760-967-4212 2
1837 ★JUNGLETOY LLC 760-721-5088 4
★RUSTIKO ARTE MEXICANO 760-966-0750 4
1838 ★MED-RX DRUG& DISCOUNT STORE 760-433-6232
1839 ★AQUILANO TONY 760-757-1701
★JOSEPH LAMAR SALON 760-967-3878 9
★PHOTOART BY TONY AQUILANO 760-757-1701
1840 ★HAIR QUEST BARBER SHOPPE 760-433-3038

X KELLY ST
1902 ★BEACH BREAK CAFE 760-439-6355
1903 ★BEACH CLUB 760-757-2955 7
1909 ★SURF RIDE INC 760-433-4020 0
1916 ★JOHNSON H FURNITURE 760-433-2828 +6
1918 ★PARRA ACCNTNG& INCOME TAX SERV 760-439-3466 2
★SOCAL KITES & THINGS 760-433-5483 4
1920 ★PERSONAL ATTENTION REALTY 760-721-3921 3
1921 ★OCEANSD FLORIST INC 760-722-1159
1922 ★HOLLYWOOD LOOKS HAIR STUDIO 760-433-5665 4
1925 ★BARTON CONSTRUCTION 760-431-1584 4
1926 ★HILL ST DONUT HOUSE 760-439-7741
1927 ★SPEEDY PRINTING TIS 760-433-4662
★TIS SPEEDY PRINTING 760-433-4662
1930 ★COAST HIGHWAY ASSET MANAGEMENT 760-967-5900 9
★COAST HIGHWAY INSURANCE SERVS 760-967-9595 9
★FARMERS INS-JOE KISH 760-757-6272 4
★MIXONYASUKO 760-721-1600 4
★SHELTER FOR THE HOMELESS 760-966-0393 +6
★WITKIN DESIGN 760-721-1625 4
1931 ★ANTIGUA 760-967-8790 0
★D'CAPELLI SALON 760-433-7771
1933 ★ALLEN ROGERS HAIR DESIGNER 760-433-8242 8
★KADDY MART 760-754-9045 3
★ROGERS ALLEN HAIR DESIGNER 760-433-8242 8
1935 ★BUCK-OO BUCKS ADVANCED INC 760-757-4888 +6
★INFOSEARCH 760-421-1150 2
★INFOSEARCH WIRELESS 760-421-5653 2
★INFDSEARCH WIRELESS 760-966-5005 2
1938 ★OCEANSD CAFE 760-722-7337 1
1942 ★ECONO LUBE N' TUNE 760-757-4000 1
★SMOG CHECK STATIONS 760-757-4000 1
1943 ★GOLDEN STATE GASOLINE OCEANSD 760-439-9659

X VISTA WAY
2001 ★ARDILLO'S CARDS & COMICS 760-433-8591
KETCHUM A 760-757-2003 +6
2002 ★ADVENTURE 16 OUTDR&TRVL OTFTTR 760-966-1700 4
★CARLSBD PADDLE SPORTS 760-434-8686 4
★CARLSBD PADDLE SPORTS 760-433-8264 4
2003 ★PAC COAST CYCLES 760-967-4900 4
2009 ★CREAM OF THE CORP 760-433-2757
2017 ★OCEANSD MOOSE LODGE NO 1325 760-433-6961 3
2020 ★OCEAN BREEZE INN 760-433-2990 3
2027 ★OUTER LIMITS SMOKE SHOP 760-439-7588 1
2028 ★BAMBOO SOURCE TROPICAL DECOR 760-722-1774 +6
2034 ○TRAYLOR Gary W 760-721-9063 7
2035 ★ANGELOS BURGERS SOUTH 760-967-9911

X EATON ST
2110 . . . . . BUILDING
★A ATTORNEY BRAVERMAN JONATHAN 760-439-8788 0
★BOOKKEEPING COMPANY THE 760-757-2692 3
★BRAVERMAN JONATHAN W LAW OFC 760-439-8788 0
★DIRECT HOME MORTGAGE 760-757-8206 3
★FARMERS INS 760-439-9196
★FARMERS INS AGENT 760-722-7400
★FARMERS INS MEEKER GARRY 760-439-9191
★HEALTH INSURANCE AGENCY 760-439-9191 9
★MEEKER GARRY 760-439-9191
★MORTGAGE HELPERS COM 760-439-5243 1
★MORTGAGE HELPERS COM INC 760-421-2600 1
★O'BANNON MARCUS AGENCY 760-722-7400 0
★PAC COAST BAIT & TACKLE 760-439-3474
★PAC SUN PRPRTS DBA MRTGGHLPRS 760-421-4500
★PRO PERFORMANCE SPORTS 760-421-1300 3
★SPINAL ALLIANCE 760-721-7817 +6
★YUMA TRUSS COMPANY 760-757-6597 4
★ZENTIC MICK 760-439-5441 1
2110 . . . .
2124 ●CAMPAIGNE Dan 760-439-6912 3
2126 ●ROSE Frank OO 0
2128 ●SMITH Janey OO 9
2130 ●ATKINSON Sandra OO 3
2134 ●HART Shelia 760-439-9973 2
2136 XXXX OO
2138 ●PETERSON Randy OO 3
2140 ●KRAGNESS William OO 2
2142 ●MCDONALD John 760-967-5875 2
2144 ●HACKBARTH David C 760-722-8851 3
2146 ●GARRIS Stanley OO +6
2148 CHRISTOPULOS N S 760-966-0752
2150 ●ACOSTA Jerry OO 1
2152 XXXX OO
2154 ●SPANSKI Linda OO ⊕ 2
2156 ●MAGNESS Jerry 760-967-4307 3
2158 ●FELLARS Allyson OO 0
2160 ●FOREST Patricia OO 2
2162 ●JOYCE John OO 2
2166 SIMON Ron 760-231-7762 +6
●STRASMANN Gary OO 3
2168 ●VIRENE William OO 0
2170 ○SCHWARTZ Marvin S 760-754-0207
2172 ●DELIS Robert OO D
2174 ●FRANOWICZ Marion OO 9
2176 ●FOX John M 760-722-4323
2178 ●JONGEJAN Dirk 760-433-8212
2182 ●KARR Michael OO +6
2186 ●CALL William OO 0
2190 JONES Jacinta 760-433-0075 4
2192 ★OASIS OIL FIELD RENTAL 760-433-8117 0
2196 ●RYAN James OO 0
2202 ★AUDUBON SOCIETY-BUENA VISTA 760-439-2473
★ 341 BUS 74 RES 48 NEW

COAST WALK 92037 LA JOLLA

WEALTH CODE 5.4

X COAST BLVD
1371 XXXX OO

X PARK ROW
1523 ●NARLA Durgadas 858-459-3704 ⊕ 4
1535 ●TIGLI Hus OO ⊕ 4
1555 ●GRAHAM Ronald OO 4
1585 HAIMSOHN Henry 858-454-0502 4
1590 ●KING Virginia OO 0
1595 ○DOW Betty 858-459-5446 2

X TORREY PINES RD
1599 ●MCCONKEY Erin 858-456-9580 +6
★ 0 BUS 8 RES 1 NEW

COASTLINE AVE 92008 CARLSBAD

WEALTH CODE 7

X SEA BLUFF CIR
4431 ●GENTILE Michael OO 4
4441 ●BAKHSHANDEH Behyar OO 0
4451 XXXX OO
4461 LIOCE Lorenzo 760-729-3805
4481 ●ROGERSON Linwood OO 4
4491 XXXX OO
4505 XXXX OO
4525 ●WHEELER Ernest OO D
4535 ●HUANG Joseph OO D

X PANNONIA RD
★ 0 BUS 9 RES 0 NEW

COASTVIEW CT 92010 CARLSBAD

X CAY DR
3525 ●LEE Kevin OO 4
3529 ●CHRISTENSON Paul Scott 760-730-1816 3
3533 ●HATEFI Azin OO 4
3537 ●WHITESELL Eric OO 4
3541 ●ALLEN Robert 760-434-8177 4
3545 XXXX OO
★ 0 BUS 6 RES 0 NEW

COASTWOOD RD (98) 92127 SAN DIEGO

WEALTH CODE 8

X GOLDENTOP RD
10752 ★CANA CAFE 858-613-7802 4
★IN THE WORD 858-613-7801 4
★MARANATHA CHAPEL 858-613-7800 8
★ 3 BUS 0 RES 0 NEW

COBALT WAY (04) 92057 OCEANSIDE

5150 ●HALEY Steven OO 1
5151 ●RONALDS Christopher OO 0
5154 ●GRAHAM Donald OO 0
5155 ●VOSE Jason OO +6
5158 ●MACASPAC Ressurreccion OO 9
5159 ●BECKER Brent OO 3
5162 STIER Larry 760-439-0353 4
5166 ●BLICKHAN Roger OO 3
5170 ●VICENTE Maria OO 3
5175 ●BURNS Jo Ann 760-721-3190 3
5178 SIGGINS William 760-231-1913 +6
SIGGINS William 760-231-1938 +6
5179 ●HUTCHINS Delano OO 4
5182 ●NUNLEY Terry OO 3
5183 ●JOHN Heinz OO +6
5186 ●HAIRSTON Heidi OO 4
5190 ●SINDELAR David OO 4
5191 ●BRIGGS Reg 760-721-7371 3
5194 ●STANEK Michael OO 3
5195 ●LAROSA Matt OO +6
OLMEDA Betsy 760-231-7383 +6
5199 ●VIATOR Barry OO 4
5202 ●MAIER Stephen OO 0
5203 ●TAPNIO Julita OO 4
5206 ●DELILLE Joseph OO +6
5207 ●HILL Michael OO 3
5211 ●HAMPTON Vernon OO 2
★ 0 BUS 27 RES 7 NEW

COBB CT 92117 SAN DIEGO

WEALTH CODE 8

5265 BARRETT Edw F 858-272-1386
5272 ●BOYER Vlavon OO 8
5275 ●DOWNEY James OO 4
5282 ●SGAMBELLURI Robt C 858-273-3370 4
5285 ●COATES George 858-274-0584 0

X COBB DR
★ 0 BUS 5 RES 0 NEW

COBB DR 92117 SAN DIEGO

WEALTH CODE 8

X COBB PL
4606 ●GREISEN Dana OO 0
4611 XXXX OO
4616 ●RICKARD Grant OO 8
4626 ●PEEK John OO 8
4635 XXXX OO
4636 ●LEWIS Terrance 858-272-3859 0
4645 ●CHARTERS Devin OO ⊕ 4
4646 ○STALCUP J M Lcdr 858-272-0775 8

X COBB CT
4665 ●KENNEDY Glenn OO 0
4666 PRAY Robert E Capt 858-272-2034
4675 ●SMALL Peggy OO 3
4676 KYLE Kay Lee 858-270-3196
4686 ●MCCAMMON Tom OO 8
4693 ●VARONFAKIS George 858-273-0928 8
4696 XXXX OO

X BAXTER ST
4708 ●BROWN Steven OO 0
4716 ●CLARK Lawrence 858-483-1108 7
4730 ●MEEDER D 858-274-6372 0

⊕=DO NOT MAIL

© HAINES & CO., INC. INFORMATION ON THIS PAGE MAY NOT BE KEYPUNCHED, ENTERED INTO A COMPUTER OR PHOTOCOPIED, IN ANY MANNER WHATSOEVER EXCEPT AS AUTHORIZED IN WRITING BY HAINES & CO., INC

TP	Adjoining	Source
-	✓	Haines Company, Inc.

S COAST ST 2006

616 ★NEIGHBORHOOD HOUSE ASN HD STRT 760-634-4569 3
★NEIGHBORHOOD HOUSE ASN HD STRT 760-634-4565 3

X CADMUS ST
636 ★BARNET FAIRE 760-942-3737 +6
★JEWELRY SOURCE& LOAN 760-436-9444 8
640 ★LEUCADIA LIQUOR 760-753-4600
664 ★LA ESPECIAL NORTE 760-942-1040
★LA ESPECIAL NORTE 760-942-6421
696 ★DELUXE TSHIRTS 760-436-5542
★DELUXE T-SHIRTS 760-436-5542
★SHATTO & SONS CUSTOM T-SHIRTS 760-436-5542 0

X DAPHNE ST
698 ★MOZY 760-944-9168
★PAPA GUS 760-944-9168
704 ★F STREET ADULT VIDEO&GIFTS 760-479-0190 3
718 ★BENEDICT H J DDS 760-753-7185
★MADUROWICZ BOGDAN R DDS 760-753-7185 2
★SCREAMS OF PASSION SALON-SPA 760-633-4247
726 ★A BETTER BALANCED BODY 760-753-8464 +6
★COLORS A SALON 760-632-8852
732 ★NORTH CO ATTORNEY SERV 760-436-1917 0
★PRF RESIDENTIAL 760-942-1647 4
★SCOTT WARREN W ARCH 760-943-8180 +6
740 ★FINE LINE SCRNPRNTG 760-943-1701
●SMITH Anthony OO 0
742 WOLD Shane 760-632-7445 2
748 BRENT Robert 760-436-1876 9
ROBINSON Mark 760-634-6671 +6
756 ★ROBERTS CHIRO CLNC 760-753-0353
766 ★NORTH CO EQUIP INC 760-942-8193

X EUROPA ST
802 ★GRATEFUL DOGS 760-943-9663 4
★GREATFUL DOGS 760-943-9663 4
810 ★ENHANCED HEALTH & FITNESS 760-943-0931 +6
★SUB PALACE DELI 760-753-2105
828 ★BEACH NEWS THE 760-436-9737
★COAST NEWS THE 760-436-9737 0
★DELUXE HAIR 760-942-1896
★DELUXE HAIR& NAILS 760-753-9798
★DELUXE HAIR& NAILS 760-944-0706
★ENCINATAS MORTAGE CO 760-436-1440
★ENCINATAS MORTGAGE CO 760-436-0187
★PROGRESSION SURF 760-942-2088
851 ★WEST CST PROPERTY CONSULTANTS 760-942-5554 3
852 ★KOTIJA JR TACO SHOP 760-632-1616 4
856 ★SCHUBERT KURT M DDS 760-943-9907

X W LEUCADIA BLVD
914 ★DENA M ACOSTA 760-633-4050
★DOG BITE LWYR 760-753-0832 +6
★OFFTRACK GALLERY 760-942-3636 +6
★SELIKLAW A PROFESSIONAL CORP 760-479-1515⊕ 2
★SIEGEL DAVID C LAW OFFICES OF 760-753-0832 2
★STEGMAN DAVID R ATTY 760-479-1515 3
916 ★KARINA'S TACO SHOP 760-633-3300 1
918 ★100 PERCENT NATURAL 760-436-5100 +6
934 ★WANKET TONY CONSTRUCTION INC 760-944-8090 9
948 ★AMER QUIK PRINT 760-436-5135
★EL TORITO MEAT MARKET 760-436-4973 0
950 ★LEUCADIA INN BY THE SEA 760-942-1668 8

X JASPER ST
974 ★BEAR SURF BOARDS 760-944-0081
★SURF SUPPLIES 760-436-4406
978 ★LONGBOARD GROTTO SURF SHOP 760-634-1920 0
★SURF SYNDICATE 760-634-5250 8
996 ★LEUCADIA SUSHI BAR 760-635-9312
★MARVELOUS HAIR BY LINDY 760-942-2996 8
★NOMAD VENTURES 760-634-4855
1002 ★A TOUCH OF ALOHA 760-479-0377 1
★LE PETIT CALYPSO 760-944-8252
★STEPPING STONE 760-436-9600
★YOGA 101 760-436-9600
1026 ★CASA DEL CORAZON 760-634-1426 4
1030 ★LITTLE MORE COFFEE SHOP 760-753-8228
1034 ★TRANQUILITY HAVEN 760-635-0877 3

X DIANA ST
1036 ★BLISSWORK 760-633-2924 0
★GUYS-N-DOLLS SALON 760-436-8262
★KETTLER JUAWAYNE 760-633-2924 0
★TRI-LEVEL FITNESS 760-633-2924 0
1038 ★BOTTI STDO ARCH ART 760-753-0705
★CORNER FRAME SHOP 760-753-8829
★LEUCADIA ART GLLRY 760-753-8829
1040 ★AAA WOODCRAFTERS 760-436-2536
1076 ★PAC SURF INN 760-436-8763

X W GLAUCUS ST
1114 ★BEACH CHAIR THE 760-942-2570
★FUR REEL 760-944-7009 4
★KIDS UNPLUGGED 760-230-2491 4
★MOTHER NATURES 760-230-1392 4
★NATURES MOTHER 760-230-1392 4
★PLANT LADY 760-436-8243 2
★REALTY EXPERTS DLC 760-942-1414
★SD CSTM TRLR & LOD TANK MFG 760-943-9499
★TEAK PATIO 760-942-5208

1144 ★BUILDERS TRADING CO 760-634-3220 +6
★BUILDERS TRADING COMPANY 760-634-3844 +6
★LEUCADIA MARKET 760-753-3577
★LEUCADIA SURF SHOP 760-632-1010

X PHOEBE ST
1234 ★CALDWELL'S ANTIQUES 760-753-2369
★COAST HWY 101 DESIGN 760-942-2346 2
1240 ★A B C TRADING COMPANY 760-942-3653 2
★BAMBOO TO YOU 760-943-6284
★JUNE AND PAUL VEJAR 760-632-8844 +6
1244 ★ACE CARS AND VANS 760-943-0404 8
1246 ★WAKE! CAFE & RESTAURANT 760-635-3959

X W JASON ST
1322 ★LEUCADIA BEACH INN 760-943-7461 7
1340 ★ANTIQUE CLOCK SHOP 760-753-8844
1354 ★ALEXANDER TECHNIQUE-E TROBERMAN 760-943-9521 3
★JUST PEACHY 760-635-3656 +6
★LAUREN INTERNATIONAL 760-783-0008
★MINDBODYWORKS 760-436-1424 3
★PEINL DENTAL STUDIO 760-436-1595 2

X JUPITER ST
1400 ★BIKRAM'S YOGA COLLEGE OF INDIA 760-944-0146 0
1410 ★BY THE SLICE 760-753-2117 4
★PILATES THE ENERGY WITHIN 760-942-0288 3
★THE ENERGY WITHIN-PILATES 760-942-0288
1430 ●HIGGINS Margaret OO 0
★SIX STEP HOUSE 760-436-6949
1444 ★OCEAN INN 760-436-1988
1466 ★TRAPEZE HIGH LLC 760-753-1630

X RANGE ST
1496 ★ROYAL LIQUOR 760-753-4534
1508 ★LEUCADIA AUTO BODY 760-634-1671
★SCOTT'S AUTOMOTIVE& MUFFLER 760-632-7096 8
1524 ●ANDERSON Barbara OO ⊕ 0
1542 ★LEUCADIAN 760-753-2094
LEWIS John R 760-944-7421

X EDGEBURT DR
1556 KENTERA John 760-943-1224
1568 REID Nancy 760-753-7627 4
1578 MORALES Lopez 760-942-6754 4
REYES Irma 760-479-0616 4

X AVOCADO ST
1604 ★LEUCADIA DONUT SHOP 760-942-8981
1624 . . . . . APARTMENTS
CHIPPS Laureen 760-632-9760 3
KEE Roy 760-230-1261 +6
MARSH William 760-230-1404 4
MCCLELLAND Jack 760-753-2245 1
MILLERD Ralph 760-944-0471 0
OGARD Chris 760-479-0758 2
PRICE William 760-943-0443⊕ 4
★SANDS TRAILER PARK 760-753-7459
VAUGHT Noni 760-230-6017 +6
WARFIELD Larry 760-942-7283
WATTLES Linda 760-436-6227 +6
1624 . . . .
1630 ★BEACH-N-RIDES 760-633-1300
1636 ★ELITE DESIGN 760-944-6929 4
★ELITE HAIR DESIGN 760-944-6929 4
★RUSSO TODD ANDREW 760-944-6929 4
1646 ★IN FLIGHT MEDIA 760-944-6575 2

X GRANDVIEW ST
1660 MORENO Everardo 760-632-2208 9
RODRIGUEZ Juana 760-632-1317 4
1680 . . . . . APARTMENTS
23 ●ALBERTS J OO 3
10 ●ANDRANIAN J E 760-632-1676
51 ●AVILEZ Peter OO +6
BABCHUCK Lynne 760-944-3721 4
14 ●BAKER Christopher OO 3
24 ●BERLIN Brenda 760-635-0913
31 BIRD Daniel 760-635-2825 1
●BRYANT David 760-632-7260 9
47 ●CHARPENTIER Catherine OO 0
●CRABTREE Richard OO 3
42 ●CREWSE Thomas OO 3
●DAVIS Don OO
●DERFLER James OO 3
●DRAKE Nicholas OO 3
●DULMAGE Gregory OO 3
●FREUNDEL Mark 760-943-1125
55 ●FULLER Jeanne OO 3
●GALLENBERGER Robert OO 1
22 ●GARDNER Matthew J 760-634-2838 9
●HARRISON Andrew OO 0
11 ●HERNANDEZ Rudy OO
●HIGGINS Karry OO 3
●IAROSSI Thomas OO 3
41 ●ISAACS Rowena OO 3
●KLAUS Elissa 760-634-1959 4
●KRUDWIG Peter OO
5 ●LASLEY Tony 760-943-1682 0
LEE Rowena 760-436-9423
●LINDO David OO 8
25 ●LOBER Dona OO
1 ●LONG Daniel OO
●MALER Norbert OO 7
●MAXWELL Dina OO 8
18 ●ODER Tim OO 3
13 ●OWENS James OO
●POST William OO 3
5 ●RIEGERT Paulette 760-634-5519
7 ●ROBERTSON Rachel 760-634-4988
49 ●ROTH Andrew OO
43 ●SANSERINO Gary OO 3
●SCHNEIR Gary OO 3
30 SEGOVIA Sue 760-943-9484
●SHAPIRO Sari OO 3
●SORACCO William OO 3
●SPARKS Patricia OO 4
59 ●THOMPSON Robert P 760-753-1320
●UHLE Garry OO 3
●VASQUEZ Rene OO 3
●VEITZ Richard OO 3
19 ●VINCENT Don OO 3
46 ●WEBSTER Richard OO 3
●WESTERGAARD Christine OO 3
1680 . . . .

X BISHOPS GATE RD
1750 ★SEABLUFF VLG CMNTY 760-753-2333
1784 KNUTSON Forrest 760-632-1602 +6

1786 BRIGGS W 760-635-9224 +6
★COLLECTOR'S COTTAGE 760-436-7937
MCQUESTION Landon 760-753-6584 +6
MORALES Jorge A 760-634-2150 3
OBYRNES Toby 760-230-2944 +6
●SMITH Carol OO 3
1900 ★REBEL RENTS INC 760-633-3100
★REBEL RENTS INC 760-729-7191
★ROBERTO'S MEXICAN FOOD 760-634-2909 7
1950 ★CABO GRILL 760-944-8165 3
★DAVINA'S CABO GRILL 760-944-8165 2
1967 ★EL CAMINO PROPERTY 760-436-5263
★MACFARLANE R J ATTY 760-753-0044
★REMAX LA COSTA COASTAL 760-479-3600 4

★ 243 BUS 99 RES 38 NEW

S COAST HIGHWAY 101 92007 CARDIFF BY THE SEA

2050 MARLIN Janet 760-634-1179 +6

X CHESTERFIELD DR
2526 ★CHARLIES 760-942-1300
★CHARLIE'S BY THE SEA 760-942-1300
2530 ★BEACH HOUSE 760-753-1321
2531 ★KRAKEN BAR& RESTAURANT THE 760-436-6483
2533 . . . . . BUILDING
★ATALANTA-SOSNOFF CAPITAL CORP 760-944-0303
★ATTORNEY C BRADLEY HALLEN 760-753-4888 +6
★DEPIANO ROBERT ATTY 760-632-2636 3
★EWING A ANTON J D CPA 760-633-3061 4
★FLEXTRONICS 760-942-2335 +6
★GEISSLER ENGINEERING 760-633-4252 2
★GLOBAL FINANCIAL GROUP INC 760-633-3061 +6
★HALLEN C B ATTY 760-753-4888
★JACKSON ROBERT W ATTY 760-635-9024 2
★LAW OFC OF BRIAN C GONZALEZ 760-436-9529 4
★MEDIAWAY ARCHITECTURE 760-633-4791 9
★MULTIMEDIA GRAPHIC NETWORK 760-753-6397 3
★PETRUS AND ROSS ATTORNEYS 760-753-1500
★PLASTINO II 760-436-4303
★SHORELINE CORPORATION 760-633-1050 2
2533 . . . .
2571 ★DJANOGLY SIDNEY 760-634-2076 0
★OSTROW I STEPHEN ATTY 760-944-0066 0
★RAWLINGS SPORTING GOODS SALES 760-943-0837 0
★SD BADMINTON SUPPLY 760-436-1404 9
★SEASIDE RACQUETS 760-436-9928 0
●WALDROOP Roy OO 4
2588 ★CHART HOUSE 760-436-4044
2591 ★KI'S CATERING 760-436-5544 9
★KI'S RESTAURANT 760-436-5236 9
2611 ★AARDN CHANG PHOTOGRAPHY 760-635-0041 4
★ANGUS STEVEN M ATTY 760-942-5050
★GLEN LEE ASSOCIATES 760-634-1903 4
★HYNDMAN & HYNDMAN 760-634-2595
★THE HARVEST GROUP 760-753-7898 0
2633 ★LA CANTINELLA GRILL 760-634-3353 +6
2655 ★LAS OLAS INC 760-942-1860

★ 34 BUS 2 RES 5 NEW

S COAST HIGHWAY 101 92024 ENCINITAS

261 ★ICC INTL COMPUTER CNSLTNT 760-783-0072
315 ★ACADEMIC CHESS 760-436-2183
★ERA PACIFIC REALTY 760-436-2104
★LEUCADIA PIZZERIA 760-942-2222 2
MACFARLANE Robert 760-753-3766 +6
★UPS STORE THE ENCINITAS 760-943-8664 +6
335 ★MCGILLS SHAKE SHOP 760-783-0005
★MCGILLS SKATE SHOP 760-943-7730
345 . . . . . BUILDING
★32 ART OF DENTISTRY 760-632-0320
★ADVANCE CLINICAL SKIN CARE 760-436-7335 +6
★ALLSTATE INS CO 760-479-1370 2
★BELL TISA DC CVCP 760-944-7605⊕ 9
★BELLA LUNA NAIL SALON 760-634-8069⊕ 9
★DELA SOLEIL 760-942-1212 4
★DEPENDABLE LOCK AND SAFE 760-944-1451 4
★DEPENDABLE LOCK SMITH 760-436-5397 4
★D-SO LEHMAN BROS SMALL BUS FNC 760-753-7300 +6
★EL CALLEJON RESTAURANT 760-634-2793
★HUTSPA 760-942-8164 9
★LAURIE GAN ODS 760-632-0320 +6
★LEHMAN BROS SMALL BUS FNC 760-753-7300
★MOONLIGHT HAIR DESIGN 760-942-9498 8
★MOONLIGHT VIDEO PRODUCTIONS 760-942-9687 8
★POPI'S AESTHETICS 760-942-6113 0
★R A PAUL INDUSTRIES 760-633-4838 2
★RANCHO PACIFIC REALTY 760-943-0076 +6
★REVELATION STUDIO JANE SWEENEY 760-436-2001
★SEA BREEZE LOCKSMITH SERVICE 760-753-1398 4
★SISTERLOCKS 760-942-8184 0
345 . . . .
444 ★COAST BRAKE& WHL SV 760-753-6272
449 ★EXOTIC HAMMOCKS 760-436-5119 1
★WHISTLESTOP CAFE 760-436-1162 0
460 ★ONE DAY SIGNS& SILK SCREEN 760-942-0111 0
463 ★COAST CHIROPRCTC CT 760-942-6022
★GREEN CAROL L DC 760-942-6022 0
466 ★COMMON THREADS 760-436-6119 1

467 ★MOONLIGHT MUSIC 760-753-6697 0
★MOONLIGHT MUSIC LESSONS STUDIO 760-753-2188 0
★MOONLIGHT MUSIC LESSONS STUDIO 760-753-6683 0
470 ★G I JOE'S 760-436-7692 7
★SEER PSYCHIC 760-436-3631 1
471 ★LA PALOMA THEATRE INFORMATION 760-436-7469 9
★LA PALOMA THEATRE OFFICE 760-436-5774 9
476 ★FILIBERTO'S 760-436-8001 +6
485 ★D STREET BAR AND GRILL 760-943-9101 2
490 ★ENCINITAS FLOWER SHOP 760-753-2554 2
★RAUL'S SHACK 760-436-8589 0
505 ★VIGILUCCI'S TRATTORIA ITALIANA 760-942-7332 1
509 ★M T A INTERNATIONAL 760-753-7255
511 ★A TEMPUR-PEDIC DEALER 760-943-9591 +6
★ADVANTAGE MAPS 760-943-1767 0
★COULSTON CAROLINE-ATTY 760-943-1994
★COULSTON PETE CPA 760-436-9001
★CROWN POINT DESIGN 760-632-8987 3
★GUEST SUPPLY 760-436-7009
★PETERS JIM 760-944-1650
★RTD CONSULTING LLC 760-634-9895 +6
SMITH Randall 760-632-8605 +6
517 ★ROXY CATERING 760-436-5001 0
★ROXY RESTAURANT&ICE CREAM 760-436-5001 0
527 ★SIAMESE BASIL 760-753-3940 0
528 ★COAST HIGHWAY TRADERS 760-944-1381 8
531 ★ENCINITAS CAFE THE 760-632-0919
541 ★101 DIAMOND FINE JEWELRY 760-942-8890
543 ★A NATURAL BEDDING SHOPPE 760-753-7420 2
★ENVIRONGENTLE 760-753-7420 2
546 ★DALEY DOUBLE COCKTAIL LOUNGE 760-753-1366 3
548 ★BELLY DANCING BY TEASE A GRAM 760-436-4844 2
★QUEEN EILEEN'S GIFT BASKETS 760-436-4845 9
552 ★101 DINER 760-753-2123 9
553 ★INDIGO HOME 760-942-9795
559 ★ENCINITAS BICYCLE RETAILER 760-479-9830
564 ★AMICI MORE THAN A BAKERY 760-753-9050 2
565 ★VIA ITALIA TRATTORIA 760-479-9757
566 ★KIM'S ALTERATIONS 760-436-2263 9
568 ★OCEAN TIME 760-943-0955 0
570 ★BARBARELLA 760-944-6754
★MILAN'S BOUTIQUE 760-943-7086
★SYLVIE'S BOUTIQUE 760-943-7086 3
575 ★ARTISTIC FLOORS & INTRRS INC 760-753-6225
578 ★BEACH'N TOWN LIQUOR & DELI 760-753-2929 2
583 ★DIVINITY SALON& BOUTIQUE 760-436-2932 3
587 ★GARDENOLOGY INC 760-753-5500
594 ★2ND ST SLN & HAIRCOLOR EXPERTS 760-753-4321 +6
★2ND STREET SALON&HRCLR EXPERTS 760-753-4424 +6
★DETOUR SALON 760-634-1899
★HAIR COLOR EXPERTS 760-753-4321 +6
★HAIR COLOR EXPERTS 760-753-4424 +6
603 ★BOOK TALES 760-436-7892
★ENCINITAS BARBER SHOP 760-436-8598 2
607 ★THRIFTY THREADS 760-753-0028 2
608 ★ANGELO'S BURGERS 760-943-9115 3
609 ★ENCINITAS COIN& JEWERLY 760-753-2295
615 ★OGATA JAPANESE CUISINE 760-753-6451 0
625 ★CORK & KEG LIQUORS 760-436-2255 0
628 ★FLASHBACKS RECYCLED FASHION 760-632-2658
629 ★HOME 760-632-6880
632 ★HONEYS BISTRO& BAKERY 760-942-5433 1
633 ★RAINBOW COUNTRY 760-943-8006 0
641 ★TASTES 760-942-9549 2
642 ★LACY'S BOUTIQUE 760-942-2643 3
656 ★1ST STREET BAR 760-944-0233 9
682 ★ENCINITAS SMOG TEST ONLY CNTR 760-436-6232 0
½ ★ENCINITAS AUTO BODY 760-753-5534 0
701 ★NIXON 760-334-0177 +6
710 ★DISCOUNT AUTO SERV 760-436-8672
725 ★CHELSEA INVESTMENT CORPORATION 760-456-6000 4
745 ★BIRKENSTOCK OF SD STORES 760-942-2177 0
★COASTAL INTERIORS CONNECTION 760-635-9222 1
★KIM'S VIETNAMESE& CHINESE REST 760-942-4816 9
750 ★HYDRO SCAPE PROD 760-436-2062
760 ★SURF CLEANERS & LAUNDRY 760-753-1622 9
764 ★GIOVANNI'S ITALIAN SANDWICH SH 760-943-8620 0
765 ★SOULSCAPE GIFT AND BOOK STORE 760-753-2345 9
★SUBWAY SANDWICHES & SALADS 760-634-1684 0
766 ★RESOURCE MARKETING 760-436-9937 4
★RESOURCE MARKETING 760-436-3711 4
780 MILLER Judith 760-944-0922 3
800 ★VARIATIONS IMPORTS INC 760-632-1818 +6
806 ★BELLA ROSA 760-942-0738
814 ★BEAUTY FOUNTAIN THE 760-753-2202 9
818 ★DOWNTOWN ENCINITAS MAIN ST ASN 760-943-1950
820 ★FIRST ST FRAMING 760-753-5458 9
830 ★ADVANCED HAIR DESIGN 760-632-0695 0
★AFFP 760-436-1518
★AIRO INTERNATIONAL 760-632-0489 1
★I TRULLI 760-943-6800 2
★JOHANA WATSON 760-436-1336 +6
★STRIKE FORCE 760-634-1833
★TRATTORIA I TRULLI 760-943-6800 1
★TURAZ HOME LOANS 760-634-6588 9
850 ★COASTAL OUTLET 760-943-1199 0

851 ★DIMEFF LAW OFFICES 760-633-1965
★DIVERSFD INVESTMENT GROUP 760-633-1030 +6
★QC LINK INC 760-942-8818
★STERLING BUSINESS GROUP 760-942-8777 4
★STERLING REAL ESTATE THE 760-942-5300 4
897 ★GAFFNEYS WINE BAR 760-633-1011 1
★LUMBERYARD SHPPNG CT PPR RSE 760-436-2855 2
★MERITAGE RESTAURANT 760-634-3350 3
★MOVIN SHOES 760-634-2353 1
★PAPER ROSE ENCINITAS 760-436-2855 9
900 ★CENTURY 21 760-943-6300 4
★CENTURY 21 SEA COAST BCH OFC 760-753-8100 4
RHINE Jeffrey 760-436-0075 9
912 ★YOGA SWAMI 760-944-1166
920 ★SHERI'S DESIGNER RESALE 760-943-1556 3
922 VILLEGAS Rosanna 760-944-9931 +6
927 ★PAC EYES & T'S 760-942-0337
930 ★RUSTIC ROOSTER 760-436-2171 2
932 ★MCMILLEN K& ASSOCIATES 760-942-1345 8
937 . . . . . BUILDING
★4-POINT MANAGEMENT INC 760-632-8661 0
★BUBBY'S GELATO 760-436-3583
★CHUAO CHOCOLATIER 760-635-1444
★CRYSTAL CLEAR WINDOW CLEANING 760-943-8773 +6
★OCM PROPERTIES INC 760-944-8151
★ENCINITAS TAX AND FINANCIAL 760-634-4601 9
★ENCINITAS TAX& FINANCIAL GROUP 760-634-4600 9
★FIRST WATCH 760-943-9123
★GELATISSIMO 760-436-2234 9
★GREENWICH & CHARLES 760-944-4244
★HOMEFRONT MORTGAGE 760-634-4601
★KOEHLER GREGORY W 760-633-1803 0
★L'ELYSEE NAILS 760-634-2666 9
★LUMBERYARD SHPPNG CT BBBY'S 760-436-3563 4
★NELSON TOM L 760-634-4604 4
★PAC COAST VALET LLC 760-943-8773 2
★RANCHO COASTAL FUNDING 760-436-8833 0
★STATUS ELECTRIC COMPANY 760-557-1000 0
★STOUT SOLUTIONS 760-943-9123
937 . . . .
940 ★NYTRO MULTISPORT 760-632-0006 0
947 ★EUROPTICS INC 760-436-1373
★ST TROPEZ BAKERY & BISTRO 760-633-0084 3
★STARBUCKS COFFEE 760-944-0202 9
960 ★MOTEL VILLA MAR 760-753-1267 0
★VILLA MAR MOTEL 760-753-1267 1
967 ★BEADS CRYSTALS& MORE 760-942-5222 9
★BELLA BOUTIQUE 760-635-0916
★BELLA MODA 760-479-9879
★ENCINITAS PHOTO CENTER 760-436-0562 2
★FAMILY PHOTO CENTER 760-436-0562
★GRANATA JOSEPH CUSTOM TAILOR 760-942-9675 9
★MAGICAL CHILD 760-633-1326 2
★NOVAK ERIKA LAC DIPL AC 760-942-9505 +6
★PHILLIPS JEFF DC 760-942-9505 0
★PINO'S CUCINA ITALIANA 760-632-1901 1
★SPA WORLD TRAVEL 760-635-1297 0
★YODER DAVID DR 760-942-9505 4
1010 ★ACANTHUS ANTIQUES 760-633-1515 1
★ACANTHUS FINE ANTIQUES& ACCSSRS 760-633-1515 1
★BLACKBIRD INTERIORS 760-753-8411 +6
★CHURCH OF RELIGIOUS SCIENCE 760-753-5786 7
★EXPANDED MORTGAGE CREDIT 760-633-9708
★EXPANDED MORTGAGE CREDIT 760-634-6701
★LYON & ASSOCTS CREATIVE SV INC 760-634-1886 7
★MIGHTY MAX FILMS INC 760-436-0148 0
★NYCA INC 760-436-7033 4
★ST GERMAINS CAFE 760-753-5411
1031 ★SAKURA-BANA SUSHI BAR 760-942-6414 0
1038 ★HAYNES TERRY KAY 760-942-3222 1
★UTOPIA STYLE LOUNGE 760-942-0015 4
★WRIGHT SALES CO 760-634-7601 3
1040 ★B HAVEN 760-942-1929 4
1044 ★OLYO'S PIZZA COMPANY 760-942-1470 0
1049 ★CARDIFF CLASSICS 760-632-5555 3
1051 ★RAY'S AUTOMOTIVE SERVICE 760-944-9688 0
★WINDANCERS 760-944-1766 1
1053 ★FUTON OUTLET 760-942-6066
★P B HOME&GARDEN 760-943-9080 3
1055 ★VALENCIA'S AUTO UPHOLSTERY 760-632-1440 1
1057 ★MAGNOLIA CREEK& CO 760-944-7033 9
1060 ★BLACK SHEEP THE 760-436-9973
1105 ★ADVENTURE SKI SC 760-942-2188
★BOARDROOM 760-753-6595 3
★CALIFORNIA SURFING PRODUCTS 760-753-2100
★HANSEN'S BOARDROOM 760-753-6595 0
★SURF REPORT 760-753-6221 2
1108 ★WHEN IN ROME RESTAURANT 760-944-1771 1
1126 ★DAVE KAPLAN MANAGMENT 760-944-8800 2
★JAVA HUT 760-634-2326 1
★SURFDOG 760-944-7873 1
★SURFDOG'S JAVA HUT 760-634-2326 1
1131 ★REAL WOOD FURNITURE SHOPPE 760-634-2460 4
1140 ★ENCINITAS TELEVISION 760-753-1626 1
★ETV ENCINITAS TELEVISION 760-753-1626 4
1163 ★FLOWER FRENZY 760-753-1770 9
★OUTGROWN SHOP THE 760-436-4753 9
★SWAMIS CAFE 760-944-0035 0
★SWAMI'S CAFE 760-944-0612 0
1205 ★GENE'S TOWING 760-753-7771 9
★SAN DIEGUITO TOWING 760-753-7771 3
1350 ●SALINGER Steve OO 2
1360 ●ASH Paul OO 4

1376 WILLIAMS Curtis 760-753-0276
WILLIAMS Curtis G 760-753-7458

★ 226 BUS 9 RES 22 NEW

N COAST HWY 92054 OCEANSIDE

WEALTH CODE 0.9

X SEAGAZE DR
102 ★QUICK KORNER MARKET 760-722-4471 0
126 ★KINGSMEN CLEANERS 760-721-8368 9
★KINGSMEN CLEANERS 760-439-1751 9

X MISSION AVE
201 ★T-SHIRT MART 760-433-0082 2
★T-SHIRT MART 760-639-0100 2
★T-SHIRT MART 760-639-0300 2
202 ★JOHNSON'S SPORTING GOODS 760-722-2211
206 ★ADVANCED RUG TECHNIQUES 760-967-0222 1
★SPANKY'S PIZZA 760-722-1512
★THE IMAGE IS FOUND 760-966-0297 +6
207 ★KEALANI'S 760-722-5642 4
208 ★THE MILITARY CIRCUIT OF OCNSD 760-757-3030 4
210 ★DELUXE BARBER SHOP 760-722-3242
★MAX MUSCLE OCEANSIDE 760-722-6606 0
★VINE TO GLASS 760-757-1037 +6
211 ★INNER WORLD GIFTS 760-722-3711
212 ★EXPLORERS LEARNING CENTER 760-757-3401 9
★OCEANSD ACDM OF THE PRFRMNG 760-529-0100 4
214 ★MAIN STREET OCEANSIDE 760-754-4512 4
215 ★ARENA SPORTS BAR NITECLUB 760-966-2600 +6
★ARENA SPORTS BAR NITECLUB 760-966-2622 +6
216 ★SKIRT ESSENTIALS BOUTIQUE 760-439-8600 4
219 ★OCEANSD MUSEUM SCHOOL OF ART 760-757-4407 9
220 ★CIGAR GROTTO 760-722-1602 0
222 ★EXCALIBUR JEWELRY 760-722-4950
223 ★CALIFORNIA SURF MUSEUM 760-721-6876 9
224 ★JAMAICA ME TAN 760-757-7820 4
226 ★EQUIPMENT 760-967-0182 3
228 ★LONGBOARDER CAFE 760-721-8778 0

X PIER VIEW WAY
300 ★OCNSD CTY ADM CLERK 760-435-3000 1
★OCNSD CTY ADM MAYOR&COUNCIL 760-435-3029 1
★OCNSD CTY ADMINISTRATION 760-435-3065 1
★OCNSD CTY REC 760-435-5041 1
★OCNSD CTY WRKS ADMINISTRATION 760-435-4500 1
★OCNSD CTY WRKS FLEET MANGMNT 760-435-5137 1
301 ★H & M MILITARY SUPPLIES 760-722-1029
302 ★CA ST ASSEMBLY 73RD DISTRICT 760-757-8084 1
★WALTERS MMI ASSMBLYWMN 73RD 760-757-8084 0
307 ★COTTON PATCH 760-722-3191
★JEAN'S GIFTS GALORE 760-722-9470 2
★MARY'S FAMILY RESTAURANT 760-722-3052 7
323 ★CHRISTIAN BUSINESS MEN'S COMTE 760-722-4431
★COAST HIGHWAY BARBER SHOP 760-721-7856 0
★DIGITAL COMMUNICATIONS 760-450-2666 4
★DIGITAL COMMUNICATIONS VISTA 760-414-9171 4
★LEGAL CENTER THE 760-754-1099 3
★LEGAL CENTER THE 760-754-1169 3
★OCEANSD SALES & RENTALS 760-967-0413 2
★SHORE DAVID M ATTORNEY AT LAW 760-966-9180 4
★SUBWAY SANDWICHES& SALADS 760-967-9666 1
330 ★OCNSD CTY LBRY 760-435-5600 1
★OCNSD CTY LBRY ADMINISTRATION 760-435-5660 1
★OCNSD CTY LBRY CHILDREN SERV 760-435-5590 1
★OCNSD CTY LBRY TDD 760-435-5565 1

X CIVIC CENTER DR
402 ★STAR THEATRE 760-721-9983 +6
414 ★GOODWILL INDUSTRIES OF SD CO 760-722-2874
★GOODWILL INDUSTRIES SD CTNTY 760-967-1214
★GOODWILL VOCATIONAL TRNNG CTR 760-722-2874
★GOODWILL WORKS 760-722-2874
420 ★CIRCLE K 760-967-8378
★CIRCLE K CORP STORE NO 2987 760-967-7306

X SPORTFISHER DR
507 ★CASH N ADVANCE 760-757-2274 3
509 FLORES Pauline 760-722-1265 4
510 ★BLUE PACIFIC REALTY 760-966-7040 3
★JITTERS EXPRESS 760-967-7856 +6
★LIFE ENHANCEMENT FAMILY CHIRO 760-754-1188 4
★MORTGAGEHELPER S COM 760-754-8919 3
★VIDEO CONNECTION THE 760-967-8375
514 ★ABOUT HEALTH 760-231-8521 4
515 ★PAC TIRE & WHEEL 760-722-1251
520 ★LEADING EDGE MRTG SERV INC 760-757-8200 +6

X SURF RIDER WAY
604 ★ARELLI'S ITALIAN FOODS TO GO 760-722-1228 9
★PIZZA TOWN USA 760-722-1204 9
★PIZZA TOWN USA 760-722-0110 9
608 ★STRAND BAR& GRILL THE 760-722-7831 8
★THE STRAND BAR& GRILL 760-722-7831 8
621 ★ANGELOS BURGERS NORTH 760-757-5181

X WINDWARD WAY
700 ★RED & WHITE SUPERETTE INC 760-722-5557
707 ★HARBOR LIQUOR 760-722-2721 +6

TP	Adjoining	Source
-	✓	Haines Company, Inc.

S FREEMAN ST 2006

1958 SAARINEN Waino 760-753-4318
X HURSTDALE AVE
1965 ● CARPENTER Elaine OO 0
1966 ● AZARMI Albert OO 1
1973 ● MOWREY Florence OO 0
1974 RHYNE Lawrence C 760-943-9312
2002 XXXX OO
2003 ● SCHNELL Richard OO +6
2008 ● CHANG Paul H 760-479-0088 ⊕ 2
2009 ● LOCH Hartmut OO ⊕ 0
2014 ● ZACK Stephen OO ⊕ 9
2015 ● KUNISCH Stephen W 760-753-8999
2020 ● PORTER Dan L 760-942-2434
2025 BRENNER David 760-532-0703 4
2031 ● JIRSA Stephen OO 4
2037 ● HAGEY William OO 0
LAKIN Corey 760-479-0659 4
2038 ● MARK Albert OO 0
2043 ● HEJDUK Frank OO 3
2044 ● ASCHER Ralph OO 0
2049 ● CASAZZA Jennie 760-633-1129 2
2050 DREYFUS Donald 760-634-2079 4
2053 ● KRAHL K OO 4
X SEA VILLAGE DR
★ 1 BUS 71 RES 3 NEW

FREDAS HILL RD 92084 VISTA

WEALTH CODE 5

3350 ● DUNN Toby OO 4
3420 ● KATOPODIS John 760-295-0098 4
X BUENA CREEK RD
★ 0 BUS 2 RES 0 NEW

FREDRICKS AVE 92054 OCEANSIDE

WEALTH CODE 2.1

X LOS ARBOLITOS BLVD
201 ● WADE Jennifer OO 3
203 ● GARCIA Maria Ismelda 760-722-2680
205 ● GUZMAN Alicia OO ⊕ 4
PAYO Alicia 760-722-4937 3
207 ● KENDALL Jason OO +6
209 ● AGUILAR Nicolas OO 4
QUINTERO Jose A 760-754-3937 4
211 ● SMITH William OO 2
213 ● IE Brenda OO +6
215 ● BERG Kevin OO 4
217 ★ INTELLECT COMMUNICATIONS 760-421-0352 2
● SCOTT Johnel OO 4
219 ● BUSH Trudy OO 2
221 ● WILLIAMS David OO 1
223 ● HOLT Elena OO 4
249 ● SANCHEZ David 760-757-2769 2
251 ● CERVANTES Juan C 760-435-1257 4
253 ● DESMIT Maruja OO 9
255 ● ROWE Cecil E 760-433-8984 4
257 ● BAUTISTA Gregoria 760-433-7398 2
JIMENEZ Adriana P 760-754-8560 +6
PENA Eleazar 760-967-1748 +6
259 ● ROMERO Abraham 760-721-1914 4
X COCONUT WAY
551 ..... APARTMENTS
ALTAMIRANO Maria 760-966-1374 +6
261 AVILES Wendy 760-433-2820 1
BATISTA Lilly 760-754-2004 +6
CHOLULA Onesimo 760-757-3276 +6
CORTEZ Rocio 760-966-0267 +6
EVANGELISTA Jose 760-721-3632 4
FRANCOIS Brittany 760-435-9306 +6
FUENTES Columba Diaz 760-757-2609 +6
GOMEZ Jesus 760-967-0759 4
GONZALES Daniel 760-721-1367 +6
GRINDSTAFF Rebeca 760-966-7490 +6
HERNANDEZ Alberto 760-967-0539 +6
HUNTER Blake 760-231-9162 +6
KENNEDY Princess S 760-529-5009 4
LASCANO Hector 760-721-2409 +6
LEBLANC Sherry 760-721-2928 4
LOPEZ Antonio 760-754-2135 4
276 LOPEZ Irma 760-439-9982 4
LOPEZ Rosenda 760-439-2942 4
MCWHITE Mikita 760-966-2609 +6
MELENDREZ Azucena 760-433-3093 0
MOJICA Miguel 760-754-8422 +6
MONTES Francisco 760-721-6180 4
NORFLEET Dominca 760-721-0433 +6
PEREZ Jose 760-721-2024 +6
273 PHILLIPS Shana 760-231-1378 +6
PIZARROREYES Reyna 760-721-3140 +6
RESENDIZ C 760-439-9715 4
REYES Herminio 760-966-1670 4
282 RIOS Rocio 760-966-1248 4
ROSALES Silvia 760-721-7468 +6
SALAZAR Jose Luis 760-439-0471 +6
SAUCEDO Irma 760-576-0013 +6
SMITH Joe 760-421-7061 3
TORRES Jonathan 760-967-1924 4
284 TRUESDELL Andrew O 760-721-4706 3
VALENCIA Erwin 760-529-9821 +6
VEGA Laura Patricia 760-721-0257 4
VILLAGOMEZ Ramon 760-576-0197 4
VILLANUEVA Elena 760-967-0218 4
VILLANUEVA Elena 760-721-3209 4
551 ....
X APPLE BLOSSOM WAY
615 ASKEW Charles 760-529-0435 4
CASTILLO Iracema 760-721-3178 3
SAUTIA Carl 760-421-1408 3
● TWOROGER Brenda OO 4
X PALA RD
701 ● OLDHAM Sharlene OO 0
702 ● GOMEZ Hermie 760-757-7786
706 ● MCFARLAND Bonnie OO 8
709 ● FLORES Angelica OO 3
RAMOS Magdaleno 760-967-1692 1
710 ● KOLKMAN Allen OO 0
713 ● MOORE Donald OO 0
714 ● STEWART Thomas OO 0
717 ANTONIOTORRES Jenaro 760-721-9543 4
● TORRES Jenaro OO 3
718 ● ROBLES Salvador OO 8
721 ● REYES Sergio OO 4
722 ● CITTEL Don A 760-439-0613
725 ● BIEBERSTEIN Diane OO 0
726 ● MIRANDA Dario OO 4
X REDWOOD ST
★ 1 BUS 82 RES 26 NEW

FREEDOM CT 92014 DEL MAR

WEALTH CODE 9

1007 ● STRANGE Mark OO 3
1011 DEHAAN Mollie S 858-523-0072 4
● MANNO Joseph OO 0
1015 ● HONG Sung OO 0
1019 ● WORSTER Cathy 858-720-1014 2
1023 ○ PELLETIER Linda 858-793-7129 3
1027 ● WEST Diane OO 3
1031 ● COLTON Brenda OO 0
1035 ● KAYLOR Gail OO 4
1043 ● LOGUE William OO 4
1051 ● CREE Hugh 858-793-5368 7
X SPINDRIFT DR
★ 0 BUS 11 RES 0 NEW

FREEDOM WAY 92081 VISTA

2027 ● VU Thong H 760-599-3969 2
2031 ● WILLIAMS C 760-598-7147 4
2032 ● SNOW Darren OO 1
2035 ● KIM Weejoung OO +6
2036 ● BROWN Eric OO 4
2039 ● CLEAVENGER Danny OO +6
2040 ● GIANNINI Anthony OO 4
2043 ● OLSEN Chris OO 4
PORTNOY Gemma 760-727-7866 +6
2047 ● KRIKORIAN Harry OO 3
2048 ● MAES Pamela B 760-597-9089 4
2051 ● SOMMER Ronald OO +6
2052 ● TAKAYAMA Lawrence OO 0
2055 ● PRINCE Glenn OO 0
2056 ● NOBLE Alfonso OO 0
2059 ● JENKINS Philip OO 8
2060 ● LAMBIE Kyle OO 0
2063 ● KANE-JENKINS Derek OO 3
2067 XXXX OO
2068 ● BROWNING Imelda OO 4
2071 ● HUSSAIN Syed OO 2
2075 ● CROSS Justin OO +6
X BRAVADO ST
★ 0 BUS 22 RES 5 NEW

N FREEMAN ST 92054 OCEANSIDE

WEALTH CODE 0

X SEAGAZE DR
102 ★ CHRISTIAN SURFERS US 760-722-6363 0
★ GRACE CHAPEL OF THE COAST 760-754-2974 9
124 ★ SHORT CUTS 760-966-1336 4
X MISSION AVE
206 ★ TANG SOO DO INST 760-967-9445
208 ★ JITTERS EXPRESS 760-722-8449 4
210 ★ STUD CUTS 760-721-9009
212 ★ MANNING'S ALTERATIONS&DRY CLNG 760-722-9200
X PIER VIEW WAY
X CIVIC CENTER DR
409 MENCHACA Maria 760-754-7003 4
RAMIREZ A 760-721-1963 4
WINTER Mia 760-439-0565 0
415 ● LEEDS Robert OO ⊕ 3
423 ★ PROGRSV REALTY 760-757-6200 4
X SPORTFISHER DR
504 ● DANIELSON Gordon K 760-433-9422 1
510 ..... APARTMENTS
C ALCARAZ Omar 760-529-5320 +6
L CUTTS Stephen 760-722-1301 4
DEGONZALEZ Mariaelena 760-433-9736 +6
H PACHECO Luine 760-433-3928 4
URBINA Maria 760-757-3656 4
510 ....
513 XXXX OO
514 FISH Wendy 760-754-8372 4
515 XXXX OO
517 ● CAZAREZ Manuel OO 0
520 OBREGON Helen 760-722-6201 1
OTERO Ester 760-439-9688 2
SMOTHERMAN Christine 760-722-7379
523 ● MAYER Greg OO 8
X SURF RIDER WAY
600 ..... APARTMENTS
BELANGEL Pedro 760-721-6788 4
CASTRO Fernando 760-967-0482 4
HERNANDEZ Anthony J 760-721-8043 4
VOLK Kerry C 760-722-6402 4
3 WILSON Jacqueline 760-721-5963 4
600 ....
601 C BALLINGER Joy 760-439-7960 +6
RENTERIA Maria 760-721-8376 3
607 XXXX OO
609 AVILA Pedro 760-439-3417 +6
C MARTINEZ Manuel G 760-433-8160 4
SOLONIA Bonnie 760-721-2434 +6
612 MUNGIA Francisco 760-433-7305 3
614 ● MITCHELL Todd OO 4
615 KING Barbara 760-721-7752 4
617 COUTS Arthur 760-435-0959 3
619 VELARDE Katherine 760-754-2392 4
620 ● KWON Suenya OO 3
621 XXXX OO
624 ● GALLAGHER Joseph OO 4
626 XXXX OO
X WINDWARD WAY
701 ○ HENDERSON Thelma 760-721-6170 9
702 DAVIS Brenda 760-231-7613 4
704 ● DAHLGREN Darwin OO 4
706 IBANEZ Alberta 760-433-2758 +6
RAMOS Dionisio 760-757-8732 2
709 XXXX OO
713 XXXX OO
714 B AGUILAR Mercedes 760-967-6974 1
KNIGHT Cori 760-967-1335 +6
715 XXXX OO
720 MEDINA Juventino 760-433-9050 1
721 ● PINER George OO +6
722 XXXX OO
X NEPTUNE WAY
810 XXXX OO
814 ● TRUJILLO Anthony OO 0
★ 6 BUS 53 RES 8 NEW

S FREEMAN ST 92054 OCEANSIDE

WEALTH CODE 2.7

X SEAGAZE DR
106 ★ HAIR LAND STYLING SALON 760-722-2891 3
108 ★ SUNN SIGNS 760-439-2404 9
★ SUNN STUDIOS 760-439-2404 9
110 ★ SEAGAZE REALTY 760-435-2200 +6
113 ★ AUTO TECH 760-435-1300 4
114 XXXX OO
118 XXXX OO
120 GUTIERREZ Luis 760-439-0560 +6
122 ● GARRIE Joseph OO 3
X TOPEKA ST
204 ★ FIRST CHRSTN CH 760-722-8522
213 EBNER C 760-754-2308 +6
KELLY Patricia 760-966-1616 4
214 ● DEMIRJIAN Mimi OO 4
FRIESTAD Mark 760-967-4115 +6
217 ● JORDAN Peter OO 1
218 XXXX OO
221 XXXX OO
222 ● RAMOS Ella OO 1
223 CONDEDEDRACA Raul 760-966-1755 +6
227 KNATZ Kenneth 760-435-9341 4
229 ANTONIZIO Cory 760-435-9326 +6
230 MILLAN Ixchel 760-754-9048 +6
232 BURGOS Imelda 760-722-7210 4
LOPEZ Maria Eugenia 760-722-5326 0
233 REILLY Sineab 760-754-4799 4
C SALANOA Aofaga 760-433-9740 2
234 XXXX OO
236 XXXX OO
237 VASIENTO John 760-757-6799 4
238 CABRERA Veronica 760-966-1652 +6
239 XXXX OO
X MICHIGAN AVE
302 XXXX OO
303 B ● GOLANSKI Krys 760-722-9793 4
OURAONIK C S 760-757-1911 +6
305 ● ARDILLO Charles OO 8
306 XXXX OO
308 DURDEN Deborah 760-757-4467 4
309 ● ARDILLO Charles OO 0
310 XXXX OO
312 BOYD Ronald 760-435-0802 4
JUAREZ Eleulario 760-721-4370 4
MORED Lualhati 760-754-4499 4
314 XXXX OO
315 LOMBARDI Robert 760-757-5390 +6
● SULLIVAN Neill OO 3
318 XXXX OO
319 XXXX OO
321 XXXX OO
324 ● TSOUKATOS John OO 4
326 DOLAN Mary 760-754-6773 4
327 ● LANG Mianna OO 4
330 XXXX OO
331 XXXX OO
332 XXXX OO
X MISSOURI AVE
401 XXXX OO
404 ● LEON George OO 0
407 KEYES Michelle 760-421-0315 2
● MAYNES William OO 2
½ VASILE Gheorghe 760-754-3174 +6
409 ● TRAUSCH Paul OO 3
410 ..... APARTMENTS
10 ● ALBERT David OO 4
● BENITEZ Cristina OO
11 ● BRABENTZ Bart OO 9
● BRENER Marc OO 9
CARTER Anna 760-967-4202 4
2 ● CHIRCO Paul 760-435-9552 2
15 CUFF-BENITEZ Christina 760-757-2422 2
● DELLACQUA Brian OO 4
● ELLINGSON David OO 4
HECKMAN Timothy 760-757-3648 +6
● KRATZ Peter OO 3
● LATASA Frank OO 4
8 ● MARSHALL Erik S 760-966-0504 7
● MCDONOUGH Paul OO 3
● METIVIER Paul OO 4
4 ● WILSON Jerome OO 0
● WOMACK Clint OO 0
410 ....
413 CANCECO Faustino 760-722-5037 2
SANTOS Gonzalez David 760-757-8416 4
422 ● WALZ Barbara OO 3
423 XXXX OO
426 HALE Fran 760-757-0203 4
JOHNSON Laura 760-231-1336 +6
WARD Shay L 760-754-2383 5
429 BOUETT William 760-722-4835 4
432 ● KOEPFER Miyoko OO 9
X WASHINGTON AVE
501 ..... APARTMENTS
E ADAMS Richard F 760-757-7981
CINTRON David 760-721-3187 +6
C LOPEZ Hermenegilda 760-757-8604 2
MAINE Donald 760-754-1587 3
J MASK Robert 760-721-4992 2
SAPP Amber 760-757-5944 4
501 ....
502 A CROSS Stan 760-433-1708 9
SINTOS Lisa 760-754-9047 +6
506 ● OROURKE L 760-722-5393 0
509 ● SCHEIERN Michael OO 0
512 ● SAMS Tonia 760-757-5193 2
514 ● HESS Jay 760-967-9842 3
515 ● FLETCHER Christopher OO 3
519 REILLY Tara 760-529-5713 +6
520 ● GROULX John OO 9
521 BRUMFIELD Tony 760-721-9189 4
CISIO Salome 760-433-1598 4
SIO Palu 760-967-1165 4
524 ● FEIL Christine OO 0
525 CALVIN N Cooke Jr 760-966-1236 4
528 ● LINDHOLM James OO 1
531 ● RHEAULT Amy OO 1
532 ● FUTCH Anita OO 2
X MINNESOTA AVE
603 XXXX OO
604 ● LETOURNEAU Richard OO 8
606 ● NICOTERA Richard OO 4
607 LOWE Charles E 760-722-2635 1
610 ● FORRER Heidi OO 0
611 ● WILLIAMSON Lance OO 0
614 ● HAYES Tim OO 0
618 ● SMITH Duncan 760-757-5910 1
619 SOBOLEWSKI Julie 760-433-4700 3
622 ● SANCHEZ James OO 4
623 ● RUDY Denise OO 4
626 ● PAWLOWSKI Mitchell OO 3
627 ● NEVILLE Carol OO 4
RUDY D 760-757-7252 1
629 ● FITZSIMON Leo OO 4
NETHERLAND Ryan 760-231-9836 +6
632 ● MCCANCE Daryl OO 4
X WISCONSIN AVE
X OCEANSIDE BLVD
1213 ● HERNANDEZ David 760-722-6089 0
1217 HERNANDEZ Mayra 760-966-1547 4
X GODFREY ST
X MORSE ST
1635 ★ CHANG SANG JONG 760-433-6575
X WHALEY ST
1715 ★ UNIVRSL CIRCULATION MARKETING 760-754-9420 4
X CASSIDY ST
1821 PORTA Nancy 760-722-3053 4
1823 BYZAK Aaron 760-721-8908 +6
VOLKER Chris 760-721-5518 4
X KELLY ST
1902 DAVIS Franchot 760-439-3816 4
DAVIS Franchot 760-439-8882 4
1905 ● CRENSHAW Mike OO 9
1906 ● HASTON Carol 760-435-1421 ⊕ 1
1909 CLAY John 760-722-8801 2
● KAHNIS Kevin OO 9
1918 ● WINNEMOELLER Juergen OO 0
1921 ● MULLIGAN Patrick OO 1
1922 ● CHAMBERS Stephen W 760-722-0648 0
1925 ● LLANES Sara L 760-757-2862 9
1928 ● BALISTRIERI Frank OO 4
1930 ● BROWN Wallace OO 4
1936 XXXX OO
1940 ★ KONA HUT 760-757-7873 9
X VISTA WAY
2010 ● GONZALES Juan OO 0
2017 ● IBARRA Jaime OO 4
2018 ● AGRESTA David OO 3
GRICUS Jos 760-757-8380
2019 XXXX OO
2021 XXXX OO
2022 ● SMITH William OO 0
2023 XXXX OO
2025 XXXX OO
2026 ● CRUM Robert OO 4
2029 XXXX OO
2030 PINNER H 760-721-8598 4
PINNER R 760-721-8598 4
● SESKO Brian OO 2
2033 ANDERSEN Troy 760-433-6629 4
CARON N 760-433-6386 +6
2034 ● RUMSEY John OO 3
2038 ● CHERUNDOLO Richard OO 0
X EATON ST
★ 9 BUS 156 RES 19 NEW

FREEPORT CT 92129 SAN DIEGO

WEALTH CODE 8

X FREEPORT RD
10111 ● NIELSEN Richard OO 0
10121 ○ STJOHN Jonathan 858-484-8267 4
10126 ● AULT Charles OO 0
10131 ● ANDRADA Melba C 858-538-1195 7
10134 ● EARNEST John OO 0
10141 ● WHITLOCK Erick OO 0
10142 ● MERRITT David 858-780-9226 4
10150 ● CRAYCHEE Patrick OO 0
10151 ● GRIMSHAW Carl 858-484-5852
★ 0 BUS 9 RES 0 NEW

FREEPORT RD 92129 SAN DIEGO

WEALTH CODE 8

X CARMEL MOUNTAIN RD
13554 ● HOANG Tinh OO 0
13558 BREADON Donald 858-538-0750 +6
● MINTER Brian OO 4
X FREEPORT CT
13562 ● SWANN Timothy 858-538-6135 4
13565 ● BELLACH Charlet OO +6
13566 ● EVANS James OO 1
13572 ● WANG Chin OO 9
13573 ● MOSSER Ben 858-538-5777 9
13578 ● HUANG Haibo 858-484-8475 ⊕ 4
13581 ● STAMPFL Jason 858-780-2781 4
13584 ● LE Cindy 858-538-0704 +6
13589 ● ISAAC Jonathan S 858-484-2916 +6
13590 ● ADAIR Jerry OO +6
13596 ○ SPINDLER John 858-780-2532 4
13597 ● LEE Keith OO 8
13604 ● HOLMBERG Hilding OO 8
13609 ● KELLER Martin 858-484-2278 8
13612 ● CASPER James OO 0
13615 ● HARALDSSON Ingolfur OO 0
13620 ● MEJIA Mario OO 8
13627 ● MILINKEVICH Paul I 858-484-4811
13628 ● TURNER Peter OO 4
13633 ● DREW Robert OO ⊕ 9
13636 ● ESTANOL Keith OO 1
13644 ● PERRY Bobby OO 0
13645 ● DEWOLF Thomas 858-538-6557 3
13651 ● ROBINSON Craig OO 0
13652 ● CAPILITAN Ricardo OO 0
13657 ● LABRADOR Miguel OO 0
13660 ● YACOUB Rony OO 9
13663 ● HANS Michele 858-484-9356 0
13669 ● CASE Richard OO 3
13675 ● FAUCHIER Dan 858-484-8391 9
13676 ● LESUE Stan 858-538-4757 2
13681 XXXX OO
13684 ● BOHN Alan 858-484-7998 8
13687 ● ROSETE Bartolome 858-484-8756 0
13692 ● YANG Yong OO 0
13693 ● DOBBLES Michael 858-780-2724 4
X SHEBA WAY
13699 XXXX OO
13705 ● DAUGHERTY David OO 8
13708 ● ROADMAN Reed 858-484-4655 8
13713 ● JONES Heather 858-780-9546 3
13714 ● WELCH Lawrence E 858-538-3802 1
13719 ● SIMPSON Ronald OO 3
13722 ● ADAMS R Broadice 858-780-9892 3
13727 MICHAELIS Melissa 858-484-6842 4
● PAINTER Debra OO 0
13730 ● GIBSON Dana OO 6
13733 ● HAMILTON John OO 6
13738 ● GERONIMO Rainerio OO 1
13741 ● MINERD Charles OO 6
13746 ● WARK Randall 858-484-2512
13747 ● MOORE V OO 3
13752 ● BUSSE David OO 8
13753 ● OUESLER Thomas OO 3
13759 ● ACKERMAN Bruce OO 8
13760 ● PSAHOULIAS Peter OO ⊕ 0
13768 ○ TIMTIMAN Bernardo 858-484-0635 9
○ TIMTIMAN Bernardo 858-538-0301 9
13771 ● DECOTTIGNIES Eric OO ⊕ 3
13776 ● RICHARDSON Dave 858-484-0287
13777 ● CARLBLOM Mary OO 9
13782 ● NETTLES George 858-538-3049
13783 ● HAIKAL Connie OO 0
13789 ● NELSON Kent OO 8
13795 ● DELRIO Omar OO 8
X QUINTON RD
13803 ● THOMPSON R OO 9
13809 ● GREEN Douglas OO 8
13815 ● LABADIE Brian OO 4
13818 STCYR Arthur 858-538-0731 +6
13821 CARSON Barbara 858-538-2989 4
● COLORADO Adorable OO 0
13827 XXXX OO
13828 BARNES Anthel 858-538-0069 +6
● PYATI Jagdeesh OO 0
13833 ● TOLLEY William 858-780-0978 8
13838 ● LEWIS Ronald OO +6
13839 ● GEHRKE Robert OO 0
13845 ● BUSH John 858-484-9144
13848 XXXX OO
13853 ● BOGUCKI Carl OO 8
13858 ● SLACK Greg OO 3
13859 ● BELL Columbus OO 0
13865 ● DECHARON Rena OO 8
13868 ● ANDERSON Derrick OO 1
13871 ● RIGGS Patricia 858-538-6203
13877 ○ GILL Martha 858-484-0479 ⊕
13878 ● ARMSTRONG John OO 0
13883 BARTHOLOMEW Richard 858-484-0049
13888 ● BACALSKI Brian 858-484-7483 2
★ NEW CITY STUDIOS 858-538-8560 4
X BRANFORD RD
★ 1 BUS 91 RES 8 NEW

FREEWAY LN 92054 OCEANSIDE

WEALTH CODE 3

15 NEWMAN George R 760-722-3297
16 XXXX OO
17 XXXX OO
18 STARKS James 760-433-0348 4
19 SANDOVAL Precillano 760-721-5076 4
20 REIN Andrea 760-757-5630 4
21 XXXX OO
22 XXXX OO
24 DONHAM Catrina 760-721-5216 1
25 XXXX OO
26 DIAZ Jaime 760-721-4486 2
X BEACHWOOD LN
★ 0 BUS 11 RES 0 NEW

FREMONT ST 92084 VISTA

WEALTH CODE 1

X LOMBARD ST
1401 WILLIAMS Ivan 760-724-0276 4
1403 CASEY Marjone 760-839-0562 0
1405 ● CHAMBERS John OO 3
SERAFIN Louis 760-726-1523 3
X NOB CIR
★ 0 BUS 4 RES 0 NEW

FRENATA PL 92011 CARLSBAD

6741 ● PULVER Steven OO
6745 ● DAUL Trevor 760-438-2275
6749 ● WOODS Teresa OO 4
6757 ● COLEMAN Greg OO
6765 ● RODRIGUEZ Peter 760-431-6673 3
6769 ● DODGE David OO
6777 ● LAU Wai OO +6
6781 ● KAELIN Reed OO
6785 ● CHEN Jackson OO +6
6789 ● JOHANSSON Pertti OO +6
6793 ● COLEY Steven OO
6797 LINCOLN Diana 760-431-1019 +6
● WAKILI Abdul OO 3
★ 0 BUS 13 RES 4 NEW

FRENCH CT 92054 OCEANSIDE

WEALTH CODE 7

X CALIFORNIA ST
1434 ● TYLER Mark OO 4
1437 ● HAYWARD Ed 760-721-8111 0
1441 ● BARNERT Cyril OO 0
1445 ● CALL Britton OO 0
1448 STUDER Rozella M 760-757-6773 4
1449 ● SUTTON John OO 9
1452 ● BRISENO Gaston OO 0
1453 ● CHANEY Scott 760-721-1586
★ 0 BUS 8 RES 0 NEW

FRENZEL CIR 92056 OCEANSIDE

WEALTH CODE 6

X BUENA HILLS DR
3600 SALDANA Margarita 760-754-3134 +6
3601 XXXX OO
3605 EGAN Dale 760-967-0110
3607 ● SMITH M E 760-757-3982 0
3609 GUTIERREZ Teresa 760-967-6090 +6
3610 BOURGEOIS John 760-757-7178 4
● PEZZOPANE Carol OO 0
3611 ● WATSON Merle OO 4
3612 ● DOHERTY Dellora A 760-433-1482 2
3617 KAVESKI Jim 760-754-5210 +6
3619 XXXX OO
3620 ● MURPHY Patricia OO 3
3622 XXXX OO
★ 0 BUS 13 RES 3 NEW

FRESCA CT 92075 SOLANA BEACH

WEALTH CODE 8

X FRESCA ST
707 ● MODESITT John E 858-792-1511
● MODESITT John E 858-792-1764
714 ● ULLOA Griselda 858-259-0785 2
715 XXXX OO
722 WELLHOUSER Harry N 858-755-3583
723 ● SHAW Gordon OO 7
730 ★ ELLIOTT W GEOLOGIST 858-792-9668
ELLIOTT Wm J 858-755-0370
ELLIOTT Wm J 858-586-0870
731 ● HAYNIE Sven OO 3
MILLER Julia 858-259-9718 3
738 GRENDA Ronald J 858-755-3446
746 ● SHANNON Sean OO 4
747 SCHNEIDER Geo R 858-481-5046
SMITH M J 858-481-5046
754 WATTS Robert 858-259-7585
755 ● MILLER Mathew OO 0
★ 1 BUS 16 RES 0 NEW

FRESCA ST 92075 SOLANA BEACH

WEALTH CODE 8

X SONRISA ST
602 MCMURRY Joyce F 858-755-5607
611 CAGLE J 858-755-3454
618 XXXX OO
619 ● KAISER Thomas OO 0
626 XXXX OO
627 ● GRAZIANO James OO 1
X FRESCA CT
635 ● QUINSAAT Jesse OO 8
642 ● FURGATCH Caleb OO +6
643 ● GREENBAUM Stuart OO 8
651 ● KASDIN Steven 858-259-3876 ⊕ 4
705 ● MONKEN Dennis OO 9
706 ● CYNAR Frank OO 0
713 ● GIOLITTO James OO ⊕ 1
721 ● MOORE Jeffrey OO 1
786 CYNAR Nancy 858-755-5940 4
X S NARDO AVE
★ 0 BUS 15 RES 1 NEW

FRESHWIND CT 92127 SAN DIEGO

WEALTH CODE 8

X LOFTY TRAIL DR
11505 XXXX OO
11508 ● EITZEN Christopher OO 4
11515 ● GERMAN Eugene OO +6
11516 ● VERMEULEN Clayton OO 8
11524 ● AMARO Charles OO 4
11525 ● FERNANDES Edward OO 3
★ 0 BUS 6 RES 1 NEW

FRESNILLO CT 92075 SOLANA BEACH

WEALTH CODE 9

X FRESNILLO WAY
143 ● SKAHAN Maureen OO 4
147 ○ GLASS Tiffany 858-720-0796 4
151 ● KIKER-MAZE Kerstin OO 4
MAZE-KIKER K 858-793-1375 4
155 ● JACQUES Robert 858-509-3694 3
159 XXXX OO
163 ● PINNEY Justin OO 4
★ 0 BUS 7 RES 0 NEW

FREY CT 92064 POWAY

WEALTH CODE 6

X FAIRBURN ST
13419 ● BITTINGER John OO 4
13425 ● BECKER Jos C 858-748-6730
● BECKER Joseph 858-513-3862
13427 XXXX OO
13429 HUNT Caroline 858-748-8893 4
13430 XXXX OO
13433 ● KLISKEY Allen OO 0
13434 ● OULELA Daniel OO 0
13435 ○ RIZZUTI Robert M 858-486-5531 2
RIZZUTI Robert M 858-486-5534 2
13439 ● MORRIS Mark C 858-679-7310
13441 ● GREATOREX John 858-748-5482
★ 0 BUS 12 RES 0 NEW

FRIANT ST 92126 SAN DIEGO

WEALTH CODE 4.2

X BARON DR
8630 ● EASTER Anne OO 0
8642 ● NGUYEN Xuan OO 4
8647 MECHEM Brian 858-880-2993 +6
● PRASAD Aaron OO 1
8654 ● BEOF Antonio OO 3
8659 ● ELLSWORTH Allen OO 1
8668 DANG Kevin 858-566-8191 4
● KYLE Ronald OO 4
8671 ● BIRKENBACH Paul OO 3
LAURLA Birkenbach 858-549-7905 4
8678 ● BOWLES Richard Jr 858-271-7108
8690 ● ORHUN Selma OO 8
8693 ● COTTON David OO 0
8707 ● BUI Tuan 858-536-9740 8
8708 ● JENSEN Craig OO 4
8716 BALTAZAR Carolina G 858-547-1558 +6
● BESTE Jeremy OO 0
8717 EDWARDS Harold 858-549-7171 4
8724 ● SHINE Marsha OO 4
8727 ● SAVAGE Vera 858-689-0482 4
8732 ● LINCAVAGE Frank OO 0
POLLARD A 858-530-0727 8
8737 BALLA John 858-537-9663 4
● OSGA Glenn OO 3
8740 ● ANCHETA Evangeline L 858-653-4650 2
8747 GONZALEZ Enrique G 858-635-9485 4
GONZALEZ Enrique G 858-536-9707 4
8748 LU Muoi 858-695-6733 +6
● SUN Eddie OO 0
X WESTONHILL DR
8757 ● GUINTO Melanio OO 0
8758 ● WHITE Charles 858-271-4569 8
8767 ● CARTER G N 858-566-2380 7
8768 ● GALGUERA Richard OO 0
8777 ● HARGIS Larry OO 2
8778 ● LANG John OO 9
8787 ● ROBINSON Jerry OO 4
8788 ● CHEA Alex 858-566-5373 9
8797 ● REDDICK Ervin OO 4
8798 ● VALENCIANO Arlene 858-693-6120 1

⊕=DO NOT MAIL

© HAINES & CO., INC. INFORMATION ON THIS PAGE MAY NOT BE KEYPUNCHED, ENTERED INTO A COMPUTER OR PHOTOCOPIED, IN ANY MANNER WHATSOEVER EXCEPT AS AUTHORIZED IN WRITING BY HAINES & CO., INC

TP - | Adjoining ✓ | Source Haines Company, Inc.

S MYERS ST 2006

2981 ● WILLARD John OO +6
X ONALASKA AVE
2991 ● KANEAKUA Harry OO 8
3015 ● LANE Candelaria 858-277-1134
3023 ● PELG Jerome OO 0
3024 XXXX OO
X NEVA AVE
3031 ● LAPLANTE Anthony 858-278-9690 0
3039 COFFMAN V G 858-277-3341
3040 ● NGUYEN Tua 858-569-0356
3047 RIVERA Taio 858-277-3464
3054 ● RAFFERTY Robert 858-277-4921 3
3055 ★ BETCHA NEED A HANDYMAN 858-278-4839 4
● MARSHALL Larry OO 0
X MACAWA AVE
3077 ● SKJONSBERG Orville OO 8
3078 ● CHERIE Berhane OO 2
TEKLEYESUS Hirut 858-571-4709 4
VENTUROSO Benjamin 858-715-8227 +6
3104 SOTO Nicholas 858-560-0721 2
3124 DINALLO Ingrid 858-467-0709 4
3128 XXXX OO
3132 ESCALANTE Joey 858-571-3805 +6
3133 VERMILLION Chris 858-277-5128 4
3140 XXXX OO
3141 HARBISON Charles 858-492-5901 4
3145 SIMMONS Dennell 858-560-8874 +6
3179 LINDSEY N 858-569-4940 4
3183 XXXX OO
3187 SMITH Michael 858-278-8862 4
3189 DOUGHERTY William 858-560-8422 4
3191 XXXX OO
3196 BROOKS M 858-715-0719 +6
3197 XXXX OO
X LARKDALE AVE
3203 ○ LOPEZ Maria 858-751-0635 2
3204 DAVIS Darrin 858-571-7403 +6
3205 BURKLE M 858-560-1878 +6
3206 XXXX OO
3207 XXXX OO
3208 NAKASONE Barrett 858-505-9080 +6
3209 YAMAGATA Yvonne 858-565-6706 +6
3211 MORTON Jonathan 858-300-5844 +6
3212 XXXX OO
3213 XXXX OO
3215 GONZALEZ Joe 858-636-7859 4
3216 KOSSEGI Nicolas 858-571-8436 +6
3219 XXXX OO
3220 ★ MILLER PATRICIA 858-751-7512 1
3221 NORRYN Burke 858-565-1353 +6
3223 STOUT Megan 858-569-5203 +6
3225 XXXX OO
3226 WILLIAMS J 858-569-5905 3
3251 ○ STEPHENS Tiera 858-751-0722 2
3271 ○ ALTER Kathrine 858-751-1482 2
3283 STOKES Carmen 858-650-0483 +6
3291 XXXX OO
X IVERSON ST
3312 FRAYSUR Stephanie 858-277-4197 +6
3314 XXXX OO
3315 BECKER Paul 858-541-0464 3
3341 ESPINOSA Sara 858-495-0530 4
3360 ★ LINCOLN BP MANAGEMENT INC 858-874-8100 4
★ LINCOLN EASTERN MNG CORP 858-874-8136 4
3361 BROUGHTON Keith 858-467-0944 4
3365 RUPP Kacy 858-492-5114 4
3369 XXXX OO
3377 MARTINEZ Fabian 858-300-5990 4
X SANDROCK RD
★ 11 BUS 146 RES 21 NEW

MUSEUM CT 92057 OCEANSIDE

WEALTH CODE 4

973 ● DELEON Dionisio OO 8
977 ● BISSET Richard OO 0
981 ● LEGEAR Alfred 760-726-9184 0
985 ● ROBERTSON Stephen OO 0
989 ● BARAJAS Ruben OO 3
RODRIGUEZ Benjamin 760-643-0609 4
993 ● YECPOT Rudy OO 3
997 ● FERNANDEZ Frank OO +6
X MOTIF ST
1001 JIMENEZ Alma 760-941-3982 +6
● MARTINEZ Jose L 760-414-1278 2
1005 ● DUNHAM Lewis OO 3
1009 ● POPE Adrianne 760-630-1587 8
1013 ● MANALO H 760-639-0795 7
1017 ● SNIPES Darrell OO 0
1021 ● SOUTH Cheryl OO +6
1025 ● GALLO David OO 9
★ 0 BUS 16 RES 3 NEW

MUSIC LN 92026 ESCONDIDO

WEALTH CODE 7

X LARGO LN
531 ● ARCHIE George 760-480-1486 0
540 WORRICK Wilbur 760-489-8140
543 XXXX OO
550 ● PENA Hilda OO 3
555 ● TODD David OO 0
X LAURASHAWN LN
★ 0 BUS 5 RES 0 NEW

MUSLO LN 92009 CARLSBAD

WEALTH CODE 8

X CASCA WAY
7310 ● RUIZ Donald G 760-633-4403 0
7312 ● WATERSTRADT Henry OO 3
7314 MORRIS Carl J 760-753-1459
7315 ● RIEDEL Ursula OO 4
7316 ● STOTTLEMYRE Dan OO 0
7318 ● FARLEY Ron 760-753-4906
7319 ● ACCETTA Robert OO 8
7320 HIRSCHOM Gerald 760-436-6939
7321 ★ PODGORSKI RICHARD 760-635-0451 4
● PODGORSKI Susan 760-436-6288 2
7322 ● BROCCOLI David OO 8
★ HI-TECH AC INC 760-632-7877 4
7323 ● OHNSTAD P R 760-753-5118
7324 ● SCANLAN Paul T 760-942-7170
7325 XXXX OO
7326 ● MILLIKEN Timothy OO 0
7328 ● GROSSHART Joseph 760-943-8827

7330 ● DEARMOND Clark OO 0
X FOSCA ST
★ 2 BUS 16 RES 0 NEW

MUSSEY GRADE RD 92065 RAMONA

WEALTH CODE 6.8

X JULIAN RD
12917 LEVIN Carol 760-789-5752 4
LEVIN Joel D 760-789-1749 4
12919 GREGORY Gary 760-788-5489 4
13250 XXXX OO
13253 LEVIN Carol 760-787-0082 4
13364 XXXX OO
13473 ● GOLDSTEIN Yisroel OO +6
13550 ● AARON Geoff OO 3
X KIMBALL VALLEY RD
13915 ● MORGAL Richard OO 4
14041 ● CHRISTENSEN Nancy 760-788-8180 4
14043 XXXX OO
14047 XXXX OO
14049 ● WETTER Allen OO ⊕ 4
14051 ● KLOPP Frank 760-789-4616
14054 ● HOLMES William OO 4
14055 ● PEDERSEN Paul OO 9
14061 ● FARKAS Tibor OO 1
X RONAN DR
14106 DIAZ Miguel 760-789-4150 +6
● MACIAS Alvaro OO +6
X BUECHNER DR
14110 ● UNDERWOOD Diane 760-789-4864 4
14128 ● PAPPS Gary OO 1
14136 ● RILEY Brian OO 1
14143 ○ BROOKS L 760-787-1199 3
X MORRISON PL
14150 ● LAZCANO Maria 760-789-0551
14155 THOMAS Mitch 760-788-6567 4
WATERS Rose 760-788-2347 4
WOODS Geo W Jr 760-789-0862
14170 ● FIDLER Timothy OO 4
X LAUREL LN
14216 ● LOPEZ Albert OO +6
14237 ● CARR Kenneth L 760-789-0359
14246 ● KEMSLEY Christopher OO 4
14259 ● THARP Jeff OO 4
14317 SPECK Dennis 760-789-1438 4
14340 BARAHONA Lakhena 760-789-7016⊕ 4
14343 NIKULS Walter F 760-789-8190
14353 DURAN Rosalia 760-787-0683 +6
MEADOR Betty D 760-789-1902
14414 ○ MCGUIRE Leo A 760-788-4621 8
○ MCGUIRE Leo A 760-788-3621 8
14469 XXXX OO
14488 ★ CMP FRIENDSHIP PRSB CHURCH 760-789-9246 9
14494 MILLER Lee S 760-787-0391 +6
14555 ● COEUR Robert OO 3
14607 ○ PERKINS Jim 760-789-1972 7
14619 ● HANSEN William OO +6
O'DELL Ray 760-789-7881 4
14621 LYNCH John 760-788-2835 +6
14623 ● ZARAGOZA Jose OO 1
14625 . . . . . M G VILLAGE PARK
BRINKE R 760-787-0367 +6
BROOKS James 760-789-7812 4
44 CLAYTON Susan 760-787-9122 4
COLLINS Diane 760-787-1187 3
ELLISON Daniel 760-788-0009 +6
GAMMILL Jeffrey 760-788-7750 4
GERHEUSER George 760-787-1807 4
GILLASPY Donald 760-789-0319 4
HAKKER K 760-788-1227⊕ +6
HASTAIN Beverly 760-789-0769 4
HOOGE Jim 760-788-5434 9
KAUHI-LOZANO Donay 760-788-1993 4
LOZOYA Victor 760-788-9934 +6
M14 MCNABB Frank 760-788-0657 4
★ MUSSEY GRADE VILLAGE PARK 760-788-0740 3
OSBURN Kenneth 760-789-2569 +6
RAFAEL Porfirio 760-788-2582 4
M19 RICHWINE Karen 760-788-5596 4
TURNEY Miranda 760-788-1499 4
VAMSCHAICK John 760-789-3284 +6
M6 WALTERS Tom 760-788-0246 3
WRIGHT Margaret 760-789-2834 +6
14625 . . . .
14635 ● CARRICO Richard OO 0
14670 XXXX OO
14748 XXXX OO
14755 ● HANSEN Wm K 760-789-8296
14776 XXXX OO
14795 ● ZELMER Richard 760-789-1090
14805 ● GEERTS Patricia OO 0
14824 XXXX OO
14870 XXXX OO
14871 ● KWIATT Wanda OO 2
14905 XXXX OO
14959 ○ BORYSEWICZ Edward 760-788-0853 3
15046 ● WEIKEL Dennis OO 4
15436 MAGANA Carmen V 760-788-9580 +6
15440 XXXX OO
15444 KEILA Munoz 760-789-4920 4
15466 ELAM Jennifer 760-787-9245 4
15470 XXXX OO
15541 ● FREEMAN William R 760-788-6845 3
X DOS PICOS PARK RD
X PAMO WINTER CAMP RD
15610 ● BAIN Charles OO +6
X THOMAS PAINE DR
15620 ● PRICE Cindy OO 4
15625 ○ MEREDITH Bert 760-788-8088 9
15637 STALLARD Irene 760-788-9780 2
WINDLE Rick 760-789-7338
15646 ● MERRILL Gary OO 0
15648 MOORE Harvey 760-789-0568⊕
X WYEPORT RD
X MARMAC DR
15677 ● GOODEY Brian OO 4
15694 GRIFFIN Brian 760-787-1999 4
● WARREN Major F 760-789-3586
X ROSEMONT LN
15704 ● MICHITSCH Kent OO +6
15710 ● PESTA John OO 4
15711 DOBSON Johnny H 760-789-1452
15718 ○ MUDD Anthony 760-789-0126 1
15722 ELMER J 760-789-4679
15726 ● PATRIC James 760-789-7377
15727 ● DAWSON Donald OO 3
15740 ● PEREA Francisco 760-787-9931 1
15748 ● ATTIAS Messod OO 8
15749 ● POPP Lynn 760-789-4371
15752 ● HENNIG Edw J 760-789-2640 0
★ NEO SYNTHETIC OILS 760-789-7306 0

15756 BURDETT B J 760-789-1343
ROWLAND B J 760-789-1637
X MARA LN
15758 KLAWITTER H 760-789-4464
KLAWITTER K 760-789-4464
★ NATL IMAGING CONSULTANTS INC 760-789-1116 7
X ARBOL LN
15775 XXXX OO
X BRANDIRON ST
15795 ● BACAS Ronald OO 0
15811 BYRNE Patricia 760-788-1186 +6
● MOHAMMAD Imran OO +6
15818 ● NORRIS Mark OO 0
15827 ● ERIVEZ Joe 760-789-4244
15831 MASON Elizabeth 760-789-7513 4
15839 ● PARKS Ronald OO 1
15847 ● DAVIS Christian OO 4
15858 ZELLNER E A 760-789-8015 4
15863 SABER Wm 760-789-8218
★ STRATEGIA INC 760-787-0900 3
15906 XXXX OO
15908 ● BAGLEY Brian OO 9
15912 ● CHATFIELD R 760-789-3029
15916 ● HARSKI Julie 760-789-5441 3
X OAK VALLEY RD
15918 ● PRICE Leroy OO 4
15922 ● DEAN Christopher OO 0
HENSLEY Victor 760-787-9184 4
15940 BOYKIN Robt 760-789-0537
X SPLIT ROCK RD
15954 ● KLARER Paul 760-789-7733 4
15956 XXXX OO
15962 ● KRALL Kyle OO 9
15976 ● PRATHER Scott 760-789-5841
X DYE ST
★ 5 BUS 135 RES 20 NEW

MUSTANG DR 92064 POWAY

WEALTH CODE 6

X HILL COUNTRY DR
12501 ● ELKHATIB Sandra OO 4
12502 ● RAINWATER James OO 0
12506 ● DAHMAN Sam OO 4
12509 ● KNOWLTON Bruce 858-746-4833 3
12510 ● LUCE Roger A 858-679-1844 0
X ARABIAN WAY
12514 ● MONIZ Marc OO 0
12517 ● KNOX Darryl 858-679-1895
● KNOX Jama A 858-746-8165
● KNOX Jama A 858-746-6223
12518 ● SCHRECK David 858-391-0492 1
12521 ● DORE Harold OO 8
12522 ● ROWE Raymond OO 1
12525 XXXX OO
12526 ● RAMIREZ Jose OO 3
12529 ● SMOLA Sherilyn 858-486-1809
12530 ● HUMAYUN Aliye OO +6
12533 ● RUCKER Robert 858-679-1007 +6
12534 ● THURBER Brittany OO 4
12537 ● MYERS Paolo 858-486-4176 +6
12538 ● JOHNSON Billy OO 8
12542 ● SEAGLE Larry 858-679-0544
● SEAGLE Larry K 858-486-0729
12545 ● HERRMANN Richard B 858-679-7017
12546 ● FORD David OO 0
12549 ● FINLEY Sean OO 4
12550 XXXX OO
12604 ● BROUGHMAN Andrew OO 4
12605 ALLUMS Rachel M 858-513-2585 3
12610 ● LEISHMAN James OO 8
12611 ● COX Charles OO 2
12616 ● HINES Terrance OO 3
12617 ● MATTIO Girard 858-668-0808 3
12622 ● HARNLY Amy OO 4
12623 ● ZENZ Patrice OO 9
12628 XXXX OO
12629 ● SNEED Warren 858-746-4471 4
12634 ● LUDWIG Rodney OO 9
MCGRATH Edward 858-883-2158 4
12635 ● FRASER Richard OO 8
12639 ● SPEARS Sharon OO 1
X BUCKSKIN TRL
★ 0 BUS 40 RES 3 NEW

MUSTANG GLN 92027 ESCONDIDO

WEALTH CODE 7

601 ● PRASAD Vijaya OO 0
609 ● QUERIMIT Alicia OO ⊕ 0
610 ● LABADIE Robert OO 0
PHAM Lillian 760-746-7509 +6
617 ● VELASQUEZ Telesforo OO 4
618 ● BLAMIRES Travis OO 4
625 ● STROMINGER Fred 760-747-1696 3
626 ● SALEEB Reda OO 4
633 ● MCCLUSKEY Robert OO 1
634 ● LAFOREST Cheryl OO 9
640 ● SORBIE Tom OO 4
641 ● CLARK David OO 4
648 ● HERNANDEZ Glenda 760-738-8818
649 ● RAMENTO Xenia OO +6
★ 0 BUS 14 RES 2 NEW

MUSTANG ST 92111 SAN DIEGO

WEALTH CODE 6

X HATTON ST
4112 ● MOORE Kim OO 0
4115 ● SNYDER Evonne OO 1
4118 ELGAZZAR Ehab E 858-467-0116 +6
4119 ● WOJCIECHOWSKI Patricia 858-496-9775 0
4124 KNOP Howard P 858-277-4689
4125 ● COBB Oren D 858-565-9211
4130 ○ STEELE Robert H 858-279-4484 7
4131 ● TASKIN Onder OO ⊕ 4
4136 ● ANDERMATT Bruno 858-571-7679 2
4137 ● YOUNG Dennis OO 0
4142 JENSEN S A 858-278-7001
4143 HAIDER Al 858-278-8159
4148 XXXX OO
4149 ● GONZALES Christina Ong 858-650-6851 2
4154 STRAUSS Kenneth 858-278-0335
4160 ● SIMMONS Stuart 858-268-3405
4163 ● AQUINO Mario OO 4
4166 OORSCH Dan W 858-278-4529
4171 ● TAYLOR David OO 4
4172 ● MORTON Rex G 858-279-0921
4177 ● ARNOLD Carl OO 1
4178 KELLY Daniel J 858-715-0809 4
4183 ● LONSDALE Dale 858-278-1933

4184 ● LE Chuong 858-576-8596 3
4189 ● MARCELO Ofelia OO 4
PULIDO Maria 858-541-0953 +6
4190 ● DEIRANIEH Laila OO +6
X ECKSTROM AVE
★ 0 BUS 27 RES 3 NEW

MUSTANG WAY 92057 OCEANSIDE

WEALTH CODE 6

X SEATTLE SLEW WAY
1671 ● SHINE Debra OO 2
1672 ● WINKLEY John OO 0
1674 ● ACEVEDO Conrado OO 4
DELACRUZ Margarita 760-631-2301 4
1676 ● BONYNGE Bill 760-643-1660 4
1679 ● CHAPMAN Derek OO 3
1680 ● CASTANEDA Oscar 760-631-3791 3
1683 ● ANDERSON David OO 4
1684 ● KUTSOR Michael OO 4
1687 ● COOK David OO 4
1691 ● DINIUS David OO 4
★ 0 BUS 11 RES 0 NEW

MUSTANG WAY 92078 SAN MARCOS

3203 MURCH Joshua 760-295-8600 +6
● SEAMON Lawrence OO ⊕ 4
3206 ● SIOES Joe OO 8
3211 ● NUNEZ Liborio 760-597-2741 3
ROBINSON Jennifer 760-734-6577 4
3212 ● HANSEN Marilyn OO 4
3217 ● KALMAR Jason OO 9
3218 ● GARCIA Ismael OO 2
3224 ● MCCARTHY Teresa 760-734-5749 0
3225 ● ZUFELT Leslie OO 8
3230 ● GARCIA Armando 760-598-4197 8
3236 ● DINH Thi OO 2
3237 ● SHELTON J 760-727-6252
3244 ● REYNOLDS N P 760-598-1867
3249 XXXX OO
3252 VYCITAL Ray 760-727-1527
VYCITAL Ray 760-727-2132
3260 ● STRINGER Mitchell OO ⊕ 0
3265 ● MARGOT Michael OO 0
POGUE D 760-734-6933 +6
POGUE R 760-734-6933 +6
3268 ● CONREY Chuck 760-295-5367 1
X OLEANDER AVE
★ 0 BUS 22 RES 3 NEW

MYCENAE WAY 92056 OCEANSIDE

WEALTH CODE 5

X LEISURE VILLAGE WAY
5006 COOPER Elisabeth 760-945-5523 4
5018 ○ FRADKIN Joe 760-830-1168
FRADKIN Joe 760-758-5510
5022 ○ FOX Donald James 760-724-6173 2
5026 XXXX OO
5030 FISCH Burt 760-945-7200 4
5034 ● HOLNESS Lenward 760-941-8857 4
5038 ROWLEY David 760-732-0103 +6
5042 ● BALOG Nancy 760-945-7560 0
5046 ROMENS Norma 760-639-0468 4
5050 ● GORDON Paul 760-216-6285 +6
5054 JONES Florence 760-945-0536 4
5058 BARMASSE Alfred C 760-945-9463
5062 DAUGHENBAUGH Lloyd 760-630-5879
5066 DEPIETRO Mary Rita 760-726-8915
5069 FINK Marvin 760-630-0346 4
X AEGINA WAY
5070 LEVY A 760-945-5526⊕
5073 SCHELL Edna 760-941-6873
5077 GOLD George 760-945-9844
5078 PERLMAN H B 760-941-4669 4
5081 ● MATTHEW Robert A 760-830-5863 2
5085 BELGER William 760-631-7036
5086 XXXX OO
5089 ● SINTON Sheila OO 4
5090 MITHERS Joel 760-945-9815
5093 BERLOW Leonard 760-945-8865
5094 ● MALONE Steve OO 4
5097 ● ABRAMSON Bernard 760-724-9950
5098 ● BAKER Phil 760-630-9630
X CAESENA WAY
★ 0 BUS 29 RES 2 NEW

MYCORTE DR 92026 ESCONDIDO

WEALTH CODE 5

X HILCORTE DR
747 ● ARMISTEAD Gene 760-747-5397
748 ● SMITH Theodore OO 0
X RAECORTE PL
752 XXXX OO
753 ● HATCH Gregory OO 8
756 ● CYR A 760-747-1964 2
757 DISCENZA Vincent J 760-745-6873
★ 0 BUS 6 RES 0 NEW

N MYERS ST 92054 OCEANSIDE

WEALTH CODE 5

X PIER VIEW WAY
400 . . . . . APARTMENTS
26 ● AMANUEL Michael L 760-721-3829
● BITTLE George OO 3
BLACKSTONE Marvin 760-433-3497
BLACKSTONE P 760-433-3497
45 ● BOND Kelli OO 3
35 ● BRIZENDINE Denny 760-721-4108 0
32 ● BROWN Donovan OO 2
● CLARK Gary OO 3
2 ● CONTRERAS George 760-722-8150 3
17 ● CUTLER Matthew 760-967-2008 9
49 ● DERINGTON Ronald OO 4
● EDMONDSON Stephen OO 3
ELWELL Mike 760-231-8477 +6
● ESSIG Marcia D 760-433-8101 1
18 GENTRY Ryan 760-433-9926 4
50 ● HANKINS Jeffrey OO 0
HEIDE Verzwyvelt 760-721-9685 4
10 ● JENSEN Larry A 760-721-9074 9
13 ● JOHNSON-SIMON Geneva OO 3

311 ● LEE Hal OO 3
LEVIN James 760-966-3152 4
● MAKOFSKI Mary K 760-439-1273 3
7 ● MARTINI Barbara OO 4
24 ● MATAKOVICH George OO 0
● MCGINNESS Gregg OO 3
34 ● MELFI Cynthia OO 8
27 MIKO Bela 760-433-9559
3 ● MORALES John 760-757-0324
● PATTON Gregory OO 4
● PAWZUN Michael OO 0
20 ● POLIDORI Bruce OO 3
● RICHARDS Paul OO 3
1 ● ROMAN Rosenda OO 3
● SEE Jack OO 3
36 ● SEVITZ James OO 4
● SHEA James M 760-435-9593 9
● SHEFF Conrad 760-966-1233⊕ 9
40 ● SIMMONS Brenda OO 4
22 ● SMITH Curt OO ⊕ 4
47 ● SPADARO Joseph OO 4
● STCLAIRE Rebecca OO 3
4 ● VERZWYVELT Heidi OO 3
28 ● VOTH Donald OO 4
33 ● WILLIAMS Lawrence OO 4
400 . . . .
X CIVIC CENTER DR
508 STRATTON Jared 760-966-0689 +6
★ 0 BUS 45 RES 2 NEW

S MYERS ST 92054 OCEANSIDE

WEALTH CODE 1.5

X SEAGAZE DR
133 XXXX OO
135 XXXX OO
137 SNAVELY David 760-433-5898 4
141 ARCHER Calbert 760-721-4356 4
STUART Karen 760-967-3908 +6
142 XXXX OO
143 XXXX OO
144 XXXX OO
145 ● CROUSE Donald OO 0
146 BOWYER Paula M 760-754-9501 0
149 JOHNSON Jeff 760-433-3551 2
150 ● DEROUIN Douglas OO 1
151 COSENTINO Tony 760-231-7347 +6
HAAS Donald 760-231-5897 4
D KIRKEY M 760-433-3773 3
★ SEA WALK APARTMENTS 760-722-4134 8
158 CARLSON Ivan N 760-722-0668
X TYSON ST
201 XXXX OO
203 XXXX OO
204 BURDICK E 760-721-3011 4
205 MCCUTCHEON Bonnie 760-529-9205 +6
206 XXXX OO
210 MCNABB J 760-433-7595 4
211 A BLANFORD David 760-967-1827
FISH Ruby M 760-722-4825
216 CONNOR Louise 760-231-7382 +6
217 BUTLER Christine 760-722-8466 +6
218 CAVALIER Delvin 760-722-1943 2
220 XXXX OO
221 XXXX OO
222 BURKE H 760-967-6509 +6
224 XXXX OO
X FIR ST
302 C JONES Brian H 760-439-7450 0
ORTEGA David G 760-967-8947 2
300 PHIFER Derrick 760-757-9978 4
VANCE Randy 760-757-9975 4
305 COARI Paul F 760-754-2966
NOURI Nassrlah 760-722-0837 4
RIOS Melchor 760-433-3158 3
306 XXXX OO
307 XXXX OO
309 XXXX OO
312 WOZENCRAFT Lucile O 760-722-3100 0
313 XXXX OO
316 DAVIS Jerry 760-421-4210 2
317 KINMON Mary 760-757-1482 +6
SUNKULE Danetta 760-433-5478 +6
318 XXXX OO
334 ● BOWLER E OO 3
HERRICK Kent 760-721-3477 +6
● STURMAN William OO 0
X PINE ST
402 ● AYER John OO 4
405 ● BURTON Michael OO 3
● CUNNINGHAM Russ OO 3
● DECOTTLE-RUBAC Karla OO 4
● KINGSFORD Ava OO 2
● OLSEN Jeff OO 3
406 ½ FRIES M 760-722-3114 +6
408 CROSS Richard 760-757-9798 4
410 XXXX OO
412 DESTIGTER Loren 760-721-3376 +6
413 SIMPSON Kelly 760-722-2166 +6
416 XXXX OO
417 BLADE Christophe 760-529-5943 +6
● TRIARSI Anthony OO 0
418 ● LACHNER Ronald OO 0
421 A COLLINS Joseph J 760-966-1458 8
C MCKEON T J 760-439-0441 2
E WRIGHT Janel 760-754-8755
422 XXXX OO
X ELM ST
501 XXXX OO
502 XXXX OO
503 HILL Edwin 760-433-8262 +6
512 NORD Michael 760-439-2782 1
514 . . . . . APARTMENTS
FASCETTI Mike 760-529-9367 +6
FASCETTI Mike 760-529-9368 +6
B FERREIRA Stephanie 760-439-4894 2
RAYMOND Andrew 760-966-0527 1
C WOODS Mike 760-754-9405 4
514 . . . .
515 N MARTIN Ellery T 760-439-8940 9
RUSSELL Richard 760-721-1850 +6
519 XXXX OO
523 HAYES Jeff 760-721-3943 4
X ASH ST
602 XXXX OO
605 ● BRUNNER Richard OO 3
● CASTRO Glenn OO 3
● CHOPRA Kunoor OO 0
● HARBIN David OO 0
● JUSTICE Kathleen OO ⊕ 3
● SMITH R N 760-435-0908 8
● STELFOX Lynne OO 0
606 XXXX OO
610 ● MENDOZA Jacob OO 4
611 ● BOUZAGLOU George OO 3
● DIMRY Charles OO 3
612 XXXX OO
614 KINNAMAN Tracy 760-721-7732 4
615 XXXX OO
616 DOLLY Sean 760-722-4137 4

617 XXXX OO
618 XXXX OO
622 BAILEY Rhett 760-231-7625 +6
X OAK ST
702 XXXX OO
706 ● WOOD Gregory OO 3
710 SMITH Alison 760-433-2838 +6
711 ★ AQUAMARINE VILLAS 760-966-3350
712 XXXX OO
X WISCONSIN AVE
814 ○ SERRATO Elsa 760-721-8245
816 AMARAL Jose 760-757-0087 +6
820 AMARAL Soledad 760-967-7239 1
CERVANTES Adan Cardoso 760-757-0399 4
826 ● OBOYLE Peter OO 4
828 VOLANAN Heikko 760-757-5943 +6
830 ● KEENAN Aaron OO 4
NAGLE Brian 760-722-8541 4
NAGLE Kevin 760-722-8541 4
838 BREWER Kristin 760-722-3802 4
CASE Jim 760-966-1775 4
X HAYES ST
900 PATTERSON Wes 760-439-2693 +6
RICHARDSON Holly 760-757-3509 +6
908 XXXX OO
910 MONROE Jeff 760-435-9908 4
912 XXXX OO
914 WILLIAMS Selena 760-435-1409 4
916 XXXX OO
922 D OESABRAIS L 760-439-7422 4
HARMON James M 760-433-8167 +6
WEST Darrell J 760-966-0235 +6
926 ● NICOSIA A 760-722-7262
932 B LOPEZ Dora 760-439-0467 4
NIETO Arturo 760-722-6942 3
934 C VEGERANO Ralph 760-722-0903
VEGERANO Raphael 760-754-4910
X MARRON ST
1006 CADDELL Colleen 760-757-6870 0
● JERROLD-JONES David OO 4
● KANE Terry OO +6
● MILLER Mary OO 4
● TAKEI Sandra 760-529-[illegible] [illegible]
H ● UCHIDA Tsutomu OO 4
F VEVERKA Erlene 760-435-1192 2
1010 XXXX OO
1014 XXXX OO
1018 ○ PAYE Joline 760-721-9556 8
1022 AGUILER Jose 760-967-1025 +6
1026 ● BOS-VILLALOBOS Denise OO 4
1028 ● MCCOY Jeffrey OO 9
1032 ● STELLA Paul 760-435-9351 3
1034 ● KRESS N 760-722-5878 8
X FORSTER ST
1102 HENDERSON Paul G 760-722-7741 +6
INTRIERI Anthony P 760-722-7517
1112 DACUS Dustin 760-754-0560 4
1114 DUPONT Timothy 760-721-1523 4
1118 ALEXANDER Perry 760-721-2536 4
H GARCIA Osvaldo 760-757-5138 4
J LOWE David 760-722-9648 4
K MENCHACA Gustavo A 760-757-7072 3
1128 XXXX OO
1130 XXXX OO
X OCEANSIDE BLVD
X CROSSWAITHE ST
X MORSE ST
1609 WILLIAMS Gregory D 760-757-4432
1611 XXXX OO
1615 XXXX OO
1617 XXXX OO
1623 XXXX OO
1625 LAMPRECHT Ulf 760-231-5694 4
LAMPRECHT Ulf 760-231-5695 4
1629 ATTAWAY Jesse 760-433-2612 +6
1633 GRIFFIN David 760-439-3351 4
LOUGH Mary 760-231-7642 +6
RICE Sally 760-722-7631 2
1639 XXXX OO
X WHALEY ST
1701 ● COLBY Alden OO 8
MARTIN Richard 760-757-2802 4
1703 SILVER Tricia 760-231-1435 4
1709 XXXX OO
1711 XXXX OO
1713 XXXX OO
1715 XXXX OO
1717 ● STEVENS Dennis OO 0
1719 ○ JOHNSON Rodney L 760-757-5839 8
1721 XXXX OO
1723 XXXX OO
1727 ● LEVEILLE R OO 0
1729 XXXX OO
1741 CLARK A 760-433-2853 +6
DUKES Daniel D 760-722-3318
NORDMAN Lauren 760-722-4969 1
RAINONE Elaine V 760-722-8985 3
★ ST MALO SURF APTS 760-722-8924 4
X CASSIDY ST
1801 SALVETTI Candace 760-433-4301 4
TYNER Richard 760-722-6539 4
1807 . . . . . APARTMENTS
ARECO Suzanne 760-721-6076 4
14 DUNCKLEY Tom 760-966-1165
MCKELLAR T 760-722-7943 4
PAVLICK F 760-721-4525⊕ 1
PAVLICK Jonathan 760-721-1796⊕ 1
1807 . . . .
1815 ● BOLINGER Jo Ann 760-722-5301
1821 XXXX OO
1825 XXXX OO
1827 ● TRELEASE Joseph OO 3
1831 XXXX OO
1837 BELTRAN Rosalba 760-439-0351 4
VALENCIA D 760-433-1042
X KELLY ST
1909 ● BROCKLEY Norma OO 0
1913 XXXX OO
1917 XXXX OO
1921 ● MARTIN Diane OO 4
1925 KITZMANN David 760-433-7033 4
● SMITH James OO 1
1939 GANGALE Anthony 760-721-5474 4
VALENTINE Tracey 760-433-0165 4
X VISTA WAY
2005 DAGOSTINO Frank 760-754-8779 1
2009 ● THOMPSON Edward OO 8
2013 ● NUNNERY James OO 0
★ NUNNERY JAMES INSURANCE SERV 760-433-5507 4
2019 ● SIMONE Frank OO 0
2023 TAMMEN M J 760-433-7365
X EATON ST
★ 4 BUS 212 RES 32 NEW

⊕=DO NOT MAIL

SEAGAZE DR 2006

3415 ● REYES Alma OO +6
3416 ● ALO Ronald OO 1
3417 GARCIA Hermelinda 760-631-3639 4
● GONZALEZ Jose OO 1
3418 ● WOLFF Elizabeth OO 4
3421 ● GURULE Anthony OO 2
3422 ● SALINAS Moises OO 4
3423 ● SCOTT Thomas 760-726-3789 9
3424 ● BOLTON Erik OO 0
3425 ● HERNANDEZ Jose L 760-630-4828 1
3426 ● DEWHURST David OO +6
MELLO M 760-758-6942 3
3427 ALMINAR Jennifer 760-726-7423 +6
● HOLLIN Alga OO 0
3428 SEA Sandy 760-945-6586 4
3431 XXXX OO
3432 ● MELENDEZ Bernardino 760-639-0101 2
3433 ● SUPPA Paul 760-724-1010 4
3434 ● POLLIZZI Vincent 760-945-0028 3
3435 ● HERMOSILLO George OO 8
3436 ● SHIRLEY Michael OO 4
3437 ● GURULE Anthony 760-940-0924 4
3438 ● GONZALEZ Jose OO 0
3441 ● ROBERSON Keith OO 0
3442 ● MAGANA Esmerald OO 4
3443 MARTINEZ Jason 760-940-1872 4
3444 ● RESPES Havel OO +6
3445 ● MENDOZA Francisco OO 4
VILLALTA Ever 760-806-7618 +6
3446 ● PALACIOS Juana F OO 4
3447 ● RODRIGUEZ Cesar OO 4
3448 ● RESPES Havel OO 3
3451 ● LOWE Dean A 760-631-0429 8
3452 ● COMSTOCK Frank H 760-945-3980 7
3453 ● GREGORY Charles OO 4

X TIBERON DR
3454 ● CONTRERAS Gregorio OO 4
LOPEZ Maria 760-941-2871 4
3455 ● OVIEDO Philip OO 2
3456 ● IRWIN Sean OO 0
3457 ● MILOW Gary OO 0
3458 ● MERECIAS Daniel OO 1
PEREZ Daniel 760-630-4199 8
3461 ● CARY David OO 9
3462 ● ROBINSON Antony 760-726-8726 3
3463 ● GYZEN Evelyn 760-758-0883 0
3464 ● CABALLERO Bianca 760-806-7817 3
3465 ● BROCK Thomas OO 4
3466 ● CRISOLOGO Jennifer OO 4
3467 ● ETHIER Jennifer OO +6
PETROVICH Suzanne 760-941-3710 +6
3468 ● JAMES David OO 1
3471 ● CUTTING Randall OO 0
3472 ● HERINGTON Michele 760-630-9067 3
3473 ARIETA Emma 760-724-9425 +6
● PENA Jose OO 4
3474 ● CARLSTON Jonathan OO 4
3475 ● GARCIA Inocencia OO 4
ROBLEDO Carlos 760-631-1494 4
3476 ● ACOSTA Vinicio 760-941-0100 4
3477 ● RAMOS Ivan OO 2
3478 ● RIVERA Albert OO 1

X RAQUEL DR
★ 0 BUS 74 RES 8 NEW

SEABRIDGE LN 92128 SAN DIEGO

WEALTH CODE 7

X WINDCREST LN
14204 ● ALLEVA David OO 9
14205 ● SCOFIELO Eric 858-618-1800 4
14215 ● TONG Roy OO +6
14216 TRAN Lylan 858-673-1071 +6
● VALDEZ Armando OO 0
14222 ● FARD Oodrat OO 9
14223 ● GABRIEL Armando OO 0
14231 ● BESTPITCH Randy OO 4
TAM Ivy 858-592-0701 4
14232 ● MAKROGIANNIS Therese 858-674-0820
14239 ● MORANVILLE Mark OO 4
STEBBINS Jeffery 858-716-9253 +6
14246 ● LAWLOR Maria OO 3
14247 ● JARO Cesar OO 0
14254 ● NGUYEN Fem OO +6
14255 ● ZEIGHAMI Siamak OO 0
14265 ● CHRAPCZYNSKI Keith B 858-673-7322 9
14272 ● PARENT Dawn OO 4
14273 ● HOLDEN David C 858-673-4656 0
14281 ● HOANG Max OO 8
MAX Hoang 858-487-4742 4
14282 ● KARIMI Feri OO 3
14303 ● KOEPKE John OO 1
14304 ● PUTTAPARTHI Murali OO 1
14310 ● DANIELS Terry OO +6
14311 ● MOON Byung OO 8
14319 ● KWAN Georgia OO 0
14320 ● ARJOMAND Reza OO 9
14326 ● DINH Dan OO 4
LAM Ha 858-675-9728 3
14327 ● WANG Tang OO 0
14335 ● FERGUSON David OO 4
14336 ● REILLY Maria 858-487-8232 8
14343 ● FALCHETTI Lisa 858-485-8930 8
14344 ● MCPHERSON Garry 858-385-1826 1
14351 ● TESAR Jeff OO 1
14352 ● BUTLER Richard OO 1
STILLMAN Judy 858-385-7874 1
14359 ● MORNOUT Claudia 858-673-2247
14360 ● LEE Alex OO 0
MALKA Doron 858-487-2709 +6
14367 ● KOCH Karl OO 1
14368 ● DUMM J OO 1
14374 ● BEYGI Allen OO 4
14375 ANAMOSA John P 858-673-8130
14378 ● DOLINKA Bruce OO 4
14382 ● GRAHAM Kathy 858-451-2330⊕ 0
14383 ● FU Taoling OO 0
14390 ● SALINDONG Arthur OO 0
14406 ● LIAO John OO 3
14412 ● HAN Seung OO 4
14413 ● GARCIA Gilbert OO 0
14420 HAMMON Beatrice 858-451-1552
14421 ● CUEVAS Tancio OO 9
14428 ● FISH James OO 1
14429 ● BANAGA Romulo OO 0
14436 ● PENULIAR Bernie OO 8
14437 ● OLAES Cecilia OO 8
14445 ● GONG Hongrui 858-451-9629 4
14446 XXXX OO
14453 ● HERRING John OO 8
14462 ● TINSLEY Amy OO +6
14470 ● RASTANI Iraj OO
14478 ● RAY-CHAUDHURI Sid 858-673-7541 0
14486 ● DELUNA Juan OO 9
14494 ● RATKIEWICZ Jeff 858-676-0350 4

X CEDARHURST LN
14508 ● LEONARDO Rodolfo OO +6
14516 ● KIM Sunhee 858-613-0980 4
14524 ● ARAGHIAN Majid OO 4
KHANSARI Nayer A 858-674-5881 4
14532 ● CHAKER Frank OO 4

14540 ● BHAKTA Kishorchandra OO 4

X STONEY PEAK DR
★ 0 BUS 72 RES 8 NEW

SEABRIGHT LN 92075 SOLANA BEACH

WEALTH CODE 7.5

400 ● HERZBERG Daniel OO 4
414 ● BOURDON Al 858-481-8275
418 ● WARD Marjorie OO 0
422 ● REED Alvis OO 0
432 FREES Bryce 858-259-9033 4
● NUICH Michael J 858-755-3815
SISSON J A 858-755-0864
SISSON J A 858-755-3815
433 ● PRYOR John W 858-523-0338 4
443 ● MCLEAN Ivan 858-794-7002 4
446 KROHN Chas 858-481-6470⊕ 4
505 ● MCCLUNE Michael 858-481-7544
506 PAZ David 858-755-1448 4
PLEUS Sara 858-259-6993 2
● POWELL John 858-509-7596 0
514 BOLT J 858-794-1545 +6
515 ● GORDINES Ronald OO 2
525 ● KUKKONEN Carl OO 9
535 ● DEVORE Dennis 858-259-8858
552 ● ZUCKER Joseph OO 8
602 ● TODD Donna OO 4
603 SMOCK B 858-259-9750
● ZITO D 858-259-9750
611 ● GERBER Kenneth OO 0
KRAMER Robert 858-720-1814 4
614 NEUMANN Donald H 858-755-3495⊕
615 XXXX OO
621 o CHASES Larkin 858-481-9835
CHASES Ronald L 858-481-8715
622 ● GUITTARD Jean OO 4
★ NECTAR PRODUCTS 858-794-4001 4
623 ● SMALL Joel OO 8
624 ● STAUBUS Martin OO 2
630 ● MOORE Jeffrey OO 1
631 ● FELTHAUS Bernard OO 8
633 ● LINDNER Scott J 858-481-6681
638 DUGGAN Jim 858-792-5278 4
639 ● HAASE Jennifer OO 0
649 ● FARGO Jeff OO +6
703 ● OLIVER Daniel OO 4
704 RYAN Philip 858-481-2901
710 ● VANVOORHIS Steven OO 3
713 ● HARTMAN Sheri OO 0
717 o HARTMAN Blayne 858-792-1926 2
720 o RUST James 858-259-9449 9
725 ● DUNN Michael OO 0
726 AZAD Robert 858-755-8159
● FRYER Robert 858-755-2522
734 XXXX OO
735 ● BALLARD James OO 0
738 ● JAFFEE James 858-350-0895 8
741 ● MARTIN Margaret OO 9
742 ● ARMSTRONG John OO 1
749 GUTMANN Tim 858-481-9999 +6
● LAWRENCE Albert OO 8
804 ● LEWIS Efigenia OO 0
805 ● CONTWAY J 858-755-7514 0
MORRIS Ronald 858-793-1850 4
809 XXXX OO
810 ● SOMMERVILLE Rich 858-755-9567
812 ● WORKING Lloyd OO 0
815 ● RYAN Tim 858-509-3916 +6
819 ● HILDERMAN Vance OO 4
821 BRUNING Suzanne 858-481-8915 4
835 ● DOUGHERTY Patrick OO 3
838 ● MURPHY Kim OO 4
845 ● KERSTENS Richard 858-755-3105 8
856 ● POTTER Margaret I 858-481-0361
860 LIU Albert 858-481-1358 4
● WHITNEY Diana OO 3
864 PALM Douglas E 858-755-5546⊕
870 XXXX OO
★ 1 BUS 71 RES 4 NEW

SEABURY ST 92010 CARLSBAD

X MILFORD PL
3163 ● EUBANKS Debbie 760-434-0132
3164 ● AZIMZADEH Ahmed OO 2
NAMBOOTHIRI Dean 760-729-8922 +6
3165 ● DAVIES Julie 760-729-6678 4
3166 ● KANE Edward OO 0
3167 ● STARK Brian OO 2
3168 ● LEPPERT Richard M 760-434-8604
3169 ● VANBOXTEL Deron G 760-730-7542 +6

X STOCKTON PL
3170 ● ANDERSON Ronald OO 1
3171 ● OWENS Tim 760-434-8733 7
● OWENS Tim 760-434-9148 7
3172 ● WYNN Leslie 760-434-3629 2
3173 ● HAMNER Alexandra OO 0
3174 ● KENYON Michelle 760-434-1985 3
3175 ● PAL Diane OO 1
3176 ● SULLIVAN Margaret OO 0
3177 ● HOWES Michael OO 0
3179 ● DRESSER Ray 760-434-5791 4
3181 ● HITCH Philip 760-720-0047 +6
3183 ● BAKER Dennis OO +6
3185 XXXX OO
3187 XXXX OO
3189 ● MOLLNER Steven OO 1
3191 ● MCCANN Jay OO 0
3193 ● MOLLIN Jack OO 1
3195 KASSCHAU Jeff 760-434-6242 4
★ 0 BUS 26 RES 4 NEW

SEACHASE ST (99) 92130 SAN DIEGO

WEALTH CODE 9

5011 ● HYAM Harry OO +6
5012 o MAY Robert 858-509-4859 9
5023 XXXX OO
5024 ● KRIEGER Kim OO +6
5033 CASH Alan 858-792-6917 9
● NIEHART William OO +6
5038 ● URIA Saurin OO
5039 ● EVANS David OO 0
5040 ● WAXLER Barry OO 4
5041 o TYSON Joseph B 858-509-5977 9
5044 ● SANFILIPPO Jerome OO 4
5045 ● CHENG Mayling 858-755-7273 0
● CHENG Soan 858-755-7273 0
5050 ● LUNDSTROM Brian OO 4
5051 ● YANG Howard OO 0
5062 ● WHITFIELD Gary OO 0
5063 ● MONTGOMERY John OO 4
5066 ● LE Toby OO 0
5067 ● GILMAN Allison OO 8
5070 ● SHAHIDI Reza OO 9
5071 o BRONS Johannes 858-259-1959 4
5074 ● CONDON Timothy R 858-509-2877⊕ 9
5078 ● SILVERMAN Louis OO 0
SLIVERMAN Louis 858-259-7914 4
5082 ● CHAPIN Michael OO 0
5083 ● PADGETT Richard OO 9

5084 ● SHULMAN D 858-509-0960 9
● SHULMAN L 858-509-0960 9
5088 ● KRSTIC M 858-792-5133 9
● KRSTIC Miroslav 858-792-2291 9
5089 KOMMI Lakshmi 858-350-4734⊕ 3
● PATURI Ramamohan OO 9
5090 ● LANGBORG Kurt 858-792-5579 9
● LANGBORG Kurt 858-350-1770 9
5093 ● KIM Stanley OO 9
5094 DOROS A 858-350-6346 9
● TITUS Clay OO 0
5095 o PU Kent Qing 858-509-0186 9
5097 ● GOODMAN Martin OO 4

X SEACHASE WAY
5098 ● LANDRY Michael OO 3
5155 ● COLUMB Gary OO +6
5163 ● PERLMAN John 858-792-7488 9

X SEA KNOLL CT
5185 ● PEI Yazhong OO 0
5191 ● PIPPIN James OO 0

X SEAGROVE ST
★ 0 BUS 44 RES 4 NEW

SEACHASE WAY (00) 92130 SAN DIEGO

WEALTH CODE 9

X ASHLEY FALLS DR
5028 ● SCHUH Antonius OO 2
5029 ● NASIRPOUR Zagrous OO 1
5040 XXXX OO
5054 ● GOLDEN Harris OO 4
5055 ● KELLY Joseph OO 4
5060 ● COY Bruce OO 4
5065 ● PICKER Dan 858-259-4374 1
5073 ● BESTE Jeremy OO 1
5095 ● ZHANG Guofeng OO 4
5096 XXXX OO

X SEACHASE ST
★ 0 BUS 10 RES 0 NEW

SEACREST CT 92081 VISTA

2650 ● WOODS C P-chuck 760-727-0066
2654 ● PAHLKE Kristine H 760-598-9605 0
2055 ● WELCH Erin OO +6
2658 ● HAMMER Seth OO 4
2659 XXXX OO
2662 ● GUNDRANIA Mansukh 760-598-8126
2663 ● SILVA Bruce OO 1
2667 ● MARTINEZ Sonia OO
2671 ● FULLER Joseph 760-734-6570 8
2675 ● ANDERSON Richard OO 9
2677 ● JONES Randal OO 4
2679 ● REGAN Elizabeth OO 0
2681 ● CARRANZA Isabel OO +6
2685 ● DIEHL David OO 4
2686 ● SWANSON Karl 760-727-6441 3
2687 ● DARCY Joseph OO 2
2691 ● MCCAGUE William OO 0
2692 FIORE Michael 760-598-1254 4
2694 ● MCKENZIE Barbara E 760-599-8996 3
2696 JANOVSKIS Vladislavas 760-599-6725 4
● YANOVSKIS Vladislavas OO +6
2697 ● OSKOOROUCHI Mohammad 760-598-6460 4

X HARBOR DR
★ 0 BUS 22 RES 3 NEW

SEACREST DR 92008 CARLSBAD

WEALTH CODE 5

X RIDGECREST DR
3324 NESSETH Gustav A 760-729-2897
3325 ● GROTE Frederic OO 8
3334 ● CONROY Thomas OO 0
3335 XXXX OO
3344 PARISI Joe 760-729-7755
3345 ● PETERSON Lyle D 760-729-6177

X CHARTER OAK DR
3354 ● MITCHELL C H Briggen Usmc Ret 760-434-8996
3355 XXXX OO
3364 ● FOLTZ William OO 4
3365 ● HENDRICKSON Stanley 760-434-1839
3375 ● LANCE Jeffery OO 2
3400 ● EDIE Robert OO 0
3424 ● LABORD H 760-729-1849
3425 ● DEWHURST Donald K 760-729-1510
3434 ● OKUMURA Irwin OO 2
3441 ● MORTLAND E Scott 760-434-9392 3
3444 ● FERNANDEZ Milagros 760-434-9527
3454 ● LETTS Larry OO
3461 ● MOYER George OO 0
3481 ● FELD Richard D 760-729-6075
3490 XXXX OO

X HILLCREST CIR
3494 ● RODMAN Lisa 760-434-4959 +6
3495 XXXX OO
★ 0 BUS 23 RES 1 NEW

SEACREST VIEW RD (04) 92121 SAN DIEGO

WEALTH CODE 6

X PACIFIC CANYON WAY
5903 ● MENCK Walter OO 9
5907 ● MORAGA George OO 3
5908 ● KLAEREN Richard OO 9
5911 ● WIDHOPF George OO 4
5912 ● SANBORN Doug OO +6
5915 ● SIMPSON William OO 3
5916 ● CABULID R 858-784-0155⊕ 7
5919 XXXX OO
5920 LI Bo 858-587-7060 +6
● ZOU Yunlu OO 1
5923 ● CUNNINGHAM Robert OO 4
5924 ● OKUN Ilya OO +6
5927 KAZI Tauseef 858-535-8107 4
● MANN Kevan OO 7
5928 ● KITZMILLER Jason OO 3
SWAMY Sharon 858-546-1541 4
5930 ● MCCOWN Gary OO 7
5931 ● JACKSON Craig M 858-638-0956 7
5934 ● BLOMGREN Wade OO 7
5935 ● ZADRA Eugene OO 7
5938 ● TANTINE Vasilios OO 2
5939 ● CACOLICE James OO 8
5943 ● BUCKLEY Michael OO 7
5947 ● YAMAGUCHI Robert OO ⊕ 1
5951 ● KINKEAD Steven OO ⊕ 7

5955 ● SCRIMGER Richard OO 3
5959 ● JIANG Xiaosong OO 7
5963 ● HOGAN Ronnie OO 7
5964 ● RACETTE Kate 858-546-0788 7
5967 ● CUELLAR Jerry 858-458-1784 2
5968 ● MONILLAS Tess 858-450-2901 9
5971 ● SZARDENINGS Anna Katrin 858-450-1490 2
5972 ● BURGER Mary 858-546-1866⊕ 8
5975 ● FAYZIYEV Arkady OO 1
5976 ● DESMOND Terrance OO 1

X CHAPARRO WAY
5979 ● BLADE Kent OO 7
5982 ● TOKUNAGA Ron 858-453-9250 7
5986 ● CHONG Anthony OO 4
5987 ● BUCCI Christopher OO 3
5993 ● SEVERE Aimee 858-453-5993 1

X JASMINE CREST LN
6017 XXXX OO
6023 ● DUBE James OO 7

X SUNSET CREST WAY
6031 ● AOUIPEL Amerfino OO 4
6053 XXXX OO
6105 ● RIVERA Briana Esq 858-452-7350 2
● RIVERA Eric 858-453-6877 2
6119 ● GREEN Debra OO 3
6127 ● RAY Albert OO 0
6135 ● VONGPHAKDY Inpone OO 7
6149 ● HERSHEY Daniel OO 4
6207 ● METZ Barbara OO 7
6219 ● GARCIA Joseph OO 3
6231 ● AHN Thomas OO 2
6243 ● KHAKI Farshid OO 3
MCCNAW Robert 858-452-2064 4
6255 ● SCHUSTER Peter 858-822-1911 1
6267 ● KOOZER Mark OO 8

X SUNNY MESA RD
★ 0 BUS 57 RES 3 NEW

SEACREST WAY 92056 OCEANSIDE

WEALTH CODE 5

X BAYCLIFF WAY
3601 ● JOHNSON Keith 760-941-0204 3
3602 FECCYCH David 760-726-7770 4
● FENNYCH David OO 4
3603 ● HUNTER Richard 760-630-1939
3604 ● SPAID Sarah OO 1
3605 BURNWORTH Nicholas 760-724-1243 +6
● THOMPSON Tyson OO 4
3606 ● LONEY James OO 1
SCHIMKA Christopher 760-414-9204 4
3607 ● CAMPOS Adalberto OO 8
3608 ● VILLA Pablo OO 4
3609 ● GUNDMUNDSON Marlow OO 4
3610 XXXX OO
3612 ● CLEVENGER Julie A 760-941-7067 0
3614 ● BARNETT Bill OO 3
3616 ● JOHANNSEN Karen OO 8
3618 ● MCKINNEY Roy 760-726-4903
3620 ● HEISTERMAN Heidi 760-726-5461 7
3622 ● HODGES Debbie OO 4
★ 0 BUS 19 RES 1 NEW

SEAFARER DR 92054 OCEANSIDE

WEALTH CODE 2

X CITADEL LN
3548 ● SUNDAY Hal OO 4

X BOOMVANG CT
3551 ● BRUBAKER Jeffrey OO 2
3552 XXXX OO
3557 MICHELSON Vanessa 760-231-5441 +6
● WHEYLAND Anthony OO +6
3558 HREHA Sharon 760-987-4988 3
3562 ● PRADO Emilio 760-721-7227
3565 ● PINELLA Tia 760-435-0008 2
3568 ● LAMB Michelle OO 8
3571 ● BROWN Gary OO 0
3572 ● AAGAARD Jeffrey OO 4
3575 ● AUBER Daniel OO 0
3578 XXXX OO
3582 ● SKARON Stephen OO 4
3583 ● KAMAN Joseph OO 1
3586 ● GRANDLUND Ken 760-439-8041 4
3587 REAM B 760-722-2922 3
REAM R 760-722-2922 3
3590 ● HOWARD Lawrence OO 2
3591 ● SOFRANKO John OO 0
3594 ● KARPAL O OO 3

X ISLANDER ST
★ 0 BUS 21 RES 2 NEW

SEAFARER PL 92011 CARLSBAD

X ANCHORAGE AVE
7301 ● VANCLEVE B 760-438-2324 1
7303 ● CUTTER Chantal OO +6
7309 ● GORDON Robert OO 4
7311 ● HAWKINS K 760-476-0065 1
● HAWKINS M 760-476-0065 1
7313 ● WHITEHEAD Richard OO 2
7315 ● PINNOW John OO 4

X DEW POINT AVE
7321 ● TREFRY Jack 760-438-2666 1
7323 ● WAY Daniel OO 4
7327 XXXX OO
7333 ● SABIN Tracy C 760-431-0439 0
7335 ● ARNSTEIN Diana 760-602-9360 2
7337 ● MCLARTY Michael R 760-931-0283 4
7345 ● KAPAN Christopher OO 2
7347 ● PALLEY Michael OO 4
7349 ● WILSON Kevin OO 3
7355 XXXX OO
7357 ● MIRON Robert OO 3
7358 ● APPLE Steven OO ⊕ 4
7359 ● BECKER Stuart OO 4
7360 ● TURNBULL Holly OO +6
7361 GELLER Larry 760-931-1317 3
7362 KULLMAN Adina 760-931-0626 4
● POPP Suzan OO 3
7364 ● LIN Senmao OO 2
7366 ● CRAMER Patricia OO 4
7367 ● FERRANTE Michael 760-931-5869 4
● FERRANTE Michael 760-931-5879 4

X WIND SOCK WAY
7373 ● FOWLER John 760-930-0363 1
7375 ● ELLISON James OO 2
7377 ● NAZARIAN Tamar OO 4
7379 FORNAL John 858-259-7780 3
● MAGAS Dallas OO 4
7384 ● OSTRIN Richard B 760-438-3859 1
7385 ● CAUDLE Sherrie OO 3

7386 ● ZYBURA Matthew 760-438-7386 4
7387 XXXX OO
7388 ● GOLDE Aron 760-438-8783 4
7390 XXXX OO
7391 ● TRAVIS Patti 760-268-1012 4
7393 ● TABER Robin OO 3
7395 ● KHATIBI Shirin OO 2
7397 NICHOLSON Elizabeth J 760-931-7870 +6
7399 ● BOTTEMA Robert OO 4
★ 0 BUS 44 RES 3 NEW

SEAFLOWER LN 92056 OCEANSIDE

WEALTH CODE 1

X BUENA HILLS DR
3639 HOPPE Leonie L 760-433-5033
3640 ● CASTANEDA Sylvia OO 0
OSTERLOH James Sr 760-433-1410 3
3641 ● HOPPE Richard OO 0
3645 LOUTZENHISER G 760-757-5986 4
3646 XXXX OO
3647 XXXX OO
3648 ● KLJAJIC Slavko 760-721-2591
3650 ● SANDERS Peggy 760-967-2744 0
3651 ● RICHTER Theodore OO 0
3654 ● RIETTA Aleta OO 0
3655 DAVIS V H 760-433-0615
3660 ● HERNANDEZ Javier OO 4
3661 ● EDWARDS E 760-754-9505 3
3662 BEADLE Katherine 760-967-4718 4
● MURRIA Joseph OO 0
3663 LAMB Kathleen 760-757-7280 4
● PIERCE Robert OO +6
3664 ORDMAN Marc 760-529-0022⊕ +6
● YEE Donna OO +6
3665 BULL Fred 760-433-0229 +6
3666 NEW John T 760-439-8530 3
3667 ● LEONARD Christine OO 4
3668 ● OVERIN Forrest OO 0
3669 XXXX OO
3670 ● HENDY Earl OO 1
3671 DUGAN John A 760-754-5220 3
3673 XXXX OO
3674 ● MOTTA Margit OO 3
3676 XXXX OO
3677 ● WISELY Ethel OO 0
3678 ● SIROVY Mina OO 4
3679 ● WISELY Ethel OO 0
3681 XXXX OO
3682 DESMARAIS Raoul 760-757-4644
3685 XXXX OO
3686 HAWKINS L 760-721-3526 +6
3689 XXXX OO
3690 ● CROUCH Susan OO 0
3693 ● LABONTE Edw C 760-433-2976
3694 ● STARK Jeffery OO 0
3697 ● BAUER Ursula OO 8
3699 ● YORK Marjorie OO 9
★ 0 BUS 43 RES 5 NEW

SEAFORD PL 92117 SAN DIEGO

WEALTH CODE 4

X TRIANA ST
4701 ● SAKR Albert OO 3
4711 ● WOOD Allen OO 8
4712 ● DAVERSA Grant OO 4
4721 ● EVERSON Aric OO 4
4722 ● WILLIAMS James OO 0
4731 ● SCARDINO Doreen 858-278-1935 0
4732 ● AMAN Alvin OO 3
4741 o EVANS Kathy 858-565-6064
4742 ● HANCOCK Chester OO 0
4751 BENNETT Craig A 858-541-0590 4
4752 ● CARRILLO Saud OO 4
4761 ● SWANSON Craig OO 4
4762 XXXX OO
4771 ● MAGALLON Francisco 858-569-0526 +6
4772 ● HOOD Clifford OO 9
4781 ● SCHAUER Douglas 858-715-1559 4
4782 ● JIMENEZ Jose OO 0
4791 ● DAMI Michael OO 0
NO # ★ GD PRODUCTIONS 858-278-6364 4
★ 1 BUS 18 RES 1 NEW

SEAGAZE DR (97) 92054 OCEANSIDE

WEALTH CODE 1.2

X S PACIFIC ST

X N MYERS ST

X S MYERS ST
290 ★ RQ CONSTRUCTION 760-966-1044 4

X N CLEVELAND ST

X S CLEVELAND ST
311 ★ GRACE CHRISTIAN CENTER 760-722-3579 4

X S TREMONT ST
401 ★ CMC FURNITURE 760-722-1342 0
★ LINK OF LOVE INTERNATIONAL 760-966-1147 8
405 ★ R & R ADVANT CHECK CASHING 760-757-7803 4
407 ★ MAPS 760-966-5000 3

X N COAST HWY

X S COAST HWY
550 ★ AMA CONSTRUCTION& REAL EST LLC 760-967-6970 4

X N FREEMAN ST

X S FREEMAN ST
603 ★ MAIL BOXES OF OCEANSIDE 760-722-4226 7
625 ★ CALVARY CHAPEL LIVING HOPE 760-967-6869 2

X N DITMAR ST

X S DITMAR ST
701 ★ BIKRAM'S YOGA COLLEGE OF INDIA 760-754-8803 4
★ DELSOL ACDM OF INTERPRETATION 760-722-9999 4
709 ★ OCEANSD DENTAL GROUP 760-722-0144
★ OCEANSD HIGH SCHOOL 760-722-8201
★ OCEANSD SC HIGH ATTENDANCE 760-722-2885

713 ★ MINNICH M DDS MS OCEANSD OFC 760-721-1552 9
★ MINNICH MCNL D DDS MS OCNSD 760-721-1552 6

X N NEVADA ST

X S NEVADA ST

X N CLEMENTINE ST

X S CLEMENTINE ST
905 o ESPINOSA Amelia G 760-722-8442 8
906 XXXX OO
909 ESPINOZA Michelle 760-757-1513 4
SANTILLAN Margarito 760-754-6804 4

X N HORNE ST
★ 16 BUS 4 RES 0 NEW

SEAGIRT CT 92109 SAN DIEGO

WEALTH CODE 8

MISSION BEACH AREA

X OCEAN FRONT WALK
702 ● DEUPREY Dan OO
704 XXXX OO
707 XXXX OO
708 ● LYON Ben OO 7
711 ● NORDMARKEN Michael OO 0
712 ● PETERSON Daniel OO 2

X STRAND WAY
715 ● MANNO Joseph OO 0
718 ● ZIMMER Steven OO 4
719 ROGERS Dee Jr 858-488-0183
720 ● LANE William OO 9
WILLIM Lane 858-488-7904 4
723 ● VARGAS Alexander OO 0
724 ● ANTONIADIS Robert 858-488-1002 3
735 ★ CRUISER KING 858-488-6341 4
★ KRUISERKING COM 858-488-6341 3
736 ● MILANOVIC Mario OO 4

X MISSION BLVD
806 SALTER Jeremy 858-488-4515 +6
814 XXXX OO
815 ● HYER Richard OO 0
818 ● WELLS Donald OO 0
819 XXXX OO
821 XXXX OO
822 FRANCISCO Cliff C Jr 858-488-1223 4
826 SANTANA Emily 858-488-4015 +6

X BAYSIDE LN
837 FAULKNER Julianna 858-488-3760 2
● THERRIEN Robert OO 1

X BAYSIDE WALK
★ 2 BUS 24 RES 2 NEW

SEAGLASS CT 92128 SAN DIEGO

WEALTH CODE 7

11807 ● MALHAM Ted OO 4
11814 ● TRAN Roger OO 0
11827 ● YANG Jinghui OO 1
11834 ● LACAP Horacio OO 0
11837 ● OGENA Arnold OO 4
11844 ● HUYNH Barry OO 1
11847 ● HAHN Alan OO 0

X BREEZEWAY PL
★ 0 BUS 7 RES 0 NEW

SEAGROVE CT (04) 92130 SAN DIEGO

WEALTH CODE 9

5104 XXXX OO
5112 ● CROCE Stephen OO
5124 XXXX OO
5125 ● DURKET Anthony OO 9
5132 ● WILCOX Ronald OO 8
5133 ● GHADIRI M OO
5142 GRUBB Carl A 858-481-7060 4
● KONOOR Stephen OO +6
5145 XXXX OO
5157 ● ZUCKERMAN Arthur OO 7

X SEAGROVE ST
★ 0 BUS 10 RES 1 NEW

SEAGROVE CV (00) 92130 SAN DIEGO

WEALTH CODE 9

5012 ● SULLIVAN Robert OO 2
5013 ● COSAN Roy OO 4
5025 ● BACON Kevin OO 3
5037 ● DELSON Nathan OO 4
5038 ● CASTRO Alex OO 4
5049 ● WALSH Alan OO 2
5052 XXXX OO
5061 XXXX OO
5064 ● RUSSELL Claudia OO +6
5073 ● JANESE Chris OO 4
5076 ● DAVIDSON E J 858-350-9931 1
● DAVIDSON Mary Ann 858-350-9359 1

X LUCKETT CT
5085 ● RISSER Michael OO 2
5103 ● PEREZ-LIZANO Edward OO 1
5104 ● MCNALLY Keith OO 1
5111 ● BROWN Brett OO 2
5116 ● MERRILES Mark OO 4
5128 ● SUNG John OO 1
5136 ● ROWLES Steven OO ⊕ 2
5143 ● DOAN Pamela S 858-481-1191 2
5148 ● HASSON Robert OO 1
5151 ● NICHOLI Armand OO 1
5163 ● UNRUE G OO 4
5168 ● BURNLEY Theresa 858-793-1646 4
5177 XXXX OO

X SEAGROVE ST
★ 0 BUS 25 RES 1 NEW

SEAGROVE PL (01) 92130 SAN DIEGO

WEALTH CODE 9

X SEAGROVE ST
5172 ● MCGUIRE Donald 858-509-0105
5173 ● LEVINE Evan OO +6
5178 ● VOLF Michael 858-794-0967 1

⊕=DO NOT MAIL

© HAINES & CO., INC. [illegible] AUTHORIZED IN WRITING BY HAINES & CO., INC.

TP **Adjoining** **Source**
- ✓ Haines Company, Inc.

TOPEKA ST 2006

TOPAZ PL 92069 SAN MARCOS
WEALTH CODE 5
X AMBER DR
1200 ● ONEIL Sean OO 2
1201 ● ERICKSON David 760-591-0035 0
1208 ● CANSECO Pedro OO 4
1209 ● FIERRO Ismael OO 8
1215 ● PARDEE Ursula 760-744-5157 8
1216 ● FERRIS Douglas A Jr 760-744-9421
1221 ● DUQUE Jose OO 4
1222 XXXX OO
1229 ● RAHN Arthur OO 1
1230 GEIGER James 760-798-2584 4
1235 ● GLICK Sheldon OO 0
1236 ● HAMILTON Jennifer 760-798-1984 4
1241 ● CARBAJAL Efrain OO 9
1242 ● BUTLER J OO 0
1247 ● DELACRUZ Armando 760-290-3295 2
★ 0 BUS 15 RES 0 NEW

TOPAZ WAY 92011 CARLSBAD
1404 NORMAN John D 760-431-0943 0
1405 ● JERGER Tuzo OO 1
1408 ● SIMONINI Romn 760-931-8072 2
1409 ● PUHEK John 760-804-0911 4
1412 ● CHAPMAN Jeff OO 3
1413 ● BAKER James OO 4
1417 ● LAPUZ Efren OO 0
X TURQUOISE DR
★ 0 BUS 7 RES 0 NEW

TOPAZ WAY 92123 SAN DIEGO
WEALTH CODE 3
X KEARNY VILLA RD
9192 ★ CITY EMPLOYEE'S CHLD DSCVRY CT 858-576-4387
★ SD DATA PROCESSING 858-279-0084 4
★ SD DATA PROCESSING 858-715-0140 4
★ SDDPC 858-268-0117 4
X COMPLEX ST
★ 4 BUS 0 RES 0 NEW

TOPEKA ST 92010 CARLSBAD
X OLYMPIA DR
3413 ● SHIELDS Thos L 760-729-5089
3419 ● HARTLEY Dennis OO 4
3425 XXXX OO
3431 ● CAITO Thomas OO 4
3439 CHERROFF William 760-729-8027
3443 ● GOUETH Pierre OO ⊕ 4
3449 HILER William G 760-729-5530
3455 ● SULEIMAN Marouf OO 8
3461 ● GENEGABUS C OO 3
3467 ● MITCHELL Terri OO 4
3473 ● ALEXANDER Larry OO 0
3485 ● ROBERTS Gary 760-720-1533 4
3491 XXXX OO
3497 ● LEE Michael J 760-729-7640 2
X SPOKANE WAY
★ 0 BUS 14 RES 0 NEW

TOPEKA ST 92054 OCEANSIDE
WEALTH CODE 0.1
406 XXXX OO
407 ★ PERFECT AUTO SERVICE 91 760-967-8888 8
★ PURRFECT AUTO SERVICE 91 760-967-8888 8
408 RICE David 760-722-7539 +6
X S COAST HWY
X S FREEMAN ST
608 ● FRACASSI Harry W 760-967-4319 0
● FRACASSI Harry W 760-433-7977 0
609 ½ RODRIGUEZ Alicia 760-754-9761 4
613 XXXX OO
X S DITMAR ST
X S NEVADA ST
802 . . . . . MAR VSTA RTRMT APTS
CARLSON Carol 760-722-2020 4
CHIN Adam 760-722-6643 4
312 CHOE Im Su 760-721-0754
CORDI Teresa 760-433-8403 4
CRAIG N 760-754-3111 +6
610 CROSSWHITE Luella 760-439-7983 0
202 CRUMMIE Jane 760-433-5506 +6
DECARA Beatrice 760-757-9653 4
500 DICKENS J R 760-439-8109 3
FOLK Esther 760-757-7707 4
GRACIA Franks Jr 760-754-2489 +6
ISKHIZOV Zinovy 760-433-2935 +6
506 JELNICKY Philip 760-722-5915 +6
JOHNSON A G 760-433-6687 0
JONES Edward 760-433-1698 1
JONES I 760-722-6031 1
100 KNIGHT Donald L 760-754-2947 3
KNOX Jody 760-439-0381 4
LI Jinquan 760-722-7940 4
LIN Enoch 760-967-0860 4
502 MCBRIDE M 760-721-7146 2
MCNAUGHT Noel 760-754-5426 4
504 MCVINNIE Paul 760-757-8490
304 MENZIES Heather 760-439-7959 4
508 PEREZ Ernesto Calero 760-721-8321 4
RAILS G 760-757-3492⊕ 9
200 RAMIREZ EulIquio 760-754-9914 3
SHEKHCMAN Tefim 760-433-8834 4
STANKEVITCH Zina 760-435-9956 3
TINGCHOU Hsien-chih 760-967-1656 4
208 TOLENTINO Nazario 760-433-9784 7
VILLANUEVA Eustolia 760-967-8503 8
WIESE Mario 760-439-0121 3
YAMUTA Domingo P 760-722-6324 3
802 . . . .
811 ○ ARRUM Anthony D 760-439-1978 7
815 XXXX OO
X S CLEMENTINE ST
912 XXXX OO
X S HORNE ST
★ 2 BUS 43 RES 6 NEW

TOPGUN AVE (02) 92126 SAN DIEGO
WEALTH CODE 3
X MATOR DR
1566 A TROCHET Eddy 858-693-1696 4
★ 0 BUS 1 RES 0 NEW

+ TOPIARY ST (06) 92009 CARLSBAD
6258 COWAN Kristi 760-431-1805 +6
6270 TAYLOR Boris 760-268-0068 +6
★ 0 BUS 2 RES 2 NEW

TOPMAST DR 92011 CARLSBAD
6370 ● BIBENS Daryl OO 2
6374 ● WOODS Jonathan 760-602-8338 2
6378 XXXX OO
6382 ○ BABCOCK James 760-918-0646 1
○ BABCOCK James 760-918-0647 1
6386 XXXX OO
6390 XXXX OO
6394 XXXX OO
X BOWSPIRIT WAY
6397 ● SURREY David OO 2
6398 ● HAARER Mark 760-931-1339 2
6401 XXXX OO
6402 ● SHEA Patrick 760-438-2894 4
6405 ● COLLINS Daren OO 4
6406 ● KATYAL Ashok OO 4
6409 ● BECHOK David OO 4
6410 ● BUSCH Chris 760-602-0451 1
6413 ● ZEMENICK John E 760-603-8585 3
6414 ● BOWEN Steven OO 4
6417 ★ J SOUNART ASSOCIATES 760-602-9190 +6
● SOUNART Jack 760-602-9175 1
6418 ● KIM John 760-438-3447 3
6421 ● NORDQUIST David R 760-431-8894 2
● NORDQUIST David R 760-431-8895 2
6425 ● LEAF Gary OO +6
6429 ● JOE Randal OO 3
6433 ● MUNSON William 760-929-8527 4
● MUNSON William 760-929-9791 4
6437 ● THURMAN Barbara 760-476-0304 1
6438 ● HOENECKE Kim 760-918-9362 3
● HOENECKE Kim 760-918-9363 3
6441 ● CHEN Jay 760-929-0325 +6
6445 ● ILIFF Patricia OO 4
6446 ● CHARLES Jerry 760-603-7978 4
6449 XXXX OO
6450 ● CHIN Esther OO 4
WCHIN Esther 760-602-9209 1
6453 ● MEDOFF Steven OO 4
6454 ● LASTO Howard OO
6457 ★ ADVANCED REAL ESTATE APPRAISEL 760-929-0829 +6
● LOWE Megan 760-603-1973⊕ 4
X SPAR CT
6461 ● RICHEY Mark OO 4
6465 ● WALKER Charlene 760-431-9447 0
X WIND STAR WAY
★ 2 BUS 40 RES 4 NEW

TOPSHAM ST 92064 POWAY
WEALTH CODE 6
X OGUNQUIT AVE
14552 ● BLAND Michael OO 4
14553 ● HOERR Matthew OO 0
14558 ● DOBKIN M 858-748-8848
14559 ● KEMSLEY Christopher OO 3
14565 HAMEL Maryjo 858-748-2693
14571 ● STEVENSON John D 858-748-4258
X ACTON AVE
★ 0 BUS 6 RES 0 NEW

TORCA CT 92124 SAN DIEGO
WEALTH CODE 8
X LA MORADA DR
5850 ● AUTRY Allen 858-565-6804
5851 MADAVILLE Randy 858-541-7635 4
RAMIREZ Robert 858-278-4568 4
5860 HARRIS Richard L 858-560-4655
5861 ● DOSS Bradley OO 4
5870 ● CORTES David OO 0
5871 ● WERNER Dan 858-560-0199⊕ 4
5880 ● KNIGHT Wm 858-268-3844 0
5881 ● JANES Ronald OO 4
★ 0 BUS 9 RES 0 NEW

TORERO PL 92126 SAN DIEGO
WEALTH CODE 6
X ZAPATA AVE
8256 ● HARRIS Randy OO 0
SMITH R K 858-695-3706 4
SMITH W 858-695-3706 4
8257 CHAVIRA Robt E 858-586-7649
8262 ● USMAN Mohammad OO 8
8263 ● PLACE David Cdr 858-586-1612 9
8268 ● RHINESMITH Robert OO 0
8269 RHINESMITH R M 858-271-6175
8274 ● CHU Thuy OO 0
8275 ● KENNEY Wm R 858-271-6493
8279 ● NGUYEN Nam 858-549-8659 4
8280 XXXX OO
8283 ● FU Tommy OO 4
XIE Man 858-527-0218 4
8287 ● STUDEBAKER Don OO 0
8290 ● CARLI J 858-578-4619
● CARLI M 858-578-4619
8291 ● NAVERA Roberto 858-635-9619 4
8303 ● LOHNER Wm A 858-271-6372
8304 ● HAYLEY Wm 858-693-8789 4
8312 ● MOORE Russell OO 1
8317 ● JOHNSON Donald OO 6
8320 MARTINEZ Juan A 858-566-8104
8328 ● AHOLA Janina OO +6
8333 ● GAREGNANI Maria OO 0
8336 ● FLEMING AJ 858-549-9796 +8
8341 PAPULAS Jas T 858-693-8058
8344 ● NICHOLS Diana OO 0
★ 0 BUS 28 RES 2 NEW

TOROLE CIR 92084 VISTA
WEALTH CODE 4
1001 ● DOW Robert OO 4
1002 TURNBULL J B 760-726-5820
1005 ● ROMO Jaime OO 0
1006 SHADE Richard 760-724-6874
1008 ● HEISMANN B 760-726-1657
1009 ● VELGOS Robert 760-726-7524⊕
1012 ● LYNCH Jeffrie OO 0
1016 ● COOKE Michael OO 4
1017 ● SELMECZI Rick 760-758-9985⊕ 4
1019 ROGERS David Wells 760-726-6696
1020 ● FELICCIA Salvatore OO 0
1021 XXXX OO
X CRESCENT DR
★ 0 BUS 12 RES 0 NEW

TORONGA WAY (04) 92082 VALLEY CENTER
30402 ● MACEY William OO 4
30414 ● RODRIGUEZ Jon 760-749-6029 3
★ 0 BUS 2 RES 0 NEW

TORREJON PL 92009 CARLSBAD
WEALTH CODE 7
X LEVANTE ST
2403 ● RUSS Michael W 760-436-9344
2406 ● BUNYAGIDJ Chai 760-942-7804
2409 ○ AGUILAR A 760-436-6126 0
○ AGUILAR J C 760-436-6126 0
2410 ● SCOTT Arleen OO 3
2411 O'NEAL Jennifer 760-944-9265 +6
● SIBUG Salvador OO 1
2412 ★ C T I INDUSTRY INC 760-632-9117
QUINN Mary 760-436-2589⊕ 7
2413 XXXX OO
2414 XXXX OO
2415 ★ MAURO E PATRICIA PHD 858-535-3011 4
○ MAURO P 760-942-6320 4
2416 XXXX OO
2418 ● PRESSER Philip 760-942-1512 +6
2420 ○ CARNO Ellie 760-634-3103 0
2422 ● WARDEN Harry OO 4
2424 ● ODONNELL Debra OO 4
WARDEN Debby 760-632-5120 1
2425 ● CORY Kenneth OO 4
2426 ● HIGGIN Emmett OO 4
2430 XXXX OO
2432 ○ HAUSER Willy P 760-753-0449 8
2434 ● KRATZ Peter 760-944-6219 0
2435 ● ANDERSON Christopher OO 7
2436 ● BUCKLEY S 760-436-3427
2437 XXXX OO
2438 ● SWIFT Timothy OO
2440 XXXX OO
2441 ● NICHOLS James OO +6
2442 ● SERAFINI Kevin OO 4
2443 XXXX OO
2444 ● AGATHER Davola 760-436-1690
2445 ● GAFFNEY David OO 3
2446 ● BAILEY Joel 760-944-1475 4
2450 XXXX OO
2451 ● REAGAN Jack OO 4
2452 XXXX OO
2454 ○ COLE Claudia 760-632-1482 1
2456 ● OSHAUGHNESSY Michele OO 1
2458 ● HEYNACHER Walter OO 0
2459 ● MURRAY George OO 3
2460 XXXX OO
2462 ○ LEE Joseph V 760-944-7924 9
2464 ○ DALY Veronica 760-943-0646 4
2466 XXXX OO
2467 MAMMAU Mary P 760-635-1048 4
● MUMMAU Kevin OO 8
2468 ○ LACKEY James 760-943-6340 4
2473 ● RADICK Stephen OO
2474 XXXX OO
2475 XXXX OO
2476 XXXX OO
2478 XXXX OO
2480 ● POWERS Debra 760-479-0141 4
★ 2 BUS 53 RES 3 NEW

TORRELL WAY 92126 SAN DIEGO
WEALTH CODE 6
X CORLEY CT
8110 ● SADIGH-MOSTOFI Hamid OO 0
8111 ● SNEAD William OO 0
8118 ● GHANDI Sylvia OO 0
8125 ● TORRES Alberto OO 9
8126 ● BONDOC Alfredo OO 0
8133 NEUMAN Judith 858-271-0667 4
8134 ● TRAN Kuong OO 0
8142 ● CUI Louis OO 8
8149 ● BALUYOT Adolfo OO 4
8150 ● EUFRACIO Martin OO 4
8157 ● THIPSIDAKHOM Don OO 1
8158 ● NGUYEN Mike OO 9
8165 ● EVANGELISTA Michelle OO 0
8166 ● TRAN Vu OO 2
8173 ● PHILLIPS Keary 858-689-0462 4
8174 ● NGUYEN Steve OO 1
8182 XXXX OO
8185 ● LU Nam OO 1
8186 XXXX OO
8192 ● DURAN Pedro OO 9
8195 DO Loan 858-549-7685 4
● HOANG Ban OO 3
8196 ● HUYNH Van OO 4
8207 ● CALALAY Jeffrey 858-689-2135 8
8215 ● SALAS Paul OO 0
8216 ● SALINAS Melanio OO 4
8224 XXXX OO
8225 ● GAMIAO James 858-537-9015 3
8232 JACKSON Darnell 858-695-6934 +6
● MORRIS Kara OO 3
8233 ● PANDES Cecilio 858-689-4750 8
8240 MACASPAC Victoria 858-566-4197 8
THOMAS R 858-635-9394 4
8247 ● LU Jack OO 4
8248 ● BAGALSO Simeon OO 8
8255 ● CHAN Kwork OO 0
8256 NGUYEN Kieu 858-527-0986 4
VO Quy 858-271-6854
8263 ● ZAMORA Antonio OO 8
8264 ● BAGALSO Vivencio OO 0
8272 ● TRAN Jonathan OO 3
8281 NGUYEN N 858-695-2024
● PHAM Tam OO 0
X LORIRAE PL
8307 MENDOZA Jose 858-271-4757
8310 XXXX OO
8315 ● SARABIA Adelaida OO 1
8318 ● OLALIA Oliver OO 4
8321 ● AGUON Erik OO 9
8326 ● GARCIA Filemon OO 0
8329 ● BUCLATIN Jose OO 3
8334 ● ESPEJO Ramon OO 0
8337 ● LIN Guang Zuan 858-549-8037
8342 ● FLORES Alfredo 858-271-5467
8345 ● CUNNINGHAM Allen OO 4
8350 ● CABANBAN Jeffrey J 858-578-8098 7
● CABANBAN L R 858-578-8599 7
8353 ● LI Xiang Ming 858-695-6208 7
8358 ● PHAM Binh OO 8
8361 ● GRAHAM Frances 858-549-7186
8366 ● ORTIZ Mark OO 8
8369 ★ MARIWASA USA REALTY 858-566-2687 1
● SACMAN Hermogenes 858-566-8209 0
8374 ● LI Shaokang OO 0
X SURCO DR
8408 ● NGUYEN Thang OO 0
8409 ● MAGOS Rolando OO 4
8416 SANGIL Roberto 858-271-6549 4
8423 ● TA Andy OO 1
8424 XXXX OO
8431 ● GAGNON Robert 858-566-1007 0
8432 ● MAULEON Victorino OO 0
8439 ● SEVERANCE Dan 858-549-8236 2
TAKAO Jeff 858-635-9382 7
8440 ● RAQUINO Jaime OO 0
8443 ● SMITH Porter OO 2
8448 ● TIEU Jeanny Lam 858-586-9970 0
8449 ● LOR Bounarith OO 4
★ 1 BUS 75 RES 1 NEW

TORREY ARBOR LN (04) 92129 SAN DIEGO
8224 ● PIKE Albert OO 2
8232 ● ZENG Lei 858-538-6325 3
8236 ● ZOU Ze-yuan OO 2
8240 ● ZHENG Bing OO 2
8244 ● HOANG Quy Kim 858-538-8972 2
★ 0 BUS 5 RES 0 NEW

TORREY BELLA CT (04) 92129 SAN DIEGO
13820 ● CAVIN Mark OO 3
13824 ● PHAN Thu 858-484-2280
13825 ● EAGAN Michael 858-484-5366 4
13828 ● BARZILAI T 858-484-5556 3
● BARZILAI Teddy 858-484-7838 3
13829 ● GORE Stephen R 858-780-9997⊕
13832 ● BARGHOUTI Rashad OO
13833 ● DUONG Canh 858-538-2954 4
● DUONG Thuan 858-538-2968 4
13836 ● KIM Jin Kwang 858-464-9809
13837 ● HOLMES Dennis OO
13840 ● WATHEN George OO 9
13841 ● TERESSO Michael OO
13844 ● EBBAY Purita 858-484-8137 4
13858 ● NGUYEN Son 858-538-0211 3
13862 ● KAESBAUER Raymond OO 3
13866 ● NGO H S 858-538-0716 3
13870 ● KRUTH Robin OO 4
13874 ● EMILIO Cambe OO +6
13875 ● FUENTECILLA Wilfredo OO 4
13878 ● WEBSTER Samuel OO +6
13879 ● FALSETTA Joseph OO 3
13882 ● SHORT Howard OO
13883 ● GERHART Robert OO 3
13886 ● COUGHLIN John 858-538-8479 4
13887 ● MITCHELL Kimberlee OO 3
13890 ● ADAMS Kenneth J 858-780-8891
13894 ● BOOTH Brian OO
13898 ● BOAL David OO
★ 0 BUS 29 RES 2 NEW

TORREY BLUFF DR 92130 SAN DIEGO
WEALTH CODE 9
X GRAYDON RD
12604 . . . . . APARTMENTS
★ CARMEL VALLEY STUDIOS 858-720-0535 4
GUPTA Gautam 858-350-9373 +6
JUNG Yeon Ho 858-523-1709 +6
SIEGEL Jacqueline 858-792-0170 4
WILMOT Melissa F 858-523-0522 +6
YANG Mingchun 858-793-0586 +6
12604 . . . .
12610 . . . . . APARTMENTS
BRANDENHOFF Tanya 858-792-1095 4
382 CHEN Yiming 858-259-5415 4
CHUN Il 858-794-7964 4
KWON Sunwoo 858-720-9121 +6
384 LEE Christy S 858-259-0633 4
LI Simin 858-794-0666 +6
LIN Chiho 858-523-1138 +6
12610 . . . .
12616 HONG Kyung Pyo 858-350-3176 +6
HWANG Cecilia 858-794-4043 +6
KIM Deuk G 858-259-0297 +6
SCHULKEN Gene 858-792-1780 3
12622 ABELL William 858-259-5715 4
ALLARD Katherine 858-720-8779 +6
PONNATH Santhosh 858-523-1705 4
12628 . . . . . APARTMENTS
BALL Bryce 858-350-0703 4
CHONG Jane Is 858-259-3625 4
CUNNINGHAM Kay 858-847-0973 4
323 HEDLUND Peter 858-509-0194 4
330 JUSTICE Jalayne 858-720-9155 4
MOSCATO David 858-792-0184⊕ 4
321 PADDOCK Mj 858-793-0254 +6
WAHAB Sadakkadulla 858-350-4778 4
12628 . . . .
12634 . . . . . APARTMENTS
GEZELTER Joseph 858-350-7606 4
TANIGUCHI Patricia L 858-755-3066 3
319 UNGER Daniel 858-794-1744 4
WANG Jue 858-793-3624 4
WANG Lei 858-259-2788 4
ZHU Genjiang 858-523-0683 +6
12634 . . . .
12640 . . . . . APARTMENTS
CRASTA Praveen 858-350-3721 +6
CUI Hong 858-259-5028 4
ELFAKHRI Wajih 858-259-8741 4
ENEQVIST Borje R 858-523-0904 +5
6 GRANSTRON Cecilia M 858-509-2721 4
JEONG Sunjoo 858-755-7652 +6
MIONE Nicholas 858-523-0504 +6
THOMAS Robert G 858-259-4436 4
12640 . . . .
12646 ★ CLUB TORREY PINES APARTMENTS 858-755-8155
12652 DISCHLER Damon 858-350-5569 +6
KIM Youngjun 858-793-7954 +5
WRIGHT Mackie 858-793-0019 4
12658 . . . . . APARTMENTS
279 ANGELES Efren 858-523-9117 +6
266 HENNE Larry 858-259-4766 4
273 HORN Jack C 858-792-0310 3
PINAR Muge 858-847-9845 +6
WONG Fook 858-755-1343 4
YU Hong 858-509-0906 +6
12658 . . . .
12664 . . . . . APARTMENTS
CROWLEY Christopher 858-720-1087 +6
JOO Eun Jeong 858-720-0199 +6
KAISER Arthur 858-847-0844 +6
LAI Sang 858-703-4308 +6
LEE Soo 858-350-9582 4
221 OKERBERG Eric 858-755-5237 3
216 PETRIE William H 858-792-7730
VARADE M 858-755-3794 +6
210 WEIL Gerald 858-350-5910 4
12664 . . . .
12670 . . . . . APARTMENTS
CHEKAL Young 858-523-0760 4
272 GALE A 858-794-0061 2
272 GALE S 858-794-0061 2
GUIO-CARRION Ana 858-259-4584 4
KIM Hyung Tae 858-523-0767 3
PAZIRANDEH Kevin 858-509-0685 3
264 ZHU Keqiang 858-792-2336 +6
12670 . . . .
12676 . . . . . APARTMENTS
MAHESHWARI Abha 858-259-8872 4
MAIYA Meghan 858-509-7545 4
MOUNTAIN L 858-481-7409 4
NOVAK Tomas 858-720-1437 +6
PARK Jae Hyun 858-793-0140 4
252 PIAZZA Nicholas 858-792-4076 4
POLLARD John K Jr Dr 858-481-1555 3
TYAGI Arun 858-259-5201 +6
12676 . . . .
12682 . . . . . APARTMENTS
ASTARAEI Nikta 858-523-9914 +6
ELTAYEB Hisham 858-720-8724 4
JAVAHERIAN Mohammed 858-523-0126 +6
227 KOLINKO Vladimir G 858-481-6277 9
238 LAVERY John P 858-792-5354 4
LU Zi 858-792-6350 4
SHTENGELOVA Maria 858-481-1128 4
SIMON Hilary 858-793-1324 4
SUSARLA Kiran 858-509-3655 4
YOU Fan 858-720-6673 4
12682 . . . .
12688 CAIRNS Mindy 858-259-8623 +6
CHOI Mee Hae 858-509-2797 4
KOO Bonsang 858-792-0275 4
PALIDA F 858-792-0577
12701 ★ CHURCH JESUS CHRIST 858-259-9844
★ CHURCH JESUS CHRIST 858-259-0443
★ CHURCH JESUS CHRIST 858-792-7519
12702 VILLAO Luz 858-720-0197 +6
VINIZKY Efraim 858-509-2852 4
12710 CHEN Katherine 858-350-6751 +8
KIM Sang Kyu 858-509-7732 +6
LOPEZ Javier 858-259-4543 4
SMITH Darren E 858-481-7724 2
12718 . . . . . APARTMENTS
147 BAPAT Ajit S 858-523-0065 +6
CHO Sook Hee 858-793-0342 +5
CULLETON Kieran 858-509-1241 4
KULKARNI Anil 858-847-0966 +6
148 MORGAN Richard 858-509-0720 2
154 NAMBIAR Rajiv 858-523-0663 +6
PAEK Woon Ho 858-720-1097 +6
SRINIVASAN Anand 858-509-9414 4
WANG Yong Jun 858-259-0342 +6
12718 . . . .
12726 . . . . . APARTMENTS
CARRANZA Senorina 858-794-9203 4
55 KALAVAKUNTA Ravi 858-792-6128 4
KIM Heeau 858-509-1443 4
KIM Jung H 858-793-6672 4
58 MENG Xuejun 858-509-3850 4
PANG Qing 858-350-8868 4
POPOLIZIO Alisa 858-509-4140 3
52 SMITH Rosemary 858-259-1459
12726 . . . .
12734 . . . . . APARTMENTS
17 HAMPAPURAM Hari 858-481-1588 +6
KIM Hyunwoo 858-720-1909 +6
LEE Sora 858-259-0916 +6
18 SAINT Raymond 858-792-6623 8
STOYTCHEV Marin S 858-793-0509 4
ZHANG Weidong 858-720-8757 +6
ZUNIGA Elina Isabel 858-755-6739 4
12734 . . . .
12742 . . . . . APARTMENTS
35 LEVINE Kathleen 858-794-4616 4
MCPHERSON Tina 858-509-7543 1
45 MILLER Daniel 858-792-1684 1
MORIN Jeffrey J 858-794-9087 +6
SANKARASUBRAMO Hariprasad J 858-847-3128 +8
STEMPORA Thomas G 858-793-3452 4
46 SWARD Brian 858-792-5519 3
WILKINSON Jimmy 858-755-4685 4
47 YU Z 858-847-0116 4
48 ZAWADZKI Kerri 858-350-7523 4
12742 . . . .
12750 . . . . . APARTMENTS
78 ALEBIC-KOLBAH Tanja 858-523-9196 4
71 ARMSTRONG Patricia 858-509-2849 4
68 BERNAL Kimberly F 858-259-5803 5
ESPARZA Margarita 858-509-0842 4
72 HAIMILA Sami P 858-481-4416 +6
PINC Hope 858-720-1708 +6
SOCFIELD William 858-350-7433 4
THERESA Egnot 858-755-7943 4
12750 . . . .
12758 . . . . . APARTMENTS
CARMONA Maria 858-720-0148 +6
CHEN Xiao Qun 858-792-0586 4
143 MATHEWSON Richard D 858-350-7556 4
140 SHAH Krupa 858-509-3028 4
129 VESPA Jean 858-755-6770 4
12758 . . . .
12766 . . . . . APARTMENTS
BACH-PLAYMAN Lisa 858-509-7502 +6
DUKE Chris 858-755-4584 4
MCPHERSON Tina 858-509-2801 4
ROBINSON Daniel 858-350-9251 4
ZAVALA Anaberta 858-350-4536 +6
12766 . . . .
12774 . . . . . APARTMENTS
CHO Dai 858-523-0586 4
87 KRONENBERG Marc 858-481-9458 4
LIPMAN Ernest 858-509-1213 1
LY Hung 858-481-8438 4
WONG Greg 858-720-0306 +8
12774 . . . .
12782 . . . . . APARTMENTS
97 BHADADA Kamal 858-792-6475 9
CAJAL Ramon 858-481-8047 +6
FITOZ Cuneyt 858-794-8470 4
GARIANO Ray 858-481-0280 3
JUN Rim Chol 858-793-8629 +6
SHING G 858-259-8817 +6
12782 . . . .
X MCGUIRE DR
★ 5 BUS 157 RES 57 NEW

TORREY CIR (03) 92130 SAN DIEGO
WEALTH CODE 9
4603 . . . . . APARTMENTS
V305 GAZZERRO Peter C 858-793-1364 +6
GREENBANK Larence 858-720-8664 +6
HUDSON Darren 858-794-1859 +6
INGLE Lee 858-793-1410 +6
INGLE Sherry 858-793-1410 +6
JENNINGS Drew 858-509-1525 +6
REINHART Elizabeth 858-793-6654 4
SAYED Hani 858-755-8750 +6
SHELTON Michael 858-259-0573 +6
4603 . . . .
4607 . . . . . APARTMENTS
BEESON Cary 858-794-5404⊕ 4
CORTADI Claudia 858-793-6703 +6
MARSHAL Joseph 858-794-7272 4
SOOROELU R 858-509-7583 +6
YUHL L 858-792-9592 +6
4607 . . . .
4611 . . . . . APARTMENTS
T304 BLASKOWSKI John 858-792-7560 +6
T304 FLANNERY Kathleen 858-792-7560 +6
JONES Milbrey 858-792-2282 +6
LUDWIG Dana 858-792-0526 +6
MEYER D 858-847-3181 +6
MEYER J 858-847-3181 +6
REICH Gregory 858-481-8054 +6
T303 RIGDON Sara 858-720-8618 +6
4611 . . . .
4615 . . . . . APARTMENTS
BILLESBACH Valerie 858-793-0145 4
S303 FARRAR Mark 858-720-0261 +6
MELCHER Jerry 858-523-0239 4
NAVARETTE Patricia 858-847-3182 4
PALKA H 858-350-4665 4
SCHEG Cathy 858-847-9457 4
S305 SEVEL Sylvain 858-793-1036 +6
WELCH Suzanne 858-755-3701 +6
4615 . . . .
4619 . . . . . APARTMENTS
BURTON Michael 858-792-0997 3
FARID Famaz 858-481-6957 +6
R306 GUPTE Parag 858-720-1938 4
R209 SATHER Ryan B 858-793-2580 3
TSIVKOVSKI Ruslan 858-792-5308 +6
R108 VASILE Stefan 858-794-5237 4
4619 . . . .
4623 . . . . . APARTMENTS
Q105 DIPIERRO Rocco 858-847-9394 4
EPPERSON Matthew 858-847-0775 4
GOETTE Ilse 858-794-7224 +6
KETTENBURG Paula 858-793-0519 +6
LOORS Andreas 858-794-7816 +6
LYNCH Laura 858-720-1219 4
Q202 OCHOA Linda 858-792-0917 4
SCORAH Jennifer 858-755-4804 +6
WEITZ Megan 858-792-5902 4
4623 . . . .
4627 . . . . . APARTMENTS
ARMSTRONG Scott 858-755-3112 +6
P209 ARTERO Bruno 858-792-4634 4
BARRY Neil 858-350-5829 4
P204 BETTS Greg 858-259-7989 4
BETTS Greg 858-259-9702 4
103 BROWN Jess 858-755-8659 4
P207 CHESLER Gheorghe 858-847-0838 +6
CORNWELL Chad 858-523-9953 +6
P308 DEVITO Sara S 858-481-7973 4
FINGER Jeremy 858-523-1163 4
P108 HERNON Ellen 858-847-9481 +6
KAUFFELD Leona 858-259-9426 +6
P109 WILLETTE Jodi J 858-720-1459 +6
XIAO Yuehua 858-523-0166 4
4627 . . . .
4631 . . . . . APARTMENTS
BARNETT George 858-481-4330 +6
BURNSED Justin 858-350-7472 4
KWON Tae 858-720-0998 4
MAGGHSODUI Farvaneh 858-259-5068 4
MATOBA Akiko 858-847-3208 +6
WEIS Chris 858-350-5926 +6
4631 . . . .
4635 . . . . . APARTMENTS
103 ALFONSO Emmanuel 858-847-3230 4
BROWN Michael D 858-523-0354 +6
CASSER Karen 858-509-3053 +6
FUENTES Kimberly A 858-509-7959 +6
★ FUYJIKURA COMPOSITES 858-720-0645 4
NORIKANE Shunji 858-523-1307 +6
★ PAMPER YOUR PET 858-794-1822 4
105 WANG Lu 858-481-4099 4
4635 . . . .
4639 . . . . . APARTMENTS
CHOI Sanki 858-793-1918 4
CREMER Carrie 858-481-1196 +6
M205 LEE J 858-523-0301 4
SCHMIDT Heather 858-847-0679 +6
M105 TANI Karen 858-720-9474 4
THIBEAULT Lorraine 858-720-1486 +6
THOMAS Nancy 858-792-5534 4
4639 . . . .
4647 . . . . . APARTMENTS
ACENA Auzon 858-350-3457 4
BODBOLE Devavrata 858-755-0191 +6
L207 MAGHIAR Jose 858-509-2825 4
MILLER Laura 858-350-7450 +6
PONOMARENKO Iojulia 858-481-4476 +6
WETHERELT David J 858-509-7660 +6
4647 . . . .
4651 . . . . . APARTMENTS
BARELMANN Olivia 858-481-9970 4
DUNCAN Ryan 858-509-1152 +6
HAN Jun 858-523-1433 4
KISS Marne 858-481-8995 4
XU Yong 858-523-0848 +6
4651 . . . .
4655 . . . . . APARTMENTS
HERRGARD Markus 858-509-7764 +6
HERRGARD Sanna 858-509-7764 +6
MIKRUT William D 858-847-0412 4
PANTALEON Christine 858-793-1097 +6
SINGH Sushil 858-755-0152 3
J301 TRIPP J 858-259-8225 +6
WUSCH Steffen 858-509-3913 +6
4655 . . . .
4659 BRANNELLY John 858-794-0039 4
BRYAN Thomas 858-794-1897 4
IVANKO David 858-794-0039 4
SCARDIGNO Jordan 858-793-6002 +6
4663 . . . . . APARTMENTS
CONNELL Samuel 858-847-9398 4
OEVRAM Beena 858-481-1222 3
H201 ESMAILI Chahlar 858-350-7412 +6
LEE Sang Heon 858-793-3466 +6
PHILLIPS John T 858-509-7674 +6

TP	Adjoining	Source
-	✓	San Diego Directory Co.

MICHIGAN ST 1933

MECHANIC (University Heights)—Changed to 33d Place

MEDIO (Encanto)—East from 200 Patten

MELROSE PLACE (Encanto)—North from 1 blk s of 5250 Radio dr

712 Yandell J N (o)

MEMPHIS (North San Diego)—Northeast from 4300 George av

MENDOCINO BLVD (Ocean Beach)—North from Newport av, 2 e of Santa Barbara

2151 Stein C O

Voltaire intersects

2231 Vacant
2235 Petersen J P

MENDOTA (Roseville)—East from Jarvis, 1 s of 1750 Chatsworth blvd

Macauley intersects

1804 Boy Freida Mrs (o)
1820 Buchanan T K
1824 Fowler Wm (o)
1841 Eddy H G
1865 Jacobson Caesar (o)

MENLO AV—North from Maple, 1 e of 46th

3021 Morong G F
3028 Pajunk Hans (o)
3029 Callahan Jas (o)
3073 Eggemann Adolph

Redwood intersects

3109 Pierce Alf
3117 Pierce Harriet Mrs
3127 Vacant
3139 Sasman Fred
3140 Levine Jos
3211 Hitz L K (o)
3214 Wright A A (o)
3222 Erickson Carl

Thorn intersects

3248 Gallupe A P
3328 Taylor D S (o)
3331 Gilbert F L
3337 Keller R E
3344 Lazcano E M Mrs
3352 Casner G R

Myrtle av intersects

3418 Jones L O
3518 Devlin E M Mrs (o)
3521 Vacant
3536 Bishop J W (o)
3547 Joseph Bennie (o)
3552 Sheridan J G
3558 Thorpe John
3562 Jones L A Mrs (o)
3565 Parent D J (o)
3566 Vacant
3573 Vacant
3594 Harris L W

Dwight intersects

3610 Heide Otto
3612 Parnell A W
3615 Hines M F Mrs (o)
3624 Vacant
3629 Fair G R
3630 Wyatt J G (o)
3641 Meeuwenberg Jas
3642 Hunt J K (o)
3645 Whitecotton S L (o)
3648 Rockwood Geo (o)
3654 Schrage Chas jr
3661 Jensen Nels
3664 de Aryan C L
3667 Nelson C H
3670 White J R
3675 Godden E R (o)
3678 Conrad Wm
3683 Cook Emma Mrs (o)
3684 Irvin B J
3687 Metcalf John (o)
3690 Withers W D
3694 Bergen C R (o)
3695 Linke Herman (o)

Landis intersects

3704 Rodgers W H (o)
3714 Stancel Wm (o)
3717 Meller P D
3720 Dunn C M Mrs
3723 Hiatt R R
3724 Maris J R (o)
3730 Beach C M Mrs
3733 Learn N N
3737 Vacant
3738 Caldwell A D
3742 O'Grady Harry
3745 Snell E L (o)
3749 Vacant
3753 Grosse G E
3756 Ouellette Albt
3757 Overton W L
3767 Bailey A E Mrs (o)
3771 Reed R R (o)
3777 Henderson A C Mrs (o)
3781 Dushan Gabrielle
3786 Cowan S T
3793 Richardson A P (o)
3796 Vacant

Wightman intersects

3806 Kirkman John
3814 Boyer L R
3815 Ware B H
3819 Gilbert A H (o)
3822 Woodard R C
3824 Vacant
3825 Doyle Agnes L (o)
3825½ Walsh F B
3828 Wright J T
3833 Darmody E H
3838 Schaefer Wm (o)
3840 McKnight R C
3841 Vacant
3843 McCoy W R
3848 Thomas Wm
3851 Vacant
3855 Cloward Seawell
Henderson E T
3861 Vacant
3862 Roantree R E (o)
3866 Walsh J P (o)
3867 Cook L C
3870 Smith H I (o)

University av intersects

cor Univ av Klicka Lumber Co
4016 Vacant
4025 Vacant
4029 Hagenhoff Frank
4033 Dennis Bert (o)
Geiger David
4045 Oman Chas
4048 Bond J A (o)
4054 Warner E D
4055 Burroughs J A
4059 Thom I B Mrs
4061 Lott Albt
4062 Lilly G W
Tolen H H
Wiedekamp G F
4070 Collins W B (o)
4071 Graham Salina Mrs (o)
4077 Templeton P V
4078 Toups J G
4084 Kern A A Mrs (o)
4085 Prouty Augusta H (o)
4090 Whitzel Rose Mrs (o)
4093 Rodgers H I

Polk intersects

4105 Golden W W
4106 Cobb R B (o)
4109 Gallagher C W (o)
4112 Baker L G
4118 Tomlinson E H (o)
4126 Coots Jack
4135 Rodefer Lloyd (o)
4136 Doubet G E
4146 Goldberg Louise Mrs
4147 Marvin Geo
4149 Griffith E L Mrs (o)
4150 Richards F J (o)
4157 Tower G M (o)
4158 Lipton Lewis
4165 Lentz F C
4166 Nichols C E (o)
4171 Blanc Rene
4172 Vacant
4177 Vacant
4181 Eckenroth E A (o)
4182 Livingston John
4188 King H C (o)

Orange intersects

4209 Robertson O D
4210 Larson A W (o)
4215 Hache H W (o)
4216 Storms D H (o)
4221 Burkhalter B F
4222 Wade Chas
4223 Burkhalter Addie Mrs
4225 Page J R (o)
4226 Johnson W W (o)
4232 Vacant
4235 Vacant
4236 Ensign Stanley
4239 Vaughn H H (o)
4240 Atwater W W (o)
4243 Lindsay R C (o)
4245 Ingalls H E
4251 Hunt Chas
4256 Harmon W R (o)
4257 Kindig C E
4260 Harris E M (o)
4261 Hawthorne D H (o)
4264 Richie E C Mrs (o)
4265 Herman Stanley
4270 Baston David
4271 Hopp Gordon
4279 Stensrud S E
4282 Alston May A
4293 Burridge Willard

El Cajon av intersects

4329 Armitage W S (o)
4330 Church C C
4337 Arnold Geo (o)
4343 McAnulty W M (o)
4355 Longley J L (o)
4364 Brooks E D (o)

Meade av intersects
Monroe av intersects

4403 Bankerd C A (o)
4406 Thoennissen Henry (o)
4412 Lent A C (o)
4417 Prouty M A
4423 Salyers L B Mrs (o)
4424 Kregear Alf
4429 Cole W J
4435 Wray F S
4450 Vacant
4463 Abbott E A
4475 Meisner L H (o)
4479 Northcote J R (o)
4489 Vacant
4490 Erickson C E (o)

MENTONE (Ocean Beach)—West from 2700 Famosa blvd

4355 Vacant

Clovis intersects

4365 Vacant
4367 Fowler R L
4372 Vacant
4450 Carlin F A
4451 Neel C S
4455 Jenson N A (o)
4475 Vacant
4479 Decker F H (o)

MERIVALE AV (Normal Heights)—East from Mountain View dr, 1 n of 3800 Adams av

3805 Vacant
3814 Clark Ruth Mrs
3827 Bradley G W
3834 Garland J D
3835 York Ada
3841 McRae Emma B
3849 Mayer Geo
3852 McNab Chas (o)
3857 Hill V R
James M L Mrs

MERLIN DRIVE (Encanto)—North from 5850 Imperial av

515 Vacant
521 Little H J

MICHIGAN (North San Diego)—Southeast from 1400 Phoenix

408 Auto Top & Body Works

MIDDLESEX DRIVE (Kensington Park)—East from 5100 Canterbury dr

4080 Briggs C G

Marlborough dr intersects

4107 Newton H F

235 South Tremont Street

235 South Tremont Street

Oceanside, CA 92054

Inquiry Number: 6340708.8

January 22, 2021

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

01/22/21

Site Name:

235 South Tremont Street
235 South Tremont Street
Oceanside, CA 92054
EDR Inquiry # 6340708.8

Client Name:

Stantec
290 Conejo Ridge Avenue
Thousand Oaks, CA 91361
Contact: Jennifer Alvarado

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	Scale	Details	Source
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2005	1"=500'	Flight Year: 2005	USDA/NAIP
2002	1"=500'	Acquisition Date: January 01, 2002	USGS/DOQQ
1997	1"=500'	Acquisition Date: October 16, 1997	USGS/DOQQ
1994	1"=500'	Acquisition Date: January 01, 1994	USGS/DOQQ
1990	1"=500'	Flight Date: September 06, 1990	USDA
1985	1"=500'	Flight Date: September 13, 1985	USDA
1979	1"=500'	Flight Date: January 27, 1979	EDR Proprietary Landiscor
1970	1"=500'	Flight Date: March 06, 1970	EDR Proprietary Landiscor
1967	1"=500'	Flight Date: May 07, 1967	USGS
1964	1"=500'	Flight Date: April 09, 1964	USDA
1953	1"=500'	Flight Date: April 14, 1953	USDA
1946	1"=500'	Flight Date: December 30, 1946	USGS
1939	1"=500'	Flight Date: April 16, 1939	USDA


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.


INQUIRY #: 6340708.8
YEAR: 2016
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 2012
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 2009
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 2005
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 2002
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1997
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1994
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1990
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1985
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1979
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1970
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1967
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1964
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1953
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1946
= 500'
N
EDR


INQUIRY #: 6340708.8
YEAR: 1939
= 500'
N
EDR

235 South Tremont Street

235 South Tremont Street

Oceanside, CA 92054

Inquiry Number: 6340708.4

January 22, 2021

EDR Historical Topo Map Report

with QuadMatch™

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

01/22/21

Site Name:	Client Name:
235 South Tremont Street	Stantec
235 South Tremont Street	290 Conejo Ridge Avenue
Oceanside, CA 92054	Thousand Oaks, CA 91361
EDR Inquiry # 6340708.4	Contact: Jennifer Alvarado

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Stantec were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:		*Coordinates:*	
P.O.#	NA	**Latitude:**	33.192269 33° 11' 32" North
Project:	1858	**Longitude:**	-117.378711 -117° 22' 43" West
		UTM Zone:	Zone 11 North
		UTM X Meters:	464699.22
		UTM Y Meters:	3672666.10
		Elevation:	53.92' above sea level

Maps Provided:

2012	1898
1997	1893
1975	
1968	
1949	
1948	
1947	
1901	

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2012 Source Sheets



Oceanside
2012
7.5-minute, 24000



San Luis Rey
2012
7.5-minute, 24000

1997 Source Sheets



Oceanside
1997
7.5-minute, 24000
Aerial Photo Revised 1997



San Luis Rey
1997
7.5-minute, 24000
Aerial Photo Revised 1997

1975 Source Sheets



San Luis Rey
1975
7.5-minute, 24000
Aerial Photo Revised 1975



Oceanside
1975
7.5-minute, 24000
Aerial Photo Revised 1975

1968 Source Sheets



Oceanside
1968
7.5-minute, 24000
Aerial Photo Revised 1967



San Luis Rey
1968
7.5-minute, 24000
Aerial Photo Revised 1967

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1949 Source Sheets



Oceanside
1949
7.5-minute, 24000
Aerial Photo Revised 1946



San Luis Rey
1949
7.5-minute, 24000
Aerial Photo Revised 1946

1948 Source Sheets



San Luis Rey
1948
7.5-minute, 24000
Aerial Photo Revised 1946

1947 Source Sheets



Oceanside
1947
7.5-minute, 24000
Aerial Photo Revised 1946

1901 Source Sheets



Oceanside
1901
15-minute, 62500

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1898 Source Sheets



Oceanside
1898
15-minute, 62500

1893 Source Sheets



Oceanside
1893
15-minute, 62500

Historical Topo Map

2012



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Oceanside, 2012, 7.5-minute
E, San Luis Rey, 2012, 7.5-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Oceanside, 1997, 7.5-minute
E, San Luis Rey, 1997, 7.5-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Oceanside, 1975, 7.5-minute
E, San Luis Rey, 1975, 7.5-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Oceanside, 1968, 7.5-minute
E, San Luis Rey, 1968, 7.5-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Oceanside, 1949, 7.5-minute
E, San Luis Rey, 1949, 7.5-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

E, San Luis Rey, 1948, 7.5-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N

Historical Topo Map

1947



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE


TP, Oceanside, 1947, 7.5-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N

Historical Topo Map

1901



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Oceanside, 1901, 15-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Oceanside, 1898, 15-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Oceanside, 1893, 15-minute

SITE NAME: 235 South Tremont Street
ADDRESS: 235 South Tremont Street
Oceanside, CA 92054
CLIENT: Stantec

N

235 South Tremont Street

235 South Tremont Street

Oceanside, CA 92054

Inquiry Number: 6340708.3

January 26, 2021

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

01/26/21

Site Name:

235 South Tremont Street
235 South Tremont Street
Oceanside, CA 92054
EDR Inquiry # 6340708.3

Client Name:

Stantec
290 Conejo Ridge Avenue
Thousand Oaks, CA 91361
Contact: Jennifer Alvarado

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Stantec were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 016D-462C-A3A7

PO # NA

Project 1858

Maps Provided:

1962
1950
1925
1907

Sanborn® Library search results

Certification #: 016D-462C-A3A7

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Stantec (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.


Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1962 Source Sheets



Volume 1, Sheet 8
1962


Volume 1, Sheet 9
1962


Volume 1, Sheet 11
1962


Volume 1, Sheet 12
1962

1950 Source Sheets



Volume 1, Sheet 8
1950


Volume 1, Sheet 9
1950


Volume 1, Sheet 11
1950



Volume 1, Sheet 12
1950

1925 Source Sheets


Volume 1, Sheet 8
1925



Volume 1, Sheet 9
1925



Volume 1, Sheet 11
1925


Volume 1, Sheet 12
1925

1907 Source Sheets


Volume 1, Sheet Keymap/Sheet 1
1907


Volume 1, Sheet 6
1907




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1962

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 12
Volume 1, Sheet 11
Volume 1, Sheet 9
Volume 1, Sheet 8

0 Feet 150 300 600

N

Certified Sanborn® Map

1950




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1950

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 12
Volume 1, Sheet 11
Volume 1, Sheet 9
Volume 1, Sheet 8

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1925

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 12
Volume 1, Sheet 11
Volume 1, Sheet 9
Volume 1, Sheet 8

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #016D-462C-A3A7

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1907

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 6
Volume 1, Sheet Keymap/Sheet1

N

235 South Tremont Street

235 South Tremont Street

Oceanside, CA 92054

Inquiry Number: 6340708.3

January 26, 2021

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

01/26/21

Site Name:

235 South Tremont Street
235 South Tremont Street
Oceanside, CA 92054
EDR Inquiry # 6340708.3

Client Name:

Stantec
290 Conejo Ridge Avenue
Thousand Oaks, CA 91361
Contact: Jennifer Alvarado

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Stantec were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 016D-462C-A3A7

PO # NA

Project 1858

Maps Provided:

1962
1950
1925
1907
1897
1892
1888
1887

Sanborn® Library search results

Certification #: 016D-462C-A3A7

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Stantec (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.


Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1962 Source Sheets



Volume 1, Sheet 6
1962


Volume 1, Sheet 7
1962



Volume 1, Sheet 8
1962


Volume 1, Sheet 9
1962

1950 Source Sheets


Volume 1, Sheet 6
1950



Volume 1, Sheet 7
1950



Volume 1, Sheet 8
1950


Volume 1, Sheet 9
1950

1925 Source Sheets


Volume 1, Sheet 7
1925



Volume 1, Sheet 8
1925



Volume 1, Sheet 9
1925


Volume 1, Sheet 6
1925

1907 Source Sheets


Volume 1, Sheet Keymap/Sheet 1
1907



Volume 1, Sheet 4
1907


Volume 1, Sheet 5
1907


Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1897 Source Sheets




Volume 1, Sheet 2
1897




Volume 1, Sheet 3
1897

1892 Source Sheets




Volume 1, Sheet 2
1892




Volume 1, Sheet 3
1892

1888 Source Sheets




Volume 1, Sheet 2
1888

1887 Source Sheets



Volume 1, Sheet xxxx
1887




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1962

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 9
Volume 1, Sheet 8
Volume 1, Sheet 7
Volume 1, Sheet 6

N





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1950

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 9
Volume 1, Sheet 8
Volume 1, Sheet 7
Volume 1, Sheet 6

N




Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1925

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 6
Volume 1, Sheet 9
Volume 1, Sheet 8
Volume 1, Sheet 7

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1907

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 5
Volume 1, Sheet 4
Volume 1, Sheet Keymap/Sheet1

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1897

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 3
Volume 1, Sheet 2

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1892

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet 3
Volume 1, Sheet 2

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #016D-462C-A3A7

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1888

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 2

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #016D-462C-A3A7

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1887

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 1, Sheet xxxx

0 Feet 150 300 600

N

235 South Tremont Street

235 South Tremont Street

Oceanside, CA 92054

Inquiry Number: 6340708.3

January 26, 2021

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

01/26/21

Site Name:

235 South Tremont Street
235 South Tremont Street
Oceanside, CA 92054
EDR Inquiry # 6340708.3

Client Name:

Stantec
290 Conejo Ridge Avenue
Thousand Oaks, CA 91361
Contact: Jennifer Alvarado

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Stantec were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 016D-462C-A3A7

PO # NA

Project 1858

Maps Provided:

1962
1950
1925
1907
1897
1892
1888
1887

Sanborn® Library search results

Certification #: 016D-462C-A3A7

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Stantec (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.


Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.


Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1962 Source Sheets



Volume 1, Sheet 5
1962


Volume 1, Sheet 6
1962



Volume 1, Sheet 8
1962


Volume 1, Sheet 9
1962


1950 Source Sheets



Volume 1, Sheet 5
1950


Volume 1, Sheet 6
1950


Volume 1, Sheet 8
1950


1925 Source Sheets


Volume 1, Sheet 8
1925



Volume 1, Sheet 5
1925



Volume 1, Sheet 6
1925

1907 Source Sheets


Volume 1, Sheet 2
1907


Volume 1, Sheet Keymap/Sheet 1
1907



Volume 1, Sheet 4
1907


Volume 1, Sheet 5
1907


Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1897 Source Sheets



Volume 1, Sheet Keymap/Sheet1
1897




Volume 1, Sheet 2
1897




Volume 1, Sheet 3
1897


1892 Source Sheets



Volume 1, Sheet Keymap/Sheet1
1892




Volume 1, Sheet 2
1892




Volume 1, Sheet 3
1892

1888 Source Sheets




Volume 1, Sheet 2
1888




Volume 1, Sheet 1
1888

1887 Source Sheets



Volume 1, Sheet xxxx
1887




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1962

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 9
Volume 1, Sheet 8
Volume 1, Sheet 6
Volume 1, Sheet 5

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1950

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 8
Volume 1, Sheet 6
Volume 1, Sheet 5

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	235 South Tremont Street
Address:	235 South Tremont Street
City, ST, ZIP:	Oceanside, CA 92054
Client:	Stantec
EDR Inquiry:	6340708.3
Order Date:	01/26/2021
Certification #:	016D-462C-A3A7
Copyright	1925

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 6
Volume 1, Sheet 5
Volume 1, Sheet 8

N





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1907

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 5
Volume 1, Sheet 4
Volume 1, Sheet Keymap/Sheet1
Volume 1, Sheet 2

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #016D-462C-A3A7

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1897

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 3
Volume 1, Sheet 2
Volume 1, Sheet Keymap/Sheet1

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #016D-462C-A3A7


Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1892

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 1, Sheet 3
Volume 1, Sheet 2
Volume 1, Sheet Keymap/Sheet1




Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright 1888

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 1
Volume 1, Sheet 2

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1887

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 1, Sheet xxxx

N

235 South Tremont Street

235 South Tremont Street

Oceanside, CA 92054

Inquiry Number: 6340708.3

January 26, 2021

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

01/26/21

Site Name:

235 South Tremont Street
235 South Tremont Street
Oceanside, CA 92054
EDR Inquiry # 6340708.3

Client Name:

Stantec
290 Conejo Ridge Avenue
Thousand Oaks, CA 91361
Contact: Jennifer Alvarado

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Stantec were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 016D-462C-A3A7

PO # NA

Project 1858

Maps Provided:

1962
1950
1925
1907
1897
1892

Sanborn® Library search results

Certification #: 016D-462C-A3A7

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Stantec (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.


Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.


Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1962 Source Sheets




Volume 1, Sheet 5
1962




Volume 1, Sheet 8
1962

1950 Source Sheets




Volume 1, Sheet 5
1950




Volume 1, Sheet 8
1950

1925 Source Sheets




Volume 1, Sheet 8
1925




Volume 1, Sheet 5
1925

1907 Source Sheets



Volume 1, Sheet 4
1907




Volume 1, Sheet 6
1907

Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1897 Source Sheets




Volume 1, Sheet 2
1897

1892 Source Sheets



Volume 1, Sheet 2
1892




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1962

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 8
Volume 1, Sheet 5

N





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1950

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 8
Volume 1, Sheet 5


N




Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1925

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 5
Volume 1, Sheet 8

N





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1907

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 1, Sheet 6
Volume 1, Sheet 4

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #016D-462C-A3A7


Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1897

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600

Volume 1, Sheet 2





N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #016D-462C-A3A7


Site Name: 235 South Tremont Street
Address: 235 South Tremont Street
City, ST, ZIP: Oceanside, CA 92054
Client: Stantec
EDR Inquiry: 6340708.3
Order Date: 01/26/2021
Certification #: 016D-462C-A3A7
Copyright: 1892

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600

Volume 1, Sheet 2





N

Phase II Environmental Site Assessment

235 South Tremont Street
Oceanside, California 92054

August 11, 2021

Prepared for:

Toll Brothers Apartment Living
23422 Mill Creek Drive, Suite 105
Laguna Hills, California 92653

Prepared by:

Stantec Consulting Services Inc.
735 East Carnegie Drive, Suite 280
San Bernardino, CA 92408

Project No.: 2014217900

This document entitled Phase II Environmental Site Assessment was prepared by Stantec Consulting Services Inc. ("Stantec") for the account of Toll Brothers Apartment Living or "Toll Brothers," (the "Client"). Any reliance on this document by any third party is strictly prohibited. The material in it reflects Stantec's professional judgment in light of the scope, schedule and other limitations stated in the document and in the contract between Stantec and the Client. The opinions in the document are based on conditions and information existing at the time the document was published and do not take into account any subsequent changes. In preparing the document, Stantec did not verify information supplied to it by others. Any use which a third party makes of this document is the responsibility of such third party. Such third party agrees that Stantec shall not be responsible for costs or damages of any kind, if any, suffered by it or any other third party as a result of decisions made or actions taken based on this document.

Prepared by _____
(signature)

Deborah Hernandez
Geologic Staff

Reviewed by _____
(signature)

Alicia Jansen
Associate Scientist

Approved by _____
(signature)

Kyle Emerson, CEG
Managing Principal Geologist

1.0 EXECUTIVE SUMMARY 1.1

2.0 INTRODUCTION 2.1
2.1 PROPERTY DESCRIPTION AND OPERATIONS 2.1
2.2 PROPERTY GEOLOGY AND HYDROGEOLOGY 2.1

3.0 BACKGROUND 3.1

4.0 FIELD INVESTIGATION 4.1
4.1 PRE-DRILLING ACTIVITIES 4.1
4.2 INVESTIGATION 4.1
4.2.1 Soil Boring Procedures 4.2
4.2.2 Soil Vapor Probe Installation 4.2
4.2.3 Soil Vapor Sampling 4.3
4.2.4 Field Equipment Cleaning Procedures 4.3

5.0 LABORATORY TESTING PROGRAM 5.1

6.0 INVESTIGATION RESULTS 6.1
6.1 FIELD OBSERVATIONS 6.1
6.2 ANALYTICAL RESULTS 6.1
6.2.1 Soil Results 6.1
6.2.2 Soil Vapor Results 6.1

7.0 CONCLUSIONS AND RECOMMENDATIONS 7.1

8.0 LIMITATIONS 8.1

9.0 REFERENCES 9.2

LIST OF TABLES

Table 1 – Summary of Soil Analytical Results - VOCs and TPH
Table 2 – Summary of Soil Vapor Analytical Results

LIST OF FIGURES

Figure 1 – Property Location Map
Figure 2 – Property Details Map

LIST OF APPENDICES

Appendix A – Boring Logs
Appendix B – Laboratory Data Sheets

1.0 EXECUTIVE SUMMARY

Stantec Consulting Services Inc. (Stantec) has prepared this Phase II Environmental Site Assessment (ESA) report for the property located at 12247 Elliott Ave and 2627 Durfee Avenue, City of El Monte, County of Los Angeles, California (the "Property", **Figure 1**), on behalf of Toll Brothers Apartment Living (Toll Brothers, the "Client"). The work performed herein was done in conformance the scope of work in the in accordance with Stantec's *Proposal to Perform Phase II Environmental Site Assessment*, dated February 17, 2021.

The Property consists of approximately 11 acres of developed land at 235 South Tremont Street, in the City of Oceanside, California. The Property is currently developed with a North County Transit District's Oceanside Transit Center and associated parking lots. Surrounding properties are a mix of commercial, retail, and residential properties. A Property location map is illustrated on Figure 1. A Property map illustrating the main features of the Property is provided as Figure 2.

Stantec completed a Phase I ESA for the Property which revealed the following evidence of recognized environmental conditions (RECs) in connection with the Property:

- **Historical Dry-cleaning Operations:** Historical records indicate an historic dry cleaner was located on the Property from at least the 1920s to 1960s. Soil vapor does not appear to have been assessed on the Property; therefore, the historical presence of the dry cleaner is considered to represent a REC for the Property. Stantec would recommend that the former dry cleaner be assessed to evaluate if a release has occurred that would affect the residential development of the Property.

- **Historical Auto Service Operations:** A historic automotive repair/ gasoline station identified as Seaside Oil company was present at the Property from at least the 1950s to 1960s in the southwest corner of the Property. Soil vapor does not appear to have been assessed on the Property at the location of the former historic automotive repair/ gasoline station. Therefore, this historic facility represents a REC to the Property and further assessment is recommended to evaluate if a release has occurred that would affect the residential development of the Property.

- **Nearby Facilities:** Eighteen historic automotive repair facilities are listed with 500 feet of the Property, and 16 historic dry cleaners are listed within 800 feet of the Property, five of which have had historic releases reported. Additionally, a former railroad at 117 South Cleveland Street (approximately 88 feet northwest) is listed in the State Water Resources Control Board's (SWRCB's) Geotracker website as a Leaking Underground Storage Tank (LUST) Cleanup Site with a status of 'Completed – Case Closed' as of 12/30/1993. These facilities represent a vapor encroachment condition (VEC) to the subject Site. Stantec would recommend assessment of soil vapor on the Property to evaluate if these neighboring properties are affecting the Site.

To investigate these RECs and the VEC, Stantec performed a Phase II ESA at the Property in June 2021. Results of the Phase II ESA are described below.



Phase II ESA Results

On July 20 and July 21, 2021, Stantec oversaw the advancement of fourteen (14) soil borings (B-01 through B-14) and at each boring locations a soil vapor probe was installed. All borings advanced during this investigation are depicted on **Figure 2**.

Soils encountered during this assessment consisted predominately of poorly graded and silty sands to 10.5 feet below ground surface (bgs), the maximum depth explored during this investigation. PID readings were measured from 0.0 parts per million by volume (ppmV) up to 2.4 ppmV at location B-06-5 at 5 feet bgs. Soil boring logs are included in **Appendix A**.

Laboratory analytical test results from this assessment are attached as **Appendix B**. The laboratory test results from this investigation are discussed below and were compared to the DTSC Human and Ecologic Risk Office (HERO), Note 3 screening levels for residential land use (DTSC, 2020), and the USEPA Regional Screening Levels (RSLs) for residential sites (USEPA, 2021). Total petroleum hydrocarbons (TPH) results were compared to the San Francisco Bay Regional Water Quality Control Board (SFBRWQCB) Environmental Screening Levels (ESLs). Soil vapor concentrations are reported and discussed in units of micrograms per cubic meter ($\mu g/m^3$), evaluated using an attenuation factor (AF) of 0.03 for initial residential screening.

The table below is provided to summarize soil boring placement and features assessed during this investigation.

Feature Assessed	Boring ID	Terminal Depth (feet bgs)	Soil Sampling Depth	Soil Vapor Probe Depth (feet bgs)
Historical On-Site Dry Cleaner	B-01	5.5	1, 5	5
	B-02	5.5	1,5	5
Historical On-Site Auto Service / Gasoline Station	B-03	10.5	10	5, 10
	B-04	10.5	10	5, 10
Former Railroad Property	B-05	10.5	10	5
	B-06	10.5	10	5
Surrounding Historical Auto Service, Drycleaners, and Military Supply Store	B-07	5.5	--	5
	B-08	5.5	--	5
	B-09	5.5	--	5
	B-10	5.5	--	5
	B-11	5.5	--	5
	B-12	5.5	--	5
	B-13	5.5	--	5
	B-14	5.5	--	5

There were no detections of total petroleum hydrocarbons (TPH) or volatile organic compounds (VOCs) in any of the soil samples collected and submitted for laboratory analysis.

Total Petroleum Hydrocarbons (TPH) in the gasoline range organics (GRO) was detected in 10 of the 14 borings exceeding the initial residential screening level using an 0.03 attenuation factor equal to 3,300 ug/m^3. Tetrachloroethene (PCE) was detected in 9 of the 14 borings with 6 of the borings exceeding the initial residential screening level using a 0.03 attenuation factor equal to 15.3 ug/m^3. Toluene was detected in 5 of the 14 soil vapor samples at concentrations significantly below the initial residential screening level using a 0.03 attenuation factor, equal to 10,333 ug/m^3.

Based on these soil vapor results, additional vertical and lateral definition of soil vapor impacts are recommended in the areas of the highest exceedances (B-03, B-04, and B-14). The intent is to more complete assess these areas to ensure higher concentrations do not exist away from these borings. This data would then be used to evaluate if there is a vapor intrusion concern to the Property that would require remedial action. A human health risk assessment (HHRA) should be conducted to evaluate if any remedial action or engineering controls (i.e. vapor barriers) may be required prior to development.

The preceding summary is intended for information purposes; reading the body of the report is recommended.



2.0 INTRODUCTION

Stantec Consulting Services Inc. (Stantec) has prepared this Phase II Environmental Site Assessment (ESA) report for the property located at 235 South Tremont Street, City of Oceanside, County of San Diego, California (the "Property", Figure **1**), on behalf of Toll Brothers Apartment Living (the "Client"). The assessment activities presented in this report were completed in accordance with Stantec's *Proposal to Perform Phase II Environmental Site Assessment*, dated February 17, 2021. This assessment was performed based on findings of a Phase I ESA performed for the Property by Stantec in March 2021.

2.1 PROPERTY DESCRIPTION AND OPERATIONS

The Property consists of approximately 11 acres of developed land at 235 South Tremont Street, in the City of Oceanside, California. The Property is currently developed with a North County Transit District's Oceanside Transit Center and associated parking lots. Surrounding properties are a mix of commercial, retail, and residential properties. A Property location map is illustrated on **Figure 1**. A Property map illustrating the main features of the Property is provided as **Figure 2**.

The Property is identified by Assessor's Parcel Numbers (APNs) 760-186-08-00, 760-186-09-00, 760-186-11-00, 150-043-01-00, 150-043-02-00, 150-043-03-00, 150-043-04-00, 150-043-05-00, 150-043-06-00, , 150-046-17-00, 150-046-01-00, 150-046-02-00, 150-046-03-00, 150-046-04-00, 150-046-05-00, 150-046-06-00, 150-046-07-00, and 150-046-08-00.

2.2 PROPERTY GEOLOGY AND HYDROGEOLOGY

The Property elevation is approximately 54 feet amsl with general topographic gradient to the west-southwest (EDR, 2021). Based on the topography, surface water on the Property is expected to flow to the west-southwest.

The Property is located in San Diego County within the Peninsular Ranges Geomorphic Province of Southern California. The province contains mountain ridges that run northwest to southeast, parallel to the San Andreas and associated fault lines. The Peninsular Ranges generally are composed of granite and metamorphic rock from the Peninsular Ranges batholith, with sedimentary rock from the Cretaceous to the Pleistocene Ages forming the San Diego embayment and terraces along the coast west of the batholith (Partner, 2017).

According to the USGS 7.5-minute Oceanside, California Quadrangle, contour lines indicate a slight slope to the southwest, with general groundwater flow likely being to the southwest. The closest surface water is the Pacific Ocean, located approximately 1/3 mile to the west. Groundwater from a site located ¾ mile south of the Property was measured to be approximately 37 to 40 feet bgs with a flow to the southwest (Partner, 2017).

3.0 BACKGROUND

Stantec completed a Phase I ESA for the Property which revealed the following evidence of recognized environmental conditions (RECs) in connection with the Property:

- **Historical Dry-cleaning Operations:** Historical records indicate an historic dry cleaner was located on the Property from at least the 1920s to 1960s. Soil vapor does not appear to have been assessed on the Property; therefore, the historical presence of the dry cleaner is considered to represent a REC for the Property. Stantec would recommend that the former dry cleaner be assessed to evaluate if a release has occurred that would affect the residential development of the Property.

- **Historical Auto Service Operations:** A historic automotive repair/ gasoline station identified as Seaside Oil company was present at the Property from at least the 1950s to 1960s in the southwest corner of the Property. Soil vapor does not appear to have been assessed on the Property at the location of the former historic automotive repair/ gasoline station. Therefore, this historic facility represents a REC to the Property and further assessment is recommended to evaluate if a release has occurred that would affect the residential development of the Property.

- **Nearby Facilities:** Eighteen historic automotive repair facilities are listed with 500 feet of the Property, and 16 historic dry cleaners are listed within 800 feet of the Property, five of which have had historic releases reported. Additionally, a former railroad at 117 South Cleveland Street (approximately 88 feet northwest) is listed in the State Water Resources Control Board's (SWRCB's) Geotracker website as a Leaking Underground Storage Tank (LUST) Cleanup Site with a status of 'Completed – Case Closed' as of 12/30/1993. These facilities represent a vapor encroachment condition (VEC) to the subject Site. Stantec would recommend assessment of soil vapor on the Property to evaluate if these neighboring properties are affecting the Site.

To investigate these RECs and the VEC, Stantec performed a Phase II ESA at the Property in June 2021. Results of the Phase II ESA are described below.

4.0 FIELD INVESTIGATION

Prior to the commencement of fieldwork activities, Stantec made the following preparations:

4.1 PRE-DRILLING ACTIVITIES

- Stantec visited the Property to mark the proposed boring locations. Subsequent to the marking, Stantec notified Underground Service Alert (USA) of Southern California at least 48-hours prior to the commencement of drilling activities; and,
- In accordance with federal Occupational Safety and Health Administration (OSHA) regulations (29 CFR, Section 1910.120), Stantec developed a site-specific Health and Safety Plan (HASP) for the Property. All Stantec personnel and subcontractors associated with the project were required to be familiar with and comply with all provisions of the HASP.

4.2 INVESTIGATION

On July 20 and 21, 2021, Stantec supervised and directed the advancement of multiple borings at the Property. All work was conducted under the direct oversight of a State of California professional and included the following:

All boring locations advanced during this investigation are depicted on **Figure 2**. The table below is provided to summarize soil boring placement and features assessed during this investigation.

Feature Assessed	Boring ID	Terminal Depth (feet bgs)	Soil Sampling Depth	Soil Vapor Probe Depth (feet bgs)
Historical On-Site Dry Cleaner	B-01	5.5	1, 5	5
	B-02	5.5	1,5	5
Historical On-Site Auto Service / Gasoline Station	B-03	10.5	5, 10	5, 10
	B-04	10.5	5, 10	5, 10
Former Railroad Property	B-05	10.5	5, 10	5
	B-06	10.5	5, 10	5

Surrounding Historical Auto Service, Drycleaners, and Military Supply Store	**B-07**	**5.5**	**--**	**5**
	B-08	5.5	--	5
	B-09	5.5	--	5
	B-10	5.5	--	5
	B-11	5.5	--	5
	B-12	5.5	--	5
	B-13	5.5	--	5
	B-14	5.5	--	5

4.2.1 Soil Boring Procedures

A hand auger was used for utility clearance purposes to a depth of five feet bgs at all borings B-01 through B-14. Soil samples collected within this interval were discharged directly from the hand auger into laboratory-provided pre-cleaned eight-ounce glass jars outfitted with Teflon ® -lined lids. All soil samples were labeled with the appropriate identifying information (boring location, depth, sample collection time, sample collection date, logged onto a chain-of-custody, and stored in an ice-filled cooler pending delivery to the analytical laboratory.

Once the five-foot depth was reached, advancement of borings B-03 through B-06 was performed using a Geoprobe direct push rig. During advancement, sampling of subsurface soils was performed starting at a depth of approximately 5-feet bgs. All of the direct push borings were advanced and sampled using a Geoprobe 6610T rig equipped with 4-foot-long by 1.25-inch inner-diameter sampler with acetate sample liners to the terminal depth of the borehole.

At each sampling interval, the sampler was driven into undisturbed soil using a hydraulic ram on the Geoprobe rig. Upon advancement of the sampler through the desired sampling depth interval, the sample liner was retrieved from the boring. The drilling and sampling sequences was then repeated at 5 feet intervals for the entire depth of the boring to a final depth of approximately 10.5-feet bgs.

The soils from each of the direct push borings were visually examined by Stantec field personnel who classified the soils in accordance with the Unified Soil Classification System (USCS). A photo-ionization detector (PID) was used to monitor/field screen the soils collected.

4.2.2 Soil Vapor Probe Installation

At the completion of drilling to target depth, soil vapor points were installed at the B-01 through B-02, and B-05 through B-14 at the 5-foot interval and the 5- and 10-foot intervals at borings B-03 and B-04. Subsurface soil vapor probe installation was performed in accordance with the July 2015 DTSC “Advisory - Active Soil Gas Investigations” (DTSC Advisory).

Each sample probe was constructed with a 1-inch-long Airstone sampling screen set at the prescribed sampling intervals. Each of the sampling screens was constructed with a permeable Airstone vapor tip connected to ¼-inch outer diameter Nylaflow tubing that was lowered to the bottom of the borehole and



backfilled with filter sand, until approximately 12-inches of filter pack was placed. A transition seal consisting of approximately 12-inches of dry bentonite was then placed above the filter pack, followed by an annular seal consisting of hydrated bentonite until the next sampling interval was reached. The sequence was then repeated to install the second monitoring point, and/ or completely backfill the borehole. At the surface, the exposed nylon tubing was capped with tight fitting plastic endcaps and labeled to indicate sampling depth and covered with plastic sheeting to protect against rainfall events.

4.2.3 Soil Vapor Sampling

Soil vapor samples were collected on July 23, 2021, in accordance with the methods and procedures outlined by the DTSC Advisory, a minimum of 48-hours after installation in order to allow for equilibration.

Prior to sampling, a shut-in test was conducted on the sampling train to ensure all connections and fittings were airtight. The shut-in test was performed on the sampling train by applying a vacuum of 100 inches of water to the sampling train and monitoring magnehelic gauges for a pressure drop for one minute. If loss of vacuum was observed, the fittings were adjusted as needed until no vacuum loss was observed during subsequent shut-in tests.

After the sampling equipment passed the shut-in test, the probes were purged using an air pump outfitted with a low-flow module to remove internal air from the sample train (calculated from the internal volume of the tubing and probe tip); the void space of the sand pack around the probe tip; and the void space of the dry bentonite (in the annular space). Three internal volumes were purged from each sampling location at a rate less than 200 milliliters per minute (ml/min).

Immediately following purging the internal volumes, the soil vapor samples were collected into glass syringes at a flow rate not exceeding 200 ml/min, and delivered to an on-site mobile laboratory for analyses. A tracer compound of Isopropanol (IPA) was placed above the surface seal and along the sampling train to evaluate the integrity of the seal. No tracer compounds were detected in the soil vapor samples collected during this investigation. Soil vapor sample analysis is discussed in Section 4.0.

4.2.4 Field Equipment Cleaning Procedures

To maintain quality control during drilling operations, all drill rods and reusable soil sampling equipment was decontaminated using a triple bucket rinse. Prior to drilling at a given location or sampling interval, all equipment coming in direct contact with soil samples was scrubbed with an Alconox scrub solution followed by a clean tap water rinse and then a final distilled water rinse. The disposable acetate soil sample liners were used for one sampling interval and then discarded.



5.0 LABORATORY TESTING PROGRAM

Soil samples collected during this investigation were delivered under chain of custody to Environmental Treatment & Technology Inc., dba Advanced Technology Laboratories (ATL), located in Signal Hill, California. Soil samples were submitted for potential analyses of total petroleum hydrocarbons (TPH gasoline), and volatile organic compounds (VOCs) by United States Environmental Protection Agency (USEPA) test methods 8015B and 8260B, respectively.

Soil vapor samples collected during this investigation were delivered under chain of custody and analyzed by an on-site mobile laboratory, operated by A&R Laboratories, Inc., based out of Ontario, California. All soil vapor samples were submitted for analysis of VOCs and $TPH_{GRO(C4-C12)}$ by USEPA test method 8260B, and LUFT GCMS, respectively. The laboratory data report is attached as **Appendix B**.

Soil vapor concentrations are reported and discussed in units of micrograms per cubic meter ($\mu g/m^3$), evaluated using an attenuation factor (AF) of 0.03 for residential screening levels and an attenuation factor of 0.001 for commercial screening levels, and summarized in **Table 2.**

6.0 INVESTIGATION RESULTS

6.1 FIELD OBSERVATIONS

On July 20 and July 21, 2021, Stantec oversaw the advancement of fourteen (14) soil borings (B-01 through B-14) installed with soil vapor borings. All borings advanced during this investigation are depicted on **Figure 2**.

Soils encountered during this assessment consisted predominately of poorly graded and silty sands to 10.5 feet below ground surface (bgs), the maximum depth explored during this investigation. PID readings were measured from 0.0 parts per million by volume (ppmV) up to 2.4 ppmV at location B-06-5 at 5 feet bgs. Soil boring logs are included in **Appendix A**.

6.2 ANALYTICAL RESULTS

Laboratory analytical test results from this assessment are attached as **Appendix B**. The laboratory test results from this investigation are discussed below and were compared to the more conservative value between the DTSC Human and Ecologic Risk Office (HERO), Note 3 screening levels for residential land use (DTSC, 2020), and the USEPA Regional Screening Levels (RSLs) for residential sites (USEPA, 2021). Total petroleum hydrocarbons (TPH) results were compared to the San Francisco Bay Regional Water Quality Control Board (SFBRWQCB) Environmental Screening Levels (ESLs).

6.2.1 Soil Results

There were no detections of total petroleum hydrocarbons (TPH) or volatile organic compounds (VOCs) in any of the soil samples collected and submitted for laboratory analysis. All soil results are reported and discussed in units of milligrams per kilogram (mg/kg) and summarized in **Tables 1**.

6.2.2 Soil Vapor Results

Total Petroleum Hydrocarbons (TPH) in the gasoline range organics (GRO) was detected in 10 of the 14 borings exceeding the initial residential screening level using an 0.03 attenuation factor equal to 3,300 ug/m^3. Tetrachloroethene (PCE) was detected in 9 of the 14 borings with 6 of the borings exceeding the initial residential screening level using a 0.03 attenuation factor equal to 15.3 ug/m^3. Toluene was detected in 5 of the 14 soil vapor samples at concentrations significantly below the initial residential screening level using a 0.03 attenuation factor, equal to 10,333 ug/m^3.

7.0 CONCLUSIONS AND RECOMMENDATIONS

Based on these soil vapor results, additional vertical and lateral definition of soil vapor impacts are recommended in the areas of the highest exceedances (B-03, B-04, and B-14). The intent is to more complete assess these areas to ensure higher concentrations do not exist away from these borings. This data would then be used to evaluate if there is a vapor intrusion concern to the Property that would require remedial action. A human health risk assessment (HHRA) should be conducted to evaluate if any remedial action or engineering controls (i.e. vapor barriers) may be required prior to development.

8.0 LIMITATIONS

The conclusions presented in this report are professional opinions based on data described in this report. The opinions of this report have been arrived at in accordance with currently accepted hydrogeologic and engineering standards and practices applicable to this location and are subject to the following inherent limitations. Stantec makes no other warranty, either expressed or implied, concerning the conclusions and professional advice that is contained within the body of this report.

Inherent in most projects performed in a heterogeneous subsurface environment, continuing excavation and assessments may reveal findings that are different than those presented herein. This facet of the environmental profession should be considered when formulating professional opinions on the limited data collected on these projects.

This report has been issued with the clear understanding that it is the responsibility of the owner, or their representative, to make appropriate notifications to regulatory agencies. It is specifically not the responsibility of Stantec to conduct appropriate notifications as specified by current County and State regulations.

The information presented in this report is valid as of the date our exploration was performed. Site conditions may degrade with time; consequently, the findings presented herein are subject to change.

9.0 REFERENCES

California Department of Toxic Substances Control (DTSC), 2011, Final Guidance for the Evaluation and Mitigation of Subsurface Vapor Intrusion to Indoor Air (Vapor Intrusion Guidance), dated October.

_____, 2015, Advisory Active Soil Gas Investigations, dated July.

_____, 2020, Human Health Risk Assessment (HHRA) Note 3, dated June.

California Geological Survey [CGS], 2016, The San Andreas Fault, dated November 30.

California Regional Water Quality Control Board, San Francisco Bay Region (SFRWQCB), 2019, Environmental Screening Levels, dated January 24.

Department of Water Resources (DWR), California's Groundwater Bulletin 118: Coastal Plain of Los Angeles Groundwater Basin, Central Subbasin, dated February 27, 2004.

Partner Engineering and Science, Inc., 2017. *Phase I Environmental Site Assessment Report: Commercial Property, 301 and 307 North Coast Highway, Oceanside, California 92054.* September 7.

Stantec, 2021, Phase I Environmental Site Assessment Report, February 9.

State Water Resource Control Board's (SWRCB) GAMA website, 2021, website https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/

United Stated Environmental Protection Agency (EPA), 2021, Regional Screening Levels, Region 9, dated May.

TABLES

TABLE 1
Summary of Soil Analytical Results - TPH and VOCs
235 South Tremont Avenue
Oceanside, California
Stantec Project Number: 2014217900

Sample ID	Sample Depth (feet)	Sample Date	TPH_{GRO} by 8015	VOC by 8260							
				Benzene	Toluene	Ethylbenzene	p/m-Xylene	o-Xylene	PCE	TCE	Various
Residential Screening Levels [(1)]			***430***	***0.33***	***1,100***	***5.8***	***560***	***650***	***0.59***	***0.94***	***Various***
B-01-1	1	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-01-5	5	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-02-1	1	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-02-5	5	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-03-10	10	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-04-10	10	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-05-10	10	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-06-10	10	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various

Notes:

All concentrations reported in miligrams per kilogram (mg/kg).

(1) - More conservative screening level between USEPA Region 9 RSL (November, 2019) and DTSC HERO Note 3 (April, 2019); San Francisco Regional Water Quality Control Board ESLs used for TPH screening.

DRO - Diesel Range Organic

DTSC - Department of Toxic Substance Control

HERO HHRA - Human and Ecological Risk Office Human Health Risk Assessment

GRO - Gasoline Range Organic

MTBE - methyl-tertiary butyl ether

NA - Not Analyzed

NE - Not Established

ORO - Oil Range Organic

RSL - Regional Screening Level

TBA - Tertiary butyl-alcohol

TMB - Trimethylbenzene

USEPA - United States Environmental Protection Agency

UST - Underground Storage Tanks

VOC - Volatile Organic Compounds

BOLD Denotes analyte was detected above the laboratory reporting limit

< - Denotes analyte was not detected above the laboratory reporting limit

Green shading indicates value above the residential screening level.

TABLE 2
Summary of Soil Vapor Analytical Results
235 South Tremont Avenue
Oceanside, California
Stantec Project Number: 2014217900

Sample ID	Sample Depth [1]	Sample Date	Purge Volume	TPH-GRO	Benzene	Ethylbenzene	PCE	TCE	Toluene	m,p-Xylene	o-Xylene	Other VOCs
Residential Screening Level (0.03 AF) [2]				*3,300*	*3.2*	*37*	*15.3*	*16*	*10,333*	*3,333*	*3,333*	*various*
Residential Screening Level (0.001 AF) [2]				*31,000*	*97*	*1,100*	*460*	*480*	*310,000*	*100,000*	*100,000*	*various*
Commercial Screening Level (0.03 AF) [2]				*4,333*	*14*	*163*	*67*	*100*	*43,333*	*14,667*	*14,667*	*various*
Commercial Screening Level (0.001 AF) [2]				*130,000*	*420*	*4,900*	*2,000*	*3,000*	*1,300,000*	*440,000*	*440,000*	*various*
B-01-5	5	7/23/2021	3	**11,000**	<3.1	<6.5	**38**	<6.5	<6.5	<13.0	<6.5	<various
B-02-5	5	7/23/2021	3	**4,300**	<3.1	<6.5	**53**	<6.5	<6.5	<13.0	<6.5	<various
B-02-5DUP	5	7/23/2021	3	**3,400**	<3.1	<6.5	**53**	<6.5	<6.5	<13.0	<6.5	<various
B-03-5	5	7/23/2021	3	**32,000**	<3.1	<6.5	**11**	<6.5	**16**	<13.0	<6.5	<various
B-03-10	10	7/23/2021	3	**7,900**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-04-5	5	7/23/2021	3	<650.0	<3.1	<6.5	**78**	<6.5	<6.5	<13.0	<6.5	<various
B-04-10	10	7/23/2021	3	<650.0	<3.1	<6.5	**34**	<6.5	<6.5	<13.0	<6.5	<various
B-05-5	5	7/23/2021	3	**6,900**	<3.1	<6.5	**13**	<6.5	<6.5	<13.0	<6.5	<various
B-06-5	5	7/23/2021	3	**15,000**	<3.1	<6.5	<6.5	<6.5	**14**	<13.0	<6.5	<various
B-07-5	5	7/23/2021	3	<650.0	<3.1	<6.5	**32**	<6.5	<6.5	<13.0	<6.5	<various
B-08-5	5	7/23/2021	3	<650.0	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-09-5	5	7/23/2021	3	<650.0	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-10-5	5	7/23/2021	3	<650.0	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-11-5	5	7/23/2021	3	**13,000**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-12-5	5	7/23/2021	3	**11,000**	<3.1	<6.5	<6.5	<6.5	**70**	<13.0	<6.5	<various
B-13-5	5	7/23/2021	3	**14,000**	<3.1	<6.5	**10**	<6.5	**40**	<13.0	<6.5	<various
B-14-5	5	7/23/2021	3	**55,000**	<3.1	<6.5	**20**	<6.5	**70**	<13.0	<6.5	<various

Notes:

All concentrations reprted in microgramper cubic meter ($\mu g/m^3$)

(1) - Reported as feet below original grade.

(2) - More conservative screening level between USEPA Region 9 RSL (May, 2020) and DTSC HERO Note 3 (June, 2020); San Francisco Bay Regional Water Quality Control Board ESLs (January 2019) used for TPH screening.

"<" - Results reported below Laboratory Reporting Limit.

CA EPA - California Environmental Protection Agency

NE- Not Established

DTSC - Department of Toxic Substance Control

VOCs- Volatile Organic Compounds

PCE - Tetrachloroethene


TCE- Trichloroethene


EPA - United States Environmental Protection Agency

HERO - Human and Ecological Risk Office

HHRA - Human Health Risk Assessment

FIGURES





Property Boundary

0 1,000 2,000 Feet

(At original document size of 8.5x11)
1:24,000

N

Stantec

Project Location
235 South Tremont Street
Oceanside Transit Center TOD Development
Oceanside, California

Client/Project
Toll Brothers Apartment Living
2014217900
Phase II Environmental Site Assessment


Figure No.
1

Title
Property Location Map

Notes
1. Coordinate System: NAD 1983 UTM Zone 11N
2. Data Sources: Stantec, 2021
3. Background: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community

V:\1858\active\2014217900\05_report_deliv\drawings_design\gis_map Revised: 2021-08-06 By: dehernandez

Disclaimer: This document has been prepared based on information provided by others as cited in the Notes section. Stantec has not verified the accuracy and/or completeness of this information and shall not be responsible for any errors or omissions which may be incorporated herein as a result. Stantec assumes no responsibility for data supplied in electronic format, and the recipient accepts full responsibility for verifying the accuracy and completeness of the data.





Property Boundary

Sample Points

Soil Vapor Location

Soil and Soil Vapor Location

0 120 240 Feet

N

(At original document size of 8.5x11)
1:2,400

Notes

1. Coordinate System: NAD 1983 UTM Zone 11N
2. Data Sources: Stantec, 2021
3. Background: © 2021 Microsoft Corporation © 2021 Maxar ©CNES (2021) Distribution Airbus DS

Stantec

Project Location
235 South Tremont Street
Oceanside Transit Center TOD Development
Oceanside, California

Client/Project
Toll Brothers Apartment Living
2014217900
Phase II Environmental Site Assessment

Figure No.
2

Title
PROPERTY DETAILS MAP

V:\1858\active\2014217900\05_report_deliv\drawings_design\gis_map Revised: 2021-08-06 By: dehernandez

Disclaimer: This document has been prepared based on information provided by others as cited in the Notes section. Stantec has not verified the accuracy and/or completeness of this information and shall not be responsible for any errors or omissions which may be incorporated herein as a result. Stantec assumes no responsibility for data supplied in electronic format, and the recipient accepts full responsibility for verifying the accuracy and completeness of the data.

APPENDIX A

Boring Logs

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-01** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							
		SP-SM	**POORLY GRADED SAND WITH SILT** ; SP-SM; 5YR 3/3 dark reddish brown; moist; no staining; no odor		1237 B-01-1			0.1		Hydrated Bentonite #8
5					1252 B-01-5			0.0	5	Dry Bentonite #8; #3 Sand Filter Pack; Soil Vapor Point; #3 Sand Filter Pack
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-02** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							
		SP-SM	**POORLY GRADED SAND WITH SILT AND GRAVEL** ; SP-SM; 5YR 3/3 dark reddish brown; moist; no staining; no odor		1205 B-02-1			0.6		Hydrated Bentonite #8
5			Same as above, no gravel		1215 B-02-5			1.7	5	Dry Bentonite #8; #3 Sand Filter Pack; Soil Vapor Point; #3 Sand Filter Pack
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-03** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **10.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							Cold Patch Asphalt
		SW	**WELL GRADED SAND WITH GRAVEL** ; SW; 10YR 3/3 dark brown; moist; no staining; no odor		--			1.9		Hydrated Bentonite #8
					--			4.7		
		SP	**POORLY GRADED SAND** ; SP; 5YR 3/3 dark reddish brown; moist; no staining; no odor							Dry Bentonite #8
5					1102 B-03-5			0.2	5	#3 Sand Filter Pack
										Soil Vapor Point
										#3 Sand Filter Pack
			Same as above							1/4" Nylaflow Tubing
										Dry Bentonite #8
10					1110 B-03-10			0.5	10	#3 Sand Filter Pack
										Soil Vapor Point
			Hole terminated at 10.5 feet.							#3 Sand Filter Pack
15									15	
20									20	

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-04** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **10.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							Cold Patch Asphalt
		SP	**POORLY GRADED SAND** ; SP; 5YR 3/3 dark reddish brown; moist; no staining; no odor		--			0.1		Hydrated Bentonite #8
5					1135 B-04-5			0.4	5	Dry Bentonite #8 / #3 Sand Filter Pack / Soil Vapor Point / #3 Sand Filter Pack
			Same as above							1/4" Nylaflow Tubing
10					1145 B-04-10			1.7	10	Dry Bentonite #8 / #3 Sand Filter Pack / Soil Vapor Point / #3 Sand Filter Pack
			Hole terminated at 10.5 feet.							
15									15	
20									20	

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-05** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **10.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
		SP-SM	**POORLY GRADED SAND WITH SILT** ; SP-SM; 7.5YR 5/6 brown; dry; no staining; no odor		--			0.0		Cold Patch Asphalt
										Hydrated Bentonite #8
										Dry Bentonite #8
										#3 Sand Filter Pack
5			Same as above; moist		1355 B-05-5			0.0	5	Soil Vapor Point
										#3 Sand Filter Pack
										1/4" Nylaflow Tubing
										Dry Bentonite #8
10					1415 B-05-10			0.0	10	#3 Sand Filter Pack
			Hole terminated at 10.5 feet.							Soil Vapor Point
										#3 Sand Filter Pack
15									15	
20									20	

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-06** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **10.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
		SP-SM	**POORLY GRADED SAND WITH SILT** ; SP-SM; 7.5YR 5/6 brown; dry; no staining; no odor		--			0.0		Cold Patch Asphalt; Hydrated Bentonite #8; Dry Bentonite #8; #3 Sand Filter Pack; Soil Vapor Point; #3 Sand Filter Pack; 1/4" Nylaflow Tubing; Dry Bentonite #8; #3 Sand Filter Pack; Soil Vapor Point; #3 Sand Filter Pack
5			Same as above; moist		1330 B-06-5			6.7	5	
10			Hole terminated at 10.5 feet.		1335 B-06-10			0.1	10	
15									15	
20									20	

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-07** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							
		SP	**POORLY GRADED SAND WITH GRAVEL** ; SP; 5 YR 3/4 dark reddish brown; moist; no odor; some black staining from asphaltic material through 2.5'		--			0.0		
5					--			0.0	5	
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	

Hydrated Bentonite #8
Dry Bentonite #8
#3 Sand Filter Pack
Soil Vapor Point
#3 Sand Filter Pack

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-08** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							
		SP	**POORLY GRADED SAND WITH GRAVEL** ; SP; 5 YR 3/4 dark reddish brown; moist; no odor; some black staining from asphaltic material through 2.5'		--			0.0		
			Same as above; moist; no staining; no odor							
			3" of sandstone							
5					--			0.0	5	
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	

Hydrated Bentonite #8
Dry Bentonite #8
#3 Sand Filter Pack
Soil Vapor Point
#3 Sand Filter Pack

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-09** PAGE 1 OF 1

Stantec

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			Grass and topsoil from the planter bed							
		SW-SM	**WELL GRADED SAND WITH SILT** ; SW-SM; 10YR 6/4 light grayish brown; moist; no staining; no odor		--			0.0		
		SP	**POORLY GRADED SAND** ; SP; 5 YR 3/4 dark reddish brown; wet; no staining; no odor							
5					--			0.0	5	Hydrated Bentonite #8; Dry Bentonite #8; #3 Sand Filter Pack; Soil Vapor Point; #3 Sand Filter Pack
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-10** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							
		SP	**POORLY GRADED SAND WITH GRAVEL** ; SP; 5 YR 3/4 dark reddish brown; moist; no staining; no odor		--			0.1		
5			Same as above; loose sand		--			0.2	5	
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	


Hydrated Bentonite #8
Dry Bentonite #8
#3 Sand Filter Pack
Soil Vapor Point
#3 Sand Filter Pack

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-11** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							
		SP	**POORLY GRADED SAND WITH GRAVEL** ; SP; 5 YR 3/4 dark reddish brown; moist; no staining; no odor		--			0.2		
5			Same as above; slightly wet		--			0.1	5	
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	



GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-12** PAGE 1 OF 1

Stantec

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							
		SW	**WELL GRADED SAND WITH GRAVEL** ; SW; 5YR 2.5/1 black; 4" of asphaltic aggregate; asphaltic odor; no staining; moist		--			0.0		
		SP	**POORLY GRADED SAND** ; SP; 5YR; wet; no staining; no odor							
5					--			0.0	5	
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	

Hydrated Bentonite #8
Dry Bentonite #8
#3 Sand Filter Pack
Soil Vapor Point
#3 Sand Filter Pack

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-13** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							
		SP	**POORLY GRADED SAND** ; SP; 5YR 3/3 dark reddish brown; moist; no staining; no odor		--			0.0		Hydrated Bentonite #8
5			Same as above; color change to 5YR 3/4; dark reddish brown		--			0.1	5	Dry Bentonite #8 #3 Sand Filter Pack Soil Vapor Point #3 Sand Filter Pack
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

PROJECT: **Toll Brothers Apartment Living**
LOCATION: **235 South Tremont St., Oceanside, CA**
PROJECT NUMBER: **2014217900**
DRILLING: STARTED **7/20/21** COMPLETED: **7/20/21**
INSTALLATION: STARTED **7/20/21** COMPLETED: **7/20/21**
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Geoprobe 7822**
DRILLING METHOD: **DPT**
SAMPLING EQUIPMENT: **Acetate Sleeve**

WELL / TEST PIT / BOREHOLE NO: **B-14** PAGE 1 OF 1
NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **5.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIA (in): **---** BOREHOLE DIA (in): **4**
LOGGED BY: **DH** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Geotechnical Lab Testing	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" asphalt							
		SP	**POORLY GRADED SAND** ; SP; 5YR 3/4 dark reddish brown; moist; no staining; no odor		--			0.0		Hydrated Bentonite #8
5					--			0.1	5	Dry Bentonite #8; #3 Sand Filter Pack; Soil Vapor Point; #3 Sand Filter Pack
			Hole terminated at 5.5 feet.							
10									10	
15									15	
20									20	

GEO FORM 304 BORING_LOGS.GPJ SECOR INTL.GDT 8/6/21

APPENDIX B

Laboratory Data Sheets

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CASE NARRATIVE

Authorized Signature Name / Title (print)	Ken Zheng, President
Signature / Date	Ken Zheng, President 07/28/2021 10:59:56
Laboratory Job No. (Certificate of Analysis No.)	2107-00191
Project Name / No.	810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA 2014217900.302
Dates Sampled (from/to)	07/23/21 To 07/23/21
Dates Received (from/to)	07/23/21 To 07/23/21
Dates Reported (from/to)	07/28/21 To 7/28/2021
Chains of Custody Received	Yes

Comments:

Subcontracting

Organic Analyses

No analyses sub-contracted

Sample Condition(s)

All samples intact

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 001 **B-1-5** Date & Time Sampled: 07/23/21 @ 8:08
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**8.5**	0.65	1.3	µg/L	**8,500**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 001 **B-1-5** Date & Time Sampled: 07/23/21 @ 8:08
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 001 **B-1-5** Date & Time Sampled: 07/23/21 @ 8:08
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	100		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	107		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	85		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 002 **B-2-5** Date & Time Sampled: 07/23/21 @ 8:28
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**2.5**	0.65	1.3	µg/L	**2,500**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 002 **B-2-5** Date & Time Sampled: 07/23/21 @ 8:28
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 002 **B-2-5** Date & Time Sampled: 07/23/21 @ 8:28
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 002 **B-2-5** Date & Time Sampled: 07/23/21 @ 8:28
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	95		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	105		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	86		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 003 **B-3-5** Date & Time Sampled: 07/23/21 @ 8:51
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	<0.6500	0.65	1.3	µg/L	<650.0	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 003 **B-3-5** Date & Time Sampled: 07/23/21 @ 8:51
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 003 **B-3-5** Date & Time Sampled: 07/23/21 @ 8:51
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 003 **B-3-5**									Date & Time Sampled:		07/23/21 @ 8:51		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
.....continued													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	104		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	101		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	93		70-130	%REC							EPA 8260B	07/23/21	SR
Sample: 004 **B-4-5**									Date & Time Sampled:		07/23/21 @ 9:12		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
[TPH Gasoline by GCMS]													
C4-C12	**6.8**	0.65	1.3	µg/L	**6,800**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 004 **B-4-5** Date & Time Sampled: 07/23/21 @ 9:12
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 004 **B-4-5** Date & Time Sampled: 07/23/21 @ 9:12
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	103		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	103		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	89		70-130	%REC							EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 005 **B-01-5** Date & Time Sampled: 07/23/21 @ 9:53
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**11**	0.65	1.3	µg/L	**11,000**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 005 **B-01-5** Date & Time Sampled: 07/23/21 @ 9:53
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	**0.038**	0.0065	0.013	µg/L	**38**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 005 **B-01-5** Date & Time Sampled: 07/23/21 @ 9:53
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	98		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	102		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	94		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 006 **B-02-5** Date & Time Sampled: 07/23/21 @ 10:14
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**4.3**	0.65	1.3	µg/L	**4,300**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 006 **B-02-5** Date & Time Sampled: 07/23/21 @ 10:14
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 006 **B-02-5** Date & Time Sampled: 07/23/21 @ 10:14
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	**0.053**	0.0065	0.013	µg/L	**53**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 006 **B-02-5** Date & Time Sampled: 07/23/21 @ 10:14
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	95		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	102		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	86		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 007 **B-02-5 DUP** Date & Time Sampled: 07/23/21 @ 10:14
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**3.4**	0.65	1.3	µg/L	**3,400**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 007 **B-02-5 DUP** Date & Time Sampled: 07/23/21 @ 10:14
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 007 **B-02-5 DUP** Date & Time Sampled: 07/23/21 @ 10:14
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	**0.053**	0.0065	0.013	µg/L	**53**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 007 **B-02-5 DUP**									Date & Time Sampled:		07/23/21 @ 10:14		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
.....continued													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	95		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	105		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	84		70-130	%REC							EPA 8260B	07/23/21	SR
Sample: 008 **B-03-5**									Date & Time Sampled:		07/23/21 @ 10:57		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
[TPH Gasoline by GCMS]													
C4-C12	**32**	0.65	1.3	µg/L	**32,000**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 008 **B-03-5** Date & Time Sampled: 07/23/21 @ 10:57
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 008 **B-03-5** Date & Time Sampled: 07/23/21 @ 10:57
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	***0.011***	0.0065	0.013	µg/L	***11***	6.5	13	µg/m3	J	0.13	EPA 8260B	07/23/21	SR
Toluene	**0.016**	0.0065	0.013	µg/L	**16**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	106		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	106		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	94		70-130	%REC							EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 009 **B-03-10** Date & Time Sampled: 07/23/21 @ 11:19
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**7.9**	0.65	1.3	µg/L	**7,900**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 009 **B-03-10** Date & Time Sampled: 07/23/21 @ 11:19
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 009 **B-03-10** Date & Time Sampled: 07/23/21 @ 11:19
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	101		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	104		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	89		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 010 **B-04-5** Date & Time Sampled: 07/23/21 @ 11:41
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	<0.6500	0.65	1.3	µg/L	<650.0	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 010 **B-04-5** Date & Time Sampled: 07/23/21 @ 11:41
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 010 **B-04-5** Date & Time Sampled: 07/23/21 @ 11:41
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	**0.078**	0.0065	0.013	µg/L	**78**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 010 **B-04-5** Date & Time Sampled: 07/23/21 @ 11:41
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	100		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	103		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	89		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 011 **B-04-10** Date & Time Sampled: 07/23/21 @ 12:03
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	<0.6500	0.65	1.3	µg/L	<650.0	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 011 **B-04-10** Date & Time Sampled: 07/23/21 @ 12:03
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 011 **B-04-10** Date & Time Sampled: 07/23/21 @ 12:03
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	**0.034**	0.0065	0.013	µg/L	**34**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 011 **B-04-10**											Date & Time Sampled:	07/23/21 @	12:03
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
.....continued													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	94		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	103		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	87		70-130	%REC							EPA 8260B	07/23/21	SR
Sample: 012 **B-05-5**											Date & Time Sampled:	07/23/21 @	12:26
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
[TPH Gasoline by GCMS]													
C4-C12	**6.9**	0.65	1.3	µg/L	**6,900**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 012 **B-05-5** Date & Time Sampled: 07/23/21 @ 12:26
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 012 **B-05-5** Date & Time Sampled: 07/23/21 @ 12:26
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	**0.013**	0.0065	0.013	µg/L	**13**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	92		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	101		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	86		70-130	%REC							EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 013 **B-06-5** Date & Time Sampled: 07/23/21 @ 12:48
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**15**	0.65	1.3	µg/L	**15,000**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 013 **B-06-5** Date & Time Sampled: 07/23/21 @ 12:48
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	**0.014**	0.0065	0.013	µg/L	**14**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 013 **B-06-5** Date & Time Sampled: 07/23/21 @ 12:48
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	106		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	107		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	100		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 014 **B-07-5** Date & Time Sampled: 07/23/21 @ 13:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	<0.6500	0.65	1.3	µg/L	<650.0	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 014 **B-07-5** Date & Time Sampled: 07/23/21 @ 13:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 014 **B-07-5** Date & Time Sampled: 07/23/21 @ 13:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	**0.032**	0.0065	0.013	µg/L	**32**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 014 **B-07-5** Date & Time Sampled: 07/23/21 @ 13:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	101		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	102		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	89		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 015 **B-08-5** Date & Time Sampled: 07/23/21 @ 13:34
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	<0.6500	0.65	1.3	µg/L	<650.0	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 015 **B-08-5** Date & Time Sampled: 07/23/21 @ 13:34
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 015 **B-08-5** Date & Time Sampled: 07/23/21 @ 13:34
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 015 **B-08-5** Date & Time Sampled: 07/23/21 @ 13:34													
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
.....continued													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	100		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	102		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	85		70-130	%REC							EPA 8260B	07/23/21	SR
Sample: 016 **B-09-5** Date & Time Sampled: 07/23/21 @ 13:54													
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
[TPH Gasoline by GCMS]													
C4-C12	<0.6500	0.65	1.3	µg/L	<650.0	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 016 **B-09-5** Date & Time Sampled: 07/23/21 @ 13:54
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 016 **B-09-5** Date & Time Sampled: 07/23/21 @ 13:54
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	93		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	100		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	85		70-130	%REC							EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 017 **B-10-5** Date & Time Sampled: 07/23/21 @ 14:16
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	<0.6500	0.65	1.3	µg/L	<650.0	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 017 **B-10-5** Date & Time Sampled: 07/23/21 @ 14:16
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 017 **B-10-5** Date & Time Sampled: 07/23/21 @ 14:16
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	93		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	102		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	84		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 018 **B-11-5** Date & Time Sampled: 07/23/21 @ 14:38
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**13**	0.65	1.3	µg/L	**13,000**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 018 **B-11-5** Date & Time Sampled: 07/23/21 @ 14:38
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 018 **B-11-5** Date & Time Sampled: 07/23/21 @ 14:38
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 018 **B-11-5** Date & Time Sampled: 07/23/21 @ 14:38
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	123		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	123		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	107		70-130	%REC							EPA 8260B	07/23/21	SR

Sample: 019 **B-12-5** Date & Time Sampled: 07/23/21 @ 14:44
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**11**	0.65	1.3	µg/L	**11,000**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 019 **B-12-5** Date & Time Sampled: 07/23/21 @ 14:44
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 019 **B-12-5** Date & Time Sampled: 07/23/21 @ 14:44
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	**0.070**	0.0065	0.013	µg/L	**70**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 019 **B-12-5**									Date & Time Sampled:		07/23/21 @ 14:44		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
.....continued													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	117		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	130		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	102		70-130	%REC							EPA 8260B	07/23/21	SR
Sample: 020 **B-13-5**									Date & Time Sampled:		07/23/21 @ 14:49		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
[TPH Gasoline by GCMS]													
C4-C12	**14**	0.65	1.3	µg/L	**14,000**	650.0	1,300	µg/m3		0.13	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 020 **B-13-5** Date & Time Sampled: 07/23/21 @ 14:49
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 020 **B-13-5** Date & Time Sampled: 07/23/21 @ 14:49
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	***0.010***	0.0065	0.013	µg/L	***10***	6.5	13	µg/m3	J	0.13	EPA 8260B	07/23/21	SR
Toluene	**0.040**	0.0065	0.013	µg/L	**40**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	114		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	130		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	104		70-130	%REC							EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 021 **B-14-5** Date & Time Sampled: 07/23/21 @ 14:54
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**55**	0.625	1.3	µg/L	**55,000**	625.0	1,300	µg/m3		0.125	LUFT GCMS	07/23/21	SR
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 021 **B-14-5** Date & Time Sampled: 07/23/21 @ 14:54
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	07/23/21	SR
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Tetrachloroethene	**0.020**	0.0065	0.013	µg/L	**20**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Toluene	**0.070**	0.0065	0.013	µg/L	**70**	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	07/28/21
Date Received	07/23/21
Invoice No.	92444
Cust #	1003
Permit Number	
Customer P.O.	2014217900.302

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Sample: 021 **B-14-5** Date & Time Sampled: 07/23/21 @ 14:54
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	07/23/21	SR
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	07/23/21	SR
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	07/23/21	SR
[VOC Surrogates]													
Dibromofluoromethane	119		70-130	%REC							EPA 8260B	07/23/21	SR
Toluene-D8	125		70-130	%REC							EPA 8260B	07/23/21	SR
Bromofluorobenzene	100		70-130	%REC							EPA 8260B	07/23/21	SR

Respectfully Submitted: Ken Zheng

Ken Zheng - President

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL
B1= BOD blank is over specifications . The reported result may be biased high.
D = Surrogate recoveries are not calculated due to sample dilution
E = Estimated value
H = Analyte was prepared and/or analyzed outside of the analytical method holding time
I = Matrix Interference
J = Analyte concentration detected between RL and MDL

ABBREVIATIONS

DF = Dilution Factor
RL = Reporting Limit
MDL = Method Detection Limit
Qual = Qualifier
Tech = Technician

As regulatory limits change frequently, Microbac advises the recipient of this report to confirm such limits with the appropriate federal, state, or local authorities before acting in reliance on the regulatory limits provided.

For any feedback concerning our services, please contact Jenny Jiang, Project Manager at 951.779.0310. You may also contact Ken Zheng, President at office@arlaboratories.com.

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	**07/28/2021**
Date Received	**07/23/2021**
Date Sampled	**07/23/2021**
Invoice No.	**92444**
Customer #	**1003**
Customer P.O.	**2014217900.302**

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Method # EPA 8260B

QC Reference # 97558 **Date Analyzed:** 7/23/2021 **Technician:** SR

Samples 001 002 003 004 005 006 007 008 009 010 011 012 013 014 015 016 017 018 019 020 021

Results

	LCS %REC	LCS %DUP	LCS %RPD	BLKSRR% REC
1,1-Dichloroethene	112	84	28	
Benzene	90	111	20.7	
Bromofluorobenzene				89
Chlorobenzene	101	126	22.5	
Dibromofluoromethan				100
Toluene	98	118	18.6	
Toluene-D8				105
Trichloroethene	82	108	27.5	

Control Ranges

LCS %REC	LCS %RPD	BLKSRR%REC
70 - 130	0 - 25	
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	

Method # LUFT GCMS

QC Reference # 97559 **Date Analyzed:** 7/23/2021 **Technician:** SR

Samples 001 002 003 004 005 006 007 008 009 010 011 012 013 014 015 016 017 018 019 020

Results

	LCS %REC
C4-C12	108

Control Ranges

LCS %REC
70 - 130

QC Reference # 97587 **Date Analyzed:** 7/23/2021 **Technician:** SR

Samples 021

Results

	LCS %REC
C4-C12	108

Control Ranges

LCS %REC
70 - 130

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN

Date Reported 07/28/2021
Date Received 07/23/2021
Date Sampled 07/23/2021

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Method blank results

Ref	Test Name	Result	Qualif	Units	MDL
97558	Acetone	<0.0650		µg/L	0.0650
	t-Amyl Methyl Ether (TAME)	<0.0065		µg/L	0.0065
	Benzene	<0.0031		µg/L	0.0031
	Bromobenzene	<0.0065		µg/L	0.0065
	Bromochloromethane	<0.0065		µg/L	0.0065
	Bromodichloromethane	<0.0065		µg/L	0.0065
	Bromoform	<0.0065		µg/L	0.0065
	Bromomethane	<0.0065		µg/L	0.0065
	t-Butanol (TBA)	<0.0650		µg/L	0.0650
	2-Butanone (MEK)	<0.0650		µg/L	0.0650
	n-Butylbenzene	<0.0065		µg/L	0.0065
	sec-Butylbenzene	<0.0065		µg/L	0.0065
	tert-Butylbenzene	<0.0065		µg/L	0.0065
	Carbon Disulfide	<0.0650		µg/L	0.0650
	Carbon Tetrachloride	<0.0033		µg/L	0.0033
	Chlorobenzene	<0.0065		µg/L	0.0065
	Chloroethane	<0.0065		µg/L	0.0065
	Chloroform	<0.0065		µg/L	0.0065
	Chloromethane	<0.0065		µg/L	0.0065
	2-Chlorotoluene	<0.0065		µg/L	0.0065
	4-Chlorotoluene	<0.0065		µg/L	0.0065
	Dibromochloromethane	<0.0065		µg/L	0.0065
	1,2-Dibromoethane (EDB)	<0.0026		µg/L	0.0026
	1,2-Dibromo-3-Chloropropane	<0.0026		µg/L	0.0026
	Dibromomethane	<0.0065		µg/L	0.0065
	1,2-Dichlorobenzene	<0.0065		µg/L	0.0065
	1,3-Dichlorobenzene	<0.0065		µg/L	0.0065
	1,4-Dichlorobenzene	<0.0065		µg/L	0.0065
	Dichlorodifluoromethane	<0.0065		µg/L	0.0065
	1,1-Dichloroethane	<0.0065		µg/L	0.0065
	1,2-Dichloroethane	<0.0065		µg/L	0.0065
	1,1-Dichloroethene	<0.0065		µg/L	0.0065
	cis-1,2-Dichloroethene	<0.0065		µg/L	0.0065
	trans-1,2-Dichloroethene	<0.0065		µg/L	0.0065
	1,2-Dichloropropane	<0.0065		µg/L	0.0065
	1,3-Dichloropropane	<0.0065		µg/L	0.0065
	2,2-Dichloropropane	<0.0065		µg/L	0.0065
	1,1-Dichloropropene	<0.0065		µg/L	0.0065
	cis-1,3-Dichloropropene	<0.0065		µg/L	0.0065
	trans-1,3-Dichloropropene	<0.0065		µg/L	0.0065
	Diisopropyl Ether (DiPE)	<0.0065		µg/L	0.0065
	Ethylbenzene	<0.0065		µg/L	0.0065
	Ethyl-t-Butyl Ether (EtBE)	<0.0065		µg/L	0.0065
	Hexachlorobutadiene	<0.0065		µg/L	0.0065
	2-Hexanone	<0.0650		µg/L	0.0650
	Isopropylbenzene	<0.0065		µg/L	0.0065
	4-Isopropyltoluene	<0.0065		µg/L	0.0065
	Methylene Chloride	<0.0065		µg/L	0.0065
	4-Methyl-2-Pentanone (MIBK)	<0.0650		µg/L	0.0650
	Methyl-t-butyl Ether (MtBE)	<0.0065		µg/L	0.0065
	Naphthalene	<0.0042		µg/L	0.0042
	n-Propylbenzene	<0.0065		µg/L	0.0065
	Styrene	<0.0065		µg/L	0.0065
	1,1,1,2-Tetrachloroethane	<0.0065		µg/L	0.0065
	1,1,2,2-Tetrachloroethane	<0.0065		µg/L	0.0065
	Tetrachloroethene	<0.0065		µg/L	0.0065
	Toluene	<0.0065		µg/L	0.0065
	1,2,3-Trichlorobenzene	<0.0065		µg/L	0.0065
	1,2,4-Trichlorobenzene	<0.0065		µg/L	0.0065
	1,1,1-Trichloroethane	<0.0065		µg/L	0.0065
	1,1,2-Trichloroethane	<0.0065		µg/L	0.0065
	Trichloroethene	<0.0065		µg/L	0.0065
	1,2,3-Trichloropropane	<0.0026		µg/L	0.0026
	Trichlorofluoromethane	<0.0065		µg/L	0.0065
	Trichlorotrifluoroethane	<0.0065		µg/L	0.0065
	1,2,4-Trimethylbenzene	<0.0065		µg/L	0.0065
	1,3,5-Trimethylbenzene	<0.0065		µg/L	0.0065
	Vinyl Chloride	<0.0010		µg/L	0.0010
	m,p-Xylenes	<0.0130		µg/L	0.0130
	o-Xylene	<0.0065		µg/L	0.0065
	Isopropanol (IPA)	<0.0650		µg/L	0.0650
97559	C4-C12	<0.6500		µg/L	0.6500
97587	C4-C12	<0.6250		µg/L	0.6250

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2107-00191

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN

Date Reported **07/28/2021**
Date Received **07/23/2021**
Date Sampled **07/23/2021**

Project: 810 Mission Ave. & 235 S. Tremont Ave., Oceanside, CA

Respectfully Submitted: Ken Zheng

Ken Zheng - President

For any feedback concerning our services, please contact Jenny Jiang, Project Manager at 951.779.0310. You may also contact Ken Zheng, President at office@arlaboratories.com.

ARL

A & R Laboratories
1650 S. Grove Ave., Ste C, Ontario, CA 91761
Tel: 951-779-0310 / 909-781-6335 Fax: 951-779-0344
E-mail: office@arlaboratories.com

CHAIN OF CUSTODY

20142179 00. 302

A & R Work Order #: 2107-191

Client Name: Stantec CONSULTING SVCS

E-mail: ALICIA.JANSEN@STANTEC.COM

Address: 735 E. CARNEGIE DR., STE. 280, SN BRDNO, CA 92408

Report Attention: ALICIA J. | Phone #: 909.255.8213 | Fax: # | Sampled By: SR

Project No./ Name:

Project Site: 810 Mission Ave & S. Tremont St. Oceanside, CA

☐ Chilled ☒ Intact ☐ Seal

Turn Around Time Requested: ☐ Rush 8 12 24 48 Hours ☑ Normal Mobile

Lab # (Lab use)	Client Sample ID	Sample Collection Date	Sample Collection Time	Matrix Type	Sample Preserve	No., type* & size of container	EPA8260B (VOCs & Oxygenates)	EPA8260B(BTEX & Oxygenates)	LUFT / 8015 (Gasoline)	LUFT / 8015 (Diesel)	EPA8081A (Organochlorine Pesticides)	EPA 8082 (PCBs)	EPA 8015M (Carbon Chain C4-C40)	EPA 6010B/7000 (CAM 17 Metals)	Micro: Plate Cnt., Coliform, E-Coli	Remarks
1	B-1-5	7/23/21	8:08	AIR	NA	250mL G	X		X							3PV
2	B-2-5		8:28													
3	B-3-5		8:51													
4	B-4-5		9:12													
5	B-01-5		9:53													
6	B-02-5		10:14													
7	B-02-5 DUP		10:14													
8	B-03-5		10:57													
9	B-03-10		11:19													
10	B-04-5		11:41													
11	B-04-10		12:03													
12	B-05-5		12:26													
13	B-06-5		12:48													
14	B-07-5		13:10													
15	B-08-5		13:34													

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
	Stantec	7/23/21	1515		ARL	7/23/21	1515
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Note: Samples are discarded 30 days after results are reported unless other arrangements are made.

Matrix Code: DW=Drinking Water; GW=Ground Water; WW=Waste Water; SD=Solid Waste; SL=Sludge; SS=Soil/Sediment; AR=Air; PP=Pure Product

Preservative Code: IC=Ice; HC=HCl; HN=HNO_3; SH=NaOH; ST=$Na_2S_2O_3$; HS=H_2SO_4

* Sample Container Types: T=Tedlar Air Bag; G=Glass Container; ST= Steel Tube; B= Brass Tube; P=Plastic Bottle; V=VOA Vial; E= EnCore

ARL
A & R Laboratories
1650 S. Grove Ave., Ste C, Ontario, CA 91761
Tel: 951-779-0310 / 909-781-6335 Fax: 951-779-0344
E-mail: office@arlaboratories.com

CHAIN OF CUSTODY

A & R Work Order #: 2107-191

Client Name: Stantec CONSULTING SVCS
E-mail: ALICIA.JANSEN@STANTEC.COM
Address: 735 E. CARNEGIE DR., STE. 280, SN BRDNO, CA 92408
Report Attention: ALICIA J. Phone #: 909.255.8213 Fax: #
Sampled By: SR
Project No./ Name:
Project Site: 810 Mission Ave & S. Tremont St, Oceanside, CA

☐ Chilled ☒ Intact ☐ Seal

Analyses Requested

Turn Around Time Requested
☐ Rush 8 12 24 48 Hours
☑ Normal
Mobile

Lab # (Lab use)	Client Sample ID	Sample Collection Date	Sample Collection Time	Matrix Type	Sample Preserve	No., type* & size of container	EPA8260B (VOCs & Oxygenates)	EPA8260B(BTEX & Oxygenates)	LUFT / 8015 (Gasoline)	LUFT / 8015 (Diesel)	EPA8081A (Organochlorine Pesticides)	EPA 8082 (PCBs)	EPA 8015M (Carbon Chain C4-C40)	EPA 6010B/7000 (CAM 17 Metals)	Micro: Plate Cnt., Coliform, E-Coli	Remarks
16	B-09-5	7/23/21	13:54	AIR	NA	250mL G	X		X							3PV
17	B-10-5	↓	14:16	↓	↓	↓	↓		↓							↓
18	B-11-5		14:38			Tedlar										
19	B-12-5		14:44			↓										
20	B-13-5		14:49													
21	B-14-5	↓	14:54	↓	↓	↓	↓		↓							↓

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
[signature]	Stantec	7/23/21	1515	[signature]	ARL	7/23/21	1515
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Note: Samples are discarded 30 days after results are reported unless other arrangements are made.

Matrix Code: DW=Drinking Water; GW=Ground Water; WW=Waste Water; SD=Solid Waste; SL=Sludge; SS=Soil/Sediment; AR=Air; PP=Pure Product

Preservative Code: IC=Ice; HC=HCl; HN=HNO_3; SH=NaOH; ST=$Na_2S_2O_3$; HS=H_2SO_4

* Sample Container Types: T=Tedlar Air Bag; G=Glass Container; ST= Steel Tube; B= Brass Tube; P=Plastic Bottle; V=VOA Vial; E= EnCore

July 30, 2021

Alicia Jansen
Stantec
735 E. Carnegie Drive, Suite 280
San Bernardino, CA 92408
Tel: (909) 335-6116
Fax:(909) 335-6120

ELAP No.: 1838
CSDLAC No.: 10196
ORELAP No.: CA300003

Re: ATL Work Order Number : 2101579
Client Reference : 2014217900

Enclosed are the results for sample(s) received on July 21, 2021 by Advanced Technology Laboratories. The sample(s) are tested for the parameters as indicated on the enclosed chain of custody in accordance with applicable laboratory certifications. The laboratory results contained in this report specifically pertains to the sample(s) submitted.

Thank you for the opportunity to serve the needs of your company. If you have any questions, please feel free to contact me or your Project Manager.

Sincerely,

For

Amy Leung
Laboratory Director

The cover letter and the case narrative are an integral part of this analytical report and its absence renders the report invalid. Test results contained within this data package meet the requirements of applicable state-specific certification programs. The report cannot be reproduced without written permission from the client and Advanced Technology Laboratories.

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

SUMMARY OF SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
B-01-1	2101579-01	Solid	7/20/21 12:37	7/21/21 12:21
B-01-5	2101579-02	Solid	7/20/21 12:52	7/21/21 12:21
B-02-1	2101579-03	Solid	7/20/21 12:05	7/21/21 12:21
B-02-5	2101579-04	Solid	7/20/21 12:15	7/21/21 12:21
B-03-10	2101579-06	Solid	7/20/21 11:10	7/21/21 12:21
B-04-10	2101579-08	Solid	7/20/21 11:45	7/21/21 12:21
B-05-10	2101579-10	Solid	7/20/21 14:15	7/21/21 12:21
B-06-10	2101579-12	Solid	7/20/21 13:35	7/21/21 12:21

CASE NARRATIVE

Samples for 8015_DRO analysis were subcontracted to AETL with CA-ELAP Cert. 1541.

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-01-1
Lab ID: 2101579-01

Gasoline Range Organics by EPA 8015B (Modified)

Analyst: Kim

Analyte	Result (mg/kg)	PQL (mg/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Gasoline Range Organics	ND	1.0	1	B1G0360	07/22/2021	07/22/21 12:52	
Surrogate: 4-Bromofluorobenzene	*115 %*	*47.6 - 121.18*		B1G0360	07/22/2021	*07/22/21 12:52*	

Volatile Organic Compounds by EPA 8260B

Analyst: KN

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
1,1,1,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,1,1-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,1,2,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,1,2-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,1-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,1-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,1-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,2,3-Trichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,2,3-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,2,4-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,2,4-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,2-Dibromo-3-chloropropane	ND	10	1	B1G0366	07/22/2021	07/22/21 17:28	
1,2-Dibromoethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,2-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,2-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,3,5-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,3-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,3-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
1,4-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
2,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
2-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
4-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
4-Isopropyltoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Benzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Bromobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Bromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Bromodichloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Bromoform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Bromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Carbon disulfide	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Carbon tetrachloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Chlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-01-1

Lab ID: 2101579-01

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Chloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Chloroform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Chloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
cis-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
cis-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Di-isopropyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Dibromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Dibromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Dichlorodifluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Ethyl Acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 17:28	
Ethyl Ether	ND	50	1	B1G0366	07/22/2021	07/22/21 17:28	
Ethyl tert-butyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Ethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Freon-113	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Hexachlorobutadiene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Isopropylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
m,p-Xylene	ND	10	1	B1G0366	07/22/2021	07/22/21 17:28	
Methylene chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
MTBE	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
n-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
n-Propylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Naphthalene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
o-Xylene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
sec-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Styrene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
tert-Amyl methyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
tert-Butanol	ND	100	1	B1G0366	07/22/2021	07/22/21 17:28	
tert-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Tetrachloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Toluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
trans-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
trans-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Trichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Trichlorofluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Vinyl acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 17:28	
Vinyl chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:28	
Surrogate: 1,2-Dichloroethane-d4	*112 %*	*66 - 200*		B1G0366	07/22/2021	*07/22/21 17:28*	
Surrogate: 4-Bromofluorobenzene	*98.6 %*	*50 - 146*		B1G0366	07/22/2021	*07/22/21 17:28*	
Surrogate: Dibromofluoromethane	*105 %*	*77 - 159*		B1G0366	07/22/2021	*07/22/21 17:28*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-01-1

Lab ID: 2101579-01

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Surrogate: Toluene-d8	*100 %*	*81 - 128*		B1G0366	07/22/2021	*07/22/21 17:28*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-01-5
Lab ID: 2101579-02

Gasoline Range Organics by EPA 8015B (Modified)

Analyst: Kim

Analyte	Result (mg/kg)	PQL (mg/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Gasoline Range Organics	ND	1.0	1	B1G0360	07/22/2021	07/22/21 13:38	
Surrogate: 4-Bromofluorobenzene	*114 %*	*47.6 - 121.18*		B1G0360	07/22/2021	*07/22/21 13:38*	

Volatile Organic Compounds by EPA 8260B

Analyst: KN

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
1,1,1,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,1,1-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,1,2,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,1,2-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,1-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,1-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,1-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,2,3-Trichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,2,3-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,2,4-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,2,4-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,2-Dibromo-3-chloropropane	ND	10	1	B1G0366	07/22/2021	07/22/21 17:54	
1,2-Dibromoethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,2-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,2-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,3,5-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,3-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,3-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
1,4-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
2,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
2-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
4-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
4-Isopropyltoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Benzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Bromobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Bromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Bromodichloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Bromoform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Bromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Carbon disulfide	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Carbon tetrachloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Chlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-01-5

Lab ID: 2101579-02

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Chloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Chloroform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Chloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
cis-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
cis-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Di-isopropyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Dibromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Dibromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Dichlorodifluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Ethyl Acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 17:54	
Ethyl Ether	ND	50	1	B1G0366	07/22/2021	07/22/21 17:54	
Ethyl tert-butyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Ethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Freon-113	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Hexachlorobutadiene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Isopropylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
m,p-Xylene	ND	10	1	B1G0366	07/22/2021	07/22/21 17:54	
Methylene chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
MTBE	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
n-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
n-Propylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Naphthalene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
o-Xylene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
sec-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Styrene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
tert-Amyl methyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
tert-Butanol	ND	100	1	B1G0366	07/22/2021	07/22/21 17:54	
tert-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Tetrachloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Toluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
trans-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
trans-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Trichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Trichlorofluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Vinyl acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 17:54	
Vinyl chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 17:54	
Surrogate: 1,2-Dichloroethane-d4	*98.9 %*	*66 - 200*		B1G0366	07/22/2021	*07/22/21 17:54*	
Surrogate: 4-Bromofluorobenzene	*95.2 %*	*50 - 146*		B1G0366	07/22/2021	*07/22/21 17:54*	
Surrogate: Dibromofluoromethane	*95.6 %*	*77 - 159*		B1G0366	07/22/2021	*07/22/21 17:54*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-01-5

Lab ID: 2101579-02

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Surrogate: Toluene-d8	*99.9 %*	*81 - 128*		B1G0366	07/22/2021	*07/22/21 17:54*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-02-1

Lab ID: 2101579-03

Gasoline Range Organics by EPA 8015B (Modified)

Analyst: Kim

Analyte	Result (mg/kg)	PQL (mg/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Gasoline Range Organics	ND	1.0	1	B1G0360	07/22/2021	07/22/21 14:01	
Surrogate: 4-Bromofluorobenzene	*110 %*	*47.6 - 121.18*		B1G0360	07/22/2021	*07/22/21 14:01*	

Volatile Organic Compounds by EPA 8260B

Analyst: KN

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
1,1,1,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,1,1-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,1,2,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,1,2-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,1-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,1-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,1-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,2,3-Trichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,2,3-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,2,4-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,2,4-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,2-Dibromo-3-chloropropane	ND	10	1	B1G0366	07/22/2021	07/22/21 18:20	
1,2-Dibromoethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,2-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,2-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,3,5-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,3-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,3-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
1,4-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
2,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
2-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
4-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
4-Isopropyltoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Benzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Bromobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Bromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Bromodichloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Bromoform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Bromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Carbon disulfide	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Carbon tetrachloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Chlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-02-1

Lab ID: 2101579-03

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Chloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Chloroform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Chloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
cis-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
cis-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Di-isopropyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Dibromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Dibromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Dichlorodifluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Ethyl Acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 18:20	
Ethyl Ether	ND	50	1	B1G0366	07/22/2021	07/22/21 18:20	
Ethyl tert-butyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Ethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Freon-113	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Hexachlorobutadiene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Isopropylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
m,p-Xylene	ND	10	1	B1G0366	07/22/2021	07/22/21 18:20	
Methylene chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
MTBE	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
n-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
n-Propylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Naphthalene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
o-Xylene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
sec-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Styrene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
tert-Amyl methyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
tert-Butanol	ND	100	1	B1G0366	07/22/2021	07/22/21 18:20	
tert-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Tetrachloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Toluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
trans-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
trans-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Trichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Trichlorofluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Vinyl acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 18:20	
Vinyl chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:20	
Surrogate: 1,2-Dichloroethane-d4	*106 %*	*66 - 200*		B1G0366	07/22/2021	*07/22/21 18:20*	
Surrogate: 4-Bromofluorobenzene	*96.0 %*	*50 - 146*		B1G0366	07/22/2021	*07/22/21 18:20*	
Surrogate: Dibromofluoromethane	*98.1 %*	*77 - 159*		B1G0366	07/22/2021	*07/22/21 18:20*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-02-1

Lab ID: 2101579-03

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Surrogate: Toluene-d8	*99.3 %*	*81 - 128*		B1G0366	07/22/2021	*07/22/21 18:20*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-02-5
Lab ID: 2101579-04

Gasoline Range Organics by EPA 8015B (Modified)

Analyst: Kim

Analyte	Result (mg/kg)	PQL (mg/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Gasoline Range Organics	ND	1.0	1	B1G0360	07/22/2021	07/22/21 14:25	
Surrogate: 4-Bromofluorobenzene	*110 %*	*47.6 - 121.18*		B1G0360	07/22/2021	*07/22/21 14:25*	

Volatile Organic Compounds by EPA 8260B

Analyst: KN

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
1,1,1,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,1,1-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,1,2,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,1,2-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,1-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,1-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,1-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,2,3-Trichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,2,3-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,2,4-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,2,4-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,2-Dibromo-3-chloropropane	ND	10	1	B1G0366	07/22/2021	07/22/21 18:45	
1,2-Dibromoethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,2-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,2-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,3,5-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,3-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,3-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
1,4-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
2,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
2-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
4-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
4-Isopropyltoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Benzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Bromobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Bromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Bromodichloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Bromoform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Bromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Carbon disulfide	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Carbon tetrachloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Chlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-02-5

Lab ID: 2101579-04

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Chloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Chloroform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Chloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
cis-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
cis-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Di-isopropyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Dibromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Dibromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Dichlorodifluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Ethyl Acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 18:45	
Ethyl Ether	ND	50	1	B1G0366	07/22/2021	07/22/21 18:45	
Ethyl tert-butyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Ethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Freon-113	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Hexachlorobutadiene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Isopropylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
m,p-Xylene	ND	10	1	B1G0366	07/22/2021	07/22/21 18:45	
Methylene chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
MTBE	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
n-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
n-Propylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Naphthalene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
o-Xylene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
sec-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Styrene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
tert-Amyl methyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
tert-Butanol	ND	100	1	B1G0366	07/22/2021	07/22/21 18:45	
tert-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Tetrachloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Toluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
trans-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
trans-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Trichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Trichlorofluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Vinyl acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 18:45	
Vinyl chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 18:45	
Surrogate: 1,2-Dichloroethane-d4	*111 %*	*66 - 200*		B1G0366	07/22/2021	*07/22/21 18:45*	
Surrogate: 4-Bromofluorobenzene	*97.5 %*	*50 - 146*		B1G0366	07/22/2021	*07/22/21 18:45*	
Surrogate: Dibromofluoromethane	*102 %*	*77 - 159*		B1G0366	07/22/2021	*07/22/21 18:45*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-02-5

Lab ID: 2101579-04

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Surrogate: Toluene-d8	*97.2 %*	*81 - 128*		B1G0366	07/22/2021	*07/22/21 18:45*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-03-10

Lab ID: 2101579-06

Gasoline Range Organics by EPA 8015B (Modified)

Analyst: Kim

Analyte	Result (mg/kg)	PQL (mg/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Gasoline Range Organics	ND	1.0	1	B1G0360	07/22/2021	07/22/21 14:48	
Surrogate: 4-Bromofluorobenzene	*115 %*	*47.6 - 121.18*		B1G0360	07/22/2021	*07/22/21 14:48*	

Volatile Organic Compounds by EPA 8260B

Analyst: KN

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
1,1,1,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,1,1-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,1,2,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,1,2-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,1-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,1-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,1-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,2,3-Trichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,2,3-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,2,4-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,2,4-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,2-Dibromo-3-chloropropane	ND	10	1	B1G0366	07/22/2021	07/22/21 19:11	
1,2-Dibromoethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,2-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,2-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,3,5-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,3-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,3-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
1,4-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
2,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
2-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
4-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
4-Isopropyltoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Benzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Bromobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Bromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Bromodichloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Bromoform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Bromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Carbon disulfide	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Carbon tetrachloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Chlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-03-10

Lab ID: 2101579-06

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Chloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Chloroform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Chloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
cis-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
cis-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Di-isopropyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Dibromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Dibromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Dichlorodifluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Ethyl Acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 19:11	
Ethyl Ether	ND	50	1	B1G0366	07/22/2021	07/22/21 19:11	
Ethyl tert-butyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Ethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Freon-113	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Hexachlorobutadiene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Isopropylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
m,p-Xylene	ND	10	1	B1G0366	07/22/2021	07/22/21 19:11	
Methylene chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
MTBE	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
n-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
n-Propylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Naphthalene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
o-Xylene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
sec-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Styrene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
tert-Amyl methyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
tert-Butanol	ND	100	1	B1G0366	07/22/2021	07/22/21 19:11	
tert-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Tetrachloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Toluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
trans-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
trans-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Trichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Trichlorofluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Vinyl acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 19:11	
Vinyl chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:11	
Surrogate: 1,2-Dichloroethane-d4	*106 %*	*66 - 200*		B1G0366	07/22/2021	*07/22/21 19:11*	
Surrogate: 4-Bromofluorobenzene	*96.9 %*	*50 - 146*		B1G0366	07/22/2021	*07/22/21 19:11*	
Surrogate: Dibromofluoromethane	*99.6 %*	*77 - 159*		B1G0366	07/22/2021	*07/22/21 19:11*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-03-10

Lab ID: 2101579-06

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Surrogate: Toluene-d8	*98.5 %*	*81 - 128*		B1G0366	07/22/2021	*07/22/21 19:11*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-04-10
Lab ID: 2101579-08

Gasoline Range Organics by EPA 8015B (Modified)

Analyst: Kim

Analyte	Result (mg/kg)	PQL (mg/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Gasoline Range Organics	ND	1.0	1	B1G0360	07/22/2021	07/22/21 15:11	
Surrogate: 4-Bromofluorobenzene	*116 %*	*47.6 - 121.18*		B1G0360	07/22/2021	*07/22/21 15:11*	

Volatile Organic Compounds by EPA 8260B

Analyst: KN

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
1,1,1,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,1,1-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,1,2,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,1,2-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,1-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,1-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,1-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,2,3-Trichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,2,3-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,2,4-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,2,4-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,2-Dibromo-3-chloropropane	ND	10	1	B1G0366	07/22/2021	07/22/21 19:36	
1,2-Dibromoethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,2-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,2-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,3,5-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,3-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,3-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
1,4-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
2,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
2-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
4-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
4-Isopropyltoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Benzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Bromobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Bromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Bromodichloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Bromoform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Bromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Carbon disulfide	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Carbon tetrachloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Chlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-04-10

Lab ID: 2101579-08

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Chloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Chloroform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Chloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
cis-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
cis-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Di-isopropyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Dibromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Dibromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Dichlorodifluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Ethyl Acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 19:36	
Ethyl Ether	ND	50	1	B1G0366	07/22/2021	07/22/21 19:36	
Ethyl tert-butyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Ethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Freon-113	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Hexachlorobutadiene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Isopropylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
m,p-Xylene	ND	10	1	B1G0366	07/22/2021	07/22/21 19:36	
Methylene chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
MTBE	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
n-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
n-Propylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Naphthalene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
o-Xylene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
sec-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Styrene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
tert-Amyl methyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
tert-Butanol	ND	100	1	B1G0366	07/22/2021	07/22/21 19:36	
tert-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Tetrachloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Toluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
trans-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
trans-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Trichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Trichlorofluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Vinyl acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 19:36	
Vinyl chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 19:36	
Surrogate: 1,2-Dichloroethane-d4	*116 %*	*66 - 200*		B1G0366	07/22/2021	*07/22/21 19:36*	
Surrogate: 4-Bromofluorobenzene	*96.2 %*	*50 - 146*		B1G0366	07/22/2021	*07/22/21 19:36*	
Surrogate: Dibromofluoromethane	*104 %*	*77 - 159*		B1G0366	07/22/2021	*07/22/21 19:36*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-04-10

Lab ID: 2101579-08

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Surrogate: Toluene-d8	*101 %*	*81 - 128*		B1G0366	07/22/2021	*07/22/21 19:36*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-05-10

Lab ID: 2101579-10

Gasoline Range Organics by EPA 8015B (Modified)

Analyst: Kim

Analyte	Result (mg/kg)	PQL (mg/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Gasoline Range Organics	ND	1.0	1	B1G0360	07/22/2021	07/22/21 15:34	
Surrogate: 4-Bromofluorobenzene	*113 %*	*47.6 - 121.18*		B1G0360	07/22/2021	*07/22/21 15:34*	

Volatile Organic Compounds by EPA 8260B

Analyst: KN

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
1,1,1,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,1,1-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,1,2,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,1,2-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,1-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,1-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,1-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,2,3-Trichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,2,3-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,2,4-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,2,4-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,2-Dibromo-3-chloropropane	ND	10	1	B1G0366	07/22/2021	07/22/21 20:02	
1,2-Dibromoethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,2-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,2-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,3,5-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,3-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,3-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
1,4-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
2,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
2-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
4-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
4-Isopropyltoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Benzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Bromobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Bromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Bromodichloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Bromoform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Bromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Carbon disulfide	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Carbon tetrachloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Chlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-05-10

Lab ID: 2101579-10

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Chloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Chloroform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Chloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
cis-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
cis-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Di-isopropyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Dibromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Dibromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Dichlorodifluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Ethyl Acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 20:02	
Ethyl Ether	ND	50	1	B1G0366	07/22/2021	07/22/21 20:02	
Ethyl tert-butyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Ethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Freon-113	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Hexachlorobutadiene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Isopropylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
m,p-Xylene	ND	10	1	B1G0366	07/22/2021	07/22/21 20:02	
Methylene chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
MTBE	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
n-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
n-Propylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Naphthalene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
o-Xylene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
sec-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Styrene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
tert-Amyl methyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
tert-Butanol	ND	100	1	B1G0366	07/22/2021	07/22/21 20:02	
tert-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Tetrachloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Toluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
trans-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
trans-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Trichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Trichlorofluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Vinyl acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 20:02	
Vinyl chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:02	
Surrogate: 1,2-Dichloroethane-d4	*105 %*	*66 - 200*		B1G0366	07/22/2021	*07/22/21 20:02*	
Surrogate: 4-Bromofluorobenzene	*96.5 %*	*50 - 146*		B1G0366	07/22/2021	*07/22/21 20:02*	
Surrogate: Dibromofluoromethane	*99.8 %*	*77 - 159*		B1G0366	07/22/2021	*07/22/21 20:02*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-05-10

Lab ID: 2101579-10

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Surrogate: Toluene-d8	*99.1 %*	*81 - 128*		B1G0366	07/22/2021	*07/22/21 20:02*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-06-10
Lab ID: 2101579-12

Gasoline Range Organics by EPA 8015B (Modified)

Analyst: Kim

Analyte	Result (mg/kg)	PQL (mg/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Gasoline Range Organics	ND	1.0	1	B1G0360	07/22/2021	07/22/21 15:58	
Surrogate: 4-Bromofluorobenzene	*114 %*	*47.6 - 121.18*		B1G0360	07/22/2021	*07/22/21 15:58*	

Volatile Organic Compounds by EPA 8260B

Analyst: KN

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
1,1,1,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,1,1-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,1,2,2-Tetrachloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,1,2-Trichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,1-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,1-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,1-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,2,3-Trichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,2,3-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,2,4-Trichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,2,4-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,2-Dibromo-3-chloropropane	ND	10	1	B1G0366	07/22/2021	07/22/21 20:27	
1,2-Dibromoethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,2-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,2-Dichloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,3,5-Trimethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,3-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,3-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
1,4-Dichlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
2,2-Dichloropropane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
2-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
4-Chlorotoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
4-Isopropyltoluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Benzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Bromobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Bromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Bromodichloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Bromoform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Bromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Carbon disulfide	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Carbon tetrachloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Chlorobenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-06-10

Lab ID: 2101579-12

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Chloroethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Chloroform	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Chloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
cis-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
cis-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Di-isopropyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Dibromochloromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Dibromomethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Dichlorodifluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Ethyl Acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 20:27	
Ethyl Ether	ND	50	1	B1G0366	07/22/2021	07/22/21 20:27	
Ethyl tert-butyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Ethylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Freon-113	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Hexachlorobutadiene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Isopropylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
m,p-Xylene	ND	10	1	B1G0366	07/22/2021	07/22/21 20:27	
Methylene chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
MTBE	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
n-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
n-Propylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Naphthalene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
o-Xylene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
sec-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Styrene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
tert-Amyl methyl ether	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
tert-Butanol	ND	100	1	B1G0366	07/22/2021	07/22/21 20:27	
tert-Butylbenzene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Tetrachloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Toluene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
trans-1,2-Dichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
trans-1,3-Dichloropropene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Trichloroethene	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Trichlorofluoromethane	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Vinyl acetate	ND	50	1	B1G0366	07/22/2021	07/22/21 20:27	
Vinyl chloride	ND	5.0	1	B1G0366	07/22/2021	07/22/21 20:27	
Surrogate: 1,2-Dichloroethane-d4	*113 %*	*66 - 200*		B1G0366	07/22/2021	*07/22/21 20:27*	
Surrogate: 4-Bromofluorobenzene	*98.1 %*	*50 - 146*		B1G0366	07/22/2021	*07/22/21 20:27*	
Surrogate: Dibromofluoromethane	*105 %*	*77 - 159*		B1G0366	07/22/2021	*07/22/21 20:27*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Client Sample ID B-06-10

Lab ID: 2101579-12

Volatile Organic Compounds by EPA 8260B **Analyst: KN**

Analyte	Result (ug/kg)	PQL (ug/kg)	Dilution	Batch	Prepared	Date/Time Analyzed	Notes
Surrogate: Toluene-d8	*100 %*	*81 - 128*		B1G0366	07/22/2021	*07/22/21 20:27*	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

QUALITY CONTROL SECTION

Gasoline Range Organics by EPA 8015B (Modified) - Quality Control

Analyte	Result (mg/kg)	PQL (mg/kg)	MDL (mg/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0360 - GCVOA_S										
Blank (B1G0360-BLK1)						Prepared: 7/22/2021 Analyzed: 7/22/2021				
Gasoline Range Organics	ND	1.0	0.20							
Surrogate: 4-Bromofluorobenzene	*0.8705*			*0.800000*		*109*	*47.6 - 121.18*			
LCS (B1G0360-BS1)						Prepared: 7/22/2021 Analyzed: 7/22/2021				
Gasoline Range Organics	4.09300	1.0	0.20	5.00000		81.9	58.69 - 124.04			
Surrogate: 4-Bromofluorobenzene	*0.9626*			*0.800000*		*120*	*47.6 - 121.18*			
LCS Dup (B1G0360-BSD1)						Prepared: 7/22/2021 Analyzed: 7/22/2021				
Gasoline Range Organics	4.32400	1.0	0.20	5.00000		86.5	58.69 - 124.04	5.49	20	
Surrogate: 4-Bromofluorobenzene	*0.9379*			*0.800000*		*117*	*47.6 - 121.18*			
Matrix Spike (B1G0360-MS1)			**Source: 2101580-01**			Prepared: 7/22/2021 Analyzed: 7/22/2021				
Gasoline Range Organics	4.45100	1.0	0.20	5.00000	ND	89.0	37.92 - 128.32			
Surrogate: 4-Bromofluorobenzene	*0.9148*			*0.800000*		*114*	*47.6 - 121.18*			
Matrix Spike Dup (B1G0360-MSD1)			**Source: 2101580-01**			Prepared: 7/22/2021 Analyzed: 7/22/2021				
Gasoline Range Organics	3.89000	1.0	0.20	5.00000	ND	77.8	37.92 - 128.32	13.5	20	
Surrogate: 4-Bromofluorobenzene	*0.9169*			*0.800000*		*115*	*47.6 - 121.18*			

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S										
Blank (B1G0366-BLK1)							Prepared: 7/22/2021 Analyzed: 7/22/2021			
1,1,1,2-Tetrachloroethane	ND	5.0	0.52							
1,1,1-Trichloroethane	ND	5.0	0.26							
1,1,2,2-Tetrachloroethane	ND	5.0	0.21							
1,1,2-Trichloroethane	ND	5.0	0.40							
1,1-Dichloroethane	ND	5.0	1.4							
1,1-Dichloroethene	ND	5.0	1.9							
1,1-Dichloropropene	ND	5.0	0.54							
1,2,3-Trichloropropane	ND	5.0	0.40							
1,2,3-Trichlorobenzene	ND	5.0	0.83							
1,2,4-Trichlorobenzene	ND	5.0	0.80							
1,2,4-Trimethylbenzene	ND	5.0	0.91							
1,2-Dibromo-3-chloropropane	ND	10	1.1							
1,2-Dibromoethane	ND	5.0	0.40							
1,2-Dichlorobenzene	ND	5.0	0.21							
1,2-Dichloroethane	ND	5.0	0.50							
1,2-Dichloropropane	ND	5.0	0.46							
1,3,5-Trimethylbenzene	ND	5.0	0.70							
1,3-Dichlorobenzene	ND	5.0	0.36							
1,3-Dichloropropane	ND	5.0	0.49							
1,4-Dichlorobenzene	ND	5.0	0.27							
2,2-Dichloropropane	ND	5.0	0.28							
2-Chlorotoluene	ND	5.0	0.53							
4-Chlorotoluene	ND	5.0	0.40							
4-Isopropyltoluene	ND	5.0	0.81							
Benzene	ND	5.0	0.36							
Bromobenzene	ND	5.0	0.62							
Bromochloromethane	ND	5.0	0.30							
Bromodichloromethane	ND	5.0	0.52							
Bromoform	ND	5.0	1.4							
Bromomethane	ND	5.0	2.5							
Carbon disulfide	ND	5.0	0.94							
Carbon tetrachloride	ND	5.0	0.73							
Chlorobenzene	ND	5.0	0.42							
Chloroethane	ND	5.0	1.5							
Chloroform	ND	5.0	0.24							
Chloromethane	ND	5.0	1.1							
cis-1,2-Dichloroethene	ND	5.0	0.20							
cis-1,3-Dichloropropene	ND	5.0	0.39							
Di-isopropyl ether	ND	5.0	1.9							
Dibromochloromethane	ND	5.0	0.81							
Dibromomethane	ND	5.0	0.23							
Dichlorodifluoromethane	ND	5.0	0.14							
Ethyl Acetate	ND	50	7.0							
Ethyl Ether	ND	50	17							

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
Blank (B1G0366-BLK1) - Continued						Prepared: 7/22/2021 Analyzed: 7/22/2021				
Ethyl tert-butyl ether	ND	5.0	0.85							
Ethylbenzene	ND	5.0	0.43							
Freon-113	ND	5.0	1.3							
Hexachlorobutadiene	ND	5.0	0.40							
Isopropylbenzene	ND	5.0	0.79							
m,p-Xylene	ND	10	0.98							
Methylene chloride	ND	5.0	2.2							
MTBE	ND	5.0	0.81							
n-Butylbenzene	ND	5.0	1.2							
n-Propylbenzene	ND	5.0	0.78							
Naphthalene	ND	5.0	1.1							
o-Xylene	ND	5.0	0.67							
sec-Butylbenzene	ND	5.0	0.63							
Styrene	ND	5.0	0.45							
tert-Amyl methyl ether	ND	5.0	1.1							
tert-Butanol	ND	100	11							
tert-Butylbenzene	ND	5.0	0.80							
Tetrachloroethene	ND	5.0	0.31							
Toluene	ND	5.0	0.27							
trans-1,2-Dichloroethene	ND	5.0	0.56							
trans-1,3-Dichloropropene	ND	5.0	0.59							
Trichloroethene	ND	5.0	0.32							
Trichlorofluoromethane	ND	5.0	1.0							
Vinyl acetate	ND	50	6.0							
Vinyl chloride	ND	5.0	0.92							
Surrogate: 1,2-Dichloroethane-d4	*54.64*			*50.0000*		*109*	*66 - 200*			
Surrogate: 4-Bromofluorobenzene	*47.85*			*50.0000*		*95.7*	*50 - 146*			
Surrogate: Dibromofluoromethane	*50.29*			*50.0000*		*101*	*77 - 159*			
Surrogate: Toluene-d8	*50.30*			*50.0000*		*101*	*81 - 128*			
Blank (B1G0366-BLK2)						Prepared: 7/22/2021 Analyzed: 7/22/2021				
1,1,1,2-Tetrachloroethane	ND	250	26							
1,1,1-Trichloroethane	ND	250	13							
1,1,2,2-Tetrachloroethane	ND	250	10							
1,1,2-Trichloroethane	ND	250	20							
1,1-Dichloroethane	ND	250	68							
1,1-Dichloroethene	ND	250	94							
1,1-Dichloropropene	ND	250	27							
1,2,3-Trichloropropane	ND	250	20							
1,2,3-Trichlorobenzene	ND	250	41							
1,2,4-Trichlorobenzene	ND	250	40							
1,2,4-Trimethylbenzene	ND	250	45							
1,2-Dibromo-3-chloropropane	ND	500	56							
1,2-Dibromoethane	ND	250	20							

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
Blank (B1G0366-BLK2) - Continued						Prepared: 7/22/2021 Analyzed: 7/22/2021				
1,2-Dichlorobenzene	ND	250	11							
1,2-Dichloroethane	ND	250	25							
1,2-Dichloropropane	ND	250	23							
1,3,5-Trimethylbenzene	ND	250	35							
1,3-Dichlorobenzene	ND	250	18							
1,3-Dichloropropane	ND	250	25							
1,4-Dichlorobenzene	ND	250	14							
2,2-Dichloropropane	ND	250	14							
2-Chlorotoluene	ND	250	26							
4-Chlorotoluene	ND	250	20							
4-Isopropyltoluene	ND	250	41							
Benzene	ND	250	18							
Bromobenzene	ND	250	31							
Bromochloromethane	ND	250	15							
Bromodichloromethane	ND	250	26							
Bromoform	ND	250	69							
Bromomethane	ND	250	120							
Carbon disulfide	ND	250	47							
Carbon tetrachloride	ND	250	37							
Chlorobenzene	ND	250	21							
Chloroethane	ND	250	77							
Chloroform	ND	250	12							
Chloromethane	ND	250	55							
cis-1,2-Dichloroethene	ND	250	10							
cis-1,3-Dichloropropene	ND	250	19							
Di-isopropyl ether	ND	250	97							
Dibromochloromethane	ND	250	40							
Dibromomethane	ND	250	11							
Dichlorodifluoromethane	ND	250	7.2							
Ethyl Acetate	ND	2500	350							
Ethyl Ether	ND	2500	870							
Ethyl tert-butyl ether	ND	250	42							
Ethylbenzene	ND	250	22							
Freon-113	ND	250	64							
Hexachlorobutadiene	ND	250	20							
Isopropylbenzene	ND	250	40							
m,p-Xylene	ND	500	49							
Methylene chloride	ND	250	110							
MTBE	ND	250	41							
n-Butylbenzene	ND	250	59							
n-Propylbenzene	ND	250	39							
Naphthalene	ND	250	56							
o-Xylene	ND	250	34							
sec-Butylbenzene	ND	250	31							

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
Blank (B1G0366-BLK2) - Continued						Prepared: 7/22/2021 Analyzed: 7/22/2021				
Styrene	ND	250	23							
tert-Amyl methyl ether	ND	250	54							
tert-Butanol	ND	5000	560							
tert-Butylbenzene	ND	250	40							
Tetrachloroethene	ND	250	15							
Toluene	ND	250	13							
trans-1,2-Dichloroethene	ND	250	28							
trans-1,3-Dichloropropene	ND	250	30							
Trichloroethene	ND	250	16							
Trichlorofluoromethane	ND	250	52							
Vinyl acetate	ND	2500	300							
Vinyl chloride	ND	250	46							
Surrogate: 1,2-Dichloroethane-d4	*54.31*			*50.0000*		*109*	*66 - 200*			
Surrogate: 4-Bromofluorobenzene	*48.31*			*50.0000*		*96.6*	*50 - 146*			
Surrogate: Dibromofluoromethane	*50.11*			*50.0000*		*100*	*77 - 159*			
Surrogate: Toluene-d8	*50.03*			*50.0000*		*100*	*81 - 128*			
LCS (B1G0366-BS1)						Prepared: 7/22/2021 Analyzed: 7/22/2021				
1,1,1,2-Tetrachloroethane	54.5100	5.0	0.52	50.0000		109	84 - 123			
1,1,1-Trichloroethane	53.5600	5.0	0.26	50.0000		107	78 - 133			
1,1,2,2-Tetrachloroethane	53.2500	5.0	0.21	50.0000		106	63 - 127			
1,1,2-Trichloroethane	54.5000	5.0	0.40	50.0000		109	80 - 125			
1,1-Dichloroethane	52.9500	5.0	1.4	50.0000		106	77 - 128			
1,1-Dichloroethene	54.2200	5.0	1.9	50.0000		108	69 - 138			
1,1-Dichloropropene	55.4300	5.0	0.54	50.0000		111	80 - 133			
1,2,3-Trichloropropane	51.8500	5.0	0.40	50.0000		104	74 - 123			
1,2,3-Trichlorobenzene	54.2200	5.0	0.83	50.0000		108	79 - 133			
1,2,4-Trichlorobenzene	53.6800	5.0	0.80	50.0000		107	73 - 131			
1,2,4-Trimethylbenzene	54.2500	5.0	0.91	50.0000		108	86 - 137			
1,2-Dibromo-3-chloropropane	51.3400	10	1.1	50.0000		103	62 - 127			
1,2-Dibromoethane	53.3000	5.0	0.40	50.0000		107	83 - 126			
1,2-Dichlorobenzene	53.8000	5.0	0.21	50.0000		108	83 - 123			
1,2-Dichloroethane	54.9600	5.0	0.50	50.0000		110	76 - 128			
1,2-Dichloropropane	54.2300	5.0	0.46	50.0000		108	77 - 121			
1,3,5-Trimethylbenzene	53.4500	5.0	0.70	50.0000		107	84 - 135			
1,3-Dichlorobenzene	54.1200	5.0	0.36	50.0000		108	81 - 126			
1,3-Dichloropropane	55.0000	5.0	0.49	50.0000		110	80 - 118			
1,4-Dichlorobenzene	53.5200	5.0	0.27	50.0000		107	80 - 124			
2,2-Dichloropropane	52.6200	5.0	0.28	50.0000		105	72 - 135			
2-Chlorotoluene	53.9600	5.0	0.53	50.0000		108	81 - 127			
4-Chlorotoluene	53.7100	5.0	0.40	50.0000		107	83 - 127			
4-Isopropyltoluene	53.7200	5.0	0.81	50.0000		107	82 - 143			
Benzene	55.6000	5.0	0.36	50.0000		111	84 - 123			
Bromobenzene	53.3000	5.0	0.62	50.0000		107	80 - 122			

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
LCS (B1G0366-BS1) - Continued						Prepared: 7/22/2021 Analyzed: 7/22/2021				
Bromochloromethane	55.2100	5.0	0.30	50.0000		110	83 - 127			
Bromodichloromethane	54.4900	5.0	0.52	50.0000		109	82 - 123			
Bromoform	55.1500	5.0	1.4	50.0000		110	80 - 132			
Bromomethane	49.1100	5.0	2.5	50.0000		98.2	67 - 176			
Carbon disulfide	39.0800	5.0	0.94	50.0000		78.2	75 - 138			
Carbon tetrachloride	54.9100	5.0	0.73	50.0000		110	76 - 131			
Chlorobenzene	55.1700	5.0	0.42	50.0000		110	84 - 119			
Chloroethane	46.5900	5.0	1.5	50.0000		93.2	56 - 170			
Chloroform	52.6200	5.0	0.24	50.0000		105	78 - 129			
Chloromethane	48.0200	5.0	1.1	50.0000		96.0	63 - 141			
cis-1,2-Dichloroethene	54.2200	5.0	0.20	50.0000		108	83 - 125			
cis-1,3-Dichloropropene	54.6600	5.0	0.39	50.0000		109	76 - 129			
Di-isopropyl ether	50.2700	5.0	1.9	50.0000		101	73 - 132			
Dibromochloromethane	53.1800	5.0	0.81	50.0000		106	81 - 120			
Dibromomethane	53.9400	5.0	0.23	50.0000		108	79 - 124			
Dichlorodifluoromethane	46.8000	5.0	0.14	50.0000		93.6	18 - 199			
Ethyl Acetate	438.830	50	7.0	500.000		87.8	76 - 138			
Ethyl Ether	512.680	50	17	500.000		103	74 - 128			
Ethyl tert-butyl ether	51.2600	5.0	0.85	50.0000		103	50 - 175			
Ethylbenzene	54.3800	5.0	0.43	50.0000		109	86 - 130			
Freon-113	47.4200	5.0	1.3	50.0000		94.8	66 - 132			
Hexachlorobutadiene	54.0600	5.0	0.40	50.0000		108	64 - 135			
Isopropylbenzene	54.6400	5.0	0.79	50.0000		109	80 - 133			
m,p-Xylene	110.980	10	0.98	100.000		111	89 - 133			
Methylene chloride	55.0400	5.0	2.2	50.0000		110	72 - 143			
MTBE	48.7800	5.0	0.81	50.0000		97.6	73 - 136			
n-Butylbenzene	54.1400	5.0	1.2	50.0000		108	76 - 144			
n-Propylbenzene	54.8500	5.0	0.78	50.0000		110	81 - 136			
Naphthalene	54.5800	5.0	1.1	50.0000		109	64 - 128			
o-Xylene	54.2300	5.0	0.67	50.0000		108	82 - 134			
sec-Butylbenzene	54.9900	5.0	0.63	50.0000		110	81 - 138			
Styrene	54.0300	5.0	0.45	50.0000		108	79 - 152			
tert-Amyl methyl ether	50.2000	5.0	1.1	50.0000		100	48 - 166			
tert-Butanol	254.100	100	11	250.000		102	48 - 148			
tert-Butylbenzene	53.6100	5.0	0.80	50.0000		107	81 - 135			
Tetrachloroethene	53.6000	5.0	0.31	50.0000		107	75 - 127			
Toluene	55.0600	5.0	0.27	50.0000		110	88 - 130			
trans-1,2-Dichloroethene	54.2200	5.0	0.56	50.0000		108	79 - 127			
trans-1,3-Dichloropropene	54.6600	5.0	0.59	50.0000		109	80 - 130			
Trichloroethene	55.9000	5.0	0.32	50.0000		112	83 - 126			
Trichlorofluoromethane	49.2500	5.0	1.0	50.0000		98.5	62 - 143			
Vinyl acetate	439.050	50	6.0	500.000		87.8	69 - 150			
Vinyl chloride	49.0200	5.0	0.92	50.0000		98.0	69 - 140			

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)		Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
LCS (B1G0366-BS1) - Continued						Prepared: 7/22/2021 Analyzed: 7/22/2021				
Surrogate: 1,2-Dichloroethane-d4	*48.64*			*50.0000*		*97.3*	*66 - 200*			
Surrogate: 4-Bromofluorobenzene	*50.23*			*50.0000*		*100*	*50 - 146*			
Surrogate: Dibromofluoromethane	*49.09*			*50.0000*		*98.2*	*77 - 159*			
Surrogate: Toluene-d8	*50.46*			*50.0000*		*101*	*81 - 128*			
LCS Dup (B1G0366-BSD1)						Prepared: 7/22/2021 Analyzed: 7/22/2021				
1,1,1,2-Tetrachloroethane	59.6300	5.0	0.52	50.0000		119	84 - 123	8.97	20	
1,1,1-Trichloroethane	60.4100	5.0	0.26	50.0000		121	78 - 133	12.0	20	
1,1,2,2-Tetrachloroethane	55.1100	5.0	0.21	50.0000		110	63 - 127	3.43	20	
1,1,2-Trichloroethane	59.5400	5.0	0.40	50.0000		119	80 - 125	8.84	20	
1,1-Dichloroethane	63.0000	5.0	1.4	50.0000		126	77 - 128	17.3	20	
1,1-Dichloroethene	62.2000	5.0	1.9	50.0000		124	69 - 138	13.7	20	
1,1-Dichloropropene	61.6900	5.0	0.54	50.0000		123	80 - 133	10.7	20	
1,2,3-Trichloropropane	54.1800	5.0	0.40	50.0000		108	74 - 123	4.39	20	
1,2,3-Trichlorobenzene	60.6200	5.0	0.83	50.0000		121	79 - 133	11.1	20	
1,2,4-Trichlorobenzene	60.7600	5.0	0.80	50.0000		122	73 - 131	12.4	20	
1,2,4-Trimethylbenzene	58.9700	5.0	0.91	50.0000		118	86 - 137	8.34	20	
1,2-Dibromo-3-chloropropane	53.6200	10	1.1	50.0000		107	62 - 127	4.34	20	
1,2-Dibromoethane	58.1100	5.0	0.40	50.0000		116	83 - 126	8.63	20	
1,2-Dichlorobenzene	59.1700	5.0	0.21	50.0000		118	83 - 123	9.51	20	
1,2-Dichloroethane	58.4200	5.0	0.50	50.0000		117	76 - 128	6.10	20	
1,2-Dichloropropane	59.4500	5.0	0.46	50.0000		119	77 - 121	9.18	20	
1,3,5-Trimethylbenzene	58.0200	5.0	0.70	50.0000		116	84 - 135	8.20	20	
1,3-Dichlorobenzene	59.4200	5.0	0.36	50.0000		119	81 - 126	9.34	20	
1,3-Dichloropropane	59.9700	5.0	0.49	50.0000		120	80 - 118	8.65	20	L4
1,4-Dichlorobenzene	59.0800	5.0	0.27	50.0000		118	80 - 124	9.88	20	
2,2-Dichloropropane	59.5300	5.0	0.28	50.0000		119	72 - 135	12.3	20	
2-Chlorotoluene	59.2800	5.0	0.53	50.0000		119	81 - 127	9.40	20	
4-Chlorotoluene	58.4200	5.0	0.40	50.0000		117	83 - 127	8.40	20	
4-Isopropyltoluene	58.4100	5.0	0.81	50.0000		117	82 - 143	8.37	20	
Benzene	61.1100	5.0	0.36	50.0000		122	84 - 123	9.44	20	
Bromobenzene	59.1100	5.0	0.62	50.0000		118	80 - 122	10.3	20	
Bromochloromethane	60.5000	5.0	0.30	50.0000		121	83 - 127	9.14	20	
Bromodichloromethane	60.0200	5.0	0.52	50.0000		120	82 - 123	9.66	20	
Bromoform	56.2100	5.0	1.4	50.0000		112	80 - 132	1.90	20	
Bromomethane	56.2800	5.0	2.5	50.0000		113	67 - 176	13.6	20	
Carbon disulfide	45.5500	5.0	0.94	50.0000		91.1	75 - 138	15.3	20	
Carbon tetrachloride	60.5400	5.0	0.73	50.0000		121	76 - 131	9.75	20	
Chlorobenzene	61.6300	5.0	0.42	50.0000		123	84 - 119	11.1	20	L4
Chloroethane	54.6000	5.0	1.5	50.0000		109	56 - 170	15.8	20	
Chloroform	60.7200	5.0	0.24	50.0000		121	78 - 129	14.3	20	
Chloromethane	56.6000	5.0	1.1	50.0000		113	63 - 141	16.4	20	
cis-1,2-Dichloroethene	62.2000	5.0	0.20	50.0000		124	83 - 125	13.7	20	
cis-1,3-Dichloropropene	59.0000	5.0	0.39	50.0000		118	76 - 129	7.64	20	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
LCS Dup (B1G0366-BSD1) - Continued						Prepared: 7/22/2021 Analyzed: 7/22/2021				
Di-isopropyl ether	55.4900	5.0	1.9	50.0000		111	73 - 132	9.87	20	
Dibromochloromethane	59.6000	5.0	0.81	50.0000		119	81 - 120	11.4	20	
Dibromomethane	57.2800	5.0	0.23	50.0000		115	79 - 124	6.01	20	
Dichlorodifluoromethane	53.0700	5.0	0.14	50.0000		106	18 - 199	12.6	20	
Ethyl Acetate	478.230	50	7.0	500.000		95.6	76 - 138	8.59	20	
Ethyl Ether	554.170	50	17	500.000		111	74 - 128	7.78	20	
Ethyl tert-butyl ether	55.4200	5.0	0.85	50.0000		111	50 - 175	7.80	20	
Ethylbenzene	61.6600	5.0	0.43	50.0000		123	86 - 130	12.5	20	
Freon-113	52.6300	5.0	1.3	50.0000		105	66 - 132	10.4	20	
Hexachlorobutadiene	58.7900	5.0	0.40	50.0000		118	64 - 135	8.38	20	
Isopropylbenzene	59.5100	5.0	0.79	50.0000		119	80 - 133	8.53	20	
m,p-Xylene	125.160	10	0.98	100.000		125	89 - 133	12.0	20	
Methylene chloride	62.9500	5.0	2.2	50.0000		126	72 - 143	13.4	20	
MTBE	54.2000	5.0	0.81	50.0000		108	73 - 136	10.5	20	
n-Butylbenzene	60.4400	5.0	1.2	50.0000		121	76 - 144	11.0	20	
n-Propylbenzene	60.5100	5.0	0.78	50.0000		121	81 - 136	9.81	20	
Naphthalene	58.2600	5.0	1.1	50.0000		117	64 - 128	6.52	20	
o-Xylene	61.0900	5.0	0.67	50.0000		122	82 - 134	11.9	20	
sec-Butylbenzene	59.6800	5.0	0.63	50.0000		119	81 - 138	8.18	20	
Styrene	61.6100	5.0	0.45	50.0000		123	79 - 152	13.1	20	
tert-Amyl methyl ether	57.5800	5.0	1.1	50.0000		115	48 - 166	13.7	20	
tert-Butanol	274.480	100	11	250.000		110	48 - 148	7.71	20	
tert-Butylbenzene	58.5200	5.0	0.80	50.0000		117	81 - 135	8.76	20	
Tetrachloroethene	62.1100	5.0	0.31	50.0000		124	75 - 127	14.7	20	
Toluene	61.0900	5.0	0.27	50.0000		122	88 - 130	10.4	20	
trans-1,2-Dichloroethene	62.2000	5.0	0.56	50.0000		124	79 - 127	13.7	20	
trans-1,3-Dichloropropene	59.0000	5.0	0.59	50.0000		118	80 - 130	7.64	20	
Trichloroethene	61.1800	5.0	0.32	50.0000		122	83 - 126	9.02	20	
Trichlorofluoromethane	56.0500	5.0	1.0	50.0000		112	62 - 143	12.9	20	
Vinyl acetate	478.100	50	6.0	500.000		95.6	69 - 150	8.52	20	
Vinyl chloride	57.2700	5.0	0.92	50.0000		115	69 - 140	15.5	20	
Surrogate: 1,2-Dichloroethane-d4	*51.16*			*50.0000*		*102*	*66 - 200*			
Surrogate: 4-Bromofluorobenzene	*50.15*			*50.0000*		*100*	*50 - 146*			
Surrogate: Dibromofluoromethane	*50.31*			*50.0000*		*101*	*77 - 159*			
Surrogate: Toluene-d8	*49.92*			*50.0000*		*99.8*	*81 - 128*			
Matrix Spike (B1G0366-MS1)			**Source: 2101579-02**			Prepared: 7/22/2021 Analyzed: 7/22/2021				
1,1,1,2-Tetrachloroethane	51.0300	5.0	0.52	50.0000	ND	102	50 - 126			
1,1,1-Trichloroethane	54.9800	5.0	0.26	50.0000	ND	110	56 - 144			
1,1,2,2-Tetrachloroethane	43.7100	5.0	0.21	50.0000	ND	87.4	20 - 153			
1,1,2-Trichloroethane	48.9900	5.0	0.40	50.0000	ND	98.0	0 - 421			
1,1-Dichloroethane	52.3200	5.0	1.4	50.0000	ND	105	58 - 131			
1,1-Dichloroethene	56.3000	5.0	1.9	50.0000	ND	113	60 - 143			
1,1-Dichloropropene	55.6100	5.0	0.54	50.0000	ND	111	57 - 144			

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
Matrix Spike (B1G0366-MS1) - Continued			**Source: 2101579-02**			Prepared: 7/22/2021 Analyzed: 7/22/2021				
1,2,3-Trichloropropane	44.5800	5.0	0.40	50.0000	ND	89.2	52 - 121			
1,2,3-Trichlorobenzene	49.8600	5.0	0.83	50.0000	ND	99.7	0 - 153			
1,2,4-Trichlorobenzene	50.0400	5.0	0.80	50.0000	ND	100	0 - 146			
1,2,4-Trimethylbenzene	51.6400	5.0	0.91	50.0000	ND	103	26 - 155			
1,2-Dibromo-3-chloropropane	43.5500	10	1.1	50.0000	ND	87.1	36 - 125			
1,2-Dibromoethane	46.5900	5.0	0.40	50.0000	ND	93.2	56 - 127			
1,2-Dichlorobenzene	50.4700	5.0	0.21	50.0000	ND	101	26 - 136			
1,2-Dichloroethane	48.7000	5.0	0.50	50.0000	ND	97.4	60 - 118			
1,2-Dichloropropane	49.0300	5.0	0.46	50.0000	ND	98.1	52 - 124			
1,3,5-Trimethylbenzene	52.0100	5.0	0.70	50.0000	ND	104	31 - 152			
1,3-Dichlorobenzene	50.8800	5.0	0.36	50.0000	ND	102	26 - 140			
1,3-Dichloropropane	48.4400	5.0	0.49	50.0000	ND	96.9	56 - 118			
1,4-Dichlorobenzene	49.5100	5.0	0.27	50.0000	ND	99.0	27 - 136			
2,2-Dichloropropane	50.4400	5.0	0.28	50.0000	ND	101	50 - 146			
2-Chlorotoluene	51.6100	5.0	0.53	50.0000	ND	103	28 - 149			
4-Chlorotoluene	51.2700	5.0	0.40	50.0000	ND	103	35 - 142			
4-Isopropyltoluene	52.3300	5.0	0.81	50.0000	ND	105	12 - 175			
Benzene	53.1700	5.0	0.36	50.0000	ND	106	61 - 127			
Bromobenzene	49.0300	5.0	0.62	50.0000	ND	98.1	40 - 129			
Bromochloromethane	53.0400	5.0	0.30	50.0000	ND	106	57 - 135			
Bromodichloromethane	50.2800	5.0	0.52	50.0000	ND	101	58 - 119			
Bromoform	46.4400	5.0	1.4	50.0000	ND	92.9	48 - 130			
Bromomethane	38.8800	5.0	2.5	50.0000	ND	77.8	40 - 183			
Carbon disulfide	41.4600	5.0	0.94	50.0000	ND	82.9	49 - 153			
Carbon tetrachloride	52.7200	5.0	0.73	50.0000	ND	105	49 - 146			
Chlorobenzene	53.2300	5.0	0.42	50.0000	ND	106	46 - 128			
Chloroethane	40.4800	5.0	1.5	50.0000	ND	81.0	37 - 178			
Chloroform	52.8700	5.0	0.24	50.0000	ND	106	59 - 129			
Chloromethane	26.9500	5.0	1.1	50.0000	ND	53.9	31 - 168			
cis-1,2-Dichloroethene	56.3000	5.0	0.20	50.0000	ND	113	52 - 137			
cis-1,3-Dichloropropene	47.9400	5.0	0.39	50.0000	ND	95.9	45 - 130			
Di-isopropyl ether	44.7500	5.0	1.9	50.0000	ND	89.5	55 - 132			
Dibromochloromethane	49.8400	5.0	0.81	50.0000	ND	99.7	56 - 117			
Dibromomethane	47.5700	5.0	0.23	50.0000	ND	95.1	62 - 116			
Dichlorodifluoromethane	9.36000	5.0	0.14	50.0000	ND	18.7	0 - 266			
Ethyl Acetate	268.400	50	7.0	500.000	ND	53.7	16 - 156			
Ethyl Ether	467.270	50	17	500.000	ND	93.5	58 - 127			
Ethyl tert-butyl ether	46.7300	5.0	0.85	50.0000	ND	93.5	23 - 181			
Ethylbenzene	52.9400	5.0	0.43	50.0000	ND	106	43 - 144			
Freon-113	49.1300	5.0	1.3	50.0000	ND	98.3	45 - 148			
Hexachlorobutadiene	54.0500	5.0	0.40	50.0000	ND	108	0 - 149			
Isopropylbenzene	52.0800	5.0	0.79	50.0000	ND	104	38 - 148			
m,p-Xylene	108.670	10	0.98	100.000	ND	109	43 - 146			
Methylene chloride	55.1300	5.0	2.2	50.0000	2.35000	106	51 - 139			

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
Matrix Spike (B1G0366-MS1) - Continued			**Source: 2101579-02**			Prepared: 7/22/2021 Analyzed: 7/22/2021				
MTBE	43.9300	5.0	0.81	50.0000	ND	87.9	41 - 152			
n-Butylbenzene	53.8900	5.0	1.2	50.0000	ND	108	11 - 163			
n-Propylbenzene	52.9200	5.0	0.78	50.0000	ND	106	31 - 154			
Naphthalene	45.3500	5.0	1.1	50.0000	ND	90.7	0 - 266			
o-Xylene	53.0900	5.0	0.67	50.0000	ND	106	40 - 142			
sec-Butylbenzene	54.0000	5.0	0.63	50.0000	ND	108	20 - 161			
Styrene	51.9700	5.0	0.45	50.0000	ND	104	31 - 157			
tert-Amyl methyl ether	44.3400	5.0	1.1	50.0000	3.09000	82.5	20 - 179			
tert-Butanol	203.950	100	11	250.000	ND	81.6	6 - 173			
tert-Butylbenzene	51.5600	5.0	0.80	50.0000	ND	103	28 - 155			
Tetrachloroethene	55.2500	5.0	0.31	50.0000	ND	110	39 - 144			
Toluene	52.3500	5.0	0.27	50.0000	ND	105	10 - 179			
trans-1,2-Dichloroethene	56.3000	5.0	0.56	50.0000	ND	113	60 - 135			
trans-1,3-Dichloropropene	47.9400	5.0	0.59	50.0000	ND	95.9	53 - 131			
Trichloroethene	55.0600	5.0	0.32	50.0000	ND	110	54 - 135			
Trichlorofluoromethane	50.7300	5.0	1.0	50.0000	ND	101	35 - 165			
Vinyl acetate	268.260	50	6.0	500.000	ND	53.7	0 - 180			
Vinyl chloride	32.5200	5.0	0.92	50.0000	ND	65.0	44 - 165			
Surrogate: 1,2-Dichloroethane-d4	*51.00*			*50.0000*		*102*	*66 - 200*			
Surrogate: 4-Bromofluorobenzene	*50.58*			*50.0000*		*101*	*50 - 146*			
Surrogate: Dibromofluoromethane	*51.39*			*50.0000*		*103*	*77 - 159*			
Surrogate: Toluene-d8	*49.21*			*50.0000*		*98.4*	*81 - 128*			
Matrix Spike Dup (B1G0366-MSD1)			**Source: 2101579-02**			Prepared: 7/22/2021 Analyzed: 7/22/2021				
1,1,1,2-Tetrachloroethane	58.1200	5.0	0.52	50.0000	ND	116	50 - 126	13.0	20	
1,1,1-Trichloroethane	59.6600	5.0	0.26	50.0000	ND	119	56 - 144	8.16	20	
1,1,2,2-Tetrachloroethane	49.4800	5.0	0.21	50.0000	ND	99.0	20 - 153	12.4	20	
1,1,2-Trichloroethane	54.1300	5.0	0.40	50.0000	ND	108	0 - 421	9.97	20	
1,1-Dichloroethane	57.8000	5.0	1.4	50.0000	ND	116	58 - 131	9.95	20	
1,1-Dichloroethene	61.2400	5.0	1.9	50.0000	ND	122	60 - 143	8.41	20	
1,1-Dichloropropene	63.1000	5.0	0.54	50.0000	ND	126	57 - 144	12.6	20	
1,2,3-Trichloropropane	48.3200	5.0	0.40	50.0000	ND	96.6	52 - 121	8.05	20	
1,2,3-Trichlorobenzene	58.4700	5.0	0.83	50.0000	ND	117	0 - 153	15.9	20	
1,2,4-Trichlorobenzene	57.4700	5.0	0.80	50.0000	ND	115	0 - 146	13.8	20	
1,2,4-Trimethylbenzene	58.2300	5.0	0.91	50.0000	ND	116	26 - 155	12.0	20	
1,2-Dibromo-3-chloropropane	46.7300	10	1.1	50.0000	ND	93.5	36 - 125	7.04	20	
1,2-Dibromoethane	52.4700	5.0	0.40	50.0000	ND	105	56 - 127	11.9	20	
1,2-Dichlorobenzene	58.2900	5.0	0.21	50.0000	ND	117	26 - 136	14.4	20	
1,2-Dichloroethane	55.7200	5.0	0.50	50.0000	ND	111	60 - 118	13.4	20	
1,2-Dichloropropane	57.3900	5.0	0.46	50.0000	ND	115	52 - 124	15.7	20	
1,3,5-Trimethylbenzene	59.7900	5.0	0.70	50.0000	ND	120	31 - 152	13.9	20	
1,3-Dichlorobenzene	58.3600	5.0	0.36	50.0000	ND	117	26 - 140	13.7	20	
1,3-Dichloropropane	52.6300	5.0	0.49	50.0000	ND	105	56 - 118	8.29	20	
1,4-Dichlorobenzene	57.7700	5.0	0.27	50.0000	ND	116	27 - 136	15.4	20	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
Matrix Spike Dup (B1G0366-MSD1) - Continued			**Source: 2101579-02**			Prepared: 7/22/2021 Analyzed: 7/22/2021				
2,2-Dichloropropane	56.3700	5.0	0.28	50.0000	ND	113	50 - 146	11.1	20	
2-Chlorotoluene	58.7500	5.0	0.53	50.0000	ND	118	28 - 149	12.9	20	
4-Chlorotoluene	58.0800	5.0	0.40	50.0000	ND	116	35 - 142	12.5	20	
4-Isopropyltoluene	60.1800	5.0	0.81	50.0000	ND	120	12 - 175	14.0	20	
Benzene	59.7600	5.0	0.36	50.0000	ND	120	61 - 127	11.7	20	
Bromobenzene	56.4300	5.0	0.62	50.0000	ND	113	40 - 129	14.0	20	
Bromochloromethane	57.2300	5.0	0.30	50.0000	ND	114	57 - 135	7.60	20	
Bromodichloromethane	56.1700	5.0	0.52	50.0000	ND	112	58 - 119	11.1	20	
Bromoform	51.8000	5.0	1.4	50.0000	ND	104	48 - 130	10.9	20	
Bromomethane	43.2800	5.0	2.5	50.0000	ND	86.6	40 - 183	10.7	20	
Carbon disulfide	45.0500	5.0	0.94	50.0000	ND	90.1	49 - 153	8.30	20	
Carbon tetrachloride	60.3800	5.0	0.73	50.0000	ND	121	49 - 146	13.5	20	
Chlorobenzene	58.8900	5.0	0.42	50.0000	ND	118	46 - 128	10.1	20	
Chloroethane	44.9700	5.0	1.5	50.0000	ND	89.9	37 - 178	10.5	20	
Chloroform	57.1900	5.0	0.24	50.0000	ND	114	59 - 129	7.85	20	
Chloromethane	28.6100	5.0	1.1	50.0000	ND	57.2	31 - 168	5.98	20	
cis-1,2-Dichloroethene	61.2400	5.0	0.20	50.0000	ND	122	52 - 137	8.41	20	
cis-1,3-Dichloropropene	53.6500	5.0	0.39	50.0000	ND	107	45 - 130	11.2	20	
Di-isopropyl ether	50.4800	5.0	1.9	50.0000	ND	101	55 - 132	12.0	20	
Dibromochloromethane	54.9200	5.0	0.81	50.0000	ND	110	56 - 117	9.70	20	
Dibromomethane	55.0900	5.0	0.23	50.0000	ND	110	62 - 116	14.7	20	
Dichlorodifluoromethane	9.34000	5.0	0.14	50.0000	ND	18.7	0 - 266	0.214	20	
Ethyl Acetate	281.680	50	7.0	500.000	ND	56.3	16 - 156	4.83	20	
Ethyl Ether	512.510	50	17	500.000	ND	103	58 - 127	9.23	20	
Ethyl tert-butyl ether	51.2400	5.0	0.85	50.0000	ND	102	23 - 181	9.21	20	
Ethylbenzene	58.9300	5.0	0.43	50.0000	ND	118	43 - 144	10.7	20	
Freon-113	53.0900	5.0	1.3	50.0000	ND	106	45 - 148	7.75	20	
Hexachlorobutadiene	62.7800	5.0	0.40	50.0000	ND	126	0 - 149	14.9	20	
Isopropylbenzene	59.5500	5.0	0.79	50.0000	ND	119	38 - 148	13.4	20	
m,p-Xylene	122.500	10	0.98	100.000	ND	122	43 - 146	12.0	20	
Methylene chloride	58.0200	5.0	2.2	50.0000	2.35000	111	51 - 139	5.11	20	
MTBE	47.3400	5.0	0.81	50.0000	ND	94.7	41 - 152	7.47	20	
n-Butylbenzene	61.4900	5.0	1.2	50.0000	ND	123	11 - 163	13.2	20	
n-Propylbenzene	60.4700	5.0	0.78	50.0000	ND	121	31 - 154	13.3	20	
Naphthalene	52.3000	5.0	1.1	50.0000	ND	105	0 - 266	14.2	20	
o-Xylene	59.2200	5.0	0.67	50.0000	ND	118	40 - 142	10.9	20	
sec-Butylbenzene	60.3800	5.0	0.63	50.0000	ND	121	20 - 161	11.2	20	
Styrene	58.5800	5.0	0.45	50.0000	ND	117	31 - 157	12.0	20	
tert-Amyl methyl ether	49.3300	5.0	1.1	50.0000	3.09000	92.5	20 - 179	10.7	20	
tert-Butanol	222.610	100	11	250.000	ND	89.0	6 - 173	8.75	20	
tert-Butylbenzene	59.7500	5.0	0.80	50.0000	ND	120	28 - 155	14.7	20	
Tetrachloroethene	60.5900	5.0	0.31	50.0000	ND	121	39 - 144	9.22	20	
Toluene	58.9000	5.0	0.27	50.0000	ND	118	10 - 179	11.8	20	
trans-1,2-Dichloroethene	61.2400	5.0	0.56	50.0000	ND	122	60 - 135	8.41	20	

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Volatile Organic Compounds by EPA 8260B - Quality Control (cont'd)

Analyte	Result (ug/kg)	PQL (ug/kg)	MDL (ug/kg)	Spike Level	Source Result	% Rec	% Rec Limits	RPD	RPD Limit	Notes
Batch B1G0366 - MSVOA_S (continued)										
Matrix Spike Dup (B1G0366-MSD1) - Continued			**Source: 2101579-02**			Prepared: 7/22/2021 Analyzed: 7/22/2021				
trans-1,3-Dichloropropene	53.6500	5.0	0.59	50.0000	ND	107	53 - 131	11.2	20	
Trichloroethene	61.5500	5.0	0.32	50.0000	ND	123	54 - 135	11.1	20	
Trichlorofluoromethane	52.9300	5.0	1.0	50.0000	ND	106	35 - 165	4.24	20	
Vinyl acetate	281.540	50	6.0	500.000	ND	56.3	0 - 180	4.83	20	
Vinyl chloride	32.7100	5.0	0.92	50.0000	ND	65.4	44 - 165	0.583	20	
Surrogate: 1,2-Dichloroethane-d4	*50.98*			*50.0000*		*102*	*66 - 200*			
Surrogate: 4-Bromofluorobenzene	*49.54*			*50.0000*		*99.1*	*50 - 146*			
Surrogate: Dibromofluoromethane	*50.39*			*50.0000*		*101*	*77 - 159*			
Surrogate: Toluene-d8	*50.15*			*50.0000*		*100*	*81 - 128*			

Certificate of Analysis

Stantec	Project Number : 2014217900
735 E. Carnegie Drive, Suite 280	Report To : Alicia Jansen
San Bernardino , CA 92408	Reported : 07/30/2021

Notes and Definitions

L4	Laboratory Control Sample outside of control limit but within Marginal Exceedance (ME) limit.
ND	Analyte is not detected at or above the Practical Quantitation Limit (PQL). When client requests quantitation against MDL, analyte is not detected at or above the Method Detection Limit (MDL)
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
NR	Not Reported
RPD	Relative Percent Difference
CA2	CA-ELAP (CDPH)
OR1	OR-NELAP (OSPHL)

Notes:
(1) The reported MDL and PQL are based on prep ratio variation and analytical dilution.
(2) The suffix [2C] of specific analytes signifies that the reported result is taken from the instrument's second column.
(3) Results are wet unless otherwise specified.

Stantec

210579

CHAIN OF CUSTODY

Laboratory Project Number: _____

Page 1 of 1

Client Name/Address:	Project Manager:
Stantec Consulting Services Inc. **735 E. Carnegie Drive, Suite 280** **San Bernardino, CA 92408** **909-335-6116**	Alicia Jansen E-Mail Address: **debbie.hernandez@stantec.com** alicia.jansen@stantec.com Sampler Name: **Debbie Hernandez**
Laboratory:	Stantec Project Number: 2014217900 Project: Toll brothers - Fremont

Sample Description/Identification	Sample Matrix	Preservative (see below)	# of Cont.	Sample Date	Sample Time	Filtered Sample	TPH by (8,d,o) 8015	VOCs (8260/5035)	HOICl							Special Instructions
B-01-1	Soil	ICE	1	7/20/21	1237		X	X								
B-01-5					1252		X	X								
B-02-1					1205		X	X								
B-02-5					1215		X	X								
B-03-6					1102				X							
B-03-10					1110		X	X								
B-04-5					1135				X							
B-04-10					1145		X	X								
B-05-5					1355				X							
B-05-10					145 1415		X	X								
B-06-5					1330				X							
B-06-10					1335		X	X								
WP-1	Soil	ICE	1	7/21/21	1045				X							

Turn Around Time:
Normal X
72 Hour:
48 Hour
24 Hour
Same Day:
Other:
Sample Temp °C: 5.2

Sample Preservative: **1**=ICE - **2**=HCl - **3**=H_2SO_4 - **4**=HNO_3 - **5**=NaOH - **6**=Other: _____

Special Instructions:

Relinquished By:	Date	Time	Received By + Company Name:	Date	Time
	7/21/21 ~~7/20/21~~ DH		Tilford Ware	7-21-21	
Relinquished By + Company Name: Tilford Ware	Date 7-21-21	Time 12:21	Received By + Company Name:	Date 7/21/21	Time 12:21
Relinquished By + Company Name:	Date	Time	Received By + Company Name:	Date	Time

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

July 30, 2021

AETL Job No: BCG0262
Received Date: 07/27/2021
Project Number: 2101579

Advanced Technology Laboratories
3275 Walnut Avenue
Signal Hill, CA 90755-5225
Telephone: (562) 989-4045

Attention: Arianna Campuzano

Project Name: 2101579
Site:

Enclosed please find the results of analyses for samples which were analyzed as specified on the attached chain of custody. If you have any questions concerning this report, please do not hesitate to call.

Checked By:

Corey Jones
Project Manager

Approved By:

Hailley Coleman
Project Manager

Table of Contents

Client Project Name: General Project Number: 2101579
Work Order Number: BCG0262

1	Cover Letter	1
2	Sample Condition on Receipt	3
3	Chain of Custody	4
4	Cooler Receipt Form	7
5	Case Narrative	8
6	Samples Received	9
7	Positive Hits Summary	12
8	Analytical Results	13
9	Quality Control Results	21
10	Qualifiers and Definitions	23

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Sample Condition on Receipt

Cooler ID: Default Cooler **Temperature: 5.0 °C**

Are the COCs Correct	Y		
Labels Legible	Y	Containers In Good Condition	Y
COC/Labels Agree	Y	Samples Preserved Properly	Y
Sufficient Sample Volume	Y	Sufficient Holding Time for all Tests	Y
Sample Labels intact	Y	Received on Ice	Y

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

ADVANCED TECHNOLOGY LABORATORIES

SUBCONTRACT ORDER

Work Order: 2101579 BCG0262

SENDING LABORATORY:

Advanced Technology Laboratories
3275 Walnut Avenue
Signal Hill, CA 90755
Phone: 562.989.4045
Fax: 562.989.6348
Project Manager: Arianna Campuzano

Sampler: Debbie Hernandez

RECEIVING LABORATORY:

AETL
2840 North Naomi Street
Burbank, CA 91504
Phone :(818) 845-8200
Fax: (818) 845-8840
PO#: SC15840 - 24hour TAT

IMPORTANT : Please include Work Order # and PO # in your invoice.

QC Requirements:

- ☒ Routine
- ☐ RWQCB
- ☐ Caltrans
- ☐ Level IV*
- ☐ Legal
- ☐ Other: _____

* All Level IV sample containers (including empty ones) must be returned to ATL 30 days after receipt.

EDD Requirements:

- ☒ Standard Excel
- ☐ Geotracker EDF
- ☐ Other:

Analysis	Due	Expires	Sampled	Comments
ATL Lab#: 2101579-01 / B-01-1		**Solid**	**07/20/21 12:37**	**DRO / ORO** BCG0262-01
8015_DRO [Diesel Range Organics] Glass Jar - 4 oz	**07/28/21 17:00**	08/03/21 12:37		
ATL Lab#: 2101579-02 / B-01-5		**Solid**	**07/20/21 12:52**	**DRO / ORO** BCG0262-02
8015_DRO [Diesel Range Organics] Glass Jar - 4 oz	**07/28/21 17:00**	08/03/21 12:52		

Prepared by: _____ 7/27/21
Sample Control Technician — Date

Inspected by: _____ 7/27/21
Sample Control Lead — Date

Approved by: Arianna Campuzano 07/27/21
Dedicated ATL Project Manager — Date

	7/27/21	16:22		7/27/21	1628
Released By ATL Sample Control	Date	Time	Received By Courier	Date	Time
	7/27/21	1735			
Released By Courier	Date	Time	Received By Subcontract Laboratory	Date	Time
				7/27/21	1735
Released By	Date	Time	Received By	Date	Time

ADVANCED TECHNOLOGY LABORATORIES

SUBCONTRACT ORDER

Work Order: 2101579

BCG0262

Analysis	Due	Expires	Sampled	Comments
ATL Lab#: 2101579-03 / **B-02-1** 8015_DRO [Diesel Range Organics] Glass Jar - 4 oz	**07/28/21 17:00**	**Solid** 08/03/21 12:05	**07/20/21 12:05**	**DRO / ORO** BCG0262.03
ATL Lab#: 2101579-04 / **B-02-5** 8015_DRO [Diesel Range Organics] Glass Jar - 4 oz	**07/28/21 17:00**	**Solid** 08/03/21 12:15	**07/20/21 12:15**	**DRO / ORO** BCG0262.04
ATL Lab#: 2101579-06 / **B-03-10** 8015_DRO [Diesel Range Organics] Glass Jar - 4 oz	**07/28/21 17:00**	**Solid** 08/03/21 11:10	**07/20/21 11:10**	**DRO / ORO** BCG0262.05
ATL Lab#: 2101579-08 / **B-04-10** 8015_DRO [Diesel Range Organics] Glass Jar - 4 oz	**07/28/21 17:00**	**Solid** 08/03/21 11:45	**07/20/21 11:45**	**DRO / ORO** BCG0262.06
ATL Lab#: 2101579-10 / **B-05-10** 8015_DRO [Diesel Range Organics] Glass Jar - 4 oz	**07/28/21 17:00**	**Solid** 08/03/21 14:15	**07/20/21 14:15**	**DRO / ORO** BCG0262.07

Prepared by: _____ 7/27/21
Sample Control Technician — Date

Inspected by: _____ 7/27/21
Sample Control Lead — Date

Approved by: _____ 07/27/21
Dedicated ATL Project Manager — Date

_____ 7/27/21 16:22
Released By ATL Sample Control — Date — Time

_____ 7/27/21 1622
Received By Courier — Date — Time

_____ 7/27/21 1735
Released By Courier — Date — Time

Received By Subcontract Laboratory — Date — Time

Released By — Date — Time

_____ 7/27/21 1735
Received By — Date — Time

ADVANCED TECHNOLOGY LABORATORIES

SUBCONTRACT ORDER

Work Order: 2101579

BCG0262

Analysis	Due	Expires	Sampled	Comments
ATL Lab#: 2101579-12 / B-06-10		**Solid**	**07/20/21 13:35**	**DRO / ORO** BCG0262.08
8015_DRO	**07/28/21 17:00**	08/03/21 13:35		
[Diesel Range Organics]				
Glass Jar - 4 oz				

Prepared by: _____ 7/27/21
Sample Control Technician — Date

Inspected by: _____ 7/27/21
Sample Control Lead — Date

Approved by: _____ 07/27/21
Dedicated ATL Project Manager — Date

_____ 7/27/21 16:22
Released By ATL Sample Control — Date — Time

_____ 7/27/21 1622
Received By Courier — Date — Time

_____ 7/27/21 1735
Released By Courier — Date — Time

Received By Subcontract Laboratory — Date — Time

_____
Released By — Date — Time

_____ 7/27/21 1735
Received By — Date — Time

American Environmental Testing Laboratory Inc.
2834 & 2908 North Naomi Street, Burbank, CA 91504 • DOHS NO: 1541, LACSD NO: 10181
Tel: (888) 288-AETL • (818) 845-8200 • Fax: (818) 845-8840 • www.aetlab.com

COOLER RECEIPT FORM

Client Name: ATL
Project Name:
AETL Job Number: BCG0762
Date Received: 7/27/21 Received by: Sanjit Pillai
Carrier: ☐ AETL Courier ☑ Client ☐ GLS ☐ FedEx ☐ UPS
☐ Others:

Samples were received in: ☑ Cooler (1) ☐ Other (Specify):
Inside temperature of shipping container No 1: 5 °C, No 2: _____, No 3: _____
Type of sample containers: ☐ VOA, ☐ Glass bottles, ☐ Wide mouth jars, ☐ HDPE bottles, ☐ Metal sleeves, ☐ Others (Specify):
How are samples preserved: ☐ None, ☑ Ice, ☐ Blue Ice, ☐ Dry Ice
☐ None, ☐ HNO_3, ☐ NaOH, ☐ ZnOAc, ☐ HCl, ☐ $Na_2S_2O_3$, ☐ MeOH, ☐ $NaHSO_4$
☐ Other (Specify):

	Yes	No*	N/A	Name, if client was notified.
1. Are the COCs Correct?	✓			
2. Are Sample labels legible & indelible ink?	✓			
3. Do samples match the COC?	✓			
4. Are the required analyses clear?	✓			
5. Is there enough samples for required analysis?	✓			
6. Does cooler or samples have custody seal(s)?			✓	
7. Are sample containers in good condition?	✓			
8. Are samples preserved?	✓			
9. Are samples preserved properly for the intended analysis?	✓			
10. Are the VOAs free of headspace?			✓	
11. Are the jars free of headspace?			✓	
* = see note below. N/A = Not Applicable				

PLEASE NOTE ALL SAMPLES WILL BE DISPOSED OF 30 DAYS AFTER RECEIVING DATE. IF AETL IS INFORMED OTHERWISE, THERE WILL BE A STORAGE CHARGE PER SAMPLE PER MONTH FOR ANY SAMPLE HELD BEYOND 30 DAYS.

***Explain all "No" answers for above questions:**

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Case Narrative

The following "Sample Received" Section summarizes the samples received and associated analyses requested as specified on the enclosed chain of custody.

Results as reported by the laboratory apply only to 1) the items tested, 2) as the samples are received, and 3) the accuracy of information provided. Information supplied by the customer that may affect validity of results and may be contained in this report include Project Name/Number, Site Location, Sample Locations, Sampling Dates/Times, Sample ID, Sample Preservation, Sample Matrix, Sample Properties, Field Blanks, Field Duplicates, Field Spikes, and Site Historical Data.

Accreditation applies only to the test methods listed on each scope of accreditation held by the laboratory; certifications held by the laboratory may not apply to results supplied in this report.

Unless otherwise noted, all results of soil and solid samples are based on wet weight.

No analytical non-conformances were encountered.

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Samples Received

AETL received the following samples on 07/27/2021 with the following specifications

Client ID	Sample Date
B-01-1	07/20/2021 12:37

Lab ID	Matrix	Quantity of Containers
BCG0262-01	Soil	1

Method	Analyte	Units	TAT
EPA 8015B TPH DRO/ORO	TPH as Diesel and Oil Range Organics using GCFID	mg/kg	1

Client ID	Sample Date
B-01-5	07/20/2021 12:52

Lab ID	Matrix	Quantity of Containers
BCG0262-02	Soil	1

Method	Analyte	Units	TAT
EPA 8015B TPH DRO/ORO	TPH as Diesel and Oil Range Organics using GCFID	mg/kg	1

Client ID	Sample Date
B-02-1	07/20/2021 12:05

Lab ID	Matrix	Quantity of Containers
BCG0262-03	Soil	1

Method	Analyte	Units	TAT
EPA 8015B TPH DRO/ORO	TPH as Diesel and Oil Range Organics using GCFID	mg/kg	1

Client ID	Sample Date
B-02-5	07/20/2021 12:15

Lab ID	Matrix	Quantity of Containers
BCG0262-04	Soil	1

Method	Analyte	Units	TAT

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Samples Received
(Continued)

AETL received the following samples on 07/27/2021 with the following specifications

EPA 8015B TPH DRO/ORO	TPH as Diesel and Oil Range Organics using GCFID	mg/kg	1

Client ID: B-03-10 **Sample Date:** 07/20/2021 11:10

Lab ID: BCG0262-05 **Matrix:** Soil **Quantity of Containers:** 1

Method	Analyte	Units	TAT
EPA 8015B TPH DRO/ORO	TPH as Diesel and Oil Range Organics using GCFID	mg/kg	1

Client ID: B-04-10 **Sample Date:** 07/20/2021 11:45

Lab ID: BCG0262-06 **Matrix:** Soil **Quantity of Containers:** 1

Method	Analyte	Units	TAT
EPA 8015B TPH DRO/ORO	TPH as Diesel and Oil Range Organics using GCFID	mg/kg	1

Client ID: B-05-10 **Sample Date:** 07/20/2021 14:15

Lab ID: BCG0262-07 **Matrix:** Soil **Quantity of Containers:** 1

Method	Analyte	Units	TAT
EPA 8015B TPH DRO/ORO	TPH as Diesel and Oil Range Organics using GCFID	mg/kg	1

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Samples Received
(Continued)

AETL received the following samples on 07/27/2021 with the following specifications

Client ID			Sample Date
B-06-10			07/20/2021 13:35
Lab ID		**Matrix**	**Quantity of Containers**
BCG0262-08		Soil	1

Method	Analyte	Units	TAT
EPA 8015B TPH DRO/ORO	TPH as Diesel and Oil Range Organics using GCFID	mg/kg	1

Total Number of Samples received: 8

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Positive Hits Summary

Lab ID	Client ID					Sampled
Method	Analyte	Result	Qualifier	Unit		Analyzed

No positive results reported

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Analytical Results

Client ID: **B-01-1**

Lab ID: **BCG0262-01 (Soil)** **Sampled:** **07/20/21 12:37**

Analyte	Result	Qualifier	Dilution	MDL	RL	Units	Prepared Date/Time	Analyzed Date/Time	Batch	Analyst Initials	Prep. Method
TPH Diesel Range											
Method: EPA 8015B TPH DRO/ORO											
TPH as Diesel Range Organics (C10-C28)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 12:01	B1G0571	TTN	3550B
TPH as Oil Range Organics (C28-C40)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 12:01	B1G0571	TTN	3550B
	Recovery				Acceptance Criteria						
Surrogate: Chlorobenzene	*113%*				*75-125*		07/28/21 10:02	*07/29/21 12:01*	B1G0571	*TTN*	3550B

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Analytical Results

Client ID: **B-01-5**
Lab ID: **BCG0262-02 (Soil)** **Sampled:** **07/20/21 12:52**

Analyte	Result	Qualifier	Dilution	MDL	RL	Units	Prepared Date/Time	Analyzed Date/Time	Batch	Analyst Initials	Prep. Method
TPH Diesel Range											
Method: EPA 8015B TPH DRO/ORO											
TPH as Diesel Range Organics (C10-C28)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 12:50	B1G0571	TTN	3550B
TPH as Oil Range Organics (C28-C40)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 12:50	B1G0571	TTN	3550B
	Recovery				Acceptance Criteria						
Surrogate: Chlorobenzene	*115%*				*75-125*		07/28/21 10:02	*07/29/21 12:50*	B1G0571	*TTN*	3550B

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Analytical Results

Client ID: **B-02-1**

Lab ID: **BCG0262-03 (Soil)** **Sampled:** **07/20/21 12:05**

Analyte	Result	Qualifier	Dilution	MDL	RL	Units	Prepared Date/Time	Analyzed Date/Time	Batch	Analyst Initials	Prep. Method
TPH Diesel Range											
Method: EPA 8015B TPH DRO/ORO											
TPH as Diesel Range Organics (C10-C28)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 13:38	B1G0571	TTN	3550B
TPH as Oil Range Organics (C28-C40)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 13:38	B1G0571	TTN	3550B
	Recovery				Acceptance Criteria						
Surrogate: Chlorobenzene	*110%*				*75-125*		07/28/21 10:02	*07/29/21 13:38*	B1G0571	*TTN*	3550B

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Analytical Results

Client ID: **B-02-5**
Lab ID: **BCG0262-04 (Soil)** **Sampled:** **07/20/21 12:15**

Analyte	Result	Qualifier	Dilution	MDL	RL	Units	Prepared Date/Time	Analyzed Date/Time	Batch	Analyst Initials	Prep. Method
TPH Diesel Range											
Method: EPA 8015B TPH DRO/ORO											
TPH as Diesel Range Organics (C10-C28)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 14:25	B1G0571	TTN	3550B
TPH as Oil Range Organics (C28-C40)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 14:25	B1G0571	TTN	3550B
	Recovery				Acceptance Criteria						
Surrogate: Chlorobenzene	*115%*				*75-125*		07/28/21 10:02	*07/29/21 14:25*	B1G0571	*TTN*	3550B

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Analytical Results

Client ID: **B-03-10**

Lab ID: **BCG0262-05 (Soil)** **Sampled:** **07/20/21 11:10**

Analyte	Result	Qualifier	Dilution	MDL	RL	Units	Prepared Date/Time	Analyzed Date/Time	Batch	Analyst Initials	Prep. Method
TPH Diesel Range											
Method: EPA 8015B TPH DRO/ORO											
TPH as Diesel Range Organics (C10-C28)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 15:12	B1G0571	TTN	3550B
TPH as Oil Range Organics (C28-C40)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 15:12	B1G0571	TTN	3550B
	Recovery				Acceptance Criteria						
Surrogate: Chlorobenzene	*115%*				*75-125*		07/28/21 10:02	*07/29/21 15:12*	B1G0571	*TTN*	3550B

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Analytical Results

Client ID: **B-04-10**

Lab ID: **BCG0262-06 (Soil)** **Sampled:** **07/20/21 11:45**

TPH Diesel Range

Method: EPA 8015B TPH DRO/ORO

Analyte	Result	Qualifier	Dilution	MDL	RL	Units	Prepared Date/Time	Analyzed Date/Time	Batch	Analyst Initials	Prep. Method
TPH as Diesel Range Organics (C10-C28)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 15:57	B1G0571	TTN	3550B
TPH as Oil Range Organics (C28-C40)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 15:57	B1G0571	TTN	3550B
	Recovery				Acceptance Criteria						
Surrogate: Chlorobenzene	*116%*				*75-125*		07/28/21 10:02	*07/29/21 15:57*	B1G0571	*TTN*	3550B

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Analytical Results

Client ID: **B-05-10**

Lab ID: **BCG0262-07 (Soil)** **Sampled:** **07/20/21 14:15**

Analyte	Result	Qualifier	Dilution	MDL	RL	Units	Prepared Date/Time	Analyzed Date/Time	Batch	Analyst Initials	Prep. Method
TPH Diesel Range											
Method: EPA 8015B TPH DRO/ORO											
TPH as Diesel Range Organics (C10-C28)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 16:42	B1G0571	TTN	3550B
TPH as Oil Range Organics (C28-C40)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 16:42	B1G0571	TTN	3550B
	Recovery				Acceptance Criteria						
Surrogate: Chlorobenzene	*117%*				*75-125*		07/28/21 10:02	*07/29/21 16:42*	B1G0571	*TTN*	3550B

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Analytical Results

Client ID: **B-06-10**

Lab ID: **BCG0262-08 (Soil)** **Sampled:** **07/20/21 13:35**

Analyte	Result	Qualifier	Dilution	MDL	RL	Units	Prepared Date/Time	Analyzed Date/Time	Batch	Analyst Initials	Prep. Method
TPH Diesel Range											
Method: EPA 8015B TPH DRO/ORO											
TPH as Diesel Range Organics (C10-C28)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 17:25	B1G0571	TTN	3550B
TPH as Oil Range Organics (C28-C40)	ND		1	1.62	5.00	mg/kg	07/28/21 10:02	07/29/21 17:25	B1G0571	TTN	3550B
	Recovery				Acceptance Criteria						
Surrogate: Chlorobenzene	*121%*				*75-125*		07/28/21 10:02	*07/29/21 17:25*	B1G0571	*TTN*	3550B

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Quality Control Results

TPH Diesel Range (EPA 8015B TPH DRO/ORO)

Analyte	Result	MDL	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
Batch: B1G0571 - 3550B					**Prepared: 07/28/2021 10:02**						
Method Blank (B1G0571-BLK1)					**Analyzed: 07/28/2021 10:47**						
TPH as Diesel Range Organics (C10-C28)	ND	1.62	5.00	mg/kg							
Surrogate: Chlorobenzene	*103*			*mg/kg*	*100*		*103*	*75-125*			

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Quality Control Results

TPH Diesel Range (EPA 8015B TPH DRO/ORO)

Analyte	Result	MDL	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
Batch: B1G0571 - 3550B (Continued)					**Prepared: 07/28/2021 10:02**						
LCS (B1G0571-BS1)					**Analyzed: 07/28/2021 15:39**						
TPH as Diesel (C13-C22)	525	1.62	5.00	mg/kg	500		105	75-125			
Surrogate: Chlorobenzene	*102*			*mg/kg*	*100*		*102*	*75-125*			
LCSD (B1G0571-BSD1)					**Analyzed: 07/28/2021 16:25**						
TPH as Diesel (C13-C22)	518	1.62	5.00	mg/kg	500		104	75-125	1.37	20	
Surrogate: Chlorobenzene	*103*			*mg/kg*	*100*		*103*	*75-125*			
Matrix Spike (B1G0571-MS1)		**Source: BCG0262-06**			**Analyzed: 07/29/2021 18:50**						
TPH as Diesel (C13-C22)	526	1.62	5.00	mg/kg	500	ND	105	75-125			
Surrogate: Chlorobenzene	*100*			*mg/kg*	*100*		*100*	*75-125*			
Matrix Spike Dup (B1G0571-MSD1)		**Source: BCG0262-06**			**Analyzed: 07/29/2021 19:32**						
TPH as Diesel (C13-C22)	519	1.62	5.00	mg/kg	500	ND	104	75-125	1.32	20	
Surrogate: Chlorobenzene	*105*			*mg/kg*	*100*		*105*	*75-125*			

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

AMERICAN ENVIRONMENTAL TESTING LABORATORY
2840 North Naomi Street Burbank, CA 91504 • ELAP# 1541 & 2402 • LACSD# 10181
TEL (888) 288-AETL • (818) 845-8200 • www.aetlab.com
A KYZER LABS COMPANY

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

Qualifiers and Definitions

Item	Definitions
% wt	Percent Weight
%REC	Percent Recovery
°F	Degrees Fahrenheit
AETL	American Environmental Testing Laboratory, LLC
C	Carbon
CARB	California Air Resources Board
COC	Chain of Custody
CRM	Certified Reference Material
DPD	Department of Planning and Development
DRO	Diesel Range Organics
Dup	Duplicate
ELAP	Environmental Laboratory Accreditation Program
EPA	Environmental Protection Agency
GC/FID	Gas Chromatography Flame Ionization Detection
GRO	Gasoline Range Organics
HC	Hydrocarbon
HEM	Hexane Extractable Material
HMU	Hazardous Material Unit
ICP/MS	Inductively Coupled Plasma Mass Spectrometry
LACSD	Los Angeles County Sanitation Districts
LCS	Laboratory Control Sample - A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes.
LCSD	Laboratory Control Sample Duplicate - A replicate of Laboratory Control Sample.
LOQ	Limit of Quantitation
MDL	Method Detection Limit - The minimum measured concentration of a substance that can be reported with 99% confidence. MDL is statistically derived number which is specific for each instrument, each method and each compound.
mg/kg	Miligrams per Kilogram
mg/L	Miligrams per Liter
ml/L/hr	Milliliter per Liter per Hour
MRO	Motor oil Range Organics
MS	Matrix Spike - A sample prepared, taken through all sample preparation and analytical steps of the procedure and analyzed as an independent test results.
MSD	Matrix Spike Duplicate - A replicate of Matrix Spike Sample.
N	No
ND	Analyte is not detected below Method Detection Limit.
ng/m3	Nanograms per cubic meter
NIOSH	National Institute for Occupational Safety and Health

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

Advanced Technology Laboratories	AETL Job Number:	BCG0262	
3275 Walnut Avenue	Project Number:	2101579	
Signal Hill, CA 90755-5225	Attention:	Arianna Campuzano	
	Project Name:	2101579	Reported: 07/30/2021 09:59

nL/L	Nanoliters per Liter
NTU	Nephelometric Turbidity Units
Ohm-cm	Ohms per centimeter
ORO	Oil Range Organics
OSHA	Occupational Safety and Health Administration
PCB	Polychlorinated Biphenyl
PSU	Practical Salinity Unit
RL	Reporting Limit - The lowest concentration at which an analyte can be detected in a sample and its concentration can be reported with a specified degree of confidence, accuracy and precision. For usage at AETL, RL is equivalant to LOQ.
RPD	Relative Percent Difference
SIM	Selective Ion Monitoring
SM	Standard Method
SPLP	Synthetic Precipitation Leaching Procedure
STLC	Soluble Threshold Limit Concentration
TCLP	Toxicity Characteristic Leaching Procedure
TPH	Total Petroleum Hydrocarbons
TTLC	Total Threshold Limit Concentrations
ug/kg	Micrograms per Kilogram
ug/L	Micrograms per Liter
ug/m3	Micrograms per cubic meter
WET	Waste Extraction Test
Y	Yes
ZHE	Zero Headspace Extraction

The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.
No duplication of this report is allowed, except in its entirety without written approval of the laboratory.

Additional Phase II Environmental Site Assessment

235 South Tremont Street

Oceanside, California 92054

November 5, 2021

Prepared for:

Toll Brothers Apartment Living
23422 Mill Creek Drive, Suite 105
Laguna Hills, California 92653

Prepared by:

Stantec Consulting Services Inc.
735 East Carnegie Drive, Suite 280
San Bernardino, CA 92408

Project No.: 2014217900

ADDITIONAL PHASE II ENVIRONMENTAL SITE ASSESSMENT

This document entitled Additional Phase II Environmental Site Assessment was prepared by Stantec Consulting Services Inc. ("Stantec") for the account of Toll Brothers Apartment Living or "Toll Brothers," (the "Client"). Any reliance on this document by any third party is strictly prohibited. The material in it reflects Stantec's professional judgment in light of the scope, schedule and other limitations stated in the document and in the contract between Stantec and the Client. The opinions in the document are based on conditions and information existing at the time the document was published and do not take into account any subsequent changes. In preparing the document, Stantec did not verify information supplied to it by others. Any use which a third party makes of this document is the responsibility of such third party. Such third party agrees that Stantec shall not be responsible for costs or damages of any kind, if any, suffered by it or any other third party as a result of decisions made or actions taken based on this document.

Prepared by _____
(signature)

Deborah Hernandez
Geologic Staff

Reviewed by _____
(signature)

Alicia Jansen
Associate Scientist

Approved by _____
(signature)

Kyle Emerson, CEG
Managing Principal Geologist

1.0 EXECUTIVE SUMMARY 1.1

2.0 INTRODUCTION 2.1
2.1 PROPERTY DESCRIPTION AND OPERATIONS 2.1
2.2 PROPERTY GEOLOGY AND HYDROGEOLOGY 2.1

3.0 BACKGROUND 3.1

4.0 FIELD INVESTIGATION 4.1
4.1 PRE-DRILLING ACTIVITIES 4.1
4.2 INVESTIGATION 4.1
4.2.1 Soil Boring Procedures 4.2
4.2.2 Soil Vapor Probe Installation 4.2
4.2.3 Soil Vapor Sampling 4.3
4.2.4 Field Equipment Cleaning Procedures 4.3

5.0 LABORATORY TESTING PROGRAM 5.1

6.0 INVESTIGATION RESULTS 6.1
6.1 FIELD OBSERVATIONS 6.1
6.2 ANALYTICAL RESULTS 6.1
6.2.1 Soil Results 6.1
6.2.2 Soil Vapor Results 6.1

7.0 HUMAN HEALTH RISK ASSESSMENT 7.1
7.1 OVERVIEW OF APPROACH 7.1
7.2 CONCEPTUAL SITE MODEL 7.1
7.2.1 GEOLOGY AND HYDROGEOLOGY 7.1
7.2.2 SURROUNDING PROPERTY USE 7.1
7.2.3 POTENTIAL SOURCES 7.2
7.2.4 POTENTIALLY EXPOSED POPULATIONS 7.2
7.2.5 POTENTIAL EXPOSURE PATHWAYS 7.2
7.2.6 EXPOSURE ASSESSMENT 7.2
7.2.7 EXPOSURE POINT CONCENTRATIONS 7.3
7.3 SELECTION OF TOXICITY VALUES 7.3
7.4 HUMAN HEATH RISK-BASED SCREENING LEVELS 7.4
7.4.1 Vapor Intrusion Screening Levels 7.4
7.4.2 Screening Levels used for Evaluation of Future Residential Soil-Direct Contact 7.4
7.5 RISK CHARACTERIZATION 7.5
7.6 RISK CHARACTERIZATION SUMMARY 7.5
7.7 DISCUSSION 7.6
7.8 UNCERTANTY ASSESSMENT 7.7

8.0 CONCLUSIONS AND RECOMMENDATIONS 8.9



9.0 LIMITATIONS 9.1

10.0 REFERENCES 10.2

LIST OF TABLES

Table 1 – Summary of Soil Analytical Results - VOCs and TPH
Table 2 – Summary of Soil Vapor Analytical Results

LIST OF FIGURES

Figure 1 – Property Location Map
Figure 2 – Property Details Map

LIST OF APPENDICES

Appendix A – Boring Logs
Appendix B – Laboratory Data Sheets

1.0 EXECUTIVE SUMMARY

Stantec Consulting Services Inc. (Stantec) has prepared this Additional Phase II Environmental Site Assessment (ESA) report for the property located at 235 South Tremont Street, Oceanside, California (the "Property", **Figure 1**), on behalf of Toll Brothers Apartment Living (Toll Brothers, the "Client"). The work performed herein was done in conformance the scope of work in the in accordance with Stantec's *Proposal to Perform Supplemental Phase II Environmental Site Assessment*, dated August 10, 2021.

The Property consists of approximately 11 acres of developed land at 235 South Tremont Street, in the City of Oceanside, California. The Property is currently developed with a North County Transit District's Oceanside Transit Center and associated parking lots. Surrounding properties are a mix of commercial, retail, and residential properties. A Property location map is illustrated on Figure 1. A Property map illustrating the main features of the Property is provided as Figure 2.

Stantec completed a Phase I ESA for the Property which revealed the following evidence of recognized environmental conditions (RECs) in connection with the Property:

- **Historical Dry-cleaning Operations:** Historical records indicate an historic dry cleaner was located on the Property from at least the 1920s to 1960s. Soil vapor does not appear to have been assessed on the Property; therefore, the historical presence of the dry cleaner is considered to represent a REC for the Property. Stantec recommended that the former dry cleaner be assessed to evaluate if a release has occurred that would affect the residential development of the Property.

- **Historical Auto Service Operations:** A historic automotive repair/ gasoline station identified as Seaside Oil company was present at the Property from at least the 1950s to 1960s in the southwest corner of the Property. Soil and soil vapor do not appear to have been assessed on the Property at the location of the former historic automotive repair/ gasoline station. Therefore, this historic facility represents a REC to the Property and further assessment is recommended to evaluate if a release has occurred that would affect the residential development of the Property.

- **Nearby Facilities:** Eighteen historic automotive repair facilities are listed with 500 feet of the Property, and 16 historic dry cleaners are listed within 800 feet of the Property, five of which have had historic releases reported. Additionally, a former railroad at 117 South Cleveland Street (approximately 88 feet northwest) is listed in the State Water Resources Control Board's (SWRCB's) Geotracker website as a Leaking Underground Storage Tank (LUST) Cleanup Site with a status of 'Completed – Case Closed' as of 12/30/1993. These facilities represent a vapor encroachment condition (VEC) to the subject Site. Stantec would recommend assessment of soil vapor on the Property to evaluate if these neighboring properties are affecting the Site.

To investigate these RECs and the VEC, Stantec performed a Phase II ESA at the Property in June 2021. Results of the Phase II ESA are described below.

Initial Phase II ESA Results

On July 20 and July 21, 2021, Stantec oversaw the advancement of fourteen (14) soil borings (B-01 through B-14) and at each boring locations a soil vapor probe was installed at 5-feet below ground surface (bgs). Two additional borings (B-3 and B-4) were further advanced to 10-feet bgs and had additional soil vapor probes installed at the 10-feet bgs interval. All borings advanced during this investigation are depicted on **Figure 2**.

The completed assessment did not detect concentrations of total petroleum hydrocarbons (TPH) or volatile organic compounds (VOCs) in any of the soil samples collected and submitted for laboratory analysis.

In the soil vapor samples collected and analyzed, TPH in the gasoline range organics (GRO) was detected in 10 of the 14 borings exceeding the initial residential screening level using an 0.03 attenuation factor equal to 3,300 ug/m^3. Tetrachloroethene (PCE) was detected in 9 of the 14 borings with 6 of the borings exceeding the initial residential screening level using a 0.03 attenuation factor equal to 15.3 ug/m^3. Toluene was detected in 5 of the 14 soil vapor samples at concentrations significantly below the initial residential screening level using a 0.03 attenuation factor, equal to 10,333 ug/m^3.

To provide further delineation, Stantec performed an additional Phase II ESA at the Property in October 2021. Results of the Additional Phase II ESA are described below.

Additional Phase II ESA

On October 12 and 13, 2021, Stantec oversaw the advancement of nine (9) soil borings (B-15 through B-23) to approximately 15-feet bgs. Stantec was unable to advance any of the borings to a deeper depth due drill rig refusal from hard cobble fragments and rocks. Soil vapor probe was installed at each location at the borehole terminate depth which ranged from 9.5 to 15-feet bgs. All borings advanced during this investigation are depicted on **Figure 2**.

The soil samples collected from these soil borings did not detect TPH or VOCs in any of the soil samples collected and submitted for laboratory analysis.

TPH-GRO was detected in all 9 borings with 5 of the soil vapor samples (B-15-5; B-22-5; B-22-10; B-23-5; and B-23-10) exceeding the initial residential screening level using an 0.03 attenuation factor equal to 3,300 ug/m^3. Benzene was detected in two soil vapor samples (B-5-5 and B-5-12) at 10 ug/m^3 which is above the residential screening level using an 0.03 attenuation factor equal to 3.2 ug/m^3. PCE was detected in 7 of the 9 borings with 4 of the borings exceeding the initial residential screening level using a 0.03 attenuation factor equal to 15.3 ug/m^3. Toluene was detected in 5 of the 9 borings at concentrations significantly below the initial residential screening level using a 0.03 attenuation factor, equal to 10,333 ug/m^3.

Human Health Risk Assessment

The data set was evaluated to conduct the human health risk assessment (HHRA). That data set included twenty-four soil vapor samples collected from depths of 5-feet, and 10-feet or greater bgs at 20 locations



in July and October 2021. Soil vapor data collected from these locations were used to evaluate a reasonable maximum exposure (RME) scenario under the proposed future residential use on a sample point-by-point basis.

A range of potential vapor intrusion risks was estimated by comparing all results against human health risk-based soil vapor screening levels derived by dividing indoor air screening levels representing no unacceptable cancer risk or non-cancer hazards established either by DTSC or the U.S. Environmental Protection Agency for residential use properties, by either the DTSC default attenuation factor 0.001 for future residential buildings or as also recommended by DTSC, an attenuation factor of 0.03.

Use of screening levels derived using the DTSC default attenuation factor of 0.001 indicates that resident risks, are below the point-of-departure of 1 x 10^{-6} at both depths of 5-ft and 10+-ft indicating no unacceptable potential human health risk. The non-cancer hazard indices (HI) are all well below the target of 1.

Use of screening levels derived using the excessively conservative 0.03 attenuation factor (see Section 3.12 for discussion) indicates that residential cancer risks are above the 1 x 10^{-6} point-of-departure at 5-feet bgs at three locations. Residential risks for samples collected at 10+-feet bgs exceed the point of departure at two locations (B-22-10 and B-22-15). Non-cancer hazards are below the target of 1 at all locations and sample depths.

It should be noted that when considering placement of a vapor mitigation system at locations where risks are above 1E-06 (one-in-one million) using screening levels based on an attenuation factor of 0.03 that excavation of a subterranean parking garage would likely result in further reductions in soil vapor concentrations within the garage footprint due to volatilization and transport to the atmosphere. Moreover, in California, underground parking garages are subject to specific ventilation requirements (CCR Title 24) that could dilute chemicals entering the garage from the subsurface.

Conclusions

The soil samples collected from the subsurface in the identified potential source areas have not identified soil impacts above laboratory detection levels. Therefore, Stantec has not identified soil impacts on the property that would require remedial action or special handing or off-site disposal to date. Stantec does recommend that a soil management plan (SMP) be prepared for the Site. That plan would present procedures to be used in the event that unknown structures (i.e., underground storage tanks, sumps, etc.) or soil contamination are encountered during the earth moving activities.

Based on the soil vapor results, there does not appear to be an excess risk due to the detected concentrations. This is also based on the concept that DTSC uses the 0.03 attenuation factor screening levels only for definition of vapor limits. The plume limits have been defined on the property by the new sample points to concentrations below the 0.03 attenuation factor levels. No detections on the Property exceed the 0.001 risk-based screening level used by DTSC to define if a risk to vapor intrusion exists. In addition, under the low threat closure policy enforced by California, TPH related compounds are subject to



bio-attenuation adjustments to the screening levels. Based on those adjustments to the screening levels, no TPH-GRO was detected above the adjusted screening levels on the Property. In addition, site grading should reduce the detected concentrations of TPH-GRO in soil vapor in the near surface soils. Therefore, Stantec has not identified a soil vapor issue on the Property that would require further action or vapor protection for the planned development and recommends no further action related to the detected soil vapors.

Stantec understands that the planned development will involve the excavation of up to 30 feet of soil to construct a subterrain parking structure below the planned building. The removal of this soil should remove from the property the detected soil impact reported to date. Due to subsurface conditions encountered (rock and dense soil) no soil vapor concentrations have been reported below 20 feet in depth. The detected concentrations do not indicate that increasing concentrations is occurring with depth that would indicate a deep source exists, however the SMP should be used to guide the excavation in the event that unknown impacts are encountered.

Stantec does recommend that the elevator shafts be sealed to prevent any potential vapor intrusion into those structures that could then be delivered to the upper floors of the overlying building. This is a precaution; no soil vapor data has been obtained that would direct this vapor protection is required. In addition, Stantec recommends that the required parking structure ventilation occur in compliance with government regulation in the event that soil vapor impacts differ from those detected by the completed investigations.

The preceding summary is intended for information purposes; reading the body of the report is recommended.

2.0 INTRODUCTION

Stantec Consulting Services Inc. (Stantec) has prepared this Phase II Environmental Site Assessment (ESA) report for the property located at 235 South Tremont Street, City of Oceanside, County of San Diego, California (the "Property", Figure **1**), on behalf of Toll Brothers Apartment Living (the "Client"). The assessment activities presented in this report were completed in accordance with Stantec's *Proposal to Perform Phase II Environmental Site Assessment*, dated February 17, 2021. This assessment was performed based on findings of a Phase I ESA performed for the Property by Stantec in March 2021.

2.1 PROPERTY DESCRIPTION AND OPERATIONS

The Property consists of approximately 11 acres of developed land at 235 South Tremont Street, in the City of Oceanside, California. The Property is currently developed with a North County Transit District's Oceanside Transit Center and associated parking lots. Surrounding properties are a mix of commercial, retail, and residential properties. A Property location map is illustrated on **Figure 1**. A Property map illustrating the main features of the Property is provided as **Figure 2**.

The Property is identified by Assessor's Parcel Numbers (APNs) 760-186-08-00, 760-186-09-00, 760-186-11-00, 150-043-01-00, 150-043-02-00, 150-043-03-00, 150-043-04-00, 150-043-05-00, 150-043-06-00, 150-046-17-00, 150-046-01-00, 150-046-02-00, 150-046-03-00, 150-046-04-00, 150-046-05-00, 150-046-06-00, 150-046-07-00, and 150-046-08-00.

2.2 PROPERTY GEOLOGY AND HYDROGEOLOGY

The Property elevation is approximately 54 feet amsl with general topographic gradient to the west-southwest (EDR, 2021). Based on the topography, surface water on the Property is expected to flow to the west-southwest.

The Property is located in San Diego County within the Peninsular Ranges Geomorphic Province of Southern California. The province contains mountain ridges that run northwest to southeast, parallel to the San Andreas and associated fault lines. The Peninsular Ranges generally are composed of granite and metamorphic rock from the Peninsular Ranges batholith, with sedimentary rock from the Cretaceous to the Pleistocene Ages forming the San Diego embayment and terraces along the coast west of the batholith (Partner, 2017).

According to the USGS 7.5-minute Oceanside, California Quadrangle, contour lines indicate a slight slope to the southwest, with general groundwater flow likely being to the southwest. The closest surface water is the Pacific Ocean, located approximately 1/3 mile to the west. Groundwater from a site located ¾ mile south of the Property was measured to be approximately 37 to 40 feet bgs with a flow to the southwest (Partner, 2017).

3.0 BACKGROUND

Stantec completed a Phase I ESA for the Property which revealed the following evidence of recognized environmental conditions (RECs) in connection with the Property:

- **Historical Dry-cleaning Operations:** Historical records indicate an historic dry cleaner was located on the Property from at least the 1920s to 1960s. Soil vapor does not appear to have been assessed on the Property; therefore, the historical presence of the dry cleaner is considered to represent a REC for the Property. Stantec recommended that the former dry cleaner be assessed to evaluate if a release has occurred that would affect the residential development of the Property.

- **Historical Auto Service Operations:** A historic automotive repair/ gasoline station identified as Seaside Oil company was present at the Property from at least the 1950s to 1960s in the southwest corner of the Property. Soil and soil vapor does not appear to have been assessed on the Property at the location of the former historic automotive repair/ gasoline station. Therefore, this historic facility represents a REC to the Property and further assessment is recommended to evaluate if a release has occurred that would affect the residential development of the Property.

- **Nearby Facilities:** Eighteen historic automotive repair facilities are listed with 500 feet of the Property, and 16 historic dry cleaners are listed within 800 feet of the Property, five of which have had historic releases reported. Additionally, a former railroad at 117 South Cleveland Street (approximately 88 feet northwest) is listed in the State Water Resources Control Board's (SWRCB's) Geotracker website as a Leaking Underground Storage Tank (LUST) Cleanup Site with a status of 'Completed – Case Closed' as of 12/30/1993. These facilities represent a vapor encroachment condition (VEC) to the subject Site. Stantec would recommend assessment of soil vapor on the Property to evaluate if these neighboring properties are affecting the Site.

To investigate these RECs and the VEC, Stantec performed a Phase II ESA at the Property in June 2021. Results of the Phase II ESA are described below.

Initial Phase II ESA Results

On July 20 and July 21, 2021, Stantec oversaw the advancement of fourteen (14) soil borings (B-01 through B-14) and at each boring locations a soil vapor probe was installed at 5-feet below ground surface (bgs). Two additional borings (B-3 and B-4) were further advanced to 10-feet bgs and had additional soil vapor probes installed at the 10-feet bgs interval. All borings advanced during this investigation are depicted on **Figure 2**.

The completed assessment did not detect concentrations of total petroleum hydrocarbons (TPH) or volatile organic compounds (VOCs) in any of the soil samples collected and submitted for laboratory analysis.

In the soil vapor samples collected and analyzed, TPH in the gasoline range organics (GRO) was detected in 10 of the 14 borings exceeding the initial residential screening level using an 0.03 attenuation factor equal to 3,300 ug/m^3. Tetrachloroethene (PCE) was detected in 9 of the 14 borings with 6 of the borings

exceeding the initial residential screening level using a 0.03 attenuation factor equal to 15.3 ug/m^3. Toluene was detected in 5 of the 14 soil vapor samples at concentrations significantly below the initial residential screening level using a 0.03 attenuation factor, equal to 10,333 ug/m^3.

To provide further delineation, Stantec performed an additional Phase II ESA at the Property in October 2021. Results of the Additional Phase II ESA are described below.

4.0 FIELD INVESTIGATION

Prior to the commencement of fieldwork activities, Stantec made the following preparations:

4.1 PRE-DRILLING ACTIVITIES

- Stantec visited the Property to mark the proposed boring locations. Subsequent to the marking, Stantec notified Underground Service Alert (USA) of Southern California at least 48-hours prior to the commencement of drilling activities; and,
- In accordance with federal Occupational Safety and Health Administration (OSHA) regulations (29 CFR, Section 1910.120), Stantec developed a site-specific Health and Safety Plan (HASP) for the Property. All Stantec personnel and subcontractors associated with the project were required to be familiar with and comply with all provisions of the HASP.

4.2 INVESTIGATION

On October 12 and 13, 2021, Stantec oversaw the advancement of nine (9) soil borings (B-15 through B-23). Stantec was unable to advance any of the borings to the proposed 30-feet depth due drill rig refusal from hard cobble fragments and rocks encountered at the Property. Soil vapor probe was installed at each location at the borehole terminate depth which ranged from 9.5 to 15-feet bgs. All borings advanced during this investigation are depicted on **Figure 2**. All work was conducted under the direct oversight of a State of California professional and included the following:

Boring ID	Terminal Depth (feet bgs)	Soil Sampling Depth	Soil Vapor Probe Depth (feet bgs)
B15	13	13	5, 12
B-16	9.5	5	5, 9
B-17	15.5	15	5, 10, 15
B-18	13.5	15	5, 10, 13
B-19	14.8	15	5, 10, 14.5
B-20	14	14	5, 10, 13.5
B-21	14	14	5, 10, 13.5
B-22	15	15	5, 10, 15
B-23	14	14	5, 10, 14

4.2.1 Soil Boring Procedures

A hand auger was used for utility clearance purposes to a depth of five feet bgs at all borings B-15 through B-23. Soil samples collected within this interval were discharged directly from the hand auger into laboratory-provided pre-cleaned eight-ounce glass jars outfitted with Teflon ® -lined lids. All soil samples were labeled with the appropriate identifying information (boring location, depth, sample collection time, sample collection date, logged onto a chain-of-custody, and stored in an ice-filled cooler pending delivery to the analytical laboratory.

Once the five-foot depth was reached, advancement of borings B-15 through B-23 was performed using a Geoprobe direct push rig. During advancement, sampling of subsurface soils was performed starting at a depth of approximately 5-feet bgs. All of the direct push borings were advanced and sampled using a Geoprobe 6610T rig equipped with 4-foot-long by 1.25-inch inner-diameter sampler with acetate sample liners to the terminal depth of the borehole.

At each sampling interval, the sampler was driven into undisturbed soil using a hydraulic ram on the Geoprobe rig. Upon advancement of the sampler through the desired sampling depth interval, the sample liner was retrieved from the boring. The drilling and sampling sequences was then repeated at 5 feet intervals for the entire depth of the boring to a final maximum depth of approximately 15.5-feet bgs.

The soils from each of the direct push borings were visually examined by Stantec field personnel who classified the soils in accordance with the Unified Soil Classification System (USCS). A photo-ionization detector (PID) was used to monitor/field screen the soils collected.

4.2.2 Soil Vapor Probe Installation

At the completion of drilling to target depth, soil vapor points were installed at borings B-15 through B-23 at the 5-foot interval at each boring; between 9 and 12-foot interval at borings B-15 through B-23; and between 13 and 15-foot interval at borings B-17 through B-23. Subsurface soil vapor probe installation was performed in accordance with the July 2015 DTSC “Advisory - Active Soil Gas Investigations” (DTSC Advisory).

Each sample probe was constructed with a 1-inch-long Airstone sampling screen set at the prescribed sampling intervals. Each of the sampling screens was constructed with a permeable Airstone vapor tip connected to ¼-inch outer diameter Nylaflow tubing that was lowered to the bottom of the borehole and backfilled with filter sand, until approximately 12-inches of filter pack was placed. A transition seal consisting of approximately 12-inches of dry bentonite was then placed above the filter pack, followed by an annular seal consisting of hydrated bentonite until the next sampling interval was reached. The sequence was then repeated to install the second monitoring point, and/ or completely backfill the borehole. At the surface, the exposed nylon tubing was capped with tight fitting plastic endcaps and labeled to indicate sampling depth and covered with plastic sheeting to protect against rainfall events.

4.2.3 Soil Vapor Sampling

Soil vapor samples were collected on October 19 and 20, 2021, in accordance with the methods and procedures outlined by the DTSC Advisory, a minimum of 48-hours after installation in order to allow for equilibration.

Prior to sampling, a shut-in test was conducted on the sampling train to ensure all connections and fittings were airtight. The shut-in test was performed on the sampling train by applying a vacuum of 100 inches of water to the sampling train and monitoring magnehelic gauges for a pressure drop for one minute. If loss of vacuum was observed, the fittings were adjusted as needed until no vacuum loss was observed during subsequent shut-in tests.

After the sampling equipment passed the shut-in test, the probes were purged using an air pump outfitted with a low-flow module to remove internal air from the sample train (calculated from the internal volume of the tubing and probe tip); the void space of the sand pack around the probe tip; and the void space of the dry bentonite (in the annular space). Three internal volumes were purged from each sampling location at a rate less than 200 milliliters per minute (ml/min).

Immediately following purging the internal volumes, the soil vapor samples were collected into glass syringes at a flow rate not exceeding 200 ml/min and delivered to an on-site mobile laboratory for analyses. A tracer compound of Isopropanol (IPA) was placed above the surface seal and along the sampling train to evaluate the integrity of the seal. No tracer compounds were detected in the soil vapor samples collected during this investigation. Soil vapor sample analysis is discussed in Section 5.0.

4.2.4 Field Equipment Cleaning Procedures

To maintain quality control during drilling operations, all drill rods and reusable soil sampling equipment was decontaminated using a triple bucket rinse. Prior to drilling at a given location or sampling interval, all equipment coming in direct contact with soil samples was scrubbed with an Alconox scrub solution followed by a clean tap water rinse and then a final distilled water rinse. The disposable acetate soil sample liners were used for one sampling interval and then discarded.

5.0 LABORATORY TESTING PROGRAM

Soil samples collected during this investigation were delivered under chain of custody to Environmental Treatment & Technology Inc., dba Advanced Technology Laboratories (ATL), located in Signal Hill, California. Soil samples were submitted for potential analyses of total petroleum hydrocarbons (TPH gasoline), and volatile organic compounds (VOCs) by United States Environmental Protection Agency (USEPA) test methods 8015B and 8260B, respectively.

Soil vapor samples collected during this investigation were delivered under chain of custody and analyzed by an on-site mobile laboratory, operated by A&R Laboratories, Inc., based out of Ontario, California. All soil vapor samples were submitted for analysis of VOCs and $TPH_{GRO(C4-C12)}$ by USEPA test method 8260B, and LUFT GCMS, respectively. The laboratory data report is attached as **Appendix B**.

Soil vapor concentrations are reported and discussed in units of micrograms per cubic meter ($\mu g/m^3$), evaluated using an attenuation factor (AF) of 0.03 for residential screening levels and an attenuation factor of 0.001 for commercial screening levels, and summarized in **Table 2.**

6.0 INVESTIGATION RESULTS

6.1 FIELD OBSERVATIONS

On October 12 and 13, 2021, Stantec oversaw the advancement of nine (9) soil borings (B-15 through B-23) to approximately 15-feet bgs. All borings advanced during this investigation are depicted on **Figure 2**.

Soils encountered during this assessment consisted predominately of poorly graded and silty sands underlain by gravelly clays and gravelly silts to 15.5 feet below ground surface (bgs), the maximum depth explored during this investigation. Stantec was unable to advance any of the borings to a deeper depth due drill rig refusal from hard cobble fragments and rocks. PID readings were measured up to 1.1 parts per million by volume (ppmV) at location B-15 at 13 feet bgs. Soil boring logs are included in **Appendix A**.

6.2 ANALYTICAL RESULTS

Laboratory analytical test results from this assessment are attached as **Appendix B**. The laboratory test results from this investigation are discussed below and were compared to the more conservative value between the DTSC Human and Ecologic Risk Office (HERO), Note 3 screening levels for residential land use (DTSC, 2020), and the USEPA Regional Screening Levels (RSLs) for residential sites (USEPA, 2021). Total petroleum hydrocarbons (TPH) results were compared to the San Francisco Bay Regional Water Quality Control Board (SFBRWQCB) Environmental Screening Levels (ESLs).

6.2.1 Soil Results

There were no detections of total petroleum hydrocarbons (TPH) or volatile organic compounds (VOCs) in any of the soil samples collected and submitted for laboratory analysis. All soil results are reported and discussed in units of milligrams per kilogram (mg/kg) and summarized in **Table 1**.

6.2.2 Soil Vapor Results

TPH-GRO was detected in all 9 borings with 5 of the soil vapor samples (B-15-5; B-22-5; B-22-10; B-23-5; and B-23-10) exceeding the initial residential screening level using an 0.03 attenuation factor equal to 3,300 ug/m^3. Benzene was detected in two soil vapor samples (B-5-5 and B-5-12) at 10 ug/m^3 which is above the residential screening level using an 0.03 attenuation factor equal to 3.2 ug/m^3. PCE was detected in 7 of the 9 borings with 4 of the borings exceeding the initial residential screening level using a 0.03 attenuation factor equal to 15.3 ug/m^3. Toluene was detected in 5 of the 9 borings at concentrations significantly below the initial residential screening level using a 0.03 attenuation factor, equal to 10,333 ug/m^3. Soil vapor results are summarized in **Table 2**.

7.0 HUMAN HEALTH RISK ASSESSMENT

7.1 OVERVIEW OF APPROACH

The risk assessment (RA) approach used to conduct this human health risk assessment (HHRA) is consistent with current guidance within the state of California (DTSC 2014) and is conservative to minimize the possibility of underestimating potential human health risks. To ensure a health protective (i.e., conservative) approach, a reasonable maximum exposure (RME) scenario was evaluated for the identified receptors. Risks and hazards were estimated using a deterministic approach developed based on site information that identifies potential receptors and potentially complete exposure pathways for risk characterization.

7.2 CONCEPTUAL SITE MODEL

A key step in the HHRA process is the development of a Conceptual Site Model (CSM) that identifies the likely contaminant source areas, exposure pathways, and potential receptors. The CSM for human health presents potentially complete and incomplete current and future exposure pathways for the Site. The CSM is a dynamic model that is used to include or exclude sources of COPCs, receptors, or exposure pathways based on site history and current information.

7.2.1 GEOLOGY AND HYDROGEOLOGY

The Property elevation is approximately 54 feet amsl with general topographic gradient to the west-southwest (EDR, 2021). Based on the topography, surface water on the Property is expected to flow to the west-southwest.

The Property is in San Diego County within the Peninsular Ranges Geomorphic Province of Southern California. The province contains mountain ridges that run northwest to southeast, parallel to the San Andreas and associated fault lines. The Peninsular Ranges generally are composed of granite and metamorphic rock from the Peninsular Ranges batholith, with sedimentary rock from the Cretaceous to the Pleistocene Ages forming the San Diego embayment and terraces along the coast west of the batholith (Partner, 2017).

According to the USGS 7.5-minute Oceanside, California Quadrangle, contour lines indicate a slight slope to the southwest, with general groundwater flow likely being to the southwest. The closest surface water is the Pacific Ocean, located approximately 1/3 mile to the west. Groundwater from a site located ¾ mile south of the Property was measured to be approximately 37 to 40 feet bgs with a flow to the southwest (Partner, 2017).

7.2.2 SURROUNDING PROPERTY USE

Surrounding properties are a mix of commercial, retail, and residential properties.

7.2.3 POTENTIAL SOURCES

Potential sources of near surface and subsurface impacts have been identified in Section 3.0.

7.2.4 POTENTIALLY EXPOSED POPULATIONS

Redevelopment of the Property for residential use is planned. As such, residents are the potentially exposed population under the proposed use.

7.2.5 POTENTIAL EXPOSURE PATHWAYS

An exposure pathway is the route that a chemical takes from the source to an exposed individual. An exposure pathway generally consists of the following four elements (EPA, 1989):

- A source and mechanism of chemical release to the environment
- An environmental transport medium (e.g., soil, water, or soil vapor)
- An exposure point, or point of potential human contact, with the contaminated medium
- An exposure route (e.g., ingestion) at the point of human contact

If any of the above elements are missing, the pathway is considered incomplete, and exposure does not occur.

No proposed site plans have been provided to Stantec and as such, resident direct contact with residual contaminants in surface soils is considered a potentially complete exposure pathway. Post-construction direct contact with soils by outdoor commercial workers may occur during maintenance activities but on a short-term basis. This pathway is considered potentially complete.

Inhalation of residual subsurface contaminants in the vapor phase that may enter the building is considered a complete exposure pathway.

Direct contact with groundwater is not considered a complete exposure pathway since potable water is provided to the site by the City of Oceanside.

7.2.6 EXPOSURE ASSESSMENT

Exposure is defined in the USEPA risk assessment guidelines as the contact of a receptor with a chemical or physical agent (USEPA, 1989 and 1992). The goal of the exposure assessment is to identify and quantify known and hypothetical exposure pathways relevant to an assessment of human health risk at a Site, and to determine the quantities or exposure doses or exposure concentrations of COPCs received by the potentially exposed populations.

7.2.6.1 IDENTIFICATION OF CHEMICALS OF POTENTIAL CONCERN (COPCS)

Soil Vapor

Three VOCs (PCE, toluene, and TPHg) were detected previously and in at least one soil vapor samples collected since July 2021 and have been selected as chemicals of potential concern (COPCs) and carried forward for quantitative evaluation (see **Table 2**).

Soil

VOCs were not detected in soil samples collected from July 2021 and October 2021. and are not evaluated further.

7.2.7 EXPOSURE POINT CONCENTRATIONS

The Exposure Point Concentration (EPC) is the concentration of a COPC that could be contacted by a receptor during the assumed duration of exposure. EPCs for soil vapor represent the maximum chemical concentration reported in all samples.

7.3 SELECTION OF TOXICITY VALUES

Potential toxic effects of chemicals are generally classified as carcinogenic (i.e., cancer causing), or non-carcinogenic (i.e., non-cancer health effects). These endpoints are separately quantified in HHRAs as cancer risks and non-cancer health effects, respectively. Toxicity values numerically express the magnitude of potential toxic effects of chemicals. Reference doses (RfDs) and reference concentrations (RfCs) are used to quantify non-cancer health effects, and cancer slope factors (SFs) and inhalation unit risks (IURs) are used to quantify cancer risks. Both cancer and non-cancer endpoints may be evaluated for carcinogenic chemicals depending on the chemicals' toxic effects and availability of RfDs/RfCs.

In accordance with the September 4, 2018, *Toxicity Criteria for Human Health Risk Assessments, Screening Levels, and Remediation Goals* rule, (California Code of Regulations, title 22, Chapter 50 Section 68400.5 and Chapter 51 Sections 69020, 69021, and 69022), the following hierarchy of toxicity sources were used in selecting individual chemical screening levels in this SLHHRA:

- OEHHA peer-reviewed unit risk factors and chronic reference exposure levels as provided in the OEHHA Toxicity Criteria Database.
- USEPA Integrated Risk Information System (IRIS)

For COPCs, listed in both sources, the more conservative (protective) toxicity values from the most current version of the U.S. EPA RSL tables (U.S. EPA November 2019) or the Toxicity Criteria Database (TCDB; CalEPA, last searched in September 2020) were used.

7.4 HUMAN HEATH RISK-BASED SCREENING LEVELS

7.4.1 Vapor Intrusion Screening Levels

This HHRA used screening levels calculated using standardized equations that combine conservative exposure assumptions with U.S. EPA or Cal/EPA toxicity data. U.S. EPA Regional Screening Levels (RSLs) are concentrations that the U.S. EPA considers to be protective of human health (including sensitive groups) over a lifetime. These values are intended to be protective; however, they are calculated without site-specific information and are not always applicable for every site.

The EPA maintains a list of RSLs which are updated semi-annually (i.e., spring and fall). RSLs are risk-based concentrations derived from standardized equations developed for U.S. EPA's Superfund program.

Cal/EPA Department of Toxic Substances Control (DTSC) Human and Ecological Risk Office (HERO) maintains a list of screening levels established for ambient (indoor) air that are presented in Human Health Risk Assessment (HHRA Note 3). The most recent version, released in June 2020, makes recommendations on the use of U.S. EPA RSLs for tap water, soil and air (both for residential and industrial/commercial use) and provides alternate values to be used in lieu of RSLs for some compounds (Cal/EPA 2019). HERO Note 3 includes tables for compounds with air screening levels specific to California. For chemicals not listed, the EPA RSLs should be used.

Screening levels for soil vapor are not provided by DTSC in HERO Note 3 but were calculated by dividing the indoor air screening level by either the DTSC default soil vapor to indoor air attenuation factor of 0.001 established for future residential buildings (DTSC 2011) or, as recommended in HERO Note 3, an attenuation factor of 0.03 for both sub-slab soil vapor and "near-source" soil vapor to assist with risk management decisions.

For generic TPH, the California Regional Water Quality Control Board-San Francisco Bay Region (RWQCB-SFBR) has developed soil vapor Environmental Screening Levels (ESLs) that are derived by dividing the indoor air ESL by their default attenuation factor of 0.03 which is used by U.S. EPA in their vapor intrusion screening level (VISL) calculator. These ESLs are intended to be used where carbon range fractionation used to derive U.S. EPA RSLs for petroleum has not been performed.

7.4.2 Screening Levels used for Evaluation of Future Residential Soil-Direct Contact

Multiple analyses for TPH, have been conducted using different analytical methods since 1998. The reported results have been compared to petroleum screening levels that have changed with time and analytical method used making comparison challenging. The carbon range fractionation may overlap causing the possibility for double counting. DTSC has agreed to the use of Environmental Screening Levels (ESLs) for TPH-GRO, DRO and ORO, developed by the RWQCB-SFBR instead of the U.S. EPA RSLs (see DTSC October 20, 2021-Appendix B). TPH ESLs are set at a concentration such that exposure will not result in a non-carcinogenic hazard greater than 1. For residential use properties, this results in a soil TPH-GRO ESL of 430 milligrams per kilogram (mg/kg); an ESL for TPH-DRO of 260 mg/kg; and an ESL of 12,000 mg/kg for TPH-ORO. Thus, direct contact with residual concentrations of these TPH groups at less



than their respective ESLs would not represent an unacceptable non-cancer hazard to a residential receptor.

7.5 RISK CHARACTERIZATION

For this HHRA, potential human health risks for future residential receptors associated with exposure to the COPCs in soil and soil vapor were estimated using a hypothetical composite Zone 1-wide sample containing the maximum concentrations each COPC to the most protective carcinogenic or non-carcinogenic screening levels (SLs) for each COPC as described in Section 3.7. All screening levels are based on a target Cancer Risk (CR) of 1E-06 and a target hazard index (HI) = 1.

Theoretical cancer risks and non-cancer hazard quotients (HQs) for each chemical in soil and soil vapor were quantified by multiplying the ratio of each detected chemical concentration or in the case of not-detected chemicals, the laboratory reporting limit (LRL), to the carcinogenic or non-carcinogenic screening level by the target CR or HQ as follows:

For carcinogenic chemicals:

$$CR = (\text{maximum concentration})/ (\text{screening level concentration}) \times (1E\text{-}06 \text{ or } 0.000001)$$

For non-carcinogenic chemicals:

$$HQ = (\text{maximum concentration})/ (\text{screening level concentration})$$

Ratios of the concentration of a particular chemical in soil vapor to its human health risk-based concentration were calculated and then summed regardless of toxic endpoint across all chemicals to estimate a total CR and non-cancer HI.

7.6 RISK CHARACTERIZATION SUMMARY

This section presents the results of the risk characterization which integrates the results of the toxicity and exposure assessments to estimate potential cancer risk (CR) and non-cancer hazard index (HI) associated with exposure to COPCs at the Site.

Various demarcations of acceptable risk have been established by regulatory agencies. EPA considers that under most situations, cancer risks in the range of one-in-one million (1 $x10^{-6}$ or 1E-06) to one-in-ten thousand (1 x 10^{-4} or 1E-04) may be considered acceptable with cancer risks less than 1E-06 considered *de minimis*. For vapor intrusion, Cal-EPA guidance (Cal-EPA, 2011) indicates that cumulative risk between 1E-06 and 1E-04 fall within a risk management range where further evaluation, remediation or mitigation may be considered. A CR greater than 1E-04 indicates that mitigation and/or remediation is needed.

Soil vapor risk characterization results for future residents potentially exposed via inhalation of soil vapor entering a hypothetical future building air above sampled locations using both an attenuation factor of 0.001 and 0.03 are provided in **Tables 3** through **6** and are summarized below.



Estimated Risks for Soil Vapor at 5- and 10+ ft Using DTSC Default Attenuation Factor (AF) of 0.001

Estimated cancer risks resulting from inhalation of COPCs in soil vapor at 5-ft bgs range from **1E-08** to **8E-08**: all well below the point of departure of 1E-06 indicating no unacceptable cancer risk. The non-cancer hazard index (HI) ranges from **0.001** to **0.054**: well below the target HI of 1.

Estimated cancer risks resulting from inhalation of COPCs in soil vapor at 10+-ft bgs range from **1E-08** to **3E-07**: all well below the point of departure of 1E-06 indicating no unacceptable cancer risk. The non-cancer hazard index (HI) ranges from **0.001** to **0.013**: well below the target HI of 1.

Estimated Risks for Soil Vapor at 5- and 10+ ft Using Attenuation Factor (AF) of 0.03

Estimated cancer risks resulting from inhalation of COPCs in soil vapor at 5-ft bgs range from **4E-07** to **5E-06.** The non-cancer hazard index (HI) ranges from **0.0.038** to **1.609** (B-03-5)**.** The noncancer HI of 1.609 exceeds the target of 1 due to the elevated TPH GRO at this location.

Estimated cancer risks resulting from inhalation of COPCs in soil vapor at 10+-ft bgs range from **4E-07** to **8E-06.** The non-cancer hazard index (HI) ranges from **0.049** to **0.386**: well below the target HI of 1.

7.7 DISCUSSION

Twenty-four soil vapor samples were collected from depths of 5-feet, and 10-feet or greater bgs at 20 locations in July and October 2021. Soil vapor data collected from these locations were used to evaluate a reasonable maximum exposure (RME) scenario under the proposed future residential use on a sample point-by-point basis.

A range of potential vapor intrusion risks was estimated by comparing all results against human health risk-based soil vapor screening levels derived by dividing indoor air screening levels representing no unacceptable cancer risk or non-cancer hazards established either by DTSC or the U.S. Environmental Protection Agency for residential use properties, by either the DTSC default attenuation factor 0.001.

Use of screening levels derived using the DTSC default attenuation factor of 0.001 indicates that resident risks, are below the point-of-departure of 1 x $10^{-}6$ at both depths of 5-ft and 10+-ft indicating no unacceptable potential human health risk. The non-cancer hazard indices (HI) are all well below the target of 1.

Use of screening levels derived using the excessively conservative 0.03 attenuation factor (see Section 3.12 for discussion) indicates that residential cancer risks are above the 1 x 10^{-6} point-of-departure at 5-feet bgs at three locations. Residential risks for samples collected at 10+-feet bgs exceed the point of departure at two locations (B-22-10 and B-22-15). Non-cancer hazards are below the target of 1 at all locations and sample depths.

It should be noted that when considering placement of a vapor mitigation system at locations where risks are above 1E-06 (one-in-one million) using screening levels based on an attenuation factor of 0.03 that excavation of a subterranean parking garage would likely result in further reductions in soil vapor



concentrations within the garage footprint due to volatilization and transport to the atmosphere. Moreover, in California, underground parking garages are subject to specific ventilation requirements (CCR Title 24) that could dilute chemicals entering the garage from the subsurface.

7.8 UNCERTANTY ASSESSMENT

In general, uncertainties in the HHRA process are essentially the accumulated uncertainties associated with the methodologies used in estimating the health risk results (EPA 1989). They are the product of many factors affecting each component of the HHRA process. These factors generally include, at a minimum, measurement errors, conservative exposure and modeling assumptions, and uncertainty and variability of the values used in the assessment.

The term "uncertainty" is often used in risk assessment to describe what are, in reality, two conceptually different terms: uncertainty and variability. Uncertainty can be described as the lack of a precise knowledge resulting in a fundamental data gap. Variability describes the natural heterogeneity of a population. Uncertainty can sometimes be reduced or eliminated through further measurements or study. By contrast, variability is inherent in what is being observed. Although variability can be better understood, it cannot be reduced through further measurement or study, although it may be more precisely defined. However, the additional cost of further data collection may become disproportional to the reduction in uncertainty.

The risks and hazards presented are consistent with EPA's stated goal of RME representing the high end of the possible risk distribution, which is generally considered to be greater than the 90th percentile and less than the 98th percentile. However, these estimates are based on numerous and often conservative assumptions, and, in the absence of definitive information, assumptions are used to ensure that actual sites risks are not underestimated. The cumulative effect of these assumptions can result in an analysis with an overall conservativeness greater than the individual components. Accordingly, it is important to note that the risks presented here are based on numerous conservative assumptions in order to be protective of human health and to ensure that the risks presented here are more likely to be overestimated rather than underestimated.

Specific uncertainties associated with this HHRA include:

- Since the proposed residences have not been constructed, the actual transport of chemicals in the subsurface into the buildings cannot be determined using accepted sub-slab soil vapor and indoor air sampling.
- The effects of placement of a building concrete slab over existing soil vapor impacts cannot be currently evaluated but may include accumulation of chemicals of concern at higher than anticipated concentrations immediately below the slab. However, this uncertainty is minimized by the collection of multi-depth samples that do not contain COPCs at levels above the laboratory reporting limits.
- According to the 2000 draft supplemental vapor intrusion guidance, the attenuation factor of 0.03 should be applied for initial vapor intrusion screening regardless of depth of sample and assumes



that attenuation is constant throughout the soil. Moreover, this attenuation factor has not yet been confirmed to be appropriate for the generally Mediterranean climate in southern California.

- The assumption that individuals within a receptor population (or subpopulation) will receive the same intake doses. Variability in parameters such as absorption rate, inhalation rate, frequency and duration of exposure, body weight, and activity pattern will exist even in a narrowly defined age group or identified sensitive subpopulation (EPA, 1992).
- It is assumed that contaminant concentrations will not decline over time due to source depletion, and anticipated grading which may facilitate direct transport of deeper soil vapor to the atmosphere prior to construction of the proposed residences.
- Neither soil nor soil vapor samples were collected at depths greater than 15-ft bgs due to the lithology (e.g., cobbles) causing drill refusal at those depths. Since the proposed project includes a subterranean parking garage, there is uncertainty regarding soil and soil vapor impacts beyond 15-ft bgs.

8.0 CONCLUSIONS AND RECOMMENDATIONS

The soil samples collected from the subsurface in the identified potential source areas have not identified soil impacts above laboratory detection levels. Therefore, Stantec has not identified soil impacts on the property that would require remedial action or special handing or off-site disposal to date. Stantec does recommend that a soil management plan (SMP) be prepared for the Site. That plan would present procedures to be used in the event that unknown structures (i.e., underground storage tanks, sumps, etc.) or soil contamination are encountered during the earth moving activities.

Based on the soil vapor results, there does not appear to be an excess risk due to the detected concentrations. This is also based on the concept that DTSC uses the 0.03 attenuation factor screening levels only for definition of vapor limits. The plume limits have been defined on the property by the new sample points to concentrations below the 0.03 attenuation factor levels. No detections on the Property exceed the 0.001 risk-based screening level used by DTSC to define if a risk to vapor intrusion exists. In addition, under the low threat closure policy enforced by California, TPH related compounds are subject to bio-attenuation adjustments to the screening levels. Based on those adjustments to the screening levels, no TPH-GRO was detected above the adjusted screening levels on the Property. In addition, site grading should reduce the detected concentrations of TPH-GRO in soil vapor in the near surface soils. Therefore, Stantec has not identified a soil vapor issue on the Property that would require further action or vapor protection for the planned development and recommends no further action related to the detected soil vapors.

Stantec understands that the planned development will involve the excavation of up to 30 feet of soil to construct a subterrain parking structure below the planned building. The removal of this soil should remove from the property the detected soil impact reported to date. Due to subsurface conditions encountered (rock and dense soil) no soil vapor concentrations have been reported below 20 feet in depth. The detected concentrations do not indicate that increasing concentrations is occurring with depth that would indicate a deep source exists, however the SMP should be used to guide the excavation in the event that unknown impacts are encountered.

Stantec does recommend that the elevator shafts be sealed to prevent any potential vapor intrusion into those structures that could then be delivered to the upper floors of the overlying building. This is a precaution; no soil vapor data has been obtained that would direct this vapor protection is required. In addition, Stantec recommends that the required parking structure ventilation occur in compliance with government regulation in the event that soil vapor impacts differ from those detected by the completed investigations.



9.0 LIMITATIONS

The conclusions presented in this report are professional opinions based on data described in this report. The opinions of this report have been arrived at in accordance with currently accepted hydrogeologic and engineering standards and practices applicable to this location and are subject to the following inherent limitations. Stantec makes no other warranty, either expressed or implied, concerning the conclusions and professional advice that is contained within the body of this report.

Inherent in most projects performed in a heterogeneous subsurface environment, continuing excavation and assessments may reveal findings that are different than those presented herein. This facet of the environmental profession should be considered when formulating professional opinions on the limited data collected on these projects.

This report has been issued with the clear understanding that it is the responsibility of the owner, or their representative, to make appropriate notifications to regulatory agencies. It is specifically not the responsibility of Stantec to conduct appropriate notifications as specified by current County and State regulations.

The information presented in this report is valid as of the date our exploration was performed. Site conditions may degrade with time; consequently, the findings presented herein are subject to change.

10.0 REFERENCES

California Department of Toxic Substances Control (DTSC), 2011, Final Guidance for the Evaluation and Mitigation of Subsurface Vapor Intrusion to Indoor Air (Vapor Intrusion Guidance), dated October.

_____, 2015, Advisory Active Soil Gas Investigations, dated July.

_____, 2020, Human Health Risk Assessment (HHRA) Note 3, dated June.

California Geological Survey [CGS], 2016, The San Andreas Fault, dated November 30.

California Regional Water Quality Control Board, San Francisco Bay Region (SFRWQCB), 2019, Environmental Screening Levels, dated January 24.

Department of Water Resources (DWR), California's Groundwater Bulletin 118: Coastal Plain of Los Angeles Groundwater Basin, Central Subbasin, dated February 27, 2004.

Partner Engineering and Science, Inc., 2017. *Phase I Environmental Site Assessment Report: Commercial Property, 301 and 307 North Coast Highway, Oceanside, California 92054.* September 7.

Stantec, 2021, Phase I Environmental Site Assessment Report, February 9.

Stantec, 2021, Phase II Environmental Site Assessment Report, August 11

State Water Resource Control Board's (SWRCB) GAMA website, 2021, website https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/

United Stated Environmental Protection Agency (EPA), 2021, Regional Screening Levels, Region 9, dated May.

TABLES

TABLE 1
Summary of Soil Analytical Results - TPH and VOCs
235 South Tremont Avenue
Oceanside, California
Stantec Project Number: 2014217900

Sample ID	Sample Depth (feet)	Sample Date	TPH_{GRO} by 8015	VOC by 8260							
				Benzene	Toluene	Ethylbenzene	p/m-Xylene	o-Xylene	PCE	TCE	Various
Residential Screening Levels [(1)]			***430***	***0.33***	***1,100***	***5.8***	***560***	***650***	***0.59***	***0.94***	***Various***
B-01-1	1	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-01-5	5	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-02-1	1	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-02-5	5	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-03-10	10	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-04-10	10	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-05-10	10	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
B-06-10	10	7/20/21	<1.0	<0.005	<0.005	<0.005	<0.010	<0.005	<0.005	<0.005	<various
SSA-B15-13	13	10/13/2021	<0.099	<0.00099	<0.00099	<0.00099	<0.002	<0.00099	<0.00099	<0.002	<various
SSA-B16-5	5	10/12/2021	<0.1	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	<0.002	<various
SSA-B17-15	15	10/12/2021	<0.1	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	<0.002	<various
SSA-B18-15	15	10/12/2021	<0.098	<0.00098	<0.00098	<0.00098	<0.002	<0.00098	<0.00098	<0.002	<various
SSA-B19-15	15	10/12/2021	<0.097	<0.00097	<0.00097	<0.00097	<0.0019	<0.00097	<0.00097	<0.0019	<various
SSA-B20-14	14	10/12/2021	<0.099	<0.00099	<0.00099	<0.00099	<0.002	<0.00099	<0.00099	<0.002	<various
SSA-B21-14	14	10/12/2021	<0.099	<0.00099	<0.00099	<0.00099	<0.002	<0.00099	<0.00099	<0.002	<various
SSA-B22-15	15	10/12/2021	<0.1	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	<0.002	<various
SSA-B23-14	14	10/13/2021	<0.097	<0.00097	<0.00097	<0.00097	<0.0019	<0.00097	<0.00097	<0.0019	<various

Notes:

All concentrations reported in miligrams per kilogram (mg/kg).

(1) - More conservative screening level between USEPA Region 9 RSL (November, 2019) and DTSC HERO Note 3 (April, 2019); San Francisco Regional Water Quality Control Board ESLs used for TPH screening.

DRO - Diesel Range Organic

DTSC - Department of Toxic Substance Control

HERO HHRA - Human and Ecological Risk Office Human Health Risk Assessment

GRO - Gasoline Range Organic

MTBE - methyl-tertiary butyl ether

NA - Not Analyzed

NE - Not Established

ORO - Oil Range Organic

RSL - Regional Screening Level

TBA - Tertiary butyl-alcohol

TMB - Trimethylbenzene

USEPA - United States Environmental Protection Agency

UST - Underground Storage Tanks

VOC - Volatile Organic Compounds

BOLD Denotes analyte was detected above the laboratory reporting limit

< - Denotes analyte was not detected above the laboratory reporting limit

Green shading indicates value above the residential screening level.

TABLE 2
Summary of Soil Vapor Analytical Results
235 South Tremont Avenue
Oceanside, California
Stantec Project Number: 2014217900

Sample ID	Sample Depth [1]	Sample Date	Purge Volume	TPH-GRO	Benzene	Ethylbenzene	PCE	TCE	Toluene	m.p-Xylene	o-Xylene	Other VOCs
Residential Screening Level (0.03 AF) [2]				*3,300*	*3.2*	*37*	*15.3*	*16*	*10,333*	*3,333*	*3,333*	*various*
Residential Screening Level (0.001 AF) [2]				*31,000*	*97*	*1,100*	*460*	*480*	*310,000*	*100,000*	*100,000*	*various*
Commercial Screening Level (0.03 AF) [2]				*4,333*	*14*	*163*	*67*	*100*	*43,333*	*14,667*	*14,667*	*various*
Commercial Screening Level (0.001 AF) [2]				*130,000*	*420*	*4,900*	*2,000*	*3,000*	*1,300,000*	*440,000*	*440,000*	*various*
B-01-5	5	7/23/2021	3	**11,000**	<3.1	<6.5	**38**	<6.5	<6.5	<13.0	<6.5	<various
B-02-5	5	7/23/2021	3	**4,300**	<3.1	<6.5	**53**	<6.5	<6.5	<13.0	<6.5	<various
B-02-5DUP	5	7/23/2021	3	**3,400**	<3.1	<6.5	**53**	<6.5	<6.5	<13.0	<6.5	<various
B-03-5	5	7/23/2021	3	**32,000**	<3.1	<6.5	**11**	<6.5	**16**	<13.0	<6.5	<various
B-03-10	10	7/23/2021	3	**7,900**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-04-5	5	7/23/2021	3	<650.0	<3.1	<6.5	**78**	<6.5	<6.5	<13.0	<6.5	<various
B-04-10	10	7/23/2021	3	<650.0	<3.1	<6.5	**34**	<6.5	<6.5	<13.0	<6.5	<various
B-05-5	5	7/23/2021	3	**6,900**	<3.1	<6.5	**13**	<6.5	<6.5	<13.0	<6.5	<various
B-06-5	5	7/23/2021	3	**15,000**	<3.1	<6.5	<6.5	<6.5	**14**	<13.0	<6.5	<various
B-07-5	5	7/23/2021	3	<650.0	<3.1	<6.5	**32**	<6.5	<6.5	<13.0	<6.5	<various
B-08-5	5	7/23/2021	3	<650.0	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-09-5	5	7/23/2021	3	<650.0	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-10-5	5	7/23/2021	3	<650.0	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-11-5	5	7/23/2021	3	**13,000**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-12-5	5	7/23/2021	3	**11,000**	<3.1	<6.5	<6.5	<6.5	**70**	<13.0	<6.5	<various
B-13-5	5	7/23/2021	3	**14,000**	<3.1	<6.5	**10**	<6.5	**40**	<13.0	<6.5	<various
B-14-5	5	7/23/2021	3	**55,000**	<3.1	<6.5	**20**	<6.5	**70**	<13.0	<6.5	<various
B-15-5	5	10/19/2021	3	**4,600**	**10**	<6.5	**70**	<6.5	**30**	<13.0	<6.5	<various
B-15-12	12	10/19/2021	3	**740**	**10**	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-16-5	5	10/19/2021	3	**2,200**	<3.1	<6.5	**20**	<6.5	<6.5	<13.0	<6.5	<various
B-16-9	9	10/19/2021	3	**1,600**	<3.1	<6.5	**10**	<6.5	<6.5	<13.0	<6.5	<various
B-17-5	5	10/20/2021	3	<650	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-17-10	10	10/20/2021	3	**890**	<3.1	<6.5	**10**	<6.5	<6.5	<13.0	<6.5	<various
B-17-10 DUP	10	10/20/2021	3	**680**	<3.1	<6.5	**10**	<6.5	<6.5	<13.0	<6.5	<various
B-17-15	15	10/20/2021	3	**1,000**	<3.1	<6.5	**20**	<6.5	<6.5	<13.0	<6.5	<various
B-18-5	5	10/20/2021	3	**1,700**	<3.1	<6.5	<6.5	<6.5	**20**	<13.0	<6.5	<various

TABLE 2
Summary of Soil Vapor Analytical Results
235 South Tremont Avenue
Oceanside, California
Stantec Project Number: 2014217900

Sample ID	Sample Depth [1]	Sample Date	Purge Volume	TPH-GRO	Benzene	Ethylbenzene	PCE	TCE	Toluene	m.p-Xylene	o-Xylene	Other VOCs
Residential Screening Level (0.03 AF) [2]				*3,300*	*3.2*	*37*	*15.3*	*16*	*10,333*	*3,333*	*3,333*	*various*
Residential Screening Level (0.001 AF) [2]				*31,000*	*97*	*1,100*	*460*	*480*	*310,000*	*100,000*	*100,000*	*various*
Commercial Screening Level (0.03 AF) [2]				*4,333*	*14*	*163*	*67*	*100*	*43,333*	*14,667*	*14,667*	*various*
Commercial Screening Level (0.001 AF) [2]				*130,000*	*420*	*4,900*	*2,000*	*3,000*	*1,300,000*	*440,000*	*440,000*	*various*
B-18-10	10	10/20/2021	3	**1,200**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-18-13	13	10/20/2021	3	**3,200**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-19-5	5	10/20/2021	3	**2,600**	<3.1	<6.5	<6.5	<6.5	**20**	<13.0	<6.5	<various
B-19-10	10	10/20/2021	3	**3,100**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-19-14.5	14.5	10/20/2021	3	<650	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-20-5	5	10/20/2021	3	**2,200**	<3.1	<6.5	**10**	<6.5	**20**	<13.0	<6.5	<various
B-20-10	10	10/20/2021	3	**1,400**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-20-13.5	13.5	10/20/2021	3	**2,200**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-21-5	5	10/19/2021	3	**2,500**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-21-10	10	10/19/2021	3	**1,600**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-21-13.5	13.5	10/19/2021	3	**1,100**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-21-13.5 DUP	13.5	10/19/2021	3	**870**	<3.1	<6.5	<6.5	<6.5	<6.5	<13.0	<6.5	<various
B-22-5	5	10/19/2021	3	**4,000**	<3.1	<6.5	**50**	<6.5	**20**	<13.0	<6.5	<various
B-22-10	10	10/19/2021	3	**6,000**	<3.1	<6.5	**120**	<6.5	<6.5	<13.0	<6.5	<various
B-22-15	15	10/19/2021	3	**1,500**	<3.1	<6.5	**70**	<6.5	<6.5	<13.0	<6.5	<various
B-23-5	5	10/19/2021	3	**16,000**	<3.1	<6.5	**10**	<6.5	<6.5	<13.0	<6.5	<various
B-23-10	10	10/19/2021	3	**7,400**	<3.1	<6.5	**10**	<6.5	<6.5	<13.0	<6.5	<various
B-23-14	14	10/19/2021	3	**660**	<3.1	<6.5	**10**	<6.5	<6.5	<13.0	<6.5	<various

Notes:

All concentrations reprted in microgramper cubic meter (µg/m^3)

(1) - Reported as feet below original grade.

(2) - More conservative screening level between USEPA Region 9 RSL (May, 2020) and DTSC HERO Note 3 (June, 2020); San Francisco Bay Regional Water Quality Control Board ESLs (Januarv 2019) used for TPH screenina.

"<" - Results reported below Laboratory Reporting Limit.

CA EPA - California Environmental Protection Agency

NE- Not Established

VOCs- Volatile Organic Compounds

PCE - Tetrachloroethene


TCE- Trichloroethene


EPA - United States Environmental Protection Agency

HERO - Human and Ecological Risk Office

HHRA - Human Health Risk Assessment

FIGURES





Property Boundary

0 1,000 2,000 Feet
(At original document size of 8.5x11)
1:24,000

N

Stantec

Project Location
235 South Tremont Street
Oceanside Transit Center TOD Development
Oceanside, California

Client/Project
Toll Brothers Apartment Living
2014217900
Phase II Environmental Site Assessment


Figure No.
1

Title
Property Location Map

Notes
1. Coordinate System: NAD 1983 UTM Zone 11N
2. Data Sources: Stantec, 2021
3. Background: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community

V:\1858\active\2014217900\05_report_deliv\drawings_design\gis_map Revised: 2021-08-06 By: dehernandez

Disclaimer: This document has been prepared based on information provided by others as cited in the Notes section. Stantec has not verified the accuracy and/or completeness of this information and shall not be responsible for any errors or omissions which may be incorporated herein as a result. Stantec assumes no responsibility for data supplied in electronic format, and the recipient accepts full responsibility for verifying the accuracy and completeness of the data.





Property Boundary

Sample Points

Soil Vapor Location

Soil and Soil Vapor Location

Boring locations to 15-ft bgs

0 120 240 Feet

N

(At original document size of 8.5x11)
1:2,400

Notes

1. Coordinate System: NAD 1983 UTM Zone 11N
2. Data Sources: Stantec, 2021
3. Background: © 2021 Microsoft Corporation © 2021 Maxar ©CNES (2021) Distribution Airbus DS

Stantec

Project Location
235 South Tremont Street
Oceanside Transit Center TOD Development
Oceanside, California

Client/Project
Toll Brothers Apartment Living
2014217900
Phase II Environmental Site Assessment

Figure No.
2

Title
PROPERTY DETAILS MAP

V:\1858\active\2014217900\05_report_deliv\drawings_design\gis_map Revised: 2021-08-06 By: dehernandez

Disclaimer: This document has been prepared based on information provided by others as cited in the Notes section. Stantec has not verified the accuracy and/or completeness of this information and shall not be responsible for any errors or omissions which may be incorporated herein as a result. Stantec assumes no responsibility for data supplied in electronic format, and the recipient accepts full responsibility for verifying the accuracy and completeness of the data.

APPENDIX A

Boring Logs

PROJECT: **Oceanside Transit Center**
LOCATION: **235 S. Tremont St. Oceanside, CA**
PROJECT NUMBER: **2014217900.307.001**

WELL / PROBEHOLE / BOREHOLE NO: **B-15** PAGE 1 OF 1

Stantec

DRILLING: STARTED **10/13/21** COMPLETED: **10/13/21**
INSTALLATION: STARTED COMPLETED:
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Manual/GP6620DT**
DRILLING METHOD: **Hand Auger/DPT**
SAMPLING EQUIPMENT: **Jar/Acetate**

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **13.0**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIAMETER (in): **---** BOREHOLE DIAMETER (in): **2.25**
LOGGED BY: **Mason** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recovery (ft.)	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" Asphalt							
		SM	**SILTY SAND** ; SM; 7.5YR 3/2 dark brown; dry; no odor; no staining; 70/30% fine sand/silt; loose to medium dense; non-cohesive							x2 1/4" Nylaflow Tubing in Hydrated Granular Bentonite
5			@5' - cobbles		0900 SSB-B15-5			0.5	5	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
		SP	**POORLY GRADED SAND** ; SP; 10YR 4/4 dark yellowish brown; fine-grained							
		CL-ML	**GRAVELLY CLAY TO GRAVELLY SILT** ; CL-ML; 10YR 7/8 yellow; dry; highly weathered rock; hard							1/4" Nylaflow Tubing in Hydrated Granular Bentonite
10					0906 SSB-B15-10			0.6	10	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
			SAME AS ABOVE ; 5Y 3/2 dark olive gray; highly weathered gravel/cobbles							
		CL	**CLAY** ; CL; 10YR 3/4 dark yellowish brown; medium to high plasticity; moist							
		CL-ML	**GRAVELLY CLAY TO GRAVELLY SILT** ; CL-ML; 10YR 7/8 yellow; dry; highly weathered rock; hard		0915 SSB-B15-13			1.1		
			Refusal at 13 feet. Hole terminated at 13 feet.							
15									15	

GEO FORM 304 TREMONT.GPJ STANTEC001.GDT 11/1/21

PROJECT: **Oceanside Transit Center**
LOCATION: **235 S. Tremont St. Oceanside, CA**
PROJECT NUMBER: **2014217900.307.001**

WELL / PROBEHOLE / BOREHOLE NO: **B-16** PAGE 1 OF 1

Stantec

DRILLING: STARTED **10/12/21** COMPLETED: **10/12/21**
INSTALLATION: STARTED COMPLETED:
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Manual/GP6620DT**
DRILLING METHOD: **Hand Auger/DPT**
SAMPLING EQUIPMENT: **Jar/Acetate**

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **9.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIAMETER (in): **---** BOREHOLE DIAMETER (in): **2.25**
LOGGED BY: **Mason** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recovery (ft.)	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" Asphalt							
			1' Class II Road Base material; gravel, sand, fines							
		SM	**SILTY SAND** ; SM; 5YR 3/3 dark reddish brown; dry; no odor; no staining; 70/30% fine to medium sand/silt; non-cohesive							x2 1/4" Nylaflow Tubing in Hydrated Granular Bentonite
5					1304 SSB-B16-5			0.0	5	12" Dry Granular Bentonite
		SP	**POORLY GRADED SAND** ; SP; 5YR 3/2 dark reddish brown; dry; black mottles; fine grained sand; trace medium sand; trace silt; trace gravel; dense; non-cohesive							1" Airstone in #3 Sand Filter Pack
			SAME AS ABOVE ; 10YR 6/3 pale brown							1/4" Nylaflow Tubing in Hydrated Granular Bentonite
										12" Dry Granular Bentonite
			Rock or cobble in cutting shoe							1" Airstone in #3 Sand Filter Pack
10			Refusal at 9.5 feet. Hole terminated at 9.5 feet.						10	
15									15	

GEO FORM 304 TREMONT.GPJ STANTEC001.GDT 11/1/21

PROJECT: **Oceanside Transit Center**
LOCATION: **235 S. Tremont St. Oceanside, CA**
PROJECT NUMBER: **2014217900.307.001**

WELL / PROBEHOLE / BOREHOLE NO: **B-17** PAGE 1 OF 1

DRILLING: STARTED **10/12/21** COMPLETED: **10/12/21**
INSTALLATION: STARTED COMPLETED:
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Manual/GP6620DT**
DRILLING METHOD: **Hand Auger/DPT**
SAMPLING EQUIPMENT: **Jar/Acetate**

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **15.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIAMETER (in): **---** BOREHOLE DIAMETER (in): **2.25**
LOGGED BY: **Mason** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recovery (ft.)	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" Asphalt							
			WELL GRADED SAND WITH SILT AND GRAVEL ; Class II Road Base material							
		SM	**SILTY SAND** ; SM; 2.5YR 3/4 dark reddish brown; non plastic; dry; no odor; no staining; loose to medium dense; non-cohesive							x3 1/4" Nylaflow in Hydrated Granular Bentonite
5					0735 SSB-B17-5			0.0	5	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
										x2 1/4" Nylaflow in Hydrated Granular Bentonite
10			**SAME AS ABOVE**		0740 SSB-B17-10			0.0	10	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
		SP	**POORLY GRADED SAND** ; SP; 10YR 5/6 yellowish brown; fine-grained; dry; trace medium sand; trace silt; non-cohesive							1/4" Nylaflow in Hydrated Granular Bentonite
15			**SAME AS ABOVE**		0748 SSB-B17-15			0.0	15	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
			Hole terminated at 15.5 feet.							

GEO FORM 304 TREMONT.GPJ STANTEC001.GDT 11/1/21

PROJECT: **Oceanside Transit Center**
LOCATION: **235 S. Tremont St. Oceanside, CA**
PROJECT NUMBER: **2014217900.307.001**

WELL / PROBEHOLE / BOREHOLE NO: **B-18** PAGE 1 OF 1

Stantec

DRILLING: STARTED **10/12/21** COMPLETED: **10/12/21**
INSTALLATION: STARTED COMPLETED:
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Manual/GP6620DT**
DRILLING METHOD: **Hand Auger/DPT**
SAMPLING EQUIPMENT: **Jar/Acetate**

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **13.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIAMETER (in): **---** BOREHOLE DIAMETER (in): **2.25**
LOGGED BY: **Mason** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recovery (ft.)	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" Asphalt							
			WELL GRADED SAND AND GRAVEL WITH SILT ; 12" road base material							
		SM	**SILTY SAND** ; SM; 2.5YR 5/3 dark reddish brown; dry; 70/30% fine to medium sand/silt; medium dense; non-cohesive							x3 1/4" Nylaflow in Hydrated Granular Bentonite
5			**SAME AS ABOVE**		09236 SSB-B18-5			0.0	5	12" Dry Granular Bentonite 1" Airstone in #3 Sand Filter Pack
										x2 1/4" Nylaflow in Hydrated Granular Bentonite
10			**SAME AS ABOVE**		0930 SSB-B18-10			0.0	10	12" Dry Granular Bentonite 1" Airstone in #3 Sand Filter Pack
		SP	**POORLY GRADED SAND** ; SP; 2.5YR 3/1 dark reddish gray; fine-grained							1/4" Nylaflow in Hydrated Granular Bentonite
			@13' - cobbles							12" Dry Granular Bentonite
			@13.5' - cobble fragment in cutting shoe Refusal at 13.5 feet. Hole terminated at 13.5 feet.							1" Airstone in #3 Sand Filter Pack
15									15	

GEO FORM 304 TREMONT.GPJ STANTEC001.GDT 11/1/21

PROJECT: **Oceanside Transit Center**
LOCATION: **235 S. Tremont St. Oceanside, CA**
PROJECT NUMBER: **2014217900.307.001**

WELL / PROBEHOLE / BOREHOLE NO: **B-19** PAGE 1 OF 1

Stantec

DRILLING: STARTED **10/12/21** COMPLETED: **10/12/21**
INSTALLATION: STARTED COMPLETED:
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Manual/GP6620DT**
DRILLING METHOD: **Hand Auger/DPT**
SAMPLING EQUIPMENT: **Jar/Acetate**

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **14.0**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIAMETER (in): **---** BOREHOLE DIAMETER (in): **2.25**
LOGGED BY: **Mason** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recovery (ft.)	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" Asphalt							
			WELL GRADED SAND WITH SILT AND GRAVEL ; 12" road base material							
		SM	**SILTY SAND** ; SM; 2.5YR 3/3 dark reddish brown; dry; no odor; no staining; 70/30% fine to medium sand/silt; non-cohesive							x2 1/4" Nylaflow Tubing in Hydrated Granular Bentonite
5					0820 SSB-B19-5			0.0	5	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
										1/4" Nylaflow Tubing in Hydrated Granular Bentonite
10			**SAME AS ABOVE**		0825 SSB-B19-10			0.0	10	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
			@11.5' to 12' - cobbles							
		SM	**SILTY SAND** ; SM; 2.5YR 3/3 dark reddish brown; moist; no odor; no staining; 70/30% fine to medium sand/silt; non-cohesive							
		SP	**POORLY GRADED SAND** ; SP; fine-grained; trace medium to coarse sand							
					0835 SSB-B19-15			0.0		
15			Refusal at 14.8 feet. Hole terminated at 14.8 feet.						15	

GEO FORM 304 TREMONT.GPJ STANTEC001.GDT 11/1/21

PROJECT: **Oceanside Transit Center**
LOCATION: **235 S. Tremont St. Oceanside, CA**
PROJECT NUMBER: **2014217900.307.001**

WELL / PROBEHOLE / BOREHOLE NO: **B-20** PAGE 1 OF 1

DRILLING: STARTED **10/12/21** COMPLETED: **10/12/21**
INSTALLATION: STARTED COMPLETED:
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Manual/GP6620DT**
DRILLING METHOD: **Hand Auger/DPT**
SAMPLING EQUIPMENT: **Jar/Acetate**

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **14.0**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIAMETER (in): **---** BOREHOLE DIAMETER (in): **2.25**
LOGGED BY: **Mason** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recovery (ft.)	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" Asphalt							
			SILTY SAND WITH GRAVEL ; 12" road base material							
		SM	**SILTY SAND** ; SM; 2.5YR 2.5/2 very dark red; dry; no odor; no staining; 70/30% fine to medium sand/silt; medium dense; non-cohesive							x3 1/4" Nylaflow in Hydrated Granular Bentonite
5					1020 SSB-B20-5			0.0	5	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
		SP	**POORLY GRADED SAND** ; SP; 7.5YR 5/6 strong brown; fine sand; trace silt; dense; dry; non-cohesive							x2 1/4" Nylaflow in Hydrated Granular Bentonite
10					1025 SSB-B20-10			0.0	10	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack; 1/4" Nylaflow in Hydrated Granular Bentonite
		SM	**SILTY SAND WITH GRAVEL** ; SM; 2.5Y 6/2 light brownish gray; little to some gravel		1038 SSB-B20-14			0.0		12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
			Refusal at 14 feet. Hole terminated at 14 feet.							
15									15	

GEO FORM 304 TREMONT.GPJ STANTEC001.GDT 11/1/21

PROJECT: **Oceanside Transit Center**
LOCATION: **235 S. Tremont St. Oceanside, CA**
PROJECT NUMBER: **2014217900.307.001**


WELL / PROBEHOLE / BOREHOLE NO: **B-21** PAGE 1 OF 1

Stantec

DRILLING: STARTED **10/12/21** COMPLETED: **10/12/21**
INSTALLATION: STARTED COMPLETED:
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Manual/GP6620DT**
DRILLING METHOD: **Hand Auger/DPT**
SAMPLING EQUIPMENT: **Jar/Acetate**

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **14.0**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIAMETER (in): **---** BOREHOLE DIAMETER (in): **2.25**
LOGGED BY: **Mason** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recovery (ft.)	Blow Count	PID Reading (ppmv)
			6" Asphalt					
			SILTY SAND WITH GRAVEL ; 12" road base material					
		SM	**SILTY SAND** ; SM; 2.5YR 3/3 dark reddish brown; 70/30% fine sand/silt; dry; non-cohesive					
5			**SAME AS ABOVE**		1210 SSB-B21-5			0.0
		SP	**POORLY GRADED SAND** ; SP; 10YR 5/3 brown; fine-grained; dry; trace silt					
10			**SAME AS ABOVE** ; fine to medium-grained; mottled 10YR 3/3 dark brown to 10yr 3/1 very dark gray		1215 SSB-B21-10			0.0
			Crushed weathered rock; mottled GLEY1 6/1 greenish gray to 10yr 7/8 yellow; 20% clay		1220 SSB-B21-14			0.0
			Refusal at 14 feet. Hole terminated at 14 feet.					
15								



GEO FORM 304 TREMONT.GPJ STANTEC001.GDT 11/1/21

PROJECT: **Oceanside Transit Center**
LOCATION: **235 S. Tremont St. Oceanside, CA**
PROJECT NUMBER: **2014217900.307.001**

WELL / PROBEHOLE / BOREHOLE NO: **B-22** PAGE 1 OF 1

Stantec

DRILLING: STARTED **10/12/21** COMPLETED: **10/12/21**
INSTALLATION: STARTED COMPLETED:
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Manual/GP6620DT**
DRILLING METHOD: **Hand Auger/DPT**
SAMPLING EQUIPMENT: **Jar/Acetate**

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **15.5**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIAMETER (in): **---** BOREHOLE DIAMETER (in): **2.25**
LOGGED BY: **Mason** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recovery (ft.)	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
			6" Asphalt							
			SILTY SAND WITH GRAVEL ; 12" road base material							
		SM	**SILTY SAND** ; SM; 5YR 2.5/2 dark reddish brown; no odor; no staining; medium dense; non-cohesive; dry; 70/30% fine to medium sand/silt							x3 1/4" Nylaflow in Hydrated Granular Bentonite
5					1342 SSB-B22-5			0.0	5	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
										x2 1/4" Nylaflow in Hydrated Granular Bentonite
10			**SAME AS ABOVE** ; decreasing fines		1347 SSB-B22-10			0.2	10	12" Dry Granular Bentonite; 1" Airstone in #3 Sand Filter Pack
										1/4" Nylaflow in Hydrated Granular Bentonite
		SP	**POORLY GRADED SAND** ; SP; 10YR 6/4 light yellowish brown; fine to medium-grained; trace fines; loose to medium dense; interbedded 2.5YR 4/6 red layers (1/4")							12" Dry Granular Bentonite
15					1350 SSB-B22-15			0.3	15	1" Airstone in #3 Sand Filter Pack
			Hole terminated at 15.5 feet.							

GEO FORM 304 TREMONT.GPJ STANTEC001.GDT 11/1/21

PROJECT: **Oceanside Transit Center**
LOCATION: **235 S. Tremont St. Oceanside, CA**
PROJECT NUMBER: **2014217900.307.001**

WELL / PROBEHOLE / BOREHOLE NO: **B-23** PAGE 1 OF 1

Stantec

DRILLING: STARTED **10/13/21** COMPLETED: **10/13/21**
INSTALLATION: STARTED COMPLETED:
DRILLING COMPANY: **M&R Drilling**
DRILLING EQUIPMENT: **Manual/GP6620DT**
DRILLING METHOD: **Hand Auger/DPT**
SAMPLING EQUIPMENT: **Jar/Acetate**

NORTHING (ft): EASTING (ft):
LATITUDE: LONGITUDE:
GROUND ELEV (ft): TOC ELEV (ft):
INITIAL DTW (ft): **NE** BOREHOLE DEPTH (ft): **14.0**
STATIC DTW (ft): **NE** WELL DEPTH (ft): **---**
WELL CASING DIAMETER (in): **---** BOREHOLE DIAMETER (in): **2.25**
LOGGED BY: **Mason** CHECKED BY: **AJ**

Time & Depth (feet)	Graphic Log	USCS	Description	Sample	Time Sample ID	Measured Recovery (ft.)	Blow Count	PID Reading (ppmv)	Depth (feet)	Borehole Backfill
		ML-SM	**SANDY SILT - SILTY SAND** ; ML-SM; 5YR 2.5/2 dark reddish brown; moist; 50% mix coarse sand/silt; 15% fine to coarse gravel; non-cohesive; very soft/loose							x3 1/4" Nylaflow in Hydrated Granular Bentonite
		SM-SC	@4.5' - cobble/large gravel							12" Dry Granular Bentonite
5		SM-SC	**SILTY SAND - CLAYEY SAND** ; SM-SC; 5YR 4/3 reddish brown; non plastic; moist; few fine gravel		0745 SSB-B23-5			0.0	5	1" Airstone in #3 Sand Filter Pack
										x2 1/4" Nylaflow in Hydrated Granular Bentonite
										12" Dry Granular Bentonite
10		CL-ML	**SANDY CLAY - SANDY SILT** ; CL-ML; 7.5YR 3/2 brown; fine-grained; non plastic; moist; soft		0749 SSB-B23-10			0.0	10	1" Airstone in #3 Sand Filter Pack
		SM	**SILTY SAND** ; SM; 7.5YR 3/2 brown; fine to medium-grained; moist							1/4" Nylaflow in Hydrated Granular Bentonite
		CL	**LEAN CLAY** ; CL; lime with clay and charcoal; possible shell fragments and fire pit							12" Dry Granular Bentonite
		SP	**POORLY GRADED SAND** ; SP; 7.5YR 5/3 brown; fine to medium-grained; trace silt		0754 SSB-B23-14			0.0		1" Airstone in #3 Sand Filter Pack
			Refusal at 14 feet. Hole terminated at 14 feet.							
15									15	

GEO FORM 304 TREMONT.GPJ STANTEC001.GDT 11/1/21

APPENDIX B

Laboratory Data Sheets

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CASE NARRATIVE

Authorized Signature Name / Title (print)	Ken Zheng, President
Signature / Date	Ken Zheng, President 10/21/2021 10:29:20
Laboratory Job No. (Certificate of Analysis No.)	2110-00139
Project Name / No.	235 S. Tremont St., Oceanside, CA 92054 2014217900.307.001
Dates Sampled (from/to)	10/19/21 To 10/19/21
Dates Received (from/to)	10/19/21 To 10/19/21
Dates Reported (from/to)	10/21/21 To 10/21/2021
Chains of Custody Received	Yes

Comments:

Subcontracting

Organic Analyses

No analyses sub-contracted

Other Analyses

No analyses sub-contracted

Sample Condition(s)

All samples intact

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 001 **B-15-5** Date & Time Sampled: 10/19/21 @ 7:45
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**4.6**	0.65	1.3	µg/L	**4,600**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	***0.010***	0.00312	0.013	µg/L	***10***	3.1	13	µg/m3	J	0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 001 **B-15-5** Date & Time Sampled: 10/19/21 @ 7:45
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	**0.070**	0.0065	0.013	µg/L	**70**	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Toluene	**0.030**	0.0065	0.013	µg/L	**30**	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 001 **B-15-5** Date & Time Sampled: 10/19/21 @ 7:45
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	96		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	101		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	90		70-130	%REC							EPA 8260B	10/19/21	KZ

Sample: 002 **B-15-12** Date & Time Sampled: 10/19/21 @ 8:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	***0.74***	0.65	1.3	µg/L	***740***	650.0	1,300	µg/m3	J	0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 002 **B-15-12** Date & Time Sampled: 10/19/21 @ 8:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 002 **B-15-12** Date & Time Sampled: 10/19/21 @ 8:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	***0.010***	0.0065	0.013	µg/L	***10***	6.5	13	µg/m3	J	0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 002 **B-15-12** Date & Time Sampled: 10/19/21 @ 8:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	96		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	100		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	87		70-130	%REC							EPA 8260B	10/19/21	KZ

Sample: 003 **B-16-5** Date & Time Sampled: 10/19/21 @ 8:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**2.2**	0.65	1.3	µg/L	**2,200**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 003 **B-16-5** Date & Time Sampled: 10/19/21 @ 8:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 003 **B-16-5** Date & Time Sampled: 10/19/21 @ 8:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	**0.020**	0.0065	0.013	µg/L	**20**	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 003 **B-16-5**									Date & Time Sampled:		10/19/21 @ 8:10		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
.....continued													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	100		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	101		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	92		70-130	%REC							EPA 8260B	10/19/21	KZ
Sample: 004 **B-16-9**									Date & Time Sampled:		10/19/21 @ 9:06		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
[TPH Gasoline by GCMS]													
C4-C12	**1.6**	0.65	1.3	µg/L	**1,600**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 004 **B-16-9** Date & Time Sampled: 10/19/21 @ 9:06
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 004 **B-16-9** Date & Time Sampled: 10/19/21 @ 9:06
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	***0.010***	0.0065	0.013	µg/L	***10***	6.5	13	µg/m3	J	0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	94		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	101		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 005 **B-22-5** Date & Time Sampled: 10/19/21 @ 9:30
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**4.0**	0.65	1.3	µg/L	**4,000**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 005 **B-22-5** Date & Time Sampled: 10/19/21 @ 9:30
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	**0.050**	0.0065	0.013	µg/L	**50**	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Toluene	**0.020**	0.0065	0.013	µg/L	**20**	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 005 **B-22-5** Date & Time Sampled: 10/19/21 @ 9:30
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	97		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	98		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/19/21	KZ

Sample: 006 **B-22-10** Date & Time Sampled: 10/19/21 @ 9:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**6.0**	0.65	1.3	µg/L	**6,000**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 006 **B-22-10** Date & Time Sampled: 10/19/21 @ 9:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 006 **B-22-10** Date & Time Sampled: 10/19/21 @ 9:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	**0.12**	0.0065	0.013	µg/L	**120**	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 006 **B-22-10** Date & Time Sampled: 10/19/21 @ 9:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	130		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	109		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	108		70-130	%REC							EPA 8260B	10/19/21	KZ

Sample: 007 **B-22-15** Date & Time Sampled: 10/19/21 @ 10:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**1.5**	0.65	1.3	µg/L	**1,500**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 007 **B-22-15** Date & Time Sampled: 10/19/21 @ 10:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 007 **B-22-15** Date & Time Sampled: 10/19/21 @ 10:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	**0.070**	0.0065	0.013	µg/L	**70**	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 007 **B-22-15** Date & Time Sampled: 10/19/21 @ 10:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	101		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	99		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/19/21	KZ

Sample: 008 **B-23-5** Date & Time Sampled: 10/19/21 @ 10:55
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**16**	0.65	1.3	µg/L	**16,000**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 008 **B-23-5** Date & Time Sampled: 10/19/21 @ 10:55
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 008 **B-23-5** Date & Time Sampled: 10/19/21 @ 10:55
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	***0.010***	0.0065	0.013	µg/L	***10***	6.5	13	µg/m3	J	0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	96		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	98		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	93		70-130	%REC							EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 009 **B-23-10** Date & Time Sampled: 10/19/21 @ 11:20
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**7.4**	0.65	1.3	µg/L	**7,400**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 009 **B-23-10** Date & Time Sampled: 10/19/21 @ 11:20
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	***0.010***	0.0065	0.013	µg/L	***10***	6.5	13	µg/m3	J	0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 009 **B-23-10** Date & Time Sampled: 10/19/21 @ 11:20
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	95		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	98		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/19/21	KZ

Sample: 010 **B-23-14** Date & Time Sampled: 10/19/21 @ 11:40
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	***0.66***	0.65	1.3	µg/L	***660***	650.0	1,300	µg/m3	J	0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 010 **B-23-14** Date & Time Sampled: 10/19/21 @ 11:40
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 010 **B-23-14** Date & Time Sampled: 10/19/21 @ 11:40
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	***0.010***	0.0065	0.013	µg/L	***10***	6.5	13	µg/m3	J	0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 010 **B-23-14** Date & Time Sampled: 10/19/21 @ 11:40
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	98		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	96		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	87		70-130	%REC							EPA 8260B	10/19/21	KZ

Sample: 011 **B-21-5** Date & Time Sampled: 10/19/21 @ 12:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**2.5**	0.65	1.3	µg/L	**2,500**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 011 **B-21-5** Date & Time Sampled: 10/19/21 @ 12:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 011 **B-21-5** Date & Time Sampled: 10/19/21 @ 12:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 011 **B-21-5**									Date & Time Sampled:		10/19/21 @ 12:10		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
.....continued													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	82		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	101		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	92		70-130	%REC							EPA 8260B	10/19/21	KZ
Sample: 012 **B-21-10**									Date & Time Sampled:		10/19/21 @ 12:35		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
[TPH Gasoline by GCMS]													
C4-C12	**1.6**	0.65	1.3	µg/L	**1,600**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 012 **B-21-10** Date & Time Sampled: 10/19/21 @ 12:35
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 012 **B-21-10** Date & Time Sampled: 10/19/21 @ 12:35
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	91		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	98		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	92		70-130	%REC							EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 013 **B-21-13.5** Date & Time Sampled: 10/19/21 @ 13:01
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	***1.1***	0.65	1.3	µg/L	***1,100***	650.0	1,300	µg/m3	J	0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 013 **B-21-13.5** Date & Time Sampled: 10/19/21 @ 13:01
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 013 **B-21-13.5** Date & Time Sampled: 10/19/21 @ 13:01
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	83		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	100		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/19/21	KZ

Sample: 014 **B-21-13.5 DUP** Date & Time Sampled: 10/19/21 @ 13:01
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	***0.87***	0.65	1.3	µg/L	***870***	650.0	1,300	µg/m3	J	0.13	LUFT GCMS	10/19/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 014 **B-21-13.5 DUP** Date & Time Sampled: 10/19/21 @ 13:01
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 014 **B-21-13.5 DUP** Date & Time Sampled: 10/19/21 @ 13:01
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/19/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/19/21
Invoice No.	93134
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 014 **B-21-13.5 DUP** Date & Time Sampled: 10/19/21 @ 13:01
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/19/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/19/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/19/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	88		70-130	%REC							EPA 8260B	10/19/21	KZ
Toluene-D8	99		70-130	%REC							EPA 8260B	10/19/21	KZ
Bromofluorobenzene	92		70-130	%REC							EPA 8260B	10/19/21	KZ

Respectfully Submitted: Ken Zheng

Ken Zheng - President

QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL
B1= BOD blank is over specifications . The reported result may be biased high.
D = Surrogate recoveries are not calculated due to sample dilution
E = Estimated value
H = Analyte was prepared and/or analyzed outside of the analytical method holding time
I = Matrix Interference
J = Analyte concentration detected between RL and MDL

ABBREVIATIONS

DF = Dilution Factor
RL = Reporting Limit
MDL = Method Detection Limit
Qual = Qualifier
Tech = Technician

As regulatory limits change frequently, Microbac advises the recipient of this report to confirm such limits with the appropriate federal, state, or local authorities before acting in reliance on the regulatory limits provided.

For any feedback concerning our services, please contact Jenny Jiang, Project Manager at 951.779.0310. You may also contact Ken Zheng, President at office@arlaboratories.com.

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

2110-00139

Date Reported	**10/21/2021**
Date Received	**10/19/2021**
Date Sampled	**10/19/2021**
Invoice No.	**93134**
Customer #	**1003**
Customer P.O.	**2014217900.307.001**

Project: 235 S. Tremont St., Oceanside, CA 92054

Method # EPA 8260B
QC Reference # 99026 **Date Analyzed:** 10/19/2021 **Technician:** KZ
Samples 001 002 003 004 005 006 007 008 009 010 011 012 013 014

Results

	LCS %REC	LCS %DUP	LCS %RPD	BLKSRR% REC
1,1-Dichloroethene	130	122	6.6	
Benzene	76	84	10.8	
Bromofluorobenzene				86
Chlorobenzene	72	75	4.2	
Dibromofluoromethan				95
Toluene	80	100	22.2	
Toluene-D8				95
Trichloroethene	76	86	12.9	

Control Ranges

LCS %REC	LCS %RPD	BLKSRR%REC
70 - 130	0 - 25	
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	

Method # LUFT GCMS
QC Reference # 99028 **Date Analyzed:** 10/19/2021 **Technician:** KZ
Samples 001 002 003 004 005 006 007 008 009 010 011 012 013 014

Results

	LCS %REC	LCS %DUP	LCS %RPD
C4-C12	90	100	10

Control Ranges

LCS %REC	LCS %RPD
70 - 130	0 - 25

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN

Date Reported 10/21/2021
Date Received 10/19/2021
Date Sampled 10/19/2021

Project: 235 S. Tremont St., Oceanside, CA 92054

Method blank results

Ref	Test Name	Result	Qualif	Units	MDL
99026	Acetone	<0.0650		µg/L	0.0650
	t-Amyl Methyl Ether (TAME)	<0.0065		µg/L	0.0065
	Benzene	<0.0031		µg/L	0.0031
	Bromobenzene	<0.0065		µg/L	0.0065
	Bromochloromethane	<0.0065		µg/L	0.0065
	Bromodichloromethane	<0.0065		µg/L	0.0065
	Bromoform	<0.0065		µg/L	0.0065
	Bromomethane	<0.0065		µg/L	0.0065
	t-Butanol (TBA)	<0.0650		µg/L	0.0650
	2-Butanone (MEK)	<0.0650		µg/L	0.0650
	n-Butylbenzene	<0.0065		µg/L	0.0065
	sec-Butylbenzene	<0.0065		µg/L	0.0065
	tert-Butylbenzene	<0.0065		µg/L	0.0065
	Carbon Disulfide	<0.0650		µg/L	0.0650
	Carbon Tetrachloride	<0.0033		µg/L	0.0033
	Chlorobenzene	<0.0065		µg/L	0.0065
	Chloroethane	<0.0065		µg/L	0.0065
	Chloroform	<0.0065		µg/L	0.0065
	Chloromethane	<0.0065		µg/L	0.0065
	2-Chlorotoluene	<0.0065		µg/L	0.0065
	4-Chlorotoluene	<0.0065		µg/L	0.0065
	Dibromochloromethane	<0.0065		µg/L	0.0065
	1,2-Dibromoethane (EDB)	<0.0026		µg/L	0.0026
	1,2-Dibromo-3-Chloropropane	<0.0026		µg/L	0.0026
	Dibromomethane	<0.0065		µg/L	0.0065
	1,2-Dichlorobenzene	<0.0065		µg/L	0.0065
	1,3-Dichlorobenzene	<0.0065		µg/L	0.0065
	1,4-Dichlorobenzene	<0.0065		µg/L	0.0065
	Dichlorodifluoromethane	<0.0065		µg/L	0.0065
	1,1-Dichloroethane	<0.0065		µg/L	0.0065
	1,2-Dichloroethane	<0.0065		µg/L	0.0065
	1,1-Dichloroethene	<0.0065		µg/L	0.0065
	cis-1,2-Dichloroethene	<0.0065		µg/L	0.0065
	trans-1,2-Dichloroethene	<0.0065		µg/L	0.0065
	1,2-Dichloropropane	<0.0065		µg/L	0.0065
	1,3-Dichloropropane	<0.0065		µg/L	0.0065
	2,2-Dichloropropane	<0.0065		µg/L	0.0065
	1,1-Dichloropropene	<0.0065		µg/L	0.0065
	cis-1,3-Dichloropropene	<0.0065		µg/L	0.0065
	trans-1,3-Dichloropropene	<0.0065		µg/L	0.0065
	Diisopropyl Ether (DiPE)	<0.0065		µg/L	0.0065
	Ethylbenzene	<0.0065		µg/L	0.0065
	Ethyl-t-Butyl Ether (EtBE)	<0.0065		µg/L	0.0065
	Hexachlorobutadiene	<0.0065		µg/L	0.0065
	2-Hexanone	<0.0650		µg/L	0.0650
	Isopropylbenzene	<0.0065		µg/L	0.0065
	4-Isopropyltoluene	<0.0065		µg/L	0.0065
	Methylene Chloride	<0.0065		µg/L	0.0065
	4-Methyl-2-Pentanone (MIBK)	<0.0650		µg/L	0.0650
	Methyl-t-butyl Ether (MtBE)	<0.0065		µg/L	0.0065
	Naphthalene	<0.0042		µg/L	0.0042
	n-Propylbenzene	<0.0065		µg/L	0.0065
	Styrene	<0.0065		µg/L	0.0065
	1,1,1,2-Tetrachloroethane	<0.0065		µg/L	0.0065
	1,1,2,2-Tetrachloroethane	<0.0065		µg/L	0.0065
	Tetrachloroethene	<0.0065		µg/L	0.0065
	Toluene	<0.0065		µg/L	0.0065
	1,2,3-Trichlorobenzene	<0.0065		µg/L	0.0065
	1,2,4-Trichlorobenzene	<0.0065		µg/L	0.0065
	1,1,1-Trichloroethane	<0.0065		µg/L	0.0065
	1,1,2-Trichloroethane	<0.0065		µg/L	0.0065
	Trichloroethene	<0.0065		µg/L	0.0065
	1,2,3-Trichloropropane	<0.0026		µg/L	0.0026
	Trichlorofluoromethane	<0.0065		µg/L	0.0065
	Trichlorotrifluoroethane	<0.0065		µg/L	0.0065
	1,2,4-Trimethylbenzene	<0.0065		µg/L	0.0065
	1,3,5-Trimethylbenzene	<0.0065		µg/L	0.0065
	Vinyl Chloride	<0.0010		µg/L	0.0010
	m,p-Xylenes	<0.0130		µg/L	0.0130
	o-Xylene	<0.0065		µg/L	0.0065
	Isopropanol (IPA)	<0.0650		µg/L	0.0650
99028	C4-C12	<0.6500		µg/L	0.6500

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2110-00139

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN

Date Reported	**10/21/2021**
Date Received	**10/19/2021**
Date Sampled	**10/19/2021**

Project: 235 S. Tremont St., Oceanside, CA 92054

Respectfully Submitted: Ken Zheng

Ken Zheng - President

For any feedback concerning our services, please contact Jenny Jiang, Project Manager at 951.779.0310. You may also contact Ken Zheng, President at office@arlaboratories.com.

A & R Laboratories
1650 S. Grove Ave., Ste C, Ontario, CA 91761
Tel: 951-779-0310 / 909-781-6335 Fax: 951-779-0344
E-mail: office@arlaboratories.com

CHAIN OF CUSTODY

A & R Work Order #: 2110-139

Page ____ of ____

Client Name: Stantec

E-mail: Jason.Hafliger@stantec.com / Alicia.Jansen@stantec.com

Address: 735 E. Carnegie dr. ste #280, San bernardino, CA

Report Attention: Jason / Alicia | Phone #: 909 255 8221 | Fax: # | Sampled By: KZ

Project No./ Name:

Project Site: 235 S Tremont st. Oceanside

☐ Chilled ☐ Intact ☐ Seal

Turn Around Time Requested: ☐ Rush 8 12 24 48 Hours ☐ Normal — Mobile

Lab # (Lab use)	Client Sample ID	Sample Collection Date	Sample Collection Time	Matrix Type	Sample Preserve	No., type* & size of container	EPA8260B (VOCs & Oxygenates)	EPA8260B(BTEX & Oxygenates)	LUFT / 8015 (Gasoline)	LUFT / 8015 (Diesel)	EPA8081A (Organochlorine Pesticides)	EPA 8082 (PCBs)	EPA 8015M (Carbon Chain C4-C40)	EPA 6010B/7000 (CAM 17 Metals)	Micro: Plate Cnt., Coliform, E-Coli	Remarks
-1	B-15-5	10/19/21	7:45	Air	NA	250mL G	X		X							
-2	↓ -12		8:10													
-3	B-16-5		8:40													
-4	↓ -9		9:06													
-5	B-22-5		9:30													
-6	↓ -10		9:50													
-7	↓ -15		10:10													
-8	B-23-5		10:55													
-9	↓ -10		11:20													
-10	↓ -14		11:40													
-11	B-21-5		12:10													
-12	↓ -10		12:35													
-13	↓ -13.5		13:01													
-14	↓ -13.5 Dup	↓	13:01	↓	↓	↓	↓		↓							

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
[signature]	Stantec	10/19/21	1403	[signature]	ARL	10/19/21	14:03
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Note: Samples are discarded 30 days after results are reported unless other arrangements are made.

Matrix Code: DW=Drinking Water; GW=Ground Water; WW=Waste Water; SD=Solid Waste; SL=Sludge; SS=Soil/Sediment; AR=Air; PP=Pure Product

Preservative Code: IC=Ice; HC=HCl; HN=HNO_3; SH=NaOH; ST=$Na_2S_2O_3$; HS=H_2SO_4

* Sample Container Types: T=Tedlar Air Bag; G=Glass Container; ST= Steel Tube; B= Brass Tube; P=Plastic Bottle; V=VOA Vial; E= EnCore

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CASE NARRATIVE

Authorized Signature Name / Title (print)	Ken Zheng, President
Signature / Date	Ken Zheng, President 10/21/2021 10:30:03
Laboratory Job No. (Certificate of Analysis No.)	2110-00140
Project Name / No.	235 S. Tremont St., Oceanside, CA 92054 2014217900.307.001
Dates Sampled (from/to)	10/20/21 To 10/20/21
Dates Received (from/to)	10/20/21 To 10/20/21
Dates Reported (from/to)	10/21/21 To 10/21/2021
Chains of Custody Received	Yes

Comments:

Subcontracting

Organic Analyses

No analyses sub-contracted

Other Analyses

No analyses sub-contracted

Sample Condition(s)

All samples intact

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 001 **B-20-5** Date & Time Sampled: 10/20/21 @ 7:15
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**2.2**	0.65	1.3	µg/L	**2,200**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 001 **B-20-5** Date & Time Sampled: 10/20/21 @ 7:15
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	***0.010***	0.0065	0.013	µg/L	***10***	6.5	13	µg/m3	J	0.13	EPA 8260B	10/20/21	KZ
Toluene	**0.020**	0.0065	0.013	µg/L	**20**	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 001 **B-20-5** Date & Time Sampled: 10/20/21 @ 7:15
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	91		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	101		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	89		70-130	%REC							EPA 8260B	10/20/21	KZ

Sample: 002 **B-20-10** Date & Time Sampled: 10/20/21 @ 7:40
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**1.4**	0.65	1.3	µg/L	**1,400**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 002 **B-20-10** Date & Time Sampled: 10/20/21 @ 7:40
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 002 **B-20-10** Date & Time Sampled: 10/20/21 @ 7:40
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 002 **B-20-10** Date & Time Sampled: 10/20/21 @ 7:40
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	94		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	101		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	90		70-130	%REC							EPA 8260B	10/20/21	KZ

Sample: 003 **B-20-13.5** Date & Time Sampled: 10/20/21 @ 8:05
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**2.2**	0.65	1.3	µg/L	**2,200**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 003 **B-20-13.5** Date & Time Sampled: 10/20/21 @ 8:05
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 003 **B-20-13.5** Date & Time Sampled: 10/20/21 @ 8:05
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 003 **B-20-13.5** Date & Time Sampled: 10/20/21 @ 8:05
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	93		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	102		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/20/21	KZ

Sample: 004 **B-19-5** Date & Time Sampled: 10/20/21 @ 8:30
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**2.6**	0.65	1.3	µg/L	**2,600**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 004 **B-19-5** Date & Time Sampled: 10/20/21 @ 8:30
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 004 **B-19-5** Date & Time Sampled: 10/20/21 @ 8:30
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	**0.020**	0.0065	0.013	µg/L	**20**	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	96		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	102		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	92		70-130	%REC							EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 005 **B-19-10** Date & Time Sampled: 10/20/21 @ 8:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**3.1**	0.65	1.3	µg/L	**3,100**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 005 **B-19-10** Date & Time Sampled: 10/20/21 @ 8:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 005 **B-19-10** Date & Time Sampled: 10/20/21 @ 8:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	97		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	103		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/20/21	KZ

Sample: 006 **B-19-14.5** Date & Time Sampled: 10/20/21 @ 9:15
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	<0.6500	0.65	1.3	µg/L	<650.0	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 006 **B-19-14.5** Date & Time Sampled: 10/20/21 @ 9:15
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 006 **B-19-14.5** Date & Time Sampled: 10/20/21 @ 9:15
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 006 **B-19-14.5** Date & Time Sampled: 10/20/21 @ 9:15
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	101		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	98		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	89		70-130	%REC							EPA 8260B	10/20/21	KZ

Sample: 007 **B-18-5** Date & Time Sampled: 10/20/21 @ 9:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	**1.7**	0.65	1.3	µg/L	**1,700**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 007 **B-18-5** Date & Time Sampled: 10/20/21 @ 9:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 007 **B-18-5** Date & Time Sampled: 10/20/21 @ 9:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	**0.020**	0.0065	0.013	µg/L	**20**	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 007 **B-18-5** Date & Time Sampled: 10/20/21 @ 9:50
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	96		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	100		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/20/21	KZ

Sample: 008 **B-18-10** Date & Time Sampled: 10/20/21 @ 10:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	***1.2***	0.65	1.3	µg/L	***1,200***	650.0	1,300	µg/m3	J	0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 008 **B-18-10** Date & Time Sampled: 10/20/21 @ 10:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 008 **B-18-10** Date & Time Sampled: 10/20/21 @ 10:10
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	94		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	100		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	93		70-130	%REC							EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 009 **B-18-13** Date & Time Sampled: 10/20/21 @ 10:35
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	**3.2**	0.65	1.3	µg/L	**3,200**	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 009 **B-18-13** Date & Time Sampled: 10/20/21 @ 10:35
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 009 **B-18-13** Date & Time Sampled: 10/20/21 @ 10:35
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	91		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	100		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/20/21	KZ

Sample: 010 **B-17-5** Date & Time Sampled: 10/20/21 @ 11:07
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	<0.6500	0.65	1.3	µg/L	<650.0	650.0	1,300	µg/m3		0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 010 **B-17-5** Date & Time Sampled: 10/20/21 @ 11:07
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 010 **B-17-5** Date & Time Sampled: 10/20/21 @ 11:07
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 010 **B-17-5** Date & Time Sampled: 10/20/21 @ 11:07
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	108		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	97		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/20/21	KZ

Sample: 011 **B-17-10** Date & Time Sampled: 10/20/21 @ 11:29
Sample Matrix: **Air**
Purge Volume Sampled: **3**

[TPH Gasoline by GCMS]													
C4-C12	***0.89***	0.65	1.3	µg/L	***890***	650.0	1,300	µg/m3	J	0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 011 **B-17-10** Date & Time Sampled: 10/20/21 @ 11:29
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 011 **B-17-10** Date & Time Sampled: 10/20/21 @ 11:29
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	***0.010***	0.0065	0.013	µg/L	***10***	6.5	13	µg/m3	J	0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 011 **B-17-10**									Date & Time Sampled:		10/20/21 @ 11:29		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
.....continued													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	95		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	100		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/20/21	KZ
Sample: 012 **B-17-10 DUP**									Date & Time Sampled:		10/20/21 @ 11:29		
Sample Matrix: **Air**													
Purge Volume Sampled: **3**													
[TPH Gasoline by GCMS]													
C4-C12	***0.68***	0.65	1.3	µg/L	***680***	650.0	1,300	µg/m3	J	0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 012 **B-17-10 DUP** Date & Time Sampled: 10/20/21 @ 11:29
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 012 **B-17-10 DUP** Date & Time Sampled: 10/20/21 @ 11:29
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	***0.010***	0.0065	0.013	µg/L	***10***	6.5	13	µg/m3	J	0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	96		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	99		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	91		70-130	%REC							EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 013 **B-17-15** Date & Time Sampled: 10/20/21 @ 12:16
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
[TPH Gasoline by GCMS]													
C4-C12	***1.0***	0.65	1.3	µg/L	***1,000***	650.0	1,300	µg/m3	J	0.13	LUFT GCMS	10/20/21	KZ
[VOCs by GCMS]													
Acetone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Amyl Methyl Ether (TAME)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Benzene	<0.0031	0.00312	0.013	µg/L	<3.1	3.1	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromodichloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromoform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Bromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
t-Butanol (TBA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Butanone (MEK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
sec-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
tert-Butylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Disulfide	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Carbon Tetrachloride	<0.0033	0.00325	0.0065	µg/L	<3.3	3.3	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloroform	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Chloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Chlorotoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromochloromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromoethane (EDB)	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dibromo-3-Chloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dibromomethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 013 **B-17-15** Date & Time Sampled: 10/20/21 @ 12:16
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,4-Dichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Dichlorodifluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,2-Dichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2,2-Dichloropropane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
cis-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
trans-1,3-Dichloropropene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Diisopropyl Ether (DiPE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Hexachlorobutadiene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
2-Hexanone	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Isopropylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Isopropyltoluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methylene Chloride	<0.0065	0.0065	0.01	µg/L	<6.5	6.5	10	µg/m3		0.13	EPA 8260B	10/20/21	KZ
4-Methyl-2-Pentanone (MIBK)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Methyl-t-butyl Ether (MtBE)	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Naphthalene	<0.0042	0.00416	0.0065	µg/L	<4.2	4.2	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
n-Propylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Styrene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2,2-Tetrachloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Tetrachloroethene	**0.020**	0.0065	0.013	µg/L	**20**	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Toluene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

Date Reported	10/21/21
Date Received	10/20/21
Invoice No.	93135
Cust #	1003
Permit Number	
Customer P.O.	2014217900.307.001

Project: 235 S. Tremont St., Oceanside, CA 92054

Sample: 013 **B-17-15** Date & Time Sampled: 10/20/21 @ 12:16
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
1,2,3-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trichlorobenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,1-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,1,2-Trichloroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichloroethene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,3-Trichloropropane	<0.0026	0.0026	0.013	µg/L	<2.6	2.6	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorofluoromethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Trichlorotrifluoroethane	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,2,4-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
1,3,5-Trimethylbenzene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
Vinyl Chloride	<0.0010	0.00104	0.0065	µg/L	<1.0	1.0	7	µg/m3		0.13	EPA 8260B	10/20/21	KZ
m,p-Xylenes	<0.0130	0.013	0.026	µg/L	<13.0	13.0	26	µg/m3		0.13	EPA 8260B	10/20/21	KZ
o-Xylene	<0.0065	0.0065	0.013	µg/L	<6.5	6.5	13	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.0650	0.065	0.13	µg/L	<65.0	65.0	130	µg/m3		0.13	EPA 8260B	10/20/21	KZ
[VOC Surrogates]													
Dibromofluoromethane	94		70-130	%REC							EPA 8260B	10/20/21	KZ
Toluene-D8	100		70-130	%REC							EPA 8260B	10/20/21	KZ
Bromofluorobenzene	92		70-130	%REC							EPA 8260B	10/20/21	KZ

Respectfully Submitted: Ken Zheng

Ken Zheng - President

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL
B1= BOD blank is over specifications . The reported result may be biased high.
D = Surrogate recoveries are not calculated due to sample dilution
E = Estimated value
H = Analyte was prepared and/or analyzed outside of the analytical method holding time
I = Matrix Interference
J = Analyte concentration detected between RL and MDL

ABBREVIATIONS

DF = Dilution Factor
RL = Reporting Limit
MDL = Method Detection Limit
Qual = Qualifier
Tech = Technician

As regulatory limits change frequently, Microbac advises the recipient of this report to confirm such limits with the appropriate federal, state, or local authorities before acting in reliance on the regulatory limits provided.

For any feedback concerning our services, please contact Jenny Jiang, Project Manager at 951.779.0310. You may also contact Ken Zheng, President at office@arlaboratories.com.

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN
735 E. CARNEGIE DR., STE. 280
SAN BERNARDINO, CA 92408

2110-00140

Date Reported	**10/21/2021**
Date Received	**10/20/2021**
Date Sampled	**10/20/2021**
Invoice No.	**93135**
Customer #	**1003**
Customer P.O.	**2014217900.307.001**

Project: 235 S. Tremont St., Oceanside, CA 92054

Method # EPA 8260B
QC Reference # 99029 **Date Analyzed:** 10/20/2021 **Technician:** KZ
Samples 001 002 003 004 005 006 007 008 009 010 011 012 013

Results

	LCS %REC	LCS %DUP	LCS %RPD	BLKSRR% REC
1,1-Dichloroethene	81	96	17.1	
Benzene	101	102	1.0	
Bromofluorobenzene				85
Chlorobenzene	87	89	1.5	
Dibromofluoromethan				99
Toluene	101	105	4.1	
Toluene-D8				93
Trichloroethene	101	105	3.3	

Control Ranges

LCS %REC	LCS %RPD	BLKSRR%REC
70 - 130	0 - 25	
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	

Method # LUFT GCMS
QC Reference # 99030 **Date Analyzed:** 10/20/2021 **Technician:** KZ
Samples 001 002 003 004 005 006 007 008 009 010 011 012 013

Results

	LCS %REC	LCS %DUP	LCS %RPD
C4-C12	114	122	6.4

Control Ranges

LCS %REC	LCS %RPD
70 - 130	0 - 25

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN

Date Reported 10/21/2021
Date Received 10/20/2021
Date Sampled 10/20/2021

Project: 235 S. Tremont St., Oceanside, CA 92054

Method blank results

Ref	Test Name	Result	Qualif	Units	MDL
99029	Acetone	<0.0650		µg/L	0.0650
	t-Amyl Methyl Ether (TAME)	<0.0065		µg/L	0.0065
	Benzene	<0.0031		µg/L	0.0031
	Bromobenzene	<0.0065		µg/L	0.0065
	Bromochloromethane	<0.0065		µg/L	0.0065
	Bromodichloromethane	<0.0065		µg/L	0.0065
	Bromoform	<0.0065		µg/L	0.0065
	Bromomethane	<0.0065		µg/L	0.0065
	t-Butanol (TBA)	<0.0650		µg/L	0.0650
	2-Butanone (MEK)	<0.0650		µg/L	0.0650
	n-Butylbenzene	<0.0065		µg/L	0.0065
	sec-Butylbenzene	<0.0065		µg/L	0.0065
	tert-Butylbenzene	<0.0065		µg/L	0.0065
	Carbon Disulfide	<0.0650		µg/L	0.0650
	Carbon Tetrachloride	<0.0033		µg/L	0.0033
	Chlorobenzene	<0.0065		µg/L	0.0065
	Chloroethane	<0.0065		µg/L	0.0065
	Chloroform	<0.0065		µg/L	0.0065
	Chloromethane	<0.0065		µg/L	0.0065
	2-Chlorotoluene	<0.0065		µg/L	0.0065
	4-Chlorotoluene	<0.0065		µg/L	0.0065
	Dibromochloromethane	<0.0065		µg/L	0.0065
	1,2-Dibromoethane (EDB)	<0.0026		µg/L	0.0026
	1,2-Dibromo-3-Chloropropane	<0.0026		µg/L	0.0026
	Dibromomethane	<0.0065		µg/L	0.0065
	1,2-Dichlorobenzene	<0.0065		µg/L	0.0065
	1,3-Dichlorobenzene	<0.0065		µg/L	0.0065
	1,4-Dichlorobenzene	<0.0065		µg/L	0.0065
	Dichlorodifluoromethane	<0.0065		µg/L	0.0065
	1,1-Dichloroethane	<0.0065		µg/L	0.0065
	1,2-Dichloroethane	<0.0065		µg/L	0.0065
	1,1-Dichloroethene	<0.0065		µg/L	0.0065
	cis-1,2-Dichloroethene	<0.0065		µg/L	0.0065
	trans-1,2-Dichloroethene	<0.0065		µg/L	0.0065
	1,2-Dichloropropane	<0.0065		µg/L	0.0065
	1,3-Dichloropropane	<0.0065		µg/L	0.0065
	2,2-Dichloropropane	<0.0065		µg/L	0.0065
	1,1-Dichloropropene	<0.0065		µg/L	0.0065
	cis-1,3-Dichloropropene	<0.0065		µg/L	0.0065
	trans-1,3-Dichloropropene	<0.0065		µg/L	0.0065
	Diisopropyl Ether (DiPE)	<0.0065		µg/L	0.0065
	Ethylbenzene	<0.0065		µg/L	0.0065
	Ethyl-t-Butyl Ether (EtBE)	<0.0065		µg/L	0.0065
	Hexachlorobutadiene	<0.0065		µg/L	0.0065
	2-Hexanone	<0.0650		µg/L	0.0650
	Isopropylbenzene	<0.0065		µg/L	0.0065
	4-Isopropyltoluene	<0.0065		µg/L	0.0065
	Methylene Chloride	<0.0065		µg/L	0.0065
	4-Methyl-2-Pentanone (MIBK)	<0.0650		µg/L	0.0650
	Methyl-t-butyl Ether (MtBE)	<0.0065		µg/L	0.0065
	Naphthalene	<0.0042		µg/L	0.0042
	n-Propylbenzene	<0.0065		µg/L	0.0065
	Styrene	<0.0065		µg/L	0.0065
	1,1,1,2-Tetrachloroethane	<0.0065		µg/L	0.0065
	1,1,2,2-Tetrachloroethane	<0.0065		µg/L	0.0065
	Tetrachloroethene	<0.0065		µg/L	0.0065
	Toluene	<0.0065		µg/L	0.0065
	1,2,3-Trichlorobenzene	<0.0065		µg/L	0.0065
	1,2,4-Trichlorobenzene	<0.0065		µg/L	0.0065
	1,1,1-Trichloroethane	<0.0065		µg/L	0.0065
	1,1,2-Trichloroethane	<0.0065		µg/L	0.0065
	Trichloroethene	<0.0065		µg/L	0.0065
	1,2,3-Trichloropropane	<0.0026		µg/L	0.0026
	Trichlorofluoromethane	<0.0065		µg/L	0.0065
	Trichlorotrifluoroethane	<0.0065		µg/L	0.0065
	1,2,4-Trimethylbenzene	<0.0065		µg/L	0.0065
	1,3,5-Trimethylbenzene	<0.0065		µg/L	0.0065
	Vinyl Chloride	<0.0010		µg/L	0.0010
	m,p-Xylenes	<0.0130		µg/L	0.0130
	o-Xylene	<0.0065		µg/L	0.0065
	Isopropanol (IPA)	<0.0650		µg/L	0.0650
99030	C4-C12	<0.6500		µg/L	0.6500

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
951-779-0310 FAX 951-779-0344
www.arlaboratories.com office@arlaboratories.com

FDA#	2030513
LA City#	10261
ELAP#'s	2789
	2790
	2122

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2110-00140

STANTEC CONSULTING SVCS., INC.
ALICIA JANSEN

Date Reported	**10/21/2021**
Date Received	**10/20/2021**
Date Sampled	**10/20/2021**

Project: 235 S. Tremont St., Oceanside, CA 92054

Respectfully Submitted: Ken Zheng

Ken Zheng - President

For any feedback concerning our services, please contact Jenny Jiang, Project Manager at 951.779.0310. You may also contact Ken Zheng, President at office@arlaboratories.com.

CHAIN OF CUSTODY

ARL
A & R Laboratories
1650 S. Grove Ave., Ste C, Ontario, CA 91761
Tel: 951-779-0310 / 909-781-6335 Fax: 951-779-0344
E-mail: office@arlaboratories.com

A & R Work Order #: 2110-140

Page ____ of ____

Client Name: Stantec

E-mail: Alicia.Jansen@stantec.com / Jason.Hafliger@stantec.com

Address: 735 E. Carnegie dr, Ste 280, San bernardino, CA

Report Attention: Jason / Alicia | Phone #: 909 255 2221 | Fax: # | Sampled By: KZ

Project No./ Name:

Project Site: 235 S Tremont st. Oceanside

☐ Chilled ☐ Intact ☐ Seal

Turn Around Time Requested: ☐ Rush 8 12 24 48 Hours ☐ Normal Mobile

Lab # (Lab use)	Client Sample ID	Sample Collection Date	Sample Collection Time	Matrix Type	Sample Preserve	No., type* & size of container	EPA8260B (VOCs & Oxygenates)	EPA8260B(BTEX & Oxygenates)	LUFT / 8015 (Gasoline)	LUFT / 8015 (Diesel)	EPA8081A (Organochlorine Pesticides)	EPA 8082 (PCBs)	EPA 8015M (Carbon Chain C4-C40)	EPA 6010B/7000 (CAM 17 Metals)	Micro: Plate Cnt., Coliform, E-Coli	Remarks
-1	B-20-5	10/20/21	7:15	Air	NA	250ml G	X		X							
-2	" -10	"	7:40	"	"	"	"		"							
-3	" -13.5	"	8:05	"	"	"	"		"							
-4	B-19-5	"	8:30	"	"	"	"		"							
-5	" -10	"	8:50	"	"	"	"		"							
-6	" -14.5	"	9:15	"	"	"	"		"							
-7	B-18-5	"	9:50	"	"	"	"		"							
-8	" -10	"	10:10	"	"	"	"		"							
-9	" -13	"	10:35	"	"	"	"		"							
-10	B-17-5	"	11:07	"	"	"	"		"							
-11	" -10	"	11:29	"	"	"	"		"							
-12	" -10DUP	"	11:29	"	"	"	"		"							
-13	" -15.5	"	12:16	"	"	"	"		"							

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
[signature]	Stantec	10/20/21	12:48	[signature]	RK	10/20/21	12:48
Relinquished By	Company	Date	Time	Received By	Company	Date	Time

Note: Samples are discarded 30 days after results are reported unless other arrangements are made.

Matrix Code: DW=Drinking Water; GW=Ground Water; WW=Waste Water; SD=Solid Waste; SL=Sludge; SS=Soil/Sediment; AR=Air; PP=Pure Product

Preservative Code: IC=Ice; HC=HCl; HN=HNO_3; SH=NaOH; ST=$Na_2S_2O_3$; HS=H_2SO_4

* Sample Container Types: T=Tedlar Air Bag; G=Glass Container; ST= Steel Tube; B= Brass Tube; P=Plastic Bottle; V=VOA Vial; E= EnCore

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-72716-1
Client Project/Site: 2104217900

For:
Stantec Consulting Corp.
735 E Carnegie Drive
Suite 280
San Bernardino, California 92408

Attn: Ms. Alicia Jansen

Authorized for release by:
10/27/2021 9:06:21 AM

Carla Hollowell, Project Manager I
(714)895-5494
Carla.Hollowell@eurofinset.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Detection Summary 5
Client Sample Results 7
Surrogate Summary 27
QC Sample Results 29
Certification Summary 40
Method Summary 41
Sample Summary 42
Chain of Custody 43
Receipt Checklists 48

Definitions/Glossary

Client: Stantec Consulting Corp.
Project/Site: 2104217900

Job ID: 570-72716-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client: Stantec Consulting Corp.
Project/Site: 2104217900

Job ID: 570-72716-1

Job ID: 570-72716-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative
570-72716-1

Comments
No additional comments.

Receipt
The samples were received on 10/13/2021 1:28 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.5º C.

GC/MS VOA
Method 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for the following sample associated with preparation batch 570-187271 and analytical batch 570-187217 were outside control limits: (570-73049-A-1-B MS) and (570-73049-A-1-B MSD). The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method 8260B: The following analyte recovered outside control limits for the LCS associated with preparation batch 570-187267 and analytical batch 570-187217: Bromomethane. This is not indicative of a systematic control problem because these were random marginal exceedances. Qualified results have been reported.

Method 8260B: The following analytes recovered outside control limits for the LCSD associated with preparation batch 570-187267 and analytical batch 570-187217: Chloromethane and Bromomethane. This is not indicative of a systematic control problem because these were random marginal exceedances. Qualified results have been reported.

Method 8260B: The continuing calibration verification (CCV) associated with batch 570-187876 recovered above the upper control limit for Bromomethane and Chloromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: SSB-B17-15 (570-72716-27), SSB-B19-15 (570-72716-30), SSB-B18-10 (570-72716-32), SSB-B20-14 (570-72716-35), SSB-B21-14 (570-72716-38), SSB-B22-15 (570-72716-42) and (CCVIS 570-187876/2).

Method 8260B: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 570-187842 and analytical batch 570-187876 recovered outside control limits for the following analytes: Bromomethane and Chloromethane. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-187842 and analytical batch 570-187876 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8260B: The continuing calibration verification (CCV) associated with batch 570-188080 recovered above the upper control limit for Bromomethane and Chloromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: SSB-B16-5 (570-72716-39) and (CCVIS 570-188080/3).

Method 8260B: The laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 570-188085 and analytical batch 570-188080 recovered outside control limits for the following analytes: Bromomethane and Chloromethane. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-188085 and analytical batch 570-188080 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: Stantec Consulting Corp.
Project/Site: 2104217900

Job ID: 570-72716-1

Client Sample ID: SSA-B6-5 — Lab Sample ID: 570-72716-1

No Detections.

Client Sample ID: SSA-B6-10 — Lab Sample ID: 570-72716-2

No Detections.

Client Sample ID: SSA-B6-14 — Lab Sample ID: 570-72716-3

No Detections.

Client Sample ID: SSA-B7-5 — Lab Sample ID: 570-72716-4

No Detections.

Client Sample ID: SSA-B7-10 — Lab Sample ID: 570-72716-5

No Detections.

Client Sample ID: SSA-B7-15 — Lab Sample ID: 570-72716-6

No Detections.

Client Sample ID: SSA-B2-5 — Lab Sample ID: 570-72716-7

No Detections.

Client Sample ID: SSA-B2-10 — Lab Sample ID: 570-72716-8

No Detections.

Client Sample ID: SSA-B2-15 — Lab Sample ID: 570-72716-9

No Detections.

Client Sample ID: SSA-B1-5 — Lab Sample ID: 570-72716-10

No Detections.

Client Sample ID: SSA-B1-10 — Lab Sample ID: 570-72716-11

No Detections.

Client Sample ID: SSA-B1-15 — Lab Sample ID: 570-72716-12

No Detections.

Client Sample ID: SSA-B4-5 — Lab Sample ID: 570-72716-13

No Detections.

Client Sample ID: SSA-B4-10 — Lab Sample ID: 570-72716-14

No Detections.

Client Sample ID: SSA-B4-15 — Lab Sample ID: 570-72716-15

No Detections.

Client Sample ID: SSA-B5-5 — Lab Sample ID: 570-72716-16

No Detections.

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: Stantec Consulting Corp.
Project/Site: 2104217900

Job ID: 570-72716-1

Client Sample ID: SSA-B5-10 — Lab Sample ID: 570-72716-17

No Detections.

Client Sample ID: SSA-B5-15 — Lab Sample ID: 570-72716-18

No Detections.

Client Sample ID: SSB-B15-13 — Lab Sample ID: 570-72716-21

No Detections.

Client Sample ID: SSB-B23-14 — Lab Sample ID: 570-72716-24

No Detections.

Client Sample ID: SSB-B17-15 — Lab Sample ID: 570-72716-27

No Detections.

Client Sample ID: SSB-B19-15 — Lab Sample ID: 570-72716-30

No Detections.

Client Sample ID: SSB-B18-10 — Lab Sample ID: 570-72716-32

No Detections.

Client Sample ID: SSB-B20-14 — Lab Sample ID: 570-72716-35

No Detections.

Client Sample ID: SSB-B21-14 — Lab Sample ID: 570-72716-38

No Detections.

Client Sample ID: SSB-B16-5 — Lab Sample ID: 570-72716-39

No Detections.

Client Sample ID: SSB-B22-15 — Lab Sample ID: 570-72716-42

No Detections.

This Detection Summary does not include radiochemical test results.

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Client Sample ID: SSA-B6-5
Date Collected: 10/11/21 14:25
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-1
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/15/21 09:01	10/15/21 17:32	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/15/21 09:01*	*10/15/21 17:32*	*1*

Client Sample ID: SSA-B6-10
Date Collected: 10/11/21 14:35
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-2
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		99		ug/Kg		10/15/21 09:01	10/15/21 17:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/15/21 09:01*	*10/15/21 17:58*	*1*

Client Sample ID: SSA-B6-14
Date Collected: 10/11/21 14:45
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-3
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		96		ug/Kg		10/15/21 09:01	10/15/21 18:23	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/15/21 09:01*	*10/15/21 18:23*	*1*

Client Sample ID: SSA-B7-5
Date Collected: 10/11/21 12:20
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-4
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		98		ug/Kg		10/15/21 09:01	10/15/21 18:49	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*95*		*80 - 120*	*10/15/21 09:01*	*10/15/21 18:49*	*1*

Client Sample ID: SSA-B7-10
Date Collected: 10/11/21 12:25
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-5
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		99		ug/Kg		10/15/21 09:40	10/15/21 19:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*97*		*80 - 120*	*10/15/21 09:40*	*10/15/21 19:14*	*1*

Client Sample ID: SSA-B7-15
Date Collected: 10/11/21 12:35
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-6
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/15/21 09:40	10/15/21 19:40	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/15/21 09:40*	*10/15/21 19:40*	*1*

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Client Sample ID: SSA-B2-5
Date Collected: 10/11/21 11:25
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-7
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		98		ug/Kg		10/15/21 09:40	10/15/21 20:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/15/21 09:40*	*10/15/21 20:05*	*1*

Client Sample ID: SSA-B2-10
Date Collected: 10/11/21 11:30
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-8
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/15/21 09:40	10/15/21 20:31	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/15/21 09:40*	*10/15/21 20:31*	*1*

Client Sample ID: SSA-B2-15
Date Collected: 10/11/21 11:45
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-9
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		97		ug/Kg		10/15/21 09:40	10/15/21 20:56	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/15/21 09:40*	*10/15/21 20:56*	*1*

Client Sample ID: SSA-B1-5
Date Collected: 10/11/21 09:30
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-10
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		97		ug/Kg		10/18/21 10:01	10/18/21 14:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 14:18*	*1*

Client Sample ID: SSA-B1-10
Date Collected: 10/11/21 09:40
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-11
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/18/21 10:01	10/18/21 14:43	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*95*		*80 - 120*	*10/18/21 10:01*	*10/18/21 14:43*	*1*

Client Sample ID: SSA-B1-15
Date Collected: 10/11/21 09:50
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-12
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		97		ug/Kg		10/18/21 10:01	10/18/21 15:08	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*95*		*80 - 120*	*10/18/21 10:01*	*10/18/21 15:08*	*1*

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Client Sample ID: SSA-B4-5
Date Collected: 10/11/21 08:40
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-13
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		98		ug/Kg		10/18/21 10:01	10/18/21 15:34	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 15:34*	*1*

Client Sample ID: SSA-B4-10
Date Collected: 10/11/21 08:50
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-14
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/18/21 10:01	10/18/21 15:59	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 15:59*	*1*

Client Sample ID: SSA-B4-15
Date Collected: 10/11/21 08:55
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-15
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/18/21 10:01	10/18/21 16:24	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 16:24*	*1*

Client Sample ID: SSA-B5-5
Date Collected: 10/11/21 13:17
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-16
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		99		ug/Kg		10/18/21 10:01	10/18/21 16:49	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 16:49*	*1*

Client Sample ID: SSA-B5-10
Date Collected: 10/11/21 13:23
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-17
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		99		ug/Kg		10/18/21 10:01	10/18/21 17:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 17:14*	*1*

Client Sample ID: SSA-B5-15
Date Collected: 10/11/21 13:40
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-18
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		98		ug/Kg		10/18/21 10:01	10/18/21 17:39	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 17:39*	*1*

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Client Sample ID: SSB-B15-13
Date Collected: 10/13/21 09:15
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-21
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 18:05*	*1*

Client Sample ID: SSB-B23-14
Date Collected: 10/13/21 07:54
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-24
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 18:30*	*1*

Client Sample ID: SSB-B17-15
Date Collected: 10/12/21 07:48
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-27
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/20/21 14:20	10/20/21 18:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*97*		*80 - 120*	*10/20/21 14:20*	*10/20/21 18:05*	*1*

Client Sample ID: SSB-B19-15
Date Collected: 10/12/21 08:35
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-30
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/20/21 14:20*	*10/20/21 18:30*	*1*

Client Sample ID: SSB-B18-10
Date Collected: 10/12/21 09:30
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-32
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/20/21 14:20*	*10/20/21 18:55*	*1*

Client Sample ID: SSB-B20-14
Date Collected: 10/12/21 10:38
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-35
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*97*		*80 - 120*	*10/20/21 14:20*	*10/20/21 19:20*	*1*

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Client Sample ID: SSB-B21-14
Date Collected: 10/12/21 12:20
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-38
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/20/21 14:20*	*10/20/21 19:45*	*1*

Client Sample ID: SSB-B16-5
Date Collected: 10/12/21 13:04
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-39
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/21/21 12:19	10/21/21 16:49	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/21/21 12:19*	*10/21/21 16:49*	*1*

Client Sample ID: SSB-B22-15
Date Collected: 10/12/21 13:50
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-42
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/20/21 14:20	10/20/21 20:10	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/20/21 14:20*	*10/20/21 20:10*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS)

Client Sample ID: SSB-B15-13
Date Collected: 10/13/21 09:15
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-21
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,1,1-Trichloroethane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.9		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,1,2-Trichloroethane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,1-Dichloroethane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,1-Dichloroethene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,2-Dibromo-3-Chloropropane	ND		9.9		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,2-Dibromoethane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,2-Dichlorobenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,2-Dichloroethane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,2-Dichloropropane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,3-Dichlorobenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,3-Dichloropropane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
1,4-Dichlorobenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
2,2-Dichloropropane	ND		5.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
2-Butanone	ND		20		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
2-Chlorotoluene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
2-Hexanone	ND		20		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
4-Chlorotoluene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Acetone	ND		20		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Benzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Bromobenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Bromochloromethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Bromodichloromethane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Bromoform	ND		5.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Bromomethane	ND	*+	20		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
cis-1,2-Dichloroethene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
cis-1,3-Dichloropropene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Carbon disulfide	ND		9.9		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Carbon tetrachloride	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Chlorobenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Chloroethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Chloroform	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Chloromethane	ND	*+	20		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Dibromochloromethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Dibromomethane	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Di-isopropyl ether (DIPE)	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Ethanol	ND		250		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Ethylbenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Ethyl-t-butyl ether (ETBE)	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B15-13
Date Collected: 10/13/21 09:15
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-21
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Methylene Chloride	ND		9.9		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Naphthalene	ND		9.9		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
n-Butylbenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
N-Propylbenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
o-Xylene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
m,p-Xylene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
p-Isopropyltoluene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
sec-Butylbenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Styrene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
trans-1,2-Dichloroethene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Tert-amyl-methyl ether (TAME)	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
tert-Butylbenzene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Tetrachloroethene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Toluene	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Trichloroethene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Trichlorofluoromethane	ND		9.9		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Vinyl acetate	ND		9.9		ug/Kg		10/18/21 10:01	10/18/21 18:05	1
Vinyl chloride	ND		0.99		ug/Kg		10/18/21 10:01	10/18/21 18:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*95*		*64 - 141*	*10/18/21 10:01*	*10/18/21 18:05*	*1*
4-Bromofluorobenzene (Surr)	*91*		*76 - 120*	*10/18/21 10:01*	*10/18/21 18:05*	*1*
Dibromofluoromethane (Surr)	*91*		*47 - 142*	*10/18/21 10:01*	*10/18/21 18:05*	*1*
Toluene-d8 (Surr)	*95*		*80 - 120*	*10/18/21 10:01*	*10/18/21 18:05*	*1*

Client Sample ID: SSB-B23-14
Date Collected: 10/13/21 07:54
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-24
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,1,1-Trichloroethane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,1,2,2-Tetrachloroethane	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.7		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,1,2-Trichloroethane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,1-Dichloroethane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,1-Dichloroethene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,1-Dichloropropene	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,2,3-Trichlorobenzene	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,2,3-Trichloropropane	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,2,4-Trichlorobenzene	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,2,4-Trimethylbenzene	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,2-Dibromo-3-Chloropropane	ND		9.7		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,2-Dibromoethane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,2-Dichlorobenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,2-Dichloroethane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,2-Dichloropropane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B23-14
Date Collected: 10/13/21 07:54
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-24
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,3-Dichlorobenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,3-Dichloropropane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
1,4-Dichlorobenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
2,2-Dichloropropane	ND		4.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
2-Butanone	ND		19		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
2-Chlorotoluene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
2-Hexanone	ND		19		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
4-Chlorotoluene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
4-Methyl-2-pentanone	ND		19		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Acetone	ND		19		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Benzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Bromobenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Bromochloromethane	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Bromodichloromethane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Bromoform	ND		4.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Bromomethane	ND	*+	19		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
cis-1,2-Dichloroethene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
cis-1,3-Dichloropropene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Carbon disulfide	ND		9.7		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Carbon tetrachloride	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Chlorobenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Chloroethane	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Chloroform	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Chloromethane	ND	*+	19		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Dibromochloromethane	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Dibromomethane	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Dichlorodifluoromethane	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Di-isopropyl ether (DIPE)	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Ethanol	ND		240		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Ethylbenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Ethyl-t-butyl ether (ETBE)	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Isopropylbenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Methylene Chloride	ND		9.7		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Methyl-t-Butyl Ether (MTBE)	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Naphthalene	ND		9.7		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
n-Butylbenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
N-Propylbenzene	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
o-Xylene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
m,p-Xylene	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
p-Isopropyltoluene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
sec-Butylbenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Styrene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
trans-1,2-Dichloroethene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
trans-1,3-Dichloropropene	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Tert-amyl-methyl ether (TAME)	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
tert-Butyl alcohol (TBA)	ND		19		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
tert-Butylbenzene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Tetrachloroethene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B23-14
Date Collected: 10/13/21 07:54
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-24
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Trichloroethene	ND		1.9		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Trichlorofluoromethane	ND		9.7		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Vinyl acetate	ND		9.7		ug/Kg		10/18/21 10:01	10/18/21 18:30	1
Vinyl chloride	ND		0.97		ug/Kg		10/18/21 10:01	10/18/21 18:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*95*		*64 - 141*	*10/18/21 10:01*	*10/18/21 18:30*	*1*
4-Bromofluorobenzene (Surr)	*91*		*76 - 120*	*10/18/21 10:01*	*10/18/21 18:30*	*1*
Dibromofluoromethane (Surr)	*90*		*47 - 142*	*10/18/21 10:01*	*10/18/21 18:30*	*1*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 18:30*	*1*

Client Sample ID: SSB-B17-15
Date Collected: 10/12/21 07:48
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-27
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,1,1-Trichloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,1,2-Trichloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,1-Dichloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,1-Dichloroethene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,2-Dibromoethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,2-Dichlorobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,2-Dichloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,2-Dichloropropane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,3-Dichlorobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,3-Dichloropropane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
1,4-Dichlorobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
2,2-Dichloropropane	ND		5.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
2-Butanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
2-Chlorotoluene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
2-Hexanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
4-Chlorotoluene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Acetone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Benzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Bromobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Bromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Bromodichloromethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Bromoform	ND		5.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Bromomethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 18:05	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B17-15
Date Collected: 10/12/21 07:48
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-27
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
cis-1,3-Dichloropropene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Carbon disulfide	ND		10		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Carbon tetrachloride	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Chlorobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Chloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Chloroform	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Chloromethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Dibromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Dibromomethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Di-isopropyl ether (DIPE)	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Ethanol	ND		250		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Ethylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Ethyl-t-butyl ether (ETBE)	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Isopropylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Methylene Chloride	ND		10		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Naphthalene	ND		10		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
n-Butylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
N-Propylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
o-Xylene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
m,p-Xylene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
p-Isopropyltoluene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
sec-Butylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Styrene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
trans-1,2-Dichloroethene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Tert-amyl-methyl ether (TAME)	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
tert-Butylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Tetrachloroethene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Toluene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Trichloroethene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Trichlorofluoromethane	ND		10		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Vinyl acetate	ND		10		ug/Kg		10/20/21 14:20	10/20/21 18:05	1
Vinyl chloride	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 18:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*95*		*64 - 141*	*10/20/21 14:20*	*10/20/21 18:05*	*1*
4-Bromofluorobenzene (Surr)	*101*		*76 - 120*	*10/20/21 14:20*	*10/20/21 18:05*	*1*
Dibromofluoromethane (Surr)	*87*		*47 - 142*	*10/20/21 14:20*	*10/20/21 18:05*	*1*
Toluene-d8 (Surr)	*97*		*80 - 120*	*10/20/21 14:20*	*10/20/21 18:05*	*1*

Client Sample ID: SSB-B19-15
Date Collected: 10/12/21 08:35
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-30
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,1,1-Trichloroethane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B19-15
Date Collected: 10/12/21 08:35
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-30
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,2,2-Tetrachloroethane	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.7		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,1,2-Trichloroethane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,1-Dichloroethane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,1-Dichloroethene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,1-Dichloropropene	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,2,3-Trichlorobenzene	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,2,3-Trichloropropane	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,2,4-Trichlorobenzene	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,2,4-Trimethylbenzene	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,2-Dibromo-3-Chloropropane	ND		9.7		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,2-Dibromoethane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,2-Dichlorobenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,2-Dichloroethane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,2-Dichloropropane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,3,5-Trimethylbenzene	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,3-Dichlorobenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,3-Dichloropropane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
1,4-Dichlorobenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
2,2-Dichloropropane	ND		4.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
2-Butanone	ND		19		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
2-Chlorotoluene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
2-Hexanone	ND		19		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
4-Chlorotoluene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
4-Methyl-2-pentanone	ND		19		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Acetone	ND		19		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Benzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Bromobenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Bromochloromethane	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Bromodichloromethane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Bromoform	ND		4.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Bromomethane	ND	*+	19		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
cis-1,2-Dichloroethene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
cis-1,3-Dichloropropene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Carbon disulfide	ND		9.7		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Carbon tetrachloride	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Chlorobenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Chloroethane	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Chloroform	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Chloromethane	ND	*+	19		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Dibromochloromethane	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Dibromomethane	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Dichlorodifluoromethane	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Di-isopropyl ether (DIPE)	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Ethanol	ND		240		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Ethylbenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Ethyl-t-butyl ether (ETBE)	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Isopropylbenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Methylene Chloride	ND		9.7		ug/Kg		10/20/21 14:20	10/20/21 18:30	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B19-15
Date Collected: 10/12/21 08:35
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-30
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Methyl-t-Butyl Ether (MTBE)	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Naphthalene	ND		9.7		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
n-Butylbenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
N-Propylbenzene	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
o-Xylene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
m,p-Xylene	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
p-Isopropyltoluene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
sec-Butylbenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Styrene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
trans-1,2-Dichloroethene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
trans-1,3-Dichloropropene	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Tert-amyl-methyl ether (TAME)	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
tert-Butyl alcohol (TBA)	ND		19		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
tert-Butylbenzene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Tetrachloroethene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Toluene	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Trichloroethene	ND		1.9		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Trichlorofluoromethane	ND		9.7		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Vinyl acetate	ND		9.7		ug/Kg		10/20/21 14:20	10/20/21 18:30	1
Vinyl chloride	ND		0.97		ug/Kg		10/20/21 14:20	10/20/21 18:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*94*		*64 - 141*	*10/20/21 14:20*	*10/20/21 18:30*	*1*
4-Bromofluorobenzene (Surr)	*99*		*76 - 120*	*10/20/21 14:20*	*10/20/21 18:30*	*1*
Dibromofluoromethane (Surr)	*87*		*47 - 142*	*10/20/21 14:20*	*10/20/21 18:30*	*1*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/20/21 14:20*	*10/20/21 18:30*	*1*

Client Sample ID: SSB-B18-10
Date Collected: 10/12/21 09:30
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-32
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,1,1-Trichloroethane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.8		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,1,2-Trichloroethane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,1-Dichloroethane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,1-Dichloroethene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,2-Dibromo-3-Chloropropane	ND		9.8		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,2-Dibromoethane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,2-Dichlorobenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,2-Dichloroethane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,2-Dichloropropane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,3-Dichlorobenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B18-10
Date Collected: 10/12/21 09:30
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-32
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichloropropane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
1,4-Dichlorobenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
2,2-Dichloropropane	ND		4.9		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
2-Butanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
2-Chlorotoluene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
2-Hexanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
4-Chlorotoluene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Acetone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Benzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Bromobenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Bromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Bromodichloromethane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Bromoform	ND		4.9		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Bromomethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
cis-1,2-Dichloroethene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
cis-1,3-Dichloropropene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Carbon disulfide	ND		9.8		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Carbon tetrachloride	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Chlorobenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Chloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Chloroform	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Chloromethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Dibromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Dibromomethane	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Di-isopropyl ether (DIPE)	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Ethanol	ND		240		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Ethylbenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Ethyl-t-butyl ether (ETBE)	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Isopropylbenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Methylene Chloride	ND		9.8		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Naphthalene	ND		9.8		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
n-Butylbenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
N-Propylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
o-Xylene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
m,p-Xylene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
p-Isopropyltoluene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
sec-Butylbenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Styrene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
trans-1,2-Dichloroethene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Tert-amyl-methyl ether (TAME)	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
tert-Butylbenzene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Tetrachloroethene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Toluene	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Trichloroethene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 18:55	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B18-10
Date Collected: 10/12/21 09:30
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-32
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Trichlorofluoromethane	ND		9.8		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Vinyl acetate	ND		9.8		ug/Kg		10/20/21 14:20	10/20/21 18:55	1
Vinyl chloride	ND		0.98		ug/Kg		10/20/21 14:20	10/20/21 18:55	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*94*		*64 - 141*	*10/20/21 14:20*	*10/20/21 18:55*	*1*
4-Bromofluorobenzene (Surr)	*99*		*76 - 120*	*10/20/21 14:20*	*10/20/21 18:55*	*1*
Dibromofluoromethane (Surr)	*87*		*47 - 142*	*10/20/21 14:20*	*10/20/21 18:55*	*1*
Toluene-d8 (Surr)	*95*		*80 - 120*	*10/20/21 14:20*	*10/20/21 18:55*	*1*

Client Sample ID: SSB-B20-14
Date Collected: 10/12/21 10:38
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-35
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,1,1-Trichloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,1,2-Trichloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,1-Dichloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,1-Dichloroethene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,2-Dibromo-3-Chloropropane	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,2-Dibromoethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,2-Dichlorobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,2-Dichloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,2-Dichloropropane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,3-Dichlorobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,3-Dichloropropane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
1,4-Dichlorobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
2,2-Dichloropropane	ND		5.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
2-Butanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
2-Chlorotoluene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
2-Hexanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
4-Chlorotoluene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Acetone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Benzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Bromobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Bromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Bromodichloromethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Bromoform	ND		5.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Bromomethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
cis-1,2-Dichloroethene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
cis-1,3-Dichloropropene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B20-14
Date Collected: 10/12/21 10:38
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-35
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Carbon disulfide	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Carbon tetrachloride	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Chlorobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Chloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Chloroform	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Chloromethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Dibromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Dibromomethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Di-isopropyl ether (DIPE)	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Ethanol	ND		250		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Ethylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Ethyl-t-butyl ether (ETBE)	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Isopropylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Methylene Chloride	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Naphthalene	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
n-Butylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
N-Propylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
o-Xylene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
m,p-Xylene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
p-Isopropyltoluene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
sec-Butylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Styrene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
trans-1,2-Dichloroethene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Tert-amyl-methyl ether (TAME)	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
tert-Butylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Tetrachloroethene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Toluene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Trichloroethene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Trichlorofluoromethane	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Vinyl acetate	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:20	1
Vinyl chloride	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:20	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*98*		*64 - 141*	*10/20/21 14:20*	*10/20/21 19:20*	*1*
4-Bromofluorobenzene (Surr)	*99*		*76 - 120*	*10/20/21 14:20*	*10/20/21 19:20*	*1*
Dibromofluoromethane (Surr)	*89*		*47 - 142*	*10/20/21 14:20*	*10/20/21 19:20*	*1*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/20/21 14:20*	*10/20/21 19:20*	*1*

Client Sample ID: SSB-B21-14
Date Collected: 10/12/21 12:20
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-38
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,1,1-Trichloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:45	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B21-14
Date Collected: 10/12/21 12:20
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-38
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,2-Trichloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,1-Dichloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,1-Dichloroethene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,2-Dibromo-3-Chloropropane	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,2-Dibromoethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,2-Dichlorobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,2-Dichloroethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,2-Dichloropropane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,3-Dichlorobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,3-Dichloropropane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
1,4-Dichlorobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
2,2-Dichloropropane	ND		5.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
2-Butanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
2-Chlorotoluene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
2-Hexanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
4-Chlorotoluene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Acetone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Benzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Bromobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Bromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Bromodichloromethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Bromoform	ND		5.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Bromomethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
cis-1,2-Dichloroethene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
cis-1,3-Dichloropropene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Carbon disulfide	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Carbon tetrachloride	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Chlorobenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Chloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Chloroform	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Chloromethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Dibromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Dibromomethane	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Di-isopropyl ether (DIPE)	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Ethanol	ND		250		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Ethylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Ethyl-t-butyl ether (ETBE)	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Isopropylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Methylene Chloride	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Naphthalene	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:45	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B21-14
Date Collected: 10/12/21 12:20
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-38
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
n-Butylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
N-Propylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
o-Xylene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
m,p-Xylene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
p-Isopropyltoluene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
sec-Butylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Styrene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
trans-1,2-Dichloroethene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Tert-amyl-methyl ether (TAME)	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
tert-Butylbenzene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Tetrachloroethene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Toluene	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Trichloroethene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Trichlorofluoromethane	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Vinyl acetate	ND		9.9		ug/Kg		10/20/21 14:20	10/20/21 19:45	1
Vinyl chloride	ND		0.99		ug/Kg		10/20/21 14:20	10/20/21 19:45	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*96*		*64 - 141*	*10/20/21 14:20*	*10/20/21 19:45*	*1*
4-Bromofluorobenzene (Surr)	*99*		*76 - 120*	*10/20/21 14:20*	*10/20/21 19:45*	*1*
Dibromofluoromethane (Surr)	*88*		*47 - 142*	*10/20/21 14:20*	*10/20/21 19:45*	*1*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/20/21 14:20*	*10/20/21 19:45*	*1*

Client Sample ID: SSB-B16-5
Date Collected: 10/12/21 13:04
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-39
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,1,1-Trichloroethane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,1,2-Trichloroethane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,1-Dichloroethane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,1-Dichloroethene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,2-Dibromoethane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,2-Dichlorobenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,2-Dichloroethane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,2-Dichloropropane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,3-Dichlorobenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,3-Dichloropropane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
1,4-Dichlorobenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B16-5
Date Collected: 10/12/21 13:04
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-39
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
2,2-Dichloropropane	ND		5.1		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
2-Butanone	ND		20		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
2-Chlorotoluene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
2-Hexanone	ND		20		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
4-Chlorotoluene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Acetone	ND		20		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Benzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Bromobenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Bromochloromethane	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Bromodichloromethane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Bromoform	ND		5.1		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Bromomethane	ND	*+	20		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
cis-1,2-Dichloroethene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
cis-1,3-Dichloropropene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Carbon disulfide	ND		10		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Carbon tetrachloride	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Chlorobenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Chloroethane	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Chloroform	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Chloromethane	ND	*+	20		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Dibromochloromethane	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Dibromomethane	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Di-isopropyl ether (DIPE)	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Ethanol	ND		250		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Ethylbenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Ethyl-t-butyl ether (ETBE)	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Isopropylbenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Methylene Chloride	ND		10		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Naphthalene	ND		10		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
n-Butylbenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
N-Propylbenzene	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
o-Xylene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
m,p-Xylene	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
p-Isopropyltoluene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
sec-Butylbenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Styrene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
trans-1,2-Dichloroethene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Tert-amyl-methyl ether (TAME)	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
tert-Butylbenzene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Tetrachloroethene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Toluene	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Trichloroethene	ND		2.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Trichlorofluoromethane	ND		10		ug/Kg		10/21/21 12:19	10/21/21 16:49	1
Vinyl acetate	ND		10		ug/Kg		10/21/21 12:19	10/21/21 16:49	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B16-5
Date Collected: 10/12/21 13:04
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-39
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	ND		1.0		ug/Kg		10/21/21 12:19	10/21/21 16:49	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*110*		*64 - 141*	*10/21/21 12:19*	*10/21/21 16:49*	*1*
4-Bromofluorobenzene (Surr)	*100*		*76 - 120*	*10/21/21 12:19*	*10/21/21 16:49*	*1*
Dibromofluoromethane (Surr)	*94*		*47 - 142*	*10/21/21 12:19*	*10/21/21 16:49*	*1*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/21/21 12:19*	*10/21/21 16:49*	*1*

Client Sample ID: SSB-B22-15
Date Collected: 10/12/21 13:50
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-42
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,1,1-Trichloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,1,2-Trichloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,1-Dichloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,1-Dichloroethene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,2-Dibromoethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,2-Dichlorobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,2-Dichloroethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,2-Dichloropropane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,3-Dichlorobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,3-Dichloropropane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
1,4-Dichlorobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
2,2-Dichloropropane	ND		5.1		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
2-Butanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
2-Chlorotoluene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
2-Hexanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
4-Chlorotoluene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Acetone	ND		20		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Benzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Bromobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Bromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Bromodichloromethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Bromoform	ND		5.1		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Bromomethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
cis-1,2-Dichloroethene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
cis-1,3-Dichloropropene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Carbon disulfide	ND		10		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Carbon tetrachloride	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Client Sample ID: SSB-B22-15
Date Collected: 10/12/21 13:50
Date Received: 10/13/21 13:28

Lab Sample ID: 570-72716-42
Matrix: Solid

Analyte	Result	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Chloroethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Chloroform	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Chloromethane	ND	*+	20		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Dibromochloromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Dibromomethane	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Di-isopropyl ether (DIPE)	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Ethanol	ND		250		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Ethylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Ethyl-t-butyl ether (ETBE)	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Isopropylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Methylene Chloride	ND		10		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Naphthalene	ND		10		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
n-Butylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
N-Propylbenzene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
o-Xylene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
m,p-Xylene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
p-Isopropyltoluene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
sec-Butylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Styrene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
trans-1,2-Dichloroethene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Tert-amyl-methyl ether (TAME)	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
tert-Butylbenzene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Tetrachloroethene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Toluene	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Trichloroethene	ND		2.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Trichlorofluoromethane	ND		10		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Vinyl acetate	ND		10		ug/Kg		10/20/21 14:20	10/20/21 20:10	1
Vinyl chloride	ND		1.0		ug/Kg		10/20/21 14:20	10/20/21 20:10	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*96*		*64 - 141*	*10/20/21 14:20*	*10/20/21 20:10*	*1*
4-Bromofluorobenzene (Surr)	*99*		*76 - 120*	*10/20/21 14:20*	*10/20/21 20:10*	*1*
Dibromofluoromethane (Surr)	*89*		*47 - 142*	*10/20/21 14:20*	*10/20/21 20:10*	*1*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/20/21 14:20*	*10/20/21 20:10*	*1*

Surrogate Summary

Client: Stantec Consulting Corp.
Project/Site: 2104217900

Job ID: 570-72716-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(64-141)	(76-120)	(47-142)	(80-120)
570-72716-21	SSB-B15-13	95	91	91	95
570-72716-24	SSB-B23-14	95	91	90	96
570-72716-27	SSB-B17-15	95	101	87	97
570-72716-30	SSB-B19-15	94	99	87	96
570-72716-32	SSB-B18-10	94	99	87	95
570-72716-35	SSB-B20-14	98	99	89	96
570-72716-38	SSB-B21-14	96	99	88	96
570-72716-39	SSB-B16-5	110	100	94	96
570-72716-42	SSB-B22-15	96	99	89	96
LCS 570-187267/1-A	Lab Control Sample	86	91	96	99
LCS 570-187842/1-A	Lab Control Sample	96	101	98	100
LCS 570-188085/1-A	Lab Control Sample	99	103	99	100
LCSD 570-187267/2-A	Lab Control Sample Dup	88	92	97	99
LCSD 570-187842/2-A	Lab Control Sample Dup	97	101	97	99
LCSD 570-188085/2-A	Lab Control Sample Dup	98	102	98	100
MB 570-187267/3-A	Method Blank	91	92	89	96
MB 570-187842/3-A	Method Blank	98	101	89	95
MB 570-188085/3-A	Method Blank	103	100	90	96

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		TOL
Lab Sample ID	Client Sample ID	(80-120)
570-72716-1	SSA-B6-5	96
570-72716-2	SSA-B6-10	96
570-72716-3	SSA-B6-14	96
570-72716-4	SSA-B7-5	95
570-72716-5	SSA-B7-10	97
570-72716-6	SSA-B7-15	96
570-72716-7	SSA-B2-5	96
570-72716-8	SSA-B2-10	96
570-72716-9	SSA-B2-15	96
570-72716-10	SSA-B1-5	96
570-72716-11	SSA-B1-10	95
570-72716-12	SSA-B1-15	95
570-72716-13	SSA-B4-5	96
570-72716-14	SSA-B4-10	96
570-72716-15	SSA-B4-15	96
570-72716-16	SSA-B5-5	96
570-72716-17	SSA-B5-10	96
570-72716-18	SSA-B5-15	96
570-72716-21	SSB-B15-13	96

Surrogate Summary

Client: Stantec Consulting Corp.
Project/Site: 2104217900

Job ID: 570-72716-1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	TOL (80-120)							
570-72716-24	SSB-B23-14	96							
570-72716-27	SSB-B17-15	97							
570-72716-30	SSB-B19-15	96							
570-72716-32	SSB-B18-10	96							
570-72716-35	SSB-B20-14	97							
570-72716-38	SSB-B21-14	96							
570-72716-39	SSB-B16-5	96							
570-72716-42	SSB-B22-15	96							
LCS 570-186769/1-A	Lab Control Sample	99							
LCS 570-187267/1-A	Lab Control Sample	99							
LCS 570-187842/1-A	Lab Control Sample	98							
LCS 570-188085/1-A	Lab Control Sample	99							
LCSD 570-186769/2-A	Lab Control Sample Dup	99							
LCSD 570-187267/2-A	Lab Control Sample Dup	98							
LCSD 570-187842/2-A	Lab Control Sample Dup	98							
LCSD 570-188085/2-A	Lab Control Sample Dup	99							
MB 570-186769/3-A	Method Blank	96							
MB 570-187267/3-A	Method Blank	96							
MB 570-187842/3-A	Method Blank	96							
MB 570-188085/3-A	Method Blank	96							

Surrogate Legend

TOL = Toluene-d8 (Surr)

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-187267/3-A
Matrix: Solid
Analysis Batch: 187217

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 187267

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,1,1-Trichloroethane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,1,2-Trichloroethane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,1-Dichloroethane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,1-Dichloroethene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,2-Dibromoethane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,2-Dichlorobenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,2-Dichloroethane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,2-Dichloropropane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,3-Dichlorobenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,3-Dichloropropane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
1,4-Dichlorobenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
2,2-Dichloropropane	ND		5.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
2-Butanone	ND		20		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
2-Chlorotoluene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
2-Hexanone	ND		20		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
4-Chlorotoluene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Acetone	ND		20		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Benzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Bromobenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Bromochloromethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Bromodichloromethane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Bromoform	ND		5.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Bromomethane	ND		20		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
cis-1,2-Dichloroethene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
cis-1,3-Dichloropropene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Carbon disulfide	ND		10		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Carbon tetrachloride	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Chlorobenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Chloroethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Chloroform	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Chloromethane	ND		20		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Dibromochloromethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Dibromomethane	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Di-isopropyl ether (DIPE)	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Ethanol	ND		250		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Ethylbenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-187267/3-A
Matrix: Solid
Analysis Batch: 187217

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 187267

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Ethyl-t-butyl ether (ETBE)	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Isopropylbenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Methylene Chloride	ND		10		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Naphthalene	ND		10		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
n-Butylbenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
N-Propylbenzene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
o-Xylene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
m,p-Xylene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
p-Isopropyltoluene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
sec-Butylbenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Styrene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
trans-1,2-Dichloroethene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Tert-amyl-methyl ether (TAME)	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
tert-Butylbenzene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Tetrachloroethene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Toluene	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Trichloroethene	ND		2.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Trichlorofluoromethane	ND		10		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Vinyl acetate	ND		10		ug/Kg		10/18/21 10:01	10/18/21 13:27	1
Vinyl chloride	ND		1.0		ug/Kg		10/18/21 10:01	10/18/21 13:27	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*91*		*64 - 141*	*10/18/21 10:01*	*10/18/21 13:27*	*1*
4-Bromofluorobenzene (Surr)	*92*		*76 - 120*	*10/18/21 10:01*	*10/18/21 13:27*	*1*
Dibromofluoromethane (Surr)	*89*		*47 - 142*	*10/18/21 10:01*	*10/18/21 13:27*	*1*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/18/21 10:01*	*10/18/21 13:27*	*1*

Lab Sample ID: LCS 570-187267/1-A
Matrix: Solid
Analysis Batch: 187217

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 187267

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	50.1	46.68		ug/Kg		93	68 - 120
1,2-Dibromoethane	50.1	44.02		ug/Kg		88	80 - 120
1,2-Dichlorobenzene	50.1	51.30		ug/Kg		102	80 - 120
1,2-Dichloroethane	50.1	41.08		ug/Kg		82	76 - 126
Benzene	50.1	45.77		ug/Kg		91	76 - 120
Carbon tetrachloride	50.1	46.89		ug/Kg		94	68 - 132
Chlorobenzene	50.1	46.66		ug/Kg		93	80 - 120
Di-isopropyl ether (DIPE)	50.1	43.60		ug/Kg		87	69 - 123
Ethanol	501	568.4		ug/Kg		113	46 - 152
Ethylbenzene	50.1	45.19		ug/Kg		90	80 - 120
Ethyl-t-butyl ether (ETBE)	50.1	43.30		ug/Kg		86	69 - 121
Methyl-t-Butyl Ether (MTBE)	50.1	40.75		ug/Kg		81	70 - 120
o-Xylene	50.1	43.71		ug/Kg		87	76 - 125

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 570-187267/1-A
Matrix: Solid
Analysis Batch: 187217

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 187267

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
m,p-Xylene			100	87.77		ug/Kg		88	75 - 122		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*86*		*64 - 141*
4-Bromofluorobenzene (Surr)	*91*		*76 - 120*
Dibromofluoromethane (Surr)	*96*		*47 - 142*
Toluene-d8 (Surr)	*99*		*80 - 120*

Lab Sample ID: LCSD 570-187267/2-A
Matrix: Solid
Analysis Batch: 187217

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 187267

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene			50.3	47.32		ug/Kg		94	68 - 120	1	20
1,2-Dibromoethane			50.3	45.46		ug/Kg		90	80 - 120	3	20
1,2-Dichlorobenzene			50.3	52.12		ug/Kg		104	80 - 120	2	20
1,2-Dichloroethane			50.3	42.01		ug/Kg		84	76 - 126	2	20
Benzene			50.3	45.99		ug/Kg		91	76 - 120	0	20
Carbon tetrachloride			50.3	47.35		ug/Kg		94	68 - 132	1	20
Chlorobenzene			50.3	47.25		ug/Kg		94	80 - 120	1	20
Di-isopropyl ether (DIPE)			50.3	44.81		ug/Kg		89	69 - 123	3	20
Ethanol			503	590.3		ug/Kg		117	46 - 152	4	30
Ethylbenzene			50.3	45.36		ug/Kg		90	80 - 120	0	20
Ethyl-t-butyl ether (ETBE)			50.3	44.70		ug/Kg		89	69 - 121	3	20
Methyl-t-Butyl Ether (MTBE)			50.3	42.77		ug/Kg		85	70 - 120	5	20
o-Xylene			50.3	44.25		ug/Kg		88	76 - 125	1	20
m,p-Xylene			101	87.66		ug/Kg		87	75 - 122	0	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*88*		*64 - 141*
4-Bromofluorobenzene (Surr)	*92*		*76 - 120*
Dibromofluoromethane (Surr)	*97*		*47 - 142*
Toluene-d8 (Surr)	*99*		*80 - 120*

Lab Sample ID: MB 570-187842/3-A
Matrix: Solid
Analysis Batch: 187876

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 187842

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,1,1-Trichloroethane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.8		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,1,2-Trichloroethane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,1-Dichloroethane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,1-Dichloroethene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-187842/3-A
Matrix: Solid
Analysis Batch: 187876

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 187842

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,2-Dibromo-3-Chloropropane	ND		9.8		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,2-Dibromoethane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,2-Dichlorobenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,2-Dichloroethane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,2-Dichloropropane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,3-Dichlorobenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,3-Dichloropropane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
1,4-Dichlorobenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
2,2-Dichloropropane	ND		4.9		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
2-Butanone	ND		20		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
2-Chlorotoluene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
2-Hexanone	ND		20		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
4-Chlorotoluene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Acetone	ND		20		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Benzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Bromobenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Bromochloromethane	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Bromodichloromethane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Bromoform	ND		4.9		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Bromomethane	ND		20		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
cis-1,2-Dichloroethene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
cis-1,3-Dichloropropene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Carbon disulfide	ND		9.8		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Carbon tetrachloride	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Chlorobenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Chloroethane	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Chloroform	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Chloromethane	ND		20		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Dibromochloromethane	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Dibromomethane	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Di-isopropyl ether (DIPE)	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Ethanol	ND		250		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Ethylbenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Ethyl-t-butyl ether (ETBE)	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Isopropylbenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Methylene Chloride	ND		9.8		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Naphthalene	ND		9.8		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
n-Butylbenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
N-Propylbenzene	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
o-Xylene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
m,p-Xylene	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
p-Isopropyltoluene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-187842/3-A
Matrix: Solid
Analysis Batch: 187876

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 187842

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
sec-Butylbenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Styrene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
trans-1,2-Dichloroethene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Tert-amyl-methyl ether (TAME)	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
tert-Butylbenzene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Tetrachloroethene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Toluene	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Trichloroethene	ND		2.0		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Trichlorofluoromethane	ND		9.8		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Vinyl acetate	ND		9.8		ug/Kg		10/20/21 09:40	10/20/21 14:44	1
Vinyl chloride	ND		0.98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*98*		*64 - 141*	*10/20/21 09:40*	*10/20/21 14:44*	*1*
4-Bromofluorobenzene (Surr)	*101*		*76 - 120*	*10/20/21 09:40*	*10/20/21 14:44*	*1*
Dibromofluoromethane (Surr)	*89*		*47 - 142*	*10/20/21 09:40*	*10/20/21 14:44*	*1*
Toluene-d8 (Surr)	*95*		*80 - 120*	*10/20/21 09:40*	*10/20/21 14:44*	*1*

Lab Sample ID: LCS 570-187842/1-A
Matrix: Solid
Analysis Batch: 187876

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 187842

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethene	50.1	53.63		ug/Kg		107	68 - 120
1,2-Dibromoethane	50.1	48.68		ug/Kg		97	80 - 120
1,2-Dichlorobenzene	50.1	52.38		ug/Kg		105	80 - 120
1,2-Dichloroethane	50.1	50.73		ug/Kg		101	76 - 126
Benzene	50.1	49.68		ug/Kg		99	76 - 120
Carbon tetrachloride	50.1	50.09		ug/Kg		100	68 - 132
Chlorobenzene	50.1	51.81		ug/Kg		103	80 - 120
Di-isopropyl ether (DIPE)	50.1	51.73		ug/Kg		103	69 - 123
Ethanol	501	618.5		ug/Kg		123	46 - 152
Ethylbenzene	50.1	51.73		ug/Kg		103	80 - 120
Ethyl-t-butyl ether (ETBE)	50.1	47.91		ug/Kg		96	69 - 121
Methyl-t-Butyl Ether (MTBE)	50.1	43.81		ug/Kg		87	70 - 120
o-Xylene	50.1	49.87		ug/Kg		100	76 - 125
m,p-Xylene	100	101.3		ug/Kg		101	75 - 122

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*96*		*64 - 141*
4-Bromofluorobenzene (Surr)	*101*		*76 - 120*
Dibromofluoromethane (Surr)	*98*		*47 - 142*
Toluene-d8 (Surr)	*100*		*80 - 120*

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-187842/2-A
Matrix: Solid
Analysis Batch: 187876

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 187842

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene			50.2	52.16		ug/Kg		104	68 - 120	3	20
1,2-Dibromoethane			50.2	48.62		ug/Kg		97	80 - 120	0	20
1,2-Dichlorobenzene			50.2	50.82		ug/Kg		101	80 - 120	3	20
1,2-Dichloroethane			50.2	49.92		ug/Kg		99	76 - 126	2	20
Benzene			50.2	48.13		ug/Kg		96	76 - 120	3	20
Carbon tetrachloride			50.2	48.75		ug/Kg		97	68 - 132	3	20
Chlorobenzene			50.2	50.24		ug/Kg		100	80 - 120	3	20
Di-isopropyl ether (DIPE)			50.2	50.62		ug/Kg		101	69 - 123	2	20
Ethanol			502	612.3		ug/Kg		122	46 - 152	1	30
Ethylbenzene			50.2	49.92		ug/Kg		99	80 - 120	4	20
Ethyl-t-butyl ether (ETBE)			50.2	47.32		ug/Kg		94	69 - 121	1	20
Methyl-t-Butyl Ether (MTBE)			50.2	44.22		ug/Kg		88	70 - 120	1	20
o-Xylene			50.2	48.48		ug/Kg		97	76 - 125	3	20
m,p-Xylene			100	98.31		ug/Kg		98	75 - 122	3	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*97*		*64 - 141*
4-Bromofluorobenzene (Surr)	*101*		*76 - 120*
Dibromofluoromethane (Surr)	*97*		*47 - 142*
Toluene-d8 (Surr)	*99*		*80 - 120*

Lab Sample ID: MB 570-188085/3-A
Matrix: Solid
Analysis Batch: 188080

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 188085

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,1,1-Trichloroethane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,1,2,2-Tetrachloroethane	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		9.9		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,1,2-Trichloroethane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,1-Dichloroethane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,1-Dichloroethene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,1-Dichloropropene	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,2,3-Trichlorobenzene	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,2,3-Trichloropropane	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,2,4-Trichlorobenzene	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,2,4-Trimethylbenzene	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,2-Dibromo-3-Chloropropane	ND		9.9		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,2-Dibromoethane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,2-Dichlorobenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,2-Dichloroethane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,2-Dichloropropane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,3,5-Trimethylbenzene	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,3-Dichlorobenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,3-Dichloropropane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
1,4-Dichlorobenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
2,2-Dichloropropane	ND		5.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-188085/3-A
Matrix: Solid
Analysis Batch: 188080

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 188085

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
2-Butanone	ND		20		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
2-Chlorotoluene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
2-Hexanone	ND		20		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
4-Chlorotoluene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
4-Methyl-2-pentanone	ND		20		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Acetone	ND		20		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Benzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Bromobenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Bromochloromethane	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Bromodichloromethane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Bromoform	ND		5.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Bromomethane	ND		20		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
cis-1,2-Dichloroethene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
cis-1,3-Dichloropropene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Carbon disulfide	ND		9.9		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Carbon tetrachloride	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Chlorobenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Chloroethane	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Chloroform	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Chloromethane	ND		20		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Dibromochloromethane	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Dibromomethane	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Dichlorodifluoromethane	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Di-isopropyl ether (DIPE)	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Ethanol	ND		250		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Ethylbenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Ethyl-t-butyl ether (ETBE)	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Isopropylbenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Methylene Chloride	ND		9.9		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Methyl-t-Butyl Ether (MTBE)	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Naphthalene	ND		9.9		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
n-Butylbenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
N-Propylbenzene	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
o-Xylene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
m,p-Xylene	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
p-Isopropyltoluene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
sec-Butylbenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Styrene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
trans-1,2-Dichloroethene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
trans-1,3-Dichloropropene	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Tert-amyl-methyl ether (TAME)	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
tert-Butyl alcohol (TBA)	ND		20		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
tert-Butylbenzene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Tetrachloroethene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Toluene	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Trichloroethene	ND		2.0		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Trichlorofluoromethane	ND		9.9		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Vinyl acetate	ND		9.9		ug/Kg		10/21/21 08:11	10/21/21 10:28	1
Vinyl chloride	ND		0.99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		64 - 141	10/21/21 08:11	10/21/21 10:28	1
4-Bromofluorobenzene (Surr)	100		76 - 120	10/21/21 08:11	10/21/21 10:28	1
Dibromofluoromethane (Surr)	90		47 - 142	10/21/21 08:11	10/21/21 10:28	1
Toluene-d8 (Surr)	96		80 - 120	10/21/21 08:11	10/21/21 10:28	1

Lab Sample ID: LCS 570-188085/1-A
Matrix: Solid
Analysis Batch: 188080

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 188085

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
1,1-Dichloroethene			49.9	52.81		ug/Kg		106	68 - 120		
1,2-Dibromoethane			49.9	48.11		ug/Kg		96	80 - 120		
1,2-Dichlorobenzene			49.9	51.02		ug/Kg		102	80 - 120		
1,2-Dichloroethane			49.9	50.68		ug/Kg		102	76 - 126		
Benzene			49.9	48.77		ug/Kg		98	76 - 120		
Carbon tetrachloride			49.9	50.07		ug/Kg		100	68 - 132		
Chlorobenzene			49.9	51.12		ug/Kg		102	80 - 120		
Di-isopropyl ether (DIPE)			49.9	51.20		ug/Kg		103	69 - 123		
Ethanol			499	667.6		ug/Kg		134	46 - 152		
Ethylbenzene			49.9	51.00		ug/Kg		102	80 - 120		
Ethyl-t-butyl ether (ETBE)			49.9	47.36		ug/Kg		95	69 - 121		
Methyl-t-Butyl Ether (MTBE)			49.9	43.60		ug/Kg		87	70 - 120		
o-Xylene			49.9	49.60		ug/Kg		99	76 - 125		
m,p-Xylene			99.8	100.1		ug/Kg		100	75 - 122		

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		64 - 141
4-Bromofluorobenzene (Surr)	103		76 - 120
Dibromofluoromethane (Surr)	99		47 - 142
Toluene-d8 (Surr)	100		80 - 120

Lab Sample ID: LCSD 570-188085/2-A
Matrix: Solid
Analysis Batch: 188080

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 188085

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1-Dichloroethene			49.1	51.75		ug/Kg		105	68 - 120	2	20
1,2-Dibromoethane			49.1	47.30		ug/Kg		96	80 - 120	2	20
1,2-Dichlorobenzene			49.1	50.29		ug/Kg		102	80 - 120	1	20
1,2-Dichloroethane			49.1	50.00		ug/Kg		102	76 - 126	1	20
Benzene			49.1	48.23		ug/Kg		98	76 - 120	1	20
Carbon tetrachloride			49.1	49.10		ug/Kg		100	68 - 132	2	20
Chlorobenzene			49.1	50.61		ug/Kg		103	80 - 120	1	20
Di-isopropyl ether (DIPE)			49.1	50.32		ug/Kg		102	69 - 123	2	20
Ethanol			491	671.8		ug/Kg		137	46 - 152	1	30
Ethylbenzene			49.1	50.25		ug/Kg		102	80 - 120	1	20
Ethyl-t-butyl ether (ETBE)			49.1	46.65		ug/Kg		95	69 - 121	2	20
Methyl-t-Butyl Ether (MTBE)			49.1	42.76		ug/Kg		87	70 - 120	2	20
o-Xylene			49.1	49.01		ug/Kg		100	76 - 125	1	20
m,p-Xylene			98.2	98.65		ug/Kg		100	75 - 122	1	20

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 570-188085/2-A
Matrix: Solid
Analysis Batch: 188080

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 188085

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		64 - 141
4-Bromofluorobenzene (Surr)	102		76 - 120
Dibromofluoromethane (Surr)	98		47 - 142
Toluene-d8 (Surr)	100		80 - 120

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 570-186769/3-A
Matrix: Solid
Analysis Batch: 186700

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 186769

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		99		ug/Kg		10/15/21 09:01	10/15/21 12:00	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	96		80 - 120	10/15/21 09:01	10/15/21 12:00	1

Lab Sample ID: LCS 570-186769/1-A
Matrix: Solid
Analysis Batch: 186700

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 186769

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
TPPH			1010	892.8		ug/Kg		88	65 - 135		

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: LCSD 570-186769/2-A
Matrix: Solid
Analysis Batch: 186700

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 186769

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
TPPH			1000	838.2		ug/Kg		84	65 - 135	6	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: MB 570-187267/3-A
Matrix: Solid
Analysis Batch: 187216

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 187267

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		100		ug/Kg		10/18/21 10:01	10/18/21 13:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	96		80 - 120	10/18/21 10:01	10/18/21 13:27	1

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 570-187267/1-A
Matrix: Solid
Analysis Batch: 187216

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 187267

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
TPPH			1000	877.2		ug/Kg		88	65 - 135		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*99*		*80 - 120*

Lab Sample ID: LCSD 570-187267/2-A
Matrix: Solid
Analysis Batch: 187216

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 187267

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
TPPH			1010	841.0		ug/Kg		84	65 - 135	4	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*98*		*80 - 120*

Lab Sample ID: MB 570-187842/3-A
Matrix: Solid
Analysis Batch: 187877

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 187842

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		98		ug/Kg		10/20/21 09:40	10/20/21 14:44	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/20/21 09:40*	*10/20/21 14:44*	*1*

Lab Sample ID: LCS 570-187842/1-A
Matrix: Solid
Analysis Batch: 187877

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 187842

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
TPPH			1000	932.5		ug/Kg		93	65 - 135		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*98*		*80 - 120*

Lab Sample ID: LCSD 570-187842/2-A
Matrix: Solid
Analysis Batch: 187877

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 187842

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
TPPH			1000	987.9		ug/Kg		98	65 - 135	6	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*98*		*80 - 120*

Method: 8260B/CA_LUFTMS - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 570-188085/3-A
Matrix: Solid
Analysis Batch: 188079

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 188085

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	ND		99		ug/Kg		10/21/21 08:11	10/21/21 10:28	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*80 - 120*	*10/21/21 08:11*	*10/21/21 10:28*	*1*

Lab Sample ID: LCS 570-188085/1-A
Matrix: Solid
Analysis Batch: 188079

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 188085

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
TPPH			998	926.1		ug/Kg		93	65 - 135		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*99*		*80 - 120*

Lab Sample ID: LCSD 570-188085/2-A
Matrix: Solid
Analysis Batch: 188079

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 188085

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
TPPH			982	959.0		ug/Kg		98	65 - 135	3	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*99*		*80 - 120*

Accreditation/Certification Summary

Client: Stantec Consulting Corp.
Project/Site: 2104217900

Job ID: 570-72716-1

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	88-0161	11-19-21
California	Los Angeles County Sanitation Districts	10109	09-30-22
California	SCAQMD LAP	17LA0919	11-30-21
California	State	2944	09-30-22
Guam	State	21-003R	06-22-22
Nevada	State	CA00111	07-31-22
Oregon	NELAP	CA300001	01-30-22
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-12-22

Method Summary

Client: Stantec Consulting Corp.
Project/Site: 2104217900

Job ID: 570-72716-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	ECL 2
8260B/CA_LUFTMS	Volatile Organic Compounds by GC/MS	SW846	ECL 2
5030C	Purge and Trap	SW846	ECL 2

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 2 = Eurofins Calscience LLC Lampson, 7445 Lampson Ave, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: Stantec Consulting Corp.
Project/Site: 2104217900

Job ID: 570-72716-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-72716-1	SSA-B6-5	Solid	10/11/21 14:25	10/13/21 13:28
570-72716-2	SSA-B6-10	Solid	10/11/21 14:35	10/13/21 13:28
570-72716-3	SSA-B6-14	Solid	10/11/21 14:45	10/13/21 13:28
570-72716-4	SSA-B7-5	Solid	10/11/21 12:20	10/13/21 13:28
570-72716-5	SSA-B7-10	Solid	10/11/21 12:25	10/13/21 13:28
570-72716-6	SSA-B7-15	Solid	10/11/21 12:35	10/13/21 13:28
570-72716-7	SSA-B2-5	Solid	10/11/21 11:25	10/13/21 13:28
570-72716-8	SSA-B2-10	Solid	10/11/21 11:30	10/13/21 13:28
570-72716-9	SSA-B2-15	Solid	10/11/21 11:45	10/13/21 13:28
570-72716-10	SSA-B1-5	Solid	10/11/21 09:30	10/13/21 13:28
570-72716-11	SSA-B1-10	Solid	10/11/21 09:40	10/13/21 13:28
570-72716-12	SSA-B1-15	Solid	10/11/21 09:50	10/13/21 13:28
570-72716-13	SSA-B4-5	Solid	10/11/21 08:40	10/13/21 13:28
570-72716-14	SSA-B4-10	Solid	10/11/21 08:50	10/13/21 13:28
570-72716-15	SSA-B4-15	Solid	10/11/21 08:55	10/13/21 13:28
570-72716-16	SSA-B5-5	Solid	10/11/21 13:17	10/13/21 13:28
570-72716-17	SSA-B5-10	Solid	10/11/21 13:23	10/13/21 13:28
570-72716-18	SSA-B5-15	Solid	10/11/21 13:40	10/13/21 13:28
570-72716-21	SSB-B15-13	Solid	10/13/21 09:15	10/13/21 13:28
570-72716-24	SSB-B23-14	Solid	10/13/21 07:54	10/13/21 13:28
570-72716-27	SSB-B17-15	Solid	10/12/21 07:48	10/13/21 13:28
570-72716-30	SSB-B19-15	Solid	10/12/21 08:35	10/13/21 13:28
570-72716-32	SSB-B18-10	Solid	10/12/21 09:30	10/13/21 13:28
570-72716-35	SSB-B20-14	Solid	10/12/21 10:38	10/13/21 13:28
570-72716-38	SSB-B21-14	Solid	10/12/21 12:20	10/13/21 13:28
570-72716-39	SSB-B16-5	Solid	10/12/21 13:04	10/13/21 13:28
570-72716-42	SSB-B22-15	Solid	10/12/21 13:50	10/13/21 13:28

eurofins | Calscience

CHAIN OF CUSTODY RECORD

DATE 10-13-21

PAGE 1 OF 5

7440 Lincoln Way Garden Grove CA 92841-1427 • (714) 895-5494
For courier service / sample drop off information contact us26_sales@eurofinsus com or call us

LABORATORY CLIENT: STANTEC CONSULTING SERVICES INC.

ADDRESS: 735 E. CARNEGIE DRIVE, SUITE 280

CITY: SAN BERNADINO STATE: CA ZIP: 92408

TEL. 909-255-8213 909-654-8342

E-MAIL: ALICIA.JANSEN@STANTEC.COM

CLIENT PROJECT NAME / NUMBER: 2014217900

PO NO:

PROJECT CONTACT: ALICIA JANSEN

SAMPLER(S) (PRINT): M. MASON

TURNAROUND TIME (Rush surcharges may apply to any TAT not 'STANDARD'):

☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☒ STANDARD

☐ COELT EDF | GLOBAL ID: | ECI PROJECT NO: | LOG CODE:

SPECIAL INSTRUCTIONS:

REQUESTED ANALYSES

Please check box or fill in blank as needed

LAB USE ONLY	SAMPLE ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO OF CONT	Unpreserved	Preserved	Field Filtered	TPH ☐ GRO	TPH ☐ DRO	TPH ☐ C6-C36 ☐ C6-C44	TPH GAS 8260 B (ONLY)	BTEX / MTBE ☐ 8260 ☐	VOCs (8260)	Oxygenates (8260)	Prep (5035) ☐ En Core ☐ Terra Core	SVOCs (8270)	Pesticides (8081)	PCBs (8082)	PAHs ☐ 8270 ☐ 8270 SIM	T22 Metals ☐ 6010/747X ☐ 6020/747X	Cr(VI) ☐ 7196 ☐ 7199 ☐ 218.6
1	SSA-B6-5	10-11-21	1425	SOIL	1	X						X										
2	SSA-B6-10		1435		1							X										
3	SSA-B6-14		1445		1							X										
4	SSA-B7-5		1220		1							X										
5	SSA-B7-10		1225		1							X										
6	SSA-B7-15		1235		1							X										
7	SSA-B2-5		1125		1							X										
8	SSA-B2-10		1130		1							X										
9	SSA-B2-15		1145		1							X										
~~10~~																						

570-72716 Chain of Custody

Relinquished by (Signature) MARK MASON	Received by (Signature/Affiliation) ECI	Date 10-13-2021	Time 13:28
Relinquished by (Signature)	Received by (Signature/Affiliation)	Date	Time
Relinquished by (Signature)	Received by (Signature/Affiliation)	Date	Time

2.6 13.5 SCS

06/02/14 Revision

72716

eurofins | Calscience

CHAIN OF CUSTODY RECORD

DATE 10-13-21

PAGE 2 OF 5

7440 Lincoln Way Garden Grove CA 92841-1427 • (714) 895-5494
For courier service / sample drop off information contact us26_sales@eurofinsus com or call us

LABORATORY CLIENT: STANTEC CONSULTING SERVICES INC.

ADDRESS: 735 E. CARNEGIE DRIVE, SUITE 280

CITY: SAN BERNADINO STATE: CA ZIP: 92408

TEL. 909-255-8213 909-654-8342

E-MAIL. ALICIA.JANSEN@STANTEC.COM

CLIENT PROJECT NAME / NUMBER: 2014217900

PO NO

PROJECT CONTACT: ALICIA JANSEN

SAMPLER(S). (PRINT): M. MASON

TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"):

☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☒ STANDARD

☐ COELT EDF | GLOBAL ID: | ECI PROJECT NO | LOG CODE

SPECIAL INSTRUCTIONS

REQUESTED ANALYSES

Please check box or fill in blank as needed

	LAB USE ONLY	SAMPLE ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO OF CONT	Unpreserved	Preserved	Field Filtered	☐ TPH(g) ☐ GRO	☐ TPH(d) ☐ DRO	TPH ☐ C6-C36 ☐ C6-C44	TPH (MS by 8260 B only)	BTEX / MTBE ☐ 8260 ☐ ____	VOCs (8260)	Oxygenates (8260)	Prep (5035) ☐ En Core ☐ Terra Core	SVOCs (8270)	Pesticides (8081)	PCBs (8082)	PAHs ☐ 8270 ☐ 8270 SIM	T22 Metals ☐ 6010/747X ☐ 6020/747X	Cr(VI): ☐ 7196 ☐ 7199 ☐ 218.6				
10	11	SSA-B1-5	10-11-21	0930	SOIL	1	X						X														
11	12	SSA-B1-10		0940		1							X														
12	13	SSA-B1-15		0950		1							X														
13	14	SSA-B4-5		0840		1							X														
14	15	SSA-B4-10		0850		1							X														
15	16	SSA-B4-15		0855		1							X														
16	17	SSA-B5-5		1317		1							X														
17	18	SSA-B5-10		1323		1							X														
18	19	SSA-B5-15		1340		1							X														

Relinquished by: (Signature) MARK MASON	Received by: (Signature/Affiliation) ECI	Date 10-13-2021	Time 13:28
Relinquished by: (Signature)	Received by: (Signature/Affiliation)	Date	Time
Relinquished by: (Signature)	Received by: (Signature/Affiliation)	Date	Time

06/02/14 Revision

10/27/2021

eurofins | Calscience

CHAIN OF CUSTODY RECORD

DATE 10-13-21

PAGE 3 OF 5

7440 Lincoln Way Garden Grove CA 92841 1427 • (714) 895-5494
For courier service / sample drop off information contact us26_sales@eurofinsus.com or call us.

LABORATORY CLIENT: STANTEC CONSULTING SERVICES INC.

ADDRESS: 735 E. CARNEGIE DRIVE, SUITE 260

CITY: SAN BERNARDINO STATE: CA ZIP: 92408

TEL. 909-255-8213 909-654-8342 E-MAIL. ALICIA.JANSEN@STANTEC.COM

CLIENT PROJECT NAME / NUMBER: 20142179od

PROJECT CONTACT: ALICIA JANSEN

SAMPLER(S): (PRINT): M. MASON

P O NO:

TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"):
☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☒ STANDARD

☐ COELT EDF | GLOBAL ID | ECI PROJECT NO | LOG CODE

SPECIAL INSTRUCTIONS

REQUESTED ANALYSES
Please check box or fill in blank as needed

LAB USE ONLY	SAMPLE ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO OF CONT	Unpreserved	Preserved	Field Filtered	☐ TPH(g) ☐ GRO	☐ TPH(d) ☐ DRO	TPH ☐ C6-C36 ☐ C6-C44	TPH GAS (8260)	BTEX / MTBE ☐ 8260 ☐	VOCs (8260)	Oxygenates (8260)	Prep (5035). ☐ En Core ☐ Terra Core	SVOCs (8270)	Pesticides (8081)	PCBs (8082)	PAHs. ☐ 8270 ☐ 8270 SIM	T22 Metals ☐ 6010/747X ☐ 6020/747X	Cr(VI) ☐ 7196 ☐ 7199 ☐ 218 6	PLACE ON HOLD	DO NOT ANALYZE		
•	~~SSB-A~~											X		X												
19	~~20~~ SSB-B15-5	10-13-21	0900	SOIL	1	X																	X	X		
20	~~21~~ SSB-B15-10		0906		1																		X	X		
21	~~22~~ SSB-B15-13		0915		1							X		X												
22	~~23~~ SSB-B23-5		0745		1																		X	X		
23	~~24~~ SSB-B23-10		0749		1																		X	X		
24	~~25~~ SSB-B23-14		0754		1							X		X												
25	~~26~~ SSB-B17-5	10-12-21	0735		1																		X	X		
26	~~27~~ SSB-B17-10		0740		1																		X	X		
27	~~28~~ SSB-B17-15		0748		1							X		X												

Relinquished by (Signature)	Received by (Signature/Affiliation)	Date	Time
MARK MASON	ECI	10-13-2021	13:28

06/02/14 Revision

10/27/2021

72716

eurofins | Calscience

CHAIN OF CUSTODY RECORD

DATE 10-13-21

PAGE 4 OF 5

7440 Lincoln Way Garden Grove CA 92841 1427 • (714) 895-5494
For courier service / sample drop off information contact us26_sales@eurofinsus.com or call us

LABORATORY CLIENT: STANTEC CONSULTING SERVICES INC.
ADDRESS: 735 E. CARNEGIE DRIVE, SUITE 280
CITY: SAN BERNADINO STATE: CAL ZIP: 92408
TEL: 909-255-8213 909-654-8342 E-MAIL: ALICIA.JANSEN@STANTEC.COM

CLIENT PROJECT NAME / NUMBER: ~~M2 2014237~~ 2014217900
PO NO:
PROJECT CONTACT: ALICIA JANSEN
SAMPLER(S) (PRINT): M. MASON

TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"):
☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☒ STANDARD

☐ COELT EDF | GLOBAL ID | ECI PROJECT NO | LOG CODE

SPECIAL INSTRUCTIONS

REQUESTED ANALYSES
Please check box or fill in blank as needed

LAB USE ONLY	SAMPLE ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO OF CONT	Unpreserved	Preserved	Field Filtered	☐ TPH(g) ☐ GRO	☐ TPH(d) ☐ DRO	TPH ☐ C6-C36 ☐ C6-C44	TPH (LAS (8260 B))	BTEX / MTBE ☐ 8260 ☐	VOCs (8260)	Oxygenates (8260)	Prep (5035): ☐ En Core ☐ Terra Core	SVOCs (8270)	Pesticides (8081)	PCBs (8082)	PAHs ☐ 8270 ☐ 8270 SIM	T22 Metals. ☐ 6010/747X ☐ 6020/747X	Cr(VI) ☐ 7196 ☐ 7199 ☐ 218 6	PLACE ON HOLD	DO NOT ANALYZE	
28	~~29~~ SSB-B19-5	10-12-21	0820	SOIL	1																		X	X	
29	~~30~~ SSB-B19-10		0825		1																		X	X	
30	~~31~~ SSB-B19-15		0835		1							X		X											
31	~~32~~ SSB-B18-5		0923		1																		X	X	
32	~~33~~ SSB-B18-10		0930		1							X		X											
33	~~34~~ SSB-B20-5		1020		1																		X	X	
34	~~35~~ SSB-B20-10		1025		1																		X	X	
35	~~36~~ SSB-B20-14		1038		1							X		X											

Relinquished by (Signature)	Received by (Signature/Affiliation)	Date	Time
MARK MASON Mark Mason	ECI	10-13-2021	13:28
Relinquished by (Signature)	Received by (Signature/Affiliation)	Date	Time
Relinquished by (Signature)	Received by (Signature/Affiliation)	Date	Time

06/02/14 Revision

72716

eurofins | Calscience

CHAIN OF CUSTODY RECORD

DATE 10-13-21

PAGE 5 OF 5

7440 Lincoln Way Garden Grove CA 92841-1427 • (714) 895-5494
For courier service / sample drop off information contact us26_sales@eurofinsus com or call us

LABORATORY CLIENT: STANTEC CONSULTING SERVICES INC.

ADDRESS: 735 E. CARNEGIE DRIVE, SUITE 280

CITY: SAN BERNARDINO STATE: CA ZIP: 92408

TEL: 909-255-8213 / 909-654-8342 E-MAIL: ALICIA.JANSEN@STANTEC.COM

TURNAROUND TIME (Rush surcharges may apply to any TAT not "STANDARD"):

☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☐ 5 DAYS ☒ STANDARD

☐ COELT EDF | GLOBAL ID | ECI PROJECT NO | LOG CODE

SPECIAL INSTRUCTIONS

CLIENT PROJECT NAME / NUMBER | P O NO

PROJECT CONTACT | SAMPLER(S): (PRINT)

REQUESTED ANALYSES

Please check box or fill in blank as needed

LAB USE ONLY	SAMPLE ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT	Unpreserved	Preserved	Field Filtered	☐ TPH(g) ☐ GRO	☐ TPH(d) ☐ DRO	TPH ☐ C6-C36 ☐ C6-C44	TPH LAS (8260 B)	BTEX / MTBE ☐ 8260 ☐	VOCs (8260)	Oxygenates (8260)	Prep (5035): ☐ En Core ☐ Terra Core	SVOCs (8270)	Pesticides (8081)	PCBs (8082)	PAHs ☐ 8270 ☐ 8270 SIM	T22 Metals ☐ 6010/747X ☐ 6020/747X	Cr(VI) ☐ 7196 ☐ 7199 ☐ 218 6	PLACE on HOLD	DO NOT ANALYSE		
36	~~37~~ SSB-B21-5	10-12-21	1210	SOIL	1																		X	X	
37	~~38~~ SSB-B21-10		1215		1																		X	X	
38	~~39~~ SSB-B21-14		1220		1							X		X											
39	~~40~~ SSB-B16-5		1304		1							X		X											
40	~~41~~ SSB-B22-5		1342		1																		X	X	
41	~~42~~ SSB-B22-10		1347		1																		X	X	16
42	~~43~~ SSB-B22-15	↓	1350	↓	1							X		X											

Relinquished by (Signature) MARK MASON	Received by (Signature/Affiliation) E CI	Date 10-13-2021	Time 13:28
Relinquished by (Signature)	Received by (Signature/Affiliation)	Date	Time
Relinquished by (Signature)	Received by (Signature/Affiliation)	Date	Time

06/02/14 Revision

10/27/2021

Login Sample Receipt Checklist

Client: Stantec Consulting Corp.

Job Number: 570-72716-1

Login Number: 72716
List Number: 1
Creator: Patel, Jayesh

List Source: Eurofins Calscience LLC

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	