PHASE I ENVIRONMENTAL SITE ASSESSMENT

23100 & 23200 Temescal Canyon Road
Corona, CA 92883

Prepared for:

Proficiency Capitol, LLC
11777 San Vincente Boulevard, No. 780
Los Angeles, CA 90049

Prepared by:

Hazard Management Consulting, Inc.
211 W. Avenida Cordoba, Suite 200
San Clemente, CA 92672
(949) 361-3902

September 12, 2019

TABLE OF CONTENTS

EXECUTIVE SUMMARY III
1. INTRODUCTION 1
1.1. Objective 1
1.2. Scope of Services, Methodology and Limitations 2
2. SITE DESCRIPTION 3
2.1. Site Setting 3
2.2. Regional Geology and Hydrogeology 4
2.3. Interviews and User Provided Information 4
2.4. Title Records 4
2.5. User Knowledge 4
2.6. Owner/Occupant Knowledge 5
2.7. Environmental Liens or Activity and Use Limitations 5
3. SITE USE AND HISTORY 5
3.1. Aerial Photograph Review 6
3.2. Topographic Maps 7
3.3. Sanborn Maps 7
3.4. EDR City Directory Review 7
3.5. Summary 8
4. PRIOR INVESTIGATIONS 8
4.1. Second Quarter 2001 Groundwater Monitoring and Closure Request - CSR Hydro Conduit 8
4.2. UST Sample Analytical Review 9
5. SITE RECONNAISSANCE 10
5.1. Site Vicinity 12
6. REGULATORY AGENCY DATABASE RESEARCH 12
6.1. Database Records Concerning the Target Property 12
6.2. Database Records Concerning the Site Vicinity 14
6.3. Summary of Off-Site Issues 15
7. LOCAL AGENCY AND OTHER RECORDS REVIEW 15
7.1. Tribal Records 15
7.2. Oil and Gas Wells 15
7.3. State of California 15

7.4. Santa Ana Regional Water Quality Control Board 16
7.5. Riverside County Department of Environmental Health 16
7.6. South Coast Air Quality Management District 17
7.7. City of Corona City Clerk 17
7.8. County of Riverside Department Building and Safety (CRDBS) 17
7.9. Department of Resources Recycling and Recovery (DRRRR) 18

8. VAPOR INTRUSION, ASBESTOS AND OTHER CONCERNS 18

8.1. Vapor Intrusion 18
8.2. Asbestos 19
8.3. Radon 19
8.4. Mold 19

9. SUMMARY OF FINDINGS 19
10. DATA GAPS 21
11. CONCLUSIONS 21
12. RECOMMENDATIONS 21
13. QUALIFICATIONS 23
14. REFERENCES 24

TABLES

Table 1 EDR Records Summary

FIGURES

Figure 1 Site Location
Figure 2 Site & Vicinity Map

APPENDICES

A - Site Photographs
B - EDR Historical Reports
C- Building Permits
D- Supporting Documents

Executive Summary

Hazard Management Consulting, Inc. (HMC) is pleased to submit this Environmental Site Assessment (ESA) for the property referenced above in the City of Corona, California (Site) (Figures 1 & 2). This ESA was prepared to evaluate the Site for potential Recognized Environmental Conditions (RECs) that may be present and was conducted as part of your efforts to acquire the Site. The Site contains approximately 70-acres of vacant land on an irregular shaped parcel noted to be unpaved and covered with soil and crushed concrete. Corona Clay Company, who manufactured concrete pipes, previously occupied the Site as well as several other companies involved in similar operations over the years until the improvements were demolished sometime after 2014. Currently, the Site is vacant with two piles of crushed concrete and a small utility company leasing space on the Site for the storage of vehicles and equipment.

The Site is relatively flat with an elevation of approximately 950 feet above mean sea level (msl) with a regional slope to the north. The Site is located in the City of Corona, Riverside County and is set in an mixed use type setting with a dry creek bed to the north.

The Site is located in an area zoned for mixed use and is bound:

- to the north by Park Canyon Road across which is the Temescal Wash and Dawson Canyon Road;
- on the east by vacant land and Canta Rosa Road;
- to the south by vacant land; and,
- to the west by Temescal Canyon Road across which is an industrial property and the Interstate 15 Freeway.

Key findings of this Phase I ESA are as follows:

- In the photograph from 1928, the Site was observed to be vacant with Temescal Canyon Road running along its western border. The area surrounding the Site was also observed to be vacant land as well.
- The Site was first seen in 1975 to be occupied by a concrete pipe manufacturing facility. Nine structures were observed with concrete pipe being stored throughout

the Site. The plant area was noted to be centrally located. The Site appears in the orientation in which it was constructed before the Site was demolished.

- The Site has historically been used for concrete pipe manufacturing since at least 1970, with the Hydro Conduit Corporation facility first being observed in the 1975 aerial photograph. Corona Clay Company was indicated to have occupied and operated the facility since 2005, the earliest listing in the EDR Directory Report, until at least 2014. Features of the plant included a historic vehicle maintenance facility as well as the use and storage of solvents and fuel throughout the Site.
- The facility was observed to have been completely demolished by the time of the 2016 aerial photograph and the Site was observed to be vacant at the time of our Site visit.
- A water well was shown to exist at the Site in topographic maps that ranged from 1996 to 2012. A review of County records indicates that they do not have any permits for wells.
- The regulatory database review suggests that a total of five USTs were operated at the Site. Two UST's were removed from the Site in 2001 and one UST was reportedly removed in 2014 under oversight of the Riverside County Department of Environmental Health (RCDEH) and closure was obtained. A review of the files at the RCDEH indicates that formal closure reports were not prepared for all of the historic USTs though the RCDEH records do indicate that all of the USTs were removed and they have no permits or records of outstanding USTs remaining at the Site.
- A metal grate indicating the presence of a sump or a drain was observed in a low spot among the crushed concrete spread in the approximate center of the Site.
- During a review of files maintained by County of Riverside Building and Safety, a Foundation Investigation dated 1987 indicated that undocumented fill soil was imported to raise the Site approximately nine to eleven feet. The shallow soil on Site should be investigated to assess whether hazardous materials were brought to the Site by the imported fill. The Site was also listed as being a landfill between 1995 and 2012. We believe the landfill listing was due to the use of fill dirt to raise the Site and the Site was not a landfill in the classic sense.
- The former facility used chemicals such as solvents and hydrocarbons including in a vehicle maintenance area. As the Site has been demolished, surficial features were no longer discernible.

- While there were facilities in the general Site vicinity that either used chemicals or experienced releases, none were close enough or in the correct orientation to be considered a threat to the Site. There were no vapor intrusion risks found from off Site sources.
- The on-Site buildings were demolished sometime after 2014 and the Site at the time of this investigation was observed to be vacant with the exception of crushed concrete noted on Site. We conducted a preliminary inspection and did not note suspect asbestos in the crushed concrete.

Conclusions

We have performed a Phase I Environmental Site Assessment in accordance with ASTM E1527-13 Guidelines for the property located at 23100 and 23200 Temescal Canyon Road in Corona, California. There were no REC's or Controlled RECs found as part of this assessment, with the exception of:

- The Site was reported to historically use chemicals on Site including hydrocarbons and VOCs at a time when regulatory scrutiny and awareness was low which would be an REC in our judgment;
- There were several USTs removed from the Site under the oversight of the RCDEH at a time when vapor intrusion was not a consideration. While the County does not show any open UST cases at the Site, the records were incomplete and when closure reports were available, they did not evaluate potential vapor intrusion concerns. The historic use of the Site with VOCs would pose a potential vapor intrusion condition and would be considered an REC in our judgment
- Fill dirt was brought to the Site to raise the grade in certain areas without documentation of the Source of such material. The Site is listed as a landfill which we believe is for the fill used to raise the grade. Given the lack of information on the source of the soil, the potential for unknown materials to be present in the fill would be considered an REC in our judgment.

The previous USTs which were removed under RCDEH oversight would be considered Historic RECs.

Recommendations

Based on the findings of this ESA, we have the following recommendations for your review:

- A Site wide soil and soil vapor investigation should be conducted to assess whether the historical cement pipe manufacturing facility including the drain and potential landfill has contaminated the soils beneath the Site. We would also recommend soil samples be collected of the area where the soil was placed to evaluate whether impacted material may have been present in the fill.

PHASE I ENVIRONMENTAL SITE ASSESSMENT
23100 & 23200 Temescal Canyon Road
Corona, CA 92883

1. INTRODUCTION

Hazard Management Consulting, Inc. (HMC) is pleased to submit this Environmental Site Assessment (ESA) for the property referenced above in the City of Corona, California (Site) (Figures 1 & 2). This ESA was prepared to evaluate the Site for potential Recognized Environmental Conditions (RECs) that may be present and was conducted as part of your efforts to acquire the Site. The Site contains approximately 70-acres of vacant land on an irregular shaped parcel noted to be unpaved and covered with soil and crushed concrete. Corona Clay Company, who manufactured concrete pipes, previously occupied the Site as well as several other companies involved in similar operations over the years until the improvements were demolished sometime after 2014. Currently, the Site is vacant with two piles of crushed concrete and a small utility company leasing space on the Site for the storage of vehicles and equipment.

The Site is relatively flat with an elevation of approximately 950 feet above mean sea level (msl) with a regional slope to the north. The Site is located in the City of Corona, Riverside County and is set in an mixed use type setting with a dry creek bed to the north.

1.1. Objective

In accordance with the ASTM E 1527-13 Standard Practice for Environmental Site Assessments, the objective of the ESA is to assess, to the extent feasible under the standard, the likelihood that Recognized Environmental Conditions (RECs), as defined by ASTM, are present at the Site.

A Recognized Environmental Condition "means the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water of the property. The term is not intended to include de minimis conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action

if brought to the attention of appropriate governmental agencies" (ASTM Standard Practice E1527-13). Performance of a Phase I ESA is intended to reduce, but not eliminate, uncertainty regarding the potential for Recognized Environmental Conditions in connection with a property, within reasonable limits of time and cost.

All Appropriate Inquires (AAI) as defined in the Final Rule (40 CFR, Part 312), must be conducted by persons seeking the landowner liability protections under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) prior to acquiring a property or seeking or receiving federal brownfields grants under the authorities of CERCLA. The purpose of AAI, as defined in the AAI Final Rule, is to identify releases and threatened releases of hazardous substances, which cause or threaten to cause the incurrence of response costs. The U.S. Environmental Protection Agency (EPA) has stated that ASTM Standard E-1527-13 is consistent with the Standards and Practices for AAI and is compliant with the statutory criteria for AAI.

1.2. Scope of Services, Methodology and Limitations

The findings of this ESA must be viewed in recognition of certain limiting conditions. The scope of work commissioned for this project does not represent an exhaustive study, but rather a reasonable inquiry, consistent with good commercial practice, in general accordance with ASTM Practice E-1527-13.

The scope of work for this ESA included the following activities:

- A site walk to document the current condition of the Site and neighboring facilities.
- Review of a regulatory database report.
- Review of previously prepared reports for the Site.
- Submittal of questionnaires to the current Owner and User of the report.
- Review of historical references including aerial photographs, city directories, Sanborn Maps and topographic maps.

- On-line research and file review requests concerning the Site and suspect off site sources at the State of California Regional Water Quality Control Board (RWQCB) and Department of Toxic Substances Control (DTSC) websites.

- Review of records maintained by the Riverside County Department of Environmental Health.

- Review of building records and blueprints of the former Site buildings maintained by Riverside County.

- Preparation of this report of findings.

In the course of this assessment, HMC has relied on information provided by outside parties, such as regulatory agencies, previous reports and interview sources. For the purpose of this assessment, such third-party information is assumed to be accurate unless contradictory evidence is noted, and HMC does not express or imply any warranty regarding information provided by third-party sources.

2. SITE DESCRIPTION

2.1. Site Setting

The Site contains approximately 70-acres of vacant land on an irregular shaped parcel noted to be unpaved and covered with soil and crushed concrete. The Site is relatively flat with an elevation of approximately 950 feet above mean sea level (msl) and a regional slope to the north. The Site is located in the City of Corona, Riverside County and is set in a mixed use type setting with a dry creek bed to the north.

The Site is located in an area zoned for mixed use and is bound:

- to the north by Park Canyon Road across which is the Temescal Wash and Dawson Canyon Road;
- on the east by vacant land and Canta Rosa Road;
- to the south by vacant land; and,
- to the west by Temescal Canyon Road across which is an industrial property and the Interstate 15 Freeway.

Southern California Gas Company provides gas service to the Site while Southern California

Edison provides electrical service. Water service and sewer services are provided by Temescal Valley Water District although the Site was reported to last use a septic system.

2.2. Regional Geology and Hydrogeology

Information regarding regional geological and hydrogeological conditions was obtained from information included on the California Department of Water Resources website. The Site lies within the Bedford-Coldwater groundwater subbasin and is located in western Riverside County. The basin is separated from the Temescal subbasin to the northwest by a groundwater divide near Bedford Wash. The Bedford-Coldwater subbasin is bound on the east and west by consolidated rocks of Estelle Mountain and the Santa Ana Mountains, respectively. The southern boundary adjoins the Elsinore Valley subbasin and follows a jurisdictional boundary separating the two subbasins (CDWR 2016).

Groundwater was previously reported at a depth of approximately 40 feet below ground surface as part of closing the USTs that were formerly on Site (RVDEH 2001). As only one well was located at the Site, the direction of groundwater flow was not determined. A former LUST facility, located 1.6-miles to the north of the Site, was listed on the State's Geotracker website and indicated that groundwater flowed in an easterly direction.

2.3. Interviews and User Provided Information

The User of this report is Proficiency Capital, LLC who is looking to acquire the Site and would be considered a "User" of the report per ASTM definitions. We requested all available information from the User and were provided a completed User and Owner/Operator Questionnaire.

2.4. Title Records

A Preliminary Report for Title Insurance (Report) prepared by First American Title Insurance Company was provided to HMC for review dated May 20, 2019. The Report had information on property taxes, easements and liens but no relevant information on environmental features, recordings or information indicative of an environmental concern.

2.5. User Knowledge

The User provided a User Questionnaire completed by Mr. Matt Englhard, the Vice President of Proficiency Capital. Mr. Englhard indicated that he had no knowledge of any liens, use limitations, clean ups, or specialized knowledge of the Site. Although, he did indicate he was aware that the Site had been formerly used for the manufacturing of clay and concrete piping. It was indicated in the Questionnaire that the purchase price of the

Site reasonably reflects fair market value. Mr. Englhard indicated that there was a previous ESA prepared for the Site though he has been unable to obtain a copy.

2.6. Owner/Occupant Knowledge

As part of our Site investigation, we were provided an Owner/Operator Questionnaire completed by Mr. Gerald Deleo, the President of Corona Clay Company. Mr. Deleo indicated knowledge of past usage and a leaking UST clean up at the Site. He indicated that the Site was formerly occupied by several companies named Rinker Materials, Cemex, and Hydro Conduit that manufactured large concrete pipe and used chemicals necessary for this manufacturing process. Mr. Deleo indicated he was aware that the usages at the Site did generate wastewater but did not specify a treatment or disposal method for this waste. It was indicated in the Questionnaire that a leaking UST was found and a subsequent clean up took place at the Site conducted during the time Cemex occupied the Site. Significantly stained soil was said to have existed at the Site but has since been removed and disposed of. Mr. Deleo stated in the Questionnaire that, the Site has undergone a clean-up and has received a No Further Action letter from Riverside County Department of Environmental Health (RCDEH).

A transformer was indicated to have existed at the Site during its manufacturing use.

2.7. Environmental Liens or Activity and Use Limitations

We have not seen any formal indications that a land use covenant was filed on Title for the Site however, there was information to suggest that the RCDEH provided their UST closures to a commercial standard. A “case summary” for the address 23200 Temescal Canyon Road is posted to the Geotracker listing for the Site indicating that a previous LUST investigation was conducted at the Site. In the summary the RCDEH made a post closure site management requirement indicating that the agency must be notified before a change in land use occurs.

3. SITE USE AND HISTORY

Past usage of the subject Site was assessed through a review of historical aerial photographs, topographic maps and an EDR search of city directories and prior reports. Review of the Sanborn Map collection indicates that Sanborn Maps were not produced for the Site.

3.1. Aerial Photograph Review

Aerial photographs covering the Site were obtained from Environmental Data Resources, Inc. (EDR). Photographs were available from the period 1938 through 2016. Copies of the aerial photographs are included in Appendix B. A summary of the observations noted from the aerial photographs are as follows:

1938 In the photograph from 1928, the Site was observed to be vacant with Temescal Canyon Road running along its western border. The area surrounding the Site was also observed to be vacant land as well.

1948-61 No changes to the Site or the Site vicinity were seen in these photographs.

1975 The Site is first seen to be occupied by the concrete pipe manufacturing facility. Nine structures were observed with concrete pipe being stored throughout the Site. The plant area was noted to be centrally located. The Site appears in the approximate orientation in which it was constructed before the Site was demolished. No changes were seen in the Site vicinity.

1985 No changes to the Site or the Site vicinity were seen in this photograph.

1990 The plant area at the Site was observed with an additional structure at its eastern most area. An industrial type structure was first seen located across Temescal Canyon Road approximately 445 feet northwest from the Site.

1994 No changes were noted at the Site but a driving range was first seen across Park Canyon Road to the north northwest.

2006 No changes were seen at the Site. An industrial complex containing three structures was first seen to be located approximately 120 feet northwest of the Site at the intersection of Temescal Canyon Road and Park Canyon Road.

2009 No changes were seen at the Site. A fueling station was first noted across Temescal Canyon Road approximately 150 feet southwest from the Site. Approximately 1,200 feet from the Site, a paving and aggregate material

supplier was first seen atop a hill to the north.

2012 No changes to the Site or the Site vicinity were seen in this photograph.

2016 The Site was seen to be vacant. The former concrete pipe manufacturing facility appears to have be demolished. Several stockpiles of soil or similar material were visible in the central area of the Site. No changes to the Site vicinity were observed.

3.2. Topographic Maps

Historical topographic maps were also reviewed as part of this effort and aided in interpreting the overall site history. The maps from 1967 through 2012 indicate a water well is located midway along the western border of the Site. No other information was gathered from review the topographic maps

3.3. Sanborn Maps

Sanborn maps are maps that were created for the insurance industry to document site activities in metropolitan areas of the country and were used in underwriting. They often times contain detailed information about a site. While they were prepared for insurance underwriting and were not environmental maps per se, they often times contain information that is useful in evaluating the historical use of a Site. Sanborn maps were not generated for the Site.

3.4. EDR City Directory Review

EDR performed a search of the City Directory records for the Site address and nearby properties at approximately five-year intervals. The findings of the review of the directory are as follows:

<u>23100 Temescal Canyon Road</u>

Year	Uses
2014	Corona Clay Company
2010	Corona Clay Company
2005	Corona Clay Company
2002	Temescal Driving Range

2001	Temescal Driving Range
1996	Temescal Driving Range

23200 Temescal Canyon Road

Year	Uses
2002	Hydro Conduit Corp
2001	Csrhydroc 8 Nduit
1996	Hydro Conduit Corp
1993	Hydro Conduit Corp
1970	Hydro Conduit Corp

3.5. Summary

The Site was first seen as vacant land from the earliest photograph in 1938 through at least 1961. The Site has historically been used for concrete pipe manufacturing since approximately 1970, with the Hydro Conduit Corporation facility first being observed in the 1975 aerial photograph. Corona Clay Company was indicated to have occupied and operated the facility since 2005, the earliest listing in the EDR Directory Report, until at least 2014. The facility was observed to have been completely demolished by the time of the 2016 aerial photograph.

4. PRIOR INVESTIGATIONS

As was previously noted, the Site historically maintained USTs at the Site which were removed under the oversight and direction of the County of Riverside. Two reports were found on the State Water Resources Control Boards Geotracker website and provided information regarding the investigation and closure efforts for the three USTs.

4.1. Second Quarter 2001 Groundwater Monitoring and Closure Request - CSR Hydro Conduit

This report which was prepared by Advanced GeoEnvironmental (AGE) Inc. describes a quarterly groundwater monitoring event and a request for UST closure to the RCDEH. The work was the result of the removal of two USTs that were removed from the Site in 1998. On September 23, 1998, two 8,000 gallon UST's used to store gasoline and diesel fuel were excavated and removed from the Site. Analytical results from samples taken within the

tank cavity showed elevated concentrations of TPH-g, TPH-d, and BTEX in the soil, which indicated that both tanks had leaked. Soil borings and a groundwater monitoring well were advanced and installed on July 28 and 29, 2000 to define the extent of the release and evaluate whether groundwater was impacted. The impacted soil was excavated and disposed of off Site with one of the confirmation samples reported to contain an elevated concentration of diesel fuel at a concentration of 32,700 mg/kg at 26 feet bgs which was allowed to remain in place. Groundwater monitoring occurred quarterly at the Site from 2000 until 2001. With one exception in one round, TPH-g, TPH-d, and VOC's were not detectable in the groundwater samples collected from at the Site.

AGE recommended the RCDEH consider granting closure for the former UST Site with the following considerations:

- The impacted soil was substantially removed from the Site with the exception of the report of diesel fuel at 26 feet in one sample.
- Multiple rounds of groundwater sampling only reported low concentrations of hydrocarbons in one sample in round one with the balance of data indicating no impacts from hydrocarbons or VOCs.

The report closes with the recommendation of abandoning the groundwater well in accordance with the State of California Well Standards and RCDEH requirements (AGE 2001).

The County reviewed and accepted the report and the well was abandoned on October 26, 2001 (AGE 2001A). The RCDEH issued a No Further Action letter for the Site dated November 7, 2001 (RCDEH 2001A).

4.2. UST Sample Analytical Review

In addition to the report described above, a “review form” was found on the Geotracker website from the RCDEH describing the removal of a split UST containing diesel and gasoline on November 24, 2014. Samples taken from the excavation showed non-detectable concentrations of TPH-d and BTEX with the exception of TPH-d at 11.5 parts per million (ppm) at 14 feet below the west end of the tank. This concentration would be below any relevant screening standard. The UST removal was reviewed by Ms. Sharon Boltinghouse of the RCDEH and she concluded that a threat to human health and the

environment did not exist and further sampling or remedial efforts were not required. The form was signed and dated April 9, 2015 (RCDEH 2015).

5. SITE RECONNAISSANCE

Mr. Troy Taylor of HMC conducted a Site and Site vicinity reconnaissance on June 7, 2019. The reconnaissance was conducted in order to identify visible evidence of REC's at the Site and to assess possible conditions off Site that may impact the Site. The Site was observed to be vacant at the time of our visit. Centrally located on the Site, we observed where the former plant area was located. At this area several stock piles of crushed concrete were seen. It appeared that in this area a portion of the material from these stockpiles had been spread across this area. A metal grate, indicating the presence of a sump or a drain, was observed in a low point in the grade among the crushed concrete. Its purpose or direction of flow could not be determined at the time due to the material obscuring the view. The majority of the Site was noted to be unpaved with the exception of a 50 foot by 15 foot concrete pad located along the southern border of the Site. The pad was seen to be empty but appeared to have contained electrical equipment for the former facility. Staining was not observed on the surface of this pad. Several older concrete pads appeared to have been partially buried in the central area of the Site, in the area of the former manufacturing area. These pads appeared to be in a degraded state but did not have any staining. Along the southern border and northeast corner of the Site evidence of a regional stormwater system was seen to terminate at the Site

Two areas of trash dumping were observed north and south of the concrete crush stockpiles. The area to the north contained a single dumpster and general trash though no evidence of chemicals or staining was noted. To the south of the stockpiles an area of general trash was seen with no evidence of chemicals or staining were seen at this location. A single piece of heavy machinery was observed along the western portion of the Site. We were informed in the Owner Questionnaire that the Site was also used for parking vehicles by a local utility company though such parking and storage was not observed.

Selected photographs illustrating the property and nearby off-site conditions are included in Appendix A. Summaries of the Site and observations are detailed below.

Description and Use of Site:	The Site was observed to be vacant at the time of our Site visit with the exception of stockpiles of crushed concrete and a single piece of heavy equipment.
Underground and Aboveground Storage Tanks:	There was no evidence of USTs or ASTs observed at the Site.
Hazardous Materials, Hazardous Wastes or Petroleum Products:	Chemical use was not observed at the Site.
Drains, Drain lines and Sumps:	A grate for a drain or sump was seen centrally located at the Site in the area of the spread crushed concrete material. A manhole was seen along the southern border of the Site with two concrete pipes at the bottom approximately 10 feet below grade. In the northeast corner of the Site, a concrete pipe was observed to extend from a slope. It appears that water from upgradient sources empties onto the Site at this location
Pits, Ponds, Lagoons	There were no pits, ponds or lagoons on the Site. The Temescal Wash was seen north of the Site across Park Canyon Dr.
Industrial Wastewater:	Industrial wastewater is not generated as part of current operations although it was indicated the past uses of the Site did generate wastewater as part of the occupant's activities.
Stains:	Staining was not observed at the Site.
Wells:	No wells were observed on the Site. A well was observed in the review of the topographic map from 1967 through 2012. A request for information on this well has been submitted to the Riverside County Department of Environmental Health (RCDEH).

Transformers:	Transformers were not observed on the Site although the existence of transformers at the former on Site facility was indicated by Mr. Deleo in the Owner Questionnaire.
Other Features:	A single piece of heavy equipment was observed to be stored at along the southern border of the Site.

There were no RECs noted from the current use of the Site with the exception of the drain or sump feature that was observed on the Site.

5.1. Site Vicinity

The Site is located in an area zoned for mixed use and is bound:

- to the north by Park Canyon Road across which is the Temescal Wash and Dawson Canyon Road;
- on the east by vacant land and Canta Rosa Road;
- to the south by vacant land; and,
- to the west by Temescal Canyon Road across which is an industrial property and the Interstate 15 Freeway.

There were no facilities noted to pose a risk to the Site from our visual observations.

6. REGULATORY AGENCY DATABASE RESEARCH

Regulatory agency database information was obtained from a standard radius Site Assessment (ASTM) report by Environmental Data Resources, Inc. The center of the search was in the approximate center of the Site. Search distances for specific databases were one-quarter to one mile as specified in the ASTM 1527-13 standard. The database search includes over 70 federal, state, local, and proprietary records. A complete copy of this report is included in Appendix B.

6.1. Database Records Concerning the Target Property

The target property (Site) was listed in the following databases searched as part of this ESA:

Facility	Address	Dir	Lists	REC	RATIONALE
CSR Hydro Conduit	23200 Temescal Cyn.	Site	HAZNET FINDS RGA LUST	YES	The review of records for this facility indicates a variety of waste streams were generated. The Site is listed on the USEPA Registry identifying the former facility as having a leaking UST.
Corona Clay Co	Dawson Canyon Rd. & Temescal Canyon Rd.	Site	RGA LF	YES	This record was derived from historical databases formerly available from the Department of Resources Recycling and Recovery (DRRRR). This record identifies this facility as having operated as a landfill from 1995 through 2012.
Unidenti fied	Dawson Canyon & Temescal Canyon	Site	CHMIRS	NO	The record describes an accidental release of diesel fuel at the Site when a big rig pulling a tank had a blow out and lost control. The description appears to represent a surficial and diminimus condition.
Hydro Conduit Corp	23200 Temescal Canyon Rd.	Site	SWEEPS UST, HAZNET, RCRA SGQ, LUST, LUST REG 8, CA FID UST, ICIS, US AIRS MINOR, HIST CORTESE, NPDES WDS, CIWGS, CERS TANKS, EMI	YES	The listings indicate that USTs were present on the Site and that certain USTs had experienced releases. In addition, the listings indicated that chemicals were used, a release was documented and air discharges occurred. Some of these listings appear to overlap listings cited above. These records indicate that at least five USTs containing diesel fuel were operated at the Site.
Concrete Pipe Mfg. Fac.	23200 Temescal Canyon	Site	CIWQS FINDS	NO	The facility historically discharged waste water and no violations were recorded within the previous five years. This effective date of this record was in 1999.
Rinker Material s Hydro Conduit	23200 Temescal Canyon Road	Site	FINDS ECHO	YES	These records identify the historic presence of UST's, manufacturing activities, and hazardous waste streams at the facility.

The listings generally indicate that chemical use, storage, and generation of hazardous waste occurred at the Site in moderate to large quantities and some records of air pollution violations were found during the operation of the Site.

6.2. Database Records Concerning the Site Vicinity

We reviewed the database report for off-Site potential sources within the relevant search distance. In review of the many entries on the database, we reviewed the following factors that affect the ability of a facility to affect the Site:

- Distance from the Site,
- Location from the Site with regard to the direction of groundwater flow,
- Nature of the release and whether the release has affected soil, groundwater or both,
- Status of the investigation (e.g. open or closed)

Groundwater was noted to flow in an easterly direction at another nearby facility, therefore facilities located adjacent to or to the west were further considered. Only those facilities judged using these factors are discussed below. The following presents a summary of our findings:

Location	Address	Dist.	Direction	Lists	REC	RATIONALE
WD Schock Corp.	23125 Temescal Canyon Rd.	259'	WSW	CERS HAZ WASTE NPDES CIWQS CERS TANKS RCRA SQG US AIRS	NO	This facility is listed as operating either a UST or AST and generating hazardous waste. Records of releases or violations were not found for this facility.
Shell Service Station	23255 Temescal Canyon Rd.	285'	S	CERS HAZ WASTE CERS TANKS HAZNET CERS TANKS UST	NO	This facility has several compliance violations with equipment related to the permitted UST's operated at the facility. Although there are recorded compliance related violations, there is no evidence indicated a release has occurred.
Rancho Serrano High School	Lawson Drive and Temescal Canyon Road	1,509'	SSW	ENVIROSTOR SCH	NO	A Phase I ESA was conducted at the property at the request of Corona-Norco Unified School District dated September 30, 2004. The report concluded that no RECs existed at the Site (KFR 2004). On the DTSC website ENVIROSTOR the facility is listed as No Action Required as of 2005.

Orphan Sites

Orphan Sites are those properties that are included on various agency lists, but for which the records do not have sufficient address information for the database program to map the site. None of the facilities listed appeared to be in the immediate Site vicinity.

6.3. Summary of Off-Site Issues

Based on the review of the available regulatory information, the Site is located in an area of historic commercial and industrial operations. Several facilities in the vicinity are noted to have used chemicals but none have experienced releases. Facilities in the Site vicinity are not considered to be an REC to the Site.

7. LOCAL AGENCY AND OTHER RECORDS REVIEW

7.1. Tribal Records

The Site is not located in a tribal area therefore there were no tribal records to review.

7.2. Oil and Gas Wells

The State of California Department of Conservation, Division of Oil, Gas, and Geothermal Resources online mapping website was reviewed for the location of active, plugged, or abandoned oil wells in the vicinity of the Site. No oil wells were listed as having been drilled on Site.

7.3. State of California

The State of California Geotracker and EnviroStor websites were also reviewed for information on potential on or off-Site facilities that are being remediated under either RWQCB or DTSC oversight. No active sites were listed on these databases that were not listed in the EDR review.

Documents were found in regard to the removal of three USTs that were operated at the Site on the State of California Geotracker website including the requisite closure letters These documents are included in Appendix D and were discussed above in Sections 4.1 and 4.2.

7.4. Santa Ana Regional Water Quality Control Board

We submitted a request to review files for the Site addresses to the SARWQCB who oversees and regulates water resources in the State including requiring investigation and remedial action for pollution sources to groundwater resources. No files were found for the 23100 Temescal Canyon Road address. Files responsive to 23200 Temescal Canyon Road were indicated to be located at the State Archives Facility (SAF). We made contact with SAF and received instructions for how to locate these files. Records were searched on the Secretary of State website for the records discussed above. At this time, records were unable to be located using the online cataloging system at the State website.

7.5. Riverside County Department of Environmental Health

A file review was conducted at the offices of the RCDEH on June 20, 2019 to further research the status of the USTs that were operated at the Site as well as to follow up on a potential groundwater well noted on an ALTA Map of the Site. Supporting documents are included in Attachment D.

As previously noted, the EDR Radius report indicated that up to five USTs may have operated on Site. The County records were incomplete and did not have formal closure reports or NFA letters for all of the former USTs. It is our experience that the RCDEH did not require formal closure reports for all UST removal cases during the 1980s and 1990s and generally only required them when indications of a release were noted. Information found in the County files suggests that there may have been up to six USTs removed from the Site but did not include a formal document indicating official closure of each UST. There were notes and annotations on maps to indicate that all of the USTs were removed. There is no information in the County files to indicate that there are current or active USTs at the Site such as permit applications or monitoring reports.

As part of our research, conducted a phone interview with a representative in the records department at the Riverside County Department of Environmental Health regarding the groundwater well that has been shown on an ALTA survey map of the Site. According to the RCDEH, no record exists pertaining to installation, use, or abandonment of a well at the Site.

7.6. South Coast Air Quality Management District

A review of the AQMD Website indicates that records existed for the facility. There were many permits listed for air pollution control equipment such as bag house filters as well as permits for storage in silos and tanks. There were listings for up to five USTs which would be consistent with the radius report previously discussed though permits were only maintained on their website for the three USTs removed as described previously. The website included numerous Notice of Violations (NOVs) issued to the facility for paperwork violations as well as for maintenance activities.

There are no open permits listed on the Site.

7.7. City of Corona City Clerk

A request for building permits and Certificates of Occupancy was sent to City of Corona. The City of Corona reportedly does not have jurisdiction for the Site. Instruction was provided to contact the County of Riverside Assessor Clerk Recorders Office to locate these files. The files were indicated to be kept by the County of Riverside Department of Building and Safety and are discussed below in Section 7.8.

7.8. County of Riverside Department Building and Safety (CRDBS)

The CRDBS maintained building permits regarding the Site. The review of the permits revealed information into construction and electrical work performed at the Site and nothing of an environmental nature, with the exception of the following. A permit involving the installation of a hydro coating machine was found indicating that painting or chemical coating was applied to products manufactured at the facility. A permit was found from 1968 for the installation of a UST used for fueling the on Site boiler. An oil tank located in the Testing Building was found in the review of the permits. Several permits indicated that welding activities took place at the shop areas at the Site.

The Building and Safety Department also maintained building plans for the former facility. A review of the safety plans revealed that chemicals including solvents and hydrocarbons were historically used at the Site. In a blueprint for an addition to the facility, a 500 gallon solvent tank that appeared to be located above ground was shown at a location named the centrifugal slab. Welding areas were shown at several buildings of the former plant. During the review, a report titled Foundation Investigation dated 1987 indicated that undocumented fill soil was imported to raise the Site approximately nine to eleven feet. A vehicle maintenance building was shown on diagrams of the Site during the review of files.

7.9. Department of Resources Recycling and Recovery (DRRRR)

During HMC's Phase I ESA, it was indicated that the Corona Clay Company operated the Site as a landfill. A request for public records was submitted on June 17, 2019 to the offices of Cal Recycle of the State of California who performs inspections and maintains records for landfills in the State. Only minimal records were available which included an inspection report and an Approval of Alternative Certification for Corona Clay Company Landfill (AAC). The records provided indicated the Corona Clay Company disposed of mine tailings or overburden from clay mining performed by the company on Site. An inspection form dated November 23, 1993 indicated that the facility was inactive at the time of the inspection. The AAC record from the California Integrated Waste Management Board (CIWMB), dated November 12, 1991, provided further details that the landfill only accepted overburden from clay mining activities conducted by the Corona Clay Company. Therefore, it was determined by the CIWMD not to be subject to closure and post closure requirements. The location of the "landfill" was not specified and from the description, it appears the "landfill" was only accepting clay material from previous excavations generated at the Site. A geotechnical investigation should be performed to evaluate the compaction of the fill and suitability for development.

8. VAPOR INTRUSION, ASBESTOS AND OTHER CONCERNS

8.1. Vapor Intrusion

The facility historically stored gasoline and diesel in USTs. As previously noted, the documentation regarding these UST removals was not complete and the removal activities took place before vapor intrusion was considered an issue of concern. Solvents and other VOCs were historically used at the Site and there has been no investigations to evaluate whether releases of VOCs has occurred to date. The Site is located in an area of historical off site chemical usage though there are no documented releases close enough to the Site or in the correct orientation to pose a risk to the Site.

In addition, the Corona Clay Facility was listed as having operated as a landfill between 1995 and 2012 in records from the EDR Radius Report. While this would normally indicate concerns over potential methane gas generation, the listing appears suspicious and appears to be the result of fill soil used to backfill and raise the grade at the Site as opposed to an actual landfill.

Given these historic potential sources of vapor intrusion, there is a moderate likelihood of a vapor intrusion condition present at the Site which we would consider an REC.

8.2. Asbestos

The Site was vacant at the time of our visit and no asbestos containing materials exist at the Site.

8.3. Radon

The Site is listed as being located in Zone 2 with regards to radon indicating that radon maybe present at concentrations less than 4 pico curies / liter.

8.4. Mold

No evidence of mold or water damage was observed at the Site.

9. SUMMARY OF FINDINGS

Key findings of this Phase I ESA are as follows:

- In the photograph from 1928, the Site was observed to be vacant with Temescal Canyon Road running along its western border. The area surrounding the Site was also observed to be vacant land as well.
- The Site was first seen in 1975 to be occupied by a concrete pipe manufacturing facility. Nine structures were observed with concrete pipe being stored throughout the Site. The plant area was noted to be centrally located. The Site appears in the orientation in which it was constructed before the Site was demolished.
- The Site has historically been used for concrete pipe manufacturing since at least 1970, with the Hydro Conduit Corporation facility first being observed in the 1975 aerial photograph. Corona Clay Company was indicated to have occupied and operated the facility since 2005, the earliest listing in the EDR Directory Report, until at least 2014. Features of the plant included a historic vehicle maintenance facility as well as the use and storage of solvents and fuel throughout the Site.
- The facility was observed to have been completely demolished by the time of the 2016 aerial photograph and the Site was observed to be vacant at the time of our Site visit.

- A water well was shown to exist at the Site in topographic maps that ranged from 1996 to 2012. A review of County records indicates that they do not have any permits for wells.
- The regulatory database review suggests that a total of five USTs were operated at the Site. Two UST's were removed from the Site in 2001 and one UST was reportedly removed in 2014 under oversight of the Riverside County Department of Environmental Health (RCDEH) and closure was obtained. A review of the files at the RCDEH indicates that formal closure reports were not prepared for all of the historic USTs though the RCDEH records do indicate that all of the USTs were removed and they have no permits or records of outstanding USTs remaining at the Site.
- A metal grate indicating the presence of a sump or a drain was observed in a low spot among the crushed concrete spread in the approximate center of the Site.
- During a review of files maintained by County of Riverside Building and Safety, a Foundation Investigation dated 1987 indicated that undocumented fill soil was imported to raise the Site approximately nine to eleven feet. The shallow soil on Site should be investigated to assess whether hazardous materials were brought to the Site by the imported fill. The Site was also listed as being a landfill between 1995 and 2012. We believe the landfill listing was due to the use of fill dirt to raise the Site and the Site was not a landfill in the classic sense.
- The former facility used chemicals such as solvents and hydrocarbons including in a vehicle maintenance area. As the Site has been demolished, surficial features were no longer discernible.
- While there were facilities in the general Site vicinity that either used chemicals or experienced releases, none were close enough or in the correct orientation to be considered a threat to the Site. There were no vapor intrusion risks found from off Site sources.
- The on-Site buildings were demolished sometime after 2014 and the Site at the time of this investigation was observed to be vacant with the exception of crushed concrete noted on Site. We conducted a preliminary inspection and did not note suspect asbestos in the crushed concrete.

10. DATA GAPS

There were no data gaps found during our Site Investigation that significantly impacted our conclusions.

11. CONCLUSIONS

We have performed a Phase I Environmental Site Assessment in accordance with ASTM E1527-13 Guidelines for the property located at 23100 and 23200 Temescal Canyon Road in Corona, California. There were no REC's or Controlled RECs found as part of this assessment, with the exception of:

- The Site was reported to historically use chemicals on Site including hydrocarbons and VOCs at a time when regulatory scrutiny and awareness was low which would be an REC in our judgment;
- There were several USTs removed from the Site under the oversight of the RCDEH at a time when vapor intrusion was not a consideration. While the County does not show any open UST cases at the Site, the records were incomplete and when closure reports were available, they did not evaluate potential vapor intrusion concerns. The historic use of the Site with VOCs would pose a potential vapor intrusion condition and would be considered an REC in our judgment
- Fill dirt was brought to the Site to raise the grade in certain areas without documentation of the Source of such material. The Site is listed as a landfill which we believe is for the fill used to raise the grade. Given the lack of information on the source of the soil, the potential for unknown materials to be present in the fill would be considered an REC in our judgment.

The previous USTs which were removed under RCDEH oversight would be considered Historic RECs.

12. RECOMMENDATIONS

Based on the findings of this ESA, we have the following recommendations for your review:

- A Site wide soil and soil vapor investigation should be conducted to assess whether the historical cement pipe manufacturing facility including the drain and potential landfill has contaminated the soils beneath the Site. We would also recommend

soil samples be collected of the area where the soil was placed to evaluate whether impacted material may have been present in the fill.

13. QUALIFICATIONS

Mark S. Cousineau, NREP

Mr. Mark S. Cousineau, principal with HMC, has a diverse professional background in environmental management, which includes working as a generator, regulator, consultant, and corporate advisor in hazardous waste and other environmental issues.

Mr. Cousineau's technical background is focused in the area of overseeing large-scale environmental investigations and regulatory compliance management related to site assessments, subsurface investigations, facility surveys, and site remediation. To projects such as these, Mr. Cousineau brings expertise in evaluating complex sites and developing solutions to solve the technical, operational, regulatory, financial and timing issues. In addition, Mr. Cousineau routinely assists clients in developing environmental business plans for single assets and multi-site real estate portfolios and has designed and implemented several tenant audit programs involving the proactive management of environmental risk caused by on-site commercial and industrial tenant activities.

Mr. Cousineau has provided litigation support and has served, as a court-appointed expert on environmental issues, is a Member of the National Registry of Environmental Professionals, holds a M.S. in Environmental Sciences from California State University Fullerton and a B.S. in Chemistry from University California San Diego.

As signatory to this report, I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in § 312.10 of this part. I have the specific qualifications based on education, training, and experience to assess the property of the nature, history, and setting of the subject property. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312."

Mark Cousineau, NREP
Principal

14. REFERENCES

CDWR 2016 — California Department of Water Resources, Bulletin 118 - Basin Boundary Descriptions, 2016

RCDEH 2001 — County of Riverside Dept. of Environmental Health, Case Closure Summary Leaking Underground Storage Tank Program, CSR Hydro Conduit 23200 Temescal Canyon Road Corona, August 7, 2001

RCDEH 2001A — Riverside County Dept. of Environmental Health, Letter from Earl E. Tuntland of the RCDEH to Jay Rechsteiner of CSR Hydro Conduit RE: Underground Storage Tank Cleanup at CSR Hydro Conduit located at 23200 Temescal Canyon Rd. in Corona, CA.

RCDEH 2015 — Riverside County Dept. of Environmental Health, UST Sample Analytical Review, April 4, 2019

KFR 2004 — Kleinfelder, Inc., Phase I Environmental Site Assessment Corona-Norco Unified School District Proposed Sycamore Creek Elementary School, September 30, 2004

AGE 2001 — Advanced GeoEnvironmental, Inc., Second Quarter 2001 Groundwater Monitoring and Closure Request - CSR Hydro Conduit - 23200 Temescal Canyon Road Corona, California, May21, 2001

AGE 2001A — Advanced GeoEnvironmental, Inc., Abandonment of One Ground Water Monitoring Well - CSR Hydro Conduit - 23200 Temescal Canyon Road Corona, California, November 12, 2001

TABLES

OVERVIEW MAP - 5657831.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

0 1/4 1/2 1 Miles

Indian Reservations BIA

Power transmission lines

100-year flood zone

500-year flood zone

National Wetland Inventory

State Wetlands

Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 23100 Temescal Canyon Rd ADDRESS: 23100 Temescal Canyon Rd Corona CA 92883 LAT/LONG: 33.784328 / 117.487863	CLIENT: Hazard Management Consulting CONTACT: Troy Taylor INQUIRY #: 5657831.2s DATE: May 20, 2019 1:54 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 5657831.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands
- Areas of Concern

0 1/8 1/4 1/2 Miles

N

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 23100 Temescal Canyon Rd	CLIENT: Hazard Management Consulting
ADDRESS: 23100 Temescal Canyon Rd Corona CA 92883	CONTACT: Troy Taylor
LAT/LONG: 33.784328 / 117.487863	INQUIRY #: 5657831.2s DATE: May 20, 2019 1:55 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	0.001		0	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site list								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		2	0	NR	NR	NR	2
RCRA-CESQG	0.250		0	1	NR	NR	NR	1
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	0.001		0	NR	NR	NR	NR	0
State- and tribal - equivalent NPL								
RESPONSE	1.000		0	0	0	0	NR	0
State- and tribal - equivalent CERCLIS								
ENVIROSTOR	1.000		0	0	2	0	NR	2
State and tribal landfill and/or solid waste disposal site lists								
SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
LUST	0.500		2	0	6	NR	NR	8

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
CPS-SLIC	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		2	0	NR	NR	NR	2
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	0.001		0	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	0.001		0	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	0	NR	0
SCH	0.250		0	0	NR	NR	NR	0
CDL	0.001		0	NR	NR	NR	NR	0
CERS HAZ WASTE	0.250		2	0	NR	NR	NR	2
Toxic Pits	1.000		0	0	0	0	NR	0
US CDL	0.001		0	NR	NR	NR	NR	0
PFAS	0.001		0	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
SWEEPS UST	0.250		1	0	NR	NR	NR	1
HIST UST	0.250		0	0	NR	NR	NR	0
CA FID UST	0.250		1	0	NR	NR	NR	1
CERS TANKS	0.250		1	0	NR	NR	NR	1
Local Land Records								
LIENS	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	0.001		0	NR	NR	NR	NR	0
DEED	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0
CHMIRS	0.001		1	NR	NR	NR	NR	1
LDS	0.001		0	NR	NR	NR	NR	0
MCS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		1	NR	NR	NR	NR	1
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	0.001		0	NR	NR	NR	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		1	NR	NR	NR	NR	1
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.001		0	NR	NR	NR	NR	0
FINDS	0.001		3	NR	NR	NR	NR	3
ECHO	0.001		1	NR	NR	NR	NR	1
UXO	1.000		0	0	0	0	NR	0
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
Cortese	0.500		0	0	0	NR	NR	0
CUPA Listings	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
EMI	0.001		1	NR	NR	NR	NR	1
ENF	0.001		0	NR	NR	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
HAZNET	0.001		2	NR	NR	NR	NR	2
ICE	0.001		0	NR	NR	NR	NR	0
HIST CORTESE	0.500		1	0	2	NR	NR	3
HWP	1.000		0	0	0	0	NR	0
HWT	0.250		0	1	NR	NR	NR	1
MINES	0.001		0	NR	NR	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0
NPDES	0.001		1	NR	NR	NR	NR	1
PEST LIC	0.001		0	NR	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
Notify 65	1.000		0	0	0	0	NR	0
UIC	0.001		0	NR	NR	NR	NR	0
UIC GEO	0.001		0	NR	NR	NR	NR	0
WASTEWATER PITS	0.500		0	0	0	NR	NR	0
WDS	0.001		1	NR	NR	NR	NR	1
MILITARY PRIV SITES	0.001		0	NR	NR	NR	NR	0
PROJECT	0.001		0	NR	NR	NR	NR	0
WDR	0.001		0	NR	NR	NR	NR	0
CIWQS	0.001		2	NR	NR	NR	NR	2
CERS	0.001		2	NR	NR	NR	NR	2
WIP	0.250		0	0	NR	NR	NR	0
NON-CASE INFO	0.001		0	NR	NR	NR	NR	0
OTHER OIL GAS	0.001		0	NR	NR	NR	NR	0
PROD WATER PONDS	0.001		0	NR	NR	NR	NR	0
SAMPLING POINT	0.001		0	NR	NR	NR	NR	0
WELL STIM PROJ	0.001		0	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		0	NR	NR	NR	NR	0
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
RGA LF	0.001		1	NR	NR	NR	NR	1
RGA LUST	0.001		1	NR	NR	NR	NR	1
- Totals --		0	30	2	10	0	0	42

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

FIGURES

Image Provided By ESRI Street Map



Boundaries are approximate

HMC
HAZARD MANAGEMENT CONSULTING

Figure 1

23100 & 23200 Temescal Canyon Rd
Corona, California 92883

Image Provided By Hazard Management Consulting

Boundaries are approximate

HMC
HAZARD MANAGEMENT CONSULTING

Figure 2

23100 & 23200 Temescal Canyon Rd
Corona, California 92883

APPENDIX A

Figure 1 View NE from Site entrance

Figure 2 View east of Site entrance across Temescal Canyon Road

Figure 3 View of Site entrance

Figure 4 View south across Site

Figure 5 View east across Site

Figure 6 Heavy equipment stored at the Site

Figure 7 Dumping area

Figure 8 Dumping area

Figure 9 Crushed concrete pile in former plant area

Figure 10 Crushed concrete pile in former plant area

Figure 11 Drain/Sump grate located within the former plant area

Figure 12 Drain/Sump grate with stockpiles in the background

Figure 13 Concrete from former plant foundations

Figure 14 Dumping area

Figure 15 Dumping area

Figure 16 Dumping Area

Figure 17 Reclaimed water marker at the Site

Figure 18 Manhole

Figure 19 Top of manhole

Figure 20 Concrete pipe at the NE corner of the Site

Figure 21 Former electrical equipment pad along the southern border

APPENDIX B

23100 Temescal Canyon Rd

23100 Temescal Canyon Rd

Corona, CA 92883

Inquiry Number: 5657831.3

May 20, 2019

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

05/20/19

Site Name:

23100 Temescal Canyon Rd
23100 Temescal Canyon Rd
Corona, CA 92883
EDR Inquiry # 5657831.3

Client Name:

Hazard Management Consulting
211 W. Avenida Cordoba
San Clemente, CA 92672
Contact: Troy Taylor

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Hazard Management Consulting were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # B89C-46AC-B041

PO # NA

Project PF Temescal Canyon Corona

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.

Sanborn® Library search results

Certification #: B89C-46AC-B041

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Hazard Management Consulting (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

23100 Temescal Canyon Rd

23100 Temescal Canyon Rd

Corona, CA 92883

Inquiry Number: 5657831.4

May 20, 2019

EDR Historical Topo Map Report

with QuadMatch™

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

05/20/19

Site Name:

23100 Temescal Canyon Rd
23100 Temescal Canyon Rd
Corona, CA 92883
EDR Inquiry # 5657831.4

Client Name:

Hazard Management Consulting
211 W. Avenida Cordoba
San Clemente, CA 92672
Contact: Troy Taylor

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Hazard Management Consulting were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:

P.O.# NA

Project: PF Temescal Canyon Corona

Coordinates:

Latitude:	33.784328 33° 47' 4" North
Longitude:	-117.487863 -117° 29' 16" West
UTM Zone:	Zone 11 North
UTM X Meters:	454833.16
UTM Y Meters:	3738350.04
Elevation:	933.68' above sea level

Maps Provided:

2012	1901
1997	
1988	
1982	
1967	
1953, 1954	
1947	
1942	

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2012 Source Sheets



Lake Mathews
2012
7.5-minute, 24000



Corona South
2012
7.5-minute, 24000

1997 Source Sheets

Corona South
1997
7.5-minute, 24000
Aerial Photo Revised 1994

Lake Mathews
1997
7.5-minute, 24000
Aerial Photo Revised 1994

1988 Source Sheets

Lake Mathews
1988
7.5-minute, 24000
Aerial Photo Revised 1985

Corona South
1988
7.5-minute, 24000
Aerial Photo Revised 1987

1982 Source Sheets

Lake Mathews
1982
7.5-minute, 24000
Aerial Photo Revised 1980

Corona South
1982
7.5-minute, 24000
Aerial Photo Revised 1980

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1967 Source Sheets



Corona South
1967
7.5-minute, 24000
Aerial Photo Revised 1966

Lake Mathews
1967
7.5-minute, 24000
Aerial Photo Revised 1966

1953, 1954 Source Sheets

Lake Mathews
1953
7.5-minute, 24000
Aerial Photo Revised 1951

Corona South
1954
7.5-minute, 24000
Aerial Photo Revised 1952

1947 Source Sheets

RIVERSIDE
1947
15-minute, 50000

CORONA
1947
15-minute, 50000

1942 Source Sheets

Corona
1942
15-minute, 62500
Aerial Photo Revised 1939



Riverside
1942
15-minute, 62500
Aerial Photo Revised 1939

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1901 Source Sheets

Riverside
1901
15-minute, 62500

Historical Topo Map

2012



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Lake Mathews, 2012, 7.5-minute
NW, Corona South, 2012, 7.5-minute

SITE NAME: 23100 Temescal Canyon Rd
ADDRESS: 23100 Temescal Canyon Rd
Corona, CA 92883
CLIENT: Hazard Management Consulting

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Lake Mathews, 1997, 7.5-minute
NW, Corona South, 1997, 7.5-minute

SITE NAME: 23100 Temescal Canyon Rd
ADDRESS: 23100 Temescal Canyon Rd
Corona, CA 92883
CLIENT: Hazard Management Consulting

N

Historical Topo Map

1988



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Lake Mathews, 1988, 7.5-minute
NW, Corona South, 1988, 7.5-minute

SITE NAME: 23100 Temescal Canyon Rd
ADDRESS: 23100 Temescal Canyon Rd
Corona, CA 92883
CLIENT: Hazard Management Consulting

N

Historical Topo Map

1982



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5



TP, Lake Mathews, 1982, 7.5-minute
NW, Corona South, 1982, 7.5-minute

SITE NAME: 23100 Temescal Canyon Rd
ADDRESS: 23100 Temescal Canyon Rd
Corona, CA 92883
CLIENT: Hazard Management Consulting

N

Historical Topo Map

1967



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Lake Mathews, 1967, 7.5-minute
NW, Corona South, 1967, 7.5-minute

SITE NAME: 23100 Temescal Canyon Rd
ADDRESS: 23100 Temescal Canyon Rd
Corona, CA 92883
CLIENT: Hazard Management Consulting

N

Historical Topo Map

1953, 1954



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Lake Mathews, 1953, 7.5-minute
NW, Corona South, 1954, 7.5-minute

SITE NAME: 23100 Temescal Canyon Rd
ADDRESS: 23100 Temescal Canyon Rd
Corona, CA 92883
CLIENT: Hazard Management Consulting

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, RIVERSIDE, 1947, 15-minute
NW, CORONA, 1947, 15-minute

SITE NAME: 23100 Temescal Canyon Rd
ADDRESS: 23100 Temescal Canyon Rd
Corona, CA 92883
CLIENT: Hazard Management Consulting

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Riverside, 1942, 15-minute
NW, Corona, 1942, 15-minute

SITE NAME: 23100 Temescal Canyon Rd
ADDRESS: 23100 Temescal Canyon Rd
Corona, CA 92883
CLIENT: Hazard Management Consulting

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Riverside, 1901, 15-minute

SITE NAME: 23100 Temescal Canyon Rd
ADDRESS: 23100 Temescal Canyon Rd
Corona, CA 92883
CLIENT: Hazard Management Consulting

N

23100 Temescal Canyon Rd

23100 Temescal Canyon Rd

Corona, CA 92883

Inquiry Number: 5657831.8

May 21, 2019

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

05/21/19

Site Name:

23100 Temescal Canyon Rd
23100 Temescal Canyon Rd
Corona, CA 92883
EDR Inquiry # 5657831.8

Client Name:

Hazard Management Consulting
211 W. Avenida Cordoba
San Clemente, CA 92672
Contact: Troy Taylor

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	Scale	Details	Source
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
1994	1"=500'	Acquisition Date: June 01, 1994	USGS/DOQQ
1990	1"=500'	Flight Date: September 06, 1990	USDA
1985	1"=500'	Flight Date: September 13, 1985	USDA
1975	1"=500'	Flight Date: August 01, 1975	USGS
1967	1"=500'	Flight Date: May 15, 1967	USDA
1961	1"=500'	Flight Date: June 17, 1961	USDA
1953	1"=500'	Flight Date: September 22, 1953	USDA
1948	1"=500'	Flight Date: July 10, 1948	USGS
1938	1"=500'	Flight Date: June 14, 1938	USDA

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

INQUIRY #: 5657831.8
YEAR: 2016
= 500'
N
EDR

INQUIRY #: 5657831.8
YEAR: 2012
= 500'
N
EDR

INQUIRY #: 5657831.8

YEAR: 2009

= 500'

N

EDR

INQUIRY #: 5657831.8

YEAR: 2006

= 500'

N

EDR

INQUIRY #: 5657831.8
YEAR: 1994
= 500'
N
EDR

INQUIRY #: 5657831.8

YEAR: 1990

= 500'

N

EDR

INQUIRY #: 5657831.8
YEAR: 1985
= 500'
N
EDR

INQUIRY #: 5657831.8

YEAR: 1975

= 500'

N

EDR


INQUIRY #: 5657831.8
YEAR: 1967
= 500'
N
EDR

INQUIRY #: 5657831.8
YEAR: 1961
= 500'
N
EDR

INQUIRY #: 5657831.8
YEAR: 1953
= 500'
N
EDR

INQUIRY #: 5657831.8
YEAR: 1948
= 500'
N
EDR


INQUIRY #: 5657831.8
YEAR: 1938
= 500'
N
EDR

23100 Temescal Canyon Rd
23100 Temescal Canyon Rd
Corona, CA 92883

Inquiry Number: 5657831.2s
May 20, 2019

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	125
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-14
Physical Setting Source Map Findings	A-16
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

23100 TEMESCAL CANYON RD
CORONA, CA 92883

COORDINATES

Latitude (North):	33.7843280 - 33° 47' 3.58''
Longitude (West):	117.4878630 - 117° 29' 16.30''
Universal Tranverse Mercator:	Zone 11
UTM X (Meters):	454832.2
UTM Y (Meters):	3738156.2
Elevation:	933 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	5636475 LAKE MATHEWS, CA
Version Date:	2012
Northwest Map:	5636469 CORONA SOUTH, CA
Version Date:	2012

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20140603
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
23100 TEMESCAL CANYON RD
CORONA, CA 92883

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	CSR HYDRO CONDUIT	23200 TEMESCAL CYN	HAZNET	Higher	1 ft.
B2	CORONA CLAY COMPANY	DAWSON CANYON RD & T	RGA LF	Higher	1 ft.
B3		TEMESCAL CANYON & DA	CHMIRS	Higher	1 ft.
A4	HYDRO CONDUIT CORPOR	23200 TEMESCAL CANYO	UST, SWEEPS UST	Higher	1 ft.
A5	HYDRO CONDUIT CORPOR	23200 TEMESCAL CANYO	HAZNET	Higher	1 ft.
A6	CONCRETE PIPE MFG FA	23200 TEMESCAL CANYO	CIWQS	Higher	1 ft.
A7	HYDRO CONDUIT CORP	23200 TEMESCAL CYN R	RCRA-SQG, LUST, CA FID UST, ICIS, US AIRS, HIST...	Higher	1 ft.
A8	HYDRO CONDUIT CORP	23200 TEMESCAL CYN R	LUST, EMI, CERS	Higher	1 ft.
A9	CSR HYDRO CONDUIT	23200 TEMESCAL CYN R	FINDS	Higher	1 ft.
A10	CONCRETE PIPE MFG FA	23200 TEMESCAL CANYO	FINDS	Higher	1 ft.
A11	CSR HYDRO CONDUIT	23200 TEMESCAL CANYO	RGA LUST	Higher	1 ft.
A12	RINKER MATERIALS HYD	23200 TEMESCAL CANYO	FINDS, ECHO	Higher	1 ft.
C13	WD SCHOCK CORP	23125 TEMESCAL CANYO	CERS HAZ WASTE, NPDES, CIWQS, CERS	Higher	259, 0.049, WSW
C14	WD SCHOCK CORP	23125 TEMESCAL CANYO	RCRA-SQG, US AIRS	Higher	259, 0.049, WSW
D15	SHELL SERVICE STATIO	23255 TEMESCAL CANYO	CERS HAZ WASTE, CERS TANKS, HAZNET, CERS	Higher	285, 0.054, South
D16	SHELL SERVICE STATIO	23255 TEMESCAL CANYO	UST	Higher	285, 0.054, South
E17	HCI ENVIRONMENTAL &	22941 TEMESCAL CANYO	HWT	Higher	859, 0.163, WNW
E18	HCI ENVIRONMENTAL &	22941 TEMESCAL CANYO	RCRA-CESQG	Higher	859, 0.163, WNW
19	RANCHO SERRANO HIGH	LAWSON DRIVE/TEMESCA	ENVIROSTOR, SCH	Higher	1509, 0.286, SSW
F20	ARCO STATION	23760 TEMESCAL CANYO	LUST	Higher	1649, 0.312, South
F21	ARCO TEMESCAL CYN	23760 TEMESCAL CANYO	LUST	Higher	1649, 0.312, South
F22	ARCO TEMESCAL CYN	23760 TEMESCAL CANYO	LUST, SWEEPS UST, CA FID UST, CERS	Higher	1649, 0.312, South
G23	MISSION CLAY PRODUCT	23835 TEMESCAL CNYN	LUST, HIST CORTESE	Higher	2038, 0.386, South
G24	MISSION CLAY PRODUCT	23835 TEMESCAL CANYO	LUST, NPDES, CIWQS, CERS	Higher	2038, 0.386, South
25	RIVERSIDE CEMENT CO.	10250 DAWSON CNYN	LUST, HIST CORTESE, CERS	Higher	2412, 0.457, NE
26	TEMESCAL CANYON ELEM	CLAYSTONE AVENUE/NIC	ENVIROSTOR, SCH	Higher	2526, 0.478, WNW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL ---------- National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY ---------- Federal Facility Site Information listing
SEMS ---------- Superfund Enterprise Management System

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE ---------- Superfund Enterprise Management System Archive

Federal RCRA CORRACTS facilities list

CORRACTS ---------- Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG ---------- RCRA - Large Quantity Generators

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System
US ENG CONTROLS ---------- Engineering Controls Sites List
US INST CONTROL ---------- Sites with Institutional Controls

Federal ERNS list

ERNS ---------- Emergency Response Notification System

State- and tribal - equivalent NPL

RESPONSE ---- State Response Sites

State and tribal landfill and/or solid waste disposal site lists

SWF/LF ---- Solid Waste Information System

State and tribal leaking storage tank lists

INDIAN LUST ---- Leaking Underground Storage Tanks on Indian Land
CPS-SLIC ---- Statewide SLIC Cases

State and tribal registered storage tank lists

FEMA UST ---- Underground Storage Tank Listing
AST ---- Aboveground Petroleum Storage Tank Facilities
INDIAN UST ---- Underground Storage Tanks on Indian Land

State and tribal voluntary cleanup sites

INDIAN VCP ---- Voluntary Cleanup Priority Listing
VCP ---- Voluntary Cleanup Program Properties

State and tribal Brownfields sites

BROWNFIELDS ---- Considered Brownfieds Sites Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ---- A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT ---- Waste Management Unit Database
SWRCY ---- Recycler Database
HAULERS ---- Registered Waste Tire Haulers Listing
INDIAN ODI ---- Report on the Status of Open Dumps on Indian Lands
ODI ---- Open Dump Inventory
DEBRIS REGION 9 ---- Torres Martinez Reservation Illegal Dump Site Locations
IHS OPEN DUMPS ---- Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL ---- Delisted National Clandestine Laboratory Register
HIST Cal-Sites ---- Historical Calsites Database
SCH ---- School Property Evaluation Program
CDL ---- Clandestine Drug Labs
Toxic Pits ---- Toxic Pits Cleanup Act Sites
US CDL ---- National Clandestine Laboratory Register
PFAS ---- PFAS Contamination Site Location Listing

EXECUTIVE SUMMARY

Local Lists of Registered Storage Tanks

HIST UST ---------- Hazardous Substance Storage Container Database

Local Land Records

LIENS ---------- Environmental Liens Listing
LIENS 2 ---------- CERCLA Lien Information
DEED ---------- Deed Restriction Listing

Records of Emergency Release Reports

HMIRS ---------- Hazardous Materials Information Reporting System
LDS ---------- Land Disposal Sites Listing
MCS ---------- Military Cleanup Sites Listing
SPILLS 90 ---------- SPILLS 90 data from FirstSearch

Other Ascertainable Records

RCRA NonGen / NLR ---------- RCRA - Non Generators / No Longer Regulated
FUDS ---------- Formerly Used Defense Sites
DOD ---------- Department of Defense Sites
SCRD DRYCLEANERS ---------- State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR ---------- Financial Assurance Information
EPA WATCH LIST ---------- EPA WATCH LIST
2020 COR ACTION ---------- 2020 Corrective Action Program List
TSCA ---------- Toxic Substances Control Act
TRIS ---------- Toxic Chemical Release Inventory System
SSTS ---------- Section 7 Tracking Systems
ROD ---------- Records Of Decision
RMP ---------- Risk Management Plans
RAATS ---------- RCRA Administrative Action Tracking System
PRP ---------- Potentially Responsible Parties
PADS ---------- PCB Activity Database System
FTTS ---------- FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS ---------- Material Licensing Tracking System
COAL ASH DOE ---------- Steam-Electric Plant Operation Data
COAL ASH EPA ---------- Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER ---------- PCB Transformer Registration Database
RADINFO ---------- Radiation Information Database
HIST FTTS ---------- FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS ---------- Incident and Accident Data
CONSENT ---------- Superfund (CERCLA) Consent Decrees
INDIAN RESERV ---------- Indian Reservations
FUSRAP ---------- Formerly Utilized Sites Remedial Action Program
UMTRA ---------- Uranium Mill Tailings Sites
LEAD SMELTERS ---------- Lead Smelter Sites
US MINES ---------- Mines Master Index File
ABANDONED MINES ---------- Abandoned Mines
UXO ---------- Unexploded Ordnance Sites
DOCKET HWC ---------- Hazardous Waste Compliance Docket Listing
FUELS PROGRAM ---------- EPA Fuels Program Registered Listing
CA BOND EXP. PLAN ---------- Bond Expenditure Plan

Cortese	"Cortese" Hazardous Waste & Substances Sites List
CUPA Listings	CUPA Resources List
DRYCLEANERS	Cleaner Facilities
ENF	Enforcement Action Listing
Financial Assurance	Financial Assurance Information Listing
ICE	ICE
HWP	EnviroStor Permitted Facilities Listing
MINES	Mines Site Location Listing
MWMP	Medical Waste Management Program Listing
PEST LIC	Pesticide Regulation Licenses Listing
PROC	Certified Processors Database
Notify 65	Proposition 65 Records
UIC	UIC Listing
UIC GEO	UIC GEO (GEOTRACKER)
WASTEWATER PITS	Oil Wastewater Pits Listing
MILITARY PRIV SITES	MILITARY PRIV SITES (GEOTRACKER)
PROJECT	PROJECT (GEOTRACKER)
WDR	Waste Discharge Requirements Listing
WIP	Well Investigation Program Case List
NON-CASE INFO	NON-CASE INFO (GEOTRACKER)
OTHER OIL GAS	OTHER OIL & GAS (GEOTRACKER)
PROD WATER PONDS	PROD WATER PONDS (GEOTRACKER)
SAMPLING POINT	SAMPLING POINT (GEOTRACKER)
WELL STIM PROJ	Well Stimulation Project (GEOTRACKER)

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	EDR Proprietary Manufactured Gas Plants
EDR Hist Auto	EDR Exclusive Historical Auto Stations
EDR Hist Cleaner	EDR Exclusive Historical Cleaners

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting

the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 03/25/2019 has revealed that there are 2 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP EPA ID:: CAD983660150	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***14***
WD SCHOCK CORP EPA ID:: CAD982320806	***23125 TEMESCAL CANYO***	***WSW 0 - 1/8 (0.049 mi.)***	***C14***	***58***

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 03/25/2019 has revealed that there is 1 RCRA-CESQG site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HCI ENVIRONMENTAL & EPA ID:: CAR000287300	22941 TEMESCAL CANYO	WNW 1/8 - 1/4 (0.163 mi.)	E18	97

State- and tribal - equivalent CERCLIS

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 01/28/2019 has revealed that there are 2 ENVIROSTOR sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
RANCHO SERRANO HIGH Facility Id: 60000062 Status: No Action Required	***LAWSON DRIVE/TEMESCA***	***SSW 1/4 - 1/2 (0.286 mi.)***	***19***	***99***
TEMESCAL CANYON ELEM	***CLAYSTONE AVENUE/NIC***	***WNW 1/4 - 1/2 (0.478 mi.)***	***26***	***121***

Facility Id: 33010021
Status: No Further Action

State and tribal leaking storage tank lists

LUST: Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the LUST list, as provided by EDR, has revealed that there are 8 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***14***
Database: LUST REG 8, Date of Government Version: 02/14/2005 Database: LUST, Date of Government Version: 12/10/2018 Status: Completed - Case Closed Facility Status: Case Closed Global Id: T0606500563 Global ID: T0606500563				
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A8***	***39***
Database: RIVERSIDE CO. LUST, Date of Government Version: 04/11/2019 Facility Id: 9814820 Facility Status: 9				
ARCO STATION	23760 TEMESCAL CANYO	S 1/4 - 1/2 (0.312 mi.)	F20	101
Database: LUST REG 8, Date of Government Version: 02/14/2005 Facility Status: Remediation Plan Global ID: T0606520247				
ARCO TEMESCAL CYN	23760 TEMESCAL CANYO	S 1/4 - 1/2 (0.312 mi.)	F21	102
Database: RIVERSIDE CO. LUST, Date of Government Version: 04/11/2019 Facility Id: 980750 Facility Status: 9				
ARCO TEMESCAL CYN	***23760 TEMESCAL CANYO***	***S 1/4 - 1/2 (0.312 mi.)***	***F22***	***103***
Database: LUST, Date of Government Version: 12/10/2018 Status: Completed - Case Closed Global Id: T0606520247				
MISSION CLAY PRODUCT	***23835 TEMESCAL CNYN***	***S 1/4 - 1/2 (0.386 mi.)***	***G23***	***107***
Database: RIVERSIDE CO. LUST, Date of Government Version: 04/11/2019 Facility Id: 93929 Facility Status: 9				
MISSION CLAY PRODUCT	***23835 TEMESCAL CANYO***	***S 1/4 - 1/2 (0.386 mi.)***	***G24***	***107***
Database: LUST REG 8, Date of Government Version: 02/14/2005 Database: LUST, Date of Government Version: 12/10/2018 Status: Completed - Case Closed Facility Status: Case Closed Global Id: T0606500334 Global ID: T0606500334				
RIVERSIDE CEMENT CO.	***10250 DAWSON CNYN***	***NE 1/4 - 1/2 (0.457 mi.)***	***25***	***118***
Database: LUST REG 8, Date of Government Version: 02/14/2005 Database: RIVERSIDE CO. LUST, Date of Government Version: 04/11/2019 Database: LUST, Date of Government Version: 12/10/2018				

Status: Completed - Case Closed
Facility Status: Case Closed
Facility Id: 93795
Global Id: T0606500335
Facility Status: 9
Global ID: T0606500335

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, has revealed that there are 2 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORPOR	***23200 TEMESCAL CANYO***	***0 - 1/8 (0.000 mi.)***	***A4***	***11***
Database: UST, Date of Government Version: 12/10/2018 Facility Id: 400				
SHELL SERVICE STATIO	23255 TEMESCAL CANYO	S 0 - 1/8 (0.054 mi.)	D16	97
Database: RIVERSIDE CO. UST, Date of Government Version: 01/29/2019 Database: UST, Date of Government Version: 12/10/2018				

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

CERS HAZ WASTE: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

A review of the CERS HAZ WASTE list, as provided by EDR, and dated 04/09/2019 has revealed that there are 2 CERS HAZ WASTE sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WD SCHOCK CORP	***23125 TEMESCAL CANYO***	***WSW 0 - 1/8 (0.049 mi.)***	***C13***	***47***
SHELL SERVICE STATIO	***23255 TEMESCAL CANYO***	***S 0 - 1/8 (0.054 mi.)***	***D15***	***60***

Local Lists of Registered Storage Tanks

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there is

1 SWEEPS UST site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORPOR	***23200 TEMESCAL CANYO***	***0 - 1/8 (0.000 mi.)***	***A4***	***11***
Status: A Tank Status: A Comp Number: 11716				

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there is 1 CA FID UST site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***14***
Facility Id: 33000562 Status: A				

CERS TANKS: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

A review of the CERS TANKS list, as provided by EDR, and dated 04/09/2019 has revealed that there is 1 CERS TANKS site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SHELL SERVICE STATIO	***23255 TEMESCAL CANYO***	***S 0 - 1/8 (0.054 mi.)***	***D15***	***60***

Records of Emergency Release Reports

CHMIRS: The California Hazardous Material Incident Report System contains information on reported hazardous material incidents, i.e., accidental releases or spills. The source is the California Office of Emergency Services.

A review of the CHMIRS list, as provided by EDR, and dated 10/24/2018 has revealed that there is 1 CHMIRS site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
Not reported OES Incident Number: 3-3233	TEMESCAL CANYON & DA	0 - 1/8 (0.000 mi.)	B3	10

Other Ascertainable Records

ICIS: The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

A review of the ICIS list, as provided by EDR, and dated 11/18/2016 has revealed that there is 1 ICIS

site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***14***
FRS ID:: 110001183077				

US AIRS: The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

A review of the US AIRS list, as provided by EDR, has revealed that there is 1 US AIRS site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***14***
Database: US AIRS MINOR, Date of Government Version: 10/12/2016				
EPA plant ID:: 110001191610				

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 02/15/2019 has revealed that there are 3 FINDS sites within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CSR HYDRO CONDUIT	23200 TEMESCAL CYN R	0 - 1/8 (0.000 mi.)	A9	45
Registry ID:: 110040863152				
CONCRETE PIPE MFG FA	23200 TEMESCAL CANYO	0 - 1/8 (0.000 mi.)	A10	45
Registry ID:: 110064889376				
RINKER MATERIALS HYD	***23200 TEMESCAL CANYO***	***0 - 1/8 (0.000 mi.)***	***A12***	***46***
Registry ID:: 110001183077				

ECHO: ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

A review of the ECHO list, as provided by EDR, and dated 03/03/2019 has revealed that there is 1 ECHO site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
RINKER MATERIALS HYD	***23200 TEMESCAL CANYO***	***0 - 1/8 (0.000 mi.)***	***A12***	***46***

EXECUTIVE SUMMARY

Registry ID: 110001183077

EMI: Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies

A review of the EMI list, as provided by EDR, and dated 12/31/2017 has revealed that there is 1 EMI site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A8***	***39***
Facility Id: 21173				

HAZNET: The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000-1,000,000 annually, representing approximately 350,000-500,000 shipments. Data from non-California manifests & continuation sheets are not included at the present time. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, & disposal method. The source is the Department of Toxic Substance Control is the agency. This database begins with calendar year 1993.

A review of the HAZNET list, as provided by EDR, and dated 12/31/2017 has revealed that there are 2 HAZNET sites within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CSR HYDRO CONDUIT	23200 TEMESCAL CYN	0 - 1/8 (0.000 mi.)	A1	8
GEPAID: CAD983660150				
GEPAID: CAC002861475				
HYDRO CONDUIT CORPOR	23200 TEMESCAL CANYO	0 - 1/8 (0.000 mi.)	A5	13
GEPAID: CAL000002591				

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 3 HIST CORTESE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***14***
Reg Id: 083303356T				
MISSION CLAY PRODUCT	***23835 TEMESCAL CNYN***	***S 1/4 - 1/2 (0.386 mi.)***	***G23***	***107***
Reg Id: 083302333T				
RIVERSIDE CEMENT CO.	***10250 DAWSON CNYN***	***NE 1/4 - 1/2 (0.457 mi.)***	***25***	***118***
Reg Id: 083302334T				

HWT: A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

A review of the HWT list, as provided by EDR, and dated 01/07/2019 has revealed that there is 1 HWT site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HCI ENVIRONMENTAL & Reg Num: 5464	22941 TEMESCAL CANYO	WNW 1/8 - 1/4 (0.163 mi.)	E17	97

NPDES: A listing of NPDES permits, including stormwater.

A review of the NPDES list, as provided by EDR, and dated 02/11/2019 has revealed that there is 1 NPDES site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP Facility Status: Terminated	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***14***

WDS: California Water Resources Control Board - Waste Discharge System.

A review of the WDS list, as provided by EDR, and dated 06/19/2007 has revealed that there is 1 WDS site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP Facility Status: A Facility Id: 8 33I000094	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***14***

CIWQS: The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

A review of the CIWQS list, as provided by EDR, and dated 03/05/2019 has revealed that there are 2 CIWQS sites within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CONCRETE PIPE MFG FA	23200 TEMESCAL CANYO	0 - 1/8 (0.000 mi.)	A6	13
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***14***

CERS: The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

A review of the CERS list, as provided by EDR, and dated 04/09/2019 has revealed that there are 2

CERS sites within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	*23200 TEMESCAL CYN R*	*0 - 1/8 (0.000 mi.)*	*A7*	*14*
HYDRO CONDUIT CORP	*23200 TEMESCAL CYN R*	*0 - 1/8 (0.000 mi.)*	*A8*	*39*

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

A review of the RGA LF list, as provided by EDR, has revealed that there is 1 RGA LF site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CORONA CLAY COMPANY Facility ID: 33-AA-0068	DAWSON CANYON RD & T	0 - 1/8 (0.000 mi.)	B2	9

RGA LUST: The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

A review of the RGA LUST list, as provided by EDR, has revealed that there is 1 RGA LUST site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CSR HYDRO CONDUIT	23200 TEMESCAL CANYO	0 - 1/8 (0.000 mi.)	A11	45

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 11 records.

Site Name	Database(s)
TEMESCAL CANYON ROAD	NPDES, CERS
SW CR OLD TEMESCAL RD & 6TH ST	CIWQS
DEWATERING,TEMESCAL CANYON	CIWQS
TEMESCAL CANYON RD WIDENING	CIWQS
	CDL
	CDL
	CDL
	CDL
	CDL
WILD ROSE DEVELOPMENT	LUST
TEMESCA CANYON RD - COLDWATER CANY	FINDS

OVERVIEW MAP - 5657831.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

0 1/4 1/2 1 Miles

Indian Reservations BIA

Power transmission lines

100-year flood zone

500-year flood zone

National Wetland Inventory

State Wetlands

Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 23100 Temescal Canyon Rd ADDRESS: 23100 Temescal Canyon Rd Corona CA 92883 LAT/LONG: 33.784328 / 117.487863	CLIENT: Hazard Management Consulting CONTACT: Troy Taylor INQUIRY #: 5657831.2s DATE: May 20, 2019 1:54 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 5657831.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands
- Areas of Concern

0 1/8 1/4 1/2 Miles

N

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 23100 Temescal Canyon Rd	CLIENT: Hazard Management Consulting
ADDRESS: 23100 Temescal Canyon Rd Corona CA 92883	CONTACT: Troy Taylor
LAT/LONG: 33.784328 / 117.487863	INQUIRY #: 5657831.2s DATE: May 20, 2019 1:55 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	0.001		0	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site list								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		2	0	NR	NR	NR	2
RCRA-CESQG	0.250		0	1	NR	NR	NR	1
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	0.001		0	NR	NR	NR	NR	0
State- and tribal - equivalent NPL								
RESPONSE	1.000		0	0	0	0	NR	0
State- and tribal - equivalent CERCLIS								
ENVIROSTOR	1.000		0	0	2	0	NR	2
State and tribal landfill and/or solid waste disposal site lists								
SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
LUST	0.500		2	0	6	NR	NR	8

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
CPS-SLIC	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		2	0	NR	NR	NR	2
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	0.001		0	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	0.001		0	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	0	NR	0
SCH	0.250		0	0	NR	NR	NR	0
CDL	0.001		0	NR	NR	NR	NR	0
CERS HAZ WASTE	0.250		2	0	NR	NR	NR	2
Toxic Pits	1.000		0	0	0	0	NR	0
US CDL	0.001		0	NR	NR	NR	NR	0
PFAS	0.001		0	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
SWEEPS UST	0.250		1	0	NR	NR	NR	1
HIST UST	0.250		0	0	NR	NR	NR	0
CA FID UST	0.250		1	0	NR	NR	NR	1
CERS TANKS	0.250		1	0	NR	NR	NR	1
Local Land Records								
LIENS	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	0.001		0	NR	NR	NR	NR	0
DEED	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0
CHMIRS	0.001		1	NR	NR	NR	NR	1
LDS	0.001		0	NR	NR	NR	NR	0
MCS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		1	NR	NR	NR	NR	1
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	0.001		0	NR	NR	NR	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		1	NR	NR	NR	NR	1
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.001		0	NR	NR	NR	NR	0
FINDS	0.001		3	NR	NR	NR	NR	3
ECHO	0.001		1	NR	NR	NR	NR	1
UXO	1.000		0	0	0	0	NR	0
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
Cortese	0.500		0	0	0	NR	NR	0
CUPA Listings	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
EMI	0.001		1	NR	NR	NR	NR	1
ENF	0.001		0	NR	NR	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
HAZNET	0.001		2	NR	NR	NR	NR	2
ICE	0.001		0	NR	NR	NR	NR	0
HIST CORTESE	0.500		1	0	2	NR	NR	3
HWP	1.000		0	0	0	0	NR	0
HWT	0.250		0	1	NR	NR	NR	1
MINES	0.001		0	NR	NR	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0
NPDES	0.001		1	NR	NR	NR	NR	1
PEST LIC	0.001		0	NR	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
Notify 65	1.000		0	0	0	0	NR	0
UIC	0.001		0	NR	NR	NR	NR	0
UIC GEO	0.001		0	NR	NR	NR	NR	0
WASTEWATER PITS	0.500		0	0	0	NR	NR	0
WDS	0.001		1	NR	NR	NR	NR	1
MILITARY PRIV SITES	0.001		0	NR	NR	NR	NR	0
PROJECT	0.001		0	NR	NR	NR	NR	0
WDR	0.001		0	NR	NR	NR	NR	0
CIWQS	0.001		2	NR	NR	NR	NR	2
CERS	0.001		2	NR	NR	NR	NR	2
WIP	0.250		0	0	NR	NR	NR	0
NON-CASE INFO	0.001		0	NR	NR	NR	NR	0
OTHER OIL GAS	0.001		0	NR	NR	NR	NR	0
PROD WATER PONDS	0.001		0	NR	NR	NR	NR	0
SAMPLING POINT	0.001		0	NR	NR	NR	NR	0
WELL STIM PROJ	0.001		0	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		0	NR	NR	NR	NR	0
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
RGA LF	0.001		1	NR	NR	NR	NR	1
RGA LUST	0.001		1	NR	NR	NR	NR	1
- Totals --		0	30	2	10	0	0	42

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **CSR HYDRO CONDUIT** **HAZNET** **S113019185**
23200 TEMESCAL CYN **N/A**
< 1/8 **CORONA, CA 91720**
1 ft.

Site 1 of 10 in cluster A

Relative: HAZNET:
Higher

Actual: Site Name: HYDRO CONDUIT CORPORATION
958 ft. Year: 2016
GEPAID: CAC002861475
Contact: HYDRO CONDUIT CORPORATION
Telephone: 9093767694
Mailing Name: Not reported
Mailing Address: 1501 BELVEDERE RD
Mailing City,St,Zip: WEST PALM BEACH, FL 334061501
Gen County: Riverside
TSD EPA ID: AZC950823111
TSD County: 99
Tons: 18.4
CA Waste Code: 151-
Method: H132-
Facility County: Riverside

Site Name: RINKER MATERIALS HYDRO CONDUIT DIVISION
Year: 2015
GEPAID: CAD983660150
Contact: BRYAN DRAKE, OPERATIONS MGR
Telephone: 9512772420
Mailing Name: Not reported
Mailing Address: 23200 TEMESCAL CANYON RD
Mailing City,St,Zip: CORONA, CA 928830000
Gen County: Riverside
TSD EPA ID: CAT080013352
TSD County: Los Angeles
Tons: 7.506
CA Waste Code: 223-
Method: H039-
Facility County: Riverside

Site Name: RINKER MATERIALS HYDRO CONDUIT DIVISION
Year: 2015
GEPAID: CAD983660150
Contact: BRYAN DRAKE, OPERATIONS MGR
Telephone: 9512772420
Mailing Name: Not reported
Mailing Address: 23200 TEMESCAL CANYON RD
Mailing City,St,Zip: CORONA, CA 928830000
Gen County: Riverside
TSD EPA ID: CAT080013352
TSD County: Los Angeles
Tons: 7.506
CA Waste Code: 223-
Method: H039-
Facility County: Riverside

Site Name: RINKER MATERIALS HYDRO CONDUIT DIVISION
Year: 2014
GEPAID: CAD983660150
Contact: BRYAN DRAKE, OPERATIONS MGR

CSR HYDRO CONDUIT (Continued) **S113019185**

Telephone:	9512772420
Mailing Name:	Not reported
Mailing Address:	23200 TEMESCAL CANYON RD
Mailing City,St,Zip:	CORONA, CA 928830000
Gen County:	Riverside
TSD EPA ID:	CAD982444481
TSD County:	San Bernardino
Tons:	0.03753
CA Waste Code:	551-
Method:	H141-
Facility County:	Riverside

Site Name:	RINKER MATERIALS HYDRO CONDUIT DIVISION
Year:	2014
GEPAID:	CAD983660150
Contact:	BRYAN DRAKE, OPERATIONS MGR
Telephone:	9512772420
Mailing Name:	Not reported
Mailing Address:	23200 TEMESCAL CANYON RD
Mailing City,St,Zip:	CORONA, CA 928830000
Gen County:	Riverside
TSD EPA ID:	CAD982444481
TSD County:	San Bernardino
Tons:	3.3825
CA Waste Code:	331-
Method:	H141-
Facility County:	Riverside

Click this hyperlink while viewing on your computer to access
138 additional CA_HAZNET: record(s) in the EDR Site Report.

B2 **CORONA CLAY COMPANY** **RGA LF** **S114726826**
DAWSON CANYON RD & TEMESCAL CANYON RD **N/A**
< 1/8 **CORONA, CA**
1 ft.

Site 1 of 2 in cluster B

Relative: Higher
Actual: 948 ft.

RGA LF:

2012	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2011	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2010	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2009	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2008	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2007	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2006	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2005	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2004	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2003	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2002	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2001	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
2000	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
1999	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
1998	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
1997	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
1996	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD
1995	CORONA CLAY COMPANY	DAWSON CANYON RD & TEMESCAL CANYON RD

B3 **CHMIRS** **S106396862**
N/A

TEMESCAL CANYON & DAWSON CANYON
< 1/8 **CORONA, CA 90014**
1 ft.

Site 2 of 2 in cluster B

Relative: CHMIRS:
Higher

OES Incident Number:	3-3233
OES notification:	06/26/2003
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**Not reported**
Property Use:	Not reported
Agency Id Number:	Not reported
Agency Incident Number:	Not reported
Time Notified:	Not reported
Time Completed:	Not reported
Surrounding Area:	Not reported
Estimated Temperature:	Not reported
Property Management:	Not reported
More Than Two Substances Involved?:	Not reported
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	Yes
Waterway:	Temescal Wash
Spill Site:	Not reported
Cleanup By:	Unknown
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	2003
Agency:	CHP
Incident Date:	6/26/200312:00:00 AM
Admin Agency:	Corona Fire Department
Amount:	Not reported
Contained:	No
Site Type:	Road
E Date:	Not reported
Substance:	Diesel Fuel
Gallons:	150
Unknown:	0
Substance #2:	Not reported
Substance #3:	Not reported

Actual:
948 ft.

(Continued) **S106396862**

Evacuations:	0
Number of Injuries:	0
Number of Fatalities:	0
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	Big rig with a single box trailer had a blowout and lost control and went into a ditch and ruptured tank trailer.

A4 **HYDRO CONDUIT CORPORATION** **UST** **U003152745**
23200 TEMESCAL CANYON RD **SWEEPS UST** **N/A**
< 1/8 **CORONA, CA 92883**
1 ft.

Site 2 of 10 in cluster A

Relative: Higher
Actual: 958 ft.

UST:

Facility ID:	400
Permitting Agency:	RIVERSIDE COUNTY
Latitude:	33.782813
Longitude:	-117.485102

SWEEPS UST:

Status:	Active
Comp Number:	11716
Number:	1
Board Of Equalization:	44-004279
Referral Date:	11-03-92
Action Date:	11-03-92
Created Date:	02-24-89
Owner Tank Id:	000582
SWRCB Tank Id:	33-000-011716-000001
Tank Status:	A
Capacity:	10000
Active Date:	11-03-92
Tank Use:	M.V. FUEL
STG:	P
Content:	DIESEL
Number Of Tanks:	5

Status:	Active
Comp Number:	11716
Number:	1
Board Of Equalization:	44-004279
Referral Date:	11-03-92
Action Date:	11-03-92
Created Date:	02-24-89
Owner Tank Id:	000582
SWRCB Tank Id:	33-000-011716-000002
Tank Status:	A

HYDRO CONDUIT CORPORATION (Continued) **U003152745**

Capacity:	10000
Active Date:	11-03-92
Tank Use:	M.V. FUEL
STG:	P
Content:	DIESEL
Number Of Tanks:	Not reported

Status:	Active
Comp Number:	11716
Number:	1
Board Of Equalization:	44-004279
Referral Date:	11-03-92
Action Date:	11-03-92
Created Date:	02-24-89
Owner Tank Id:	000582
SWRCB Tank Id:	33-000-011716-000003
Tank Status:	A
Capacity:	10000
Active Date:	11-03-92
Tank Use:	M.V. FUEL
STG:	P
Content:	DIESEL
Number Of Tanks:	Not reported

Status:	Active
Comp Number:	11716
Number:	1
Board Of Equalization:	44-004279
Referral Date:	11-03-92
Action Date:	11-03-92
Created Date:	02-24-89
Owner Tank Id:	000582
SWRCB Tank Id:	33-000-011716-000004
Tank Status:	A
Capacity:	6000
Active Date:	11-03-92
Tank Use:	M.V. FUEL
STG:	P
Content:	DIESEL
Number Of Tanks:	Not reported

Status:	Active
Comp Number:	11716
Number:	1
Board Of Equalization:	44-004279
Referral Date:	11-03-92
Action Date:	11-03-92
Created Date:	02-24-89
Owner Tank Id:	000582
SWRCB Tank Id:	33-000-011716-000005
Tank Status:	A
Capacity:	10000
Active Date:	11-03-92
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	Not reported

A5 **HYDRO CONDUIT CORPORATION** **HAZNET** **S113022569**
23200 TEMESCAL CANYON ROAD **N/A**
< 1/8 **CORONA, CA 91718**
1 ft.

Site 3 of 10 in cluster A

Relative: HAZNET:
Higher

Site Name:	HYDRO CONDUIT CORPORATION
Year:	1999
GEPAID:	CAL000002591
Contact:	HYDRO CONDUIT CORP
Telephone:	0000000000
Mailing Name:	Not reported
Mailing Address:	23200 TEMESCAL CANYON RD
Mailing City,St,Zip:	CORONA, CA 917190000
Gen County:	Not reported
TSD EPA ID:	CA0000084517
TSD County:	Not reported
Tons:	.1251
CA Waste Code:	541-
Method:	H01-
Facility County:	Riverside

Actual:
958 ft.

A6 **CONCRETE PIPE MFG FAC** **CIWQS** **S121630698**
23200 TEMESCAL CANYON **N/A**
< 1/8 **CORONA, CA 91719**
1 ft.

Site 4 of 10 in cluster A

Relative: CIWQS:
Higher

Agency:	Rinker Materials
Agency Address:	23200 Temescal Canyon Road, Corona, CA 92883
Place/Project Type:	Concrete Manufacturing
SIC/NAICS:	3272
Region:	8
Program:	WDRINDIVLRG
Regulatory Measure Status:	Historical
Regulatory Measure Type:	WDR
Order Number:	99-03404
WDID:	8 332117001
NPDES Number:	Not reported
Adoption Date:	01/15/1999
Effective Date:	01/15/1999
Termination Date:	Not reported
Expiration/Review Date:	Not reported
Design Flow:	0.005
Major/Minor:	Not reported
Complexity:	C
TTWQ:	3
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	Not reported
Longitude:	Not reported

Actual:
958 ft.

A7
< 1/8
1 ft.

Relative:
Higher

Actual:
958 ft.

HYDRO CONDUIT CORP
23200 TEMESCAL CYN RD
CORONA, CA 92883

Site 5 of 10 in cluster A

RCRA-SQG **1000819995**
LUST **CAD983660150**
CA FID UST
ICIS
US AIRS
HIST CORTESE
NPDES
WDS
CIWQS
CERS

RCRA-SQG:

Date form received by agency:	02/22/1993
Facility name:	HYDRO CONDUIT CORP
Facility address:	23200 TEMESCAL CYN RD CORONA, CA 92883
EPA ID:	CAD983660150
Contact:	RICK MEYERS
Contact address:	23200 TEMESCAL CYN CORONA, CA 91720
Contact country:	US
Contact telephone:	714-277-2420
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	HYDRO CONDUIT CORP
Owner/operator address:	23200 TEMESCAL CYN CORONA, CA 91720
Owner/operator country:	Not reported
Owner/operator telephone:	714-277-2420
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No

HYDRO CONDUIT CORP (Continued) **1000819995**

Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

LUST:
Lead Agency: RIVERSIDE COUNTY LOP
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500563
Global Id: T0606500563
Latitude: 33.7806727022536
Longitude: -117.481814462331
Status: Completed - Case Closed
Status Date: 11/07/2001
Case Worker: RIV
RB Case Number: 083303356T
Local Agency: RIVERSIDE COUNTY LOP
File Location: Local Agency Warehouse
Local Case Number: 9814820
Potential Media Affect: Soil
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0606500563
Contact Type: Regional Board Caseworker
Contact Name: MIGUEL OVIEDO
Organization Name: SANTA ANA RWQCB (REGION 8)
Address: 3737 Main Street, Suite 500
City: RIVERSIDE
Email: miguel.oviedo@waterboards.ca.gov
Phone Number: 9517823238

Global Id: T0606500563
Contact Type: Local Agency Caseworker
Contact Name: Riverside County LOP
Organization Name: RIVERSIDE COUNTY LOP
Address: 3880 LEMON ST SUITE 200
City: RIVERSIDE
Email: Not reported
Phone Number: 9519558980

LUST:
Global Id: T0606500563
Action Type: Other
Date: 01/08/1999
Action: Leak Reported

Global Id: T0606500563
Action Type: ENFORCEMENT
Date: 04/02/2009
Action: Closure/No Further Action Letter - #Site Closure

Global Id: T0606500563
Action Type: ENFORCEMENT
Date: 04/01/2009
Action: Other Report - #UST Sample Analytical Report

HYDRO CONDUIT CORP (Continued) **1000819995**

Global Id: T0606500563
Action Type: ENFORCEMENT
Date: 04/01/2009
Action: File review - #RCDEH upload site file 3/11/2015

Global Id: T0606500563
Action Type: Other
Date: 12/31/1998
Action: Leak Discovery

Global Id: T0606500563
Action Type: ENFORCEMENT
Date: 11/07/2001
Action: Closure/No Further Action Letter

Global Id: T0606500563
Action Type: Other
Date: 12/23/1998
Action: Leak Stopped

LUST:
Global Id: T0606500563
Status: Completed - Case Closed
Status Date: 11/07/2001

Global Id: T0606500563
Status: Open - Case Begin Date
Status Date: 12/23/1998

Global Id: T0606500563
Status: Open - Site Assessment
Status Date: 12/31/1998

LUST REG 8:
Region: 8
County: Riverside
Regional Board: Santa Ana Region
Facility Status: Case Closed
Case Number: 083303356T
Local Case Num: 9814820
Case Type: Soil only
Substance: Gasoline
Qty Leaked: Not reported
Abate Method: Not reported
Cross Street: Not reported
Enf Type: CLOS
Funding: Not reported
How Discovered: Tank Closure
How Stopped: Not reported
Leak Cause: UNK
Leak Source: UNK
Global ID: T0606500563
How Stopped Date: 12/23/1998
Enter Date: 12/23/1998
Date Confirmation of Leak Began: 12/31/1998

HYDRO CONDUIT CORP (Continued) **1000819995**

Date Preliminary Assessment Began:	Not reported
Discover Date:	12/31/1998
Enforcement Date:	Not reported
Close Date:	12/31/1998
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	12/23/1998
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.7859437
Longitude:	-117.4910882
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	Site NOT Tested for MTBE.Includes Unknown and Not Analyzed.
MTBE Class:	*
Staff:	TME
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	ELSINORE (8-4)
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

CA FID UST:

Facility ID:	33000562
Regulated By:	UTNKA
Regulated ID:	Not reported
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	7147352420
Mail To:	Not reported
Mailing Address:	23200 TEMESCAL CANYON RD
Mailing Address 2:	Not reported
Mailing City,St,Zip:	CORONA 91720
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

ICIS:

HYDRO CONDUIT CORP (Continued) **1000819995**

Enforcement Action ID:	CASCAA000006065C084900014
FRS ID:	110001183077
Action Name:	RINKER MATERIALS HYDRO CONDUIT 06065C084900014
Facility Name:	RINKER MATERIALS HYDRO CONDUIT
Facility Address:	23200 TEMESCAL CANYON RD CORONA, CA 92883
Enforcement Action Type:	Administrative Order
Facility County:	RIVERSIDE
Program System Acronym:	AIR
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	SCAAAO
Facility SIC Code:	3272
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	33.78098
Longitude in Decimal Degrees:	-117.4872
Permit Type Desc:	Not reported
Program System Acronym:	CASCA00006065C0849
Facility NAICS Code:	331210
Tribal Land Code:	Not reported

Enforcement Action ID:	CASCAA000006065C084900013
FRS ID:	110001183077
Action Name:	RINKER MATERIALS HYDRO CONDUIT 06065C084900013
Facility Name:	RINKER MATERIALS HYDRO CONDUIT
Facility Address:	23200 TEMESCAL CANYON RD CORONA, CA 92883
Enforcement Action Type:	Notice of Violation
Facility County:	RIVERSIDE
Program System Acronym:	AIR
Enforcement Action Forum Desc:	Administrative - Informal
EA Type Code:	NOV
Facility SIC Code:	3272
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	33.78098
Longitude in Decimal Degrees:	-117.4872
Permit Type Desc:	Not reported
Program System Acronym:	CASCA00006065C0849
Facility NAICS Code:	331210
Tribal Land Code:	Not reported

Enforcement Action ID:	CASCAA000006065C084900009
FRS ID:	110001183077
Action Name:	RINKER MATERIALS HYDRO CONDUIT 06065C084900009
Facility Name:	RINKER MATERIALS HYDRO CONDUIT
Facility Address:	23200 TEMESCAL CANYON RD CORONA, CA 92883
Enforcement Action Type:	Administrative Order
Facility County:	RIVERSIDE
Program System Acronym:	AIR
Enforcement Action Forum Desc:	Administrative - Formal
EA Type Code:	SCAAAO
Facility SIC Code:	3272
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	33.78098
Longitude in Decimal Degrees:	-117.4872
Permit Type Desc:	Not reported
Program System Acronym:	CASCA00006065C0849

HYDRO CONDUIT CORP (Continued) **1000819995**

Facility NAICS Code: 331210
Tribal Land Code: Not reported

Enforcement Action ID: CASCAA000006065C084900008
FRS ID: 110001183077
Action Name: RINKER MATERIALS HYDRO CONDUIT 06065C084900008
Facility Name: RINKER MATERIALS HYDRO CONDUIT
Facility Address: 23200 TEMESCAL CANYON RD
CORONA, CA 92883
Enforcement Action Type: Notice of Violation
Facility County: RIVERSIDE
Program System Acronym: AIR
Enforcement Action Forum Desc: Administrative - Informal
EA Type Code: NOV
Facility SIC Code: 3272
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 33.78098
Longitude in Decimal Degrees: -117.4872
Permit Type Desc: Not reported
Program System Acronym: CASCA00006065C0849
Facility NAICS Code: 331210
Tribal Land Code: Not reported

US AIRS MINOR:
Envid: 1000819995
Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
D and B Number: Not reported
Primary SIC Code: 3272
NAICS Code: 331210
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: Not reported
Activity Status Date: 2005-07-19 00:00:00
Activity Group: Case File
Activity Type: Case File
Activity Status: Resolved

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1997-06-05 00:00:00

HYDRO CONDUIT CORP (Continued) **1000819995**

Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-08-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2004-10-06 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2005-02-28 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2005-03-01 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR

HYDRO CONDUIT CORP (Continued) **1000819995**

Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2006-03-20 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2006-09-20 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2004-12-30 00:00:00
Activity Status Date: 2004-12-30 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Final Order Issued

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2004-10-06 00:00:00
Activity Status Date: 2004-10-06 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: Not reported
Activity Status Date: 2003-02-21 00:00:00
Activity Group: Case File
Activity Type: Case File
Activity Status: Resolved

Region Code: 09

HYDRO CONDUIT CORP (Continued) **1000819995**

Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: Not reported
Activity Status Date: 2005-07-19 00:00:00
Activity Group: Case File
Activity Type: Case File
Activity Status: Resolved

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 1999-08-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2000-08-18 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-05-10 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-09-29 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation

HYDRO CONDUIT CORP (Continued) **1000819995**

Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-09-30 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2004-10-06 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2005-02-28 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2005-03-01 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2006-03-20 00:00:00

HYDRO CONDUIT CORP (Continued) **1000819995**

Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2006-09-20 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-11-06 00:00:00
Activity Status Date: 2002-11-06 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Final Order Issued

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2004-12-30 00:00:00
Activity Status Date: 2004-12-30 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Final Order Issued

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-05-10 00:00:00
Activity Status Date: 2002-05-10 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR

HYDRO CONDUIT CORP (Continued) **1000819995**

Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2004-10-06 00:00:00
Activity Status Date: 2004-10-06 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

US AIRS MINOR:
Envid: 1000819995
Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
D and B Number: Not reported
Primary SIC Code: 3272
NAICS Code: 331210
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: Not reported
Activity Status Date: 2005-07-19 00:00:00
Activity Group: Case File
Activity Type: Case File
Activity Status: Resolved

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1997-06-05 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-08-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation

HYDRO CONDUIT CORP (Continued) **1000819995**

Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2004-10-06 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2005-02-28 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2005-03-01 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2006-03-20 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2006-09-20 00:00:00

HYDRO CONDUIT CORP (Continued) **1000819995**

Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2004-12-30 00:00:00
Activity Status Date: 2004-12-30 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Final Order Issued

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2004-10-06 00:00:00
Activity Status Date: 2004-10-06 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: Not reported
Activity Status Date: 2003-02-21 00:00:00
Activity Group: Case File
Activity Type: Case File
Activity Status: Resolved

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: Not reported
Activity Status Date: 2005-07-19 00:00:00
Activity Group: Case File
Activity Type: Case File
Activity Status: Resolved

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR

HYDRO CONDUIT CORP (Continued) **1000819995**

Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 1999-08-13 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2000-08-18 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-05-10 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-09-29 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-09-30 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09

HYDRO CONDUIT CORP (Continued) **1000819995**

Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2004-10-06 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2005-02-28 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2005-03-01 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2006-03-20 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2006-09-20 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation

HYDRO CONDUIT CORP (Continued) **1000819995**

Activity Status: Not reported

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-11-06 00:00:00
Activity Status Date: 2002-11-06 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Final Order Issued

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2004-12-30 00:00:00
Activity Status Date: 2004-12-30 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Formal
Activity Status: Final Order Issued

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2002-05-10 00:00:00
Activity Status Date: 2002-05-10 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

Region Code: 09
Programmatic ID: AIR CASCA00006065C0849
Facility Registry ID: 110001183077
Air Operating Status Code: OPR
Default Air Classification Code: MIN
Air Program: Title V Permits
Activity Date: 2004-10-06 00:00:00
Activity Status Date: 2004-10-06 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

HIST CORTESE:
Region: CORTESE
Facility County Code: 33
Reg By: LTNKA
Reg Id: 083303356T

HYDRO CONDUIT CORP (Continued) **1000819995**

NPDES:

Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	8 33I000094
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Terminated
Status Date:	06/23/2016
Operator Name:	Rinker Materials
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Terminated
Agency Number:	0
Region:	8
Regulatory Measure ID:	210656
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33I000094
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	02/18/1992
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	06/10/2016
Discharge Name:	Rinker Materials
Discharge Address:	23200 Temescal Cyn Rd
Discharge City:	Corona
Discharge State:	California
Discharge Zip:	92883
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported

HYDRO CONDUIT CORP (Continued) **1000819995**

Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	210656
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	8 33I000094

HYDRO CONDUIT CORP (Continued) **1000819995**

Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	06/10/2016
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	02/18/1992
Status:	Terminated
Status Date:	06/23/2016
Place Size:	60
Place Size Unit:	Acres
Contact:	George Kerr
Contact Title:	Region Manager
Contact Phone:	707-255-3035
Contact Phone Ext:	223
Contact Email:	georgef.kerr@cemex.com
Operator Name:	Rinker Materials
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Private Individual
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	707-975-7451
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported

HYDRO CONDUIT CORP (Continued) **1000819995**

Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Temescal Wash
Certifier:	Clairann Caton
Certifier Title:	Regional Safety Coordinator
Certification Date:	04-AUG-15
Primary Sic:	3272-Concrete Products, Except Block and Brick
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

Facility Status:	Terminated
NPDES Number:	CAS000001
Region:	8
Agency Number:	0
Regulatory Measure ID:	210656
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	8 33I000094
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	02/18/1992
Termination Date Of Regulatory Measure:	06/10/2016
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	23200 Temescal Cyn Rd
Discharge Name:	Rinker Materials
Discharge City:	Corona
Discharge State:	California
Discharge Zip:	92883
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Terminated
Agency Number:	0
Region:	8
Regulatory Measure ID:	210656
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33I000094
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	02/18/1992
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	06/10/2016
Discharge Name:	Rinker Materials
Discharge Address:	23200 Temescal Cyn Rd
Discharge City:	Corona
Discharge State:	California
Discharge Zip:	92883

HYDRO CONDUIT CORP (Continued) **1000819995**

Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

HYDRO CONDUIT CORP (Continued) **1000819995**

NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	210656
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	8 33I000094
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	06/10/2016
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	02/18/1992
Status:	Terminated
Status Date:	06/23/2016
Place Size:	60
Place Size Unit:	Acres
Contact:	George Kerr
Contact Title:	Region Manager
Contact Phone:	707-255-3035
Contact Phone Ext:	223
Contact Email:	georgef.kerr@cemex.com
Operator Name:	Rinker Materials
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Private Individual
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	707-975-7451
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported

HYDRO CONDUIT CORP (Continued) **1000819995**

Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Temescal Wash
Certifier:	Clairann Caton
Certifier Title:	Regional Safety Coordinator
Certification Date:	04-AUG-15
Primary Sic:	3272-Concrete Products, Except Block and Brick
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

WDS:

Facility ID:	Santa Ana River 33I000094
Facility Type:	Industrial - Facility that treats and/or disposes of liquid or semisolid wastes from any servicing, producing, manufacturing or processing operation of whatever nature, including mining, gravel washing, geothermal operations, air conditioning, ship building and repairing, oil production, storage and disposal operations, water pumping.
Facility Status:	Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number:	CAS000001 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board
Subregion:	8
Facility Telephone:	Not reported
Facility Contact:	Not reported
Agency Name:	HYDRO CONDUIT CORPORATION
Agency Address:	PO BOX 939
Agency City,St,Zip:	CORONA 91719
Agency Contact:	Not reported
Agency Telephone:	Not reported
Agency Type:	Private
SIC Code:	0
SIC Code 2:	Not reported
Primary Waste Type:	Not reported
Primary Waste:	Not reported
Waste Type2:	Not reported
Waste2:	Not reported
Primary Waste Type:	Not reported
Secondary Waste:	Not reported
Secondary Waste Type:	Not reported
Design Flow:	0
Baseline Flow:	0
Reclamation:	Not reported
POTW:	Not reported
Treat To Water:	Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be

HYDRO CONDUIT CORP (Continued) **1000819995**

considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.

Complexity: Category C - Facilities having no waste treatment systems, such as cooling water dischargers or thosewho must comply through best management practices, facilities with passive waste treatment and disposal systems, such as septic systems with subsurface disposal, or dischargers having waste storage systems with land disposal such as dairy waste ponds.

CIWQS:

Agency:	Rinker Materials
Agency Address:	23200 Temescal Cyn Rd, Corona, CA 92883
Place/Project Type:	Industrial - Concrete Products, Except Block and Brick
SIC/NAICS:	3272
Region:	8
Program:	INDSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ
WDID:	8 33I000094
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	02/18/1992
Termination Date:	06/10/2016
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.78205
Longitude:	-117.48796

CERS TANKS:

Site ID:	490257
CERS ID:	110001183077
Site Name:	RINKER MATERIALS HYDRO CONDUIT
CERS Description:	US EPA Air Emission Inventory System (EIS)

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	MARK FELTEN
Entity Title:	Not reported
Affiliation Address:	23200 TEMESCAL CANYON ROAD
Affiliation City:	CORONA
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	RICK MEYERS
Entity Title:	Not reported
Affiliation Address:	23200 TEMESCAL CYN
Affiliation City:	CORONA

HYDRO CONDUIT CORP (Continued) **1000819995**

Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Site ID: 239487
CERS ID: T0606500563
Site Name: CSR HYDRO CONDUIT
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: Riverside County LOP - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980

Affiliation Type Desc: Regional Board Caseworker
Entity Name: MIGUEL OVIEDO - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 Main Street, Suite 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517823238

A8 **HYDRO CONDUIT CORP** **LUST S103771157**
23200 TEMESCAL CYN RD **EMI N/A**
< 1/8 **CORONA, CA 91720** **CERS**
1 ft.

Site 6 of 10 in cluster A

Relative: Higher
Actual: 958 ft.

RIVERSIDE CO. LUST:
Region: RIVERSIDE
Facility ID: 9814820
Employee: Winters
Site Closed: Yes
Case Type: Drinking Water Aquifer affected
Facility Status: closed/action completed
Casetype Decode: An Aquifer used for Drinking Water supply has been contaminated.
Fstatus Decode: Closed/Action completed

EMI:
Year: 1987
County Code: 33
Air Basin: SC
Facility ID: 21173
Air District Name: SC
SIC Code: 3272
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: Not reported

HYDRO CONDUIT CORP (Continued) **S103771157**

Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	25
Reactive Organic Gases Tons/Yr:	18
Carbon Monoxide Emissions Tons/Yr:	22
NOX - Oxides of Nitrogen Tons/Yr:	13
SOX - Oxides of Sulphur Tons/Yr:	1
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1

Year:	1990
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3272
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	14
Reactive Organic Gases Tons/Yr:	10
Carbon Monoxide Emissions Tons/Yr:	19
NOX - Oxides of Nitrogen Tons/Yr:	13
SOX - Oxides of Sulphur Tons/Yr:	1
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1

Year:	1993
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3317
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	32
Reactive Organic Gases Tons/Yr:	27
Carbon Monoxide Emissions Tons/Yr:	25
NOX - Oxides of Nitrogen Tons/Yr:	2
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Year:	1995
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3317
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	32
Reactive Organic Gases Tons/Yr:	27
Carbon Monoxide Emissions Tons/Yr:	25
NOX - Oxides of Nitrogen Tons/Yr:	2
SOX - Oxides of Sulphur Tons/Yr:	0

HYDRO CONDUIT CORP (Continued) **S103771157**

Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0
Year:	1996
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3317
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	15
Reactive Organic Gases Tons/Yr:	13
Carbon Monoxide Emissions Tons/Yr:	13
NOX - Oxides of Nitrogen Tons/Yr:	1
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0
Year:	1997
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3317
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	4
Reactive Organic Gases Tons/Yr:	4
Carbon Monoxide Emissions Tons/Yr:	6
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0
Year:	1998
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3317
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	4
Reactive Organic Gases Tons/Yr:	4
Carbon Monoxide Emissions Tons/Yr:	6
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0
Year:	1999
County Code:	33
Air Basin:	SC

HYDRO CONDUIT CORP (Continued) **S103771157**

Facility ID:	21173
Air District Name:	SC
SIC Code:	3317
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	4
Reactive Organic Gases Tons/Yr:	4
Carbon Monoxide Emissions Tons/Yr:	6
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Year:	2000
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3317
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	4
Reactive Organic Gases Tons/Yr:	4
Carbon Monoxide Emissions Tons/Yr:	6
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Year:	2001
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3317
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	5
NOX - Oxides of Nitrogen Tons/Yr:	2
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Year:	2002
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3272
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported

HYDRO CONDUIT CORP (Continued) **S103771157**

Total Organic Hydrocarbon Gases Tons/Yr:	9
Reactive Organic Gases Tons/Yr:	7
Carbon Monoxide Emissions Tons/Yr:	3
NOX - Oxides of Nitrogen Tons/Yr:	2
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1

Year:	2003
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3272
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	9
Reactive Organic Gases Tons/Yr:	7
Carbon Monoxide Emissions Tons/Yr:	3
NOX - Oxides of Nitrogen Tons/Yr:	2
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1

Year:	2004
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3272
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	9.218816
Reactive Organic Gases Tons/Yr:	7.38
Carbon Monoxide Emissions Tons/Yr:	3.47
NOX - Oxides of Nitrogen Tons/Yr:	2.0613
SOX - Oxides of Sulphur Tons/Yr:	0.02663
Particulate Matter Tons/Yr:	0.75622
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.71

Year:	2005
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3272
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.801705
Reactive Organic Gases Tons/Yr:	.752141445
Carbon Monoxide Emissions Tons/Yr:	2.057
NOX - Oxides of Nitrogen Tons/Yr:	1.2682
SOX - Oxides of Sulphur Tons/Yr:	.01606
Particulate Matter Tons/Yr:	.54253

HYDRO CONDUIT CORP (Continued) **S103771157**

Part. Matter 10 Micrometers and Smllr Tons/Yr:.31626022

Year:	2006
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3272
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.060839445176962597
Reactive Organic Gases Tons/Yr:	.856
Carbon Monoxide Emissions Tons/Yr:	1.445
NOX - Oxides of Nitrogen Tons/Yr:	.946
SOX - Oxides of Sulphur Tons/Yr:	.013
Particulate Matter Tons/Yr:	.54
Part. Matter 10 Micrometers and Smllr Tons/Yr:	.50172

Year:	2007
County Code:	33
Air Basin:	SC
Facility ID:	21173
Air District Name:	SC
SIC Code:	3272
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.039851042919209446
Reactive Organic Gases Tons/Yr:	.856
Carbon Monoxide Emissions Tons/Yr:	1.445
NOX - Oxides of Nitrogen Tons/Yr:	.946
SOX - Oxides of Sulphur Tons/Yr:	.013
Particulate Matter Tons/Yr:	.54
Part. Matter 10 Micrometers and Smllr Tons/Yr:	.502308

CERS TANKS:

Site ID:	463325
CERS ID:	110040863152
Site Name:	CSR HYDRO CONDUIT
CERS Description:	US EPA Air Emission Inventory System (EIS)

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	TOM E MBEKE EKANEM SANTA ANA RWQCB REGN 8
Entity Title:	Not reported
Affiliation Address:	3737 MAIN STREETNA SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	ANTHONY MEDRANO CTRL VLY RWQCB REGN 5F
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200

HYDRO CONDUIT CORP (Continued) **S103771157**

Affiliation City: RIVERSIDE
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

A9 **CSR HYDRO CONDUIT** **FINDS** **1014680400**
23200 TEMESCAL CYN RD **N/A**
< 1/8 **CORONA, CA 91719**
1 ft.

Site 7 of 10 in cluster A

Relative: FINDS:
Higher

Actual: Registry ID: 110040863152
958 ft.

Environmental Interest/Information System
HAZARDOUS AIR POLLUTANT MAJOR

STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

A10 **CONCRETE PIPE MFG FAC** **FINDS** **1023203928**
23200 TEMESCAL CANYON **N/A**
< 1/8 **CORONA, CA 91719**
1 ft.

Site 8 of 10 in cluster A

Relative: FINDS:
Higher

Actual: Registry ID: 110064889376
958 ft.

Environmental Interest/Information System
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

A11 **CSR HYDRO CONDUIT** **RGA LUST** **S114608183**
23200 TEMESCAL CANYON RD **N/A**
< 1/8 **CORONA, CA**
1 ft.

Site 9 of 10 in cluster A

Relative: RGA LUST:
Higher

2012	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD
2011	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD
2010	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD
2009	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD
2008	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD

Actual:
958 ft.

CSR HYDRO CONDUIT (Continued) **S114608183**

2007	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD
2006	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD
2005	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD
2003	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD
2002	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD
2001	CSR HYDRO CONDUIT	23200 TEMESCAL CANYON RD

A12
< 1/8
1 ft.

RINKER MATERIALS HYDRO CONDUIT **FINDS 1016064092**
23200 TEMESCAL CANYON ROAD **ECHO N/A**
CORONA, CA 92883

Site 10 of 10 in cluster A

Relative: Higher

Actual: 958 ft.

FINDS:

Registry ID: 110001183077

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

AIR MINOR

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1016064092
Registry ID: 110001183077
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110001183077

C13
WSW
< 1/8
0.049 mi.
259 ft.

WD SCHOCK CORP
23125 TEMESCAL CANYON RD
CORONA, CA 92883

Site 1 of 2 in cluster C

CERS HAZ WASTE
NPDES
CIWQS
CERS

S103644094
N/A

Relative:
Higher

Actual:
955 ft.

CERS HAZ WASTE:

Site ID:	169709
CERS ID:	10316716
CERS Description:	Hazardous Waste Generator

Evaluation:

Eval General Type:	Other/Unknown
Eval Date:	05-25-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Verifying facility is OOB
Eval Division:	Riverside County Department of Env Health
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	169709
Facility Name:	W D Schock Boat Builders
Env Int Type Code:	HWG
Program ID:	10316716
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.783620
Longitude:	-117.490340

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	Becky Barragan
Entity Title:	Not reported
Affiliation Address:	23125 Temescal Canyon Rd
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92883
Affiliation Phone:	Not reported

Affiliation Type Desc:	Operator
Entity Name:	W D Schock Corp
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 277-3377

Affiliation Type Desc:	Document Preparer
Entity Name:	Becky Barragan
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

WD SCHOCK CORP (Continued) **S103644094**

Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Parent Corporation
Entity Name: W D Schock Boat Builders
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: Tom Schock
Entity Title: Not reported
Affiliation Address: 539 Conrad Point Rd. PO Box 1198
Affiliation City: Lakeside
Affiliation State: MT
Affiliation Country: United States
Affiliation Zip: 59922
Affiliation Phone: (949) 637-3618

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 23125 Temescal Cyn Rd
Affiliation City: Corona
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92883
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: W D Schock Corp
Entity Title: Not reported
Affiliation Address: 23125 Temescal Cyn Rd
Affiliation City: Corona
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92883
Affiliation Phone: (951) 277-3377

Affiliation Type Desc: CUPA District
Entity Name: Riverside Cnty Env Health
Entity Title: Not reported
Affiliation Address: 4065 County Circle Drive, Room 104
Affiliation City: Riverside
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92503
Affiliation Phone: (951) 358-5055

Affiliation Type Desc: Identification Signer
Entity Name: Becky Barragan
Entity Title: Marketing Assistant
Affiliation Address: Not reported

WD SCHOCK CORP (Continued) **S103644094**

Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

NPDES:

Facility Status:	Terminated
NPDES Number:	CAS000001
Region:	8
Agency Number:	0
Regulatory Measure ID:	305397
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	8 33I020317
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	06/27/2006
Termination Date Of Regulatory Measure:	06/06/2016
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	23125 Temescal Canyon Rd
Discharge Name:	WD Schock Corp
Discharge City:	Corona
Discharge State:	California
Discharge Zip:	92883
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Terminated
Agency Number:	0
Region:	8
Regulatory Measure ID:	305397
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33I020317
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	06/27/2006
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	06/06/2016
Discharge Name:	WD Schock Corp
Discharge Address:	23125 Temescal Canyon Rd
Discharge City:	Corona
Discharge State:	California
Discharge Zip:	92883
Received Date:	Not reported
Processed Date:	Not reported

WD SCHOCK CORP (Continued) **S103644094**

Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported

WD SCHOCK CORP (Continued) **S103644094**

Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	305397
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	8 33I020317
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	06/06/2016
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	06/27/2006
Status:	Terminated
Status Date:	06/07/2016
Place Size:	83500
Place Size Unit:	SqFt
Contact:	Becky Barragan
Contact Title:	Environmental Secretary
Contact Phone:	951-277-3377
Contact Phone Ext:	Not reported
Contact Email:	schock@wdschock.com
Operator Name:	WD Schock Corp
Operator Address:	23125 Temescal Canyon Rd
Operator City:	Corona
Operator State:	California
Operator Zip:	92883
Operator Contact:	John ODonnell
Operator Contact Title:	Not reported
Operator Contact Phone:	951-277-3377
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	schock@wdschock.net
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported

WD SCHOCK CORP (Continued) **S103644094**

Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Temescal Canyon Creek
Certifier:	Thomas Schock
Certifier Title:	President
Certification Date:	01-JUL-15
Primary Sic:	3732-Boat Building and Repairing
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	8 33I020317
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Terminated
Status Date:	06/07/2016
Operator Name:	WD Schock Corp
Operator Address:	23125 Temescal Canyon Rd
Operator City:	Corona
Operator State:	California
Operator Zip:	92883

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Terminated
Agency Number:	0
Region:	8
Regulatory Measure ID:	305397
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33I020317
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	06/27/2006

WD SCHOCK CORP (Continued) **S103644094**

Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	06/06/2016
Discharge Name:	WD Schock Corp
Discharge Address:	23125 Temescal Canyon Rd
Discharge City:	Corona
Discharge State:	California
Discharge Zip:	92883
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported

WD SCHOCK CORP (Continued) **S103644094**

Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	305397
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	8 33I020317
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	06/06/2016
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	06/27/2006
Status:	Terminated
Status Date:	06/07/2016
Place Size:	83500
Place Size Unit:	SqFt
Contact:	Becky Barragan
Contact Title:	Environmental Secretary
Contact Phone:	951-277-3377
Contact Phone Ext:	Not reported
Contact Email:	schock@wdschock.com
Operator Name:	WD Schock Corp
Operator Address:	23125 Temescal Canyon Rd
Operator City:	Corona
Operator State:	California
Operator Zip:	92883
Operator Contact:	John ODonnell
Operator Contact Title:	Not reported
Operator Contact Phone:	951-277-3377
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	schock@wdschock.net
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported

WD SCHOCK CORP (Continued) **S103644094**

Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Temescal Canyon Creek
Certifier:	Thomas Schock
Certifier Title:	President
Certification Date:	01-JUL-15
Primary Sic:	3732-Boat Building and Repairing
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

CIWQS:

Agency:	WD Schock Corp
Agency Address:	23125 Temescal Canyon Rd, Corona, CA 92883
Place/Project Type:	Industrial - Boat Building and Repairing
SIC/NAICS:	3732
Region:	8
Program:	INDSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ
WDID:	8 33I020317
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	06/27/2006
Termination Date:	06/06/2016
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	5
Violations within 5 years:	1
Latitude:	33.78432
Longitude:	-117.48987

CERS TANKS:

Site ID:	504031
CERS ID:	110008276025
Site Name:	W.D. SCHOCK CORP

WD SCHOCK CORP (Continued) **S103644094**

CERS Description: US EPA Air Emission Inventory System (EIS)

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: JAMES JACKMAN
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: ENVIR MGMT
Entity Title: Not reported
Affiliation Address: 23125 TEMESCAL CYN ROAD
Affiliation City: CORONA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Site ID: 169709
CERS ID: 10316716
Site Name: W D SCHOCK BOAT BUILDERS
CERS Description: Chemical Storage Facilities

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 05-25-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Verifying facility is OOB
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Coordinates:
Site ID: 169709
Facility Name: W D Schock Boat Builders
Env Int Type Code: HWG
Program ID: 10316716
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.783620
Longitude: -117.490340

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Becky Barragan
Entity Title: Not reported
Affiliation Address: 23125 Temescal Canyon Rd
Affiliation City: Corona
Affiliation State: CA
Affiliation Country: Not reported

WD SCHOCK CORP (Continued) **S103644094**

Affiliation Zip:	92883
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	W D Schock Corp
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(951) 277-3377
Affiliation Type Desc:	Document Preparer
Entity Name:	Becky Barragan
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	W D Schock Boat Builders
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Tom Schock
Entity Title:	Not reported
Affiliation Address:	539 Conrad Point Rd. PO Box 1198
Affiliation City:	Lakeside
Affiliation State:	MT
Affiliation Country:	United States
Affiliation Zip:	59922
Affiliation Phone:	(949) 637-3618
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	23125 Temescal Cyn Rd
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92883
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	W D Schock Corp
Entity Title:	Not reported
Affiliation Address:	23125 Temescal Cyn Rd

WD SCHOCK CORP (Continued) **S103644094**

Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(951) 277-3377
Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055
Affiliation Type Desc:	Identification Signer
Entity Name:	Becky Barragan
Entity Title:	Marketing Assistant
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

C14 **WD SCHOCK CORP** **RCRA-SQG** **1000378173**
WSW **23125 TEMESCAL CANYON RD** **US AIRS** **CAD982320806**
< 1/8 **CORONA, CA 92883**
0.049 mi.
259 ft. **Site 2 of 2 in cluster C**

Relative:
Higher

Actual:
955 ft.

RCRA-SQG:

Date form received by agency:	03/16/1988
Facility name:	WD SCHOCK CORP
Facility address:	23125 TEMESCAL CANYON RD CORONA, CA 92883
EPA ID:	CAD982320806
Contact:	ENVIRONMENTAL MANAGER
Contact address:	23125 TEMESCAL CANYON RD CORONA, CA 91719
Contact country:	US
Contact telephone:	714-371-3377
Contact email:	Not reported
EPA Region:	09
Classification:	Small Small Quantity Generator
Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:	TOM SCHOCK
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999

WD SCHOCK CORP (Continued) **1000378173**

Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: 415-555-1212
Owner/operator email: Not reported
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Violation Status: No violations found

US AIRS MINOR:
Envid: 1000378173
Region Code: 09
Programmatic ID: AIR CA00000006065MAC56
Facility Registry ID: 110008276025
D and B Number: Not reported
Primary SIC Code: 3732
NAICS Code: 336612
Default Air Classification Code: MIN
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS MINOR:
Envid: 1000378173

WD SCHOCK CORP (Continued) **1000378173**

Region Code:	09
Programmatic ID:	AIR CA00000006065MAC56
Facility Registry ID:	110008276025
D and B Number:	Not reported
Primary SIC Code:	3732
NAICS Code:	336612
Default Air Classification Code:	MIN
Facility Type of Ownership Code:	POF
Air CMS Category Code:	Not reported
HPV Status:	Not reported

D15 **SHELL SERVICE STATION** **CERS HAZ WASTE** **S113136206**
South **23255 TEMESCAL CANYON RD** **CERS TANKS** **N/A**
< 1/8 **CORONA, CA 92883** **HAZNET**
0.054 mi. **CERS**
285 ft. **Site 1 of 2 in cluster D**

Relative: **Higher**
Actual: **993 ft.**

CERS HAZ WASTE:

Site ID:	153045
CERS ID:	10322005
CERS Description:	Hazardous Waste Generator

Violations:

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description:	Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	09-16-2014
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016

SHELL SERVICE STATION (Continued) **S113136206**

Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description:	Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	09-16-2014
Citation:	HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description:	Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health

SHELL SERVICE STATION (Continued) **S113136206**

Violation Program: HMRRP
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 05/18/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 05/18/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: 23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description: Failure of the pressurized piping to meet one or more of the following requirements: monitored at least hourly with the capability of detecting a release of 3.0 gallons per hour, and will restrict the flow of product through the piping or trigger an alarm when a release occurs.
Violation Notes: Returned to compliance on 05/18/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-20-2015
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 05/25/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station

SHELL SERVICE STATION (Continued) **S113136206**

Violation Date:	05-18-2016
Citation:	23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description:	Failure of the overfill prevention system to meet one of the following requirements: 1. Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or 2. Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or 3. Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or 4. Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	23 CCR 16 2632, 2634, 2636, 2666 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632, 2634, 2636, 2666
Violation Description:	Failure of the leak detection equipment to have an audible and visual alarm as required.
Violation Notes:	Returned to compliance on 07/15/2015.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

SHELL SERVICE STATION (Continued) **S113136206**

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description:	Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes:	Returned to compliance on 06/17/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	06-05-2014
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS

SHELL SERVICE STATION (Continued) **S113136206**

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-13-2014
Citation:	HSC 6.7 25290.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)
Violation Description:	Failure to maintain the interstitial space under constant vacuum, pressure, or hydrostatic such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment. (Product Tight)
Violation Notes:	Returned to compliance on 06/05/2014.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-17-2017
Citation:	23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description:	Failure of the overfill prevention system to meet one of the following requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling.
Violation Notes:	Returned to compliance on 02/28/2018.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-13-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Riverside County Department of Env Health
Eval Program:	UST

SHELL SERVICE STATION (Continued) **S113136206**

Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-05-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-16-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 06-05-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-03-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection

SHELL SERVICE STATION (Continued) **S113136206**

Eval Date: 05-16-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: New APSA Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: APSA
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-20-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-27-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-16-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-13-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-16-2018
Violations Found: No
Eval Type: Routine done by local agency

SHELL SERVICE STATION (Continued) **S113136206**

Eval Notes: Facility stores Co2, new oil, and coolant in reportable quantities. Facility will be added to the APSA program. Maintain the split oil on top of the new oil tanks in the underground area. Shop manager, Don, is aware that no smoking is allowing in the underground area. Smoking should only be allowed a safe area away from the lube shop.
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-17-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-16-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 05-13-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 05-20-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD

SHELL SERVICE STATION (Continued) **S113136206**

Site City: CORONA
Site Zip: 92883
Enf Action Date: 06-05-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 09-16-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 09-16-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS

Coordinates:
Site ID: 153045
Facility Name: Shell Service Station
Env Int Type Code: HWG
Program ID: 10322005
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.778780
Longitude: -117.487020

Affiliation:
Affiliation Type Desc: Parent Corporation
Entity Name: Shell Service Station
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

SHELL SERVICE STATION (Continued) **S113136206**

Affiliation Type Desc:	Property Owner
Entity Name:	Isa Bahu
Entity Title:	Not reported
Affiliation Address:	23255 Temescal cyn rd
Affiliation City:	corona
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(714) 609-9669

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	23760 Temescal Cyn Rd
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92883
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Tank Owner
Entity Name:	AT properties
Entity Title:	Not reported
Affiliation Address:	23255 Temescal Canyon Rd
Affiliation City:	Corona
Affiliation State:	Ca
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(714) 624-1567

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055

Affiliation Type Desc:	Document Preparer
Entity Name:	May Bahu
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	May Bahu
Entity Title:	Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

SHELL SERVICE STATION (Continued) **S113136206**

Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Shell Service Station
Entity Title:	Not reported
Affiliation Address:	23760 Temescal Cyn Rd
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(951) 277-4898
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	Isa Bahu
Entity Title:	Not reported
Affiliation Address:	23255 Temescal Canyon RD.
Affiliation City:	Corona
Affiliation State:	Ca
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(714) 609-9669
Affiliation Type Desc:	Environmental Contact
Entity Name:	May Bahu
Entity Title:	Not reported
Affiliation Address:	23255 Temescal cyn rd
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92883
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Isa Bahu
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(714) 609-9669
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	May Bahu
Entity Title:	Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(714) 624-1567
Affiliation Type Desc:	UST Tank Operator
Entity Name:	AT properties
Entity Title:	Not reported
Affiliation Address:	23255 Temescal cyn rd

SHELL SERVICE STATION (Continued) **S113136206**

Affiliation City: Corona
Affiliation State: Ca
Affiliation Country: United States
Affiliation Zip: 92883
Affiliation Phone: (951) 277-4898

CERS TANKS:
Facility Name: SHELL SERVICE STATION
Site ID: 153045
CERS ID: 10322005
CERS Description: Underground Storage Tank

Violations:
Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes: Returned to compliance on 05/25/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 09-16-2014
Citation: HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description: Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes: Returned to compliance on 05/25/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 05/25/2016.
Violation Division: Riverside County Department of Env Health

SHELL SERVICE STATION (Continued) **S113136206**

Violation Program:	HW
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description:	Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	09-16-2014
Citation:	HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description:	Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)

SHELL SERVICE STATION (Continued) **S113136206**

Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 05/18/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 05/18/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: 23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description: Failure of the pressurized piping to meet one or more of the following requirements: monitored at least hourly with the capability of detecting a release of 3.0 gallons per hour, and will restrict the flow of product through the piping or trigger an alarm when a release occurs.
Violation Notes: Returned to compliance on 05/18/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-20-2015
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 05/25/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: 23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description: Failure of the overfill prevention system to meet one of the following requirements: 1. Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or 2. Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the

SHELL SERVICE STATION (Continued) **S113136206**

restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or 3. Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or 4. Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling.

Violation Notes: Returned to compliance on 05/25/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes: Returned to compliance on 05/18/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: HMRRP
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes: Returned to compliance on 05/18/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-20-2015
Citation: 23 CCR 16 2632, 2634, 2636, 2666 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632, 2634, 2636, 2666
Violation Description: Failure of the leak detection equipment to have an audible and visual alarm as required.
Violation Notes: Returned to compliance on 07/15/2015.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description: Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.

SHELL SERVICE STATION (Continued) **S113136206**

Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes:	Returned to compliance on 06/17/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	06-05-2014
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 05/25/2016.

SHELL SERVICE STATION (Continued) **S113136206**

Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-13-2014
Citation: HSC 6.7 25290.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)
Violation Description: Failure to maintain the interstitial space under constant vacuum, pressure, or hydrostatic such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment. (Product Tight)
Violation Notes: Returned to compliance on 06/05/2014.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-17-2017
Citation: 23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description: Failure of the overfill prevention system to meet one of the following requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling.
Violation Notes: Returned to compliance on 02/28/2018.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-13-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-05-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health

SHELL SERVICE STATION (Continued) **S113136206**

Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-16-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 06-05-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-03-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-16-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: New APSA Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: APSA
Eval Source: CERS

SHELL SERVICE STATION (Continued) **S113136206**

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-18-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Riverside County Department of Env Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-20-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Riverside County Department of Env Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Other/Unknown
Eval Date:	07-27-2016
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Not reported
Eval Division:	Riverside County Department of Env Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Other/Unknown
Eval Date:	09-16-2014
Violations Found:	Yes
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Not reported
Eval Division:	Riverside County Department of Env Health
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-13-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Riverside County Department of Env Health
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-16-2018
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Facility stores Co2, new oil, and coolant in reportable quantities. Facility will be added to the APSA program. Maintain the split oil on top of the new oil tanks in the underground area. Shop manager, Don, is aware that no smoking is allowing in the underground area. Smoking should only be allowed a safe area away from the lube shop.
Eval Division:	Riverside County Department of Env Health
Eval Program:	HMRRP
Eval Source:	CERS

SHELL SERVICE STATION (Continued) **S113136206**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-17-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-16-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 05-13-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 05-20-2015
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 06-05-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: HMRRP
Enf Action Source: CERS

SHELL SERVICE STATION (Continued) **S113136206**

Site ID:	153045
Site Name:	Shell Service Station
Site Address:	23255 TEMESCAL CANYON RD
Site City:	CORONA
Site Zip:	92883
Enf Action Date:	09-16-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Riverside County Department of Env Health
Enf Action Program:	HMRRP
Enf Action Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Site Address:	23255 TEMESCAL CANYON RD
Site City:	CORONA
Site Zip:	92883
Enf Action Date:	09-16-2014
Enf Action Type:	Notice of Violation (Unified Program)
Enf Action Description:	Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes:	Not reported
Enf Action Division:	Riverside County Department of Env Health
Enf Action Program:	UST
Enf Action Source:	CERS

Coordinates:

Site ID:	153045
Facility Name:	Shell Service Station
Env Int Type Code:	HWG
Program ID:	10322005
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.778780
Longitude:	-117.487020

Affiliation:

Affiliation Type Desc:	Parent Corporation
Entity Name:	Shell Service Station
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Property Owner
Entity Name:	Isa Bahu
Entity Title:	Not reported
Affiliation Address:	23255 Temescal cyn rd
Affiliation City:	corona
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(714) 609-9669

SHELL SERVICE STATION (Continued) **S113136206**

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	23760 Temescal Cyn Rd
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92883
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Tank Owner
Entity Name:	AT properties
Entity Title:	Not reported
Affiliation Address:	23255 Temescal Canyon Rd
Affiliation City:	Corona
Affiliation State:	Ca
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(714) 624-1567

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055

Affiliation Type Desc:	Document Preparer
Entity Name:	May Bahu
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	May Bahu
Entity Title:	Manager
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	Shell Service Station
Entity Title:	Not reported
Affiliation Address:	23760 Temescal Cyn Rd
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	United States

SHELL SERVICE STATION (Continued) **S113136206**

Affiliation Zip: 92883
Affiliation Phone: (951) 277-4898

Affiliation Type Desc: UST Property Owner Name
Entity Name: Isa Bahu
Entity Title: Not reported
Affiliation Address: 23255 Temescal Canyon RD.
Affiliation City: Corona
Affiliation State: Ca
Affiliation Country: United States
Affiliation Zip: 92883
Affiliation Phone: (714) 609-9669

Affiliation Type Desc: Environmental Contact
Entity Name: May Bahu
Entity Title: Not reported
Affiliation Address: 23255 Temescal cyn rd
Affiliation City: Corona
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92883
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: Isa Bahu
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (714) 609-9669

Affiliation Type Desc: UST Permit Applicant
Entity Name: May Bahu
Entity Title: Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (714) 624-1567

Affiliation Type Desc: UST Tank Operator
Entity Name: AT properties
Entity Title: Not reported
Affiliation Address: 23255 Temescal cyn rd
Affiliation City: Corona
Affiliation State: Ca
Affiliation Country: United States
Affiliation Zip: 92883
Affiliation Phone: (951) 277-4898

HAZNET:
Site Name: AT PROPERTIES INC
Year: 2017

SHELL SERVICE STATION (Continued) **S113136206**

GEPAID: CAL000291767
Contact: MAY BAHU
Telephone: 7146241567
Mailing Name: Not reported
Mailing Address: 23255 TEMESCAL CANYON RD
Mailing City,St,Zip: CORONA, CA 928830000
Gen County: Riverside
TSD EPA ID: CAD097030993
TSD County: Los Angeles
Tons: 0.09
CA Waste Code: 352-Other organic solids
Method: H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County: Riverside

Site Name: AT PROPERTIES INC
Year: 2017
GEPAID: CAL000291767
Contact: MAY BAHU
Telephone: 7146241567
Mailing Name: Not reported
Mailing Address: 23255 TEMESCAL CANYON RD
Mailing City,St,Zip: CORONA, CA 928830000
Gen County: Riverside
TSD EPA ID: CAD097030993
TSD County: Los Angeles
Tons: 0.09
CA Waste Code: 352-Other organic solids
Method: H141-Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Facility County: Riverside

Site Name: AT PROP INC
Year: 2015
GEPAID: CAL000291767
Contact: MAY BAHU
Telephone: 7146241567
Mailing Name: Not reported
Mailing Address: 23255 TEMESCAL CANYON RD
Mailing City,St,Zip: CORONA, CA 928830000
Gen County: Riverside
TSD EPA ID: CAT080013352
TSD County: Los Angeles
Tons: 0.22935
CA Waste Code: 223-
Method: H039-
Facility County: Riverside

Site Name: AT PROP INC
Year: 2015
GEPAID: CAL000291767
Contact: MAY BAHU
Telephone: 7146241567
Mailing Name: Not reported
Mailing Address: 23255 TEMESCAL CANYON RD
Mailing City,St,Zip: CORONA, CA 928830000
Gen County: Riverside

SHELL SERVICE STATION (Continued) **S113136206**

TSD EPA ID: CAT080013352
TSD County: Los Angeles
Tons: 0.22935
CA Waste Code: 223-
Method: H039-
Facility County: Riverside

Site Name: AT PROP INC
Year: 2012
GEPAID: CAL000291767
Contact: MAY BAHU
Telephone: 7146241567
Mailing Name: Not reported
Mailing Address: 23255 TEMESCAL CANYON RD
Mailing City,St,Zip: CORONA, CA 928830000
Gen County: Riverside
TSD EPA ID: CAD981696420
TSD County: Los Angeles
Tons: 0.417
CA Waste Code: -
Method: H141-
Facility County: Riverside

Click this hyperlink while viewing on your computer to access
5 additional CA_HAZNET: record(s) in the EDR Site Report.

CERS TANKS:
Site ID: 153045
CERS ID: 10322005
Site Name: SHELL SERVICE STATION
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 153045
Site Name: Shell Service Station
Violation Date: 05-18-2016
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes: Returned to compliance on 05/25/2016.
Violation Division: Riverside County Department of Env Health
Violation Program: UST
Violation Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Violation Date: 09-16-2014
Citation: HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7,

SHELL SERVICE STATION (Continued) **S113136206**

	Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HW
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description:	Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit a site map with all required content.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

SHELL SERVICE STATION (Continued) **S113136206**

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	09-16-2014
Citation:	HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description:	Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description:	Failure of the pressurized piping to meet one or more of the following requirements: monitored at least hourly with the capability of detecting a release of 3.0 gallons per hour, and will restrict the flow of product through the piping or trigger an alarm when a release occurs.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS

Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter

SHELL SERVICE STATION (Continued) **S113136206**

	16, Section(s) 2712(i)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description:	Failure of the overfill prevention system to meet one of the following requirements: 1. Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or 2. Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or 3. Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or 4. Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station

SHELL SERVICE STATION (Continued) **S113136206**

Violation Date:	05-20-2015
Citation:	23 CCR 16 2632, 2634, 2636, 2666 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632, 2634, 2636, 2666
Violation Description:	Failure of the leak detection equipment to have an audible and visual alarm as required.
Violation Notes:	Returned to compliance on 07/15/2015.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description:	Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/18/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-18-2016
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes:	Returned to compliance on 06/17/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	06-05-2014
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5

SHELL SERVICE STATION (Continued) **S113136206**

Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-20-2015
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 05/25/2016.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-13-2014
Citation:	HSC 6.7 25290.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(e)
Violation Description:	Failure to maintain the interstitial space under constant vacuum, pressure, or hydrostatic such that a breach in the primary or secondary containment is detected before the liquid or vapor phase of the hazardous substance stored in the UST tank is released into the environment. (Product Tight)
Violation Notes:	Returned to compliance on 06/05/2014.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST
Violation Source:	CERS
Site ID:	153045
Site Name:	Shell Service Station
Violation Date:	05-17-2017
Citation:	23 CCR 16 2665 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665
Violation Description:	Failure of the overfill prevention system to meet one of the following requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling.
Violation Notes:	Returned to compliance on 02/28/2018.
Violation Division:	Riverside County Department of Env Health
Violation Program:	UST

SHELL SERVICE STATION (Continued) **S113136206**

Violation Source: CERS

Evaluation:

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-13-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-05-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-16-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 06-05-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

SHELL SERVICE STATION (Continued) **S113136206**

Eval General Type: Other/Unknown
Eval Date: 09-03-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-16-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: New APSA Inspection
Eval Division: Riverside County Department of Env Health
Eval Program: APSA
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-18-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-20-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 07-27-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-16-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-13-2014
Violations Found: No

SHELL SERVICE STATION (Continued) **S113136206**

Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-16-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Facility stores Co2, new oil, and coolant in reportable quantities. Facility will be added to the APSA program. Maintain the split oil on top of the new oil tanks in the underground area. Shop manager, Don, is aware that no smoking is allowing in the underground area. Smoking should only be allowed a safe area away from the lube shop.
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-17-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 09-16-2014
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Riverside County Department of Env Health
Eval Program: HMRRP
Eval Source: CERS

Enforcement Action:
Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 05-13-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 05-20-2015

SHELL SERVICE STATION (Continued) **S113136206**

Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 06-05-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 09-16-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: HMRRP
Enf Action Source: CERS

Site ID: 153045
Site Name: Shell Service Station
Site Address: 23255 TEMESCAL CANYON RD
Site City: CORONA
Site Zip: 92883
Enf Action Date: 09-16-2014
Enf Action Type: Notice of Violation (Unified Program)
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection
Enf Action Notes: Not reported
Enf Action Division: Riverside County Department of Env Health
Enf Action Program: UST
Enf Action Source: CERS

Coordinates:
Site ID: 153045
Facility Name: Shell Service Station
Env Int Type Code: HWG
Program ID: 10322005
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.778780
Longitude: -117.487020

SHELL SERVICE STATION (Continued) **S113136206**

Affiliation:

Affiliation Type Desc:	Parent Corporation
Entity Name:	Shell Service Station
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Property Owner
Entity Name:	Isa Bahu
Entity Title:	Not reported
Affiliation Address:	23255 Temescal cyn rd
Affiliation City:	corona
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(714) 609-9669

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	23760 Temescal Cyn Rd
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92883
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Tank Owner
Entity Name:	AT properties
Entity Title:	Not reported
Affiliation Address:	23255 Temescal Canyon Rd
Affiliation City:	Corona
Affiliation State:	Ca
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(714) 624-1567

Affiliation Type Desc:	CUPA District
Entity Name:	Riverside Cnty Env Health
Entity Title:	Not reported
Affiliation Address:	4065 County Circle Drive, Room 104
Affiliation City:	Riverside
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92503
Affiliation Phone:	(951) 358-5055

Affiliation Type Desc:	Document Preparer
Entity Name:	May Bahu
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported

SHELL SERVICE STATION (Continued) **S113136206**

Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: May Bahu
Entity Title: Manager
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Shell Service Station
Entity Title: Not reported
Affiliation Address: 23760 Temescal Cyn Rd
Affiliation City: Corona
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92883
Affiliation Phone: (951) 277-4898

Affiliation Type Desc: UST Property Owner Name
Entity Name: Isa Bahu
Entity Title: Not reported
Affiliation Address: 23255 Temescal Canyon RD.
Affiliation City: Corona
Affiliation State: Ca
Affiliation Country: United States
Affiliation Zip: 92883
Affiliation Phone: (714) 609-9669

Affiliation Type Desc: Environmental Contact
Entity Name: May Bahu
Entity Title: Not reported
Affiliation Address: 23255 Temescal cyn rd
Affiliation City: Corona
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92883
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: Isa Bahu
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (714) 609-9669

Affiliation Type Desc: UST Permit Applicant
Entity Name: May Bahu
Entity Title: Manager

SHELL SERVICE STATION (Continued) **S113136206**

Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(714) 624-1567
Affiliation Type Desc:	UST Tank Operator
Entity Name:	AT properties
Entity Title:	Not reported
Affiliation Address:	23255 Temescal cyn rd
Affiliation City:	Corona
Affiliation State:	Ca
Affiliation Country:	United States
Affiliation Zip:	92883
Affiliation Phone:	(951) 277-4898

D16 **SHELL SERVICE STATION** **UST** **U004186723**
South **23255 TEMESCAL CANYON RD** **N/A**
< 1/8 **CORONA, CA 92883**
0.054 mi.
285 ft. **Site 2 of 2 in cluster D**

Relative: **Higher**

Actual: **993 ft.**

UST:

Facility ID:	Not reported
Permitting Agency:	Riverside County Department of Environmental Health
Latitude:	33.77878
Longitude:	-117.48702

RIVERSIDE CO. UST:

Region:	RIVERSIDE
Total Tanks:	2

E17 **HCI ENVIRONMENTAL & ENGINEERING SERVICE** **HWT** **S103966807**
WNW **22941 TEMESCAL CANYON RD** **N/A**
1/8-1/4 **CORONA, CA 92883**
0.163 mi.
859 ft. **Site 1 of 2 in cluster E**

Relative: **Higher**

Actual: **961 ft.**

HWT:

Reg Num:	5464
Expiration Date:	11/30/2019

E18 **HCI ENVIRONMENTAL & ENGINEERING SERVICE** **RCRA-CESQG** **1024877170**
WNW **22941 TEMESCAL CANYON RD.** **CAR000287300**
1/8-1/4 **CORONA, CA 92883**
0.163 mi.
859 ft. **Site 2 of 2 in cluster E**

Relative: **Higher**

Actual: **961 ft.**

RCRA-CESQG:

Date form received by agency:	08/27/2018
Facility name:	HCI ENVIRONMENTAL & ENGINEERING SERVICE
Facility address:	22941 TEMESCAL CANYON RD.

HCI ENVIRONMENTAL & ENGINEERING SERVICE (Continued) **1024877170**

CORONA, CA 92883
EPA ID: CAR000287300
Mailing address: MAGNOLIA AVE. SUITE 4C
RIVERSIDE, CA 92503
Contact: MELISSA IBISON
Contact address: MAGNOLIA AVE. SUITE 4C
RIVERSIDE, CA 92503
Contact country: US
Contact telephone: 951-280-0118
Contact email: MIBISON@HCIENV.COM
EPA Region: 09
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:
Owner/operator name: HUNTER CONSULTING INC DBA HCI ENVIRONMENTAL & ENGINEERING SERVICE
Owner/operator address: MAGNOLIA AVE. SUITE 4C
RIVERSIDE, CA 92503
Owner/operator country: US
Owner/operator telephone: 951-280-0118
Owner/operator email: TRESSA@HCIENV.COM
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 08/27/2018
Owner/Op end date: Not reported

Owner/operator name: SDG INVESTMENT
Owner/operator address: 280 CORPORATE TERRACE
CORONA, CA 92879
Owner/operator country: US
Owner/operator telephone: 951-371-7234
Owner/operator email: JAVIER@MIGUELSRESTAURANT.COM
Owner/operator fax: Not reported
Owner/operator extension: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 08/27/2018
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No

HCI ENVIRONMENTAL & ENGINEERING SERVICE (Continued) **1024877170**

Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: Yes

. Waste code: 221
. Waste name: Waste oil and mixed oil

. Waste code: D001
. Waste name: IGNITABLE WASTE

Violation Status: No violations found

---

19 **RANCHO SERRANO HIGH SCHOOL** **ENVIROSTOR** **S118757050**
SSW **LAWSON DRIVE/TEMESCAL CANYON ROAD** **SCH** **N/A**
1/4-1/2 **CORONA, CA 92883**
0.286 mi.
1509 ft.

Relative:
Higher

Actual:
1088 ft.

ENVIROSTOR:
Facility ID: 60000062
Status: No Action Required
Status Date: 02/25/2005
Site Code: 404603
Site Type: School Investigation
Site Type Detailed: School
Acres: 51.5
NPL: NO
Regulatory Agencies: DTSC
Lead Agency: DTSC
Program Manager: Amit Pathak
Supervisor: Shahir Haddad
Division Branch: Southern California Schools & Brownfields Outreach
Assembly: 67
Senate: 28
Special Program: Not reported
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: School District
Latitude: 33.778
Longitude: -117.491
APN: NONE SPECIFIED
Past Use: NONE
Potential COC: NONE SPECIFIED No Contaminants found
Confirmed COC: NONE SPECIFIED
Potential Description: NMA
Alias Name: CORONA/NORCO USD-PRPSD RANCHO SERRANO HS
Alias Type: Alternate Name
Alias Name: 404603

RANCHO SERRANO HIGH SCHOOL (Continued) **S118757050**

Alias Type: Project Code (Site Code)
Alias Name: 60000062
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Phase 1
Completed Date: 02/25/2005
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Cost Recovery Closeout Memo
Completed Date: 05/19/2005
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

SCH:

Facility ID: 60000062
Site Type: School Investigation
Site Type Detail: School
Site Mgmt. Req.: NONE SPECIFIED
Acres: 51.5
National Priorities List: NO
Cleanup Oversight Agencies: DTSC
Lead Agency: DTSC
Lead Agency Description: * DTSC
Project Manager: Amit Pathak
Supervisor: Shahir Haddad
Division Branch: Southern California Schools & Brownfields Outreach
Site Code: 404603
Assembly: 67
Senate: 28
Special Program Status: Not reported
Status: No Action Required
Status Date: 02/25/2005
Restricted Use: NO
Funding: School District
Latitude: 33.778
Longitude: -117.491
APN: NONE SPECIFIED
Past Use: NONE
Potential COC: NONE SPECIFIED, No Contaminants found
Confirmed COC: NONE SPECIFIED
Potential Description: NMA
Alias Name: CORONA/NORCO USD-PRPSD RANCHO SERRANO HS

RANCHO SERRANO HIGH SCHOOL (Continued) **S118757050**

Alias Type: Alternate Name
Alias Name: 404603
Alias Type: Project Code (Site Code)
Alias Name: 60000062
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Phase 1
Completed Date: 02/25/2005
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Cost Recovery Closeout Memo
Completed Date: 05/19/2005
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

F20 **ARCO STATION** **LUST** **S105690607**
South **23760 TEMESCAL CANYON ROAD** **N/A**
1/4-1/2 **CORONA, CA**
0.312 mi.
1649 ft. **Site 1 of 3 in cluster F**

Relative:
Higher

Actual:
1044 ft.

LUST REG 8:
Region: 8
County: Riverside
Regional Board: Santa Ana Region
Facility Status: Remediation Plan
Case Number: 083303949T
Local Case Num: 98-0750
Case Type: Undefined
Substance: Gasoline
Qty Leaked: Not reported
Abate Method: Not reported
Cross Street: Not reported
Enf Type: Not reported
Funding: Not reported
How Discovered: UM
How Stopped: NPP
Leak Cause: UNK
Leak Source: UNK
Global ID: T0606520247
How Stopped Date: 1/1/1998
Enter Date: Not reported
Date Confirmation of Leak Began: Not reported
Date Preliminary Assessment Began: Not reported

ARCO STATION (Continued) **S105690607**

Discover Date:	1/1/1998
Enforcement Date:	Not reported
Close Date:	Not reported
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	8/2/2002
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	Not reported
GW Qualifies:	=
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	0
Longitude:	0
MTBE Date:	2/16/2004
Max MTBE GW:	127
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	1
MTBE Tested:	MTBE Detected. Site tested for MTBE & MTBE detected
MTBE Class:	*
Staff:	VJJ
Staff Initials:	Not reported
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	Not reported
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

F21 **ARCO TEMESCAL CYN** **LUST** **S104228038**
South **23760 TEMESCAL CANYON RD** **N/A**
1/4-1/2 **CORONA, CA**
0.312 mi.
1649 ft. **Site 2 of 3 in cluster F**

Relative: RIVERSIDE CO. LUST:
Higher

Region:	RIVERSIDE
Facility ID:	980750
Employee:	Boltinghous-LOP
Site Closed:	Yes
Case Type:	Drinking Water Aquifer affected
Facility Status:	closed/action completed
Casetype Decode:	An Aquifer used for Drinking Water supply has been contaminated.
Fstatus Decode:	Closed/Action completed

Actual:
1044 ft.

F22 **ARCO TEMESCAL CYN** **LUST** **S101590282**
South **23760 TEMESCAL CANYON ROAD** **SWEEPS UST** **N/A**
1/4-1/2 **CORONA, CA 92883** **CA FID UST**
0.312 mi. **CERS**
1649 ft. **Site 3 of 3 in cluster F**

Relative:
Higher

Actual:
1044 ft.

LUST:

Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606520247
Global Id:	T0606520247
Latitude:	33.77465
Longitude:	-117.487574
Status:	Completed - Case Closed
Status Date:	10/13/2006
Case Worker:	SCB
RB Case Number:	083303949T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency Warehouse
Local Case Number:	980750
Potential Media Affect:	Under Investigation
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0606520247
Contact Type:	Local Agency Caseworker
Contact Name:	SHARON BOLTINGHOUSE
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	sbolting@rivco.org
Phone Number:	9519558980

Global Id:	T0606520247
Contact Type:	Regional Board Caseworker
Contact Name:	VALERIE JAHN-BULL
Organization Name:	SANTA ANA RWQCB (REGION 8)
Address:	3737 MAIN STREET, SUITE 500
City:	RIVERSIDE
Email:	valerie.jahn-bull@waterboards.ca.gov
Phone Number:	9517824903

LUST:

Global Id:	T0606520247
Action Type:	ENFORCEMENT
Date:	10/12/2006
Action:	File review - #upload site file

Global Id:	T0606520247
Action Type:	Other
Date:	08/31/1998
Action:	Leak Reported

Global Id:	T0606520247
Action Type:	REMEDIATION
Date:	07/02/2002
Action:	Soil Vapor Extraction (SVE)

ARCO TEMESCAL CYN (Continued) **S101590282**

Global Id: T0606520247
Action Type: ENFORCEMENT
Date: 10/12/2006
Action: File review - #RCDEH Upload Site File 1/25/2011

Global Id: T0606520247
Action Type: ENFORCEMENT
Date: 10/13/2006
Action: Closure/No Further Action Letter

Global Id: T0606520247
Action Type: Other
Date: 08/31/1998
Action: Leak Discovery

Global Id: T0606520247
Action Type: Other
Date: 08/31/1998
Action: Leak Stopped

LUST:
Global Id: T0606520247
Status: Completed - Case Closed
Status Date: 10/13/2006

Global Id: T0606520247
Status: Open - Case Begin Date
Status Date: 08/31/1998

Global Id: T0606520247
Status: Open - Remediation
Status Date: 07/02/2002

Global Id: T0606520247
Status: Open - Remediation
Status Date: 08/02/2002

Global Id: T0606520247
Status: Open - Site Assessment
Status Date: 09/02/1998

Global Id: T0606520247
Status: Open - Verification Monitoring
Status Date: 10/26/2004

SWEEPS UST:
Status: Active
Comp Number: 26597
Number: 1
Board Of Equalization: Not reported
Referral Date: 10-21-92
Action Date: 10-21-92
Created Date: 07-18-90
Owner Tank Id: Not reported
SWRCB Tank Id: 33-000-026597-000001

ARCO TEMESCAL CYN (Continued) **S101590282**

Tank Status:	A
Capacity:	1000
Active Date:	10-21-92
Tank Use:	UNKNOWN
STG:	P
Content:	UNKNOWN CONT
Number Of Tanks:	4
Status:	Active
Comp Number:	26597
Number:	1
Board Of Equalization:	Not reported
Referral Date:	10-21-92
Action Date:	10-21-92
Created Date:	07-18-90
Owner Tank Id:	Not reported
SWRCB Tank Id:	33-000-026597-000002
Tank Status:	A
Capacity:	1000
Active Date:	10-21-92
Tank Use:	UNKNOWN
STG:	P
Content:	Not reported
Number Of Tanks:	Not reported
Status:	Active
Comp Number:	26597
Number:	1
Board Of Equalization:	Not reported
Referral Date:	10-21-92
Action Date:	10-21-92
Created Date:	07-18-90
Owner Tank Id:	Not reported
SWRCB Tank Id:	33-000-026597-000003
Tank Status:	A
Capacity:	1000
Active Date:	10-21-92
Tank Use:	UNKNOWN
STG:	P
Content:	Not reported
Number Of Tanks:	Not reported
Status:	Active
Comp Number:	26597
Number:	1
Board Of Equalization:	Not reported
Referral Date:	10-21-92
Action Date:	10-21-92
Created Date:	07-18-90
Owner Tank Id:	Not reported
SWRCB Tank Id:	33-000-026597-000004
Tank Status:	A
Capacity:	1000
Active Date:	10-21-92
Tank Use:	UNKNOWN
STG:	P
Content:	Not reported

ARCO TEMESCAL CYN (Continued) **S101590282**

Number Of Tanks: Not reported

CA FID UST:
Facility ID: 33006950
Regulated By: UTNKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: Not reported
Mail To: Not reported
Mailing Address: 23760 TEMESCAL CANYON RD
Mailing Address 2: Not reported
Mailing City,St,Zip: CORONA 91719
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CERS TANKS:
Site ID: 232914
CERS ID: T0606520247
Site Name: ARCO TEMESCAL CYN
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: VALERIE JAHN-BULL - SANTA ANA RWQCB (REGION 8)
Entity Title: Not reported
Affiliation Address: 3737 MAIN STREET, SUITE 500
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9517824903

Affiliation Type Desc: Local Agency Caseworker
Entity Name: SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title: Not reported
Affiliation Address: 3880 LEMON ST SUITE 200
Affiliation City: RIVERSIDE
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 9519558980

G23 **MISSION CLAY PRODUCTS** **LUST** **S105023408**
South **23835 TEMESCAL CNYN** **HIST CORTESE** **N/A**
1/4-1/2 **CORONA, CA 91718**
0.386 mi.
2038 ft. **Site 1 of 2 in cluster G**

Relative:
Higher

Actual:
1068 ft.

RIVERSIDE CO. LUST:

Region:	RIVERSIDE
Facility ID:	93929
Employee:	Malloy
Site Closed:	Yes
Case Type:	Soil only
Facility Status:	closed/action completed
Casetype Decode:	Soil only is impacted
Fstatus Decode:	Closed/Action completed

HIST CORTESE:

Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083302333T

G24 **MISSION CLAY PRODUCTS** **LUST** **1007286671**
South **23835 TEMESCAL CANYON RD** **NPDES** **N/A**
1/4-1/2 **CORONA, CA 91718** **CIWQS**
0.386 mi. **CERS**
2038 ft. **Site 2 of 2 in cluster G**

Relative:
Higher

Actual:
1068 ft.

LUST:

Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500334
Global Id:	T0606500334
Latitude:	33.773538163071
Longitude:	-117.491241375671
Status:	Completed - Case Closed
Status Date:	06/05/1996
Case Worker:	SCB
RB Case Number:	083302333T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency Warehouse
Local Case Number:	93929
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0606500334
Contact Type:	Local Agency Caseworker
Contact Name:	SHARON BOLTINGHOUSE
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	sbolting@rivco.org
Phone Number:	9519558980

Global Id:	T0606500334
Contact Type:	Regional Board Caseworker
Contact Name:	VALERIE JAHN-BULL
Organization Name:	SANTA ANA RWQCB (REGION 8)

MISSION CLAY PRODUCTS (Continued) **1007286671**

Address: 3737 MAIN STREET, SUITE 500
City: RIVERSIDE
Email: valerie.jahn-bull@waterboards.ca.gov
Phone Number: 9517824903

LUST:
Global Id: T0606500334
Action Type: Other
Date: 10/14/1993
Action: Leak Reported

Global Id: T0606500334
Action Type: ENFORCEMENT
Date: 06/04/1996
Action: File review - #RCDEH Upload Site File 9/1/2015

Global Id: T0606500334
Action Type: Other
Date: 10/04/1993
Action: Leak Discovery

Global Id: T0606500334
Action Type: ENFORCEMENT
Date: 06/05/1996
Action: Closure/No Further Action Letter - #RCDEH0605

Global Id: T0606500334
Action Type: Other
Date: 10/04/1993
Action: Leak Stopped

LUST:
Global Id: T0606500334
Status: Completed - Case Closed
Status Date: 06/05/1996

Global Id: T0606500334
Status: Open - Case Begin Date
Status Date: 10/04/1993

Global Id: T0606500334
Status: Open - Site Assessment
Status Date: 10/04/1993

Global Id: T0606500334
Status: Open - Site Assessment
Status Date: 03/15/1995

LUST REG 8:
Region: 8
County: Riverside
Regional Board: Santa Ana Region
Facility Status: Case Closed
Case Number: 083302333T
Local Case Num: 93929

MISSION CLAY PRODUCTS (Continued) **1007286671**

Case Type:	Soil only
Substance:	Diesel
Qty Leaked:	Not reported
Abate Method:	Not reported
Cross Street:	LAWSON
Enf Type:	CLOS
Funding:	Not reported
How Discovered:	Tank Closure
How Stopped:	Not reported
Leak Cause:	UNK
Leak Source:	UNK
Global ID:	T0606500334
How Stopped Date:	10/4/1993
Enter Date:	12/21/1993
Date Confirmation of Leak Began:	Not reported
Date Preliminary Assessment Began:	Not reported
Discover Date:	10/4/1993
Enforcement Date:	Not reported
Close Date:	6/5/1996
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	12/21/1993
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.7348853
Longitude:	-117.415246
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	0
MTBE Tested:	Not Required to be Tested.
MTBE Class:	*
Staff:	VJJ
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	ELSINORE (8-4)
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

NPDES:

Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported

MISSION CLAY PRODUCTS (Continued) **1007286671**

Place ID:	Not reported
Order Number:	Not reported
WDID:	8 33I011264
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Active
Status Date:	11/08/1994
Operator Name:	Mission Clay Product
Operator Address:	PO Box 549
Operator City:	Corona
Operator State:	California
Operator Zip:	92878

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	8
Regulatory Measure ID:	210792
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33I011264
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	11/08/1994
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Mission Clay Product
Discharge Address:	PO Box 549
Discharge City:	Corona
Discharge State:	California
Discharge Zip:	92878
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

MISSION CLAY PRODUCTS (Continued) **1007286671**

Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	210792
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	8 33I011264
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported

MISSION CLAY PRODUCTS (Continued) **1007286671**

Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	11/08/1994
Status:	Active
Status Date:	11/08/1994
Place Size:	273
Place Size Unit:	Acres
Contact:	Bryan Vansell
Contact Title:	Not reported
Contact Phone:	951-277-4600
Contact Phone Ext:	Not reported
Contact Email:	mccs@missionclay.com
Operator Name:	Mission Clay Product
Operator Address:	PO Box 549
Operator City:	Corona
Operator State:	California
Operator Zip:	92878
Operator Contact:	Bryan Vansell
Operator Contact Title:	Not reported
Operator Contact Phone:	951-277-4600
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	mccs@missionclay.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	951-277-4600
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Y
Receiving Water Name:	Temescal Canyon Wash
Certifier:	Bryan Vansell
Certifier Title:	General Manager
Certification Date:	30-JUN-15
Primary Sic:	3251-Brick and Structural Clay Tile

MISSION CLAY PRODUCTS (Continued) **1007286671**

Secondary Sic:	Not reported
Tertiary Sic:	Not reported
Facility Status:	Active
NPDES Number:	CAS000001
Region:	8
Agency Number:	0
Regulatory Measure ID:	210792
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	8 33I011264
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	11/08/1994
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	PO Box 549
Discharge Name:	Mission Clay Product
Discharge City:	Corona
Discharge State:	California
Discharge Zip:	92878
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	8
Regulatory Measure ID:	210792
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	8 33I011264
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	11/08/1994
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Mission Clay Product
Discharge Address:	PO Box 549
Discharge City:	Corona
Discharge State:	California
Discharge Zip:	92878
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported

MISSION CLAY PRODUCTS (Continued) **1007286671**

Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	8
Regulatory Measure ID:	210792
Order Number:	Not reported
Regulatory Measure Type:	Industrial

MISSION CLAY PRODUCTS (Continued) **1007286671**

Place ID:	Not reported
WDID:	8 33I011264
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	11/08/1994
Status:	Active
Status Date:	11/08/1994
Place Size:	273
Place Size Unit:	Acres
Contact:	Bryan Vansell
Contact Title:	Not reported
Contact Phone:	951-277-4600
Contact Phone Ext:	Not reported
Contact Email:	mccs@missionclay.com
Operator Name:	Mission Clay Product
Operator Address:	PO Box 549
Operator City:	Corona
Operator State:	California
Operator Zip:	92878
Operator Contact:	Bryan Vansell
Operator Contact Title:	Not reported
Operator Contact Phone:	951-277-4600
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	mccs@missionclay.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	951-277-4600
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported

MISSION CLAY PRODUCTS (Continued) **1007286671**

Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Y
Receiving Water Name:	Temescal Canyon Wash
Certifier:	Bryan Vansell
Certifier Title:	General Manager
Certification Date:	30-JUN-15
Primary Sic:	3251-Brick and Structural Clay Tile
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

CIWQS:

Agency:	Mission Clay Product
Agency Address:	PO Box 549, Corona, CA 92878
Place/Project Type:	Industrial - Brick and Structural Clay Tile
SIC/NAICS:	3251
Region:	8
Program:	INDSTW
Regulatory Measure Status:	Active
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ
WDID:	8 33I011264
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	11/08/1994
Termination Date:	Not reported
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	2
Violations within 5 years:	1
Latitude:	33.773
Longitude:	-117.48

CERS TANKS:

Site ID:	480963
CERS ID:	240943
Site Name:	MISSION CLAY PROD
CERS Description:	Industrial Facility Storm Water

Violations:

Site ID:	480963
Site Name:	Mission Clay Prod
Violation Date:	07-02-1999
Citation:	2014-0057-DWQ - Industrial General Permit
Violation Description:	SW - Deficient Report
Violation Notes:	Non-submittal of Annual Report. Due 7//1/1999
Violation Division:	Water Boards
Violation Program:	INDSTW
Violation Source:	SMARTS

Site ID:	480963
Site Name:	Mission Clay Prod

MISSION CLAY PRODUCTS (Continued) **1007286671**

Violation Date:	07-01-2015
Citation:	2014-0057-DWQ - Industrial General Permit
Violation Description:	SW - Late Report
Violation Notes:	2014-2015 annual report has not been turned in by the end of 7/1/2015 submission date.
Violation Division:	Water Boards
Violation Program:	INDSTW
Violation Source:	SMARTS

Enforcement Action:

Site ID:	480963
Site Name:	Mission Clay Prod
Site Address:	23835 TEMESCAL CANYON RD
Site City:	CORONA
Site Zip:	92883
Enf Action Date:	09-23-2015
Enf Action Type:	Industrial Storm Water Enforcement
Enf Action Description:	Industrial Storm Water Enforcement
Enf Action Notes:	SMARTS was having annual report module issue. Due date was suspended until 9/18/2015.
Enf Action Division:	Water Boards
Enf Action Program:	INDSTW
Enf Action Source:	SMARTS

Site ID:	480963
Site Name:	Mission Clay Prod
Site Address:	23835 TEMESCAL CANYON RD
Site City:	CORONA
Site Zip:	92883
Enf Action Date:	12-01-2015
Enf Action Type:	Industrial Storm Water Enforcement
Enf Action Description:	Industrial Storm Water Enforcement
Enf Action Notes:	2014-2015 annual report has not been received.
Enf Action Division:	Water Boards
Enf Action Program:	INDSTW
Enf Action Source:	SMARTS

Affiliation:

Affiliation Type Desc:	Owner/Operator
Entity Name:	Mission Clay Product
Entity Title:	Operator
Affiliation Address:	PO Box 549
Affiliation City:	Corona
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92878
Affiliation Phone:	Not reported

25
NE
1/4-1/2
0.457 mi.
2412 ft.

RIVERSIDE CEMENT CO.
10250 DAWSON CNYN
CORONA, CA 91719

LUST
HIST CORTESE
CERS

S105023401
N/A

Relative:
Higher

Actual:
1239 ft.

LUST:

Lead Agency:	RIVERSIDE COUNTY LOP
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0606500335
Global Id:	T0606500335
Latitude:	33.7909804137013
Longitude:	-117.482083193762
Status:	Completed - Case Closed
Status Date:	02/04/1994
Case Worker:	SCB
RB Case Number:	083302334T
Local Agency:	RIVERSIDE COUNTY LOP
File Location:	Local Agency Warehouse
Local Case Number:	93795
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0606500335
Contact Type:	Regional Board Caseworker
Contact Name:	CARL BERNHARDT
Organization Name:	SANTA ANA RWQCB (REGION 8)
Address:	3737 MAIN STREET, SUITE 500
City:	RIVERSIDE
Email:	carl.bernhardt@waterboards.ca.gov
Phone Number:	9517824495

Global Id:	T0606500335
Contact Type:	Local Agency Caseworker
Contact Name:	SHARON BOLTINGHOUSE
Organization Name:	RIVERSIDE COUNTY LOP
Address:	3880 LEMON ST SUITE 200
City:	RIVERSIDE
Email:	sbolting@rivco.org
Phone Number:	9519558980

LUST:

Global Id:	T0606500335
Action Type:	Other
Date:	08/30/1993
Action:	Leak Reported

Global Id:	T0606500335
Action Type:	REMEDIATION
Date:	11/02/1993
Action:	Excavation

Global Id:	T0606500335
Action Type:	ENFORCEMENT
Date:	02/03/1994
Action:	File review - #RCDEH Upload Site File 8/16/2010

RIVERSIDE CEMENT CO. (Continued) **S105023401**

Global Id: T0606500335
Action Type: Other
Date: 08/06/1993
Action: Leak Discovery

Global Id: T0606500335
Action Type: ENFORCEMENT
Date: 02/04/1994
Action: Closure/No Further Action Letter - #RCDEH0204

Global Id: T0606500335
Action Type: Other
Date: 08/06/1993
Action: Leak Stopped

LUST:
Global Id: T0606500335
Status: Completed - Case Closed
Status Date: 02/04/1994

Global Id: T0606500335
Status: Open - Case Begin Date
Status Date: 08/06/1993

Global Id: T0606500335
Status: Open - Remediation
Status Date: 11/02/1993

Global Id: T0606500335
Status: Open - Site Assessment
Status Date: 08/06/1993

LUST REG 8:
Region: 8
County: Riverside
Regional Board: Santa Ana Region
Facility Status: Case Closed
Case Number: 083302334T
Local Case Num: Not reported
Case Type: Soil only
Substance: Diesel
Qty Leaked: Not reported
Abate Method: Not reported
Cross Street: PARK CANYON
Enf Type: CLOS
Funding: Not reported
How Discovered: Tank Closure
How Stopped: Not reported
Leak Cause: UNK
Leak Source: UNK
Global ID: T0606500335
How Stopped Date: 8/6/1993
Enter Date: 12/21/1993
Date Confirmation of Leak Began: Not reported
Date Preliminary Assessment Began: Not reported

RIVERSIDE CEMENT CO. (Continued) **S105023401**

Discover Date:	8/6/1993
Enforcement Date:	Not reported
Close Date:	2/4/1994
Date Prelim Assessment Workplan Submitted:	Not reported
Date Pollution Characterization Began:	Not reported
Date Remediation Plan Submitted:	Not reported
Date Remedial Action Underway:	Not reported
Date Post Remedial Action Monitoring:	Not reported
Enter Date:	12/21/1993
GW Qualifies:	Not reported
Soil Qualifies:	Not reported
Operator:	Not reported
Facility Contact:	Not reported
Interim:	Not reported
Oversite Program:	LUST
Latitude:	33.7827769
Longitude:	-117.4672774
MTBE Date:	Not reported
Max MTBE GW:	Not reported
MTBE Concentration:	0
Max MTBE Soil:	Not reported
MTBE Fuel:	0
MTBE Tested:	Not Required to be Tested.
MTBE Class:	*
Staff:	CAB
Staff Initials:	UNK
Lead Agency:	Local Agency
Local Agency:	33000L
Hydr Basin #:	ELSINORE (8-4)
Beneficial:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Work Suspended:	Not reported

Summary: Not reported

RIVERSIDE CO. LUST:

Region:	RIVERSIDE
Facility ID:	93795
Employee:	Jones
Site Closed:	Yes
Case Type:	Soil only
Facility Status:	closed/action completed
Casetype Decode:	Soil only is impacted
Fstatus Decode:	Closed/Action completed

HIST CORTESE:

Region:	CORTESE
Facility County Code:	33
Reg By:	LTNKA
Reg Id:	083302334T

CERS TANKS:

Site ID:	258565
CERS ID:	T0606500335
Site Name:	RIVERSIDE CEMENT CO.
CERS Description:	Leaking Underground Storage Tank Cleanup Site

RIVERSIDE CEMENT CO. (Continued) **S105023401**

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	CARL BERNHARDT - SANTA ANA RWQCB (REGION 8)
Entity Title:	Not reported
Affiliation Address:	3737 MAIN STREET, SUITE 500
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9517824495

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	SHARON BOLTINGHOUSE - RIVERSIDE COUNTY LOP
Entity Title:	Not reported
Affiliation Address:	3880 LEMON ST SUITE 200
Affiliation City:	RIVERSIDE
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	9519558980

26
WNW
1/4-1/2
0.478 mi.
2526 ft.

TEMESCAL CANYON ELEMENTARY **ENVIROSTOR** **S107737436**
CLAYSTONE AVENUE/NICKELLAUS COURT **SCH** **N/A**
CORONA, CA 92883

Relative:
Higher

Actual:
1009 ft.

ENVIROSTOR:

Facility ID:	33010021
Status:	No Further Action
Status Date:	12/26/2001
Site Code:	404149
Site Type:	School Investigation
Site Type Detailed:	School
Acres:	11.7
NPL:	NO
Regulatory Agencies:	DTSC
Lead Agency:	DTSC
Program Manager:	Kamili Siglowide
Supervisor:	Charles Ridenour
Division Branch:	Southern California Schools & Brownfields Outreach
Assembly:	67
Senate:	28
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	School District
Latitude:	33.78773
Longitude:	-117.4977
APN:	NONE SPECIFIED
Past Use:	AGRICULTURAL - ROW CROPS
Potential COC:	Arsenic DDD DDE DDT
Confirmed COC:	NONE SPECIFIED
Potential Description:	SOIL
Alias Name:	CORONA-NORCO USD
Alias Type:	Alternate Name

TEMESCAL CANYON ELEMENTARY (Continued) **S107737436**

Alias Name: CORONA/NORCO USD-TEMESCAL CANYN ELEM SCH
Alias Type: Alternate Name
Alias Name: TEMESCAL CANYON ELEMENTARY SCHOOL SITE
Alias Type: Alternate Name
Alias Name: 404149
Alias Type: Project Code (Site Code)
Alias Name: 33010021
Alias Type: Envirostor ID Number

Completed Info:
Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Inspections/Visit (Non LUR)
Completed Date: 12/12/2000
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Environmental Oversight Agreement
Completed Date: 09/18/2000
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Preliminary Endangerment Assessment Report
Completed Date: 12/26/2001
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Workplan
Completed Date: 04/16/2001
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Workplan
Completed Date: 07/20/2001
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Cost Recovery Closeout Memo
Completed Date: 12/26/2001
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

SCH:

TEMESCAL CANYON ELEMENTARY (Continued) **S107737436**

Facility ID:	33010021
Site Type:	School Investigation
Site Type Detail:	School
Site Mgmt. Req.:	NONE SPECIFIED
Acres:	11.7
National Priorities List:	NO
Cleanup Oversight Agencies:	DTSC
Lead Agency:	DTSC
Lead Agency Description:	* DTSC
Project Manager:	Kamili Siglowide
Supervisor:	Charles Ridenour
Division Branch:	Southern California Schools & Brownfields Outreach
Site Code:	404149
Assembly:	67
Senate:	28
Special Program Status:	Not reported
Status:	No Further Action
Status Date:	12/26/2001
Restricted Use:	NO
Funding:	School District
Latitude:	33.78773
Longitude:	-117.4977
APN:	NONE SPECIFIED
Past Use:	AGRICULTURAL - ROW CROPS
Potential COC:	Arsenic, DDD, DDE, DDT
Confirmed COC:	NONE SPECIFIED
Potential Description:	SOIL
Alias Name:	CORONA-NORCO USD
Alias Type:	Alternate Name
Alias Name:	CORONA/NORCO USD-TEMESCAL CANYN ELEM SCH
Alias Type:	Alternate Name
Alias Name:	TEMESCAL CANYON ELEMENTARY SCHOOL SITE
Alias Type:	Alternate Name
Alias Name:	404149
Alias Type:	Project Code (Site Code)
Alias Name:	33010021
Alias Type:	Envirostor ID Number

Completed Info:

Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Site Inspections/Visit (Non LUR)
Completed Date:	12/12/2000
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Environmental Oversight Agreement
Completed Date:	09/18/2000
Comments:	Not reported
Completed Area Name:	PROJECT WIDE
Completed Sub Area Name:	Not reported
Completed Document Type:	Preliminary Endangerment Assessment Report
Completed Date:	12/26/2001
Comments:	Not reported
Completed Area Name:	PROJECT WIDE

TEMESCAL CANYON ELEMENTARY (Continued) **S107737436**

Completed Sub Area Name: Not reported
Completed Document Type: * Workplan
Completed Date: 04/16/2001
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: * Workplan
Completed Date: 07/20/2001
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Cost Recovery Closeout Memo
Completed Date: 12/26/2001
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

Count: 11 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
CORONA	S106117708	WILD ROSE DEVELOPMENT	HIGHWAY 15 NEAR CLAY CANYON		LUST
CORONA	S107537949		CAJALCO RD-1/2 MI E OF TEMESCA		CDL
CORONA	S121678248	SW CR OLD TEMESCAL RD & 6TH ST	SW CR OLD TEMESCAL RD & 6TH ST		CIWQS
CORONA	S123302668	TEMESCAL CANYON ROAD	DAWSON CANYON RD TO DOS LAGOS	92883	NPDES, CERS
CORONA	S121634120	DEWATERING,TEMESCAL CANYON	TEMESCAL CANYON		CIWQS
CORONA	S121679192	TEMESCAL CANYON RD WIDENING	TEMESCAL CANYON RD AND I 15	92883	CIWQS
CORONA	S109611842		TEMESCAL CANYON RD, 3/4 MILE N	92883	CDL
CORONA	S109611831		ON TEMESCAL CANYON RD, 1/4 MI	92883	CDL
CORONA	S107540863		TEMESCAL CANYON RD @ WEIRICK R	92883	CDL
CORONA	S107540862		TEMESCAL CANYON RD (@ HIGHWAY	92883	CDL
RIVERSIDE COUNTY	1023245070	TEMESCA CANYON RD - COLDWATER CANY	TEMESCAL CANYON		FINDS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 26

Source: EPA
Telephone: N/A
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 04/03/2019
Date Data Arrived at EDR: 04/05/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 04/05/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/14/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 34

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/14/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 34

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 03/27/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/27/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/27/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/27/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/27/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 02/22/2019
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 41

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 05/10/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/31/2019
Date Data Arrived at EDR: 02/04/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 02/04/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/31/2019
Date Data Arrived at EDR: 02/04/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 02/04/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 36

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 03/26/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

State- and tribal - equivalent NPL

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 01/28/2019
Date Data Arrived at EDR: 01/29/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 35

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 01/28/2019
Date Data Arrived at EDR: 01/29/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 35

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

State and tribal landfill and/or solid waste disposal site lists

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inve ntory of solid waste disposal facilities or landfills. These may be active or i nactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 02/11/2019
Date Data Arrived at EDR: 02/12/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 21

Source: Department of Resources Recycling and Recovery
Telephone: 916-341-6320
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008
Date Data Arrived at EDR: 07/22/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 9

Source: California Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-4834
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

LUST: Leaking Underground Fuel Tank Report (GEOTRACKER)

Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: see region list
Last EDR Contact: 12/11/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Quarterly

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001
Date Data Arrived at EDR: 04/23/2001
Date Made Active in Reports: 05/21/2001
Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-637-5595
Last EDR Contact: 09/26/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: No Update Planned

LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005
Date Data Arrived at EDR: 02/15/2005
Date Made Active in Reports: 03/28/2005
Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)
Telephone: 909-782-4496
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: Varies

LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004
Date Data Arrived at EDR: 02/26/2004
Date Made Active in Reports: 03/24/2004
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Telephone: 760-776-8943
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005
Date Data Arrived at EDR: 06/07/2005
Date Made Active in Reports: 06/29/2005
Number of Days to Update: 22

Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Telephone: 760-241-7365
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 6L: Leaking Underground Storage Tank Case Listing
For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003
Date Data Arrived at EDR: 09/10/2003
Date Made Active in Reports: 10/07/2003
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Lahontan Region (6)
Telephone: 530-542-5572
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 4: Underground Storage Tank Leak List
Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6710
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

LUST REG 3: Leaking Underground Storage Tank Database
Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003
Date Data Arrived at EDR: 05/19/2003
Date Made Active in Reports: 06/02/2003
Number of Days to Update: 14

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-542-4786
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

LUST REG 2: Fuel Leak List
Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-622-2433
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: Quarterly

LUST REG 1: Active Toxic Site Investigation
Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001
Date Data Arrived at EDR: 02/28/2001
Date Made Active in Reports: 03/29/2001
Number of Days to Update: 29

Source: California Regional Water Quality Control Board North Coast (1)
Telephone: 707-570-3769
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 02/19/2019
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/16/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 10/10/2018
Date Data Arrived at EDR: 03/08/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 54
Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 10/17/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 10/12/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 09/24/2018
Date Data Arrived at EDR: 03/12/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 50
Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 11/01/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/13/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55
Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

CPS-SLIC: Statewide SLIC Cases (GEOTRACKER)

Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003
Date Data Arrived at EDR: 04/07/2003
Date Made Active in Reports: 04/25/2003
Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)
Telephone: 707-576-2220
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-286-0457
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: Quarterly

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006
Date Data Arrived at EDR: 05/18/2006
Date Made Active in Reports: 06/15/2006
Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-549-3147
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: Semi-Annually

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004
Date Data Arrived at EDR: 11/18/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6600
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: Varies

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: Semi-Annually

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: Semi-Annually

SLIC REG 6L: SLIC Sites
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: Semi-Annually

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 08/08/2011
Next Scheduled EDR Contact: 11/21/2011
Data Release Frequency: Annually

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 05/15/2017
Date Data Arrived at EDR: 05/30/2017
Date Made Active in Reports: 10/13/2017
Number of Days to Update: 136

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 04/25/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST: Active UST Facilities
Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: SWRCB
Telephone: 916-341-5851
Last EDR Contact: 12/11/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Semi-Annually

UST CLOSURE: Proposed Closure of Underground Storage Tank (UST) Cases
UST cases that are being considered for closure by either the State Water Resources Control Board or the Executive Director have been posted for a 60-day public comment period. UST Case Closures being proposed for consideration by the State Water Resources Control Board. These are primarily UST cases that meet closure criteria under the decisional framework in State Water Board Resolution No. 92-49 and other Board orders. UST Case Closures proposed for consideration by the Executive Director pursuant to State Water Board Resolution No. 2012-0061. These are cases that meet the criteria of the Low-Threat UST Case Closure Policy. UST Case Closure Review Denials and Approved Orders.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/03/2019
Number of Days to Update: 21

Source: State Water Resources Control Board
Telephone: 916-327-7844
Last EDR Contact: 03/13/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Varies

MILITARY UST SITES: Military UST Sites (GEOTRACKER)
Military ust sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

AST: Aboveground Petroleum Storage Tank Facilities
A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 07/06/2016
Date Data Arrived at EDR: 07/12/2016
Date Made Active in Reports: 09/19/2016
Number of Days to Update: 69

Source: California Environmental Protection Agency
Telephone: 916-327-5092
Last EDR Contact: 03/18/2019
Next Scheduled EDR Contact: 07/01/2019
Data Release Frequency: Quarterly

INDIAN UST R4: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 09/24/2018
Date Data Arrived at EDR: 03/12/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 50

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 10/12/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 10/17/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 11/07/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/16/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 10/10/2018
Date Data Arrived at EDR: 03/08/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 54

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/03/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 11/01/2018
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 55

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

State and tribal voluntary cleanup sites

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng
A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27
Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing
A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142
Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 03/25/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Properties
Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 01/28/2019
Date Data Arrived at EDR: 01/29/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 35
Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

State and tribal Brownfields sites

BROWNFIELDS: Considered Brownfieds Sites Listing
A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 34
Source: State Water Resources Control Board
Telephone: 916-323-7905
Last EDR Contact: 03/26/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites
Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/17/2018
Date Data Arrived at EDR: 12/18/2018
Date Made Active in Reports: 01/11/2019
Number of Days to Update: 24
Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 03/19/2019
Next Scheduled EDR Contact: 07/01/2019
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000
Date Data Arrived at EDR: 04/10/2000
Date Made Active in Reports: 05/10/2000
Number of Days to Update: 30

Source: State Water Resources Control Board
Telephone: 916-227-4448
Last EDR Contact: 04/25/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: No Update Planned

SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 48

Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 03/13/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing

A listing of registered waste tire haulers.

Date of Government Version: 03/26/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 34

Source: Integrated Waste Management Board
Telephone: 916-341-6422
Last EDR Contact: 05/09/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land
A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176
Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 04/23/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register
A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 02/24/2019
Date Data Arrived at EDR: 02/26/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 50
Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: No Update Planned

HIST CAL-SITES: Calsites Database
The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005
Date Data Arrived at EDR: 08/03/2006
Date Made Active in Reports: 08/24/2006
Number of Days to Update: 21
Source: Department of Toxic Substance Control
Telephone: 916-323-3400
Last EDR Contact: 02/23/2009
Next Scheduled EDR Contact: 05/25/2009
Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program
This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 01/28/2019
Date Data Arrived at EDR: 01/29/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 35
Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs
A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/12/2018
Date Made Active in Reports: 08/06/2018
Number of Days to Update: 55
Source: Department of Toxic Substances Control
Telephone: 916-255-6504
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Varies

TOXIC PITS: Toxic Pits Cleanup Act Sites
Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995
Date Data Arrived at EDR: 08/30/1995
Date Made Active in Reports: 09/26/1995
Number of Days to Update: 27
Source: State Water Resources Control Board
Telephone: 916-227-4364
Last EDR Contact: 01/26/2009
Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: No Update Planned

CERS HAZ WASTE: CERS HAZ WASTE

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

Date of Government Version: 04/09/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 05/08/2019
Number of Days to Update: 27

Source: CalEPA
Telephone: 916-323-2514
Last EDR Contact: 04/11/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 02/24/2019
Date Data Arrived at EDR: 02/26/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 50

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Quarterly

PFAS: PFAS Contamination Site Location Listing

A listing of PFAS contaminated sites included in the GeoTracker database.

Date of Government Version: 02/21/2019
Date Data Arrived at EDR: 02/22/2019
Date Made Active in Reports: 04/15/2019
Number of Days to Update: 52

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Varies

Local Lists of Registered Storage Tanks

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994
Date Data Arrived at EDR: 07/07/2005
Date Made Active in Reports: 08/11/2005
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/03/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 12/04/2018
Date Data Arrived at EDR: 12/06/2018
Date Made Active in Reports: 12/14/2018
Number of Days to Update: 8

Source: Department of Public Health
Telephone: 707-463-4466
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Annually

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990
Date Data Arrived at EDR: 01/25/1991
Date Made Active in Reports: 02/12/1991
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-341-5851
Last EDR Contact: 07/26/2001
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SAN FRANCISCO AST: Aboveground Storage Tank Site Listing
Aboveground storage tank sites

Date of Government Version: 09/11/2018
Date Data Arrived at EDR: 09/12/2018
Date Made Active in Reports: 10/11/2018
Number of Days to Update: 29

Source: San Francisco County Department of Public Health
Telephone: 415-252-3896
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

CERS TANKS: California Environmental Reporting System (CERS) Tanks
List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

Date of Government Version: 04/09/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 05/08/2019
Number of Days to Update: 27

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 04/11/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

CA FID UST: Facility Inventory Database
The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994
Date Data Arrived at EDR: 09/05/1995
Date Made Active in Reports: 09/29/1995
Number of Days to Update: 24

Source: California Environmental Protection Agency
Telephone: 916-341-5851
Last EDR Contact: 12/28/1998
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Environmental Liens Listing
A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 02/28/2019
Date Data Arrived at EDR: 03/01/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 32

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information
A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/14/2019
Date Made Active in Reports: 03/21/2019
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Semi-Annually

DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 03/04/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 27

Source: DTSC and SWRCB
Telephone: 916-323-3400
Last EDR Contact: 03/05/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 49

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 03/26/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 10/24/2018
Date Data Arrived at EDR: 01/24/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 40

Source: Office of Emergency Services
Telephone: 916-845-8400
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Semi-Annually

LDS: Land Disposal Sites Listing (GEOTRACKER)

Land Disposal sites (Landfills) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Qualilty Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing (GEOTRACKER)

Military sites (consisting of: Military UST sites; Military Privatized sites; and Military Cleanup sites [formerly known as DoD non UST]) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/22/2013
Number of Days to Update: 50

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/27/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 21

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 03/27/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015
Date Data Arrived at EDR: 07/08/2015
Date Made Active in Reports: 10/13/2015
Number of Days to Update: 97

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 04/03/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 04/12/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 04/12/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63
Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 05/13/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/07/2019
Number of Days to Update: 42
Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 03/26/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88
Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73
Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 05/10/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/21/2017
Date Made Active in Reports: 01/05/2018
Number of Days to Update: 198
Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 03/22/2019
Next Scheduled EDR Contact: 07/01/2019
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 01/10/2018
Date Made Active in Reports: 01/12/2018
Number of Days to Update: 2

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 02/20/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 04/24/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/14/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 18

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 02/01/2019
Date Data Arrived at EDR: 02/14/2019
Date Made Active in Reports: 03/21/2019
Number of Days to Update: 35

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties
A listing of verified Potentially Responsible Parties

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/14/2019
Date Made Active in Reports: 04/17/2019
Number of Days to Update: 34

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 05/10/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

PADS: PCB Activity Database System
PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 03/20/2019
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 34

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 04/10/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System
The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 04/08/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016
Date Data Arrived at EDR: 09/08/2016
Date Made Active in Reports: 10/21/2016
Number of Days to Update: 43

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 03/07/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 03/05/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 05/24/2017
Date Data Arrived at EDR: 11/30/2017
Date Made Active in Reports: 12/15/2017
Number of Days to Update: 15
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 04/26/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/02/2019
Date Data Arrived at EDR: 04/02/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 42
Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 04/02/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing
A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing
A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 12/03/2018
Date Data Arrived at EDR: 01/29/2019
Date Made Active in Reports: 03/21/2019
Number of Days to Update: 51

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 04/30/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 02/11/2019
Date Made Active in Reports: 03/21/2019
Number of Days to Update: 38

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 04/05/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2015
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 09/28/2017
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 02/13/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 04/11/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 08/08/2017
Date Data Arrived at EDR: 09/11/2018
Date Made Active in Reports: 09/14/2018
Number of Days to Update: 3

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 06/23/2017
Date Data Arrived at EDR: 10/11/2017
Date Made Active in Reports: 11/03/2017
Number of Days to Update: 23

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 02/22/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/18/2019
Date Made Active in Reports: 05/14/2019
Number of Days to Update: 26

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/27/2018
Date Data Arrived at EDR: 02/27/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 33

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005
Date Data Arrived at EDR: 02/29/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 49

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 03/01/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 03/01/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 03/27/2019
Date Data Arrived at EDR: 03/28/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 34

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 03/21/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 02/15/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 03/15/2019
Number of Days to Update: 10

Source: EPA
Telephone: (415) 947-8000
Last EDR Contact: 03/05/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 03/03/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 27

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 04/09/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 07/26/2018
Date Made Active in Reports: 10/05/2018
Number of Days to Update: 71

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 03/01/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Varies

UXO: Unexploded Ordnance Sites
A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 01/17/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 74
Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 04/15/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing
This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 02/19/2019
Date Data Arrived at EDR: 02/21/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 39
Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Quarterly

CA BOND EXP. PLAN: Bond Expenditure Plan
Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989
Date Data Arrived at EDR: 07/27/1994
Date Made Active in Reports: 08/02/1994
Number of Days to Update: 6
Source: Department of Health Services
Telephone: 916-255-2118
Last EDR Contact: 05/31/1994
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

CORTESE: "Cortese" Hazardous Waste & Substances Sites List
The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 03/25/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 36
Source: CAL EPA/Office of Emergency Information
Telephone: 916-323-3400
Last EDR Contact: 03/26/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

CUPA SAN FRANCISCO CO: CUPA Facility Listing
Cupa facilities

Date of Government Version: 04/18/2019
Date Data Arrived at EDR: 04/19/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 11
Source: San Francisco County Department of Environmental Health
Telephone: 415-252-3896
Last EDR Contact: 04/18/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

CUPA LIVERMORE-PLEASANTON: CUPA Facility Listing
list of facilities associated with the various CUPA programs in Livermore-Pleasanton

Date of Government Version: 01/23/2019
Date Data Arrived at EDR: 02/26/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 34
Source: Livermore-Pleasanton Fire Department
Telephone: 925-454-2361
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

DRYCLEAN AVAQMD: Antelope Valley Air Quality Management District Drycleaner Listing
A listing of dry cleaners in the Antelope Valley Air Quality Management District.

Date of Government Version: 02/27/2019
Date Data Arrived at EDR: 02/28/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 32

Source: Antelope Valley Air Quality Management District
Telephone: 661-723-8070
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Varies

DRYCLEANERS: Cleaner Facilities

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 12/13/2018
Date Data Arrived at EDR: 01/17/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 47

Source: Department of Toxic Substance Control
Telephone: 916-327-4498
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Annually

DRYCLEAN SOUTH COAST: South Coast Air Quality Management District Drycleaner Listing

A listing of dry cleaners in the South Coast Air Quality Management District

Date of Government Version: 03/19/2019
Date Data Arrived at EDR: 03/22/2019
Date Made Active in Reports: 04/09/2019
Number of Days to Update: 18

Source: South Coast Air Quality Management District
Telephone: 909-396-3211
Last EDR Contact: 03/22/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Varies

EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/20/2018
Date Made Active in Reports: 08/06/2018
Number of Days to Update: 47

Source: California Air Resources Board
Telephone: 916-322-2990
Last EDR Contact: 03/22/2019
Next Scheduled EDR Contact: 07/01/2019
Data Release Frequency: Varies

ENF: Enforcement Action Listing

A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 11/01/2018
Date Data Arrived at EDR: 11/02/2018
Date Made Active in Reports: 12/13/2018
Number of Days to Update: 41

Source: State Water Resoruces Control Board
Telephone: 916-445-9379
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

Financial Assurance information

Date of Government Version: 01/10/2019
Date Data Arrived at EDR: 01/23/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 41

Source: Department of Toxic Substances Control
Telephone: 916-255-3628
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 02/15/2019
Date Data Arrived at EDR: 02/19/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 14

Source: California Integrated Waste Management Board
Telephone: 916-341-6066
Last EDR Contact: 05/09/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 10/10/2018
Date Made Active in Reports: 11/16/2018
Number of Days to Update: 37

Source: California Environmental Protection Agency
Telephone: 916-255-1136
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Annually

ICE: ICE

Contains data pertaining to the Permitted Facilities with Inspections / Enforcements sites tracked in Envirostor.

Date of Government Version: 02/19/2019
Date Data Arrived at EDR: 02/20/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 13

Source: Department of Toxic Subsances Control
Telephone: 877-786-9427
Last EDR Contact: 02/20/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001
Date Data Arrived at EDR: 01/22/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 76

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 01/22/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 02/19/2019
Date Data Arrived at EDR: 02/20/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 13

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 02/20/2019
Next Scheduled EDR Contact: 06/03/2019
Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 01/07/2019
Date Data Arrived at EDR: 01/08/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 56

Source: Department of Toxic Substances Control
Telephone: 916-440-7145
Last EDR Contact: 04/09/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Quarterly

MINES: Mines Site Location Listing
A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/12/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 34
Source: Department of Conservation
Telephone: 916-322-1080
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Quarterly

MWMP: Medical Waste Management Program Listing
The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 02/20/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 28
Source: Department of Public Health
Telephone: 916-558-1784
Last EDR Contact: 03/05/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Varies

NPDES: NPDES Permits Listing
A listing of NPDES permits, including stormwater.

Date of Government Version: 02/11/2019
Date Data Arrived at EDR: 02/12/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 23
Source: State Water Resources Control Board
Telephone: 916-445-9379
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Quarterly

PEST LIC: Pesticide Regulation Licenses Listing
A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers; Persons who advise on agricultural pesticide applications.

Date of Government Version: 03/04/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/05/2019
Number of Days to Update: 31
Source: Department of Pesticide Regulation
Telephone: 916-445-4038
Last EDR Contact: 03/05/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Quarterly

PROC: Certified Processors Database
A listing of certified processors.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 47
Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 03/13/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Quarterly

NOTIFY 65: Proposition 65 Records
Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 03/18/2019
Date Data Arrived at EDR: 03/19/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 41
Source: State Water Resources Control Board
Telephone: 916-445-3846
Last EDR Contact: 03/18/2019
Next Scheduled EDR Contact: 07/01/2019
Data Release Frequency: No Update Planned

UIC: UIC Listing
A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 04/27/2018
Date Data Arrived at EDR: 06/13/2018
Date Made Active in Reports: 07/17/2018
Number of Days to Update: 34
Source: Deaprtment of Conservation
Telephone: 916-445-2408
Last EDR Contact: 03/13/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Varies

UIC GEO: Underground Injection Control Sites (GEOTRACKER)
Underground control injection sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35
Source: State Water Resource Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

WASTEWATER PITS: Oil Wastewater Pits Listing
Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water boards review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 05/08/2018
Date Data Arrived at EDR: 07/11/2018
Date Made Active in Reports: 09/13/2018
Number of Days to Update: 64
Source: RWQCB, Central Valley Region
Telephone: 559-445-5577
Last EDR Contact: 04/12/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Varies

WDS: Waste Discharge System
Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007
Date Data Arrived at EDR: 06/20/2007
Date Made Active in Reports: 06/29/2007
Number of Days to Update: 9
Source: State Water Resources Control Board
Telephone: 916-341-5227
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Quarterly

MILITARY PRIV SITES: Military Privatized Sites (GEOTRACKER)
Military privatized sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

PROJECT: Project Sites (GEOTRACKER)
Projects sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

WDR: Waste Discharge Requirements Listing
In general, the Waste Discharge Requirements (WDRs) Program (sometimes also referred to as the "Non Chapter 15 (Non 15) Program") regulates point discharges that are exempt pursuant to Subsection 20090 of Title 27 and not subject to the Federal Water Pollution Control Act. Exemptions from Title 27 may be granted for nine categories of discharges (e.g., sewage, wastewater, etc.) that meet, and continue to meet, the preconditions listed for each specific exemption. The scope of the WDRs Program also includes the discharge of wastes classified as inert, pursuant to section 20230 of Title 27.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 47

Source: State Water Resources Control Board
Telephone: 916-341-5810
Last EDR Contact: 03/13/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Quarterly

CIWQS: California Integrated Water Quality System

The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

Date of Government Version: 03/05/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 28

Source: State Water Resources Control Board
Telephone: 866-794-4977
Last EDR Contact: 03/05/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Varies

CERS: CalEPA Regulated Site Portal Data

The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

Date of Government Version: 04/09/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 05/08/2019
Number of Days to Update: 27

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 04/11/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

WIP: Well Investigation Program Case List

Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009
Date Data Arrived at EDR: 07/21/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 13

Source: Los Angeles Water Quality Control Board
Telephone: 213-576-6726
Last EDR Contact: 03/25/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Varies

NON-CASE INFO: Non-Case Information Sites (GEOTRACKER)

Non-Case Information sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

OTHER OIL GAS: Other Oil & Gas Projects Sites (GEOTRACKER)

Other Oil & Gas Projects sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

PROD WATER PONDS: Produced Water Ponds Sites (GEOTRACKER)

Produced water ponds sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

SAMPLING POINT: Sampling Point ? Public Sites (GEOTRACKER)
Sampling point - public sites

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

WELL STIM PROJ: Well Stimulation Project (GEOTRACKER)
Includes areas of groundwater monitoring plans, a depiction of the monitoring network, and the facilities, boundaries, and subsurface characteristics of the oilfield and the features (oil and gas wells, produced water ponds, UIC wells, water supply wells, etc?) being monitored

Date of Government Version: 12/10/2018
Date Data Arrived at EDR: 12/11/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 12/12/2018
Next Scheduled EDR Contact: 03/25/2019
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants
The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations
EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

ALAMEDA COUNTY:

CS ALAMEDA: Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 01/09/2019
Date Data Arrived at EDR: 01/11/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 53

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Semi-Annually

UST ALAMEDA: Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 01/07/2019
Date Data Arrived at EDR: 01/08/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 59

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 04/08/2019
Next Scheduled EDR Contact: 04/24/2047
Data Release Frequency: Semi-Annually

AMADOR COUNTY:

CUPA AMADOR: CUPA Facility List
Cupa Facility List

Date of Government Version: 01/07/2019
Date Data Arrived at EDR: 01/08/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 58

Source: Amador County Environmental Health
Telephone: 209-223-6439
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Varies

BUTTE COUNTY:

CUPA BUTTE: CUPA Facility Listing
Cupa facility list.

Date of Government Version: 04/21/2017
Date Data Arrived at EDR: 04/25/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 106

Source: Public Health Department
Telephone: 530-538-7149
Last EDR Contact: 04/08/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: No Update Planned

CALVERAS COUNTY:

CUPA CALVERAS: CUPA Facility Listing
Cupa Facility Listing

Date of Government Version: 01/24/2019
Date Data Arrived at EDR: 01/25/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 39

Source: Calveras County Environmental Health
Telephone: 209-754-6399
Last EDR Contact: 03/25/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

COLUSA COUNTY:

CUPA COLUSA: CUPA Facility List
Cupa facility list.

Date of Government Version: 02/27/2019
Date Data Arrived at EDR: 02/28/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 32

Source: Health & Human Services
Telephone: 530-458-0396
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Semi-Annually

CONTRA COSTA COUNTY:

SL CONTRA COSTA: Site List
List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 02/14/2019
Date Data Arrived at EDR: 02/19/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 17

Source: Contra Costa Health Services Department
Telephone: 925-646-2286
Last EDR Contact: 04/29/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Semi-Annually

DEL NORTE COUNTY:

CUPA DEL NORTE: CUPA Facility List
Cupa Facility list

Date of Government Version: 01/16/2019
Date Data Arrived at EDR: 02/05/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 28

Source: Del Norte County Environmental Health Division
Telephone: 707-465-0426
Last EDR Contact: 04/25/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

EL DORADO COUNTY:

CUPA EL DORADO: CUPA Facility List
CUPA facility list.

Date of Government Version: 02/27/2019
Date Data Arrived at EDR: 02/28/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 32

Source: El Dorado County Environmental Management Department
Telephone: 530-621-6623
Last EDR Contact: 04/29/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

FRESNO COUNTY:

CUPA FRESNO: CUPA Resources List
Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 04/10/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 19

Source: Dept. of Community Health
Telephone: 559-445-3271
Last EDR Contact: 03/29/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Semi-Annually

GLENN COUNTY:

CUPA GLENN: CUPA Facility List
Cupa facility list

Date of Government Version: 01/22/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 03/14/2018
Number of Days to Update: 49

Source: Glenn County Air Pollution Control District
Telephone: 830-934-6500
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

HUMBOLDT COUNTY:

CUPA HUMBOLDT: CUPA Facility List
CUPA facility list.

Date of Government Version: 12/11/2018
Date Data Arrived at EDR: 12/13/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 33

Source: Humboldt County Environmental Health
Telephone: N/A
Last EDR Contact: 11/19/2018
Next Scheduled EDR Contact: 03/04/2019
Data Release Frequency: Semi-Annually

IMPERIAL COUNTY:

CUPA IMPERIAL: CUPA Facility List
Cupa facility list.

Date of Government Version: 01/18/2019
Date Data Arrived at EDR: 01/23/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 41

Source: San Diego Border Field Office
Telephone: 760-339-2777
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

INYO COUNTY:

CUPA INYO: CUPA Facility List
Cupa facility list.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/03/2018
Date Made Active in Reports: 06/14/2018
Number of Days to Update: 72

Source: Inyo County Environmental Health Services
Telephone: 760-878-0238
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

KERN COUNTY:

UST KERN: Underground Storage Tank Sites & Tank Listing
Kern County Sites and Tanks Listing.

Date of Government Version: 01/28/2019
Date Data Arrived at EDR: 02/07/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 29

Source: Kern County Environment Health Services Department
Telephone: 661-862-8700
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA KINGS: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 02/14/2019
Date Data Arrived at EDR: 02/19/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 14

Source: Kings County Department of Public Health
Telephone: 559-584-1411
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

LAKE COUNTY:

CUPA LAKE: CUPA Facility List
Cupa facility list

Date of Government Version: 02/08/2019
Date Data Arrived at EDR: 02/12/2019
Date Made Active in Reports: 03/12/2019
Number of Days to Update: 28

Source: Lake County Environmental Health
Telephone: 707-263-1164
Last EDR Contact: 04/15/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Varies

LASSEN COUNTY:

CUPA LASSEN: CUPA Facility List
Cupa facility list

Date of Government Version: 01/17/2019
Date Data Arrived at EDR: 01/18/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 46

Source: Lassen County Environmental Health
Telephone: 530-251-8528
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

LOS ANGELES COUNTY:

AOCONCERN: Key Areas of Concerns in Los Angeles County
San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office. Date of Government Version: 3/30/2009 Exide Site area is a cleanup plan of lead-impacted soil surrounding the former Exide Facility as designated by the DTSC. Date of Government Version: 7/17/2017

Date of Government Version: 03/30/2009
Date Data Arrived at EDR: 03/31/2009
Date Made Active in Reports: 10/23/2009
Number of Days to Update: 206

Source: N/A
Telephone: N/A
Last EDR Contact: 03/18/2019
Next Scheduled EDR Contact: 07/01/2019
Data Release Frequency: No Update Planned

HMS LOS ANGELES: HMS: Street Number List
Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 12/19/2018
Date Data Arrived at EDR: 01/10/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 56

Source: Department of Public Works
Telephone: 626-458-3517
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Semi-Annually

LF LOS ANGELES: List of Solid Waste Facilities
Solid Waste Facilities in Los Angeles County.

Date of Government Version: 01/14/2019
Date Data Arrived at EDR: 01/15/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 51

Source: La County Department of Public Works
Telephone: 818-458-5185
Last EDR Contact: 04/16/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Varies

LF LOS ANGELES CITY: City of Los Angeles Landfills
Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 01/15/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 51

Source: Engineering & Construction Division
Telephone: 213-473-7869
Last EDR Contact: 04/15/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Varies

SITE MIT LOS ANGELES: Site Mitigation List
Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 01/30/2019
Date Data Arrived at EDR: 02/01/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 34

Source: Community Health Services
Telephone: 323-890-7806
Last EDR Contact: 04/16/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Annually

UST EL SEGUNDO: City of El Segundo Underground Storage Tank
Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 04/19/2017
Date Made Active in Reports: 05/10/2017
Number of Days to Update: 21

Source: City of El Segundo Fire Department
Telephone: 310-524-2236
Last EDR Contact: 04/15/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Semi-Annually

UST LONG BEACH: City of Long Beach Underground Storage Tank
Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 03/09/2017
Date Data Arrived at EDR: 03/10/2017
Date Made Active in Reports: 05/03/2017
Number of Days to Update: 54

Source: City of Long Beach Fire Department
Telephone: 562-570-2563
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Annually

UST TORRANCE: City of Torrance Underground Storage Tank
Underground storage tank sites located in the city of Torrance.

Date of Government Version: 10/02/2018
Date Data Arrived at EDR: 10/05/2018
Date Made Active in Reports: 11/02/2018
Number of Days to Update: 28

Source: City of Torrance Fire Department
Telephone: 310-618-2973
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Semi-Annually

MADERA COUNTY:

CUPA MADERA: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 02/20/2019
Date Data Arrived at EDR: 02/22/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 13

Source: Madera County Environmental Health
Telephone: 559-675-7823
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

MARIN COUNTY:

UST MARIN: Underground Storage Tank Sites
Currently permitted USTs in Marin County.

Date of Government Version: 09/26/2018
Date Data Arrived at EDR: 10/04/2018
Date Made Active in Reports: 11/02/2018
Number of Days to Update: 29

Source: Public Works Department Waste Management
Telephone: 415-473-6647
Last EDR Contact: 03/29/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Semi-Annually

MERCED COUNTY:

CUPA MERCED: CUPA Facility List
CUPA facility list.

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/19/2019
Date Made Active in Reports: 05/08/2019
Number of Days to Update: 50

Source: Merced County Environmental Health
Telephone: 209-381-1094
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

MONO COUNTY:

CUPA MONO: CUPA Facility List
CUPA Facility List

Date of Government Version: 02/21/2019
Date Data Arrived at EDR: 02/26/2019
Date Made Active in Reports: 04/01/2019
Number of Days to Update: 34

Source: Mono County Health Department
Telephone: 760-932-5580
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Varies

MONTEREY COUNTY:

CUPA MONTEREY: CUPA Facility Listing
CUPA Program listing from the Environmental Health Division.

Date of Government Version: 02/05/2019
Date Data Arrived at EDR: 02/07/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 26

Source: Monterey County Health Department
Telephone: 831-796-1297
Last EDR Contact: 04/01/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Varies

NAPA COUNTY:

LUST NAPA: Sites With Reported Contamination
A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 03/02/2017
Number of Days to Update: 50

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: No Update Planned

UST NAPA: Closed and Operating Underground Storage Tank Sites
Underground storage tank sites located in Napa county.

Date of Government Version: 02/21/2019
Date Data Arrived at EDR: 02/22/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 14

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA NEVADA: CUPA Facility List
CUPA facility list.

Date of Government Version: 01/25/2019
Date Data Arrived at EDR: 01/29/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 35

Source: Community Development Agency
Telephone: 530-265-1467
Last EDR Contact: 05/13/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

ORANGE COUNTY:

IND_SITE ORANGE: List of Industrial Site Cleanups
Petroleum and non-petroleum spills.

Date of Government Version: 01/02/2019
Date Data Arrived at EDR: 02/07/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 26

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Annually

LUST ORANGE: List of Underground Storage Tank Cleanups
Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 01/02/2019
Date Data Arrived at EDR: 02/08/2019
Date Made Active in Reports: 03/06/2019
Number of Days to Update: 26

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

UST ORANGE: List of Underground Storage Tank Facilities
Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 01/02/2019
Date Data Arrived at EDR: 02/05/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 31

Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 05/07/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

PLACER COUNTY:

MS PLACER: Master List of Facilities
List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 02/28/2019
Date Data Arrived at EDR: 03/01/2019
Date Made Active in Reports: 04/12/2019
Number of Days to Update: 42

Source: Placer County Health and Human Services
Telephone: 530-745-2363
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Semi-Annually

PLUMAS COUNTY:

CUPA PLUMAS: CUPA Facility List
Plumas County CUPA Program facilities.

Date of Government Version: 01/14/2019
Date Data Arrived at EDR: 01/18/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 46

Source: Plumas County Environmental Health
Telephone: 530-283-6355
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

RIVERSIDE COUNTY:

LUST RIVERSIDE: Listing of Underground Tank Cleanup Sites
Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 04/11/2019
Date Data Arrived at EDR: 04/12/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 18

Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 03/18/2019
Next Scheduled EDR Contact: 07/01/2019
Data Release Frequency: Quarterly

UST RIVERSIDE: Underground Storage Tank Tank List
Underground storage tank sites located in Riverside county.

Date of Government Version: 01/29/2019
Date Data Arrived at EDR: 01/31/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 36
Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 03/18/2019
Next Scheduled EDR Contact: 07/01/2019
Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

CS SACRAMENTO: Toxic Site Clean-Up List
List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 11/07/2018
Date Data Arrived at EDR: 01/04/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 60
Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 04/02/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Quarterly

ML SACRAMENTO: Master Hazardous Materials Facility List
Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 11/07/2018
Date Data Arrived at EDR: 12/28/2018
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 67
Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 04/02/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Quarterly

SAN BENITO COUNTY:

CUPA SAN BENITO: CUPA Facility List
Cupa facility list

Date of Government Version: 03/11/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 48
Source: San Benito County Environmental Health
Telephone: N/A
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

SAN BERNARDINO COUNTY:

PERMITS SAN BERNARDINO: Hazardous Material Permits
This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 02/27/2019
Date Data Arrived at EDR: 02/28/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 33
Source: San Bernardino County Fire Department Hazardous Materials Division
Telephone: 909-387-3041
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

HMMD SAN DIEGO: Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 03/04/2019
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 04/02/2019
Number of Days to Update: 28

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 03/05/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Quarterly

LF SAN DIEGO: Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 04/18/2018
Date Data Arrived at EDR: 04/24/2018
Date Made Active in Reports: 06/19/2018
Number of Days to Update: 56

Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

SAN DIEGO CO LOP: Local Oversight Program Listing

A listing of all LOP release sites that are or were under the County of San Diego's jurisdiction. Included are closed or transferred cases, open cases, and cases that did not have a case type indicated. The cases without a case type are mostly complaints; however, some of them could be LOP cases.

Date of Government Version: 03/06/2019
Date Data Arrived at EDR: 03/06/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 54

Source: Department of Environmental Health
Telephone: 858-505-6874
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

SAN DIEGO CO. SAM: Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 06/15/2010
Date Made Active in Reports: 07/09/2010
Number of Days to Update: 24

Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: No Update Planned

SAN FRANCISCO COUNTY:

LUST SAN FRANCISCO: Local Oversite Facilities

A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

UST SAN FRANCISCO: Underground Storage Tank Information

Underground storage tank sites located in San Francisco county.

Date of Government Version: 11/05/2018
Date Data Arrived at EDR: 11/06/2018
Date Made Active in Reports: 12/14/2018
Number of Days to Update: 38

Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Quarterly

SAN JOAQUIN COUNTY:

UST SAN JOAQUIN: San Joaquin Co. UST
A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 06/22/2018
Date Data Arrived at EDR: 06/26/2018
Date Made Active in Reports: 07/11/2018
Number of Days to Update: 15

Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 03/18/2019
Next Scheduled EDR Contact: 07/01/2019
Data Release Frequency: Semi-Annually

SAN LUIS OBISPO COUNTY:

CUPA SAN LUIS OBISPO: CUPA Facility List
Cupa Facility List.

Date of Government Version: 02/13/2019
Date Data Arrived at EDR: 02/15/2019
Date Made Active in Reports: 03/14/2019
Number of Days to Update: 27

Source: San Luis Obispo County Public Health Department
Telephone: 805-781-5596
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

SAN MATEO COUNTY:

BI SAN MATEO: Business Inventory
List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 03/04/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 47

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 03/13/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Annually

LUST SAN MATEO: Fuel Leak List
A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 12/13/2018
Date Data Arrived at EDR: 12/18/2018
Date Made Active in Reports: 01/23/2019
Number of Days to Update: 36

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 03/25/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

CUPA SANTA BARBARA: CUPA Facility Listing
CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011
Date Data Arrived at EDR: 09/09/2011
Date Made Active in Reports: 10/07/2011
Number of Days to Update: 28

Source: Santa Barbara County Public Health Department
Telephone: 805-686-8167
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

SANTA CLARA COUNTY:

CUPA SANTA CLARA: Cupa Facility List
Cupa facility list

Date of Government Version: 02/13/2019
Date Data Arrived at EDR: 02/19/2019
Date Made Active in Reports: 03/06/2019
Number of Days to Update: 15

Source: Department of Environmental Health
Telephone: 408-918-1973
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

HIST LUST SANTA CLARA: HIST LUST - Fuel Leak Site Activity Report
A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22

Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LUST SANTA CLARA: LOP Listing
A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014
Date Data Arrived at EDR: 03/05/2014
Date Made Active in Reports: 03/18/2014
Number of Days to Update: 13

Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 02/21/2019
Next Scheduled EDR Contact: 06/10/2019
Data Release Frequency: Annually

SAN JOSE HAZMAT: Hazardous Material Facilities
Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 01/30/2019
Date Data Arrived at EDR: 02/01/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 34

Source: City of San Jose Fire Department
Telephone: 408-535-7694
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Annually

SANTA CRUZ COUNTY:

CUPA SANTA CRUZ: CUPA Facility List
CUPA facility listing.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 05/23/2017
Number of Days to Update: 90

Source: Santa Cruz County Environmental Health
Telephone: 831-464-2761
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

SHASTA COUNTY:

CUPA SHASTA: CUPA Facility List
Cupa Facility List.

Date of Government Version: 06/15/2017
Date Data Arrived at EDR: 06/19/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 51

Source: Shasta County Department of Resource Management
Telephone: 530-225-5789
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Varies

SOLANO COUNTY:

LUST SOLANO: Leaking Underground Storage Tanks
A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 03/05/2019
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 04/29/2019
Number of Days to Update: 53

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Quarterly

UST SOLANO: Underground Storage Tanks
Underground storage tank sites located in Solano county.

Date of Government Version: 03/05/2019
Date Data Arrived at EDR: 03/07/2019
Date Made Active in Reports: 04/03/2019
Number of Days to Update: 27

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Quarterly

SONOMA COUNTY:

CUPA SONOMA: Cupa Facility List
Cupa Facility list

Date of Government Version: 03/18/2019
Date Data Arrived at EDR: 03/26/2019
Date Made Active in Reports: 05/01/2019
Number of Days to Update: 36

Source: County of Sonoma Fire & Emergency Services Department
Telephone: 707-565-1174
Last EDR Contact: 03/25/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Varies

LUST SONOMA: Leaking Underground Storage Tank Sites
A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 04/03/2019
Date Data Arrived at EDR: 04/11/2019
Date Made Active in Reports: 04/30/2019
Number of Days to Update: 19

Source: Department of Health Services
Telephone: 707-565-6565
Last EDR Contact: 04/08/2019
Next Scheduled EDR Contact: 07/08/2019
Data Release Frequency: Quarterly

STANISLAUS COUNTY:

CUPA STANISLAUS: CUPA Facility List
Cupa facility list

Date of Government Version: 12/11/2018
Date Data Arrived at EDR: 12/13/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 33

Source: Stanislaus County Department of Ennvironmental Protection
Telephone: 209-525-6751
Last EDR Contact: 04/15/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Varies

SUTTER COUNTY:

UST SUTTER: Underground Storage Tanks
Underground storage tank sites located in Sutter county.

Date of Government Version: 02/28/2019
Date Data Arrived at EDR: 03/01/2019
Date Made Active in Reports: 04/03/2019
Number of Days to Update: 33

Source: Sutter County Environmental Health Services
Telephone: 530-822-7500
Last EDR Contact: 02/27/2019
Next Scheduled EDR Contact: 06/17/2019
Data Release Frequency: Semi-Annually

TEHAMA COUNTY:

CUPA TEHAMA: CUPA Facility List
Cupa facilities

Date of Government Version: 12/13/2018
Date Data Arrived at EDR: 12/18/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 28

Source: Tehama County Department of Environmental Health
Telephone: 530-527-8020
Last EDR Contact: 05/16/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

TRINITY COUNTY:

CUPA TRINITY: CUPA Facility List
Cupa facility list

Date of Government Version: 01/18/2019
Date Data Arrived at EDR: 01/23/2019
Date Made Active in Reports: 03/06/2019
Number of Days to Update: 42

Source: Department of Toxic Substances Control
Telephone: 760-352-0381
Last EDR Contact: 04/22/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

TULARE COUNTY:

CUPA TULARE: CUPA Facility List
Cupa program facilities

Date of Government Version: 12/26/2018
Date Data Arrived at EDR: 12/27/2018
Date Made Active in Reports: 01/15/2019
Number of Days to Update: 19

Source: Tulare County Environmental Health Services Division
Telephone: 559-624-7400
Last EDR Contact: 05/06/2019
Next Scheduled EDR Contact: 08/19/2019
Data Release Frequency: Varies

TUOLUMNE COUNTY:

CUPA TUOLUMNE: CUPA Facility List
Cupa facility list

Date of Government Version: 04/23/2018
Date Data Arrived at EDR: 04/25/2018
Date Made Active in Reports: 06/25/2018
Number of Days to Update: 61

Source: Divison of Environmental Health
Telephone: 209-533-5633
Last EDR Contact: 05/02/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Varies

VENTURA COUNTY:

BWT VENTURA: Business Plan, Hazardous Waste Producers, and Operating Underground Tanks
The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 12/26/2018
Date Data Arrived at EDR: 01/24/2019
Date Made Active in Reports: 02/28/2019
Number of Days to Update: 35

Source: Ventura County Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 04/23/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

LF VENTURA: Inventory of Illegal Abandoned and Inactive Sites
Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011
Date Data Arrived at EDR: 12/01/2011
Date Made Active in Reports: 01/19/2012
Number of Days to Update: 49

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 03/29/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Annually

LUST VENTURA: Listing of Underground Tank Cleanup Sites
Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008
Date Data Arrived at EDR: 06/24/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 37

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 05/09/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: Quarterly

MED WASTE VENTURA: Medical Waste Program List
To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 12/26/2018
Date Data Arrived at EDR: 01/24/2019
Date Made Active in Reports: 03/07/2019
Number of Days to Update: 42

Source: Ventura County Resource Management Agency
Telephone: 805-654-2813
Last EDR Contact: 04/23/2019
Next Scheduled EDR Contact: 08/05/2019
Data Release Frequency: Quarterly

UST VENTURA: Underground Tank Closed Sites List
Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 02/26/2019
Date Data Arrived at EDR: 03/13/2019
Date Made Active in Reports: 04/03/2019
Number of Days to Update: 21

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 03/13/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Quarterly

YOLO COUNTY:

UST YOLO: Underground Storage Tank Comprehensive Facility Report
Underground storage tank sites located in Yolo county.

Date of Government Version: 12/26/2018
Date Data Arrived at EDR: 01/03/2019
Date Made Active in Reports: 01/16/2019
Number of Days to Update: 13

Source: Yolo County Department of Health
Telephone: 530-666-8646
Last EDR Contact: 03/29/2019
Next Scheduled EDR Contact: 07/15/2019
Data Release Frequency: Annually

YUBA COUNTY:

CUPA YUBA: CUPA Facility List
CUPA facility listing for Yuba County.

Date of Government Version: 02/08/2019
Date Data Arrived at EDR: 02/12/2019
Date Made Active in Reports: 03/06/2019
Number of Days to Update: 22

Source: Yuba County Environmental Health Department
Telephone: 530-749-7523
Last EDR Contact: 04/25/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 02/11/2019
Date Data Arrived at EDR: 02/12/2019
Date Made Active in Reports: 03/04/2019
Number of Days to Update: 20

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 05/14/2019
Next Scheduled EDR Contact: 08/26/2019
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 04/10/2019
Next Scheduled EDR Contact: 07/22/2019
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 01/30/2019
Date Made Active in Reports: 02/14/2019
Number of Days to Update: 15

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 05/01/2019
Next Scheduled EDR Contact: 08/12/2019
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 10/23/2018
Date Made Active in Reports: 11/27/2018
Number of Days to Update: 35

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 04/15/2019
Next Scheduled EDR Contact: 07/29/2019
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 02/23/2018
Date Made Active in Reports: 04/09/2018
Number of Days to Update: 45

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 05/17/2019
Next Scheduled EDR Contact: 09/02/2019
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/15/2018
Date Made Active in Reports: 07/09/2018
Number of Days to Update: 24

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 03/11/2019
Next Scheduled EDR Contact: 06/24/2019
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: PennWell Corporation
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data
Source: PennWell Corporation
This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities
Source: Department of Social Services
Telephone: 916-657-4041

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

23100 TEMESCAL CANYON RD
23100 TEMESCAL CANYON RD
CORONA, CA 92883

TARGET PROPERTY COORDINATES

Latitude (North):	33.784328 - 33° 47' 3.58''
Longitude (West):	117.487863 - 117° 29' 16.31''
Universal Tranverse Mercator:	Zone 11
UTM X (Meters):	454832.2
UTM Y (Meters):	3738156.2
Elevation:	933 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5636475 LAKE MATHEWS, CA
Version Date:	2012
Northwest Map:	5636469 CORONA SOUTH, CA
Version Date:	2012

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WSW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
06065C1390G	FEMA FIRM Flood data

Additional Panels in search area:	FEMA Source Type
06065C1370G	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
NOT AVAILABLE	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Mesozoic
System:	Lower Jurassic and Upper Triassic
Series:	Lower Mesozoic
Code:	lMze *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Eugeosynclinal Deposits

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 5657831.2s



Target Property
SSURGO Soil
Water

0 1/16 1/8 1/4 Miles

N

SITE NAME:	23100 Temescal Canyon Rd	CLIENT:	Hazard Management Consulting
ADDRESS:	23100 Temescal Canyon Rd Corona CA 92883	CONTACT:	Troy Taylor
LAT/LONG:	33.784328 / 117.487863	INQUIRY #:	5657831.2s
		DATE:	May 20, 2019 1:56 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: GARRETSON

Soil Surface Texture: gravelly very fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information

	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	gravelly very fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14 Min: 4	Max: 7.8 Min: 6.1
2	9 inches	53 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14 Min: 4	Max: 7.8 Min: 6.1
3	53 inches	72 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14 Min: 4	Max: 7.8 Min: 6.1

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 2

Soil Component Name: CORTINA

Soil Surface Texture: gravelly loamy sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Somewhat excessively drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	22 inches	gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6
2	22 inches	38 inches	stratified very gravelly loamy sand to very gravelly loam	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6
3	38 inches	59 inches	stratified very gravelly sand to very gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6

Soil Map ID: 3

Soil Component Name: LODO

Soil Surface Texture: gravelly loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Somewhat excessively drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 38 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 4 Min: 1.4	Max: Min:
2	7 inches	18 inches	unweathered bedrock	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 4 Min: 1.4	Max: Min:

Soil Map ID: 4

Soil Component Name: Clay Pits

Soil Surface Texture: gravelly loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 5

Soil Component Name: Terrace escarpments

Soil Surface Texture: gravelly loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:
Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 6

Soil Component Name: ARBUCKLE

Soil Surface Texture: gravelly loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	25 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6
2	25 inches	44 inches	gravelly clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6
3	44 inches	68 inches	stratified very gravelly sandy loam to very gravelly sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6

Soil Map ID: 7

Soil Component Name: ARBUCKLE

Soil Surface Texture: gravelly loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	25 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6
2	25 inches	44 inches	gravelly clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6
3	44 inches	68 inches	stratified very gravelly sandy loam to very gravelly sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6

Soil Map ID: 8

Soil Component Name: PLACENTIA

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Moderately well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	18 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 1.4 Min: 0.42	Max: 8.4 Min: 7.9
2	18 inches	38 inches	clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 1.4 Min: 0.42	Max: 8.4 Min: 7.9
3	38 inches	57 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 1.4 Min: 0.42	Max: 8.4 Min: 7.9
4	57 inches	59 inches	gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 1.4 Min: 0.42	Max: 8.4 Min: 7.9

Soil Map ID: 9

Soil Component Name: CORTINA

Soil Surface Texture: cobbly loamy sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Excessively drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	22 inches	cobbly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6
2	22 inches	38 inches	stratified very cobbly loamy sand to very cobbly loam	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6
3	38 inches	59 inches	stratified very gravelly sand to very gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 0.001 miles
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	CADWR8000005480	1/2 - 1 Mile ESE

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	CAOG13000006382	1/2 - 1 Mile West
A2	CAOG13000006378	1/2 - 1 Mile West
3	CAOG13000006394	1/2 - 1 Mile WNW
A4	CAOG13000006403	1/2 - 1 Mile West

PHYSICAL SETTING SOURCE MAP - 5657831.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- GI Indeterminate Groundwater Flow at Location
- GV Groundwater Flow Varies at Location
- HD Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME: 23100 Temescal Canyon Rd	CLIENT: Hazard Management Consulting
ADDRESS: 23100 Temescal Canyon Rd Corona CA 92883	CONTACT: Troy Taylor
LAT/LONG: 33.784328 / 117.487863	INQUIRY #: 5657831.2s DATE: May 20, 2019 1:56 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database	EDR ID Number
CA WELLS	**CADWR8000005480**

1
ESE
1/2 - 1 Mile
Higher

State Well #:	04S06W35G002S	Station ID:	47928
Well Name:	New Sump	Well Use:	Irrigation
Well Type:	Single Well	Well Depth:	75
Basin Name:	Bedford-Coldwater	Well Completion Rpt #:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

1
West
1/2 - 1 Mile

OIL_GAS **CAOG13000006382**

API #:	0406500105	Well #:	1
Well Status:	Plugged	Well Type:	DH
Operator Name:	O. E. Mankin, C. H. Johnson, Emil A. J.		
Lease Name:	Case	Field Name:	Any Field
Area Name:	Any Area	GIS Source:	hud
Confidential Well:	N	Directionally Drilled:	N
SPUD Date:	Not Reported		

A2
West
1/2 - 1 Mile

OIL_GAS **CAOG13000006378**

API #:	0406500101	Well #:	1
Well Status:	Plugged	Well Type:	DH
Operator Name:	Clifford H. Johnson	Lease Name:	Heinlein
Field Name:	Any Field	Area Name:	Any Area
GIS Source:	hud	Confidential Well:	N
Directionally Drilled:	N	SPUD Date:	Not Reported

3
WNW
1/2 - 1 Mile

OIL_GAS **CAOG13000006394**

API #:	0406500119	Well #:	1
Well Status:	Plugged	Well Type:	DH
Operator Name:	Peter Palm	Lease Name:	Lease by Peter Palm
Field Name:	Any Field	Area Name:	Any Area
GIS Source:	hud	Confidential Well:	N
Directionally Drilled:	N	SPUD Date:	Not Reported

A4
West
1/2 - 1 Mile

OIL_GAS **CAOG13000006403**

API #:	0406500128	Well #:	1
Well Status:	Plugged	Well Type:	DH
Operator Name:	Red Star Oil Co.	Lease Name:	Red Star-Earl
Field Name:	Any Field	Area Name:	Any Area
GIS Source:	hud	Confidential Well:	N
Directionally Drilled:	N	SPUD Date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
92883	8	1

Federal EPA Radon Zone for RIVERSIDE County: 2

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for RIVERSIDE COUNTY, CA

Number of sites tested: 12

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.117 pCi/L	100%	0%	0%
Living Area - 2nd Floor	0.450 pCi/L	100%	0%	0%
Basement	1.700 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Water Well Database
Source: Department of Water Resources
Telephone: 916-651-9648

California Drinking Water Quality Database
Source: Department of Public Health
Telephone: 916-324-2319
The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

OTHER STATE DATABASE INFORMATION

California Oil and Gas Well Locations
Source: Department of Conservation
Telephone: 916-323-1779
Oil and Gas well locations in the state.

California Earthquake Fault Lines
Source: California Division of Mines and Geology
The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

RADON

State Database: CA Radon
Source: Department of Public Health
Telephone: 916-210-8558
Radon Database for California

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

23100 Temescal Canyon Rd
23100 Temescal Canyon Rd
Corona, CA 92883

Inquiry Number: 5657831.5
May 20, 2019

The EDR-City Directory Abstract

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1921 through 2014. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.



RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Year	Source	TP	Adjoining	Text Abstract	Source Image
2014	EDR Digital Archive	X	X	X	-
2010	EDR Digital Archive	X	X	X	-
2005	EDR Digital Archive	X	X	X	-
2002	SBC PACIFIC BELL	-	X	X	-
	SBC PACIFIC BELL	X	X	X	-
2001	Haines & Company, Inc.	-	X	X	-
	Haines & Company, Inc.	X	X	X	-
1996	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-
1993	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-
1990	Pacific Bell	-	X	X	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
1990	Pacific Bell	X	X	X	-
1986	Pacific Bell Yellow Pages	-	-	-	-
1981	Pacific Telephone	-	-	X	-
	Pacific Telephone	X	-	X	-
1977	Pacific Telephone	-	-	X	-
	Pacific Telephone	X	-	X	-
1970	Pacific Telephone	-	-	X	-
	Pacific Telephone	X	-	X	-
1967	Luskey Brothers & Co.	-	-	-	-
1966	Luskey Brothers & Company Inc.	-	-	-	-
1961	Luskey Brothers & Co.	-	-	-	-
1960	Luskeys Brothers & Co., Publishers	-	-	-	-
1956	Luskey Brothers & Co.	-	-	-	-
1955	Luskeys Brothers Co., Publishers	-	-	-	-
1951	Los Angeles Directory Co.	-	-	-	-
1946	Southern California Telephone Company	-	-	-	-
1945	Los Angeles Directory Co.	-	-	-	-
1941	Pacific Directory Co.	-	-	-	-
1939	Los Angeles Directory Co.	-	-	-	-
1936	Los Angeles Directory Co.	-	-	-	-
1931	Southern California Telephone Co.	-	-	-	-
1930	Los Angeles Directory Co.	-	-	-	-
1927	Los Angeles Directory Co.	-	-	-	-
1925	Los Angeles Directory Co.	-	-	-	-
1924	Kaasen Directory Co.	-	-	-	-
1921	Riverside Directory Co.	-	-	-	-

EXECUTIVE SUMMARY

SELECTED ADDRESSES

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

Address	***Type***	***Findings***
23200 Temescal canyon rd	Client Entered	X

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

23100 Temescal Canyon Rd
Corona, CA 92883

FINDINGS DETAIL

Target Property research detail.

Temescal Canyon Rd

23100 Temescal Canyon Rd

Year	*Uses*	*Source*
2014	CORONA CLAY COMPANY	EDR Digital Archive
2010	CORONA CLAY COMPANY	EDR Digital Archive
2005	CLAY CORONA COMPANY	EDR Digital Archive

TEMESCAL CANYON RD

23100 TEMESCAL CANYON RD

Year	*Uses*	*Source*
2002	TEMESCAL DRIVING RANGE	SBC PACIFIC BELL
2001	RANGE	Haines & Company, Inc.
	TEMESCALDRIVING	Haines & Company, Inc.
1996	TEMESCAL DRIVING RANGE	Pacific Bell

Temescal canyon rd

23200 Temescal canyon rd

Year	*Uses*	*Source*
2002	HYDRO CONDUIT CORP	SBC PACIFIC BELL
2001	CSRHYDROC 8 NDUIT	Haines & Company, Inc.
1996	HYDRO CONDUIT CORPORATION	Pacific Bell
1993	HYDRO CONDUIT CORPORATION	Pacific Bell
	Hydro Flow Filtration Systems Inc	Pacific Bell
1990	HYDRO CONDUIT CORPORATION	Pacific Bell
1981	From @Los Angeles@ Telephones Call	Pacific Telephone
	From @Santa Ana@ Telephones Call	Pacific Telephone
1977	From @Los Angeles@ Telephones Call	Pacific Telephone
	From @Santa Ana@ Telephones Call	Pacific Telephone

FINDINGS

Year	Uses	Source
1970	HYDRO CONDUIT CORPORATION	Pacific Telephone

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

TEMESCAL CANYON RD

23000 TEMESCAL CANYON RD

Year	Uses	Source
2001	XXXX	Haines & Company, Inc.
1996	ELSOBRANTE LANDFILL	Pacific Bell
1990	ELSOBRANTE LANDFILL	Pacific Bell

23025 TEMESCAL CANYON RD

Year	Uses	Source
2002	Guffey Elizabeth T	SBC PACIFIC BELL
2001	GUFFEY Elzabeth T	Haines & Company, Inc.
	LOPEZAD	Haines & Company, Inc.
1996	Guffey Elizabeth T	Pacific Bell
1993	Guffey Elizabeth T	Pacific Bell
	Herman H E Dr	Pacific Bell
1990	Guffey Elizabeth T	Pacific Bell
	Schacht Frank	Pacific Bell
	Herman H E Dr	Pacific Bell

Temescal Canyon Rd

23107 Temescal Canyon Rd

Year	Uses	Source
2014	K & W MANUFACTURING CO INC	EDR Digital Archive
	K & W MANUFACTURING CO INC	EDR Digital Archive
2010	K & W MANUFACTURING CO INC	EDR Digital Archive
	K & W MANUFACTURING CO INC	EDR Digital Archive
2005	K & W MANUFACTURING COMPANY	EDR Digital Archive
	D J B LIBERTY COMPANY	EDR Digital Archive
	K & W MANUFACTURING COMPANY	EDR Digital Archive
	D J B LIBERTY COMPANY	EDR Digital Archive

FINDINGS

TEMESCAL CANYON RD

23107 TEMESCAL CANYON RD

Year	Uses	Source
2002	K & W MANUFACTURING CO	SBC PACIFIC BELL
2001	CO INC	Haines & Company, Inc.
	K&W MANUFACTURING	Haines & Company, Inc.
	KECKGerald	Haines & Company, Inc.
1996	K & W MANUFACTURING CO INC	Pacific Bell
1993	K & W Manufacturing Co Inc	Pacific Bell
1990	K & W MANUFACTURING CO INC	Pacific Bell

Temescal Canyon Rd

23125 Temescal Canyon Rd

Year	Uses	Source
2014	W D SCHOCK CORP	EDR Digital Archive
	W D SCHOCK CORP	EDR Digital Archive
2010	W D SCHOCK CORP	EDR Digital Archive
	W D SCHOCK CORP	EDR Digital Archive
2005	W D SCHOCK CORP	EDR Digital Archive
	W D SCHOCK CORP	EDR Digital Archive

TEMESCAL CANYON RD

23125 TEMESCAL CANYON RD

Year	Uses	Source
2002	SCHOCKWD CORP	SBC PACIFIC BELL
2001	SCHOCKThomas	Haines & Company, Inc.
	SCHOCKWDCORP	Haines & Company, Inc.
1996	SCHOCK W D CORP	Pacific Bell
1993	Schoenberger G A	Pacific Bell
	Schock W D Corp boat mfrs	Pacific Bell
1990	SCHOCK W D CORP	Pacific Bell

Temescal Canyon Rd

23143 Temescal Canyon Rd

Year	Uses	Source
2014	CHARLESTON CAPITAL GROUP	EDR Digital Archive
	SOUTHWEST PRECISION SHTMTL	EDR Digital Archive

FINDINGS

Year	Uses	Source
2014	CHARLESTON CAPITAL GROUP	EDR Digital Archive
	SOUTHWEST PRECISION SHTMTL	EDR Digital Archive
2010	KAVCO CONSTRUCTION COMPONENTS	EDR Digital Archive
	JTMS HOT ROD SHOP LLC	EDR Digital Archive
	SOUTHWEST PRECISION SHTMTL	EDR Digital Archive
	PARAGON AIRHEATER TECH LLC	EDR Digital Archive
	SOUTHWEST PRECISION SHTMTL	EDR Digital Archive
	KAVCO CONSTRUCTION COMPONENTS	EDR Digital Archive
	JTMS HOT ROD SHOP LLC	EDR Digital Archive
	PARAGON AIRHEATER TECH LLC	EDR Digital Archive
2005	PARAGON AIRHEATER TECHNOLOGIES	EDR Digital Archive
	KAVCO CONSTRUCTION COMPONENTS	EDR Digital Archive
	PARAGON AIRHEATER TECHNOLOGIES	EDR Digital Archive
	KAVCO CONSTRUCTION COMPONENTS	EDR Digital Archive

FINDINGS

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
23000 TEMESCAL CANYON RD	2014, 2010, 2005, 2002, 1993, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
23025 TEMESCAL CANYON RD	2014, 2010, 2005, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
23107 Temescal Canyon Rd	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
23107 Temescal Canyon Rd	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
23107 TEMESCAL CANYON RD	2014, 2010, 2005, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
23125 TEMESCAL CANYON RD	2014, 2010, 2005, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
23125 Temescal Canyon Rd	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
23125 Temescal Canyon Rd	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
23143 Temescal Canyon Rd	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921
23143 Temescal Canyon Rd	2002, 2001, 1996, 1993, 1990, 1986, 1981, 1977, 1970, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
23100 Temescal Canyon Rd	1986, 1967, 1966, 1961, 1960, 1956, 1955, 1951, 1946, 1945, 1941, 1939, 1936, 1931, 1930, 1927, 1925, 1924, 1921

23100 Temescal Canyon Rd
23100 Temescal Canyon Rd
Corona, CA 92883

Inquiry Number: 5657831.2s
May 20, 2019

EDR Summary Radius Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	125
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting SSURGO Soil Map	A-5
Physical Setting Source Map	A-14
Physical Setting Source Map Findings	A-16
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2019 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

23100 TEMESCAL CANYON RD
CORONA, CA 92883

COORDINATES

Latitude (North):	33.7843280 - 33° 47' 3.58''
Longitude (West):	117.4878630 - 117° 29' 16.30''
Universal Tranverse Mercator:	Zone 11
UTM X (Meters):	454832.2
UTM Y (Meters):	3738156.2
Elevation:	933 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property:	TP
Source:	U.S. Geological Survey

Target Property:	NW
Source:	U.S. Geological Survey

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20140603
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
23100 TEMESCAL CANYON RD
CORONA, CA 92883

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	CSR HYDRO CONDUIT	23200 TEMESCAL CYN	HAZNET	Higher	1 ft.
B2	CORONA CLAY COMPANY	DAWSON CANYON RD & T	RGA LF	Higher	1 ft.
B3		TEMESCAL CANYON & DA	CHMIRS	Higher	1 ft.
A4	HYDRO CONDUIT CORPOR	23200 TEMESCAL CANYO	UST, SWEEPS UST	Higher	1 ft.
A5	HYDRO CONDUIT CORPOR	23200 TEMESCAL CANYO	HAZNET	Higher	1 ft.
A6	CONCRETE PIPE MFG FA	23200 TEMESCAL CANYO	CIWQS	Higher	1 ft.
A7	HYDRO CONDUIT CORP	23200 TEMESCAL CYN R	RCRA-SQG, LUST, CA FID UST, ICIS, US AIRS, HIST...	Higher	1 ft.
A8	HYDRO CONDUIT CORP	23200 TEMESCAL CYN R	LUST, EMI, CERS	Higher	1 ft.
A9	CSR HYDRO CONDUIT	23200 TEMESCAL CYN R	FINDS	Higher	1 ft.
A10	CONCRETE PIPE MFG FA	23200 TEMESCAL CANYO	FINDS	Higher	1 ft.
A11	CSR HYDRO CONDUIT	23200 TEMESCAL CANYO	RGA LUST	Higher	1 ft.
A12	RINKER MATERIALS HYD	23200 TEMESCAL CANYO	FINDS, ECHO	Higher	1 ft.
C13	WD SCHOCK CORP	23125 TEMESCAL CANYO	CERS HAZ WASTE, NPDES, CIWQS, CERS	Higher	259, 0.049, WSW
C14	WD SCHOCK CORP	23125 TEMESCAL CANYO	RCRA-SQG, US AIRS	Higher	259, 0.049, WSW
D15	SHELL SERVICE STATIO	23255 TEMESCAL CANYO	CERS HAZ WASTE, CERS TANKS, HAZNET, CERS	Higher	285, 0.054, South
D16	SHELL SERVICE STATIO	23255 TEMESCAL CANYO	UST	Higher	285, 0.054, South
E17	HCI ENVIRONMENTAL &	22941 TEMESCAL CANYO	HWT	Higher	859, 0.163, WNW
E18	HCI ENVIRONMENTAL &	22941 TEMESCAL CANYO	RCRA-CESQG	Higher	859, 0.163, WNW
19	RANCHO SERRANO HIGH	LAWSON DRIVE/TEMESCA	ENVIROSTOR, SCH	Higher	1509, 0.286, SSW
F20	ARCO STATION	23760 TEMESCAL CANYO	LUST	Higher	1649, 0.312, South
F21	ARCO TEMESCAL CYN	23760 TEMESCAL CANYO	LUST	Higher	1649, 0.312, South
F22	ARCO TEMESCAL CYN	23760 TEMESCAL CANYO	LUST, SWEEPS UST, CA FID UST, CERS	Higher	1649, 0.312, South
G23	MISSION CLAY PRODUCT	23835 TEMESCAL CNYN	LUST, HIST CORTESE	Higher	2038, 0.386, South
G24	MISSION CLAY PRODUCT	23835 TEMESCAL CANYO	LUST, NPDES, CIWQS, CERS	Higher	2038, 0.386, South
25	RIVERSIDE CEMENT CO.	10250 DAWSON CNYN	LUST, HIST CORTESE, CERS	Higher	2412, 0.457, NE
26	TEMESCAL CANYON ELEM	CLAYSTONE AVENUE/NIC	ENVIROSTOR, SCH	Higher	2526, 0.478, WNW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: A review of the RCRA-SQG list, as provided by EDR, and dated 03/25/2019 has revealed that there are 2 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP EPA ID:: CAD983660150	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***
WD SCHOCK CORP EPA ID:: CAD982320806	***23125 TEMESCAL CANYO***	***WSW 0 - 1/8 (0.049 mi.)***	***C14***	***11***

RCRA-CESQG: A review of the RCRA-CESQG list, as provided by EDR, and dated 03/25/2019 has revealed that there is 1 RCRA-CESQG site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HCI ENVIRONMENTAL & EPA ID:: CAR000287300	22941 TEMESCAL CANYO	WNW 1/8 - 1/4 (0.163 mi.)	E18	12

State- and tribal - equivalent CERCLIS

ENVIROSTOR: A review of the ENVIROSTOR list, as provided by EDR, and dated 01/28/2019 has revealed that there are 2 ENVIROSTOR sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
RANCHO SERRANO HIGH	***LAWSON DRIVE/TEMESCA***	***SSW 1/4 - 1/2 (0.286 mi.)***	***19***	***12***

Facility Id: 60000062
Status: No Action Required

TEMESCAL CANYON ELEM ***CLAYSTONE AVENUE/NIC*** ***WNW 1/4 - 1/2 (0.478 mi.)*** ***26*** ***14***
Facility Id: 33010021
Status: No Further Action

State and tribal leaking storage tank lists

LUST: A review of the LUST list, as provided by EDR, has revealed that there are 8 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***
Database: LUST REG 8, Date of Government Version: 02/14/2005 Database: LUST, Date of Government Version: 12/10/2018 Status: Completed - Case Closed Facility Status: Case Closed Global Id: T0606500563 Global ID: T0606500563				
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A8***	***10***
Database: RIVERSIDE CO. LUST, Date of Government Version: 04/11/2019 Facility Id: 9814820 Facility Status: 9				
ARCO STATION	23760 TEMESCAL CANYO	S 1/4 - 1/2 (0.312 mi.)	F20	12
Database: LUST REG 8, Date of Government Version: 02/14/2005 Facility Status: Remediation Plan Global ID: T0606520247				
ARCO TEMESCAL CYN	23760 TEMESCAL CANYO	S 1/4 - 1/2 (0.312 mi.)	F21	12
Database: RIVERSIDE CO. LUST, Date of Government Version: 04/11/2019 Facility Id: 980750 Facility Status: 9				
ARCO TEMESCAL CYN	***23760 TEMESCAL CANYO***	***S 1/4 - 1/2 (0.312 mi.)***	***F22***	***13***
Database: LUST, Date of Government Version: 12/10/2018 Status: Completed - Case Closed Global Id: T0606520247				
MISSION CLAY PRODUCT	***23835 TEMESCAL CNYN***	***S 1/4 - 1/2 (0.386 mi.)***	***G23***	***13***
Database: RIVERSIDE CO. LUST, Date of Government Version: 04/11/2019 Facility Id: 93929 Facility Status: 9				
MISSION CLAY PRODUCT	***23835 TEMESCAL CANYO***	***S 1/4 - 1/2 (0.386 mi.)***	***G24***	***13***
Database: LUST REG 8, Date of Government Version: 02/14/2005 Database: LUST, Date of Government Version: 12/10/2018 Status: Completed - Case Closed Facility Status: Case Closed Global Id: T0606500334 Global ID: T0606500334				
RIVERSIDE CEMENT CO.	***10250 DAWSON CNYN***	***NE 1/4 - 1/2 (0.457 mi.)***	***25***	***14***
Database: LUST REG 8, Date of Government Version: 02/14/2005 Database: RIVERSIDE CO. LUST, Date of Government Version: 04/11/2019 Database: LUST, Date of Government Version: 12/10/2018				

Status: Completed - Case Closed
Facility Status: Case Closed
Facility Id: 93795
Global Id: T0606500335
Facility Status: 9
Global ID: T0606500335

State and tribal registered storage tank lists

UST: A review of the UST list, as provided by EDR, has revealed that there are 2 UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORPOR	***23200 TEMESCAL CANYO***	***0 - 1/8 (0.000 mi.)***	***A4***	***8***
Database: UST, Date of Government Version: 12/10/2018 Facility Id: 400				
SHELL SERVICE STATIO	23255 TEMESCAL CANYO	S 0 - 1/8 (0.054 mi.)	D16	11
Database: RIVERSIDE CO. UST, Date of Government Version: 01/29/2019 Database: UST, Date of Government Version: 12/10/2018				

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

CERS HAZ WASTE: A review of the CERS HAZ WASTE list, as provided by EDR, and dated 04/09/2019 has revealed that there are 2 CERS HAZ WASTE sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
WD SCHOCK CORP	***23125 TEMESCAL CANYO***	***WSW 0 - 1/8 (0.049 mi.)***	***C13***	***11***
SHELL SERVICE STATIO	***23255 TEMESCAL CANYO***	***S 0 - 1/8 (0.054 mi.)***	***D15***	***11***

Local Lists of Registered Storage Tanks

SWEEPS UST: A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there is 1 SWEEPS UST site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORPOR	***23200 TEMESCAL CANYO***	***0 - 1/8 (0.000 mi.)***	***A4***	***8***
Status: A Tank Status: A Comp Number: 11716				

EXECUTIVE SUMMARY

CA FID UST: A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there is 1 CA FID UST site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***
Facility Id: 33000562				
Status: A				

CERS TANKS: A review of the CERS TANKS list, as provided by EDR, and dated 04/09/2019 has revealed that there is 1 CERS TANKS site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SHELL SERVICE STATIO	***23255 TEMESCAL CANYO***	***S 0 - 1/8 (0.054 mi.)***	***D15***	***11***

Records of Emergency Release Reports

CHMIRS: A review of the CHMIRS list, as provided by EDR, and dated 10/24/2018 has revealed that there is 1 CHMIRS site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
Not reported	TEMESCAL CANYON & DA	0 - 1/8 (0.000 mi.)	B3	8
OES Incident Number: 3-3233				

Other Ascertainable Records

ICIS: A review of the ICIS list, as provided by EDR, and dated 11/18/2016 has revealed that there is 1 ICIS site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***
FRS ID:: 110001183077				

US AIRS: A review of the US AIRS list, as provided by EDR, has revealed that there is 1 US AIRS site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***
Database: US AIRS MINOR, Date of Government Version: 10/12/2016				
EPA plant ID:: 110001191610				

EXECUTIVE SUMMARY

FINDS: A review of the FINDS list, as provided by EDR, and dated 02/15/2019 has revealed that there are 3 FINDS sites within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CSR HYDRO CONDUIT Registry ID:: 110040863152	23200 TEMESCAL CYN R	0 - 1/8 (0.000 mi.)	A9	10
CONCRETE PIPE MFG FA Registry ID:: 110064889376	23200 TEMESCAL CANYO	0 - 1/8 (0.000 mi.)	A10	10
RINKER MATERIALS HYD Registry ID:: 110001183077	***23200 TEMESCAL CANYO***	***0 - 1/8 (0.000 mi.)***	***A12***	***10***

ECHO: A review of the ECHO list, as provided by EDR, and dated 03/03/2019 has revealed that there is 1 ECHO site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
RINKER MATERIALS HYD Registry ID: 110001183077	***23200 TEMESCAL CANYO***	***0 - 1/8 (0.000 mi.)***	***A12***	***10***

EMI: A review of the EMI list, as provided by EDR, and dated 12/31/2017 has revealed that there is 1 EMI site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP Facility Id: 21173	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A8***	***10***

HAZNET: A review of the HAZNET list, as provided by EDR, and dated 12/31/2017 has revealed that there are 2 HAZNET sites within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CSR HYDRO CONDUIT GEPAID: CAD983660150 GEPAID: CAC002861475	23200 TEMESCAL CYN	0 - 1/8 (0.000 mi.)	A1	8
HYDRO CONDUIT CORPOR GEPAID: CAL000002591	23200 TEMESCAL CANYO	0 - 1/8 (0.000 mi.)	A5	8

HIST CORTESE: A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 3 HIST CORTESE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***

Reg Id: 083303356T				
MISSION CLAY PRODUCT	***23835 TEMESCAL CNYN***	***S 1/4 - 1/2 (0.386 mi.)***	***G23***	***13***
Reg Id: 083302333T				
RIVERSIDE CEMENT CO.	***10250 DAWSON CNYN***	***NE 1/4 - 1/2 (0.457 mi.)***	***25***	***14***
Reg Id: 083302334T				

HWT: A review of the HWT list, as provided by EDR, and dated 01/07/2019 has revealed that there is 1 HWT site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HCI ENVIRONMENTAL &	22941 TEMESCAL CANYO	WNW 1/8 - 1/4 (0.163 mi.)	E17	12
Reg Num: 5464				

NPDES: A review of the NPDES list, as provided by EDR, and dated 02/11/2019 has revealed that there is 1 NPDES site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***
Facility Status: Terminated				

WDS: A review of the WDS list, as provided by EDR, and dated 06/19/2007 has revealed that there is 1 WDS site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***
Facility Status: A				
Facility Id: 8 33I000094				

CIWQS: A review of the CIWQS list, as provided by EDR, and dated 03/05/2019 has revealed that there are 2 CIWQS sites within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CONCRETE PIPE MFG FA	23200 TEMESCAL CANYO	0 - 1/8 (0.000 mi.)	A6	9
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***

CERS: A review of the CERS list, as provided by EDR, and dated 04/09/2019 has revealed that there are 2 CERS sites within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A7***	***9***
HYDRO CONDUIT CORP	***23200 TEMESCAL CYN R***	***0 - 1/8 (0.000 mi.)***	***A8***	***10***

EXECUTIVE SUMMARY

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: A review of the RGA LF list, as provided by EDR, has revealed that there is 1 RGA LF site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CORONA CLAY COMPANY Facility ID: 33-AA-0068	DAWSON CANYON RD & T	0 - 1/8 (0.000 mi.)	B2	8

RGA LUST: A review of the RGA LUST list, as provided by EDR, has revealed that there is 1 RGA LUST site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CSR HYDRO CONDUIT	23200 TEMESCAL CANYO	0 - 1/8 (0.000 mi.)	A11	10

Count: 11 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
CORONA	S106117708	WILD ROSE DEVELOPMENT	HIGHWAY 15 NEAR CLAY CANYON		LUST
CORONA	S107537949		CAJALCO RD-1/2 MI E OF TEMESCA		CDL
CORONA	S121678248	SW CR OLD TEMESCAL RD & 6TH ST	SW CR OLD TEMESCAL RD & 6TH ST		CIWQS
CORONA	S123302668	TEMESCAL CANYON ROAD	DAWSON CANYON RD TO DOS LAGOS	92883	NPDES, CERS
CORONA	S121634120	DEWATERING,TEMESCAL CANYON	TEMESCAL CANYON		CIWQS
CORONA	S121679192	TEMESCAL CANYON RD WIDENING	TEMESCAL CANYON RD AND I 15	92883	CIWQS
CORONA	S109611842		TEMESCAL CANYON RD, 3/4 MILE N	92883	CDL
CORONA	S109611831		ON TEMESCAL CANYON RD, 1/4 MI	92883	CDL
CORONA	S107540863		TEMESCAL CANYON RD @ WEIRICK R	92883	CDL
CORONA	S107540862		TEMESCAL CANYON RD (@ HIGHWAY	92883	CDL
RIVERSIDE COUNTY	1023245070	TEMESCA CANYON RD - COLDWATER CANY	TEMESCAL CANYON		FINDS

OVERVIEW MAP - 5657831.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

0 1/4 1/2 1 Miles

Indian Reservations BIA

Power transmission lines

100-year flood zone

500-year flood zone

National Wetland Inventory

State Wetlands

Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 23100 Temescal Canyon Rd ADDRESS: 23100 Temescal Canyon Rd Corona CA 92883 LAT/LONG: 33.784328 / 117.487863	CLIENT: Hazard Management Consulting CONTACT: Troy Taylor INQUIRY #: 5657831.2s DATE: May 20, 2019 1:54 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 5657831.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands
- Areas of Concern

0 1/8 1/4 1/2 Miles

N

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 23100 Temescal Canyon Rd	CLIENT: Hazard Management Consulting
ADDRESS: 23100 Temescal Canyon Rd Corona CA 92883	CONTACT: Troy Taylor
LAT/LONG: 33.784328 / 117.487863	INQUIRY #: 5657831.2s DATE: May 20, 2019 1:55 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Federal NPL site list								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	0.001		0	NR	NR	NR	NR	0
Federal Delisted NPL site list								
Delisted NPL	1.000		0	0	0	0	NR	0
Federal CERCLIS list								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Federal CERCLIS NFRAP site list								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Federal RCRA CORRACTS facilities list								
CORRACTS	1.000		0	0	0	0	NR	0
Federal RCRA non-CORRACTS TSD facilities list								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Federal RCRA generators list								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		2	0	NR	NR	NR	2
RCRA-CESQG	0.250		0	1	NR	NR	NR	1
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	0.001		0	NR	NR	NR	NR	0
State- and tribal - equivalent NPL								
RESPONSE	1.000		0	0	0	0	NR	0
State- and tribal - equivalent CERCLIS								
ENVIROSTOR	1.000		0	0	2	0	NR	2
State and tribal landfill and/or solid waste disposal site lists								
SWF/LF	0.500		0	0	0	NR	NR	0
State and tribal leaking storage tank lists								
LUST	0.500		2	0	6	NR	NR	8

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
CPS-SLIC	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		2	0	NR	NR	NR	2
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	0.001		0	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	0.001		0	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	0	NR	0
SCH	0.250		0	0	NR	NR	NR	0
CDL	0.001		0	NR	NR	NR	NR	0
CERS HAZ WASTE	0.250		2	0	NR	NR	NR	2
Toxic Pits	1.000		0	0	0	0	NR	0
US CDL	0.001		0	NR	NR	NR	NR	0
PFAS	0.001		0	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
SWEEPS UST	0.250		1	0	NR	NR	NR	1
HIST UST	0.250		0	0	NR	NR	NR	0
CA FID UST	0.250		1	0	NR	NR	NR	1
CERS TANKS	0.250		1	0	NR	NR	NR	1
Local Land Records								
LIENS	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	0.001		0	NR	NR	NR	NR	0
DEED	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0
CHMIRS	0.001		1	NR	NR	NR	NR	1
LDS	0.001		0	NR	NR	NR	NR	0
MCS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		1	NR	NR	NR	NR	1
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	0.001		0	NR	NR	NR	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		1	NR	NR	NR	NR	1
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.001		0	NR	NR	NR	NR	0
FINDS	0.001		3	NR	NR	NR	NR	3
ECHO	0.001		1	NR	NR	NR	NR	1
UXO	1.000		0	0	0	0	NR	0
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
Cortese	0.500		0	0	0	NR	NR	0
CUPA Listings	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
EMI	0.001		1	NR	NR	NR	NR	1
ENF	0.001		0	NR	NR	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
HAZNET	0.001		2	NR	NR	NR	NR	2
ICE	0.001		0	NR	NR	NR	NR	0
HIST CORTESE	0.500		1	0	2	NR	NR	3
HWP	1.000		0	0	0	0	NR	0
HWT	0.250		0	1	NR	NR	NR	1
MINES	0.001		0	NR	NR	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0
NPDES	0.001		1	NR	NR	NR	NR	1
PEST LIC	0.001		0	NR	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
Notify 65	1.000		0	0	0	0	NR	0
UIC	0.001		0	NR	NR	NR	NR	0
UIC GEO	0.001		0	NR	NR	NR	NR	0
WASTEWATER PITS	0.500		0	0	0	NR	NR	0
WDS	0.001		1	NR	NR	NR	NR	1
MILITARY PRIV SITES	0.001		0	NR	NR	NR	NR	0
PROJECT	0.001		0	NR	NR	NR	NR	0
WDR	0.001		0	NR	NR	NR	NR	0
CIWQS	0.001		2	NR	NR	NR	NR	2
CERS	0.001		2	NR	NR	NR	NR	2
WIP	0.250		0	0	NR	NR	NR	0
NON-CASE INFO	0.001		0	NR	NR	NR	NR	0
OTHER OIL GAS	0.001		0	NR	NR	NR	NR	0
PROD WATER PONDS	0.001		0	NR	NR	NR	NR	0
SAMPLING POINT	0.001		0	NR	NR	NR	NR	0
WELL STIM PROJ	0.001		0	NR	NR	NR	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		0	NR	NR	NR	NR	0
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
RGA LF	0.001		1	NR	NR	NR	NR	1
RGA LUST	0.001		1	NR	NR	NR	NR	1
- Totals --		0	30	2	10	0	0	42

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **CSR HYDRO CONDUIT** **HAZNET** **S113019185**
23200 TEMESCAL CYN **N/A**
< 1/8 **CORONA, CA 91720**
1 ft.

Relative: Higher

Click here for full text details

HAZNET
GEPAID: CAD983660150
GEPAID: CAC002861475

B2 **CORONA CLAY COMPANY** **RGA LF** **S114726826**
DAWSON CANYON RD & TEMESCAL CANYON RD **N/A**
< 1/8 **CORONA, CA**
1 ft.

Relative: Higher

Click here for full text details

RGA LF
Facility ID: 33-AA-0068

B3 **CHMIRS** **S106396862**
TEMESCAL CANYON & DAWSON CANYON **N/A**
< 1/8 **CORONA, CA 90014**
1 ft.

Relative: Higher

Click here for full text details

CHMIRS
OES Incident Number: 3-3233

A4 **HYDRO CONDUIT CORPORATION** **UST** **U003152745**
23200 TEMESCAL CANYON RD **SWEEPS UST** **N/A**
< 1/8 **CORONA, CA 92883**
1 ft.

Relative: Higher

Click here for full text details

UST
Facility Id: 400

SWEEPS UST
Status: A
Tank Status: A
Comp Number: 11716

A5 **HYDRO CONDUIT CORPORATION** **HAZNET** **S113022569**
23200 TEMESCAL CANYON ROAD **N/A**
< 1/8 **CORONA, CA 91718**
1 ft.

Relative: Higher

Click here for full text details

HAZNET
GEPAID: CAL000002591

A6
< 1/8
1 ft.

CONCRETE PIPE MFG FAC
23200 TEMESCAL CANYON
CORONA, CA 91719

CIWQS

S121630698
N/A

Relative: Higher

Click here for full text details

A7
< 1/8
1 ft.

HYDRO CONDUIT CORP
23200 TEMESCAL CYN RD
CORONA, CA 92883

RCRA-SQG
LUST
CA FID UST
ICIS
US AIRS
HIST CORTESE
NPDES
WDS
CIWQS
CERS

1000819995
CAD983660150

Relative: Higher

Click here for full text details

RCRA-SQG
EPA Id: CAD983660150

LUST
Facility Status: Case Closed
Status: Completed - Case Closed
Global Id: T0606500563
Global ID: T0606500563

CA FID UST
Status: A
Facility Id: 33000562

ICIS
FRS ID:: 110001183077

US AIRS
EPA plant ID:: 110001191610

HIST CORTESE
Reg Id: 083303356T

NPDES
Facility Status: Terminated

WDS
Facility Id: 8 33I000094
Facility Status: Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.

A8
< 1/8
1 ft.

HYDRO CONDUIT CORP
23200 TEMESCAL CYN RD
CORONA, CA 91720

LUST
EMI
CERS

S103771157
N/A

Relative: Higher

Click here for full text details

LUST
Facility Id: 9814820
Facility Status: 9

EMI
Facility Id: 21173

A9
< 1/8
1 ft.

CSR HYDRO CONDUIT
23200 TEMESCAL CYN RD
CORONA, CA 91719

FINDS

1014680400
N/A

Relative: Higher

Click here for full text details

FINDS
Registry ID:: 110040863152

A10
< 1/8
1 ft.

CONCRETE PIPE MFG FAC
23200 TEMESCAL CANYON
CORONA, CA 91719

FINDS

1023203928
N/A

Relative: Higher

Click here for full text details

FINDS
Registry ID:: 110064889376

A11
< 1/8
1 ft.

CSR HYDRO CONDUIT
23200 TEMESCAL CANYON RD
CORONA, CA

RGA LUST

S114608183
N/A

Relative: Higher

Click here for full text details

A12
< 1/8
1 ft.

RINKER MATERIALS HYDRO CONDUIT
23200 TEMESCAL CANYON ROAD
CORONA, CA 92883

FINDS
ECHO

1016064092
N/A

Relative: Higher

Click here for full text details

FINDS
Registry ID:: 110001183077

ECHO

RINKER MATERIALS HYDRO CONDUIT (Continued) **1016064092**

Registry ID: 110001183077

C13
WSW
< 1/8
0.049 mi.
259 ft.

Relative:
Higher

WD SCHOCK CORP
23125 TEMESCAL CANYON RD
CORONA, CA 92883

CERS HAZ WASTE **S103644094**
NPDES **N/A**
CIWQS
CERS

Click here for full text details

NPDES
Facility Status: Terminated

C14
WSW
< 1/8
0.049 mi.
259 ft.

Relative:
Higher

WD SCHOCK CORP
23125 TEMESCAL CANYON RD
CORONA, CA 92883

RCRA-SQG **1000378173**
US AIRS **CAD982320806**

Click here for full text details

RCRA-SQG
EPA Id: CAD982320806

US AIRS
EPA plant ID:: 110002415690

D15
South
< 1/8
0.054 mi.
285 ft.

Relative:
Higher

SHELL SERVICE STATION
23255 TEMESCAL CANYON RD
CORONA, CA 92883

CERS HAZ WASTE **S113136206**
CERS TANKS **N/A**
HAZNET
CERS

Click here for full text details

HAZNET
GEPAID: CAL000291767

D16
South
< 1/8
0.054 mi.
285 ft.

Relative:
Higher

SHELL SERVICE STATION
23255 TEMESCAL CANYON RD
CORONA, CA 92883

UST **U004186723**
N/A

Click here for full text details

E17
WNW
1/8-1/4
0.163 mi.
859 ft.

Relative:
Higher

HCI ENVIRONMENTAL & ENGINEERING SERVICE
22941 TEMESCAL CANYON RD
CORONA, CA 92883

HWT **S103966807**
N/A

Click here for full text details

HWT
Reg Num: 5464

E18
WNW
1/8-1/4
0.163 mi.
859 ft.

Relative:
Higher

HCI ENVIRONMENTAL & ENGINEERING SERVICE
22941 TEMESCAL CANYON RD.
CORONA, CA 92883

RCRA-CESQG **1024877170**
CAR000287300

Click here for full text details

RCRA-CESQG
EPA Id: CAR000287300

19
SSW
1/4-1/2
0.286 mi.
1509 ft.

Relative:
Higher

RANCHO SERRANO HIGH SCHOOL
LAWSON DRIVE/TEMESCAL CANYON ROAD
CORONA, CA 92883

ENVIROSTOR
SCH **S118757050**
N/A

Click here for full text details

ENVIROSTOR
Facility Id: 60000062
Status: No Action Required

SCH
Facility Id: 60000062
Status: No Action Required

F20
South
1/4-1/2
0.312 mi.
1649 ft.

Relative:
Higher

ARCO STATION
23760 TEMESCAL CANYON ROAD
CORONA, CA

LUST **S105690607**
N/A

Click here for full text details

LUST
Facility Status: Remediation Plan
Global ID: T0606520247

F21
South
1/4-1/2
0.312 mi.
1649 ft.

Relative:
Higher

ARCO TEMESCAL CYN
23760 TEMESCAL CANYON RD
CORONA, CA

LUST **S104228038**
N/A

Click here for full text details

LUST
Facility Id: 980750

ARCO TEMESCAL CYN (Continued) **S104228038**

Facility Status: 9

F22
South
1/4-1/2
0.312 mi.
1649 ft.

Relative:
Higher

ARCO TEMESCAL CYN
23760 TEMESCAL CANYON ROAD
CORONA, CA 92883

LUST **S101590282**
SWEEPS UST **N/A**
CA FID UST
CERS

Click here for full text details

LUST
Status: Completed - Case Closed
Global Id: T0606520247

SWEEPS UST
Status: A
Tank Status: A
Comp Number: 26597

CA FID UST
Status: A
Facility Id: 33006950

G23
South
1/4-1/2
0.386 mi.
2038 ft.

Relative:
Higher

MISSION CLAY PRODUCTS
23835 TEMESCAL CNYN
CORONA, CA 91718

LUST **S105023408**
HIST CORTESE **N/A**

Click here for full text details

LUST
Facility Id: 93929
Facility Status: 9

HIST CORTESE
Reg Id: 083302333T

G24
South
1/4-1/2
0.386 mi.
2038 ft.

Relative:
Higher

MISSION CLAY PRODUCTS
23835 TEMESCAL CANYON RD
CORONA, CA 91718

LUST **1007286671**
NPDES **N/A**
CIWQS
CERS

Click here for full text details

LUST
Facility Status: Case Closed
Status: Completed - Case Closed
Global Id: T0606500334
Global ID: T0606500334

NPDES
Facility Status: Active

25
NE
1/4-1/2
0.457 mi.
2412 ft.

Relative:
Higher

RIVERSIDE CEMENT CO.
10250 DAWSON CNYN
CORONA, CA 91719

LUST
HIST CORTESE
CERS

S105023401
N/A

Click here for full text details

LUST
Facility Status: Case Closed
Status: Completed - Case Closed
Facility Id: 93795
Global Id: T0606500335
Facility Status: 9
Global ID: T0606500335

HIST CORTESE
Reg Id: 083302334T

26
WNW
1/4-1/2
0.478 mi.
2526 ft.

Relative:
Higher

TEMESCAL CANYON ELEMENTARY
CLAYSTONE AVENUE/NICKELLAUS COURT
CORONA, CA 92883

ENVIROSTOR
SCH

S107737436
N/A

Click here for full text details

ENVIROSTOR
Facility Id: 33010021
Status: No Further Action

SCH
Facility Id: 33010021
Status: No Further Action

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
CA	AST	Aboveground Petroleum Storage Tank Facilities	California Environmental Protection Agency	07/06/2016	07/12/2016	09/19/2016
CA	BROWNFIELDS	Considered Brownfieds Sites Listing	State Water Resources Control Board	03/25/2019	03/26/2019	04/29/2019
CA	CA BOND EXP. PLAN	Bond Expenditure Plan	Department of Health Services	01/01/1989	07/27/1994	08/02/1994
CA	CA FID UST	Facility Inventory Database	California Environmental Protection Agency	10/31/1994	09/05/1995	09/29/1995
CA	CDL	Clandestine Drug Labs	Department of Toxic Substances Control	12/31/2017	06/12/2018	08/06/2018
CA	CERS	CalEPA Regulated Site Portal Data	California Environmental Protection Agency	04/09/2019	04/11/2019	05/08/2019
CA	CERS HAZ WASTE	CERS HAZ WASTE	CalEPA	04/09/2019	04/11/2019	05/08/2019
CA	CERS TANKS	California Environmental Reporting System (CERS) Tanks	California Environmental Protection Agency	04/09/2019	04/11/2019	05/08/2019
CA	CHMIRS	California Hazardous Material Incident Report System	Office of Emergency Services	10/24/2018	01/24/2019	03/05/2019
CA	CIWQS	California Integrated Water Quality System	State Water Resources Control Board	03/05/2019	03/05/2019	04/02/2019
CA	CORTESE	"Cortese" Hazardous Waste & Substances Sites List	CAL EPA/Office of Emergency Information	03/25/2019	03/26/2019	05/01/2019
CA	CPS-SLIC	Statewide SLIC Cases (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	CUPA LIVERMORE-PLEASANTON	CUPA Facility Listing	Livermore-Pleasanton Fire Department	01/23/2019	02/26/2019	04/01/2019
CA	CUPA SAN FRANCISCO CO	CUPA Facility Listing	San Francisco County Department of Environmen	04/18/2019	04/19/2019	04/30/2019
CA	DEED	Deed Restriction Listing	DTSC and SWRCB	03/04/2019	03/05/2019	04/01/2019
CA	DRYCLEAN AVAQMD	Antelope Valley Air Quality Management District Drycleaner L	Antelope Valley Air Quality Management Distri	02/27/2019	02/28/2019	04/01/2019
CA	DRYCLEAN SOUTH COAST	South Coast Air Quality Management District Drycleaner Listi	South Coast Air Quality Management District	03/19/2019	03/22/2019	04/09/2019
CA	DRYCLEANERS	Cleaner Facilities	Department of Toxic Substance Control	12/13/2018	01/17/2019	03/05/2019
CA	EMI	Emissions Inventory Data	California Air Resources Board	12/31/2017	06/20/2018	08/06/2018
CA	ENF	Enforcement Action Listing	State Water Resoruces Control Board	11/01/2018	11/02/2018	12/13/2018
CA	ENVIROSTOR	EnviroStor Database	Department of Toxic Substances Control	01/28/2019	01/29/2019	03/05/2019
CA	Financial Assurance 1	Financial Assurance Information Listing	Department of Toxic Substances Control	01/10/2019	01/23/2019	03/05/2019
CA	Financial Assurance 2	Financial Assurance Information Listing	California Integrated Waste Management Board	02/15/2019	02/19/2019	03/05/2019
CA	HAULERS	Registered Waste Tire Haulers Listing	Integrated Waste Management Board	03/26/2019	03/27/2019	04/30/2019
CA	HAZNET	Facility and Manifest Data	California Environmental Protection Agency	12/31/2017	10/10/2018	11/16/2018
CA	HIST CAL-SITES	Calsites Database	Department of Toxic Substance Control	08/08/2005	08/03/2006	08/24/2006
CA	HIST CORTESE	Hazardous Waste & Substance Site List	Department of Toxic Substances Control	04/01/2001	01/22/2009	04/08/2009
CA	HIST UST	Hazardous Substance Storage Container Database	State Water Resources Control Board	10/15/1990	01/25/1991	02/12/1991
CA	HWP	EnviroStor Permitted Facilities Listing	Department of Toxic Substances Control	02/19/2019	02/20/2019	03/05/2019
CA	HWT	Registered Hazardous Waste Transporter Database	Department of Toxic Substances Control	01/07/2019	01/08/2019	03/05/2019
CA	ICE	ICE	Department of Toxic Subsances Control	02/19/2019	02/20/2019	03/05/2019
CA	LDS	Land Disposal Sites Listing (GEOTRACKER)	State Water Qualilty Control Board	12/10/2018	12/11/2018	01/15/2019
CA	LIENS	Environmental Liens Listing	Department of Toxic Substances Control	02/28/2019	03/01/2019	04/02/2019
CA	LUST	Leaking Underground Fuel Tank Report (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	LUST REG 1	Active Toxic Site Investigation	California Regional Water Quality Control Boa	02/01/2001	02/28/2001	03/29/2001
CA	LUST REG 2	Fuel Leak List	California Regional Water Quality Control Boa	09/30/2004	10/20/2004	11/19/2004
CA	LUST REG 3	Leaking Underground Storage Tank Database	California Regional Water Quality Control Boa	05/19/2003	05/19/2003	06/02/2003
CA	LUST REG 4	Underground Storage Tank Leak List	California Regional Water Quality Control Boa	09/07/2004	09/07/2004	10/12/2004
CA	LUST REG 5	Leaking Underground Storage Tank Database	California Regional Water Quality Control Boa	07/01/2008	07/22/2008	07/31/2008
CA	LUST REG 6L	Leaking Underground Storage Tank Case Listing	California Regional Water Quality Control Boa	09/09/2003	09/10/2003	10/07/2003
CA	LUST REG 6V	Leaking Underground Storage Tank Case Listing	California Regional Water Quality Control Boa	06/07/2005	06/07/2005	06/29/2005
CA	LUST REG 7	Leaking Underground Storage Tank Case Listing	California Regional Water Quality Control Boa	02/26/2004	02/26/2004	03/24/2004
CA	LUST REG 8	Leaking Underground Storage Tanks	California Regional Water Quality Control Boa	02/14/2005	02/15/2005	03/28/2005
CA	LUST REG 9	Leaking Underground Storage Tank Report	California Regional Water Quality Control Boa	03/01/2001	04/23/2001	05/21/2001
CA	MCS	Military Cleanup Sites Listing (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	MILITARY PRIV SITES	Military Privatized Sites (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	MILITARY UST SITES	Military UST Sites (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
CA	MINES	Mines Site Location Listing	Department of Conservation	12/10/2018	12/12/2018	01/15/2019
CA	MWMP	Medical Waste Management Program Listing	Department of Public Health	02/20/2019	03/05/2019	04/02/2019
CA	NON-CASE INFO	Non-Case Information Sites (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	NOTIFY 65	Proposition 65 Records	State Water Resources Control Board	03/18/2019	03/19/2019	04/29/2019
CA	NPDES	NPDES Permits Listing	State Water Resources Control Board	02/11/2019	02/12/2019	03/07/2019
CA	OTHER OIL GAS	Other Oil & Gas Projects Sites (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	PEST LIC	Pesticide Regulation Licenses Listing	Department of Pesticide Regulation	03/04/2019	03/05/2019	04/05/2019
CA	PFAS	PFAS Contamination Site Location Listing	State Water Resources Control Board	02/21/2019	02/22/2019	04/15/2019
CA	PROC	Certified Processors Database	Department of Conservation	03/11/2019	03/13/2019	04/29/2019
CA	PROD WATER PONDS	Produced Water Ponds Sites (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	PROJECT	Project Sites (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	RESPONSE	State Response Sites	Department of Toxic Substances Control	01/28/2019	01/29/2019	03/05/2019
CA	RGA LF	Recovered Government Archive Solid Waste Facilities List	Department of Resources Recycling and Recover		07/01/2013	01/13/2014
CA	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	State Water Resources Control Board		07/01/2013	12/30/2013
CA	SAMPLING POINT	Sampling Point ? Public Sites (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	SAN FRANCISCO AST	Aboveground Storage Tank Site Listing	San Francisco County Department of Public Hea	09/11/2018	09/12/2018	10/11/2018
CA	SCH	School Property Evaluation Program	Department of Toxic Substances Control	01/28/2019	01/29/2019	03/05/2019
CA	SLIC REG 1	Active Toxic Site Investigations	California Regional Water Quality Control Boa	04/03/2003	04/07/2003	04/25/2003
CA	SLIC REG 2	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	Regional Water Quality Control Board San Fran	09/30/2004	10/20/2004	11/19/2004
CA	SLIC REG 3	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	California Regional Water Quality Control Boa	05/18/2006	05/18/2006	06/15/2006
CA	SLIC REG 4	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	Region Water Quality Control Board Los Angele	11/17/2004	11/18/2004	01/04/2005
CA	SLIC REG 5	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	Regional Water Quality Control Board Central	04/01/2005	04/05/2005	04/21/2005
CA	SLIC REG 6L	SLIC Sites	California Regional Water Quality Control Boa	09/07/2004	09/07/2004	10/12/2004
CA	SLIC REG 6V	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	Regional Water Quality Control Board, Victorv	05/24/2005	05/25/2005	06/16/2005
CA	SLIC REG 7	SLIC List	California Regional Quality Control Board, Co	11/24/2004	11/29/2004	01/04/2005
CA	SLIC REG 8	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	California Region Water Quality Control Board	04/03/2008	04/03/2008	04/14/2008
CA	SLIC REG 9	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	California Regional Water Quality Control Boa	09/10/2007	09/11/2007	09/28/2007
CA	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	06/06/2012	01/03/2013	02/22/2013
CA	SWEEPS UST	SWEEPS UST Listing	State Water Resources Control Board	06/01/1994	07/07/2005	08/11/2005
CA	SWF/LF (SWIS)	Solid Waste Information System	Department of Resources Recycling and Recover	02/11/2019	02/12/2019	03/05/2019
CA	SWRCY	Recycler Database	Department of Conservation	03/11/2019	03/13/2019	04/30/2019
CA	TOXIC PITS	Toxic Pits Cleanup Act Sites	State Water Resources Control Board	07/01/1995	08/30/1995	09/26/1995
CA	UIC	UIC Listing	Deaprtment of Conservation	04/27/2018	06/13/2018	07/17/2018
CA	UIC GEO	Underground Injection Control Sites (GEOTRACKER)	State Water Resource Control Board	12/10/2018	12/11/2018	01/15/2019
CA	UST	Active UST Facilities	SWRCB	12/10/2018	12/11/2018	01/15/2019
CA	UST CLOSURE	Proposed Closure of Underground Storage Tank (UST) Cases	State Water Resources Control Board	03/11/2019	03/13/2019	04/03/2019
CA	UST MENDOCINO	Mendocino County UST Database	Department of Public Health	12/04/2018	12/06/2018	12/14/2018
CA	VCP	Voluntary Cleanup Program Properties	Department of Toxic Substances Control	01/28/2019	01/29/2019	03/05/2019
CA	WASTEWATER PITS	Oil Wastewater Pits Listing	RWQCB, Central Valley Region	05/08/2018	07/11/2018	09/13/2018
CA	WDR	Waste Discharge Requirements Listing	State Water Resources Control Board	03/11/2019	03/13/2019	04/29/2019
CA	WDS	Waste Discharge System	State Water Resources Control Board	06/19/2007	06/20/2007	06/29/2007
CA	WELL STIM PROJ	Well Stimulation Project (GEOTRACKER)	State Water Resources Control Board	12/10/2018	12/11/2018	01/15/2019
CA	WIP	Well Investigation Program Case List	Los Angeles Water Quality Control Board	07/03/2009	07/21/2009	08/03/2009
CA	WMUDS/SWAT	Waste Management Unit Database	State Water Resources Control Board	04/01/2000	04/10/2000	05/10/2000
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	03/27/2019	03/28/2019	05/01/2019
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2015	02/22/2017	09/28/2017

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2005	08/07/2009	10/22/2009
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	07/01/2014	09/10/2014	10/20/2014
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	12/31/2018	02/11/2019	03/21/2019
US	CORRACTS	Corrective Action Report	EPA	03/25/2019	03/27/2019	04/17/2019
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/31/2018	07/26/2018	10/05/2018
US	DOD	Department of Defense Sites	USGS	12/31/2005	11/10/2006	01/11/2007
US	DOT OPS	Incident and Accident Data	Department of Transporation, Office of Pipeli	12/03/2018	01/29/2019	03/21/2019
US	Delisted NPL	National Priority List Deletions	EPA	04/11/2019	04/18/2019	05/14/2019
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	03/03/2019	03/05/2019	04/01/2019
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA WATCH LIST	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	03/25/2019	03/26/2019	05/01/2019
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	04/03/2019	04/05/2019	05/14/2019
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	12/31/2005	02/06/2006	01/11/2007
US	FEMA UST	Underground Storage Tank Listing	FEMA	05/15/2017	05/30/2017	10/13/2017
US	FINDS	Facility Index System/Facility Registry System	EPA	02/15/2019	03/05/2019	03/15/2019
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	01/31/2015	07/08/2015	10/13/2015
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	02/19/2019	02/21/2019	04/01/2019
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	08/08/2017	09/11/2018	09/14/2018
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	03/25/2019	03/26/2019	05/14/2019
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Serivces, Indian	04/01/2014	08/06/2014	01/29/2015
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	10/13/2018	03/07/2019	05/01/2019
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	10/17/2018	03/07/2019	05/01/2019
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	09/24/2018	03/12/2019	05/01/2019
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	10/12/2018	03/07/2019	05/01/2019
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	11/01/2018	03/07/2019	05/01/2019
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	02/19/2019	03/07/2019	05/01/2019
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	10/16/2018	03/07/2019	05/01/2019
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	10/10/2018	03/08/2019	05/01/2019
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	10/03/2018	03/07/2019	05/01/2019
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	10/17/2018	03/07/2019	05/01/2019
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	09/24/2018	03/12/2019	05/01/2019
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	10/12/2018	03/07/2019	05/01/2019
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	11/01/2018	03/07/2019	05/01/2019
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	11/07/2018	03/07/2019	05/01/2019
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	10/16/2018	03/07/2019	05/01/2019
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	10/10/2018	03/08/2019	05/01/2019

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	04/11/2019	04/18/2019	05/14/2019
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	03/11/2019	03/14/2019	03/21/2019
US	LUCIS	Land Use Control Information System	Department of the Navy	02/22/2019	03/07/2019	04/17/2019
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	08/30/2016	09/08/2016	10/21/2016
US	NPL	National Priority List	EPA	04/11/2019	04/18/2019	05/14/2019
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	03/20/2019	04/10/2019	05/14/2019
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	05/24/2017	11/30/2017	12/15/2017
US	PRP	Potentially Responsible Parties	EPA	03/11/2019	03/14/2019	04/17/2019
US	Proposed NPL	Proposed National Priority List Sites	EPA	04/11/2019	04/18/2019	05/14/2019
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	04/02/2019	04/02/2019	05/14/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	03/25/2019	03/27/2019	04/17/2019
US	RCRA-CESQG	RCRA - Conditionally Exempt Small Quantity Generators	Environmental Protection Agency	03/25/2019	03/27/2019	04/17/2019
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	03/25/2019	03/27/2019	04/17/2019
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	03/25/2019	03/27/2019	04/17/2019
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	03/25/2019	03/27/2019	04/17/2019
US	RMP	Risk Management Plans	Environmental Protection Agency	02/01/2019	02/14/2019	03/21/2019
US	ROD	Records Of Decision	EPA	03/11/2019	03/14/2019	04/01/2019
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	01/01/2017	02/03/2017	04/07/2017
US	SEMS	Superfund Enterprise Management System	EPA	03/11/2019	03/14/2019	04/17/2019
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	03/11/2019	03/14/2019	04/17/2019
US	SSTS	Section 7 Tracking Systems	EPA	12/31/2009	12/10/2010	02/25/2011
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2016	01/10/2018	01/12/2018
US	TSCA	Toxic Substances Control Act	EPA	12/31/2016	06/21/2017	01/05/2018
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	06/23/2017	10/11/2017	11/03/2017
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	12/17/2018	12/18/2018	01/11/2019
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	02/24/2019	02/26/2019	04/17/2019
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	01/31/2019	02/04/2019	03/08/2019
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	03/25/2019	03/26/2019	05/07/2019
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	02/24/2019	02/26/2019	04/17/2019
US	US INST CONTROL	Sites with Institutional Controls	Environmental Protection Agency	01/31/2019	02/04/2019	03/08/2019
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	11/27/2018	02/27/2019	04/01/2019
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	12/05/2005	02/29/2008	04/18/2008
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UXO	Unexploded Ordnance Sites	Department of Defense	12/31/2017	01/17/2019	04/01/2019

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protecti	02/11/2019	02/12/2019	03/04/2019
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	01/01/2019	01/30/2019	02/14/2019
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2017	10/23/2018	11/27/2018
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2017	02/23/2018	04/09/2018
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	12/31/2017	06/15/2018	07/09/2018
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
CA	Daycare Centers	Sensitive Receptor: Licensed Facilities	Department of Social Services			
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
CA	State Wetlands	Wetland Inventory	Department of Fish & Game			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		PennWell Corporation			
US	Electric Power Transmission Line Data		PennWell Corporation			

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

23100 TEMESCAL CANYON RD
23100 TEMESCAL CANYON RD
CORONA, CA 92883

TARGET PROPERTY COORDINATES

Latitude (North):	33.784328 - 33° 47' 3.58''
Longitude (West):	117.487863 - 117° 29' 16.31''
Universal Tranverse Mercator:	Zone 11
UTM X (Meters):	454832.2
UTM Y (Meters):	3738156.2
Elevation:	933 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5636475 LAKE MATHEWS, CA
Version Date:	2012
Northwest Map:	5636469 CORONA SOUTH, CA
Version Date:	2012

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WSW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
06065C1390G	FEMA FIRM Flood data

Additional Panels in search area:	FEMA Source Type
06065C1370G	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
NOT AVAILABLE	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Mesozoic
System:	Lower Jurassic and Upper Triassic
Series:	Lower Mesozoic
Code:	lMze *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Eugeosynclinal Deposits

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 5657831.2s



Target Property
SSURGO Soil
Water

0 1/16 1/8 1/4 Miles

N

SITE NAME:	23100 Temescal Canyon Rd	CLIENT:	Hazard Management Consulting
ADDRESS:	23100 Temescal Canyon Rd Corona CA 92883	CONTACT:	Troy Taylor
LAT/LONG:	33.784328 / 117.487863	INQUIRY #:	5657831.2s
		DATE:	May 20, 2019 1:56 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: GARRETSON

Soil Surface Texture: gravelly very fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information

	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	9 inches	gravelly very fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14 Min: 4	Max: 7.8 Min: 6.1
2	9 inches	53 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14 Min: 4	Max: 7.8 Min: 6.1
3	53 inches	72 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14 Min: 4	Max: 7.8 Min: 6.1

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 2

Soil Component Name: CORTINA

Soil Surface Texture: gravelly loamy sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Somewhat excessively drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	22 inches	gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6
2	22 inches	38 inches	stratified very gravelly loamy sand to very gravelly loam	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6
3	38 inches	59 inches	stratified very gravelly sand to very gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6

Soil Map ID: 3

Soil Component Name: LODO

Soil Surface Texture: gravelly loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Somewhat excessively drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 38 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 4 Min: 1.4	Max: Min:
2	7 inches	18 inches	unweathered bedrock	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	Not reported	Max: 4 Min: 1.4	Max: Min:

Soil Map ID: 4

Soil Component Name: Clay Pits

Soil Surface Texture: gravelly loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 5

Soil Component Name: Terrace escarpments

Soil Surface Texture: gravelly loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:
Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

No Layer Information available.

Soil Map ID: 6

Soil Component Name: ARBUCKLE

Soil Surface Texture: gravelly loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	25 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6
2	25 inches	44 inches	gravelly clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6
3	44 inches	68 inches	stratified very gravelly sandy loam to very gravelly sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6

Soil Map ID: 7

Soil Component Name: ARBUCKLE

Soil Surface Texture: gravelly loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	25 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6
2	25 inches	44 inches	gravelly clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6
3	44 inches	68 inches	stratified very gravelly sandy loam to very gravelly sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Clayey Gravel	Max: 4 Min: 1.4	Max: 7.8 Min: 5.6

Soil Map ID: 8

Soil Component Name: PLACENTIA

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Moderately well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	18 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 1.4 Min: 0.42	Max: 8.4 Min: 7.9
2	18 inches	38 inches	clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 1.4 Min: 0.42	Max: 8.4 Min: 7.9
3	38 inches	57 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 1.4 Min: 0.42	Max: 8.4 Min: 7.9
4	57 inches	59 inches	gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 1.4 Min: 0.42	Max: 8.4 Min: 7.9

Soil Map ID: 9

Soil Component Name: CORTINA

Soil Surface Texture: cobbly loamy sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Excessively drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	22 inches	cobbly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6
2	22 inches	38 inches	stratified very cobbly loamy sand to very cobbly loam	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6
3	38 inches	59 inches	stratified very gravelly sand to very gravelly loamy sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 141 Min: 42	Max: 8.4 Min: 5.6

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 0.001 miles
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	CADWR8000005480	1/2 - 1 Mile ESE

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	CAOG13000006382	1/2 - 1 Mile West
A2	CAOG13000006378	1/2 - 1 Mile West
3	CAOG13000006394	1/2 - 1 Mile WNW
A4	CAOG13000006403	1/2 - 1 Mile West

PHYSICAL SETTING SOURCE MAP - 5657831.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- GI Indeterminate Groundwater Flow at Location
- GV Groundwater Flow Varies at Location
- HD Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME: 23100 Temescal Canyon Rd	CLIENT: Hazard Management Consulting
ADDRESS: 23100 Temescal Canyon Rd Corona CA 92883	CONTACT: Troy Taylor
LAT/LONG: 33.784328 / 117.487863	INQUIRY #: 5657831.2s DATE: May 20, 2019 1:56 pm

Copyright © 2019 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1 **West** **1/2 - 1 Mile**	Click here for full text details	**OIL_GAS**	**CAOG13000006382**
A2 **West** **1/2 - 1 Mile**	Click here for full text details	**OIL_GAS**	**CAOG13000006378**
3 **WNW** **1/2 - 1 Mile**	Click here for full text details	**OIL_GAS**	**CAOG13000006394**
A4 **West** **1/2 - 1 Mile**	Click here for full text details	**OIL_GAS**	**CAOG13000006403**
1 **ESE** **1/2 - 1 Mile** **Higher**	Click here for full text details	**CA WELLS**	**CADWR8000005480**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
92883	8	1

Federal EPA Radon Zone for RIVERSIDE County: 2

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for RIVERSIDE COUNTY, CA

Number of sites tested: 12

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.117 pCi/L	100%	0%	0%
Living Area - 2nd Floor	0.450 pCi/L	100%	0%	0%
Basement	1.700 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Water Well Database
Source: Department of Water Resources
Telephone: 916-651-9648

California Drinking Water Quality Database
Source: Department of Public Health
Telephone: 916-324-2319
The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

OTHER STATE DATABASE INFORMATION

California Oil and Gas Well Locations
Source: Department of Conservation
Telephone: 916-323-1779
Oil and Gas well locations in the state.

California Earthquake Fault Lines
Source: California Division of Mines and Geology
The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

RADON

State Database: CA Radon
Source: Department of Public Health
Telephone: 916-210-8558
Radon Database for California

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX C

PERMIT APPLICATION

County of Riverside Department of Building and Safety

4080 Lemon St. 2nd Floor Riverside, CA 92501 Ph: 787-6140	135 N. Alessandro Rd. Rm. 203 Banning, CA 92220 Ph: 849-7312	880 N. State Street Hemet, CA 92343 Ph: 658-4464	227 North "D" Street Perris, CA 92370 Ph: 657-3808	46-209 Oasis St. Rm. 310 Indio, CA 92201 Ph: 342-8271	260 N. Broadway Blythe, CA 92225 Ph: 922-7670

This permit becomes void if work not commenced within 180 days from date of issuance, OR, if work has been suspended or abandoned for a period of 180 days.

☐ LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect

☐ OWNER-BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500).):

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____ B. & P.C. (Attach Certificate)

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION

☐ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3.2, Grp 2, Art. 2, Sec 341, Title 8, C.A.C.).

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY: I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.)

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X V. Kloes — June 27-85

Signature of Applicant or Agent — Date

Print Applicant / Agent Name

APPLICANT NAME (L.F.M.I)	VICTOR E KLOES
ADDRESS	23200 TEMESCAL CANYON RD
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917200000
JOB SITE ADDRESS/SPACE	23200 TEMESCAL CANYON
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917200000
BOX 283 PAG 160 PRC 006 C 8 TWN 004S RNG 006W SE 34 S 0	
TRACT 000000 LOT 0000 MOD 108 SB	
TRACT NAME	NE 1/4
OWNER NAME (L.F.M.I)	HYDRO, CONDUIT CORP PHONE #
CONTRACTOR-FIRM NAME	LICNC #
ADDRESS	
CITY/COMMUNITY/STATE/ZIP	
PHONE # / BLDG. INSPECTOR / FINAL DATE	
ARC/ENG FIRM NAME	LICNC #
ADDRESS	
CITY/COMMUNITY/STATE/ZIP	
PHONE # / PLANS EXAMINER / APPROVE DATE	
USE OF PERMIT	ADD BATCHING SYSTEM TO INDUSTRIAL
BL 00 ZON MRA FSB FSB 000 SSB 000 RSB 000 OEC RIV	
PP ZONLOBD 8570 LOTSZ 020.66 A END SIDE 0000	

LOG # 00104555 PS PB DATE 06/27/85	262792
CONSTRUCTION FEE	$188.50
ELECTRICAL FEE	$83.00
190,000 VALUATION	$658.00
SMI FEE	$1.97
TOTAL FEE :	$931.47
CA CK X NC COUNTER COUNTER L.U.T.	

CK 1656

262792

STRUCTURAL (BUILDING) PERMIT

TOTAL PERMIT COST IS $931.47

CONSTRUCTION ESTIMATE (NOTE: Not to be used as property valuation)

Description	FCC	Group	Type	Sq Ft	Rate	Valuation
PRIMARY PLANTS	320	B-2	V-N	1524	$18.50	$28194

Construction Fee based on Total Actual Valuation of $28194 is: $188.50

ELECTRICAL FEE COMPUTATIONS * Permit Fee (if applicable)

No of Units: 9	Service Volts: 0			FEE:	$3.00
Service Amps-1: 500	Service Amps-2: 0	Service Amps-3: 0		FEE:	$6.00
Light Standard: 1	Sign in Square Feet: 0			FEE:	$13.00
Misc Amount: $58.00	Misc Name: 14 MOTORS			FEE:	$3.00
				FEE:	$58.00
SMI FEE					$1.97
190,000 VALUATION					$658.00

B-115 FILE COPY

FORM 284-208 (11-82)

APPLICANT NAME (L,F,MI)													
VICTOR E KLOES													
ADDRESS													
23200 TEMESCAL CANYON RD													
CITY/COMMUNITY/STATE/ZIP													
CORONA CA 917200000													
JOB SITE ADDRESS/SPACE													
23200 TEMESCAL CANYON													
CITY/COMMUNITY/STATE/ZIP													
CORONA CA 917200000													
BOK	PAG	PRC	C		TWN	RNG	SE	S					
283	160	006	0		004S	006W	34	0					
TRACT	LOT		MOD	SB									
000000	0000		100										
TRACT NAME													
NE 1/4													
OWNER NAME (L,F,MI)	PHONE #												
HYDRO CONDUIT CORP													
CONTRACTOR-FIRM NAME	LICNC #												
ADDRESS													
CITY/COMMUNITY/STATE/ZIP													
PHONE #	BLDG. INSPECTOR	FINAL DATE											
	Eads	12-30-85											
ARC/ENG FIRM NAME	LICNC #												
ADDRESS													
CITY/COMMUNITY/STATE/ZIP													
PHONE #	PLANS EXAMINER	APPROVE DATE											
USE OF PERMIT													
ADD BATCHING SYSTEM TO INDUSTRIAL													
BL	ZON	FSB	SSB	SSB	RSB		OFC						
00	NRA		000	000	000		RIV						
ZONE ORD #		LOTSZ			END	SIDE							
VP 6570		020.60	A			0000							

LOG #	PS	DATE	262792			
CONSTRUCTION FEE			1100.50			
ELECTRICAL FEE			114.00			
190,000 VALUATION			1050.00			
SMI FEE			11.97			
TOTAL FEE			2331.47			
CA	CK	NC	COUNTER B.I.	COUNTER L.U.T.		
	X					

23200 Temescal Cyn.
Corona

K 11-58

262792

STRUCTURAL (BUILDING) PERMIT

TOTAL PERMIT COST IS $231.47

CONSTRUCTION ESTIMATE (NOTE: Not to be used as property valuation)

Description	ECC	Group	Type	Sq Ft	Rate	Valuation
PRIMARY PLANTS	320	B-2	V-N	1524	110.50	168424

Construction Fee based on Total Actual Valuation of $201?4 is: 1100.50

ELECTRICAL FEE COMPUTATIONS & Permit Fee (If applicable)

No of Units:	9	Service Volts:	0			FLE:	15.00
Service Amps-1:	500	Service Amps-2:	0	Service Amps-3:	0	FLE:	14.00
Light Standard:	1	Sign in Square Feet:	0			FLE:	115.00
Misc Amount:	158.00	Misc Name:	14 MOTORS			FLE:	45.00
						FLE:	121.00
SMI FEE							11.97
190,000 VALUATION							1050.00

12-30-85

INSPECTOR

FORM 284-208 (11-82)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms	9-13-85	Each
2A	Slab Grade	9-13-85	Each
3	Steel	9-13-85	Each
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing	12-30-85	Each
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		

	INSULATION	Thick	"R" Value	
7A	Walls (Batts)			
12B	Ceiling (Batts)			
12C	Ceiling (Blown)			
14	Final			12-30-85 Each

	PLUMBING APPROVALS		
15	Ground Plumb	12-30-85	Each
16	Water piping		
17	Rough Plumb	12-30-85	Each
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final	12-30-85	Each

	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	12-30-85	Each
28	Service Entrance		
29	Wiring	12-30-85	Each
29A	Grounding Wire		
29B	Bonding	12-30-85	Each
30	Fixtures		
31	Service		
32	Final	12-30-85	Each

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

ADDITIONAL INFORMATION

OP'N NO.		
7-18-85	Partial footings	Each
7-22-85	Partial steel	Each
7-25-85	Partial steel	Each
8-2-85	Partial steel	Each
8-9-85	partial forms & sled	Each
8-16-85	Partial footings	Each
8-23-85	Partial footings	Each
9-3-85	Partial footings	Each
9-10-85	Partial footings	Each
9-13-85	underground elect service	Each
9-24-85	B-B & Grout 1 wall	Each
9-25-85	BB & Grout 2 walls	Each
11-1-85	pre High voltage spice in	Each

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L.Line

REAR OF PROPERTY LINE

P/L P/

STREET NAME _____

PERMIT APPLICATION

County of Riverside Department of Building and Safety

4080 Lemon St. 2nd Floor Riverside, CA 92501 Ph. 787-6140	135 N. Alessandro Rd. Rm. 203 Banning, CA 92220 Ph: 849-7312	880 N. State Street Hemet, CA 92343 Ph: 658-4464	227 North "D" Street Perris, CA 92370 Ph: 657-3898	45-209 Oasis St. Rm. 310 Indio, CA 92201 Ph. 342-8271	160 N. Broadway Blythe, CA 92225 Ph. 922-2670

This permit becomes void if work not commenced within 180 days from date of issuance, OR, if work has been suspended or abandoned for a period of 180 days

☐ LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

Date _____ Applicant _____

☐ OWNER-BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500).):

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____, B. & P.C. (Attach Certificate).

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:

☐ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec 341, Title 8, C.A.C.).

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY. I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.).

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X V. Kloes — Signature of Applicant or Agent

7-12-85 — Date

Print Applicant / Agent Name

APPLICANT NAME (L,F,MI): VICTOR E KLOES

ADDRESS: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 917200000

JOB SITE ADDRESS/SPACE: 23200 TEMESCAL CANYON

CITY/COMMUNITY/STATE/ZIP: CORONA CA 917200000

BOK	PAG	PRC	C	TWN	RNG	SE	S
283	160	006	8	004S	006W	34	0

TRACT	LOT	MPC	SB
000000	0000	108	

TRACT NAME: NE 1/4

OWNER NAME (L,F,MI): HYDRO; CONDUIT CORP — PHONE #:

CONTRACTOR FIRM NAME: VICTOR E KLOES — LICNC #: 013267

ADDRESS: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 917200000

PHONE #: 714-735-2420 — BLDG. INSPECTOR: — FINAL DATE:

ARC/ENG FIRM NAME: — LICNC #:

ADDRESS:

CITY/COMMUNITY/STATE/ZIP:

PHONE # — PLANS EXAMINER — APPROVE DATE

USE OF PERMIT: GRADING - INDUST SITE

BLD	ZON	FSB	ASB	GSB	GSB		OCCIV
00	MRA		000	000	000		RIV

ZONE ORD	LOT SZ		END	SIDE
PP 8570	020.66	A		0000

LOC #: 00105844 — PS: PG — DATE: 07/12/85 — 269032

GRADING PERMIT FEE	$15.00
MICROFILM FEE	$1.00
SPECIAL INSP'TN FEE	$60.00
TOTAL FEE:	$76.00

CA — CK X — NC — COUNTER B.I. Judy — COUNTER L.U.T.

Check #1671

269032

G R A D I N G P E R M I T

TOTAL PERMIT COST IS $76.00

# of Lots: 0 CU YDS-Cut: 51 Fill: 51 Total Moved: 102
Certification RCE #: Certification Date:
ELEVATIONS - Base: 0 Grnd: 0 Finshd Flr: 0 Pad: 0
Grading Permit Fee (based on cubic yds Cut and Filled) is: $15.00

FILE COPY

FORM 284-206 (11-82)

APPLICANT NAME (L,F,MI): VICTOR E KLOES

ADDRESS: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 917200000

JOB SITE ADDRESS/SPACE: 23200 TEMESCAL CANYON

CITY/COMMUNITY/STATE/ZIP: CORONA CA 917200000

BOK	PAG	PRC	C	TWN	RNG	SE	S
283	160	006	0	004S	006W	34	0

TRACT	LOT	MOD	SB
000000	0000	100	

TRACT NAME: NE 1/4

OWNER NAME (L,F,MI): HYDRO, CONDUIT CORP

PHONE #:

CONTRACTOR-FIRM NAME: VISTOR E KLOES

LICNC #: 013267

ADDRESS: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 917200000

PHONE #: 714-735-2420

BLDG. INSPECTOR:

FINAL DATE:

ARC/ENG FIRM NAME:

LICNC #:

ADDRESS:

CITY/COMMUNITY/STATE/ZIP:

PHONE #:

PLANS EXAMINER:

APPROVE DATE: 1-11-89

USE OF PERMIT: GRADING - INDUST SITE

BL	ZON	FSB	SSB	SSB	RSB		OFC
00	MRA		000	000	000		NLV

ZONE ORD #		LOT SZ			END	SIDE
PP 8570		020.66	A			0000

LOG #: 00105044 PS: PG DATE: 07/12/05 **269032**

GRADING PERMIT FEE	$15.00
MICROFILM FEE	$1.00
SPECIAL INSP'TN FEE	$60.00
TOTAL FEE :	$76.00

CA	CK	NC	COUNTER B.I.	COUNTER L.U.I.
	X			

CHECK 1671 **269032**

G R A D I N G P E R M I T

TOTAL PERMIT COST IS $76.00

\# of Lots: 0 CU YDS-Cut: 51 Fill: 51 Total Moved: 102

Certification RCE #: Certification Date:

ELEVATIONS - Base: 0 Grnd: 0 Finshd Flr: 0 Pad: 0

Grading Permit Fee (based on cubic yds Cut and Filled) is: $15.00

INSPECTOR

FORM 284-208 (11-82)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION — Thick — "R" Value		
7A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OP'N NO.	**ADDITIONAL INFORMATION**

SEWAGE SYSTEM SIZE & LOCATION

Tank Plt L.Line

REAR OF PROPERTY LINE



STREET NAME _____

PERMIT APPLICATION
County of Riverside Department of Building and Safety

4080 Lemon St. 2nd Floor	135 N. Alessandro Rd. Rm. 203	880 N. State Street	227 North "D" Street	46-209 Oasis St. Rm. 310	160 N. Broadway
Riverside, CA 92501	Banning, CA 92220	Hemet, CA 92343	Perris, CA 92370	Indio, CA 92201	Blythe, CA 92225
Ph: 787-6140	Ph: 849-7212	Ph: 658-4454	Ph: 657-3898	Ph: 342-8271	Ph: 922-2670

This permit becomes void if work not commenced within 180 days from date of issuance, OR, if work has been suspended or abandoned for a period of 180 days.

☑ LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

☐ OWNER-BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500).):

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____, B. & P.C. (Attach Certificate).

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:

☑ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec 341, Title 8, C.A.C.).

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY: I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.).

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X V. Kloes — Signature of Applicant or Agent

7-24-85 — Date

Print Applicant/Agent Name

APPLICANT NAME (L,F,MI)	VICTOR E KLOES
ADDRESS	23200 TEMESCAL CYN RD
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917200000
JOB SITE ADDRESS/SPACE	23200 TEMESCAL CANYON
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917200000
BOK 283 PAG 160 PRC 006 C 8 TWN 004S RNG 06W SE 34 S 0	
TRACT 000000 LOT 0000 MOD 108 SB	
TRACT NAME	NE 174
OWNER NAME (L,F,MI) / PHONE #	HYDRO, CONDUIT CORP
CONTRACTOR FIRM NAME / LICNC #	VICTOR E KLOES / 0132671
ADDRESS	23200 TEMESCAL CANYON RD
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917200000
PHONE # / BLDG. INSPECTOR / FINAL DATE	714-735-2420
ARC/ENG FIRM NAME / LICNC #	
ADDRESS	
CITY/COMMUNITY/STATE/ZIP	
PHONE # / PLANS EXAMINER / APPROVE DATE	
USE OF PERMIT	SPECIAL INSPEC - FOUNDATION
BL 00 ZON MRA FSB 000 SSB 000 RSB 000 OFC RIV	
PP ZONE ORD # 8570 LOTSZ 020.66 A END SIDE 0000	

LOG #	00109241
PS	0
DATE	07/24/85
	271002
SPECIAL INSP'TN FEE	$45.00
TOTAL FEE :	$45.00
CA / CK / NC / COUNTER B.I.	CK # 1678
COUNTER L.U.T.	

271002

SPECIAL INSPECTION PERMIT

TOTAL PERMIT COST IS $45.00

FILE COPY

FORM 284-208 (11-82)

APPLICANT NAME (L,F,MI) VICTOR E KLOES.											
ADDRESS 23200 TEMESCAL CYN RD											
CITY/COMMUNITY/STATE/ZIP CORONA CA 917200000											
JOB SITE ADDRESS/SPACE 23200 TEMESCAL CANYON											
CITY/COMMUNITY/STATE/ZIP CORONA CA 917200000											
BOK 283	PAG 160	PRC 006	C 0		TWN 00480	RNG 06W	SE 34	S 0			
TRACT 000000	LOT 0000		MOD 108	SB							
TRACT NAME NE 1/4											
OWNER NAME (L,F,MI) HYDRO, CONDUIT CORP	PHONE #										
CONTRACTOR FIRM NAME VICTOR E KLOES	LICNC # 0132671										
ADDRESS 23200 TEMESCAL CANYON RD											
CITY/COMMUNITY/STATE/ZIP CORONA CA 917200000											
PHONE # 714-735-2420	BLDG. INSPECTOR Cook	FINAL DATE 12-30-85									
ARC/ENG FIRM NAME	LICNC #										
ADDRESS											
CITY/COMMUNITY/STATE/ZIP											
PHONE #	PLANS EXAMINER	APPROVE DATE									
USE OF PERMIT SPECIAL INSPEC - FOUNDATION											
BL 50	ZON RRR	FSB	SSB 000	SSB 000	RSB 000		OFC R1U				
PP 8570	ZONE ORD #		LOT SZ 820.66	A		END	SIDE 0000				

LOG # 01109241	PS 0	DATE 12/24/85	271002		
SPECIAL INSP'TN FEE			$45.00		
		TOTAL FEE :	$45.00		
CA	CK #	NC	COUNTER B.I.	COUNTER L.U.T.	

23200 Temescal

271002

SPECIAL INSPECTION PERMIT

TOTAL PERMIT COST IS $45.00

Spec Insp.
foundation.

12-30-85

INSPECTOR.

FORM 284-208 (11-82)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms	9-10-85	Eads
2A	Slab Grade	9-10-85	Ecer
3	Steel	9-10-85	Ecer
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION — Thick — "R" Value		
7A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	Final	12-30-85	Eads
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OP'N NO.	**ADDITIONAL INFORMATION**

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L.Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME _____

PERMIT APPLICATION

County of Riverside Department of Building and Safety

4080 Lemon St. 2nd Floor Riverside, CA 92501 Ph: 787-8140	135 N. Alessandro Rd. Rm. 203 Banning, CA 92220 Ph: 849 7312	880 N. State Street Hemet, CA 92343 Ph: 658-4464	227 North "D" Street Perris, CA 92370 Ph: 657-3898	46-209 Oasis St. Rm. 310 Indio, CA 92201 Ph: 342-8271	160 N. Broadway Blythe, CA 92225 Ph: 922-2670

This permit becomes void if work not commenced within 180 days from date of issuance, OR, if work has been suspended or abandoned for a period of 180 days

☐ LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

☐ OWNER-BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500).):

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____ . B. & P.C. (Attach Certificate).

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:

☐ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3 2, Grp 2, Art 2, Sec 341, Title 8, C.A.C.).

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY: I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.).

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X V. Klaes — Signature of Applicant or Agent

8-27-85 — Date

Print Applicant/Agent Name

APPLICANT NAME(L,F,MI)	VICTOR E KLOES
ADDRESS	23200 TEMESCAL CYN RD
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917190000
JOBSITE ADDRESS/SPACE	23200 TEMESCAL CANYON
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917200000
BOX / PAG / PRC / C / TWN / RNG / SE / S	283 / 160 / 006 / 8 / 004S / 06W / 34 / 0
TRACT / LOT / MDD / SB	000000 / 0000 / 108 /
TRACT NAME	NE 1/4
OWNER NAME(L,F,MI) / PHONE #	HYDRO, CONDUIT CORP /
CONTRACTOR FIRM NAME / LICNC #	HYDRO CONDUIT CORP / 256202
ADDRESS	PO BOX 939
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917200000
PHONE # / BLDG. INSPECTOR / FINAL DATE	714-735-2420 / /
ARC/ENG FIRM NAME / LICNC #	/
ADDRESS	
CITY/COMMUNITY/STATE/ZIP	
PHONE # / PLANS EXAMINER / APPROVE DATE	/ /
USE OF PERMIT	ADD PRICAST & KELM TO EXIST BLDG
BL / ZON / FSB / SSB / SSB / SSB / OFC	00 / MRA / / 000 / 000 / 000 / / RIV
ZONE ORD # / LOT SZ / / END / SIDE	PP 8570 / 020.66 / A / / 0000

LOG #	00105831
PS	PB
DATE	08/27/85
	282938
CONSTRUCTION FEE	$385.00
ELECTRICAL FEE	$112.25
MECHANICAL FEE	$13.00
ADD'L PLAN REV FEE	$243.75
SMI FEE	$5.83
TOTAL FEE	$759.83
CA / CK / NC / COUNTER EL.	/ X / /
COUNTER L.U.T.	

282938

STRUCTURAL (BUILDING) PERMIT

TOTAL PERMIT COST IS $759.83

CONSTRUCTION ESTIMATE (NOTE: Not to be used as property valuation)

Description	FCE	Group	Type	Sq Ft	Rate	Valuation
PRIMARY PLANTS	437 320	B-2	V-N	4500	$18.50	$83250

Construction Fee based on Total Actual Valuation of $83250 is: $385.00

MECHANICAL FEE COMPUTATIONS * Permit Fee (if applicable)	FEE:	$3.00
VENT==Fans:01 Evap Cooler:00 Hood:00 Misc:00	FEE:	$2.00
COMPRESSOR==0-3 HP:02 >3-15:00 >15-30:00 >30-50:00 >50:00	FEE:	$8.00
ELECTRICAL FEE COMPUTATIONS * Permit Fee (if applicable)	FEE:	$3.00
Service Amps-1:2500 Service Amps-2: 0 Service Amps-3: 0	FEE:	$53.00
ADD'L FEE: 4500 Sq. Ft. PLANTS @ .0125 Per Sq. Ft.	FEE:	$56.25
SMI FEE		$5.83
ADD'L PLAN REV FEE		$243.75

B-127 FILE COPY

FORM 284-208 (11-83)

APPLICANT NAME (L,F,MI)	HECTOR E KLOES
ADDRESS	23200 TEMESCAL CYN RD
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917196000
JOB SITE ADDRESS/SPACE	23200 TEMESCAL CANYON
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917200000
BOK 203 / PAG 160 / PRC 006 / C 8 / TWN 004S / RNG 06W / SE 34 / S 0	
TRACT 000000 / LOT 0000 / MOD 100 / SB	
TRACT NAME	NE 1/4
OWNER NAME (L,F,MI)	HYDRO CONDUIT CORP
PHONE #	
CONTRACTOR FIRM NAME	HYDRO CONDUIT CORP
LICNC #	256202
ADDRESS	PO BOX 939
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917200000
PHONE #	714-735-2420
BLDG. INSPECTOR	[illegible]
FINAL DATE	12-30-85
ARC/ENG FIRM NAME	
LICNC #	
ADDRESS	
CITY/COMMUNITY/STATE/ZIP	
PHONE #	
PLANS EXAMINER	
APPROVE DATE	
USE OF PERMIT	ADD PRICAST & KELM TO EXIST BLDG
BL 00 / ZON MRA / FSB / SSB 000 / SSB 000 / RSB 000 / OFC R2U	
ZONE ORD # PP 3570 / LOT SZ 020.66 A / END / SIDE 0000	

LOG # [illegible]	PS TH 00/27/85
DATE	282938
CONSTRUCTION FEE	$305.00
ELECTRICAL FEE	$112.25
MECHANICAL FEE	$13.00
ADD'L PLAN REV FEE	$243.75
SMI FEE	$5.83
TOTAL FEE	$759.83
CA / CK X / NC / COUNTER B.L. / COUNTER L.U.T.	

23200 Temescal Cyn.
Corona

282938

STRUCTURAL (BUILDING) PERMIT

TOTAL PERMIT COST IS $759.83

CONSTRUCTION ESTIMATE (NOTE: Not to be used as property valuation)

Description	FCC	Group	Type	Sq Ft	Rate	Valuation
PRIMARY PLANTS	320	B-2	V-N	4500	$10.50	$03250

Construction Fee based on Total Actual Valuation of $03250 is: $305.00

MECHANICAL FEE COMPUTATIONS x Permit Fee (if applicable) FEE: $3.00
VENT=Fans:01 Evap Cooler:00 Hood:00 Misc:00 FEE: $2.00
COMPRESSOR=0-3 HP:02 >3-15:00 >15-30:00 >30-50:00 >50:00 FEE: $0.00
ELECTRICAL FEE COMPUTATIONS x Permit Fee (if applicable) FEE: $3.00
Service Amps-1:2500 Service Amps-2: 0 Service Amps-3: 0 FEE: $55.00
ADD'L FEE: 4500 Sq. Ft. PLANTS @ .0125 Per Sq. Ft. FEE: $50.25
SMI FEE $5.83
ADD'L PLAN REV FEE $243.75

12-30-85

INSPECTOR

FORM 264-208 (11-82)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms	9-25-85	Each
2A	Slab Grade		
3	Steel	9-25-85	Each
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION / Thick / "R" Value		
7A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	Final	12-30-85	Each
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring	12-30-85	Each
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final	12-30-85	Each

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OP'N NO. **ADDITIONAL INFORMATION**

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L.Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME _____

PERMIT APPLICATION

County of Riverside Department of Building and Safety

4080 Lemon St. 2nd Floor Riverside, CA 92501 Ph: 787-8148	135 N. Alessandro Rd. Rm. 203 Beaumont, CA 92220 Ph. 845-7312	820 N. State Street Hemet, CA 92343 Ph: 658-4464	227 North "D" Street Perris, CA 92370 Ph. 657-3695	46-209 Oasis St. Rm. 310 Indio, CA 92201 Ph: 342-8271	160 N. Broadway Blythe, CA 92225 Ph: 922-2670

This permit becomes void if work not commenced within 180 days from date of issuance, OR, if work has been suspended or abandoned for a period of 180 days

☑ LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

☐ OWNER-BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500).):

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____ B. & P.C. (Attach Certificate).

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☑ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:

☐ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3.2, Grp 2, Art 2, Sec 341, Title 8, C.A.C.).

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY: I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.).

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY. I certify I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X J. Kloes — 9-24-85

Signature of Applicant or Agent — Date

VICTOR KLOES.

Print Applicant/Agent Name

APPLICANT NAME (L,F,MI)	VICTOR E KLOES - AGENT
ADDRESS	23200 TEMESCAL CANYON RD
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917180000
JOB SITE ADDRESS/SPACE	23200 TEMESCAL CANYON
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917280000
BOK / PAG / PRC / C / TWN / RNG / SE / S	283 / 160 / 006 / B / 04S / 06W / 34 / D
TRACT / LOT / MOD / SB	000000 / 0000 / 10B /
TRACT NAME	NE 1/4
OWNER NAME (L,F,MI) / PHONE #	HYDRO, CONDUIT CORP /
CONTRACTOR-FIRM NAME / LICNC #	VICTOR E KLOES - AGENT / 0132671
ADDRESS	23200 TEMESCAL CANYON RD
CITY/COMMUNITY/STATE/ZIP	CORONA CA 917280000
PHONE # / BLDG. INSPECTOR / FINAL DATE	714-735-2420 / /
ARC/ENG FIRM NAME / LICNC #	/
ADDRESS	
CITY/COMMUNITY/STATE/ZIP	
PHONE # / PLANS EXAMINER / APPROVE DATE	/ /
USE OF PERMIT	INSTALL GAS LINES
BL / ZON / FSB / SSB / SSB / RSB / OFC	00 / MRA / / 000 / 000 / 000 / / RIV
ZONE ORD # / LOT SZ / END / SIDE	PP 0570 / 020,666 / A / / / 0000

LOG # / FS / DATE	0114638 / P / 9/24/85
	285800
PLUMBING FEE	$6.50
TOTAL FEE :	$15.00
CA / CK / NC / COUNTER B.I. / COUNTER L.U.T.	— / X / / VC /

CK 101045 285800

PLUMBING PERMIT

TOTAL PERMIT COST IS $15.00

PLUMBING FEE COMPUTATIONS x Permit Fee (if applicable)

GAS PIPING SYSTEM- 1 to 5 Outlets:1 FEE: $4.00

6 or More Outlets: 0 FEE: $2.50

FILE COPY

FORM 284-206 (11-82)

APPLICANT NAME (L,F,MI)											
VICTOR E KLOES - AGENT											
ADDRESS											
23200 TEMESCAL CANYON RD											
CITY/COMMUNITY/STATE/ZIP											
CORONA CA 92278888											
JOB SITE ADDRESS/SPACE											
23200 TEMESCAL CANYON											
CITY/COMMUNITY/STATE/ZIP											
CORONA CA 92278888											
BOK	PAG	PRC	C		TWN	RNG	SE	S			
283	160	006	B		04S	06W	04	0			
TRACT		LOT		MOD	SB						
666666		0060		108							
TRACT NAME											
NE 1/4											
OWNER NAME (L,F,MI)					PHONE #						
HYDRO CONDUIT CORP											
CONTRACTOR-FIRM NAME					LICNC #						
VICTOR E KLOES - AGENT					0132671						
ADDRESS											
23200 TEMESCAL CANYON RD											
CITY/COMMUNITY/STATE/ZIP											
CORONA CA 92278888											
PHONE #		BLDG. INSPECTOR			FINAL DATE						
213-735-2420		Eaks			11-26-85						
ARC/ENG FIRM NAME					LICNC #						
ADDRESS											
CITY/COMMUNITY/STATE/ZIP											
PHONE #		PLANS EXAMINER			APPROVE DATE						
USE OF PERMIT											
INSTALL GAS LINES											
BL	ZON	FSB	SSB	SSB	RSB		OFC				
00	MRA		000	000	000		CTY				
ZONE ORD #		LOT SZ			END	SIDE					
UP 3570		020 00				1000					

LOG #		PS	DATE	285800							
0114720		UP	12/24/85								
PLUMBING PCT				10.50							

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		

	INSULATION	Thick	"R" Value		
7A	Walls (Batts)				
12B	Ceiling (Batts)				
12C	Ceiling (Blown)				
14	Final				

	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test	11-26-85	Ewalt
25	Final	11-26-85	Ewalt

	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OP'N NO.	**ADDITIONAL INFORMATION**

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L Line

REAR OF PROPERTY LINE

P/L P/

STREET NAME _____

PERMIT APPLICATION

County of Riverside Department of Building and Safety

4080 Lemon St. 2nd Floor, Riverside, CA 92501, Ph: 787-6141 | 135 N. Alexandria Rd. Rm 203, Banning, CA 92220, Ph: 845-7312 | 4210 E. Main Street, Hemet, CA 92343, Ph: 658-4464 | 237 North "D" Street, Perris, CA 92370, Ph: 657-3966 | 46 209 Oasis St. Rm. 310, Indio, CA 92201, Ph: 342-8271 | 160 N. Broadway, Blythe, CA 92225, Ph: 922-2670 | 77403 Varner Rd. # 102, Temecula, CA 92390-2261, Ph: 676-7730

408394

This permit becomes void if work not commenced within 180 days from date of issuance, OR, if work has been suspended or abandoned for a period of 180 days.

☑ LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

☐ OWNER BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500):)

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____, B. & P.C. (Attach Certificate).

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:

☐ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high (Group 3 2, Grp 2, Art 2, Section 341, Title 8, CAC.)

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY: I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.).

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X Tony Friis — Signature of Applicant or Agent

3/22/88 — Date

Print Applicant/Agent Name

APPLICANT NAME (L.F.M.I): KAI, E. FRIIS

ADDRESS: P.O. BOX 939

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91718

JOB SITE ADDRESS/SPACE: 23200 TEMESCAL CANYON

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720

BOK	PAG	PRC	C	TWN	RNG	SE	S
283	160	006	8	004S	006W	34	0

TRACT	LOT	MOD	SB
000000-00	000	108	

TRACT NAME: NE 1/4 PP 10163

OWNER NAME (L.F.M.I): HYDRO, CONDUIT CORP — PHONE #:

CONTRACTOR-FIRM NAME: CDK CONTRACTING COMPANY — LICNC #: 419618

ADDRESS: 800 HUTTON

CITY/COMMUNITY/STATE/ZIP: RIVERSIDE CA 92507

PHONE #: 000-000-0000 — BLDG INSPECTOR — FINAL DATE

ARC/ENG FIRM NAME — LICNC #

ADDRESS

CITY/COMMUNITY/STATE/ZIP

PHONE # — PLANS EXAMINER — APPROVE DATE

USE OF PERMIT: ADD TO BLDG 4300 SQ FT TOTAL

BL	ZON	FSB	SSB	SSB	RSB		OFC
00		420	330	200	090		RIV

ZONE ORD #		LOT SZ			END	SIDE
MRA		020.66			0000	

LOG #: 00175910 — PS — DATE: 03/22/88 — 408394

BUILDING	$468.00
S.M.I.P TAX	$7.98
ELECTRICAL	$36.75
MISCELLANEOUS	$20.50
✓ 833117 - 500.00	
✓ 833118 - 33.23	
TOTAL FEE :	$533.23

CA	SK	NC	COUNTER BY	COUNTER LOT
	X		LK	

23200 TEMESCAL CANYON CORONA CA 91720

408394

0002 MULTIPLE PERMIT

BUILDING — FCC CD: 320 — TOTAL FEES $468.00
# of Floors 1 # of Bedrooms — # of Rooms
PRIMARY STRUCTURE: — FCC CD: 320
Desc: PLANTSX3 Group: B-2 — Type: V-N
Sq-Ft 4300 Occupancy Load — 0 Rate 26.40 Valuation 113520
Building Fee 468.00

ELECTRICAL — TOTAL FEES $36.75
4300 Sq-ft PLANT @ .0025 / Sq-ft — Fee 32.25
Processing Fee 4.50

MISCELLANEOUS — TOTAL FEES $20.50
Microfilm: 100 Copies @ .10 / Copy — Fee 20.50

FILE COPY

FORM 284-208 (1-87)

APPLICANT NAME (LF,MI)
KAI, E. FRIIS

ADDRESS
P.O. BOX 939

CITY/COMMUNITY/STATE/ZIP
CORONA CA 91718

JOB SITE ADDRESS/SPACE
23200 TEMESCAL CANYON

CITY/COMMUNITY/STATE/ZIP
CORONA CA 91720

BOK	PAG	PRC	C		TWN	RNG	SE	S
283	160	006	8		004S	006W	34	

TRACT	LOT		MOD	SB	
000000-00	000		08		

TRACT NAME
NE 1/4 PP 10163

OWNER NAME (LF,MI) HYDRO, CONDUIT CORP — PHONE #

CONTRACTOR FIRM NAME COK CONTRACTING COMPANY — LICNC # 419618

ADDRESS
800 HUTTON

CITY/COMMUNITY/STATE/ZIP
RIVERSIDE CA 92507

PHONE # 000-000-0000 — BLDG INSPECTOR — FINAL DATE 6-29-88

ARC/ENG FIRM NAME — LICNC #

ADDRESS

CITY/COMMUNITY/STATE/ZIP

PHONE # — PLANS EXAMINER — APPROVE DATE

USE OF PERMIT
ADD TO BLDG 4300 SQ FT TOTAL

BL	ZON	FSB	SSB	SSB	RSB		OFC	
ZONE GRD #		LOT SZ			END		SIDE	

LOG # 0012591D — PS — DATE 03/22/88 — 408394

BUILDING	$468.00
M.I.P. TAX	$7.92
ELECTRICAL	$36.75
MISCELLANEOUS	$20.50

V 88111 - 500.00
V 88111 -

TOTAL FEE :

CA | CK | NC | COUNTER B.L. | COUNTER L.U.C.

23200 Temescal Cyn.
Corona
0002

408394

MULTIPLE PERMIT

BUILDING
# of Floors 1 # of Bedrooms
PRIMARY STRUCTURE:
Desc: PLANTSX3 Group: B-2
Sq-Ft 4300 Occupancy Load

FCC CD: 320 # of Rooms
FCC CD: 320
Type: V-N
0 Rate 26.40 Valuation 113520
Building Fee 468.00

TOTAL FEES $468.00

ELECTRICAL
4300 Sq-ft PLANT @ .0025 / Sq-ft Fee 32.25
Processing Fee 4.50

TOTAL FEES $36.75

MISCELLANEOUS
Microfilm: 100 Copies @ .10 / Copy Fee 20.50

TOTAL FEES $20.50

Add To Bldg.
4300 S.F.

F/C
BT

INSPECTOR'S

FORM 284-208 (1-87)

NO	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION / Thick / "R" Value		
7A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	6-25-88	Burnes
28	Service Entrance		
29	Wiring	6-29-88	Burnes
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final	6-29-88	Burnes

NO	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

ADDITIONAL INFORMATION

OPN NO.

(2,3) FTGS ALONG EXISTING BLDG OK Beckwith 3/29/88

(2,3) FTGS - NORTH SIDE - OK - GRADE BEAMS NOT READY Beckwith 3/30/88

(2,3) GRADE BEAMS NORTH SIDE Beckwith 4/4/88

(2,3) PIER FTGS FRONT OF BLDG Beckwith 4/7/88

(3) GRADE BEAM ACCROSS FRONT OF ADDITION Beckwith 4/8/88

(2,3) REMAINING FTGS Beckwith 4/12/88

(3) FOUR CAST-IN-PLACE COLUMNS Beckwith 4/14/88

(3) CAST IN PLACE CONCRETE WALLS Beckwith 4/19/88

(3) RAIL FOOTING OK 4-26-88 JOE

(3A) - SLAB UNDER MOVING FLOOR Beckwith 4/27/88

(4,5) - 6' LIFT Beckwith 4/25/88

(4,5) - 12' LIFT Beckwith 5/2/88

(3) BEAM CONNECTING ROOF TO BLOCK WALL Beckwith 5/10/88

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME

JOHN R. BYERLY, INC. MICROFILM

2230 SOUTH RIVERSIDE AVENUE • BLOOMINGTON, CALIFORNIA 92316

PHONES: BLOOMINGTON (714) 877-1324 • RIVERSIDE (714) 684-9775

REPORT OF WELDERS QUALIFICATION TEST FOR REINFORCING STEEL

CLIENT: Town & Country Portable Welding
5524 Norwood Avenue
Riverside, California 92503

Lab. No.: 2710
File No.: C-1065
Card No.: 1116

WELDER'S NAME: Richard Hurst

SOC. SEC. NO.: 311-46-9633

DATE OF TEST: January 28, 1986

EQUIPMENT: Lincoln #A292384

ELECTRODES: 9018

Material: No. 6, 8, & 9 ASTM A-615 Grade 60 Reinforcing Steel
ASTM A-36 Flat Plate & 1¼" Split Pipe For Backing

TEST RESULTS

#6 Reinforcing Steel (Indirect Butt Splice)

Position -	Overhead (4-G)	Vertical (3-G)
Macroetch Results -	Passed	Passed

#8 Reinforcing Steel (Direct Butt Splice W/ Backing)

Position -	Overhead (4-G)		Vertical (3-G)
Macroetch Results -	Passed	Full Section Tensile Results	Passed

#9 Reinforcing Steel (Direct Butt Splice Without Backing)

Position -	Overhead (4-G)		Vertical (3-G)
Macroetch Results -	Passed	Full Section Tensile Results	Passed

REMARKS: Tests were conducted in accordance with A.W.S. D 12.1-75

CONCLUSIONS: Results qualify Richard Hurst to weld reinforcing steel by the Shielded Metal Arc Method in conformance with A.W.S. Standard Code.

Welding and testing of above specimens witnessed by: Tim McGinnis

WELDER FOR BEAM CONNECTION @ ROOF TO MASONARY WALL (#6 BARS)

Respectfully submitted,
JOHN R. BYERLY, INC.

John R. Byerly, R.E. No. 15871

Department of Building and Safety
County of Riverside
Certificate of Occupancy

THIS IS TO CERTIFY that the HYDRO CONDUIT PLANT ADDITION

Located 23200 Temescal Canyon Rd., Corona, CA 91720

Owner Hydro Conduit Corp. Permit No. 408394

Address 23200 Temescal Canyon Rd., Corona, CA 91720 has

been inspected and complies with the requirements for a group B-2 TYPE: V-N occupancy.

DATE: June 29, 1988.

Allen Asada

TITLE Allen Asada, Supervising Building Inspector

This Certificate must be posted and permanently maintained in a conspicuous place at or close to the entrance of the building or structure referred to above.

284-181 (Rev. 5/81)

APPLICATION

0002 PROJECT HOLDS

Date	Status	Department	Reason/Action
11/24/87	H	B & S	CONTR INFO No ACTION taken on above hold
11/24/87	H	B & S	SCHOOL-CNUSD Receipt #403 No ACTION taken on above hold
11/24/87	H	B & S	HEALTH CLEARANCE OK 11/24/87 No ACTION taken on above hold

0002 CASE CONDITIONS

Date	Case Number	Department	Description
06/06/85	RIOSXXXXX	B & S	104555, NEW RACK - ADD BATCHING SYSTEM/INDUS
06/19/85	FLORESXXX	B & S	105831, NEW RACK-ADD DRICAST & KELM TO EX.BL
06/24/85	HOWARDOOO	B & S	A 104555
06/25/85	HOWARDOOO	B & S	C 104555 SENT CORR.
06/28/85	RIOSXXXXX	B & S	104555, PLANS FILED X(18/A/2) BP #262792
07/24/85	FORMOE>>>	B & S	105831, MASTER SPEC INSPEC 109241 BENOIT DESK
08/16/85	BENOITOOO	B & S	105831, CORR, LTR SENT TO APLICANT
08/23/85	ANDERSON<	B & S	105831 OUT AND RETURN FROM CORR.
09/23/85	RIOSXXXXX	B & S	105831, B DESK BENOIT
08/26/85	BENOITOOO	B & S	105833, Z RACK
08/30/85	FLORESXXX	B & S	109260, SUPPL/PLANS FILED X(8/A/3)-BP #2710
08/30/85	FLORESXXX	B & S	105831, PLANS FILED X(7-A-1) BP #282938

APPLICANT

** CONTINUED ON NEXT PAGE **

FORM 284-208 (1-87)

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

PLAN CORRECTING SHEET

Sheet No. 1 OF 1

Log No. 175910

Date 1-12-88

NOTE:

Refer to Log Number for any inquiry. This application expires on 5-25-87 by County Ordinance 457.

JOB LOCATION 23200 TEMECULA CYN RD

OWNER K FRIES

MAILING ADDRESS BOX 939 CORONA CAL 91718

Please make corrections to plans as listed below.

(1) PLEASE PROVIDE AN ELECTRICAL PLAN
(2) ENGINEER NEEDS TO SIGN ALL PAGES OF PLANS
(3) SCHOOL DISTRICT CLEARANCE IS REQUIRED
(4) ROLL UP DOOR ARE NOT CONSIDERED REQUIRED EXITS. PLEASE PROVIDE AN EXIT DOOR AT EACH END OF YOUR ADDITION
(5) FIRE DEPT APPROVAL IS REQUIRED

CHECKED BY [signature]

APPROVED BY [signature] 3-16-88

284-209 (Rev. 7/84)



CORONA-NORCO UNIFIED SCHOOL DISTRICT
300 BUENA VISTA AVENUE - CORONA, CALIFORNIA 91720
(714) 736-3386

0403

DATE	$ CHECKS	$ CASH	RECEIPT NO.	OCC. GP.	NAME	ADDRESS	PERMIT #	A.P.N.	TRACT	LOT	SQUARE FOOT
2-11-88	1075 00		0403	County	Hydro Conduit Corp	23200 Temescal Cyn.	396770	283-160-006			4300

RETAIN THIS RECEIPT
FOR YOUR RECORDS

L. Jenkins
SIGNATURE

PERMIT APPLICATION

County of Riverside Department of Building and Safety

4080 Lemon St. 2nd Floor	135 N. Alessandro Rd. Ste. 203	1370 S. State Street	179 N. Weirman Ave.	46-200 Oasis St. Rm. 310	156 N. Broadway	27403 Ynez Rd. #102
Riverside, CA 92501	Banning, CA 92220	San Jacinto, Ca 92383	Perris, Ca 92370	Indio, CA 92201	Blythe, CA 92225	Temecula, CA 92390-2261
Ph: 787-6140	Ph: 849-7312	Ph: 654-7855	Ph: 657-3686	Ph: 342-8271	Ph: 922-2670	Ph: 676-7750

511403

This permit becomes void if work not commenced within 180 days from date of issuance, OR, if work has been suspended or abandoned for a period of 180 days.

☑ LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

Date _____ Applicant _____

☐ OWNER-BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500).):

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____, B. & P.C. (Attach Certificate).

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:

☐ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3.2, Grp 2, Art 2, Section 341, Title 8, C.A.C.).

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY: I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.).

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X Matthew Alexander 2-15-89

Signature of Applicant or Agent — Date

MATTHEW ALEXANDER

Print Applicant/Agent Name

APPLICANT NAME(LAST,1ST): ALEXANDER, MATTHEW

ADDRESS: 29200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720

JOB SITE ADDRESS/SPACE: 29200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720

MAP	PAR	BLK	LOT	UNIT	TRACT	BLDG	SEC	TWP
283	180	006	8		004S	006W	34	S

PROP	ASD		MOD	SB
000000-00	000	1	08	

TRACT NAME: NE 1/4 PP 10163

OWNER'S NAME (LAST,1ST): MORC, CONDUIT CORP — PHONE #

CONTRACTOR'S NAME: THE MCGUIRE CORP — LICENSE: 458233

ADDRESS: 341 MAPLE ST

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720

PHONE #: 714-000-0000 — BLDG INSPECTOR — FINAL DATE

ARC/ENG FIRM NAME — LICNC #

ADDRESS

CITY/COMMUNITY/STATE/ZIP

PHONE # — PLANS EXAMINER — APPROVE DATE

USE/EQUIPMENT: STEEL BLDG 17000 SQ FT

OCC	ZON						TYP
B		420	330	200	090		RFU

MRA	ZONE ORD #		LOT				SIDE
		026	86			00000	

23200 TEMESCAL CANYON RD

CORONA CA 91720

LOC # 00220642 — PS — DATE 02/15/89 — 511403

BUILDING	$2,916.25
S.M.I.P TAX	$38.50
ELECTRICAL	$469.50

#30113

56-127

TOTAL FEE : $3,424.25

CA — CK X — NC — COUNTER BY 2080 — COUNTER L.U.T.

511403

917,603

MULTIPLE PERMIT

BUILDING
Valuation: Curr 549463 Old 265200

FCC CD: 900 TOTAL FEES $2,916.25

Variance Review Fee 726.75

# of Floors 1 # of Bedrooms
PRIMARY STRUCTURE:
Desc: PLANTSY Group: B-2
Sq-Ft 17000 Occupancy Load
SECONDARY STRUCTURES:
Desc: PLANTSY Group: B-2
Sq-Ft 18222 Occupancy Load

# of Rooms
FCC CD: 320
Type: V-N
0 Rate 15.60 Valuation 265200
FCC CD: 320
Type: V-N
0 Rate 15.60 Valuation 284263

Building Fee 2,189.50

ELECTRICAL
Units: Quantity 100
Other Fee: 13222 Sq-ft PLANT @ .0125 / Sq-ft
5000 Sq-ft PLANT @ .0175 / Sq-ft

TOTAL FEES $469.50
Fee 30.00
Fee 292.50
Fee 137.50
Processing Fee 4.50

FILE COPY

FORM 284-208 (1-87)

APPLICANT NAME (LEAD): ALEXANDER, MATTHEW
ADDRESS: 23200 TEMESCAL CANYON RD
CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720
JOB SITE ADDRESS/SPACE: 23200 TEMESCAL CANYON RD
CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720
BOOK 283 | PAGE 160 | PARC 006 | S | DIV 0045 | RNG 0061 | SE 34 | S
TRACT 000000-00 | LOT 1200 | MOD 09 | SB
TRACT NAME: NE 1/4 PP 10163
OWNER NAME (LEAD): MORRO, CONDUIT CORP | PHONE #
CONTRACTOR/FIRM NAME: PRE TECSOTRE CORP | LICNC # 45235
ADDRESS: 741 MAPLE ST
CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720
PHONE # 714-000-0000 | BLDG INSPECTOR | FINAL DATE 3-5-91
ARC/ENG FIRM NAME | LICNC #
ADDRESS
CITY/COMMUNITY/STATE/ZIP
PHONE # | PLANS EXAMINER | APPROVE DATE
USE OF PERMIT: STEEL BLDG 12000 SQ FT
BLD | ZON | FSB | SSB | SSL | RSB | OFC: V
ZONE ORD # | LOT SZ | END | SIDE

LOC # 00220642 | PB | DATE 02/15/89 | 511403

BUILDING	$2,916.25
S.M.I.P TAX	$39.50
ELECTRICAL	$469.50
14 SETS	
SEE	
TOTAL FEE :	$3,424.25

CA | CK | NC | COUNTER BL | COUNTER LUT

23200 Temescal Canyon Rd -511403

MULTIPLE 2.15.89

BUILDING
Valuation: Curr $49463 Old
# of Floors 1 # of Bedrooms
PRIMARY STRUCTURE:
Desc: PLANTSY Group: B-2
Sq-Ft 12000 Occupancy Load
SECONDARY STRUCTURES:
Desc: PLANTSY Group: B-2
Sq-Ft 18222 Occupancy Load

FCC CD: 900 TOTAL FEES 220642
265200
Variance Review Fee 226.75
# of Rooms
FCC CD: 320
Type: U-N
0 Rate 15.60 Valuation 265200
FCC CD: 320
Type: U-N
0 Rate 15.60 Valuation 284263
Building Fee 2,189.50

ELECTRICAL
Units: Quantity 100
Other Fees: 13222 Sq-ft PLANT @ .0125 / Sq-ft
5000 Sq-ft PLANT @ .0179 / Sq-ft

TOTAL FEES $469.50
Fee 30.00
Fee 292.50
Fee 137.50
Processing Fee 4.50

Steel Bldg

3703

INSPECTOR'S

FORM 284-208 (1-87)

BUILDING APPROVALS

NO.	OPERATION	DATE	INSPECTOR
1	Set Back		
2	Ftgs & Frms ①	3-5-91	RJ Bullock
2A	Slab Grade		
3	Steel ①	3-5-91	RJ Bullock
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing ②	3-5-91	RJ Bullock
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION / Thick / "R" Value		
7A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	Final	5-5-91	RJ Bullock

PLUMBING APPROVALS

NO.	OPERATION	DATE	INSPECTOR
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		

ELECTRICAL APPROVALS

NO.	OPERATION	DATE	INSPECTOR
26	Power Pole		
27	Conduit	3-17-89	Pam
28	Service Entrance		
29	Wiring	3-5-91	RJ Bullock
29A	Grounding Wire	3-5-91	RJ Bullock
29B	Banding		
30	Fixtures		
31	Service	3-5-91	RJ Bullock
32	Final	3-5-91	RJ Bullock

MECHANICAL APPROVALS

NO.	OPERATION	DATE	INSPECTOR
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

ADDITIONAL INFORMATION

OP'N NO.

6-19-89 meet with Jim Klyne and Dick West about 2000 sq ft rental pump

① See attached engineering for ftgs & steel. Also see engineering sheet for change on bolting down building 3-5-91 RJ Bullock

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L.Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME

Department of Building and Safety
COUNTY OF RIVERSIDE

TO: Dist.

ADDRESS: 23200 Temescal Cyn Date 6.16.89

CORRECTION NOTICE

Permit No. 51903

(1) Need clearance for all Disconnects relocate

(2) ground metal Conduit with #3 or 2 Jumper

(3) Metal CABINET for VIHQ is not UL listed

(4) in pull-Box Connect all grounds together Then use #6 To Disconnect

(5) Locate All DOOR Disconnect By main Disconnect

(6) Need complete set of PLANS

(7) Need All certification Papers when not inspection is given

Inspector

DO NOT REMOVE FROM JOBSITE

84-205 (rev. 1/83) DISTRIBUTION: WHITE-Job, CANARY-Inspector, PINK-Office

Department of Building and Safety

COUNTY OF RIVERSIDE

TO: Dist.

ADDRESS: 23200 Temescal Date 3-2-89

CORRECTION NOTICE

Permit No. 514443

(1) need Deputy inspector out J.B site

(2) need To Register with BT Safety

4040 Lemon ST 2nd Floor

787-6146

Take this notice To BTS

Dan Fine
Inspector

DO NOT REMOVE FROM JOBSITE

284-205 (rev. 1/83) DISTRIBUTION: WHITE-Job, CANARY-Inspector, PINK-Office

23200 TEMESCAL CANYON CORONA CA 91720

501213

0002 A P P L I-C A T I O N

0002 P R O J E C T H O L D S

Date	Status	Department	Reason/Action
11/21/88	H	B & S	CORONA/NORCO USD No ACTION taken on above hold
11/21/88	H	B & S	HEALTH No ACTION taken on above hold.
11/21/88	H	B & S	FIRE No ACTION taken on above hold
11/21/88	H	B & S	GRADING CLEARANCE No ACTION taken on above hold

0002 C A S E C O N D I T I O N S

Date	Case Number	Department	Description
06/06/85	RIOSXXXXX	B & S	104555 NEW RACK - ADD BATCHING SYSTEM/INDU
06/19/85	FLORESXXX	B & S	105831 NEW RACK-ADD DRICAST & KELM TO EX.B
06/24/85	HOWARDOOO	B & S	A 104555
06/25/85	HOWARDOOO	B & S	C 104555 SENT CORR.
06/28/85	RIOSXXXXX	B & S	104555 PLANS FILED X(18/A/2) BP #262792
07/24/85	FORMOE>>>	B & S	105831 MASTER,SPEC INSPEC 109241 BENOIT DES
08/16/85	BENOIT000	B & S	105831 CORR. LTR SENT TO APLICANT
08/23/85	ANDERSON<	B & S	105831 OUT AND RETURN FROM CORR.
08/23/85	RIOSXXXXX	B & S	105831 B DESK BENOIT

** CONTINUED ON NEXT PAGE **

APPLICANT

FORM 284-208 (1-87)

** CONTINUED FROM PRIOR PAGE **

501214

23200 TEMESCAL CANYON CORONA CA 91720

08/26/85 BENDITODO B & S 105835 Z RACK
08/30/85 FLORESXXX B & S 109241 SUPPL/PLANS FILED X(8/A/3)-BP #271
08/30/85 FLORESXXX B & S 105831 PLANS FILED X(7-A-1) BP #282978

0002 N O S I T U S C O M M E N T S

0002 N O S I T U S H O L D S

APPLICANT

FORM 284-208 (1-87)

J.R. Miller & Associates, Inc.

March 7, 1989

Hydro Conduit Corporation
P.O. Box 939
Corona, CA. 97118-0939

Attn: Mr. Matt Alexander

RE: Hydro Conduit Project #679

Dear Mr. Alexander:

Per your request, we have reviewed the foundation calculations for your new building. The foundation and slab design is based on concrete strength of 2,000 p.s.i., with piles designed for 3,000 p.s.i. Both require grade 60 rebar. Concrete with strength of 3,000 p.s.i. is also acceptable for footings and slab.

I trust this information meets with your approval. Please don't hesitate to call me if you have any additional questions.

Sincerely,

James R. Miller, S.E.
President

JRM/sc

#679-ltr.

2854 E. Imperial • Brea CA 92621 • (714) 524-1870

PLEASE PRINT AND COMPLETE THOSE PARTS OF THE FORM YOU UNDERSTAND ONLY.

APPLICATION TO CONSTRUCT WORKSHEET

(Please Print)

1 Owner's Name (Last / First / MI): HYDRO CONDUIT CORP					Department Use Only D / C No: 220642	
2 Project Address (Not Mailing Address): 23200 TEMESCAL CY. RD.				City/Community: CORONA		
3 Space	State: CA	Zip Code: 91719	E 1/2	Tract Name: NE 1/4		
4 Accessor Parcel No.: 283-160-006			Township: 4S	Range: 6W	Section: 34	Subsection
5 Lot/Parcel No.		Tract/Parcel Map No.			Date Recorded/Waived	

★ ★ ★ DEPARTMENT USE ONLY ★ ★ ★

Case/Use	Special District: 02	Flood Control-County	Nat'l	Other	Complaint	Bldg. Condemnation	
Flags	Open Applications/Permits	Curb/Gutter/Sidewalk Requests			Right of Way/Easements		
6 Legal Zone: M R A	LU Appl/Pmt No.: 10900 PP	Lot	Sq. Ft./Acre		Long End	Long Side	
7 Set Back—F	S-1	S-2	R	No. of Building	Module No.	Office	Initials

8 Architect Firm Name		Street Address	
9 City	State	Zip Code	Phone ( )
10 Contact		License No.	
11 Contractor Firm Name: McGUIRE CORP.		Street Address: 341 MAPLE ST.	
12 City: CORONA	State: CA.	Zip Code: 91720	Phone: (714) - 371 - 3344
13 OR Engineer Contact		License No.: 458233-A	
14 License Type	Workman's Comp Carrier	Expiration Date	
15 Workman's Comp. Insurance-Self Ins.	Certificate Issued by Admitted Carrier		Cost is L/T $100
16 Owner, Agent (if different from #1 above)		Business Address	
17 City	State	Zip Code	Phone ( )
18 Permits Required - Grading	Structural		Other
19 Permit Use: 17,000 ☐ STEEL BLDG & [redacted]			
20 Applicant Name: MATTHEW ALEXANDER		23200 TEMESCAL CY RD.	
21 City: CORONA	State: CA.	Zip Code: 91719	Phone: (714) 735-2420 Initials

ADDITIONAL INFORMATION:

Corona / Norco USD

109 Health

Fire

284-199 2/82 grading clearance

DEAR APPLICANT,

This department has an automated building permit management system. Certain information exists and/or will be added to the system which identifies conditions that must be met prior to, during, and after the issuance of a building permit. Upon issuance of a permit, the system will further assist us in tracking the progress both you and this department makes in completing the requirements that must be met prior to finalization of your permit.

So that we may assist you, we ask that you fill out the reverse side of this form. PLEASE PRINT AND COMPLETE THOSE PARTS OF THE FORM YOU UNDERSTAND ONLY. Upon completion of the form, a department representative at our Land Use Code Enforcement Counter will use this information to prepare your application. Thank you.

PERMIT APPLICATION

County of Riverside Department of Building and Safety

4080 Lemon St. 2nd Floor	135 N. Alessandro Rd. Rm. 203	1370 S. State Street	170 N. Williamson Ave.	46-209 Oasis St. Rm. 310	160 N. Broadway	27403 Ynez Rd. #102
Riverside, CA. 92501	Banning, CA. 92220	San Jacinto, Ca. 92583	Perris, Ca. 92370	Indio, CA. 92201	Blythe, CA. 92225	Temecula, CA. 92390-2261
Ph: 787-6140	Ph: 849-7312	Ph: 654-7855	Ph: 657-3908	Ph: 342-8271	Ph: 922-2870	Ph: 676-7730

511404

This permit becomes void if work not commenced within 180 days from date of issuance, OR, if work has been suspended or abandoned for a period of 180 days.

☐

LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

☐

OWNER-BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500).):

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____, B. & P.C. (Attach Certificate).

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:

☐ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3.2, Grp 2, Art 2, Section 341, Title 8, C.A.C.).

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY: I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.).

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X Matthew Alexander 2-15-89

Signature of Applicant or Agent — Date

MATTHEW ALEXANDER

Print Applicant/Agent Name

APPLICANT NAME (L,F,MI): ALEXANDER, MATTHEW

ADDRESS: 23200 TEMESCALL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91719

JOB SITE ADDRESS/SPACE: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720

BOK	MAP	GRID	BC		TWN	RNG	SEC	SUB
283	180	006	B		004S	006W	34	0

TRACT	LOT		ADD	SB
000000-00	000	1	08	

TRACT NAME: NE 1/4 PP 10163

OWNER'S NAME (L,F,MI): HYDRO, CONDUIT CORP — PHONE #:

CONTRACTOR FIRM NAME: THE MCGUIRE CORP — LICENSE #: 498233

ADDRESS: 541 MAPLE ST

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720

PHONE #: 714-000-0000 — BLDG. INSPECTOR — FINAL DATE

ARC/ENG FIRM NAME — LICENSE #

ADDRESS

CITY/COMMUNITY/STATE/ZIP

PHONE # — PLANS EXAMINER — APPROVE DATE

USE OF PERMIT: STEEL BLDG OPEN SIDES 3600 SQ FT

BLD	ZON	ESB	ESB	ESB	ESB		OCC
00		420	350	200	090		RTU

MRA	ZONE ORD #	LOT SZ			ENG	SIDE
		020.66			0000	

23200 TEMESCAL CANYON RD CORONA CA 91720

LOG #	PS	DATE	511404
00220638		02/15/89	

BUILDING	$446.00
S.M.I.P TAX	$3.99
ELECTRICAL	$12.00
J #64560	
56-116	
TOTAL FEE :	$461.99

CA	CK	MC	COUNTER BY	COUNTER LOT.
	X			

511404

937 87

MULTIPLE PERMIT

BUILDING — TOTAL FEES $446.00
# of Floors 1 # of Bedrooms — FCC CD: 900
PRIMARY STRUCTURE: — # of Rooms
Desc: PLANTSY Group: 8-2 — FCC CD: 320
Sq-Ft 3600 Occupancy Load — Type: V-N
0 Rate 15.60 Valuation 56160
Building Fee 446.00

ELECTRICAL — TOTAL FEES $12.00
Units: Quantity 2 — Fee 7.50
Processing Fee 4.50

FILE COPY

FORM 284-208 (1-87)

APPLICANT NAME/(LEAD)	ALEXANDER, MATTHEW
ADDRESS	23200 TEMESCALL CANYON RD
CITY/COMMUNITY/STATE/ZIP	CORONA CA 91719
JOB SITE ADDRESS/SPACE	23200 TEMESCAL CANYON RD
CITY/COMMUNITY/STATE/ZIP	CORONA CA 91720
BOOK 283 / PAGE 260 / PARCEL 006 / LC / SUB 0045 / LOT 0061 / SEC 32 / ST	
TRACT 000000-00 / LOT P00 / 1 / MOD 08 / SG	
TRACT NAME	NS 174 PP 10163
OWNER NAME (LEAD)	RIVERS CONDUIT CORP / PHONE #
CONTRACTOR FIRM NAME	THE MCGUIRE CORP 4 / LICNC # 58233
ADDRESS	441 NAPLE ST
CITY/COMMUNITY/STATE/ZIP	CORONA CA 91720
PHONE # 714-000-0000	BLDG INSPECTOR [signature] / FINAL DATE 3-5-91
ARC/ENG FIRM NAME	/ LICNC #
ADDRESS	
CITY/COMMUNITY/STATE/ZIP	
PHONE #	PLANS EXAMINER / APPROVE DATE
USE OF PERMIT	STEEL BLDG OPEN SIDES 3600 SQ FT
BLD 30 / ZON M / FSB 42 / SSB 42 / RSB 26 / RSB 05 / OFG R40	
ZONE ORD # / LOT SZ / END / SIDE	

LOG # 00220638 / PS / DATE 02/15/89	511404
BUILDING	$446.00
S.M.I.P TAX	$1.96
ELECTRICAL	$12.00
J# 04560	
3611	
TOTAL FEE :	$461.96
CA / CK / NC / COUNTER BY / COUNTER D.T.	

23200 Temescal Canyon Rd 2.15.89

511404
220638

BUILDING
# of Floors 1 # of Bedrooms
PRIMARY STRUCTURE:
Desc: PLANTSY Group: B-2
Sq-Ft 3600 Occupancy Load

FCC CD: 908
# of Rooms
FCC CD: 320
Type: V-N
Rate 15.60 Valuation 36160
Building Fee 446.00

TOTAL FEES $446.00

ELECTRICAL
Units: Quantity 2

TOTAL FEES $12.00
Fee 2.50
Processing Fee 4.55

Steel bldg open sides

INSPECTOR'S

FORM 284-208 (1-87)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms ①	3-5-91	RJ Dalbeck
2A	Slab Grade		
3	Steel ①	3-5-91	RJ Dalbeck
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing ①	3-5-91	RJ Dalbeck
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION / Thick / "R" Value		
7A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	Final	3-5-91	RJ Dalbeck

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OP'N NO.

ADDITIONAL INFORMATION

① See letters from engineer regarding Footings & Steel
3-5-91 RJ Dalbeck

	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		

	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	Pwr	3-17-89
28	Service Entrance		
29	Wiring	3-5-91	RJ Dalbeck
29A	Grounding Wire	3-5-91	RJ Dalbeck
29B	Bonding		
30	Fixtures		
31	Service		
32	Final	3-5-91	RJ Dalbeck

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L.Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME

23200 TEMESCAL CANYON CORONA CA 91720 501211

0002 A P P L I C A T I O N

0002 P R O J E C T H O L D S

Date	Status	Department	Reason/Action
11/21/88	H	B & S	CORONA/NORCO USD No ACTION taken on above hold
11/21/88	H	B & S	HEALTH No ACTION taken on above hold
11/21/88	H	B & S	FIRE No ACTION taken on above hold
11/21/88	H	B & S	GRADING CLEARANCE No ACTION taken on above hold

0002 C A S E C O N D I T I O N S

Date	Case Number	Department	Description
06/06/85	RIOSXXXXX	B & S	104555, NEW RACK - ADD BATCHING SYSTEM/INDU
06/19/85	FLORESXXX	B & S	105831, NEW RACK-ADD DRICAST & KELM TO EX.B
06/24/85	HOWARDOOO	B & S	A 104555
06/25/85	HOWARDOOO	B & S	C 104555 SENT CORR.
06/28/85	RIOSXXXXX	B & S	104555, PLANS FILED X(18/A/2) BP #262792
07/26/85	FORMOE>>>	B & S	105831 MASTER,SPEC INSPEC 109241 BENOIT DES
08/16/85	BENOITOOO	B & S	105831,CORR, LTR SENT TO APLICANT
08/23/85	ANDERSON<	B & S	105831/OUT AND RETURN FROM CORR.
08/23/85	RIOSXXXXX	B & S	105831, B DESK BENOIT

** CONTINUED ON NEXT PAGE **

APPLICANT

RM 284-208 (1-87)

** CONTINUED FROM PRIOR PAGE **

501212

23200 TEMESCAL CANYON CORONA CA 91720

08/26/85	BENOITDDO	B & S	105833,	Z RACK
08/30/85	FLORESXXX	B & S	109241,	SUPPL/PLANS FILED X(8/A/3)-BP #271
08/30/85	FLORESXXX	B & S	105831,	PLANS FILED X(7-A-1) BP #282938

0002 N O S I T U S C O M M E N T S

0002 N O S I T U S H O L D S

23200 TEMESCAL CANYON CORONA CA 91720 501274

0002 P L A N R E V I E W

BUILDING TOTAL FEES $334.50
Valuation: Curr 56160 Plan Review Fee 334.50
# of Floors 1 # of Bedrooms # of Rooms
PRIMARY STRUCTURE:
Desc: PLANTSY Group: B-2 Type: V-N
Sq-Ft 3600 Occupancy Load 0 Rate 15.60 Valuation 56160
SECONDARY STRUCTURES:

10163
P.P. 10900
10900
Plan Ck 10900

APPLICANT

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

PLAN CORRECTING SHEET

Sheet No. 1

NOTE:

Log No. 220642

Refer to Log Number for any inquiry. This application expires on _____ by County Ordinance 457.

Date 12-13-88

JOB LOCATION 23200 Temescal Canyon Corona

OWNER HYDRO CONDUIT CORP

MAILING ADDRESS 341 Maple Corona CA 91720

Please make corrections to plans as listed below.

1) Land Use Clearance Req.r

2) Provide complet structural calculation for P.T wall and slab. Consider weight and load of the Footing behind the Walls. Provide a Soil Report for Soil Bearing.

3) Plear explain what Are the Support Pads on Building C

4) Please Subait Complet manufacture specifications on Crane.

5) Plan shows Typical Cross section on sht E-4 For Building A and Also sht E-7 and E-8 show Different Cross Section For Line 1-2 and 3. Please clerify by submiting a Cross Section through Long Direction of Building

6) plear submit design and detail of connection on Typical section of Building A where the Column Size Are changed.

7) Please show Location of any existing Bathrooms on plot Plan.

8) Complet all Panel schedules with Circuit identification, description of Circuits, Watts, Voltage and Service load calculation for all Panels and main Service.

9) Ground Fault interrupter Required on Service equipement 1000 Amp and greater.

10) Calif. state licensed electrical Engineer must Sign Plans.

CHECKED BY _____ APPROVED BY _____

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

PLAN CORRECTING SHEET

Sheet No. 2

NOTE:

Log No. 220642

Refer to Log Number for any inquiry. This application expires on _____ by County Ordinance 457.

Date 12.13.04

JOB LOCATION _____

OWNER _____

MAILING ADDRESS _____

Please make corrections to plans as listed below.

12) submit Two sets of metal Buildings Calculations.
13) all the Drawings and Calculation must Be Wet stamp and Sign By Calif Register Engineer

CHECKED BY _____ APPROVED BY _____

787-6146

284-209 (Rev. 7/84)

PLEASE PRINT AND COMPLETE THOSE PARTS OF THE FORM YOU UNDERSTAND ONLY.

APPLICATION TO CONSTRUCT WORKSHEET

(Please Print)

1 Owner's Name (Last First MI) HYDRO CONDUIT CORP					Department Use Only D / C No.: 220638	
2 Project Address (Not Mailing Address) 23200 TEMESCAL CY. RD.				City/Community CORONA		
3 Space	State CA	Zip Code 91719	E 1/2	Tract Name NE 1/4		
4 Accessor Parcel No. 283-160-006			Township 4S	Range 6W	Section 34	Subsection
5 Lot/Parcel No.		Tract/Parcel Map No.		Date Recorded/Waived		

★ ★ ★ DEPARTMENT USE ONLY ★ ★ ★

Case/Use	Special District 02	Flood Control-County		Nat'l	Other	Complaint	Bldg. Condemnation
Flags	Open Applications/Permits	Curb/Gutter/Sidewalk Requests				Right of Way/Easements	
6 *Legal Zone M-R-A	LU Appl/Pmt No. 109CO PP [redacted]	Lot	Sq. Ft./Acre			Long End	Long Side
7 Set Back—F	S-1	S-2	R	No. of Building	Module No.	Office	Initials

8 Architect Firm Name			Street Address
9 City	State	Zip Code	Phone ( )
10 Contact			License No.
11 Contractor Firm Name MCGUIRE CORP.			Street Address 341 MAPLE ST.
12 City CORONA	State CA.	Zip Code 91720	Phone 714-371-3344
13 OR Engineer Contact		License No. 45E233-A/B	
14 License Type	Workman's Comp Carrier		Expiration Date
15 Workman's Comp. Insurance-Self Ins.	[redacted] ate Issued by Admitted Carrier		Cost is L/T $100
16 Owner/Agent (if different from #1 above)			Business Address
17 City		Zip Code	Phone ( )
18 Permits Required - Gra		Structural	Other
19 Per [redacted]	3600 ☐ STEEL BLDG OPEN SIDES		
20 Applicant Name MATTHEW ALEXANDER			Street Address 23200 TEMESCAL CY RD.
21 City CORONA	State CA.	Zip Code 91719	Phone 714 735-2420 Initials

ADDITIONAL INFORMATION:

Corona/Norco USD

(109) Health

Fire

284-199 2/82 Grading Clearance

PERMIT APPLICATION

County of Riverside Department of Building and Safety

4080 Lemon St. 2nd Floor Riverside, CA 92501 Ph: 787-6144	133 N. Alessandro Rd. Rm. 203 Beaumont, CA 92220 Ph: 845-7312	1370 S. State Street San Jacinto, Ca 92383 Ph: 654-7855	170 W. Williamson Ave. Perris, Ca 92370 Ph: 657-3396	46-209 Oasis St. Rm. 310 Indio, CA 92201 Ph: 342-8271	180 N. Broadway Blythe, CA 92225 Ph: 922-2670	27403 Ynez Rd. # 102 Temecula, CA 92390-2261 Ph: 676-7750

514443

This permit becomes void if work not commenced within 180 days from date of issuance, OR, if work has been suspended or abandoned for a period of 180 days.

☐ LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

☐ OWNER-BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500).):

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____, B. & P.C. (Attach Certificate).

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:

☐ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high (Chap. 3.2, Grp 2, Art 2, Section 341, Title 8, C.A.C.).

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY: I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.).

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X Matthew Alexander 2-2-89

Signature of Applicant or Agent — Date

Print Applicant/Agent Name

APPLICANT NAME (L.F.M.I.): ALEXANDER, MATTHEW

ADDRESS: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91719

JOB SITE ADDRESS/SPACE: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CORONA CA 91720

SUB	PM#	PRC	C	TWP	RNG	SE	S
283	160	006	8	004S	006W	34	0

PARCEL	LOT	BLK	SB
000000-00	000	108	

TRACT NAME: NE 1/4 PP 10163

OWNER NAME (L.F.M.I.): HYDRO, CONDUIT CORP PHONE #

CONTRACTOR FIRM NAME LICNO #

ADDRESS

CITY/COMMUNITY/STATE/ZIP

PHONE # BLDG. INSPECTOR FINAL DATE

ARC/ENG FIRM NAME LICNO #

ADDRESS

CITY/COMMUNITY/STATE/ZIP

PHONE # PLANS EXAMINER APPROVE DATE

USE OF MATERIAL: COMMERCIAL GRADING

OC	ZON	ASS	SSB	BSB	BSB		OFF
00		420	330	200	090		RIV

ZONE ORD #		LOT SZ			END	SIDE
MRA		020.86			0000	

23200 TEMESCAL CANYON RD

LOG # 00220635 PS DATE 02/02/89 — 514443

GRADING	$64.50
MISCELLANEOUS	$42.00
SPECIAL INSP.	$300.00

CK 64542

ABA 5646

406.00
.50
406.50 K/C

[redacted]

TOTAL FEE : $406.50

CA CK# X NC COUNTER BJ COUNTER LUT.

CORONA CA 91720

514443

MULTIPLE PERMIT

GRADING — TOTAL FEES $64.50

YARDS: Current Cut 500 Fill 500
Review Cut 100 Fill 100
Variance Cut 400 Fill 400

Review Fee: Curr 22.50 Old 15.00 Variance Review Fee 7.50
Grading Fee 64.50

MISCELLANEOUS — TOTAL FEES $42.00

Microfilm: 15 Copies @ .10 / Copy Fee 2.00
Misc Desc : LANDSCAPE 1 @ 40.00 Misc Fee 40.00

SPECIAL INSP — TOTAL FEES $300.00

Special inspection 10. Fee 300.00

FILE COPY

FORM 284-208 (1-87)

APPLICANT NAME (LP/M)
ALEXANDER, MATTHEW

ADDRESS
23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP
CORONA, CA 91719

JOB SITE ADDRESS/SPACE
23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP
CORONA CA 91720

BOK	PAG	BIC	C		TWN	RNG	SE	S
283	160	006	8		0045	0061	24	0

TRACT	LOT		MOD	EB
000000-00	000		00	

TRACT NAME
NE 1/4 PP 20163

OWNER NAME (LP/M)
HYDRO CONDUIT CORP

PHONE #

CONTRACTOR FIRM NAME

LICNC #

ADDRESS

CITY/COMMUNITY/STATE/ZIP

PHONE #

BLDG. INSPECTOR

FINAL DATE
2-26-91

ARC/ENG FIRM NAME

LICNC #

ADDRESS

CITY/COMMUNITY/STATE/ZIP

PHONE #

PLANS EXAMINER

APPROVE DATE

USE OF PERMIT
COMMERCIAL GRADING

BL	ZON	FSR	SSR	SSR	FSR		OFC
00		470	250	200	090		010

ZONE ORD #		LOT SZ			END	MOB

LOC #
0022063S

PB

DATE
02/02/89

514443

GRADING	$64.50
MISCELLANEOUS	$42.00
SPECIAL INSP.	$300.00

CA 64,42

Add 5th

#40.00

+ 40.50 B/C

TOTAL FEE : $404.50

CK	CK	MC	COUNTER BU	COUNTER LIST

23200 Temescal Cyn 2-2-89

MULTIPLE PERMIT

514443
220635

GRADING
YARDS: Current Cut 500 Fill 500
Review Cut 100 Fill 100
Variance Cut 400 Fill 400
Review Fee: Curr 22.50 Old 15.00 Variance Review Fee 7.50
Grading Fee 54.50

TOTAL FEES 64.50

MISCELLANEOUS
Microfilm: 15 Copies @ .10 / Copy
Misc Desc : LANDSCAPE 1 @ 40.00
TOTAL FEES $42.00
Fee 2.00
Misc Fee 40.00

SPECIAL INSP
Special Inspection 10.
TOTAL FEES $300.00
Fee 300.00

Comm'l Grading

INSPECTOR'S

FORM 284-208 (1-87)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Figs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Band Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION / Thick / "R" Value		
7A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	**Final**		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	**Final**		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	**Final**		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	**Final**		

OP'N NO.	**ADDITIONAL INFORMATION**

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L.Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME _____

PLEASE PRINT AND COMPLETE THOSE PARTS OF THE FORM YOU UNDERSTAND ONLY.

APPLICATION TO CONSTRUCT WORKSHEET

(Please Print)

1 Owner's Name (Last / First / MI): HYDRO CONDUIT CORP					Department Use Only: D / C No. 220635	
2 Project Address (Not Mailing Address): 23200 TEMESCAL CY. RD.				City/Community: CORONA		
3 Space	State: CA	Zip Code: 91719	E 1/2	Tract Name: NE 1/4		
4 Assessor Parcel No.: 283-160-006			Township: 4S	Range: 6W	Section: 34	Subsection
5 Lot/Parcel No.		Tract/Parcel Map No.			Date Recorded/Waived	

★ ★ ★ DEPARTMENT USE ONLY ★ ★ ★

Case/Use	Special District: 02	Flood Control-County	Nat'l	Other	Complaint	Bldg. Condemnation	
Flags	Open Applications/Permits	Curb/Gutter/Sidewalk Requests			Right of Way/Easements		
6 Legal Zone: MRA	LU Appl/Pmt No.: 10900 PP [illegible]	Lot	Sq. Ft./Acre		Long End	Long Side	
7 Set Back—F	S-1	S-2	R	No. of Building	Module No.	Office	Initials

8 Architect Firm Name		Street Address	
9 City	State	Zip Code	Phone ( )
10 Contact		License No.	
11 Contractor Firm Name: McGUIRE CORP.		Street Address: 341 MAPLE ST.	
12 City: CORONA	State: CA.	Zip Code: 91720	Phone: (714) 371-3344
13 OR Engineer Contact		License No.: 458233-A	
14 License Type	Workman's Comp Carrier	Expiration Date	
15 Workman's Comp. Insurance-Self Ins.	Certificate Issued by Admitted Carrier		Cost is L/T $100
16 Owner, Agent (if different from #1 above)		Business Address	
17 City	State	Zip Code	Phone ( )
18 Permits Required - Grading: Commercial grading	Structural	Other: 30.00	
19 Per[illegible] grading-[illegible]s			
20 Applicant Name: MATTHEW ALEXANDER		Street Address: 23200 TEMESCAL CY RD.	
21 City: CORONA	State: CA.	Zip Code: 91719	Phone: (714) 735-2420

ADDITIONAL INFORMATION:

Corona / Area D.S.D.

109 Hearing

Fire Grading Clearance

LAND USE DIVISION
DEPT. OF BUILDING & SAFETY
RIVERSIDE OFFICE

RB

284-199 2/82

3 more sets

502079

APPLICATION

PROJECT HOLDS

Date	Status	Department	Reason/Action
12/15/88	H	B & S	ROAD OK JMB el 12-19-88 No ACTION taken on above hold
12/15/88	H	B & S	GRADING No ACTION taken on above hold
12/15/88	H	B & S	HEALTH OK SMITH 12/19/88 No ACTION taken on above hold
12/15/88	H	B & S	PUHSD No ACTION taken on above hold
12/15/88	H	B & S	UUSD No ACTION taken on above hold
12/15/88	H	B & S	PERRIS VALLEY DRAIN FEE — NOT REQ'S. PER FLOOD CONTROL No ACTION taken on above hold

NO CASE CONDITIONS

SITUS COMMENTS

Date	Department	Comment/Action
12/15/88	B & S	RSA 46.3

APPLICANT

(284-205(1-87))

NO SITUS HOLDS

Department of Building and Safety

COUNTY OF RIVERSIDE

TO: Dist.

ADDRESS: 18020 Beaver Date 12-26-85

CORRECTION NOTICE

Permit No. 51044

Ord 457 Property Address ⊄'s

Anti syphon devices U/C 1003

Condensate Trap to Hd

Patch holes in stucco

Rat Proof AC Lines

Disconnect Size Unknown

Need GAS Test

NO Access To House

Inspector

DO NOT REMOVE FROM JOBSITE

284-205 (rev. 1/83) DISTRIBUTION: WHITE-Job, CANARY-Inspector, PINK-Office

566351

MATTHEW, ALEXANDER

23200 TEMESCAL CANYON

CA 91719

23200 TEMESCAL CANYON

CORONA CA 91719

203	160	006	0		6045	0061	34	

000000-00 | 000 | $08 |

NE 1/4 PP 10163

HYDRO CONDUIT CORP

SUPP P/C ATT EQUIP COVER

00		420	330	200	090		R1U

MRA | 020.66 | 0000

23200 TEMESCAL CANYON

BUILDING

PLAN

0026.0734 | 11/08/89 | 566351

BUILDING Reg	$11.25
MIN D	$19.75
TOTAL FEE :	$30.00

CA | X | MN

CORONA CA 91719

566351

REVIEW

Plan Review Fee 11.25

FILE COPY

566351

11-8-89

566351

INSPECTOR'S

FORM 284-229 (1-87)

NO.	INSPECTION	DATE	INITIALS
	BUILDING APPROVALS		
1	Soil Check		
2	Footings & Forms		
2A	Rock Check		
3	Piles		
4	Piling Reports		
5	Basement Forms		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.I. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Interior Lath		
13A	Drywall		
14	Finish Grade		
	INSULATION / Thick / "R" Value		
15A	Walls (Batts)		
15B	Ceiling (Batts)		
15C	Ceiling (Blown)		
16	Roof		
	PLUMBING APPROVALS		
16	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	INSPECTION	DATE	INITIALS
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Furnace & Ducts		
35	Furnace Exhaust		
36	Vents & Ducts		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
OPTN NO.	**ADDITIONAL INFORMATION**		

SEWAGE SYSTEM SIZE & LOCATION

Tank Fill Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME _____

PERMIT

County of Riverside Department of Building and Safety

4080 Lemon St, 2nd Floor Riverside, CA 92501 Ph: 275-1600	135 N. Alessandro Rd. Ste. 202 Banning, CA 92220 Ph: 849-7312	1370 S. State Street San Jacinto, CA 92383 Ph: 654-7855	170 N. Wilkerson Ave. Perris, CA 92570 Ph: 943-2961	79733 Country Club Dr. Bermuda Dunes, CA 92201 Ph: (619) 342-8271	150 N. Broadway Blythe, CA 92225 Ph: (619) 922-2670	26911 Ynez Rd Bldg A Ste 130 Temecula, CA 92330-2761 Ph: 676-7730

622466

THIS PERMIT SHALL EXPIRE AND BECOME NULL AND VOID IF WORK IS NOT COMMENCED AND A REQUEST FOR INSPECTION FILED WITHIN 180 DAYS FROM THE DATE OF ISSUANCE OR IF WORK HAS BEEN SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS.

☐

LICENSED CONTRACTORS DECLARATION: I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

Date _____ Licensed Contractor _____

☐

OWNER-BUILDER DECLARATION: I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec. 7031.5, Business and Professions Code: Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law (Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code) or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars ($500).):

☐ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.)

☐ I am exempt under Sec. _____, B. & P.C. (Attach Certificate).

Date _____ Owner _____

WORKERS' COMPENSATION DECLARATION: I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. C.).

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County Building Inspection Department or County _____ Department.

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE: This section need not be completed if the permit is for one hundred ($100) or less. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.

Date _____ Applicant _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked.

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION:

☐ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high. (Chap. 3.2, Grp 2, Art 2, Section 341, Title 8, CAC).

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from the division.

☐ Division of Industrial Safety Permit No. _____

CONSTRUCTION LENDING AGENCY: I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. C.).

Lender's Name _____

Lender's Address _____

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY: I certify that I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

X Matthew Alexander 12/14/90

Signature of Applicant or Agent — Date

MATTHEW ALEXANDER

Print Applicant/Agent Name

APPLICANT NAME, FIRM
ALEXANDER, MATTHEW R

ADDRESS
23200 TEMESCAL CANYON RD

CITY/STATE/ZIP
CORONA CA 91719

JOB ADDRESS/SPACE
23200 TEMESCAL CANYON RD

CITY/STATE/ZIP
CORONA CA 91719

283	180	006	S		004S	006W	SEC 34	SD	
000000-00	000		100	SB					

NEXT AVAIL
NE 1/4 PP 10163

HYDRO, CONDUIT CORP — PHONE

CONTRACTOR
ALEXANDER MATTHEW — LICNO

ADDRESS
23200 TEMESCAL CANYON RD

CITY/STATE/ZIP
CORONA CA 91719

PHONE
714-277-2420 — BLDG INSPECTOR — FINAL DATE

ARC/ENG FIRM NAME — LICNO

ADDRESS

CITY/COMMUNITY/STATE/ZIP

PHONE — PLANS EXAMINER — APPROVE DATE

RENEW SUP P/C ATT EQPT CUR 260734

80	ZON	420	350	200	090		R1V
MRA	ZONE ORD		020.56		0000		SOE

23200 TEMESCAL CANYON RD

JOB
00294985

PS

DATE
12/14/90

622466

BUILDING Per	$43.00
S.M.I. TAX	$0.50

TOTAL FEE : $43.50

CA | CK | NC | CASHIER | COUNTER I.D.

CORONA CA 91719 0102

622466

BUILDING

B U I L D I N G

TOTAL FEE 43.00

VALUATION Current Val 1881 Permit Fee 43.00
1881 Valuation Fee 43.00

DESC/GROUP/TYPE 1881 Cumulative Val 190 Cum Square Feet

PRIMARY STRUCT D/G/T 190 SHEDY1 Square Feet 1881 Valuation M-1 V-N 9.90 Rate

FILE COPY

FORM 284-206 (2-90)

APPLICANT NAME/FIRM: ALEXANDER, MATTHEW R

ADDRESS: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CA 91719

JOB SITE ADDRESS/SPACE: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CA 91719

283	080	086	BF		0045	0961	SE 34	SI

TRACT 000-00	LOT 0		MB	SB	

TRACT NAME: 4 PP 10163

OWNER NAME (IF NO CONTRACTOR): CONDUIT CORP PHONE #

CONTRACTOR FIRM NAME: ALEXANDER MATTHEW LICNO #

ADDRESS: 23200 TEMESCAL CANYON RD

CITY/COMMUNITY/STATE/ZIP: CA 91719

PHONE #: 714-277-2420 BLDG INSPECTOR: [signature] FINAL DATE: 1-16-91 ✓

ARC/ENG FIRM NAME: LICNO #

ADDRESS:

CITY/COMMUNITY/STATE/ZIP:

PHONE # PLANS EXAMINER APPROVE DATE

USE OF PERMIT: SUP RZL ATT EQPT CUR 268234

BLD	ZON	4 (SB)	3 (SB)	2 (SB)	1 (RSD)		OFC U
ZONE ORD #		LOT SZ			END		SIDE

LOG: 0294985 PS 12/14/90 622466

BUILDING Per	43.00
S.M.I. TAX	0.50
TOTAL FEE	43.50

CA	CK	MC	COUNTER BL	COUNTER LUT

23200 Temescal Cyn 12-14-90 622466

BUILDING TOTAL FEES 294985

VALUATION Current Val 1981 Valuation Fee Permit Fee 43.00 43.00

OCSC/GROUP/TYPE 1981 Cumulative Val 198Cum Square Feet

PRIMARY STRUCT U/G/T SHED/1 M-1 V-N
190 Square Feet 9.70Rate
1981 Valuation

Renew supp plc – att. equip. Cov.

INSPECTOR'S

FORM 284-208 (2-90)

	Inspections	Inspector	Date
1	Port. Toilet		
2	Set Backs		
3	Pigs. & Frame		
4	Steel		
5	Lifer		
6	Grd. Plumbing		
7	Conduit		
8	Slab Grade		
9	Shear		
10	Roof Deck		
11	Plenums & Ducts		
12	Rough Electric ②	J. Pollock	1-16-91
13	Rough Plumbing		
14	Attic Ventilation		
15	Framing ①	J. Pollock	1-16-91
16	Fireplace PL		
17	Fireplace TO		
18	Mech. Fireplace		
	INSULATION R =		
19	Wall (Batts)		
20	Ceil. (Batts)		
21	Ceil. (Blown)		
22	Floor Insul.		
23	Drywall		
24	Interior Lath		
25	Exterior Lath		
26	Board Seams 1		
27	BB Level 2		
28	BB Level 3		
29	BB Level 4		
30	BB Level 5		
31	Grout		
32	Water Service		
33	Sewage Disp.		
34	Sewer		
35	Mech. Vent.		
36	Water Heater		
37	Furnace		
38	Smoke Detector		
39	Grounding/Bonding		
40	Service Panel		
41	Gas Test		
	MISCELLANEOUS		
42	Post/Fence/Gate		
43	T-Bar Ceiling		
44	Firewalls		
45	Piers		
46			
47			
48			
49	FINAL INSPECTION	J. Pollock	1-16-91

SEWAGE SYSTEM SIZE & LOCATION

Type of Tank	Tank Size	L. Line
Concrete, Steel, Fiberglass		

REAR OF PROPERTY LINE

P L

P L

USE OF PERMIT:

JOB SITE ADDRESS:

ADDITIONAL INFORMATION

① On shed roof only. Rock walls signed off on other permit 1-16-91 PAD

② Per V. Popp corrections 1-16-91 PAD

Department of Building and Safety

COUNTY OF RIVERSIDE

TO: Dist.

ADDRESS: 23260 Temescal Date 12-2-85

CORRECTION NOTICE

Permit No.

(1) Need Control Panel Certified

(2) Need all manufactures spec. on Gas appliance on Steam Engine

(3) Seal all wood in Building Steam Room

(4) Support Conduit Line to Engine

(5) Gas meter must To Be Supported

(6) Support galvaned water Line To Engine

(7) Support Gas Line in Building every 10' inside Building

(8) Need approved set of Plans on Steam Room

Dan Cupp
Inspector

DO NOT REMOVE FROM JOBSITE

284-205 (rev. 1/83) DISTRIBUTION: WHITE-Job, CANARY-Inspector, PINK-Office

DEPARTMENT OF BUILDING AND SAFETY

APPLICATION TO CONSTRUCT WORKSHEET

(Please Print)

LOG# 294985

Reference Log # 260734

PROJECT INFORMATION

5 Property Owner's Name Last, HYDRO CONDUIT CORP	First	Mid.	Date 8/6/90	
6 Jobsite Address Number 23200	Street Name TEMESCAL CY. RD.		Rd / Ave St / etc.	Bldg #/ Space #
7 City/Community CORONA	State CA	Zip Code 91719 -	Assessor Parcel # 283-160-006	
8 Tract No./Tract Name/Parcel Map No				Lot/Parcel #

9 Permit Use : Renew Supp P/C Att. Equip Cover

10 Are you grading more than 50 Cubic Yards? YES [ ] NO [X]

11 Is fill greater than 1 foot? YES [ ] NO [X]

* * * DEPARTMENTAL USE ONLY * * *

1 Township 4S	Range 6W	Section 34	SBBM		LU Appl/Prmt No. P/P 10163	
2 Zone Class M-R-A	Office RIV	SET BACKS	Front 420	Side 1 330	Side 2 200	Rear 90
3 Supv Dist No. 1	Community Dist 02	Lot Size / Acreage / Square ft.			Width	Depth
4 School Dist #	Emp ID# -- Land Use	Emp ID# -- Bldg Inspector			Emp ID# -- DTO	

APPLICANT / AGENT INFORMATION

(enter information if applicant is different from #5)

12 Last, ALEXANDER	First MATTHEW	Middle R.	
13 Number 23200	Street Name TEMESCAL CY. RD.	(mailing address)	
14 Community CORONA	State CA	Zip Code 91719 -	Phone # (714) 277-2420

CONTRACTOR INFORMATION

15 *Are you the CONTRACTOR or OWNER/BUILDER ?* (circle one)

16 Firm Name Hydro-Conduit		Calif Contractor License #	Lic. Type
17 Number	Street Name		
18 Community	State	Zip Code -	Phone # ( )
19 Workman's Comp. Carrier		Policy #	Ins. Expiration Date

284-199 Rev (12/89)

LAND USE DIVISION
DEPT. OF BUILDING & SAFETY
RIVERSIDE OFFICE

Counter Permit Mock-Up Sheet

[ ] Plan Check Only

[ ] Plan Check & Permit

[ ] Application *(only)*

[X] Permit Only *(no plan check)*

[X] Electrical

[ ] Plumbing

[X] Mechanical

Other (specify)

Building

Desc _____ Group _____ Type _____

Area _____

Type of Payment

[X] Cash

[ ] Check _____
Check No.

284-58A 1/90

_____
Signature, Building Inspector

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

PLAN CORRECTING SHEET

Sheet No. 1/1

NOTE:

Log No. 260734

Refer to Log Number for any inquiry. This application expires on 5/5/89 by County Ordinance 457.

Date 11/15/89

JOB LOCATION 23200 TEMESCAL CYN ROAN CORONA CA 91719

OWNER HYDRO-CONDUIT (MATTHEW ALEXANDER)

MAILING ADDRESS SAME AS ABOVE.

Please make corrections to plans as listed below.

① LABLE ALL SECTIONS OF PLAN AS TO IDENTIFY WHAT THEY DEPICT.

② PROVIDE COMPLETE STRUCTURAL CALCULATIONS, PLANS, DETAILS AND SECTIONS TO DESCRIBE EXTENT OF WORK PROPOSED

③ PROVIDE PLOT PLAN TO SHOW LOCATION ON PROPERTY

④ THESE PLANS ARE INCOMPLETE; THEREFORE THIS CORRECTION VERY GENERAL AND THERE MAY BE FURTHER CORRECTIONS.

⑤ INDICATE EXISTING CONDITION AND NEW PROPOSED ADDITIONS

CHECKED BY TED DELKWITH APPROVED BY

284-209 (Rev. 7/84)

NOTE:

Log No. 260734

Refer to Log Number for any inquiry. This application expires on 5/5/89 by County Ordinance 457.

Date 11/15/89

JOB LOCATION 23200 TEMESCAL CYN ROAD CORONA CA 91719

OWNER HYDRO-CONDUIT (MATTHEW ALEXANDER)

MAILING ADDRESS SAME AS ABOVE.

Please make corrections to plans as listed below.

① LABLE ALL SECTIONS OF PLAN AS TO IDENTIFY WHAT THEY DEPICT.

② PROVIDE COMPLETE STRUCTURAL CALCULATIONS, PLANS, DETAILS AND SECTIONS TO DESCRIBE EXTENT OF WORK PROPOSED

③ PROVIDE PLOT PLAN TO SHOW LOCATION ON PROPERTY

④ THESE PLANS ARE INCOMPLETE, THEREFORE THIS CORRECTION VERY GENERAL AND THERE MAY BE FURTHER CORRECTIONS.

⑤ INDICATE EXISTING CONDITION AND NEW PROPOSED ADDITIONS

CHECKED BY TED DELKAMP APPROVED BY

284-209 (Rev. 7/84)

DeLaMontz 11/15/89

NONRESIDENTIAL:	CORRECTIONS		APPROVALS	
	Name	Date	Name	Date
Structural				
Plumb/Mech				
Electrical				
Fire Marshal				

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

PLAN CORRECTING SHEET

Sheet No. 1/1

NOTE:

Log No. 2160734

Refer to Log Number for any inquiry. This application expires on 5/5/90 by County Ordinance 457.

Date 12/6/89

JOB LOCATION 23200 TEMESCAL CANYON ROAD, CORONA, CA, 91719

OWNER HYDRO-CONDUIT

MAILING ADDRESS ABOVE

Please make corrections to plans as listed below.

COMPLY WITH PREVIOUS CORRECTING SHEET - ESPECIALLY ITEM # 2. PROVIDE PLOT PLAN FOR EACH SET OF PLANS. APPLICANT WILL BE CHARGED 30.00/HR FOR FURTHER PLAN REVIEW.

CHECKED BY TED BECKWITH APPROVED BY —

Rev. 7/84)

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Pat.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carp.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

2-Const. Trailers

ESTIMATED VALUATION $

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
1	Const. Service	5.00	
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
1	CONSTRUCTION POLE	2.00	
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
1	PERMIT FEE	1.00	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERP. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	PERM	OBL.	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
153250				10.00		8.00		18.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		FIBER		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER | DRY WALL | ROOF COVERING | SQ. MTS.

ZONE M-S | ZONING CHECKED BY | PERMIT USE NO.

SET BACK: FRONT | SIDE | REAR | LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 10.00
ELECTRICAL FEE	$ 8.00
PLUMBING FEE	$
TOTAL FEE	$ 18.00

CASH | CHECK | M.O. | M.C.

RECEIVED BY

PLAN FILE #

WATER | VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23-200 Hwy 71

OWNER: Hydro Conduit

USE OF BUILDING: 2-Const. Trailer - 1 Com. Temp

DATE: 8-31-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
Corona	N	35		125	2

LEGAL DESCRIPTION: Por. Sec. 35 T4S R6W

PERMIT NUMBER: 153250

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor D. E. Goodall

Address P.O. Box 2565

Tel 268-4411 Lic. #

FRESNO

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Well	Sq. Ft. @	
2-CONST. TRAILERS	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
1	Const. Service		5 00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
1	CONSTRUCTION POLE		2 00
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
1	PERMIT FEE		1 00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	PEN	CSL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
153250				10.00		8.00		18.00	

J F	F F	M M	A A	M M	J J	J J	A A	S S	O O	N N	D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-S	A. Hudson	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 10 00
ELECTRICAL FEE	$ 8 00
PLUMBING FEE	$
TOTAL FEE	$ 18 00

CASH | CHECK ✓ | M.O. | N.S.

RECEIVED BY: Gilbert

PLAN FILE #

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23-200 Hwy 71

OWNER: HYDRO CONDUIT

USE OF BUILDING: 2-CONST. TRAILER - 1 COMF. TEMP.

DATE: 3-31-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
CORONA	N	35		135	2

LEGAL DESCRIPTION: For Sec. 35 T4S R6W

PERMIT NUMBER: 153250

6 MONTH LIMIT

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
2-6-67	Hughes					

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor C. E. Brodie

Address P.O. Box 2565

Tel. 255-4911 Lic. #

FRESNO

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	F.T.G.S. & F.R.M.S.		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole	6-9-67	Hughes
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final	6-9-67	Hughes

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

COPY NO.	**PROGRESS CHECKS**

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route

Land Use Div.
Road Dept.
Health Dept.
Other Dept.
Building Dept.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office Riverside
Permit No. 153250
Del. Date

OWNER

Owner Hydro Constant
Address Colton
City Colton
Phone

Architect
Address
City
Phone

Contractor Capital Elec
Address PO box 7565
City Fresno Calif.
Phone 268-4911

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 8-31-67 SIGNATURE OF OWNER C J Bradley

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 22-200 King St
Legal Description of Property Pcl of Sec 3
T4S R2W SBM

NO. OF SUBMITTED PLANS
ADDITIONAL PLOT PLANS
CASE NO.

TYPE OF CONSTRUCTION
2 Construction
Trailer (Temporary)

USE OF STRUCTURE
SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☑
ALTERATIONS ☐

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING 2
ZONE M-S SETBACKS FRONT SIDE REAR
IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☐ NO ☑
SETBACK ORDINANCE OF FEET REQUIRED ON STREET
DATE 8/31/67 SIGNATURE OF LAND USE OFFICIAL

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION DIV OF HWY

REMARKS: 6 Month Time Limit

Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

Plate # 284-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		FOLER 3 T 2			
Sq. Ft. @		SIGNS		DRAINAGE PIPING	
Sq. Ft. @		TRANS. AND/OR RM T. ELEC.		DRINKING FOUNTAIN	
Sq. Ft. @		MOTOR H.P.		URINAL	
Sq. Ft. @		MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION 15 20000		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
HEAT APPLIANCE		MOTOR H.P.		WASHER (AUTO) (DISH)	
INLETS — OUTLETS		FIXTURES		GARBAGE DISPOSAL	
M. BH. FT. — UNIT HEATER		OUTLETS		LAUNDRY TRAY	
M. SQ. FT. — PERF. CEILING MAT.		SUB-PANEL		KITCHEN SINK	
APPLIANCE VENT				WATER CLOSET	
GAS PIPE		RANGE AND/OR OVEN		LAVATORY	
REPAIR OR ALTER		WATER HEATER		SHOWER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER		BATH TUB	
COMPRESSOR		CONSTRUCTION POLE		WATER HEATER	
COMPRESSOR		SERVICE ENTRANCE		SEWAGE DISPOSAL	
COMPRESSOR		RADIO 12 SQ. FT.		HOUSE SEWER	
		GARAGE 66 SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

PERMIT NUMBER	ZONE	DIST.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154247			31.50					31.50	

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	ROOF	METAL	OTHER
				X		
PLASTER	DRY WALL	ROOF COVERING		SQ. MTS.
---	---	---	---	---

ZONE	ZONING CLEARED BY	PERMIT USE NO.
M-3	224	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25'	25'	25'	Irreg.

PLAN CHECK FEE	$ 31.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 31.50

CASH	CHECK	M.O.	N.C.
		X	

RECEIVED BY: Allen

PLAN FILE # 4621

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23-200 Temescal Cyn. Rd.

OWNER: Hydro-Conduit Corp.

USE OF BUILDING: Aggregate Hopper

DATE: 9-21-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Corona		20		—	2

LEGAL DESCRIPTION: NW¼ Sec. 35 T4S R6W

PERMIT NUMBER: 154247

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR:

RELEASE BOND DATE:

LICENSE-TYPE: ☐ B

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Hydro-Conduit Corp.

Address P.O. Box 549 Corona

Tel. _____ Lic. # _____

George Spencer

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

H	Sq. Ft. @	
H.P.	Sq. Ft. @	
Apt.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Trail	Sq. Ft. @	
	Sq. Ft. @	
Estimated		20000
ESTIMATED VALUATION		$ 20000

MECHANICAL FEES

NO.	
HEAT APPLIANCE	
INLETS — OUTLETS	
M. SQ. FT. — UNIT HEATER	
M. SQ. FT. — RADIANT CEILING MAT.	
APPLIANCE VENT	
GAS PIPE	
REPAIR OR ALTER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
CONDENSOR	
COMPRESSOR	
COMPRESSOR	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
SIGNS	
TRANS. AND/OR T. CAP.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
REMOD. 1¢ SQ. FT.	
GARAGE ½¢ SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER	REM	DEL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
15427			31.50					31.50	

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTI
				X		

PLASTER | DRY WALL | ROOF COVERING | SD. RMS.

ZONE M-3 | ZONING CHECKED BY [illegible] | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25'	25'	25'	Average

PLAN CHECK FEE	$ 31.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 63.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE 63.00	$ 31.50

CASH | CHECK | C | M.O. | N.C.

RECEIVED BY Allen

PLAN FILE # 4621

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 Temescal Cyn. Rd.

OWNER Hand-Lovell Corp.

USE OF BUILDING Aggregate Upper Pit

DATE 9-21-67

COMMUNITY Corona

DISTRICT 4th

PLAN 35

UNITS

VALUATION 20000

OFFICE 2

LEGAL DESCRIPTION NW¼ Sec. 35 T4S R6W

PERMIT NUMBER 15427

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
10-12-67	Allen					

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Hand-Lovell Corp

Address P.O. Box 549

Tel. Lic. # Corona

Signature

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ext. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		POLES					
	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
	Sq. Ft. @		TRANS. AND/OR T. CLR.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR H.P.			URINAL		
	Sq. Ft. @		MOTOR H.P.			WATER PIPING		
ESTIMATED VALUATION			MOTOR H.P.			FLOOR DRAIN		
NO.	MECHANICAL FEES		MOTOR H.P.			WATER SOFTENER		
	HEAT APPLIANCE		MOTOR H.P.			WASHER (AUTO) (DISH)		
	OUTLETS — OUTLETS		FIXTURES			GARBAGE DISPOSAL		
	M. BTU. FT. — UNIT HEATER		OUTLETS			LAUNDRY TRAY		
	M. BTU. FT. — PROP. CEILING MAT.		SUB-PANEL			KITCHEN SINK		
	APPLIANCE VENT					WATER CLOSET		
	GAS PIPE		RANGE AND/OR OVEN			LAVATORY		
	REPAIR OR ALTER		WATER HEATER			SHOWER		
	VENT SYSTEM ☐ GRAV. ☐ EVAP. COOL ☐		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
	COMPRESSOR		RESID. 1¢ SQ. FT.			HOUSE SEWER		
			GARAGE ½¢ SQ. FT.			GAS PIPING		
	PERMIT FEE		PERMIT FEE			PERMIT FEE		

SERVICE NUMBER	REN.	OBL.	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154248			6.00					6.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT ORD NO.
M-3		

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 6.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 6.00

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Kilburn

PLAN FILE # 1621

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23-200 Temescal Cyn. Rd.

OWNER: Ruffo-Lockhart Corp.

USE OF BUILDING: Hydrostatic Test Pit

DATE: 9-21-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
Corona	4th	20			2

LEGAL DESCRIPTION: W 1/2 Sec. 35 T4S R6W

PERMIT NUMBER: 154248

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	CASH
				$	

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐

In accordance with Sec. 392-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Ruffo-Lockhart Corp.

Address P.O. Box 559

Tel. Lic.

Corona

Signature

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 2200

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. BTU. PT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	UNIT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CH.R.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	REGID. 16 SQ. FT.	
	GARAGE 6 SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	BREAKAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES.	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
15248		6.05	12.00				6.05	

BUILDING INFORMATION

WOOD		CONCRETE	✓	FIREPLACE		
CONCRETE	✓	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CORR.	METAL	OTHER
				✓		

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE M-3 | ZONING CHECKED BY BK | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 6.05
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE 12.00	$ 6.05

CASH ☐ CHECK ✓ M.O. ☐ N.C. ☐

RECEIVED BY [illegible] PLAN FILE # 4621 ✓

SEPTIC TANK VOLUME	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23-2200 Temescal Canyon Rd. OWNER Hunt-Combat Corp.

USE OF BUILDING HYDROSTATIC TEST PITS DATE 9-21-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
Corona	4th	35		2200.	Z

LEGAL DESCRIPTION NW¼ Sec. 35 T4S R6W

PERMIT NUMBER 15248

SUPPLEMENT TO PERMIT

ISSUED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
	Leroy Ramage			$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 3, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Hunt Combat Corp.

Address Box 549

Tel. [illegible]

[illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Piles & Piers		
3	Steel		
4	Chart Blocks		
5	Sand Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		POLES					
	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
	Sq. Ft. @		TRANS. AND/OR T. CLK.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR	H.P.		URINAL		
	Sq. Ft. @	110000	MOTOR	H.P.		WATER PIPING		
ESTIMATED VALUATION		110000	MOTOR	H.P.		FLOOR DRAIN		
NO.	MECHANICAL FEES		MOTOR	H.P.		WATER SOFTENER		
	HEAT APPLIANCE		MOTOR	H.P.		WASHER (AUTO) (DISH)		
	OUTLETS — OUTLETS		FIXTURES			GARBAGE DISPOSAL		
	SQ. FT. — UNIT HEATER		OUTLETS			LAUNDRY TRAY		
	SQ. FT. — FLOOR FURNACE		SUB-PANEL			KITCHEN SINK		
	APPLIANCE VENT					WATER CLOSET		
	GAS PIPE		RANGE AND/OR OVEN			LAVATORY		
	REPAIR OR ALTER		WATER HEATER			SHOWER		
	VENT SYSTEM ☒ NOZZ ☐ EVAP. COOL ☐		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
	COMPRESSOR		RESID. 1¢ SQ. FT.			HOUSE SEWER		
			GARAGE ½¢ SQ. FT.			GAS PIPING		
	PERMIT FEE		PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	BSN.	SOL.	PERMIT FEE	CONSTR. FEE	HEAT & VENT.	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154249			85.25					85.25	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	FIBRE		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE M-3 | ZONING CHECKED BY | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25	25	25	Average

	$
PLAN CHECK FEE	85.25
MECHANICAL FEE	
CONSTRUCTION FEE	
ELECTRICAL FEE	
PLUMBING FEE	
TOTAL FEE	85.25

CASH | CHECK | M.O. | R.C.

RECEIVED BY | PLAN FILE # 4621

WATER CLOSET SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐ JERRY BLOOMER

JOB ADDRESS: 23-200 Temescal Cyn Rd. | OWNER: Hydro-Comfort Corp.

USE OF BUILDING: Crane Runway | DATE: 9-21-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Corona	4N	70			2

LEGAL DESCRIPTION: W½ Sec. 35 T4S R6W | PERMIT NUMBER: 154249

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR | RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Hydro-Comfort Corp

Address P.O. Box 52, Corona

Tel. _____ Lic. # _____

Signature

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Garage	Sq. Ft. @	
Patio	Sq. Ft. @	
Addition	Sq. Ft. @	
Addition	Sq. Ft. @	10000

ESTIMATED VALUATION $ 20,000

MECHANICAL FEES

HEAT APPLIANCE	
OUTLETS — OUTLETS	
30 CU. FT. — UNIT HEATER	
30 SQ. FT. — PERF. CEILING MAT.	
APPLIANCE VENT	
GAS PIPE	
REPAIR OR ALTER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
COMPRESSOR	
COMPRESSOR	
COMPRESSOR	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
SIGNS	
TRANS. AND/OR T. CLK.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 1¢ SQ. FT.	
GARAGE ½¢ SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
GREASE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER	PWR	GDL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
154249			85.25	170.50				255.75	

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	SENTRI CHECKED BY	PERMIT USE NO.
M-3		

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25'	15'	25'	

PLAN CHECK FEE?	$	85.25
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	170.50
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE 170.50	$	85.25

CASH	CHECK	M.O.	N.C.

RECEIVED BY

PLAN FILE # 4621

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐ JERRY BLOOMER

JOB ADDRESS 23-200 Jefferson Cor. Hyatt-Country Club

OWNER

USE OF BUILDING Single Family "B" DATE 9-21-67

COMMUNITY Indio DISTRICT 4th Dist. UNITS VALUATION 10,000 OFFICE 2

LEGAL DESCRIPTION NW¼ Sec. 35 T6S R6E PERMIT NUMBER 154249

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
11-14-67	Knight					

CONTRACTOR

LICENSE-TYPE ☐ No.

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3090 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Nor-Lin Corp

Address P.O. Box 547

Tel. _____ Lic. No. _____

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Piers & Piles		
3	Steel		
4	Cavity Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ref. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES		PLUMBING FEES	
Mdl. 1400	Sq. Ft. @ 4.00	33,600	NO.		NO.	
Fl.	Sq. Ft. @					
Por.	Sq. Ft. @		POLES			
Gar.	Sq. Ft. @		SIGNS		DRAINAGE PIPING	
Car. P.	Sq. Ft. @		TRANS. AND/OR T. CLK.		DRINKING FOUNTAIN	
Wall	Sq. Ft. @		MOTOR H.P.		URINAL	
	Sq. Ft. @		MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION		$ 33,600 —	MOTOR H.P.		FLOOR DRAIN	
NO.	MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
	HEAT APPLIANCE		MOTOR H.P.		WASHER (AUTO) (DISH)	
	INLETS - OUTLETS		FIXTURES		GARBAGE DISPOSAL	
	M. SQ. FT. - UNIT HEATER		OUTLETS		LAUNDRY TRAY	
	M. SQ. FT. - PERF. CEILING MAT.		SUB-PANEL		KITCHEN SINK	
	APPLIANCE VENT				WATER CLOSET	
	GAS PIPE		RANGE AND/OR OVEN		LAVATORY	
	REPAIR OR ALTER		WATER HEATER		SHOWER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER		BATH TUB	
	COMPRESSOR		CONSTRUCTION POLE		WATER HEATER	
	COMPRESSOR		SERVICE ENTRANCE		SEWAGE DISPOSAL	
	COMPRESSOR		RESID. 1¢ SQ. FT.		HOUSE SEWER	
			GARAGE 1¢ SQ. FT.		GAS PIPING	
	PERMIT FEE		PERMIT FEE		PERMIT FEE	

PERMIT NUMBER	PEN	DEL.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15429			50.25					50.25	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	FIBRE		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X	X	

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.
		Metal	

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B Hansen	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25	25	25	ACREAGE

PLAN CHECK FEE	$ 50 25
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 50 25

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY	PLAN FILE		
Hansen	# 4621		
WATER GALLONS SEPTIC TANK	LEACH LINE	SEEPAGE PIT	
GAL.	SQ. FT.	GAL.	

LETTER ☐ FILE ☐ Plan Check Only

JOB ADDRESS: 23-200 Temescal Cyn. Rd.

OWNER: Hydro-Conduit Corp.

USE OF BUILDING: Warehouse & Change Room

DATE: 10-3-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Corona	V/N	70		—	2

LEGAL DESCRIPTION: NW¼ Sec. 35 T4S R6W

PERMIT NUMBER: 15429

"D"

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

O.W. Bradley

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Hydro-Conduit Corp.

Address P.O. Box 549

Tel. 735-5269 Lic. #

Corona

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	8400	Sq. Ft. @ 4.00	33,600
2nd Fl.		Sq. Ft. @	
Por.		Sq. Ft. @	
Gar.		Sq Ft. @	
Car P.		Sq. Ft. @	
Wall		Sq. Ft. @	
		Sq. Ft. @	

ESTIMATED VALUATION $ 33,600 —

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	Panel
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR 1/2 H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	Panel
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
1	DRINKING FOUNTAIN	1 50
3	URINAL	4 50
	WATER PIPING	
9	FLOOR DRAIN	10 50
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
4	WATER CLOSET	6 00
2	LAVATORY	3 00
2	SHOWER	12 00
	BATH TUB	
1	WATER HEATER	1 50
1	SEWAGE DISPOSAL	10 00
	HOUSE SEWER	
1	GAS PIPING	1 50
1	PERMIT FEE	2 00

PERMIT NUMBER	RES.	COM.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
15429			50.25				52.50	102.75	

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X	X	

PLASTER	DRY WALL	ROOF COVERING	CO. RMS.
		Built	

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3		

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25	25	25	Irregular

PLAN CHECK FEE	$	50.25
MECHANICAL FEE	$	
CONSTRUCTION FEE 154589	$	100 50
ELECTRICAL FEE	$	
Plumbing PLUMBING FEE → 154567	$	52 50
TOTAL FEE	$	203 25

CASH	CHECK	M.O.	N.C.
	✓		

RECEIVED BY: K Elmore

PLAN FILE # 4630 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐ Tentative Lot

JOB ADDRESS: Lot 200 Tenescal Co. Hy. 4 Hydro Estates

OWNER:

USE OF BUILDING: Warehouse & Office Bldg.

DATE: 10-3-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
Corona	4 N	15		—	2

LEGAL DESCRIPTION: NW¼ SE¼ Sec. 30 T3S R6W

PERMIT NUMBER: 15429

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
10-30-67	Gilbert					

CONTRACTOR:

RELEASE BOND DATE:

LICENSE-TYPE ☐ B

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Hydro-Conduit Corp.

Address P.O. Box 547

Tel. 736-1244 Lic. #

W/E Corona / Needs Heater Bot.

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ Y/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

DPN NO.	PROGRESS CHECKS

Route

Land Use Div. ✓
Road Dept.
Health Dept. ✓
Other Dept.
Building Dept. ✓

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office Riverside
Permit No 18429
Del. Date

OWNER

Owner Hydro Conduit Corp. Architect Contractor Stevens Roger Co
Address 23-200 Address Address PO Box 549
City Temescal Can. Rock City City Corona Calif.
Phone Phone Phone 235-5249

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 10/13/67 SIGNATURE OF OWNER Hydro Conduit Corp

Approval by Signature from the Following Departments Listed Below May Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 23-200 Temescal Rd.
Legal Description of Property NW¼ Sec 35 T4S R6W

NO. OF SUBMITTED PLANS 3
ADDITIONAL PLOT PLANS
CASE NO.

TYPE OF CONSTRUCTION Commercial Warehouse & Change Room

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☑	INDUSTRIAL	☐
ALTERATIONS	☐		

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING
ZONE M-S SETBACKS FRONT SIDE REAR
IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☑ NO ☐
SETBACK ORDINANCE # OF FEET REQUIRED ON STREET
DATE 10-13-67 SIGNATURE OF LAND USE OFFICIAL R. E. Lanlock

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT. ✓

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION DIV OF HWY.

REMARKS: Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

Plate # 284-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

Spec Inspection file
Steam Room (Pacific)
C. F.L.
Permit file

Part # 154429

Room 114, Hall of Records

December 18, 1967

STEARNS-ROGER CORPORATION
P. O. Box 5888
Denver, Colorado 80217

Attention: Mr. Jerry Blosser

Gentlemen:

Special Inspector

The Riverside County Department of Building and Safety does hereby appoint Mr. W. H. Fernby, Plant Superintendent to be the Special Inspector to serve on current construction at the Pacific Coast Pipe Plant, Hydro-Conduit Corporation, B-32350, Corona, California.

Written progress reports shall be sent to this office every thirty days in accordance with Section 305 (b) of the 1964 Edition of the Uniform Building Code, Volume 1.

Very truly yours,

DEPARTMENT OF BUILDING AND SAFETY

C O P Y

H. C. SMITH
DIRECTOR

HCS/ca

cc Mr. W. H. Fernby
Plant Superintendent
Pacific Coast Pipe Plant
Hydro-Conduit Corporation, B-32350
Corona, California
H. A. Brindley, Jr.
Structural Inspection Engineer
Riverside Area Inspector

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ 50. FT.	
	GARAGE 1¢ 50. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
1	DRINKING FOUNTAIN	1 50
3	URINAL	4 50
	WATER PIPING	
7	FLOOR DRAIN	10 50
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
4	WATER CLOSET	6 00
3	LAVATORY	3 00
8	SHOWER	12 00
	BATH TUB	
1	WATER HEATER	1 50
1	SEWAGE DISPOSAL	10 00
	HOUSE SEWER	
1	GAS PIPING	1 50
1	PERMIT FEE	2 00

PERMIT NUMBER	PEN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154567							52.50	52.50	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE: M-3 | ZONING CHECKED BY: B Kinney | PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25	25	25	Average

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$ 52 50
TOTAL FEE	$ 52 50

CASH | CHECK | C M.O. | N.C.

RECEIVED BY: Kilburn | PLAN FILE # 4630

WATER | HOUSE SEPTIC TANK: Size To Follow GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐ GROVER RANZ

JOB ADDRESS: 23-200 Temescal Cyn. Rd.

OWNER: Hydro-Conduit Corp.

USE OF BUILDING: Warehouse & Garage

DATE: 10-16-67

PLUMBING

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Corona	N	35		3000	2

LEGAL DESCRIPTION: NW 1/4 Sec. 35 T4S R6W Blog. "D"

PERMIT NUMBER: 154567

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor TABER PLUMBING

Address 250 Iowa

Tel 3874 Lic. #

Grover Ranz

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sql Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS – OUTLETS		
	M. SQ. FT. – UNIT HEATER		
	M. SQ. FT. – PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
1	DRINKING FOUNTAIN	1 50
3	URINAL	4 50
	WATER PIPING	
7	FLOOR DRAIN	10 50
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
4	WATER CLOSET	6 00
2	LAVATORY	3 00
8	SHOWER	12 00
	BATH TUB	
1	WATER HEATER	1 50
1	SEWAGE DISPOSAL	10 00
	HOUSE SEWER	
1	GAS PIPING	1 50
1	PERMIT FEE	2 00

PERMIT NUMBER	REN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154567							52.50	52.50	

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	[illegible] Kenney	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25	25	25	[illegible]

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$ 52 50
TOTAL FEE	$ 52 50

CASH | CHECK | M.O. C | N.C. ✓

RECEIVED BY Kilburn

PLAN FILE # 4630

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
SIZE 10" [illegible] GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐ GROVER RANZ

JOB ADDRESS 23-200 Temescal Cyn. Rd.

OWNER Hydro-Convent Corp.

USE OF BUILDING Warehouse; Change From Furniture

DATE 10-16-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Corona	N	25		3000	2

LEGAL DESCRIPTION NW¼ Sec. 35 T4S R6W SBM

PERMIT NUMBER 154567 ✓

SUPPLEMENT TO PERMIT

[illegible] 1206 "D"

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
11-6-68	Overholtzer			$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor TABER PLUMBING

Address 250 IOWA

Tel. 35744 Lic. #

Grover Ranz

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb	10-17-67	Stark
16	Water Piping		
17	Rough Plumb	11-10-67	Hughes
18	Vents		
19	Sewage Disposal	12-15-67	Hughes
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final	11-6-68	Overholtzer
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPR. NO.	PROGRESS CHECKS
	Permission to Pour was given
	at Counter
	Ok to Cover Sewer Line From
	Tank past manhole 12-8-67 Hughes
	Ok to Cover two leachlines
	12-12-67 Hughes

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route

Land Use Div. ✓
Road Dept.
Health Dept. ✓
Other Dept.
Building Dept. ✓

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office Riverside
Permit No.
Del. Date

OWNER

Owner HYDRO-CONDUIT CORP. Architect Contractor TABER PLUMBING
Address Address Address 250 IOWA Ave.
City DENVER, COLORADO City City Riverside
Phone Phone Phone 683-8744

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 10-16-67 SIGNATURE OF OWNER Steven Pong for TABER

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 23300 Towne Ctr/Convos Rd.
Legal Description of Property NW¼ Sec. 27 T5 R6W

NO. OF SUBMITTED PLANS 2
ADDITIONAL PLOT PLANS
CASE NO.

TYPE OF CONSTRUCTION Warehouse & Storage Room

USE OF STRUCTURE
SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☑
ALTERATIONS ☐

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING
ZONE M-2 SETBACKS FRONT SIDE REAR
IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☑ NO ☐
SETBACK ORDINANCE # OF FEET REQUIRED ON STREET
DATE 10-16-67 SIGNATURE OF LAND USE OFFICIAL R. E. Kunkle

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION DIV OF HWY.

REMARKS: Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

Plate # 284-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	$400	Sq. Ft. @	33,600 —
2nd Fl.		Sq. Ft. @	
Por.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Car P.		Sq. Ft. @	
Wall		Sq. Ft. @	
		Sq. Ft. @	

ESTIMATED VALUATION $ 33600 —

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BO. FT. – UNIT HEATER	
	M. BO. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	NEW	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154589				100.50				100.50	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X	X	

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.
		Metal	

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B. Harvey	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25	25	25	AREAGE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 100.50
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 100.50

CASH | CHECK C | M.O. | N.C.

RECEIVED BY: Kilburn

PLAN FILE # 4630

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐ With FORMBY

JOB ADDRESS: 23-200 TEMESCAL RD.

OWNER: HYDRO-CONDUIT Corp.

USE OF BUILDING: WAREHOUSE & CHANGE ROOM

DATE: 10-18-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
CORONA	N	18		33600	2

LEGAL DESCRIPTION: NW¼ SEC. 35 T4S R6W (BM "D")

PERMIT NUMBER: 154589

SUPPLEMENT TO PERMIT

FINAL DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor HYDRO-CONDUIT CORP.

Address P.O. Box 549

Tel. 735-5249 Lic. # _____

T.D. Hammond

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	8400	Sq. Ft. @	38,600
2nd Fl.		Sq. Ft. @	
Por.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Car P.		Sq. Ft. @	
Wall		Sq. Ft. @	
		Sq. Ft. @	

ESTIMATED VALUATION $ 33600—

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. SQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERM. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154589				100.50				100.50	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X	X	

PLASTER	DRY WALL	ROOF COVERING	SD. RAIS.
		Metal	

ZONE: M-3 | ZONING CHECKED BY: B. Harvey | PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25	25	25	ACREAGE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 100.50
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 100.50

CASH | CHECK | ☐ M.O. | N.C.

RECEIVED BY: Kilburn

PLAN FILE # 4630

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	50. FT.	GAL.

LETTER ☐ FILE ☐ W.H. FORMBY

JOB ADDRESS: 23-200 Temescal Rd.

OWNER: Hydro Conduit Corp.

USE OF BUILDING: Warehouse & Change Room

DATE: 10-18-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Corona	N	18		33600	2

LEGAL DESCRIPTION: NW¼ Sec. 35 T4S R6W

PERMIT NUMBER: 154589 ✓

SUPPLEMENT TO PERMIT:

Add "D" Boundary by

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-27-67	Wade			$		

CONTRACTOR:

LICENSE-TYPE ☐ #

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Hydro-Conduit Corp.

Address P.O. Box 549

Tel 735-5249 Lic. # _____

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final Formby by Blake 12-29-67		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		
DPW NO.	**PROGRESS CHECKS**		

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

FORM 114

Stearns-Roger CORPORATION

PAGE 1 OF 2

JOB NO. B32350 DATE 1/10/68 BY CHK

CUSTOMER HYDRO CONDUIT CORP. PROJECT 23200 Temescal Canyon Road

SUBJECT December Progress Report

Department of Building and Safety
Room 114 Hall of Records
Riverside County
Riverside, Calif. 92510

Permit No.	Dwng. No.	Description		Date	
153250		Temporary Electric Service			
154567	80-6-07	Warehouse	Plumbing		
✓ 154589	80-3-07	Warehouse	Concrete	12/26/67	
✓ 154590	80-3-16	Agg. Hopper Pit	Concrete	11/29/67	
✓ 154807	80-7-01	Main Switch Gear not o.k. by Gates.	Electric	11/13/67	
✓ 154843	80-3-22	60 Ton Crane	Concrete	12/26/67	
✓ 154844	80-3-23	Hydro Test Pit	Concrete	12/22/67	
154845	80-3-10	10 Ton & Gantry	Concrete	12/26/67	
✓ 154847	80-3-14	Boiler-Sw. Room not o.k. by Gates	Concrete	11/21/67	
154898	80-3-37	Can Test Reserv.	Concrete		
154929	80-3-29	Rebound Pit	Concrete		
154930	80-7-17	Area Lighting	Electric		
155835	80-7-05	Ground System	Electric		
155836	80-6-01	Plant Area Piping	Plumbing	12/29/67	
155838	80-3-17	Yard Slabs	Concrete		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sql Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
ESTIMATE CONCRETE	Sq. Ft. @	20000
ESTIMATED VALUATION		$ 20000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS ~ OUTLETS	
	M. BO. FT. ~ UNIT HEATER	
	M. SQ. FT. ~ PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/ OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154590				63.00				63.00	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25'	25'	25'	ACREAGE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 63.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 63.00

CASH | CHECK | C | M.O. | N.C.

RECEIVED BY: Kilburn

PLAN FILE # 4621

WATER/VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23-200 TEMESCAL Cyn. Rd.

OWNER: Hydro-Conduit Corp.

USE OF BUILDING: AGGREGATE HOPPER "A"

DATE: 10-18-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Corona	N	18		20000	2

LEGAL DESCRIPTION: NW¼ SEC. 35 T4S R6W

PERMIT NUMBER: 154590

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE: ☐

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

W H Somers

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor STEARNS-ROGER

Address P.O. Box 549

Tel. _____ Lic. # _____

CORONA

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
ESTIMATE CONCRETE	Sq. Ft. @	20000
ESTIMATED VALUATION		$ 20000

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS – OUTLETS		
	M. SQ. FT. – UNIT HEATER		
	M. SQ. FT. – PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RGN	OSL	PLR CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154590				63.00				63.00	

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		
PLASTER	DRY WALL	ROOF COVERING				SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	25+	25+	25+	AGREAGE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 63 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 63 00

CASH	CHECK	M.O.	N.C.
		C	

RECEIVED BY: Killum

PLAN FILE # 4621

WATER	VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23-200 TEMESCAL Cyn Rd. Hydro-Conduit Corp.

OWNER:

USE OF BUILDING: AGGREGATE HOPPER

DATE: 10-18-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Corona	N	18		20000	2

LEGAL DESCRIPTION: NW¼ SEC. 35 T4S R6W

PERMIT NUMBER: 154590 ✓

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
11-9-67				$		

CONTRACTOR:

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor STEARNS-ROGER

Address P.O. Box 549

Tel. _____ Lic. # _____

CORONA

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final Formby Inspection 11-9-67		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPER. NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☒ KEY

FORM 114

Stearns-Roger
CORPORATION

PAGE One

JOB NO. B32350 DATE 1/10/68 BY CHK'D

CUSTOMER HYDRO CONDUIT CORP. PROJECT 23200 Temescal Canyon Road

SUBJECT December Progress Report

Department of Building and Safety
Room 114 Hall of Records
Riverside County
Riverside, Calif. 92510

Permit No.	Dwng. No.	Description		Date	
153250		Temporary Electric Service			
154567	80-6-07	Warehouse	Plumbing		
154589	80-3-07	Warehouse	Concrete	12/28/67	
154590	80-3-16	Agg. Hopper Pit	Concrete	11/3/67	
154807	80-7-01	Main Switch Gear (not set by Yates.)	Electric	11/13/67	
154843	80-3-22	60 Ton Crane	Concrete	12/24/67	
154844	80-3-23	Hydro Test Pit	Concrete	12/22/67	
154845	80-3-10	10 Ton&Cantry	Concrete	12/30/67	
154847	80-3-14	Boiler-Sw.Room (not set by Yates)	Concrete	11/21/67	
154898	80-3-37	Can Test Reserv.	Concrete		
154929	80-3-29	Rebound Pit	Concrete		
154930	80-7-17	Area Lighting	Electric		
155835	80-7-05	Ground System	Electric		
155836	80-6-01	Plant Area Piping	Plumbing		
155838	80-3-17	Yard Slabs	Concrete		

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

Liv. Sq. Ft. @		
Gar. Sq. Ft. @		
Pat. Sq. Ft. @		
Cpt. Sq. Ft. @		
Wall Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		
STRUCTURAL Sq. Ft. @	8000	
ESTIMATED VALUATION	$	

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	AC. SQ. FT. — UNIT HEATER		
	M. SQ. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES 3 @ 5 = 15	1.75	17.25
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	Grease TRAP		15.00
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	RES	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154721			13.50					13 50	

J J F F M M A A M M J J J J A A S S O O N N D D

BUILDING INFORMATION

WOOD			CONCRETE	X	FIREPLACE	
CONCRETE	X		PIERS		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
					X	

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.P.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	ACRES

PLAN CHECK FEE	$ 13 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 13 50

CASH | CHECK | M.O. | H.C.

RECEIVED BY: K Brisch

PLAN FILE #

WATER | VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL — OWNER: HYDR Conduit Inc

USE OF BUILDING: B&TCH PLANT (STRUC) — DATE: 11-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERITO	Y/N	70			2

LEGAL DESCRIPTION: POR SEC 35 T4SR 6W — PERMIT NUMBER: 154721 — SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR — RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workman's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel 735-[illegible] Lic. # _____

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Flr.	Sq. Ft. @	
2nd Flr.	Sq. Ft. @	
Fdn.	Sq. Ft. @	
Gar.	Sqf Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
BATCH STRUCTURE	Sq. Ft. @ 2000	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. SQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
1	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
1	GAS PIPING	150
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154721			13.50					13 50	Wlake

F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
					X	

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE M-3 | ZONING CHECKED BY B.P. | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	ACRES

PLAN CHECK FEE	$ 13 50
MECHANICAL FEES	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 13 50

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY Rodriguez

PLAN FILE # 4654 ✓

WATER GALLONS SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 43200 TENECSAC

OWNER HYDR Conduit Co.

USE OF BUILDING BATCH PLANT (STEEL)

DATE 11-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CENTRO	Y/N	70			2

LEGAL DESCRIPTION For SEC 35 T4S R

PERMIT NUMBER 154721

SUPPLEMENT TO PERMIT

LW

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-5-67	Wlake			$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # _____

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ref. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall VEHICLE SERVICE	Sq. Ft. @	
	Sq. Ft. @ 9000	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. SQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RGN	ODL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEE	PLAN CHECKER
154722			15 00					15 00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	RP	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	ACRES

PLAN CHECK FEE	$ 15 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 15 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY Kimball

PLAN FILE #

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESECAL

OWNER HYDRO CONDUIT INC

USE OF BUILDING VEHICLE SERVICE

DATE 11-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	Y/N	70			2

LEGAL DESCRIPTION Por of Sec 35 T4 S R6 W

PERMIT NUMBER 154722

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ C-

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. 235-5249 Lic. # _____

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall VEHICLE SERVICE	Sq. Ft. @ 3 bay	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.

HEAT APPLIANCE	
INLETS – OUTLETS	
M. SQ. FT. – UNIT HEATER	
M. SQ. FT. – PERF. CEILING MAT.	
APPLIANCE VENT	
GAS PIPE	
REPAIR OR ALTER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
COMPRESSOR	
COMPRESSOR	
COMPRESSOR	
PERMIT FEE	

ELECTRICAL FEES

NO.

POLES	
SIGNS	
TRANS. AND/OR Y. CLK.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 1¢ SQ. FT.	
GARAGE ½¢ SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.

DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER	REM	DEL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154722			15 00					15 00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	4	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	KP	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	21,780

PLAN CHECK FEE	$ 15 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 15 00

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY [illegible]

PLAN FILE # 4653 V

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 33200 TEMESCAL

OWNER HYDRO CONDUIT INC

USE OF BUILDING VEHICLE SERVICE

DATE 11-1-67

COMMUNITY EL CENTRO | DISTRICT 4/IV | F.C. 70 | UNITS | VALUATION | OFFICE E

LEGAL DESCRIPTION E.P. OF SEC. 35 T4 S R6 W

PERMIT NUMBER 154722

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
12-5-67	[illegible]					

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. 225-5249 Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Pcl.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Gar P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Shop	Sq. Ft. @ 7200	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BO. FT. – UNIT HEATER	
	M. BO. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ WIND ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES 1 @ 2.00	2.00
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
1	FLOOR DRAIN	2.00
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15423			12.00					12.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	F	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE M-3 | ZONING CHECKED BY SP | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	

PLAN CHECK FEE	$ 12.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 12.00

CASH | CHECK # | M.O. | N.C.

RECEIVED BY Reid | PLAN FILE #

WATER | VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL | OWNER HYDRO CONDUIT INC

USE OF BUILDING MAINTENANCE SHOP | DATE 11-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	VN	70		—	Z

LEGAL DESCRIPTION PAR SEC 35 T4SR6W | PERMIT NUMBER 15423 | SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR | RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel 735-5249 Lic. # _____

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Flr.	Sq. Ft. @	
2nd Flr.	Sq. Ft. @	
Port.	Sq. Ft. @	
Gar.	Sq Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	7200

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 12 SQ. FT.	
	GARAGE ½ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
		1 2
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RSK	CBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15723			12 00					12 00	Wilk

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SC. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.	LOT SIZE
M-3	BP		

SET BACK	FRONT	SIDE	REAR
	100	100	200

PLAN CHECK FEE	$	12 00
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	12 00

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY: [illegible]

PLAN FILE # 4652 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 3320 TEMESCAL

OWNER: Hydro Conduit Inc.

USE OF BUILDING: MOTOR SHOP

DATE: 11-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	VII	70		—	2

LEGAL DESCRIPTION: PAR SEC 35 T4S R6W

PERMIT NUMBER: 15723

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-8-67	[illegible]			$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # _____

ELECT. & PLBG. DRAWINGS REQUIRED

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

Liv. Ft.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Pat.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Plant Equip.	Sq. Ft. @ 2000	
ESTIMATED VALUATION	$	

MECHANICAL FEES

NO.		
	HEATER — DUCTS	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	DISC. 0.50 @	
	FRAME AND/OR T. CLS.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	TESTING PIPING	0.00
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN. CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15472 4			4.50					4.50	

J J F F M M A A M M J J J J A A S S O O N N D D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SD. RMS.

ZONE: M-3 — ZONING CHANGED BY: B.P. — PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	ACRES

PLAN CHECK FEE	$ 4.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 4.50

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY: [signature]

PLAN FILE #

WATER VOLUME SEPTIC TANK GAL. — LEACH LINE SQ. FT. — SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23300 TEMESCAL

OWNER: HYDRO CONDUIT INC

USE OF BUILDING: BATCH PLANT EQ.

DATE: 11-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
ELGERITO	Y/N	70			E

LEGAL DESCRIPTION: BP SEC 35 T4S R6W

PERMIT NUMBER: 15472 4

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [signature]

Address 549 Corona

Tel 233-5249 Lic. #

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD 1

CONSTRUCTION ESTIMATE

Liv. Fl.	Sq. Ft. @	
Bed Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Roof	Sq. Ft. @	
		2000

ESTIMATED VALUATION $

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS – OUTLETS		
	M. BO. FT. – UNIT HEATER		
	M. BO. FT. – PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154724			4.50	9.00				13.50	Wells

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.K.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	1 ACRE

PLAN CHECK FEE	$	4.50
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	9.00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	13.50

CASH	CHECK	M.O.	N.C.
	☐		

RECEIVED BY: Lorraine

PLAN FILE # 4651 ✓

WATER VACUUM SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23001 Cottonwood

OWNER: Hydro Conduit Corp.

USE OF BUILDING: Bath House Bld.

DATE: 11-1-67

COMMUNITY: El Centro | DISTRICT: 4th | F.P.D. | UNITS | VALUATION: 2000 | OFFICE: E

LEGAL DESCRIPTION: Pt SE 35 T15 R14W

PERMIT NUMBER: 154724

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	CERT.	TYPE	BOND	BOND	CASH
12-5-67	Wells			$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Zuber Engineering

Address 624 C... Ave

Tel. [illegible] Lic. #

735 6249 [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Roof	Sq. Ft. @	
Wall	120 Lin Ft @ $200	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION	$

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	OUTLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	JET SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REF	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154725				9 00				900	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	TILES		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
					X	

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	E.P.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	ACRES

PLAN CHECK FEE	$ 9 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 9 00

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Dwight

PLAN FILE: N

WATER	SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT INC

USE OF BUILDING: BOILER ROOM & M.C.C.

DATE: 11-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	Y/N	90			2

LEGAL DESCRIPTION: POR SEC 35 7S 5W

PERMIT NUMBER: 154725

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GRADE	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address 524 Fourth

Tel. 735-5249 Lic. #

DEPARTMENT OF ~~BUILDING~~ & SAFETY
COUNTY OF RIVERSIDE

FIELD V

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gal.	Sq. Ft. @	
Cal P.	Sq. Ft. @	
Wall Boiler Room	Sq. Ft. @	
5000	Sq. Ft. @	
ESTIMATED VALUATION	$	

MECHANICAL FEES

HEAT APPLIANCE		
INLETS – OUTLETS		
M. BO. FT. – UNIT HEATER		
M. SQ. FT. – PERF. CEILING MAT.		
APPLIANCE VENT		
GAS PIPE		
REPAIR OR ALTER		
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
COMPRESSOR		
COMPRESSOR		
COMPRESSOR		
PERMIT FEE		

ELECTRICAL FEES

NO.			
1	FACT. APP. UNIT	2	00
1	TRANS. 15KVA	2	50
	POLES		
	SIGNS		
1	TRANS. AND/2000 KVA	10	00
2	MOTOR FRACT. H.P.	2	00
1	MOTOR 200 H.P.	10	00
1	MOTOR 1-3 H.P.	1	50
	MOTOR H.P.		
	MOTOR H.P.		
20	FIXTURES	4	00
31	OUTLETS	5	10
3	SUB-PANEL	5	00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	DSL	PLR CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154725					1800	40.10		40	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
					X	

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3		

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	Ext.	100	100	

JOB ADDRESS: 23200 TEMESCAL

OWNER: HANKS COMPANIES

USE OF BUILDING: BOILER ROOM & A/C.

DATE: 11-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	Y/N	10			L

LEGAL DESCRIPTION: PER SEC 35 T4S R5W

PERMIT NUMBER: 154725

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
11-Nov	Wright			$		

CONTRACTOR:

LICENSE-TYPE ☐ #

RELEASE BOND DATE:

PLAN CHECK FEE	$ 2 [illegible]
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 18 00
ELECTRICAL FEE	$ 40 10
PLUMBING FEE	$
TOTAL FEE $58.10	$ [illegible]

CASH ☐ CHECK ☐ M.O. ☐ N.P. ☐

RECEIVED BY: [illegible]

PLAN FILE # 4650

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

ELECTRICAL DWG REQUIRED.

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 6, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Flr.	Sq. Ft. @	
2nd Flr.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall ORANGE E80 lbs	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES A.G.H. = $15.75	
	SIGNS	
	TRANF. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	11 SH	4.50
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	NEW	DBL.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154736			4.50					4.50	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	RD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	S.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	

PLAN CHECK FEE	$ 4.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 4.50

CASH | CHECK C | M.O. | H.C.

RECEIVED BY Ralph

PLAN FILE # 9656

WATER GALLONS PER MIN. | SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23300 TEMESCAL

OWNER HYDRO CONDUIT INC

USE OF BUILDING CARNEWAY F-W.D.

DATE 11-2-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
LAKE ELSINORE	IV	70			2

LEGAL DESCRIPTION E of SEC 35 T4S R6W

PERMIT NUMBER 154736

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	COND	CASH
				3		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE COND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Hydro Conduit

Address Norco

Tel. 735-5249 Lic. #

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD V

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Office Enclo	Sq. Ft. @	

ESTIMATED VALUATION $

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
3	MOTOR 1-3	H.P.	4 50
2	MOTOR 3-8	H.P.	4 00
5	MOTOR 15.50	H.P.	15 00
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OF OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
$	PERMIT FEE		1 00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

HEAT APPLIANCE	
INLETS – OUTLETS	
M. SQ. FT. – UNIT HEATER	
M. SQ. FT. – PERF. CEILING MAT.	
APPLIANCE VENT	
GAS PIPE	
REPAIR OR ALTER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
COMPRESSOR	
COMPRESSOR	
COMPRESSOR	
PERMIT FEE	

PERMIT NUMBER	MAN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154736			4	9.00	—	24.50		4	

J	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE	F	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RISE

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	C.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	

PLAN CHECK FEE	$	4 50
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	9 00
ELECTRICAL FEE	$	24 50
PLUMBING FEE	$	
TOTAL FEE 33.50	$	4 50

CASH	CHECK	M.O.	N.C.

RECEIVED BY Cashier — PLAN FILE # 4676

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23400 Temescal — OWNER Hyweck Mount Inc

USE OF BUILDING Ornamental Iron — DATE 11-2-64

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrito	7W	40		1600	

LEGAL DESCRIPTION Por of Sec 35 T4S R6W — PERMIT NUMBER 154736

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
	Hilt Krisp					

CONTRACTOR — RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 7800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # _____

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPER NO	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY of RIVERSIDE

CONSTRUCTION ESTIMATE

Liv. Sq. Ft.	Sq. Ft. @	
Gar. Sq. Ft.	Sq. Ft. @	
Por.	Sq. Ft. @	
Cpt.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Wall Heat 15000	Sq. Ft. @	

ESTIMATED VALUATION $ 25,000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	SQ. FT. — UNIT HEATER	
	SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
2	SUB-PANEL	2 00	
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
1	SERVICE ENTRANCE	1 00	
	RESID. 1st 50 SQ. FT.		
	GARAGE 1st 50 SQ. FT.		
1	PERMIT FEE	1 00	

PLUMBING FEES

NO.		
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RCH	SBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEE	PLAN CHECKED
154807			19 80	39 00		4 00	PC	82 80	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

ZONE	ZONING CHECKED BY	PRESENT USE NO.
M-3		

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE 1980	$ 39 00
ELECTRICAL FEE	$ 4 00
PLUMBING FEE	$
TOTAL FEE 82 80	43 00

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY Raiph

PLAN FILE #

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
1 GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL

OWNER Hydro Conduit, Corp.

USE OF BUILDING MAIN SUB STATION

DATE 11-9-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	A	3.5		25000	E

LEGAL DESCRIPTION PORT OF SEC 35 T4S R6W.

PERMIT NUMBER 154807

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal

Telephone 735-2430

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 3, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Steen Kaye Co

Address 1012-6th

Tel. 785-5224 Lic. #

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

1st Fl.		Sq. Ft. @
2nd Fl.		Sq. Ft. @
Por.		Sq. Ft. @
Gar.		Sq. Ft. @
Car P.		Sq. Ft. @
Wall	2 unit 64	Sq. Ft. @
	25000	Sq. Ft. @

ESTIMATED VALUATION $ 25000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. BO. FT. - UNIT HEATER	
	M. SQ. FT. - PERM. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
3	SUB-PANEL	2	00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
1	SERVICE ENTRANCE	1	00
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RZN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
154807			18	39		4 00		82 43	

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		FIBRE		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3		

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
	$
MECHANICAL FEE	
CONSTRUCTION FEE 1800	$ 39 00
ELECTRICAL FEE	$ 4 00
PLUMBING FEE	$
TOTAL FEE	$ 82 43

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Roark

PLAN FILE #

WATER/VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
0 GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

80-7-1 4704

JOB ADDRESS: 33200 Temescal Canyon Rd

OWNER: Canyon Country Park

USE OF BUILDING: Main Sub Str Trans

DATE: 11-9-67

COMMUNITY	DISTRICT	M.C.	UNITS	VALUATION	OFFICE
Elsinore	4	3ST		25000	2

LEGAL DESCRIPTION: Por of Sec 35 T4S R6W Fourth Mer

PERMIT NUMBER: 154807

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
11-17-67						

CONTRACTOR

LICENSE-TYPE ☐ No.

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Canyon Country Park

Address 33200 Temescal Canyon Rd

Telephone 245-3420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel [illegible] Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final Released by Meter		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ref. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

CPA NO.	PROGRESS CHECKS
27	Gas 11-14-67
	Conduit Covered with red Concrete
27	Pole Set Conduit Hooked 11-16-67
28	Check Construction of Bus Bar
	Gas 2-16-68

SEWER DISPOSAL LOCATION

BACK

☐ INSIDE ☐ OUTSIDE ☐ KEY

1 2 3 0 2 4

RECEIVED
FEB 1 1968
COUNTY OF RIVERSIDE BUILDING DEPARTMENT

Stearns-Roger

COUNTY OF RIVERSIDE BUILDING DEPARTMENT

PAGE One of Three

JOB NO. B32350 DATE 1-31-68 BY CHK'D

CUSTOMER HYDRO CONDUIT CORP. PROJECT 23200 Temescal Canyon Road

SUBJECT

Department of Building and Safety
Room 114 Hall of Records
Riverside County
Riverside, Calif. 92510

Permit No.	Dwg. No.	Description		Date	% Comp.
153250		Temporary Electric Service			100%
154367	80-6-07	Warehouse	Plumbing	1-31-68	20%
154838	80-3-07	Warehouse	Concrete	12-29-67	100%
154839	80-3-16	Ash Hopper Pit	Concrete	11-9-67	100%
154840	80-7-01	Main Switch Gear	Electric	11-17-67	100%
154843	80-3-22	60 Ton Crane	Concrete	12-21-67	100%
154844	80-3-23	Hydro Test Pit	Concrete	12-22-67	95%
154845	80-3-10	10 Ton&Cantry	Concrete	1-23-68	100%
154847	80-3-14	Boiler-Sw.Room	Concrete	11-21-67	100%
154898	80-3-37	Can Test Reserv.	Concrete	1-18-68	100%
154929	80-3-29	Rebound Pit	Concrete	1-22-68	100%
154930	80-7-17	Area Lighting	Electric	1-31-68	0%
155835	80-7-05	Ground System	Electric	1-31-68	60%
155836	80-6-01	Plant Area Piping	Plumbing	1-31-68	70%
155838	80-3-17	Yard Slabs	Concrete	1-31-68	97%

W. H. Hornby Proj. Supt

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Fdn.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
EST Cost		

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CTR.	
	MOTOR H.P.	
	MOTOR H.P.	
	HOYER H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DISHWASHER PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WARMER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	OCC	OCC.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154609			3 00					6 00	

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
PLASTER	DRY WALL	ROOF COVERING			FD. RMS.	
ZONE M-3	ZONING CHECKED BY		PERMIT USE NO.			
SET BACK	FRONT	SIDE	REAR	LOT SIZE		

PLAN CHECK FEE	$ 6 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 6 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY Kaiser — PLAN FILE #

WATER VOLUME SEPTIC TANK ____ GAL. — LEACH LINE ____ SQ. FT. — SEEPAGE PIT ____ GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 Ironwood — OWNER Hydro Conduit Corp

USE OF BUILDING WATER RESERVOIR — DATE 11-9-67

COMMUNITY	DIST.	F.C.	UNITS	VALUATION	OFFICE
El Sobrante	W	70			2

LEGAL DESCRIPTION NE ¼ of SEC 35 T4S R6W — PERMIT NUMBER 154609 — SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	SOND	CASH

CONTRACTOR — RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stearns Rogers Corp

Address P.O. Box 5467

Tel. 735-5249 Lic. #

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carp.	Sq. Ft. @	
Roll	Sq. Ft. @	
Est Cost 2200	Sq. Ft. @	

ESTIMATED VALUATION $

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR I. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154809				12.00				12.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	NO. RMS.

ZONE: M-3 | ZONING CHECKED BY | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

JOB ADDRESS: 23300 Temescal

OWNER: Hyuko Construction

USE OF BUILDING: Motel Restaurant

DATE: 11-3-82

COMMUNITY: El Cerrito | DISTRICT: 2 | UNITS: | VALUATION: 2040 | OFFICE: E

LEGAL DESCRIPTION: NE¼ of SEC 35 T4S R6W

PERMIT NUMBER: 154809

SUPPLEMENT TO PERMIT:

FINALED DATE: 11-26-84 | INSPECTOR: Enright | GROUP | TYPE | BOND $ | BND | CASH

CONTRACTOR | LICENSE-TYPE | RELEASE BOND DATE

PLAN CHECK FEE	$ 5.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12.00
ELECTRICAL FEE	$
PLUMBING FEE RR	$
TOTAL FEE 12.00	$

CASH | CHECK | M.O. | R.C.

RECEIVED BY: Norah

PLAN FILE # 4068 ✓

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hyuko Construction

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

LETTER ☐ FILE ☐

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	
Cov'g.	Sq. Ft.	
Wall	Sq. Ft.	
Cov'd Ca	Sq. Ft.	

ESTIMATED VALUATION $ 10,300

NO.	MECHANICAL FEES
	HEAT APPLIANCE
	INLETS — OUTLETS
	SQ. FT. — UNIT HEATER
	SQ. FT. — PERM. COMFORT HEAT.
	APPLIANCE VENT
	GAS PIPE
	REPAIR OR ALTER
	VENT SYSTEM ☐ WOOD ☐ EVAP. COOL ☐
	COMPRESSOR
	COMPRESSOR
	COMPRESSOR
	PERMIT FEE

ELECTRICAL FEES

NO.	
	POLES
	SIGNS
	FRAME, ARCH OR T. SER.
	MOTOR H.P.
	MOTOR H.P.
	MOTOR H.P.
	MOTOR H.P.
	MOTOR H.P.
	FIXTURES
	OUTLETS
	SUB-PANEL
	RANGE AND/OR OVEN
	WATER HEATER
	SPACE HEATER
	CONSTRUCTION POLE
	SERVICE ENTRANCE
	RESID. 1¢ SQ. FT.
	GARAGE 1¢ SQ. FT.
	PERMIT FEE

PLUMBING FEES

NO.	
	DRAINAGE PIPING
	DRINKING FOUNTAIN
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (DISH)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

PERMIT NUMBER	KVA	VOL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154843				170.50				170.50	DAVE

J	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	ADOBE	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	RD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	E.H.	

S.I. BACK	FRONT	SIDE	REAR	LOT SIZE
	25	25	25	ACRES

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 170 50
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 170 50

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Kovich

PLAN FILE # 4621

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23900 TENESCAL — OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: GRAVEL RUNWAY "S" — DATE: 11-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
E. CORONA	1	35		10,000	E

LEGAL DESCRIPTION: NW¼ SEC 35 T4S R6W — PERMIT NUMBER: 154843 — SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR — LICENSE-TYPE ☐ — RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23200 Tenescal Rd

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Steve Kopecky

Address Corona

Tel 735-5348 Lic. # 133841

Signature

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Apt.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Patio	Sq. Ft. @	
Wall	Sq. Ft. @	
Comm'l	Sq. Ft. @	

ESTIMATED VALUATION 13 120000

MECHANICAL FEES

HEAT APPLIANCE	
OUTLETS – OUTLETS	
M. SQ. FT. – UNIT HEATER	
M. SQ. FT. – FLOOR, CEILING MAT.	
APPLIANCE VENT	
GAS PIPE	
REPAIR OR ALTER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
COMPRESSOR	
COMPRESSOR	
COMPRESSOR	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
SIGNS	
TRANS. AND/OR T. CLR.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 1¢ SQ. FT.	
GARAGE 1¢ SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15883				170.50				170.50	BAIRE

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	FIBRE		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	NO.-RMS.

ZONE: M-3 | ZONING CHECKED BY: R.H. | PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	35'	25'	35'	ACRES

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 170 50
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 170 50

CASH | CHECK | M.O. | N.C.

RECEIVED BY: D. Pirtle | PLAN FILE # 26 21

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL | OWNER: Hydro Resort Corp

USE OF BUILDING: CHANG Building | DATE: 11-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	2	35'		70000	2

LEGAL DESCRIPTION: NW¼ SEC 35 T4S | PERMIT NUMBER: 15883

SUPPLEMENT TO PERMIT:

FINAL DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
11-21-67				$		

CONTRACTOR | RELEASE BOND DATE

LICENSE-TYPE ☐

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workman's Compensation Laws of the State of California.

Owner Hydro Resort Corp

Address 23200 Temescal

Telephone 277-0126

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # 133741

	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Soil Boots		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Joist Beams		
6	Roof Deck		
7	Roofing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace N/C ☐ Y/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final Approved by (Initials) MZ-17		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Cleaned		
36	Inlets & Outlets		
37	Comb. & Ext. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

CORR. NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Gar. Fr.	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION		$ 4500

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. BTU. FT. - UNIT HEATER	
	M. BTU. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	CONDENSER	
	CONDENSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	FEEDS	
	RANGE	
	TRANS. AND/OR T. CT.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	ACH	DBL	PLN CHK FEE	COUNTY FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEE	PLAN CHECKER
15484				10 00				12 00	GAIBE

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	SQ. FTS.

ZONE	ZONING CHECKED BY	PERMIT SQ. FT.
M-3	GA	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 12 00

CASH	CHECK	M.O.	H.C.

RECEIVED Raleigh

PLAN FILE # 2621

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 Temescal

OWNER Hydro Conduit Corp

USE OF BUILDING Hydrostatic Test "C"

DATE 11-14-67

COMMUNITY	DISTRICT	T.C.	UNITS	VALUATION	OFFICE
El Cerrito	N	35		3500	E

LEGAL DESCRIPTION NW¼ SEC 35 T4S R6W

PERMIT NUMBER 15484

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certif o is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 2320 Tweedy

Telephone 223-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Bros Co

Address Box 549

Tel. 223-5249 Lic. # 133851

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

Floor	Sq. Ft. @	
Foundation	Sq. Ft. @	
Roof	Sq. Ft. @	
Slab	Sq. Ft. @	
Ceiling	Sq. Ft. @	
Wall	Sq. Ft. @	
Other	Sq. Ft. @	

ESTIMATED VALUATION $ 250

MECHANICAL PERMITS

NO.		
	HEAT APPLIANCE	
	INLETS + OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	CONDENSER	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL PERMITS

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING PERMITS

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	R&N	GEL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15484				12.00				12.00	Orig

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	FIBER		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	SQ. OMS.

OCCUP.	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.A	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 12 00

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY Norbert

PLAN FILE # 46-31 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 53200 TEMESCAL

OWNER Hydro Concrete Co

USE OF BUILDING HYDROSTATIC TEST TANK

DATE 11-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	4	35		250	2

LEGAL DESCRIPTION NW¼ SEC 35 T4S R6W

PERMIT NUMBER 15484 ✓

SUPPLEMENT TO PERMIT

SIGNED DATE	ISSUED BY	GROUP	TYPE	BOND	BOND	CASH
3-15-68	[illegible]			$		

CONTRACTOR [illegible]

LICENSE-TYPE [illegible]

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Concrete

Address 53200 Temescal

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grade Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route
Land Use Div.
Road Dept.
Health Dept.
Other Dept.
Building Dept.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office E. P. Road
Permit No.
Del. Date

OWNER

Owner Lee & Randall Corp. Architect Stewart Myers Assoc. Contractor
Address 2200 Thomas Rd. E. Address 2200 Thomas Rd. E. Address
City Palm Desert City Palm Desert City
Phone 346-3420 Phone 323-5242 Phone

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 10/31/67 SIGNATURE OF OWNER [signature]

Approval by Signatures from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 23-200 Leopard Cyn. Rd.
Legal Description of Property Por. Sec. 35 T 4 S R 6 E SBM

NO. OF SUBMITTED PLANS 2
ADDITIONAL PLOT PLANS
CASE NO.

TYPE OF CONSTRUCTION Frame Stucco

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☐
ALTERATIONS	☐		

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING
ZONE R-2 SETBACKS FRONT 40' SIDE 20' REAR 20'
IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☐ NO ☐
SETBACK ORDINANCE # — OF — FEET REQUIRED ON — STREET
DATE 10/31/67 SIGNATURE OF LAND USE OFFICIAL [signature]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☒ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☒ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION DIV OF HWY.

REMARKS: Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

Plate # 284-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
1st Fl.	Sq. Ft. @		NO.			NO.		
2nd Fl.	Sq. Ft. @							
Apts.	Sq. Ft. @							
Gar.	Sq. Ft. @		POLES					
Pat.	Sq. Ft. @		SERVICE			DRAINAGE PUMP		
Walk	Sq. Ft. @		TRANS. AND/OR CT, ETC.			DRINKING FOUNTAIN		
Conc. Pad	Sq. Ft. @		MOTOR 1 - 3	H.P.		URINAL		
	Sq. Ft. @		MOTOR 3 - 8	H.P.		WATER PIPING		
ESTIMATED VALUATION	$ 16.00		MOTOR 15 - 50	H.P.		FLOOR DRAIN		
MECHANICAL FEES			MOTOR	H.P.		WATER SOFTENER		
HEAT APPLIANCE			MOTOR	H.P.		WASHER (AUTO) (DISH)		
OUTLETS — OUTLETS			FIXTURES			GARBAGE DISPOSAL		
M. BTU. PER. — UNIT HEATER			OUTLETS			LAUNDRY TRAY		
M. SQ. FT. — PERF. CEILING MAT.			SUB-PANEL			KITCHEN SINK		
APPLIANCE VENT						WATER CLOSET		
GAS PIPE			RANGE AND/OR OVEN			LAVATORY		
REPAIR OR ALTER			WATER HEATER			SHOWER		
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐			SPACE HEATER			BATH TUB		
COMPRESSOR			CONSTRUCTION POLE			WATER HEATER		
COMPRESSOR			SERVICE ENTRANCE			SEWAGE DISPOSAL		
COMPRESSOR			RESID. 1¢ SQ. FT.			HOUSE SEWER		
			GARAGE ½¢ SQ. FT.			GAS PIPING		
PERMIT FEE			PERMIT FEE		1 00	PERMIT FEE		

PERMIT NUMBER	RES.	COM.	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154845				9 20		24 50		33 50	BMCE

BUILDING INFORMATION

WOOD		CONCRETE	X	FIRESPACE	
CONCRETE	X	PIERS		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		
PLASTER	DRY WALL	ROOF COVERING			SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.	LOT SIZE
R1-3	BL		ACRES

SET BACK	FRONT	SIDE	REAR
	100	100	100

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9 20
ELECTRICAL FEE	$ 24 50
PLUMBING FEE	$
TOTAL FEE	$ 33 50

CASH	CHECK	M.O.	N.C.
	0		

RECEIVED BY: Daniel

PLAN FILE #: 4656

WATER	SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23800 TEMESCAL

OWNER: Hydro Conduit Corp.

USE OF BUILDING: DRIVEWAY FOUNDATION

DATE: 11-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EC-23TO	N	20		16 00	E

LEGAL DESCRIPTION: PAR SEC 35 7S 5W RLD

PERMIT NUMBER: 154845

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	SOND	CASH

CONTRACTOR:

LICENSE-TYPE:

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp

Address: 23800 Temescal

Telephone: 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title P, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Sierra Rock Co.

Address: Box 549

Tel. 735-2249 Lic. # 183981

W. Hanson

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Pool	Sq. Ft. @	
Spa	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Patio	Sq. Ft. @	
Garage	Sq. Ft. @	
Comm. Bldg	Sq. Ft. @	
ESTIMATED VALUATION	$ 1600.	

NO.	MECHANICAL FEES	
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☒ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLS.		
3	MOTOR 1 - 3	H.P.	$ 5.00
3	MOTOR 3 - 8	H.P.	$ 9.00
5	MOTOR 15 - 30	H.P.	$ 15.00
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
1	PERMIT FEE		$ 1.00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DEL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154845				9.20		24.30		33.50	BMOE

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	ADOBE	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	NO. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
R1-3	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	30	100	MIXED

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9.20
ELECTRICAL FEE	$ 24.30
PLUMBING FEE	$
TOTAL FEE	$ 33.50

CASH	CHECK	M.O.	N.C.
	✓		

RECEIVED BY: Deeringh

PLAN FILE # 4456 ✓

WATER	VOLUME	SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.		SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23300 TEMESCAL

OWNER: Hyke Consult Corp.

USE OF BUILDING: Ordinary Foundation

DATE: 11-14-67

COMMUNITY	DISTRICT	F.D.	UNITS	VALUATION	OFFICE
ELSINORE	10	20		1600	2

LEGAL DESCRIPTION: PT OF SEC 35 T4S

PERMIT NUMBER: 154845 ✓

SUPPLEMENT TO PERMIT

KLW

FINALED DATE	INSPECTOR	TYPE	BOND	BOND	CASH
1-31-68	Forming by Parker		%		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hyke Consult Corp

Address 23300 Temescal

Telephone 245-2140

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 2, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Engineering

Address Riverside

Tel. 682-7411 Lic. # 185011

A. Stevens

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	F.I.S.S. & F.R.A.S.		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

CASE FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
ESTIMATED VALUATION	$ 5000

MECHANICAL FEES

No.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☑ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

No.		
1	EAST WALL	2 50
1	TRANS. BANK	2 50
	POLES	
	SIGNS G L R	
1	TRANS. AND/OR T. GEN. 2000 KW	10 00
2	MOTOR H.P.	2 00
1	MOTOR 200 H.P.	10 00
1	MOTOR 1.2 H.P.	1 50
	MOTOR H.P.	
	MOTOR H.P.	
20	FIXTURES	4 00
21	OUTLETS	5 40
3	SUB-PANEL	3 00
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
1	PERMIT FEE	1 00

PLUMBING FEES

No.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBERS	RES	COM	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154847				18 00		40 10		58.10	BARRE

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
					X	

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.P.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	ACRES

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 18 00
ELECTRICAL FEE	$ 40 10
PLUMBING FEE	$
TOTAL FEE	$ 58 10

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Raleigh — PLAN FILE # 4650

WATER	SEPTIC TANK	LEACH LINE	DESPOSAL PIT
	GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL — OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: BOILER ROOM M.C.C. — DATE: 11-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	4	35		5000	Z

LEGAL DESCRIPTION: FOR SEC. 35 T4S R6W — PERMIT NUMBER: 154847 — SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR — RELEASE BOND DATE

LICENSE-TYPE ☐ $

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and on a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit
Address: 23200 Temescal Rd
Telephone: 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Storms Electric Co
Address: P.O. Box 5691
Tel. 735-5249 Lic. # 193981

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

Roof	Sq. Ft. @
Floor	Sq. Ft. @
Ext.	Sq. Ft. @
Int.	Sq. Ft. @
Cer. P.	Sq. Ft. @
Wall	Sq. Ft. @
	Sq. Ft. @

ESTIMATED VALUATION $ 5000

MECHANICAL FEES

	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BO. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
1	SWITCHBOARD	2 50
1	TRANSFORMER	2 50
	POLES	
	SIGNS	
1	TRANS. AND/OR T. CLR. 200 KVA	10 00
2	MOTOR 5 H.P.	2 00
1	MOTOR 200 H.P.	10 00
1	MOTOR 1.2 H.P.	1 50
	MOTOR H.P.	
	MOTOR H.P.	
30	FIXTURES	4 00
31	OUTLETS	5 10
3	SUB-PANEL	3 00
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½ ¢ SQ. FT.	
1	PERMIT FEE	1 00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154847				1 50		40 10		55 10	BREEZE

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
					X	

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.S.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	HUKES

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 1 50
ELECTRICAL FEE	$ 40 10
PLUMBING FEE	$
TOTAL FEE	$ 55 10

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY Nesbitt

PLAN FILE # 46 50

WATER | VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23300 TEMESCAL

OWNER HYDRO CONDUIT CORP

USE OF BUILDING BOILER Room + M.C.C.

DATE 11-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	4	3½		5000	E.

LEGAL DESCRIPTION FOR SEC 35 T4S R6W Formerly by Parker

PERMIT NUMBER 154847

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
11-67				$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23300 Temescal

Telephone 277-2111

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 3, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/D ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final Framing Inspection		
	PLUMBING APPROVALS		
15	Ground Plumb		
	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPEN NO.	PROGRESS CHECKS
27	Water 11-24-67
	High voltage Conduct Covered with Concrete Colored Red Hughes 11-24-67
	Conduit Covered to pull pit Hughes 11-24-67

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route:
Land Use Div.
Road Dept.
Health Dept.
Other Dept.
Building Dept.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office: Perris

Permit No.

Del. Date.

OWNER

Owner: Hydro Conduit Corp
Address: 23205 Temescal Cyn Rd
City: Corona - Calif.
Phone: 735-2420

Architect: Stevens Keyes Group
Address: P.O. Box 549
City: Corona Calif.
Phone: 735-5249

Contractor:
Address:
City:
Phone:

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 10/31/67 SIGNATURE OF OWNER E. T. Whitcomb Eng

Approval by Signatures from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job: 23-200 Temescal
Legal Description of Property: Por of Sec 35 T 5 S R 6 W
NO. OF SUBMITTED PLANS
ADDITIONAL PLOT PLANS
CASE NO.
TYPE OF CONSTRUCTION: Conc Steel Pipe Plant

Type USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☒
ALTERATIONS	☐		

NO. OF PARKING SPACES REQUIRED: 70 NO. OF BUILDINGS NOW EXISTING:
ZONE: M-2 SETBACKS FRONT: 100' SIDE: 100' REAR: 100'
IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☐ NO ☐
SETBACK ORDINANCE # None OF FEET REQUIRED ON STREET
DATE 10-30-67 SIGNATURE OF LAND USE OFFICIAL: Guy Schumacher

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☒ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☒ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☒
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☒ Will be in future
DATE 10-31-67 SIGNATURE OF ROAD DEPT. OFFICIAL Guy Smith

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE 3500 gal septic tank & 2275 sq ft leaching area (approved plan)
FOOD ESTABLISHMENT Paul Bagley RS SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION Ed. Ray Dept. DIV OF HWY.
John H. McGregor

REMARKS: Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

Plate # 254-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION		$

NO.	MECHANICAL FEES	
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. BB. FT. — UNIT HEATER	
	M. BB. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	MECH.	ELEC.	PLUMB.	GRADING FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154848			6.00					6.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	CD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	E.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 6.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 6.00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: R. Keough

PLAN FILE # 2669

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: Hydro Conduit Corp.

USE OF BUILDING: RESIDENCE & GAR.

DATE: 11-14-62

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
ELSINORE	4W	70		—	E

LEGAL DESCRIPTION: Por SEC 35 T4S R6W

PERMIT NUMBER: 154848

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR

LICENSE-TYPE ☐ &

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3990 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal Cyn.

Telephone 735-3420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 4, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Bros. Const. Co.

Address P.O. Box 548

Tel. 735-3349 Lic. # 133911

By Bill Kennedy

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		POLES			
Sq. Ft. @		SIGNS		DRAINAGE PIPING	
Sq. Ft. @		TRANS. 3ND/OR V. CLR.		DRINKING FOUNTAIN	
Sq. Ft. @		MOTOR H.P.		URINAL	
Sq. Ft. @		MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION $		MOTOR H.P.		FLOOR DRAIN	
NO. MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
HEAT APPLIANCE		MOTOR H.P.		WASHER (AUTO) (DISH)	
INLETS + OUTLETS		FIXTURES		GARBAGE DISPOSAL	
M. SQ. FT. + UNIT HEATER		OUTLETS		LAUNDRY TRAY	
M. SQ. FT. + PERF. CEILING MAT.		SUB-PANEL		KITCHEN SINK	
APPLIANCE VENT				WATER CLOSET	
GAS PIPE		RANGE AND/OR OVEN		LAVATORY	
REPAIR OR ALTER		WATER HEATER		SHOWER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER		BATH TUB	
COMPRESSOR		CONSTRUCTION POLE		WATER HEATER	
COMPRESSOR		SERVICE ENTRANCE		SEWAGE DISPOSAL	
COMPRESSOR		RESID. 1¢ SQ. FT.		HOUSE SEWER	
		GARAGE 1¢ SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

PERMIT NUMBER	RES	COM	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154848			2	12.00					

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE: M-S

ZONING CHECKED BY: S.H.

PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR

LOT SIZE:

PLAN CHECK FEE	$ 2.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 14.00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: [illegible]

PLAN FILE # 4669

WATER	VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 33200 TENECAL

OWNER: Hyde Corbett Const

USE OF BUILDING: Exc. Trans. Eqp.

DATE: 11-18-67

COMMUNITY: ELSINORE

DISTRICT: FAU

F.D.: 50

AREA:

VALUATION: 5400

OFFICE: E

LEGAL DESCRIPTION: P/L Sec 32 T4S

PERMIT NUMBER: 154848

SUPPLEMENT TO PERMIT:

N.P.D.

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
12-14-67	[illegible]					

CONTRACTOR:

LICENSE-TYPE ☐ #

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

[illegible]

FOUNDATION ONLY

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & PRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/C ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPER NO	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
Dwl.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Pat.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION		$

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — GRAV. HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ RECO ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 15 SQ. FT.	
	GARAGE 15 SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	GEN.	ELEC.	PLBG. & GAS	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154849			6.00					6.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

FLOORS	DRY WELL	ROOF COVERING	SQ. FEET

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 6.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 6.00

CASH | CHECK 6.00 | M.O. | R.E.

RECEIVED BY: Kathy

PLAN FILE # 4620

WATER	VOLUME	SEPTIC TANK	LEACH LINE	BYPASS PIT
	GAL.		SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23800 TEMESCAL — OWNER: HYDRO CONDUIT Corp

USE OF BUILDING: TRENCHER PITS — DATE: 11-14-67

COMMUNITY: ELSINORE — DISTRICT: 7 — P.C.: 70 — UNITS: — VALUATION: — OFFICE: 2

LEGAL DESCRIPTION: E½ of SEC. 35 T4S R6W — PERMIT NUMBER: 154849 — SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR — RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp

Address: 23 300 Temescal Cyn

Telephone: 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Stevens River Corp

Address: PO Box 549

Tel: 735-2449 Lic. # 182781

By: W Stevens

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
1st Fl.	Sq. Ft. @		NO.			NO.		
2nd Fl.	Sq. Ft. @							
Por.	Sq. Ft. @							
Gal.	Sq. Ft. @		FLUES					
Car P.	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
Wall 602 FT	Sq. Ft. @		TRANS. AND/OR T. CLK.			DRINKING FOUNTAIN		
3 STEP	Sq. Ft. @		MOTOR	H.P.		URINAL		
			MOTOR	H.P.		WATER PIPING		
ESTIMATED VALUATION	$		MOTOR	H.P.		FLOOR DRAIN		
NO.	MECHANICAL FEES		MOTOR	H.P.		WATER SOFTENER		
	HEAT APPLIANCE		MOTOR	H.P.		WASHER (AUTO) (DISH)		
	INLETS - OUTLETS		FIXTURES			GARBAGE DISPOSAL		
	SQ. FT. - UNIT HEATER		OUTLETS			LAUNDRY TRAY		
	SQ. FT. - PERF. CEILING MAT.		SUB-PANEL			KITCHEN SINK		
	APPLIANCE VENT					WATER CLOSET		
	GAS PIPE		RANGE AND/OR OVEN			LAVATORY		
	REPAIR OR ALTER		WATER HEATER			SHOWER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
	COMPRESSOR		REGID. 1¢ SQ. FT.			HOUSE SEWER		
			GARAGE 1¢ SQ. FT.			GAS PIPING		
	PERMIT FEE		PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	MEN	GAS	PLN. CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154869				12.00					

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	DD. RMS.

ZONE 11-3 | ZONING CHECKED BY | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE 12.00	$

CASH | CHECK ✓ | M.O. | N.P.

RECEIVED BY [illegible] | PLAN FILE # 4670 ✓

WATER | VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 33700 Temescal | OWNER Hugo Concrete Co

USE OF BUILDING Transfer Pits | DATE 4-14-67

COMMUNITY Elsinore | DISTRICT | F.C.D. | UNITS | VALUATION 2500 | OFFICE 2

LEGAL DESCRIPTION E½ of SEC. 35 T4S R6W | PERMIT NUMBER 154869

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
12-1-67	[illegible]					

CONTRACTOR | RELEASE BOND DATE

LICENSE-TYPE ☐ | #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

FOUNDATION ONLY

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Soil Pack		
2	Piles & Piers		
3	Steel		
4	Grout Blocks		
5	Sand Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace - P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPER. NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
ESTIMATED VALUATION	$

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	TRANS. AND/OR C.H.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRINKING FOUNTAIN	
	URINAL	
	BATH PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	BEN	SBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
54850									

J F M A M J J A S O N D
J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

ZONE: M-3 | ADDRESS CHECKED BY: E.H. | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR

LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$

CASH | CHECK | M.O. | U.C.

RECEIVED BY: Rangel | PLAN FILE #: 4671

SEPTIC: VOLUME | LEACH LINE | SEEPAGE PIT
GAL. | SQ. FT. | GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23300 TEMESCAL | OWNER: HYDRO CONDUIT CORP.

USE OF BUILDING: RECOUND END. | DATE: 11-14-67

COMMUNITY: ELSINORE | DISTRICT: XIV | P.C.: 70 | UNITS | VALUATION | OFFICE: Z

LEGAL DESCRIPTION: PER SEC 35 T4S R6W | PERMIT NUMBER: 54850

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR | RELEASE BOND

LICENSE-TYPE ☐ & | DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp.
Address: 23300 Temescal Cyn. Rd.
Telephone: 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Texas Kaiser Corp
Address: P.O. Box 749
Tel. 735-2442 Lic. # 133981

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Carport	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

No.			
	HEAT APPLIANCE		
	INLETS – OUTLETS		
	M. SQ. FT. – UNIT HEATER		
	M. SQ. FT. – PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

No.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

No.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	SEWAGE		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) - (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154850				5.00				5.00	

V	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	E.H	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 5.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 5.00

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY

PLAN FILE # 4691 J

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23300 Temescal

OWNER Myrtle Bowuff Est

USE OF BUILDING SF Bdwd Fam

DATE 11-14-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
Elsinore	5th	40		500	E

LEGAL DESCRIPTION NW SEC 35 T6S R5W Lot 10

PERMIT NUMBER 154850

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
11-2-67	[illegible]			$		

CONTRACTOR

LICENSE-TYPE ☐

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. [illegible]

FOUNDATION ONLY

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Poles		
2	Piers & Piers		
3	Sills		
4	Grout Blocks		
5	Band Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

GEN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		POLES			
Sq. Ft. @		SIGNS		DRAINAGE PIPING	
Sq. Ft. @		TEMPO. SERV. OR 1 PH. CIR.		SHOWING FOUNTAIN	
Sq. Ft. @		MOTOR H.P.		URINAL	
Sq. Ft. @		MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION $		MOTOR H.P.		FLOOR DRAIN	
NO. MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
HEAT APPLIANCE		MOTOR H.P.		WASHER (AUTO) (DISH)	
UNITS + OUTLETS		FIXTURES		GARBAGE DISPOSAL	
SL. SQ. FT. + UNIT HEATER		OUTLETS		LAUNDRY TRAY	
SL. SQ. FT. + PERF. CEILING MAT.		SUB-PANEL		KITCHEN SINK	
APPLIANCE VENT				WATER CLOSET	
GAS PIPE		RANGE AND/OR OVEN		LAVATORY	
REPAIR OR ALTER		WATER HEATER		SHOWER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER		BATH TUB	
COMPRESSOR		CONSTRUCTION POLE		WATER HEATER	
COMPRESSOR		SERVICE ENTRANCE		SEWAGE DISPOSAL	
COMPRESSOR		RESID. 1¢ SQ. FT.		HOUSE SEWER	
		GARAGE ½¢ SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

PERMIT NUMBER	BSN	BSL	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154851			4.50					4.50	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MASONRY	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

TOWN	ZONING CHECKED BY	PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 4.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 4.50

CASH | CHECK ☑ | M.O. | R.C.

RECEIVED BY: K Raigh — PLAN FILE #: 4682

WATER VOLUME SEPTIC TANK: GAL. — LEACH LINE: SQ. FT. — SEEPAGE PIT: GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL — OWNER: Hydro Exhaust Corp

USE OF BUILDING: HYDRO BOAT FND. — DATE: 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
ELSINORE	Y/N	70			2

LEGAL DESCRIPTION: PT SEC 35 7S 5S — PERMIT NUMBER: 154851

Paid — SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR — RELEASE BOND DATE

LICENSE-TYPE ☐ —

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp.
Tel 735-5249
Address
Telephone Address 23200 Temescal Cyn

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Steve Rose Co
Address Box 549
Tel 735-5249 Lic. # 133981
By Rose

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Port.	Sq. Ft. @	
Cab.	Sq. Ft. @	
Con. P.	Sq. Ft. @	
Misc.	Sq. Ft. @	
45 Flat	Sq. Ft. @	
& Patio	Sq. Ft. @	
ESTIMATED VALUATION	$	

MECHANICAL FEES

NO.	
HEAT APPLIANCE	
INLETS ~ OUTLETS	
SQ. FT. ~ UNIT HEATER	
SQ. FT. ~ PERF. CEILING MAT.	
APPLIANCE VENT	
GAS PIPE	
REPAIR OR ALTER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
COMPRESSOR	
COMPRESSOR	
COMPRESSOR	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
SIGNS	
TRANS. AND/OR T. CT'S.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 1¢ SQ. FT.	
GARAGE ½¢ SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (Bldg)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER	REN	URL	PLB CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154851			4.50	9.00				13.50	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			FIBRE		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 4.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$

CASH	CHECK	M.O.	N.C.

RECEIVED BY: [illegible]

PLAN FILE # 46 B-2

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	CAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: Wynn Company Inc

USE OF BUILDING: RANCH CONST. FND. ONLY

DATE: 12-19-67

COMMUNITY	DISTRICT	P.C.E.	UNITS	VALUATION	SERVICE
EL CERRITO	4th	46		2,000.	

LEGAL DESCRIPTION: PT SEC 35 T4S

PERMIT NUMBER: 154851

SUPPLEMENT TO PERMIT

PLAN

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-20-67	Reding			$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

FOUNDATION ONLY

	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	PIGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

APPR NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

Res.		Sq. Ft. @
Apts.		Sq. Ft. @
Gar.		Sq. Ft. @
Misc.		Sq. Ft. @
Com'l.		Sq. Ft. @
Ind.		Sq. Ft. @
Agr.		Sq. Ft. @

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCES	
	OUTLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	CONDENSER	
	CONDENSER	
	COMPRESSOR	
	PLUMB FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLS.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT ISSUED	RES.	COM'L.	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154897			4.50					4.50	

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	A.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 4.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 4.50

CASH | CHECK ☑ | M.O. | R.C.

RECEIVED BY: Raleigh — PLAN FILE: 4679

WATER VOLUME SEPTIC TANK: GAL. — LEACH LINE: SQ. FT. — SEEPAGE PIT: GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23300 TEMESCAL — OWNER: HYDRO CONDUIT CORP.

USE OF BUILDING: TILT CONCRETE TEST 2 STORY TWO — DATE: 11-30-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
ELSINORE	VII	70	1		2

LEGAL DESCRIPTION: PARCEL 35 TR 5 R&W — PERMIT NUMBER: 154897

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR — RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23-300 Temescal

Telephone 727-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Henry Kagel

Address P.O. Box 548

Telephone 735-5219 Lic. #

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

Use Fr.	Sq. Ft. @	
1st Fl.	Sq. Ft. @	
Pch.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Bsmt.	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION: $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	OUTLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. EQUIPMENT	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ GRAV. ☐ MECH. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR C. CV.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	REWIR. 1ST 50 SQ. FT.	
	GARAGE 1ST SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	BRN	OPL	PLN CHK FEE	COUNTY FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15897			4.50	9.00				13.50	

J	F	M	A	M	J	J	A	S	O	N	D
		M	A					S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE	✓	FIREPLACE	
CONCRETE	✓	FIBRO		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	E.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 4.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 13.50

CASH	CHECK ✓	M.O.	N.C.

RECEIVED BY: [illegible]

PLAN FILE #

WATER VOLUME SEPTIC TANK: GAL. | LEACH LINE: SQ. FT. | SEEPAGE PIT: GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 33 No Temescal

OWNER: Hyako Consolidated

USE OF BUILDING: Tire Repair & Storage

DATE: 11-20-62

COMMUNITY: El Cerrito

DISTRICT: Fire

F.C.D.: -20

UNITS:

VALUATION: 1500.-

OFFICE:

LEGAL DESCRIPTION: Por Sec 35 T4S R6W

PERMIT NUMBER: 15897

SUPPLEMENT TO PERMIT:

ISSUED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-14-62	[illegible]					

CONTRACTOR:

RELEASE BOND DATE:

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel [illegible] Lic. #

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

1st Fl.		Sq. Ft. @
2nd Fl.		Sq. Ft. @
Por.		Sq. Ft. @
Gar.		Sq. Ft. @
Cpt P.		Sq. Ft. @
Cpt.	Load Pa.	Sq. Ft. @
	Floor	Sq. Ft. @

ESTIMATED VALUATION $

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	OUTLETS - OUTLETS		
	M. BTU. FT. - UNIT HEATER		
	M. BTU. FT. - PERF. CEILING PNT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TOWERS, AND/OR T. O'H.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	BRK	GAS	PLN CHK FEE	CONSTR FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEE	PLAN CHECKER
154897			4.50	9.00				13.50	

A		B		C		D		E		F		G		H		I		J		K		L		M	
1		2		3		4		5		6		7		8		9		10		11		12		13	

BUILDING INFORMATION

WOOD		CONCRETE	✓	FIREPLACE		
CONCRETE	✓	FIBRO		MEMBRANE		
BLOCK	FRAME	STUCCO	ADOBE	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-2	[illegible]	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 4.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 13.50

CASH	CHECK	M.O.	N.C.

RECEIVED BY: [illegible]

PLAN FILE #6614

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	CAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 3300 Tenecula

OWNER: Hydro Conduit Corp.

USE OF BUILDING: Fiberglass Test Stations

DATE: 11-20-62

COMMUNITY	DISTRICT	F.C.D.	UNITS	VALUATION	OFFICE
El Cerrito	4th			1500.	

LEGAL DESCRIPTION: Ptn Sec 25 T9S R4W

PERMIT NUMBER: 154897

SUPPLEMENT TO PERMIT

FINISHED DATE	INSPECTOR	GROUP	TYPE	BOND #	BOND	CASH
12-14-62	Cassidy					

CONTRACTOR

RELEASE BOND

LICENSE-TYPE ☐ #

DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel [illegible] Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footing		
2	Piers & Piles		
3	Steel		
4	Grade Checks		
5	Sand Boards		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Coats		
14	Final		
	PLUMBING APPROVALS		
15	Sewer Pipe		
16	Water Piping		
17	Rough Plumb.		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ext. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

DATE NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING PERMIT FEES		ELECTRICAL FEES		PLUMBING FEES	
SQ. FT.		NO.		NO.	
SQ. FT.					
SQ. FT.					
SQ. FT.		POLES			
SQ. FT.		SIGNS		BUBBLER FOUNTAIN	
SQ. FT.		SERVICE LESS THAN 200 AMPS		DRINKING FOUNTAIN	
SQ. FT.		MOTOR H.P.		URINAL	
		MOTOR H.P.		WATER PIPING	
VALUATION		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
HEAT APPLIANCE		MOTOR H.P.		WASHER (AUTO) (DISH)	
OUTLETS - OUTLETS		FIXTURES		GARBAGE DISPOSAL	
SQ. FT. - UNIT HEATER		OUTLETS		LAUNDRY TRAY	
SQ. FT. - PREF. CEILING MAT.		SUB-PANEL		KITCHEN SINK	
APPLIANCE VENT				WATER CLOSET	
GAS PIPE		RANGE AND/OR OVEN		LAVATORY	
REPAIR OR ALTER		WATER HEATER		SHOWER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER		BATH TUB	
COMPRESSOR		CONSTRUCTION POLE		WATER HEATER	
COMPRESSOR		SERVICE ENTRANCE		SEWAGE DISPOSAL	
COMPRESSOR		REMOD. 1¢ SQ. FT.		HOUSE SEWER	
		GARAGE 1¢ SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

PERMIT NUMBER	SEC.	TWP.	RGE.	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154898					18.00				18.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

FLOOR	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING ENDORSED BY	PERMIT USE NO.
M-3	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 18.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 18.00

CASH | CHECK ☑ | M.O. | N.C.

RECEIVED BY: Raleigh

PLAN FILE #: 4668

WATER VOLUME SEPTIC TANK: GAL. | LEACH LINE: SQ. FT. | SEEPAGE PIT: GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: Hydro Conduit Corp

USE OF BUILDING: WATER RESERVOIR

DATE: 11-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	1	20	1	2040	E

LEGAL DESCRIPTION: POR OF SEC 35 T4S R6W

PERMIT NUMBER: 154898

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR:

LICENSE-TYPE ☐ #:

RELEASE COND

DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp

Address: 23200 Temescal

Telephone: 735-3420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Stevens Bros

Address: Box 549

Tel: 735-5249 Lic. #:

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Flr.	Sq. Ft. @	
2nd Flr.	Sq. Ft. @	
Tile	Sq. Ft. @	
Cpt.	Sq. Ft. @	
Cpt.	Sq. Ft. @	
Wall	Sq. Ft. @	
Other	Sq. Ft. @	
20×40		
ESTIMATED VALUATION	$	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	100 SQ. FT. – UNDER HEATER	
	100 SQ. FT. – WOOD CEILING WAY.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EXHT. FOOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TEMP. ASSY OR T. SER.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.	
	DRAINAGE PIPING
	SPRINKLER SYSTEM
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) DISH
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

PERMIT NUMBER	REM.	GAS.	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
154898				13.00				13	

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	FIBRE		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RAIS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	G.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 13.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 13.00

CASH	CHECK	M.O.	N.C.
	✓		

RECEIVED BY: Goodrich

PLAN FILE #: 4618 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23650 TEMESCAL

OWNER: Hydro Conduit Corp

USE OF BUILDING: Wax & Electronic

DATE: 8-30-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
El Cerrito	4	25	1	2000	Z

LEGAL DESCRIPTION: Por of Sec 35 T4S R6W

PERMIT NUMBER: 154898

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CLAIM
1-31-68	Dale Lofthouse			$		

CONTRACTOR:

LICENSE-TYPE: # RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp

Address: 23 [illegible]

Telephone: [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: [illegible]

Address: [illegible]

Tel: [illegible] Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Soil Test		
2	KITCHEN PLANS		
3	Piers		
4	Floor Blocks		
5	Floor Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ducts		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ext. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

DATE NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	OUTLETS - OUTLETS	
	W. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - FORCE CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐	
	COMPRESSOR	
	CONDENSER	
	CONDENSER	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SWITCH BOARD	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	REZON. 1 @ 20. FT.	
	GARAGE 1 @ 30. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAIN & VENT	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

BLDG. PERMIT	BRC	PRC	PLAN CHECKED	CONSTR. FEE	HEAT & VENT.	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154925			10 50					10 50	

F F M M A A E E J J A A S S O O H H D D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE R-3 | ZONING CHECKED BY R.A. | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 10 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 10 50

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY Lisish | PLAN FILE # 4685

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL | OWNER Hydro Conduit Corp

USE OF BUILDING Hydro Sleeve Gas System | DATE 11-24-67

COMMUNITY	QUARTER	T.C.	UNITS	VALUATION	OFFICE
El Cerrito	NW	7S			E

LEGAL DESCRIPTION Lot Sec 35 T4S R6W | PERMIT NUMBER 154925

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND #	BOND	CASH

CONTRACTOR | RELEASE BOND

LICENSE-TYPE ☐ # | DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23-200 Temescal

Telephone 235-2820

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title P, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department

Contractor Steve Lee

Address Box 649

Tel. 735-5247 Lic. # 129781

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE			ELECTRICAL FEES		PLUMBING FEES	
	Sq. Ft. @		NO.		NO.	
	Sq. Ft. @					
	Sq. Ft. @					
	Sq. Ft. @		POLES			
	Sq. Ft. @		SIGNS		DRAINAGE PIPING	
	Sq. Ft. @		TRANS. AND/OR T. CAP.		DRINKING FOUNTAIN	
6' Wall	Sq. Ft. @		MOTOR H.P.		URINAL	
$300			MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION	$		MOTOR H.P.		FLOOR DRAIN	
NO.	MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
	HEAT APPLIANCE		MOTOR H.P.		WASHER (AUTO) (DISH)	
	INLETS — OUTLETS		FIXTURES		GARBAGE DISPOSAL	
	30 SQ. FT. — UNIT HEATER		OUTLETS		LAUNDRY TRAY	
	30 SQ. FT. — PERM. CEILING MAT.		SUB-PANEL		KITCHEN SINK	
	APPLIANCE VENT				WATER CLOSET	
	GAS PIPE		RANGE AND/OR OVEN		LAVATORY	
	REPAIR OR ALTER		WATER HEATER		SHOWER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER		BATH TUB	
	COMPRESSOR		CONSTRUCTION POLE		WATER HEATER	
	COMPRESSOR		SERVICE ENTRANCE		SEWAGE DISPOSAL	
	COMPRESSOR		RESID. 1C 30. FT.		HOUSE SEWER	
			GARAGE 1C 30. FT.		GAS PIPING	
	PERMIT FEE		PERMIT FEE		PERMIT FEE	

FILE NUMBER	NEW	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154925			10.50	21.00				10.50	

BUILDING INFORMATION

WOOD			CONCRETE	X	FIREPLACE	
CONCRETE			FIBRE		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTRS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$	10.50
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	10.50

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Smith

PLAN FILE # 4685 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 Temescal

OWNER: Mike Conrad Corp

USE OF BUILDING: Water Service Co. Storage

DATE: 11-22-54

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
El Cerrito	FW	70			

LEGAL DESCRIPTION: Pt SEC 25 T5S R6W

PERMIT NUMBER: 154925

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-1-54	Wade			$		

CONTRACTOR:

RELEASE BOND DATE:

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Mike Conrad

Address: 60 Temescal

Telephone: 925-7822

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: [illegible]

Address: [illegible]

Tel. [illegible] Lic. #[illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Deck		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

GEN NO.	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @

ESTIMATED VALUATION $

MECHANICAL FEES

NO.	
	HEAT APPLIANCE
	INLETS ~ OUTLETS
	M. BTU. PT. ~ UNIT HEATER
	M. BTU. PT. ~ PERF. CEILING MAT.
	APPLIANCE VENT
	GAS PIPE
	REPAIR OR ALTER
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐
	COMPRESSOR
	COMPRESSOR
	COMPRESSOR
	PERMIT FEE

ELECTRICAL FEES

NO.			
	POLES		
	TRANS. AND/OR T. CTR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 12 SQ. FT.		
	GARAGE 12 SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.	
	DRINKING FOUNTAIN
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (DISH)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

PERMIT NUMBER	BZN	ORD	PLN CHK FEE	ZONING FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154926			19 50					19 50	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

ZONE M-3 | ZONING RECORD BY | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 19 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 19 50

CASH | CHECK | M.O. | N.P.

RECEIVED BY Raigh | PLAN FILE # 4686

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 33-300 TEMESCAL | OWNER Hydro Conduit Corp.

USE OF BUILDING Kilo & Yard Slabs | DATE 11-24-57

COMMUNITY El Cerrito | DISTRICT 4/0 | F.C. 70 | UNITS | VALUATION | OFFICE

LEGAL DESCRIPTION Por SEC 35 T4S R6W | PERMIT NUMBER 154926 | SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND #	BOND	CASH

CONTRACTOR | RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 33-300 Temescal

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stearns Rice

Address [illegible]

Tel. 735-[illegible] Lic. #

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

Unit	Sq. Ft.		
	Sq. Ft.		
	Sq. Ft.		
Gar.	Sq. Ft.		
Cov. P.	Sq. Ft.		
Unit	Sq. Ft.		
	Sq. Ft.		

Est Cost
4 8516

ESTIMATED VALUATION $

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. BTU. PER. — UNIT HEATER		
	M. SQ. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	RES	COM.	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154926			9 50	39 00				49 50	

J	J	M	M	J	J	A	A	S	S	O	O	N	N	D	D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	FIRE WALL		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-S		

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$	9 50
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	49 50

CASH		CHECK		M.O.		N.C.	✓

RECEIVED BY: L Mc Leigh

PLAN FILE # 4656 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	50. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 3300 Fenesch

OWNER: Mike Conway Trust

USE OF BUILDING: Mobile Home Sales

DATE: 11-24-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
El Cerrito	X	70			

LEGAL DESCRIPTION: NW SEC 25 T4S R4W

PERMIT NUMBER: 154926

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-1-67	Clarke			3		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3500 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Mike Conway Trust

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	PTGS & FBMS		
3	Steel		
4	Grout Blocks		
5	Cond. Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES	
	Sq. Ft. @		NO.			NO.	
	Sq. Ft. @						
	Sq. Ft. @						
	Sq. Ft. @		POLES				
	Sq. Ft. @		SIGNS			FIXTURES OVER	
	Sq. Ft. @		TRANS. AND/OR T. CLR.			DRINKING FOUNTAIN	
	Sq. Ft. @		MOTOR	H.P.		URINAL	
ESTIMATED VALUATION	$		MOTOR	H.P.		WATER PIPING	
NO.	MECHANICAL FEES		MOTOR	H.P.		FLOOR DRAIN	
	HEAT APPLIANCE		MOTOR	H.P.		WATER SOFTENER	
	OUTLETS — OUTLETS		FIXTURES			WASHER (AUTO) (DISH)	
	M. SQ. FT. — UNIT HEATER		OUTLETS			GARBAGE DISPOSAL	
	M. SQ. FT. — PERM. CEILING MAT.		SUB-PANEL			LAUNDRY TRAY	
	APPLIANCE VENT					KITCHEN SINK	
	GAS PIPE		RANGE AND/OR OVEN			WATER CLOSET	
	REPAIR OR ALTER		WATER HEATER			LAVATORY	
	HOME STOVES ☐ WOOD ☐ EVAP. COOL ☐		SPACE HEATER			SHOWER	
	COMPRESSOR		CONSTRUCTION POLE			BATH TUB	
	COMPRESSOR		SERVICE ENTRANCE			WATER HEATER	
	COMPRESSOR		REGID. 1¢ SQ. FT.			SEWAGE DISPOSAL	
			GARAGE 1¢ SQ. FT.			HOUSE SEWER	
	PERMIT FEE		PERMIT FEE			GAS PIPING	
						PERMIT FEE	

PERMIT NUMBER	RES.	COM.	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15492			9.00					9.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	ADOBE	METAL	OTHER
						STEEL

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 9.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 9.00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Leigh

PLAN FILE # 4687

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: STEEL STRUCTURE

DATE: 11-24-67

COMMUNITY: ELSINORE | DISTRICT: 7 | P.C.: 70 | UNITS | VALUATION | OFFICE: 2

LEGAL DESCRIPTION: LOT 35 TR 5

PERMIT NUMBER: 15492

SUPPLEMENT TO PERMIT

RCW

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal Cty

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Hydro Conduit

Address P.O. Box 547

Tel. 735-2420 Lic. # 13251

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

Liv.	Sq. Ft. @	
Gar. Fl.	Sq. Ft. @	
Pat.	Sq. Ft. @	
Cov.	Sq. Ft. @	
Carp.	Sq. Ft. @	
Pool	Sq. Ft. @	
Etc.	Sq. Ft. @	
Etc.	Sq. Ft. @	
ESTIMATED VALUATION	$	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	___ SQ. FT. — UNIT HEATER	
	___ SQ. FT. — PERIMETER/CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HEAT ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1 @ 30. FT.	
	GARAGE 1 @ 30. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	GEN.	ELEC.	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154927			7					9	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
~~CONCRETE~~	X	FIBRE		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
						REEL

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE: M-3 | ZONING CHECKED BY: E.M. | PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 7
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 9

CASH	CHECK	M.O.	H.C.

RECEIVED BY: Lovick | PLAN FILE #: 4657 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23160 TEMESCAL

OWNER: MYERS, CAMPBELL & Co.

USE OF BUILDING: Industrial Structure

DATE: 11-24-67

COMMUNITY	DISTRICT	F.D.	UNITS	VALUATION	OCCUP.
Elsinore	1A	72			

LEGAL DESCRIPTION: Por. Sec. 35 T5S R5W

PERMIT NUMBER: 154927

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
5-13-68	Haig			$		

CONTRACTOR:

LICENSE-TYPE ☐ #

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: [illegible]

Address: [illegible]

Telephone: [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: [illegible]

Address: [illegible]

Tel. [illegible] Lic. # [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Piles & Piers		
3	Steel		
4	Grade Beams		
5	Sand Points		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Rising		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Planums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPR NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

PROPERTY LINE

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
Res.	Sq. Ft. @		NO.			NO.		
Gar.	Sq. Ft. @							
Pat.	Sq. Ft. @							
Cov.	Sq. Ft. @		POLE					
Car P.	Sq. Ft. @	1,127	RISER 3 Ø 4 W		5.00	WATER CLOSET	3	11
Wall	Sq. Ft. @		TEMP. ADD'L OR T. CLR.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR H.P.			URINAL		
ESTIMATED VALUATION		$ 500	MOTOR H.P.			WATER PIPING		
NO.	MECHANICAL FEES		MOTOR H.P.			FLOOR DRAIN		
	HEAT APPLIANCE		MOTOR H.P.			WATER SOFTENER		
	INLETS — OUTLETS		MOTOR H.P.			WASHER (AUTO) (DISH)		
	M. SQ. FT. — UNIT HEATER		FIXTURES			GARBAGE DISPOSAL		
	M. SQ. FT. — PERF. CEILING MAT.		OUTLETS			LAUNDRY TRAY		
	APPLIANCE VENT		SUB-PANEL			KITCHEN SINK		
	GAS PIPE					WATER CLOSET		
	REPAIR OR ALTER		RANGE AND/OR OVEN			LAVATORY		
	VENT SYSTEM ☐ MECH. ☐ EVAP. COOL ☐		WATER HEATER			SHOWER		
	COMPRESSOR		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
			RESID. 1¢ SQ. FT.			HOUSE SEWER		
	PERMIT FEE		GARAGE 1¢ SQ. FT.			GAS PIPING		
			PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	MECH.	GAS	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
154929				5.00				5.00	GAIBE

J	F	M	A	M	J	J	A	S	O	N	D
J	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	GH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 5.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 5.00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Raleigh

PLAN FILE # 4671

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: RESID FND.

DATE: 11-24-87

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
ELCERRITO	4	10	1	500	7

LEGAL DESCRIPTION: PAR SEC 35 T4SR6W

PERMIT NUMBER: 154929

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR:

LICENSE-TYPE ☐ #:

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit

Address: 23-200 Temescal

Telephone: 235-2426

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Stevens Roger

Address: PO Box 5847

Tel: 785-5246 Lic. # 00881

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

Liv. Pt.		Sq. Ft. @
Bed Pt.		Sq. Ft. @
Pat.		Sq. Ft. @
Gar.		Sq. Ft. @
Cal. P.		Sq. Ft. @
Wall		Sq. Ft. @

ESTIMATED VALUATION $ 500

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR G. ELEC.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 12 SQ. FT.	
	GARAGE & C 30. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	OUTLETS - OUTLETS	
	SQ. DRAFT. - UNIT HEATER	
	(M. SQ. FT.) - PERF. CEILING HEAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ WOOD ☐ EVAP. COOL	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	PERM	DEL	MECH CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL CHRG	PLAN CHECKER
154929				5				5	

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE	✓	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
RM-5	S.M.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 5
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 5

CASH ☐ CHECK ☐ M.O. ☐ H.C. ☐

RECEIVED BY Kortright

PLAN FILE # 4671

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
CAL.	SQ. FT.	CAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 Fenton

OWNER Hugo Conrad

USE OF BUILDING Second Fld.

DATE 11-24-59

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Elsinore	8	44		$500	Z

LEGAL DESCRIPTION Por Sec 35 T 4S R4W

PERMIT NUMBER 154929

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BND	BOND	CASH
1-26-60	Formby Applicable			$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hugo Conrad

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

DEV NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

154929

FEB 1 1968

COUNTY OF RIVERSIDE
BUILDING DEPARTMENT

Stearns-Rogers Corporation

PLANNING DEPARTMENT

PAGE One of Three

JOB NO. D32350 DATE 1-31-68 BY CHK

CUSTOMER HYDRO CONDUIT CORP. PROJECT 23200 Temescal Canyon Road

SUBJECT

Department of Building and Safety
Room 114 Hall of Records
Riverside County
Riverside, Calif. 92510

Permit No.	Dwg. No.	Description		Date	% Comp.
153850		Temporary Electric Service			100%
154567	80-5-07	Warehouse	Plumbing	1-31-68	20%
154580	80-3-07	Warehouse	Concrete	12-29-67	100%
154590	80-3-16	Agg. Hopper Pit	Concrete	11-9-67	100%
154807	80-7-01	Main Switch Gear	Electric	11-17-67	100%
154843	80-3-22	60 Ton Crane	Concrete	12-21-67	100%
154844	80-3-23	Hydro Test Pit	Concrete	12-22-67	95%
154845	80-3-10	10 Ton&Gentry	Concrete	1-23-68	100%
154847	80-3-14	Boiler-Sw.Room	Concrete	11-21-67	100%
154898	80-3-37	Can Test Reserv.	Concrete	1-18-68	100%
154929	80-3-29	Rebound Pit	Concrete	1-22-68	100%
154930	80-7-17	Area Lighting	Electric	1-31-68	0%
155835	80-7-05	Ground System	Electric	1-31-68	60%
155836	80-6-01	Plant Area Piping	Plumbing	1-31-68	70%
155838	80-3-17	Yard Slabs	Concrete	1-31-68	97%

W. H. Formby Supt

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION	$	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	OUTLETS — OUTLETS	
	SQ. FT. — UNIT HEATER	
	SQ. FT. — PERM. CEILING HEAT	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANSFORMER OR T. CLR		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (1 HP	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	ONE	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT.	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154935			10 50					10 50	

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	ADOBE	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	EH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 10 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 10 50

CASH	CHECK	M.O.	N.C.
	☑		

RECEIVED BY: Lonigh

PLAN FILE # 4688

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT Corp

USE OF BUILDING: YARD STORAGE SHED — 30-3-19

DATE: 11-26-87

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	IV	70			2

LEGAL DESCRIPTION: FOR SEC 35 TWS R6W

PERMIT NUMBER: 154935

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR:

LICENSE-TYPE ☐

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner HYDRO CONDUIT

Address 23-200 TEMESCAL RD

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor STEARNS-ROGERS

Address P.O. Box 549

Tel 735-5264 Lic. # 133961

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
Sq. Ft. @			NO.			NO.		
Sq. Ft. @								
Sq. Ft. @								
Sq. Ft. @			POLES					
Sq. Ft. @			SIGNS			DRAINAGE PIPING		
Sq. Ft. @			TRANS. AND/OR T. CLR.			DRINKING FOUNTAIN		
Sq. Ft. @			MOTOR	H.P.		URINAL		
Sq. Ft. @			MOTOR	H.P.		WATER PIPING		
ESTIMATED VALUATION	$		MOTOR	H.P.		FLOOR DRAIN		
NO.	MECHANICAL FEES		MOTOR	H.P.		WATER SOFTENER		
	HEAT APPLIANCE		MOTOR	H.P.		WASHER (AUTO). (DISH)		
	INLETS — OUTLETS		FIXTURES			GARBAGE DISPOSAL		
	M. BTU. PER HR. — UNIT HEATER		OUTLETS			LAUNDRY TRAY		
	M. BTU. PER HR. — PERF. CEILING HEAT		SUB-PANEL			KITCHEN SINK		
	APPLIANCE VENT					WATER CLOSET		
	GAS PIPE		RANGE AND/OR OVEN			LAVATORY		
	REPAIR OR ALTER		WATER HEATER			SHOWER		
	HOOD SYSTEM: ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
	COMPRESSOR		RESID. 1¢ SQ. FT.			HOUSE SEWER		
			GARAGE 1¢ SQ. FT.			GAS PIPING		
	PERMIT FEE		PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	RESI	COML	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
154935			10 20	21 00				10 20	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	✓	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3		

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 10	20
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$ 10	20

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY * Lenigh

PLAN FILE # 4688 ✓

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 43250 Temecula

OWNER Hang Circuit Corp

USE OF BUILDING Prof Bldg & Offices

RATE 1 - 3 E F

COMMUNITY Temecula | DISTRICT 4th | F.C. 36 | UNITS | VALUATION | OFFICE

LEGAL DESCRIPTION Lot 2 Sec 35 T8S R4W

PERMIT NUMBER 154935

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-1-67				3		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel: Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	PTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
25	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

Res.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Port.	Sq. Ft. @	
Gas.	Sq. Ft. @	
Sun P.	Sq. Ft. @	
Wall Gas Line Test	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION	$	9,500

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	OUTLETS — OUTLETS	
	SQ. FT. — UNIT HEATER	
	SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	LIGHTS		
	TRANS. AND/OR T. CLS.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	MAP	GAL.	PLAN CHK. FEE	CORRECTN. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155835			16 50	33 00				49.50	YATES

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	S.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 16 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 33 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 49 50

CASH | CHECK ☑ | M.O. | N.C.

RECEIVED BY: Kinsey

PLAN FILE # 2698

WATER GALLONS SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 Temescal (Electric)

OWNER: Hydro Conduit Corp

USE OF BUILDING: Plot Grounding Pits

DATE: 12-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Elsinore	1	35		9500	2

LEGAL DESCRIPTION: Pt Sec 35 7 4S R6W

PERMIT NUMBER: 155835

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR:

LICENSE-TYPE ☐

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23-200 Temescal Rd

Telephone 735-2400

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stearns Rogers Corp

Address P.O. Box 569

Tel. 295-7269 Lic. # 133981

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

1st Fl.		Sq. Ft. @
2nd Fl.		Sq. Ft. @
Por.		Sq. Ft. @
Gar.		Sq. Ft. @
Cpt. P.		Sq. Ft. @
Wall	Color Tile	Sq. Ft. @
	9500	Sq. Ft. @

ESTIMATED VALUATION $ 9500

NO.	MECHANICAL FEES			
	HEAT APPLIANCE			
	INLETS – OUTLETS			
	M. 30, FT. – UNIT HEATER			
	M. 30, FT. – PERF. CEILING MAT.			
	APPLIANCE VENT			
	GAS PIPE			
	REPAIR OR ALTER			
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐			
	COMPRESSOR			
	COMPRESSOR			
	COMPRESSOR			
	PERMIT FEE			

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. ¢ SQ. FT.		
	GARAGE ¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	SEN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15835			16 50	33 00				49 50	YATES

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD			CONCRETE			FIREPLACE	
CONCRETE			FIBRE			MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER	

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE		
MECHANICAL FEE		
CONSTRUCTION FEE		33 00
ELECTRICAL FEE		
PLUMBING FEE		
TOTAL FEE	$	49 50

CASH	CHECK	M.O.	N.C.
		☑	

RECEIVED BY: Leigh

PLAN FILE # 4098

SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

JOB ADDRESS: 23200 Temescal

OWNER: Hydro Conduit Corp

USE OF BUILDING: Plant Ground Pipe (Electric)

DATE: 12-1-62

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Elsinore	N	35		9500	E

LEGAL DESCRIPTION: E½ SEC 35 T 4S R 6W

PERMIT NUMBER: 15835

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
5-Nov						

CONTRACTOR

LICENSE TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

LETTER ☐ FILE ☐ C/4-30-71/6-1-71 Ac 7-05

✓

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/D ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final	5-9-11	

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPEN YES	PROGRESS CHECKS
	Go To Complete 11-6-20 Permit

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Apts.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cpt. P.	Sq. Ft. @	
Pat. Cover	Sq. Ft. @	
Fr. Terr.	Sq. Ft. @	

ESTIMATED VALUATION $ 36000

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	OUTLETS — OUTLETS		
	M. SQ. FT. — UNIT HEATER		
	M. SQ. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR F. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 10 SQ. FT.		
	GARAGE ½ @ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	WASH 1152		
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	BEN	DEL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155836			52.25	105.50				158.25	Rich

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE M-3 | ZONING CHECKED BY CH | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 52.25
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 105.50
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 158.25

CASH | CHECK ☑ | M.O. | N.C.

RECEIVED BY Leigh | PLAN FILE # 4697

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 33200 TEMESCAL | OWNER HYDRO CONDUIT CORP.

USE OF BUILDING EAST AREA DRAIN GRATE | DATE 12-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	4	35		36000	2

LEGAL DESCRIPTION PAR SEC 35 T4S R6W | PERMIT NUMBER 155836 | SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				8		

CONTRACTOR | RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Townsell Canyon Rd

Telephone 235-2400

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Evans Roger

Address P.O. Box 1589

Tel. 235-5249 Lic. # 33981

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATES

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Patio	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carp.	Sq. Ft. @	
Wall	Sq. Ft. @	
Ctr. Floor	Sq. Ft. @	

ESTIMATED VALUATION $ 36,000

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

HEAT APPLIANCE	
INLETS - OUTLETS	
M. SQ. FT. - UNIT HEATER	
M. SQ. FT. - PERF. CEILING MAT.	
APPLIANCE VENT	
GAS PIPE	
REPAIR OR ALTER	
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
COMPRESSOR	
COMPRESSOR	
COMPRESSOR	
PERMIT FEE	

FILE NUMBER	RES	ABS	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
165836			52.25	105.50				157.75	RM

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			FIBRE		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
R1-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 52.25
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 105.50
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 157.75

CASH	CHECK	M.O.	N.C.
	✓		

RECEIVED BY Raleigh

PLAN FILE # 4697

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

JOB ADDRESS 33200 TEMECULA Hydro Conduit Co.

OWNER

USE OF BUILDING PAINT BOOTH PURIC PAN DATE 12-1-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
ELSINORE	N	35		36000	Z

LEGAL DESCRIPTION FOR SEC 35 TWS R4W

PERMIT NUMBER 165836

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	ZONE	CASH
11-6-68	Savage			$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days, if work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # 13771

LETTER ☐ FILE ☐

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	F'TGS & FRMS		
3	Steel		
4	Brick Blocks		
5	Cond. Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-58 Burleigh	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS
	Insp. Equipment ordered

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

Liv. Ft.	Sq. Ft. @	
Bed Ft.	Sq. Ft. @	
Flr.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
REAL. CONST.		5,360
ESTIMATED VALUATION	$	5,360

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. SQ. FT. — UNIT HEATER		
	M. SQ. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SERVICE		
	TRANS. AND/OR T. CLR.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	NEW	OBL.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155838				21.00				21.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B. H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	21 00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	21 00

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Raleigh

PLAN FILE # 4685

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: YARD SLABS (CAR SYSTEM)

DATE: 12-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CASTO	H	28		5,360	2

LEGAL DESCRIPTION: POE SEC 35 T4S, R6W

PERMIT NUMBER: 155838

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND #	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro-Conduit Corp

Address 23-200 Temescal

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens River Co

Address P.O. Box 549

Tel. 735-5249 Lic. # 133981

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.		Sq. Ft. @	
2nd Fl.		Sq. Ft. @	
Por.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Car P.		Sq. Ft. @	
Wall		Sq. Ft. @	
		Sq. Ft. @	
			5,338
ESTIMATED VALUATION		$	5,338

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. BQ. FT. — UNIT HEATER		
	M. BQ. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR V. CLX.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	GEN	OSL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155838									

F	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	ED. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
R-A	S. M.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 21.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 21.00

CASH	CHECK	1	M.O.	N.C.

RECEIVED BY: Knight

PLAN FILE # 1605

OPEN VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: [illegible]

OWNER: [illegible]

USE OF BUILDING: [illegible]

DATE: [illegible]

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
[illegible]	[illegible]	[illegible]		5,338	X

LEGAL DESCRIPTION: [illegible]

PERMIT NUMBER: 155838

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
3-24-68	[illegible]			$		

CONTRACTOR: [illegible]

LICENSE-TYPE: [illegible]

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days, if work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

153838

FORM 114

Stearns-Roger
CORPORATION

PAGE One

JOB NO. B32350 DATE 2-29-68 BY CK'D

CUSTOMER HYDRO CONDUIT CORP. PROJECT 23200 Temescal Canyon Road

SUBJECT

Department of Building and Safety
Room 114 Hall of Records
Riverside County
Riverside, Calif. 92510

Permit No.	Dwng. No.	Description		Date	% Comp.
153250		Temporary Electric Service			100
154567	80-6-07	Warehouse	Plumbing	2-29-68	40
154589	80-3-07	Warehouse	Concrete	12-29-67	100
154590	80-3-16	Agg. Hopper Pit	Concrete	11-9-67	100
154807	80-7-01	Main Switch Gear	Electric	11-17-67	100
154843	80-3-22	60 Ton Crane	Concrete	12-21-67	100
154844	80-3-23	Hydro Test Pit	Concrete	2-28-68	100
154845	80-3-10	10 Ton&Cantry	Concrete	1-23-68	100
154847	80-3-14	Boiler-Sw.Room	Concrete	11-21-67	100
154898	80-3-37	Can Test Reserv.	Concrete	1-18-68	100
154929	80-3-29	Rebound Pit	Concrete	1-22-68	100
154930	80-7-17	Area Lighting	Electric	2-29-68	0
155835	80-7-05	Ground System	Electric	2-29-68	70
155836	80-6-01	Plant Area Piping	Plumbing	2-29-68	70
155838	80-3-17	Yard Slabs	Concrete	2-28-68	100

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Patio	Sq. Ft. @	
Garage	Sq. Ft. @	
Carport	Sq. Ft. @	
Wall	Sq. Ft. @	
0 of 82	Sq. Ft. @	
5360	Sq. Ft. @	
ESTIMATED VALUATION	$	5360

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. SQ. FT. — UNIT HEATER		
	M. SQ. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	SQUARE AND/OR L. CLR.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15583 9				21 00				21 00	BRADLEY

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 21 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 21 00

CASH | CHECK | C | M.O. | N.C.

RECEIVED BY: Kenigh

PLAN FILE # 4688

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: YARD SUMPS + DETS (83-3-A)

DATE: 12-1-87

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	20		5360	Z

LEGAL DESCRIPTION: PER SEC 35 T4S R6W

PERMIT NUMBER: 15583 9

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit

Address: 23200 Temescal

Telephone: 735-5249 2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Scotty Rogers

Address: P.O. Box 549

Tel. 735-5249 Lic. # 433961

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Sec. P.	Sq. Ft. @	
Wall	Sq. Ft. @	
COVERED	Sq. Ft. @	
5360		

ESTIMATED VALUATION $ 5360

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS - OUTLETS		
	50 SQ. FT. - UNIT HEATER		
	50 SQ. FT. - PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

COMBO NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155839				21 00				21 00	BINNEY

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

OCC	ZONING CHECKED BY	PERMIT USE NO.
M-3	L.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 21 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 21 00

CASH | CHECK | M.O. ✓ | N.C.

RECEIVED BY: Randolph

PLAN FILE # 4088

WATER | VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23900 TEMECULA

OWNER: KING CONDUIT CORP

USE OF BUILDING: YARD SHED + DETS (3-STR)

DATE: 12-1-04

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
ELSINORE	N	20		$360	Z

LEGAL DESCRIPTION: PAR SEC 35 T6S R4W

PERMIT NUMBER: 155839

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
10-31-05	Bumby			$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		
OPEN NO.	**PROGRESS CHECKS**		

155839

Form 116

Stearns-Roger Corporation

JOB NO. DATE BY CH'K 6

CUSTOMER PROJECT

SUBJECT

Permit No.	Dwng. No.	Description		Date	% Comp
155839	80-3-18	Yard Slabs Kiln #1	Concrete	12-29-67	100%
155840	80-3-18	Yard Slabs Kiln #2	Concrete	1-12-68	100%
155841	80-3-21&22	Transfer Pits	Concrete	1-31-68	95%
155871	80-7-08	HydroCoat Electric	Electric	1-31-68	0%
155872	80-1-03	Septic Tank & Leach	Plumbing	12-15-67	100%
155874	80-7-09	Warehouse	Electric	1-31-68	5%
155875	80-7-01	Underground Cond.	Electric	1-31-68	95%
155876	80-7-12	Vehicle Service	Electric	1-31-68	5%
155877	80-3-36	Maint. Shop	Concrete	1-31-68	97%
155878	80-3-27	Hydrocoat Sta.Found.	Concrete	1-9-68	100%
155879	80-3-35	Vehicle Service	Concrete	1-17-68	100%
155880	80-3-28	Hydrocoat Batch	Concrete	1-29-68	100%
155881	80-4-17	Hydrocoat Batch	Struct.	1-31-68	0%
155966	80-4 [illegible]	Jib Crane	Struct.	1-31-68	0%
155967	Varco Dwng.	Kiln # 2	Building	1-31-68	40%
155968	Varco Dwng.	Kiln # 1	Building	1-31-68	45%
155969	80-3-11	Jib & Can Test	Concrete	1-31-68	80%

W. H. Formby Plant Supt.

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Dwl. Ft.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Bsmt.	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION	$	11,520

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. SQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR V. CAP.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ 30, FT.		
	GARAGE ½¢ 30, FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WASTE PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155840				39.00				39.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	E.E.	M3

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	39 00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	39 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Raleigh

PLAN FILE: # 3686

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP.

USE OF BUILDING: KILN & YARD SLABS

DATE: 12-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	M	20		11,520	2

LEGAL DESCRIPTION: POR SEC 35 T4S, R6W

PERMIT NUMBER: 155840

SUPPLEMENT TO PERMIT:

FINALED DATE	SPECTOR	GROUP	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR:

LICENSE-TYPE:

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp.

Address 23200 Temescal Rd

Telephone 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Kuzy

Address P.O. Box 5549

Tel. 235-5249 Lic. # 193981

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.		Sq. Ft. @
2nd Fl.		Sq. Ft. @
Por.		Sq. Ft. @
Gar.		Sq. Ft. @
Car P.		Sq. Ft. @
Wall		Sq. Ft. @
		Sq. Ft. @
ESTIMATED VALUATION	$	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. SQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	COML	PLN CHK FEE	CONSTR. T.	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155840									

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE | ZONING CHECKED BY | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 39.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY | PLAN FILE # 1686 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS

OWNER

USE OF BUILDING

DATE

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE

LEGAL DESCRIPTION

PERMIT NUMBER 155840

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
1-31-68				$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

155840

Stearns-Roger Corporation

PAGE Two

JOB NO. DATE BY CHK'D

CUSTOMER PROJECT 6

SUBJECT

Permit No.	Dwng. No.	Description		Date	% Comp
155838	80-3-18	Yard Slabs Kiln #1	Concrete	12-29-67	100%
155840	80-3-18	Yard Slabs Kiln #2	Concrete	1-12-68	100%
155841	80-3-21&22	Transfer Pits	Concrete	1-31-68	95%
155871	80-7-08	HydroCoat Electric	Electric	1-31-68	0%
155872	80-1-03	Septic Tank & Leach	Plumbing	12-15-67	100%
155874	80-7-09	Warehouse	Electric	1-31-68	5%
155875	80-7-01	Underground Cond.	Electric	1-31-68	95%
155876	80-7-12	Vehicle Service	Electric	1-31-68	5%
155877	80-3-36	Maint. Shop	Concrete	1-31-68	97%
155878	80-3-27	Hydrocoat Sta. Found.	Concrete	1-9-68	100%
155879	80-3-35	Vehicle Service	Concrete	1-17-68	100%
155880	80-3-28	Hydrocoat Batch	Concrete	1-29-68	100%
155881	80-4-17	Hydrocoat Batch	Struct.	1-31-68	0%
155966	80-4-11	Jib Crane	Struct.	1-31-68	0%
155967	Varco Dwng.	Kiln # 2	Building	1-31-68	40%
155968	Varco Dwng.	Kiln # 1	Building	1-31-68	45%
155969	80-3-11	Jib & Can Test	Concrete	1-31-68	80%

M. H. Kromer Plant Supt.

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Pat.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
WATER TANK		2,500
ESTIMATED VALUATION	$	2,500

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. BO. FT. — UNIT HEATER	
	M. BO. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. ARC/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFT. SER.	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	PCH	CSL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155841				12.00				12.00	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
PLASTER	DRY WALL	ROOF COVERING				SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 12 00

CASH | CHECK ☑ | M.O. | N.C.

RECEIVED BY: Kaiser

PLAN FILE # 4670

SEPTIC TANK VOLUME	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP.

USE OF BUILDING: TRANSFER PITS

DATE: 12-1-57

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	1	20		2,500	2

LEGAL DESCRIPTION: POR OF SEC. 35 T4S, R5W

PERMIT NUMBER: 155841

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				0		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp.

Address 23200 Temescal Cyn. Rd.

Telephone 735-2100

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Roger

Address PO Box 549

Tel. 735-2400 Lic. # 133981

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
1st Fl.	Sq. Ft. @		NO.			NO.		
2nd Fl.	Sq. Ft. @							
Pat.	Sq. Ft. @							
Gar.	Sq. Ft. @		POLES					
Cpt P.	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
Wall	Sq. Ft. @		TRANS. AND/OR T. CLK.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR	H.P.		URINAL		
ESTIMATED VALUATION	$ 2000		MOTOR	H.P.		WATER PIPING		
MECHANICAL FEES			MOTOR	H.P.		FLOOR DRAIN		
HEAT APPLIANCE			MOTOR	H.P.		WATER SOFTENER		
INLETS — OUTLETS			MOTOR	H.P.		WASHER (AUTO) (DISH)		
M. SQ. FT. — UNIT HEATER			FIXTURES			GARBAGE DISPOSAL		
M. SQ. FT. — PERF. CEILING MAT.			OUTLETS			LAUNDRY TRAY		
APPLIANCE VENT			SUB-PANEL			KITCHEN SINK		
GAS PIPE						WATER CLOSET		
REPAIR OR ALTER			RANGE AND/OR OVEN			LAVATORY		
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐			WATER HEATER			SHOWER		
COMPRESSOR			SPACE HEATER			BATH TUB		
COMPRESSOR			CONSTRUCTION POLE			WATER HEATER		
COMPRESSOR			SERVICE ENTRANCE			SEWAGE DISPOSAL		
			RESID. 1¢ SQ. FT.			HOUSE SEWER		
			GARAGE 1¢ SQ. FT.			GAS PIPING		
PERMIT FEE			PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	RRN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155841				20.00				20.00	

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	FIBRE		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. MNS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
R-2	[illegible]	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 20.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 20.00

CASH	CHECK	M.O.	N.C.
		✓	

RECEIVED BY: [illegible]

PLAN FILE # 680 ✓

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 2200 TYLER ST.

OWNER: RIVCO COUNTY CLK.

USE OF BUILDING: [illegible]

DATE: 2-24-68

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
[illegible]	3	30		2000	3

LEGAL DESCRIPTION: [illegible]

PERMIT NUMBER: 155841 ✓

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
2-27-68	[illegible]			$		

CONTRACTOR:

RELEASE BOND DATE:

LICENSE-TYPE: ☐ B

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 9, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	2-27-68	Chandler
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPEN NO.	PROGRESS CHECKS
	Resident Inspector

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Liv. Ft.	Sq. Ft. @	
Apt. Ft.	Sq. Ft. @	
Det.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Gar. P.	Sq. Ft. @	
Pat. 25 Foot	Sq. Ft. @	
24000	Sq. Ft. @	

ESTIMATED VALUATION | $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	MECH	ELEC	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEE	PLAN CHECKER
155842			44.00					44.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		TILES		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE: M-3 | ZONING CHECKED BY: G.H. | PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$ 44.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 44.00

CASH | CHECK | C.I. | M.O. | N.C.

RECEIVED BY: Kaisish | PLAN FILE # 4701

WATER	VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL | OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: WAREHOUSE | DATE: 12-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	Y/N	70		—	Z

LEGAL DESCRIPTION: FOR SEC 35 T4S R6W | PERMIT NUMBER: 155842 | SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR | RELEASE BOND

LICENSE-TYPE ☐ a | DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp.
Address: 23200 Temescal
Telephone: 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Stevens Roger
Address: P.O. Box 569
Tel: 235-5249 Lic. # 133981

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

Liv. Ft.		Sq. Ft. @
Sto. Ft.		Sq. Ft. @
Pat.		Sq. Ft. @
Gar.		Sq. Ft. @
Car P.		Sq. Ft. @
Wall		Sq. Ft. @
	23 Lgal	Sq. Ft. @
	Patio	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS + OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING HT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	HEAT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	IRR	SOIL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155842			4.14					4.14	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	LSH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHEC. FEE	$ 4.14 cc
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 4.14

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Reinick

PLAN FILE # 4201

WATER	VOLUME	SEPTIC TANK	LEACH LINE	SEEPAGE PIT
		GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23360 Temescal

OWNER: Wynn Construction

USE OF BUILDING: Private House

DATE: 12-1-67

COMMUNITY: El Cerrito | DISTRICT: Y/H | F.C. | UNITS: 1 | VALUATION | OFFICE: 2

LEGAL DESCRIPTION: Pt SEC 35 T 4S R 6W

PERMIT NUMBER: 155842

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-14-67	Reinick			$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPEN NO	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

LIVING		Sq. Ft. @
GARAGE		Sq. Ft. @
PATIO		Sq. Ft. @
CARPORT		Sq. Ft. @
STORAGE		Sq. Ft. @
OTHER		Sq. Ft. @
		Sq. Ft. @
		Sq. Ft. @

EST COST 50000

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. BD. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	GEN.	OBL.	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155843			31.50					31.50	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	K.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$ 31.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 31.50

CASH | CHECK # | M.O. | N.C.

RECEIVED BY: Racuya

PLAN FILE # 4700

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23500 TEMESCAL

OWNER: Kyle Conduit Corp

USE OF BUILDING: Kiln #2

DATE: 12-1-67

COMMUNITY: EL CERRITO | DISTRICT Y/N | F.C. 70 | UNITS | VALUATION — | OFFICE 2

LEGAL DESCRIPTION: For SEC 35 T4S R4W

PERMIT NUMBER: 155843

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp.

Address 23-200 Temescal Cyn Rd

Telephone 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stearns Kaye Co.

Address P.O. Box 549

Tel. 235-5249 Lic. # 133481

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Fdn.	Sq. Ft. @	
Col.	Sq. Ft. @	
Cpl P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION	$	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BB. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. SLN.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½ ¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RSN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155843			31.50					31.50	

J	F	M	A	M	J	J	A	S	O	N	D
		M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE: M-2 | ZONING CHECKED BY: [illegible] | PERMIT USE NO.:

	FRONT	SIDE	REAR	LOT SIZE
REQ'D				
PROP.				

PLAN CHECK FEE	$ 31.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 31.50

CASH | CHECK | M.O. | N.C.

RECEIVED BY: [illegible] | PLAN FILE #: 4700

WATER | VOLUME SEPTIC TANK: GAL. | LEACH LINE: SQ. FT. | SEEPAGE PIT: GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 3500 Terminal | OWNER: Hyer Cement Co.

USE OF BUILDING: SILO #2 | DATE: 12-1-67

COMMUNITY: El Cerrito | DISTRICT: [illegible] | F.C.: [illegible] | UNITS: | VALUATION: | OFFICE: 2

LEGAL DESCRIPTION: PT SEC 35 TR: [illegible] | PERMIT NUMBER: 155843

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-14-67	[illegible]			$		

CONTRACTOR: | RELEASE BOND

LICENSE-TYPE: ☐ | NO. | DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Band Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN. NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Liv. Sq. Ft.	Sq. Ft. @	
Gar. Sq. Ft.	Sq. Ft. @	
Patio	Sq. Ft. @	
Carp.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. BQ. FT. — UNIT HEATER	
	M. BQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	CONDENSER	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANSF. AND/OR R. ELK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	RES.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155844			3150					3150	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	E.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 31 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 31 50

CASH | CHECK # | M.O. | N.C.

RECEIVED BY Koenigl

PLAN FILE # 4699

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL

OWNER Hydro Conduit Corp

USE OF BUILDING KILN # 1

DATE 12-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrit	VII	70		—	2

LEGAL DESCRIPTION Pt. SEC 35 T4S R6W

PERMIT NUMBER 155844

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23200 Temescal Cyn. Rd

Telephone 735-2120

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stearns, Roger W

Address P.O. Box 549

Tel. 225-5246 Lic. # 133981

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Pat.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Trel.	Sq. Ft. @	
Etc.	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. SQ. FT. — UNIT HEATER		
	M. SQ. FT. — RADT. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	GEN	OSL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155844			31.50					31.50	

F	M	A	M	J	J	A	S	O	N	D
F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	L.M.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 31.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 31.50

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY: Ranigh

PLAN FILE # 4649

RATED VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23300 Temescal

OWNER: Hynes Company Trust

USE OF BUILDING: Mine #1

DATE: 12-1-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Elsinore	VII	70			2

LEGAL DESCRIPTION: Ptn Sec 32 T4S R6W

PERMIT NUMBER: 155844

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
May-68	Ranigh			$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/I. ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		
NO.	**PROGRESS CHECKS**		

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
1st Fl.	Sq. Ft. @		NO.			NO.		
2nd Fl.	Sq. Ft. @							
Por.	Sq. Ft. @							
Gar.	Sq. Ft. @		POWER 5 & 0	155871		GAS PIPE		
Car P.	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
Wall	Sq. Ft. @		TRANS. AND/OR T. CLK.			DRINKING FOUNTAIN		
Cont Fr 15000	Sq. Ft. @		MOTOR H.P.			URINAL		
ESTIMATED VALUATION	$ 15000		MOTOR H.P.			WATER PIPING		
NO.	MECHANICAL FEES		MOTOR H.P.			FLOOR DRAIN		
	HEAT APPLIANCE		MOTOR H.P.			WATER SOFTENER		
	INLETS - OUTLETS		MOTOR H.P.			WASHER (AUTO) (DISH)		
	M. BO. FT. - UNIT HEATER		FIXTURES			GARBAGE DISPOSAL		
	M. BO. FT. - PERF. CEILING MAT.		OUTLETS			LAUNDRY TRAY		
	APPLIANCE VENT		SUB-PANEL			KITCHEN SINK		
	GAS PIPE					WATER CLOSET		
	REPAIR OR ALTER		RANGE AND/OR OVEN			LAVATORY		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		WATER HEATER			SHOWER		
	COMPRESSOR		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
			REGID. 12 SQ. FT.			HOUSE SEWER		
			GARAGE 1/2 SQ. FT.			GAS PIPING		
	PERMIT FEE		PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	RES	COM	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155871			$24.00	$48.00				72.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		FIRE WALL		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	OD. RES.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 24.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 48.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 72.00

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY: Raiugh

PLAN FILE # 4703

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

80-7-08

JOB ADDRESS: 23200 Temescal

OWNER: Hydro Conduit Corp.

USE OF BUILDING: Hydrocoat Machine Elec Power Arrangement

DATE: 15-5-69

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrito	N	35		15000	2

LEGAL DESCRIPTION: PAR SEC 35 T4S R6W

PERMIT NUMBER: 155871

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal

Telephone 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Kuyee

Address P.O. Box 549

Tel. 735-5349 Lic. #

By W. Hornsby

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD 1/

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Pat.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cov P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Const Rm	Sq. Ft. @	
ESTIMATED VALUATION	$ 15000	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR N.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. SQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	REN	SOL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155871			37 00	48 00				85 00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-2	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 37 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 48 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 85 00

CASH | CHECK | M.O. 6 | N.C.

RECEIVED BY: [illegible]

PLAN FILE # 4703

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐ 80-7-08

JOB ADDRESS: 32nd E of Ave 66

OWNER: Hydro Quest Corp

USE OF BUILDING: Hydroponic Nursery

DESCRIPTION OF WORK: Elec Power & Equipment

DATE: 10-5-79

COMMUNITY: El Cerrito | DISTRICT: A | F.C. ✓ | UNITS | VALUATION: 15000 | OFFICE: Z

LEGAL DESCRIPTION: W ½ SE ¼ 35 T6S R4W

PERMIT NUMBER: 155871 ✓

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
4 3 80						

CONTRACTOR | RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workman's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68 Quesenberry	
		President Lexington on file.	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4-3-69 Yates	
28	Service Entrance		
29	Wiring	4-3-69 Yates	
30	Fixtures	4-3-69 Yates	
31	Service		
32	Final	4-3-69 Yates	

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS
	Yard complete 11-6-68 Quesenberry

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
1st Fl.	Sq. Ft. @		NO.			NO.		
2nd Fl.	Sq. Ft. @							
Fdn.	Sq. Ft. @							
Gar.	Sq. Ft. @		POLES					
Cpt. P.	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
Galt	Sq. Ft. @		TEMPORARY SERV. SVC.			DRINKING FOUNTAIN		
Comm	Sq. Ft. @		MOTOR H.P.			URINAL		
	Sq. Ft. @		MOTOR H.P.			WATER PIPING		
ESTIMATED VALUATION		$ 2500	MOTOR H.P.			FLOOR DRAIN		
NO.	MECHANICAL FEES		MOTOR H.P.			WATER SOFTENER		
	HEAT APPLIANCE		MOTOR H.P.			WASHER (AUTO) (DISH)		
	INLETS - OUTLETS		FIXTURES			GARBAGE DISPOSAL		
	M. SQ. FT. - UNIT HEATER		OUTLETS			LAUNDRY TRAY		
	M. SQ. FT. - PERF. CEILING MAT.		SUB-PANEL			KITCHEN SINK		
	APPLIANCE VENT					WATER CLOSET		
	GAS PIPE		RANGE AND/OR OVEN			LAVATORY		
	REPAIR OR ALTER		WATER HEATER			SHOWER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
	COMPRESSOR		RESID. 1¢ SQ. FT.			HOUSE SEWER		
			GARAGE ½¢ SQ. FT.			GAS PIPING		
	PERMIT FEE		PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	FEES	BDL	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155874			6 00	12 00				18 00	YATES

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	TOXING CHECKED BY	PERMIT USE NO.
M-3		

	FRONT	SIDE	REAR	LOT SIZE
REQ'D				
BACK				

PLAN CHECK FEE	$ 6 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 18 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Baugh

PLAN FILE # 4630

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

80-7-09

JOB ADDRESS: 23300 Temescal

OWNER: Hydro Conduit Corp

USE OF BUILDING: Warehouse Electrical

DATE: 12-5-79

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrito	2	35		2500	2

LEGAL DESCRIPTION: Be Sec 35 T4S R5W

PERMIT NUMBER: 155874

SUPPLEMENT TO PERMIT: 154589

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ $

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit

Address: 23300 Temescal

Telephone: 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Electric Power

Address: P.O. Box 549

Tel. 735-5248 Lic. #

By W. Thomas

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carport	Sq. Ft. @	
Misc.	Sq. Ft. @	
Comm'l Bldg	Sq. Ft. @	

ESTIMATED VALUATION $ 3500

MECHANICAL FEES

HEAT APPLIANCE		
INLETS – OUTLETS		
M. 50. FT. – UNIT-HEATER		
M. 50. FT. – PERF. CEILING MAT.		
APPLIANCE VENT		
GAS PIPE		
REPAIR OR ALTER		
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
COMPRESSOR		
CONDENSOR		
COMPRESSOR		
PERMIT FEE		

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	GBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155874			6 00	12 00				18 00	Yates

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			PIERS		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE M-3 | ZONING CHECKED BY | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$ 6 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 18 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY Daylight | PLAN FILE # 4630

WATER VOLUME	SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.	SQ. FT.	GAL.

JOB ADDRESS 23300 TEMESCAL | OWNER Hyers Construction

USE OF BUILDING WHITEHOUSE ELECTRICAL | DATE 12-5-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
ELSINORE	N	35		3500	2

LEGAL DESCRIPTION 10 SEC 35 T4S R4W | PERMIT NUMBER 155874 ✓

SUPPLEMENT TO PERMIT 134589

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
4-3-68						

CONTRACTOR | RELEASE BOND DATE

LICENSE-TYPE ☐ 0

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner _____

Address _____

Telephone _____

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor _____

Address _____

Tel. _____ Lic. # _____

LETTER ☐ FILE ☐

50-7-09

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Overholtzer
	Resident Inspector on job.		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4-3-69	Yates
28	Service Entrance		
29	Wiring	4-3-69	Yates
30	Fixtures		
31	Service		
32	Final	4-3-69	Yates

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	**PROGRESS CHECKS**
	100% Complete 11-6-68 Overholtzer

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

Liv. Pl.		Sq. Ft. @
Bed Fl.		Sq. Ft. @
Patio		Sq. Ft. @
Gar.		Sq. Ft. @
Car P.		Sq. Ft. @
Wall	Bond Gr	Sq. Ft. @
	14000	
ESTIMATED VALUATION	$ 14000	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	SIZE	COIL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155875			22.50	45.00				67.50	YATES

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	E.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 22 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 45 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 67 50

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Kavish

PLAN FILE # 4704

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

80-7-01

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: UNDERGROUND POWER LINE

DATE: 12-5-67

COMMUNITY: ELSINORE | DISTRICT: N | F.C.: 35 | UNITS | VALUATION: 14000 | OFFICE: 2

LEGAL DESCRIPTION: PAR SEC 35 T4S R6W

PERMIT NUMBER: 155875

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR | RELEASE BOND DATE

LICENSE-TYPE ☐

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp.

Address: 23200 Temescal

Telephone: 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Stearns Rycr

Address: P.O. Box 549

Tel. 235-5249 Lic. #

By W.H. Stearns

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Other 32 Meter	Sq. Ft. @	

ESTIMATED VALUATION $ 14000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RCN	OSL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155875			22.50	45.00				67.50	VALDES

J F M A M J J A S O N D J F M A M J J A S O N D

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE M-3 | ZONING CHECKED BY E.H. | PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$ 22 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 45 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 67 50

CASH | CHECK ☑ | M.O. | N.C.

RECEIVED BY Eldridge | PLAN FILE # 4704

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

80-7-01

JOB ADDRESS 23200 TEMESCAL | OWNER Home Concrete Corp.

USE OF BUILDING UNDERGROUND TANK | DATE 11-5-80

USE OF BUILDING CABLE UNIT ELECTRIC

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
EL CERRITO	IV	35		14000	2

LEGAL DESCRIPTION Per Sec 3: T4S R4W | PERMIT NUMBER 155875

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
4 3 81				$		

CONTRACTOR | RELEASE BOND

LICENSE-TYPE | DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

[illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/D ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4 3 69	Yates
28	Service Entrance		
29	Wiring	4 3 69	Yates
30	Fixtures	4 3 69	Yates
31	Service		
32	Final	4 3 69	Yates

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		
OPN NO.	**PROGRESS CHECKS**		
37	Yates Service Station re-Garage Abandonment Unit B Complete 11-6-68 Okay		

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Flr.	Sq. Ft. @	
2nd Flr.	Sq. Ft. @	
Patio	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Cont Pr	Sq. Ft. @	
1500		

ESTIMATED VALUATION $ 2500

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URICAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155876			6 00	12 00				1800	YATES

J J F F M M A A M M J J J J A A S S O O N N D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MAS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 6 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 18 00

CASH | CHECK 2 | M.O. | N.C.

RECEIVED BY Raingt

PLAN FILE # 4705

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

80-7-12

JOB ADDRESS 23200 Temescal

OWNER Hydro Conduit Corp

USE OF BUILDING Venile Service Electric

DATE 12-5-80

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrito	A	35		2500	2

LEGAL DESCRIPTION Por Sec 35-7S R6W

PERMIT NUMBER 155876

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department

Contractor Steven Rogers

Address PO Box 549

Tel 735-5[illegible] Lic. # ____

A W Kennedy

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD /

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Cover Pt	Sq. Ft. @	
4500		

ESTIMATED VALUATION $ 4500

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. E.K.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	GEN	ELEC	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155876			6 00	12 00				18 00	Yates

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

ZONE	ZONING CHECKED BY	PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 6 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 18 00

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY Racine

PLAN FILE # 4705

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

80-7-12

JOB ADDRESS 32300 TEMECULA

OWNER Hyde Gendut Corp

USE OF BUILDING VEHICLE SERVICE & TIRE

DATE 12-5-69

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
ELCENTRO	#1	5½		3500	L

LEGAL DESCRIPTION Ptn Sec 35 T6S R6W

PERMIT NUMBER 155876 ✓

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
4-3-69				$		

CONTRACTOR

LICENSE-TYPE a

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-67	Daniels
	Permit complete on file		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4 3 67	Yates
28	Service Entrance		
29	Wiring	4 3 67	Yates
30	Fixtures	4 3 67	Yates
31	Service		
32	Final	4 3 67	Yates

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ext. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		
DEN NO.	**PROGRESS CHECKS**		
29	SLAB CONDUIT Yates 12-26-67		
	Elec Complete 16072 — 11-6-67 Daniels		

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
MAINT. SHOP	Sq. Ft. @	7,000
ESTIMATED VALUATION		$ 7,000

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	PEDID. 12 SQ. FT.	
	GARAGE 16 SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15587				24.00				24.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIPE		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B. VERY	10025

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	ACREAGE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 24 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 24 00

CASH | CHECK | M.O. | N.C.

RECEIVED BY

PLAN FILE # 4652

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐ DWGS. NO 80/3-36

JOB ADDRESS: 23200 ✓ ESCAL

OWNER: HYDRO CONDUIT INC.

USE OF BUILDING: MAINTENANCE SHOP

DATE: 12-5-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	M	10	1	7,000	3

LEGAL DESCRIPTION: FOR SEC 35 T4S, R6W

PERMIT NUMBER: 15587

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
		1-3	S 1	$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23200 Temescal

Telephone 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Elsinore Kaiser

Address P.O. Box 548

Tel 245-5249 Lic. #

By E. Mooney

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION	$	2,000

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	REG	DOL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15587									

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
R-2		

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	30	10	20	ACCESS

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 25.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$

CASH	CHECK	M.O.	
			27.00

RECEIVED BY

PLAN FILE # 4652

WATER VOLUME REQUIRED GAL.

LEACH LINE SQ. FT.

SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

BMS. NO 8373-36

JOB ADDRESS

OWNER

USE OF BUILDING

DATE

COMMUNITY	DISTRICT	F.C.	UNITS	VACATION	OFFICE
	2	33	2		

LEGAL DESCRIPTION

PLAN NUMBER 15587 ✓

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
8-5-68	Overholtzer		2 2	$		

CONTRACTOR

RELEASE BOND

LICENSE-TYPE ☐ #

DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued, I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	3-5-68 Quesinberry	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OFR NO.	PROGRESS CHECKS
	Residential Inspector

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route

Land Use Div.
Road Dept.
Health Dept.
Other Dept.
Building Dept.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office El Centro
Permit No.
Del. Date

OWNER

Owner Hydro Conduit Co. | Architect Stearns Rieger Eng. | Contractor
Address 23200 Temescal Cyn. Rd. | Address 23200 Temescal Cyn. Rd. | Address
City Corona, Calif. | City Box 349 Corona Calif. | City
Phone 735-3930 | Phone 735-2249 | Phone

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 10/31/67 SIGNATURE OF OWNER [signature]

Approved by Signature from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 23-200 Temescal Cyn. Rd.
Legal Description of Property SW ¼ of Sec 35 T2S R6W U

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☑
ALTERATIONS	☐		

NO. OF SUBMITTED PLANS 3
ADDITIONAL PLOT PLANS
CASE NO.

TYPE OF CONSTRUCTION Pipe Plant

NO. OF PARKING SPACES REQUIRED 70 NO. OF BUILDINGS NOW EXISTING
ZONE M-2-3 SETBACKS FRONT 100 SIDE 100 REAR 100
IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☐ NO ☒
SETBACK ORDINANCE # ____ OF ____ FEET REQUIRED ON ____ STREET
DATE 10/31/67 SIGNATURE OF LAND USE OFFICIAL [signature]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION DIV OF HWY.

REMARKS: Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

State # 284-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
Liv. Sq. Ft.	Sq. Ft. @		NO.			NO.		
Gar. Sq. Ft.	Sq. Ft. @							
Por.	Sq. Ft. @			POLES 5 5 6	2 0 0 8 3		1 1 5 K	2 2
Cov.	Sq. Ft. @			SIGNS			DRAINAGE PIPING	
Car P.	Sq. Ft. @			TRANS. AND/OR T. CLK.			DRINKING FOUNTAIN	
Wall	Sq. Ft. @			MOTOR H.P.			URINAL	
Est. Cost		2,000		MOTOR H.P.			WATER PIPING	
ESTIMATED VALUATION	$	2,000		MOTOR H.P.			FLOOR DRAIN	
NO.	MECHANICAL FEES			MOTOR H.P.			WATER SOFTENER	
	HEAT APPLIANCE			MOTOR H.P.			WASHER (AUTO) (DISH)	
	INLETS — OUTLETS			FIXTURES			GARBAGE DISPOSAL	
	M. SQ. FT. — UNIT HEATER			OUTLETS			LAUNDRY TRAY	
	M. SQ. FT. — PERF. CEILING MAT.			SUB-PANEL			KITCHEN SINK	
	APPLIANCE VENT						WATER CLOSET	
	GAS PIPE			RANGE AND/OR OVEN			LAVATORY	
	REPAIR OR ALTER			WATER HEATER			SHOWER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐			SPACE HEATER			BATH TUB	
	COMPRESSOR			CONSTRUCTION POLE			WATER HEATER	
	COMPRESSOR			SERVICE ENTRANCE			SEWAGE DISPOSAL	
	COMPRESSOR			RESID. 1¢ SQ. FT.			HOUSE SEWER	
				GARAGE 1¢ SQ. FT.			GAS PIPING	
	PERMIT FEE			PERMIT FEE			PERMIT FEE	

PERMIT NUMBER	GEN	OBL	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155878				9.00				9.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		FIBER		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	R. FRONT	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	100	100	100	ACREAGE

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	9 00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	9 00

CASH | CHECK | M.O. | N.C.

RECEIVED BY

PLAN FILE # 4672

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐ 80-3-27 80-1-32

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP.

USE OF BUILDING: HYDRO CONT. FND

DATE: 12-5-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
[illegible]	H	10	1	2,000	Z

LEGAL DESCRIPTION: FOR SEC 35 T6S, R6W

PERMIT NUMBER: 155878

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23-200 Temescal

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stearns Kaaz

Address P.O. Box 5490

Tel. 375-5249 Lic. #

By [signature]

FOUNDATION ONLY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 2,000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERIP. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155878				9.00				9.00	

BUILDING INFORMATION

WOOD		CONCRETE'S		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE: M-2 | ZONING CHECKED BY: [illegible] | PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	30'	25'	30'	[illegible]

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 9.00

CASH | CHECK | M.O. 9.00 | N.C.

RECEIVED BY: [signature]

PLAN FILE # 4628

WATER VOLUME AND DIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐ 80-3-27 80-1-32

JOB ADDRESS: [illegible]

OWNER: [illegible]

USE OF BUILDING: [illegible]

DATE: [illegible]

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
[illegible]	3	30	1	2,000	3

LEGAL DESCRIPTION: [illegible]

PERMIT NUMBER: 155878 ✓

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
1-31-80	Tomby/Wake			C		

CONTRACTOR:

LICENSE-TYPE ☐ #

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

[signature]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ext. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

155878

FORM 116

Stearns-Roger
CORPORATION

JOB NO. DATE BY CH'K.

CUSTOMER PROJECT 6

SUBJECT

Permit No.	Dwng.No.	Description		Date	% Comp
155839	80-3-18	Yard Slabs Kiln #1	Concrete	12-29-67	100%
155840	80-3-18	Yard Slabs Kiln #2	Concrete	1-12-68	100%
155841	80-3-21&22	Transfer Pits	Concrete	1-31-68	95%
155871	80-7-08	HydroCoat Electric	Electric	1-31-68	0%
155872	80-1-03	Septic Tank & Leach	Plumbing	12-15-67	100%
155874	80-7-09	Warehouse	Electric	1-31-68	5%
155875	80-7-01	Underground Cond.	Electric	1-31-68	95%
155876	80-7-12	Vehicle Service	Electric	1-31-68	5%
155877	80-3-35	Maint. Shop	Concrete	1-31-68	97%
155878	80-3-27	Hydrocoat Sta.Found.	Concrete	1-9-68	100%
155879	80-3-35	Vehicle Service	Concrete	1-17-68	100%
155880	80-3-28	Hydrocoat Batch	Concrete	1-29-68	100%
155881	80-4-17	Hydrocoat Batch	Struct.	1-31-68	0%
155966	80-4-11	Jib Crane	Struct.	1-31-68	0%
155967	Varco Dwng.	Kiln # 2	Building	1-31-68	40%
155968	Varco Dwng.	Kiln # 1	Building	1-31-68	45%
155969	80-3-11	Jib & Can Test	Concrete	1-31-68	80%

M. K. Kopperud Asst.

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Pat.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
REPL COST		9,000
ESTIMATED VALUATION		$ 9,000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BO. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ INDOO ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR CT. CLS		155879
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES.	COM'L	PLN. CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155879				30.00				30.00	

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B. FORD	HOME

	FRONT	SIDE	REAR	LOT SIZE
SET BACK	100	100	100	ACREAGE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 30 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 30 00

CASH | CHECK | M.O. 0 | N.C.

RECEIVED BY

PLAN FILE # 4653

WATER GALLONS | SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐ 80-3-35 80-6-11

JOB ADDRESS: 23290 TEMESCAL

OWNER: HYDRO CONDUIT CORP.

USE OF BUILDING: VEHICLE SERVICE

DATE: 12-5-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	E	39	1	9,000	E

LEGAL DESCRIPTION: POR OF SEC 35 T4S, R6W

PERMIT NUMBER: 155879

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	CUMD	CASH
				$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Kaiser

Address P.O. Box 6549

Tel. 735-5249 Lic. #

By W. Thomas

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
		2,000
ESTIMATED VALUATION	$	2,000

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	OUTLETS - OUTLETS		
	M. SQ. FT. - UNIT HEATER		
	M. SQ. FT. - PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155879				32.00				32.00	

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			FIBER		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE

ZONING CHECKED BY

PERMIT USE NO.

	FRONT	SIDE	REAR	LOT SIZE
SET BACK				

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 30.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY

PLAN FILE #

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐ 80-3-35 80-6-11

JOB ADDRESS

OWNER

USE OF BUILDING

DATE

COMMUNITY | DISTRICT | P.C. | UNITS | VALUATION | OFFICE

LEGAL DESCRIPTION

PERMIT NUMBER 155879 ✓

SUPPLEMENT TO PERMIT

FINALED DATE	INSP. OR	GROUP	TYPE	BOND $	BOND	CASH
12-29-51						

CONTRACTOR

LICENSE-TYPE | #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/S ☐		
11	Exterior Lath		
12	Internal Lathy		
13	Exterior Grade		
14	Final	12-29-17	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ext. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPER. NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route

Land Use Div.
Road Dept.
Health Dept.
Other Dept.
Building Dept.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office: El Cerrito

Permit No.

Del. Date

OWNER	ARCHITECT	CONTRACTOR
Owner: Hydro Conduit Corp	Architect: Stevens Kuper Eck	Contractor:
Address: 23200 Temescal Cyn	Address: 23200 Temescal Cyn	Address:
City: Corona	City: Rt. 13 - Box 949 - Corona	City:
Phone: 735-5249	Phone: 735-5249	Phone:

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 12-31-67 SIGNATURE OF OWNER [signature]

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job: 23200 Temescal Cyn Rd

Legal Description of Property: E ½ of SE ¼ of Sec 31 - T 4 S R 6 W (M)

USE OF STRUCTURE

SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☐
ALTERATIONS ☐

NO. OF SUBMITTED PLANS: 3
ADDITIONAL PLOT PLANS:
CASE NO.:

TYPE OF CONSTRUCTION: Pipe Fabrication

NO. OF PARKING SPACES REQUIRED: 70 NO. OF BUILDINGS NOW EXISTING:

ZONE: M-2 SETBACKS FRONT: 100 SIDE: 10-0 REAR: 20-0

IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☐ NO ☐

SETBACK ORDINANCE # Blue OF _____ FEET REQUIRED ON _____ STREET

DATE 12-31-67 SIGNATURE OF LAND USE OFFICIAL [signature]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET _____

CURB AND GUTTER REQUIRED: YES ☐ NO ☐ _____ STREET

THE ABOVE CONSTRUCTION? YES ☐ NO ☐

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐

HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐

DATE _____ SIGNATURE OF ROAD DEPT. OFFICIAL _____

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL _____

COMMERCIAL SEWAGE _____

FOOD ESTABLISHMENT _____ SWIMMING POOLS PUBLIC _____

OTHER DEPARTMENTS

BLDG. DEPT. _____ GRADING PERMIT REQUIRED _____ PLAN CHECK _____

FLOOD CONTROL _____ WATER POLLUTION _____

AIR POLLUTION _____ DIV OF HWY. _____

REMARKS: Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

Plate # 284-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

Sears-Roebuck 155877

Permit No.	Dwng.No.	Description		Date	% Comp.
155839	80-3-13	Yard Slabs Kiln #1	Concrete		
155840	80-3-13	Yard Slabs Kiln #2	Concrete		
155841	80-3-21&22	Transfer Pits	Concrete		
155871	80-7-08	HydroCoat Electric	Electric		0%
155873	80-1-03	Septic Tank & Leach	Plumbing	12/6/47	100
155874	80-7-09	Warehouse	Electric		0%
155875	80-7-01	Underground Comd.	Electric		95%
155876	80-7-12	Vehicle Service	Electric		0%
155877	80-3-36	Maint. Shop	Concrete		50%
155878	80-3-27	Hydrocoat Sta.Found.	Concrete		
155879	80-3-35	Vehicle Service	Concrete	12-3-47	100
155880	80-3-28	Hydrocoat Batch	Concrete		
155881	80-4-17	Hydrocoat Batch	Struct.		
155966	80-4-11	Jib Crane	Struct.		
155967	Varco Dwng.	Kiln # 2	Building		
155968	Varco Dwng.	Kiln # 1	Building	12-19-47	100
155969	80-3-11	Jib & Can Test	Concrete		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
Dwl. Fl.	Sq. Ft. @		NO.			NO.		
2nd Fl.	Sq. Ft. @							
Apts.	Sq. Ft. @							
Gar.	Sq. Ft. @		POLES					
Con. P.	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
Wall	Sq. Ft. @		TRANS. ADD'L OR T. CLR.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR	H.P.		URINAL		
	Sq. Ft. @	2,000	MOTOR	H.P.		WATER PIPING		
ESTIMATED VALUATION		$ 2,000	MOTOR	H.P.		FLOOR DRAIN		
NO.	MECHANICAL FEES		MOTOR	H.P.		WATER SOFTENER		
	HEAT APPLIANCE		MOTOR	H.P.		WASHER (AUTO) (DISH)		
1	INLETS – OUTLETS		FIXTURES			GARBAGE DISPOSAL		
	M. SQ. FT. – UNIT HEATER		OUTLETS			LAUNDRY TRAY		
	M. SQ. FT. – PERF. CEILING MAT.		SUB-PANEL			KITCHEN SINK		
	APPLIANCE VENT					WATER CLOSET		
	GAS PIPE		RANGE AND/OR OVEN			LAVATORY		
	REPAIR OR ALTER		WATER HEATER			SHOWER		
	VENT SYSTEM ☐ INDD ☐ EVAP. COOL ☐		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
	COMPRESSOR		RESID. 1¢ SQ. FT.			HOUSE SEWER		
			GARAGE 1¢ SQ. FT.			GAS PIPING		
	PERMIT FEE		PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	BLDG.	ELEC.	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155880				9.00				9.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE
CONCRETE		PIERS		MEMBRANE
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SD. FND.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
E-3		

SET BACK	FRONT	SIDE	REAR
	100	100	100

LOT SIZE: 4 ACRES

PLAN CHECK FEE @	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 9 00

CASH | CHECK | M.O. | N.C.

RECEIVED BY

PLAN FILE # 4651

WATER VOLUME SERVICE YARN GAL.

LEACH LINE SQ. FT.

SEEPAGE PIT GAL.

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORPORATION

USE OF BUILDING: BOTOM PLANT FND.

DATE: 12-5-87

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	30	1	2,000	E

LEGAL DESCRIPTION: POR SEC 35 T4S, R5W

PERMIT NUMBER: 155880

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR

LICENSE-TYPE ☐

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days, if work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect; pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal

Telephone 735-2422

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Keyes

Address PO Box 548

Tel 735-5268 Lic. #

By W. H. Lowery

LETTER ☐ FILE ☐ 80-3-25 80-1-33

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
3rd	Sq. Ft. @	
Apts.	Sq. Ft. @	
Gar. &	Sq. Ft. @	
Addn.	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ [illegible]

MECHANICAL FEES

HEAT APPLIANCE	
OUTLETS — OUTLETS	
W. SQ. FT. — UNIT HEATER	
W. SQ. FT. — RADI. CEILING MAT.	
APPLIANCE VENT	
GAS PIPE	
REPAIR OR ALTER	
VENT SYSTEM ☒ HOOD ☐ EVAP. COOL ☐	
COMPRESSOR	
COMPRESSOR	
COMPRESSOR	
PERMIT FEE	

ELECTRICAL FEES

NO.		
POLES		
SIGNS		
FRAME, ADD'L OR T. POLE		
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
RESID. 1¢ SQ. FT.		
GARAGE 1¢ SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER	GEN.	ELEC.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155880									

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	FIBRE		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$

CASH	CHECK	M.O.	N.C.

RECEIVED BY

PLAN FILE # 1653

WATER/SEWER SERVICE CHARGE	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

JOB ADDRESS [illegible] TOSCAN

OWNER [illegible]

USE OF BUILDING [illegible]

DATE [illegible]

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
[illegible]	3		3	[illegible]	3

LEGAL DESCRIPTION [illegible]

PERMIT NUMBER 155880 ✓

SUPPLEMENT TO PERMIT

FINALED	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
1-31-80	[illegible]			$		

CONTRACTOR

RELEASE BOND

LICENSE-TYPE ☐ A

DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 2830 of the Labor Code, and a certificate of certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

LETTER ☐ FILE ☐

80-3-25 80-1-53

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Band Beam		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Garage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPER NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route
Land Use Div.
Road Dept.
Health Dept.
Other Dept.
Building Dept.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office Palm Springs
Permit No.
Dat. Date

OWNER

Owner Hyatt Bonnet Co. Address 73200 Fairway Dr. City Palm Desert Phone 346-8020

Architect Francis Kaye Address 73200 Fairway Dr. City Palm Desert Phone 346-8020

Contractor Address City Phone

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 10-31-67 SIGNATURE OF OWNER

Approval by Signature from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 73-200 Fairway Dr. City Palm Desert
Legal Description of Property Lot 8 of Sec 3 T 5 S R 6 E

USE OF STRUCTURE
SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☑
ALTERATIONS ☐

NO. OF SUBMITTED PLANS 3
ADDITIONAL PLOT PLANS 3
CASE NO.
TYPE OF CONSTRUCTION Commercial

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING
ZONE C-1-3 SETBACKS FRONT 100 SIDE 100 REAR 100
IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☐ NO ☐
SETBACK ORDINANCE # None OF FEET REQUIRED ON STREET
DATE 10-31-67 SIGNATURE OF LAND USE OFFICIAL

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION DIV OF HWY

REMARKS: Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

Plate # 284-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

153880

Sheet No. Two

JOB NO. DATE BY CHK'D

CUSTOMER PROJECT 6

SUBJECT

Permit No.	Dwng. No.	Description		Date	% Comp
155839	80-3-18	Yard Slabs Kiln #1	Concrete	12-29-67	100%
155840	80-3-18	Yard Slabs Kiln #2	Concrete	1-12-68	100%
155841	80-3-21&22	Transfer Pits	Concrete	1-31-68	75%
155871	80-7-08	HydroCoat Electric	Electric	1-31-68	0%
155872	80-1-03	Septic Tank & Leach	Plumbing	12-15-67	100%
155874	80-7-09	Warehouse	Electric	1-31-68	5%
155875	80-7-01	Underground Cond.	Electric	1-31-68	95%
155876	80-7-12	Vehicle Service	Electric	1-31-68	5%
155877	80-3-36	Maint. Shop	Concrete	1-31-68	97%
155878	80-3-27	Hydrocoat Sta.Found.	Concrete	1-9-68	100%
155879	80-3-35	Vehicle Service	Concrete	1-17-68	100%
155880	80-3-28	Hydrocoat Batch	Concrete	1-29-68	100%
155881	80-4-17	Hydrocoat Batch	Struct.	1-31-68	0%
155966	80-4-11	Jib Crane	Struct.	1-31-68	0%
155967	Varco Dwng.	Kiln # 2	Building	1-31-68	40%
155968	Varco Dwng.	Kiln # 1	Building	1-31-68	45%
155969	80-3-11	Jib & Can Test	Concrete	1-31-68	80%

M. F. Fogarty Plant Supt.

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
Ref.	Sq. Ft. @		POLES			Same		
Cov. P.	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
Wall	Sq. Ft. @		TRANS. AND/OR T. CAP.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR H.P.			URINAL		
MFG. UNIT		3,000	MOTOR H.P.			WATER PIPING		
ESTIMATED VALUATION	IS	3,000	MOTOR H.P.			FLOOR DRAIN		
NO.	MECHANICAL FEES		MOTOR H.P.			WATER SOFTENER		
	HEAT APPLIANCE		MOTOR H.P.			WASHER (AUTO) (DISH)		
	INLETS — OUTLETS		FIXTURES			GARBAGE DISPOSAL		
	M. SQ. FT. — UNIT HEATER		OUTLETS			LAUNDRY TRAY		
	M. SQ. FT. — PERF. BASEMENT		SUB-PANEL			KITCHEN SINK		
	APPLIANCE VENT					WATER CLOSET		
	GAS PIPE		RANGE AND/OR OVEN			LAVATORY		
	REPAIR OR ALTER		WATER HEATER			SHOWER		
	KENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
	COMPRESSOR		RESID. 1¢ 30. FT.			HOUSE SEWER		
			GARAGE 1¢ 30. FT.			GAS PIPING		
	PERMIT FEE		PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	RSH	DBL	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155881				27.00				27.00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		HAZARDOUS	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
					X	

PLASTER	DRY WALL	ROOF COVERING	CO. CAPS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B. Perry	M-3

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	300	300	100	ACREAGE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 27 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 27 00

CASH	CHECK	M.O.	N.C.
		✓	

RECEIVED BY: DB

PLAN FILE # 4654

WATER/SEWAGE DISPOSAL TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP.

USE OF BUILDING: BATCH PLANT (STMC)

DATE: 12-5-57

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
EL CERRITO	X	10	1	3,000	2

LEGAL DESCRIPTION: PCR 325 35 Tub, Bdy

PERMIT NUMBER: 155881

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				6		

CONTRACTOR:

RELEASE BOND DATE:

LICENSE-TYPE ☐ NO.

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void. 58-3-28 / 58-4-33 / 58-4-17

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. #

By [illegible]

CONCRETE & STRUCTURAL $6,000 TOTAL

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.		Sq. Ft. @
2nd Fl.		Sq. Ft. @
Port.		Sq. Ft. @
Gar.		Sq. Ft. @
Carport		Sq. Ft. @
Wall		Sq. Ft. @
		Sq. Ft. @

ESTIMATED VALUATION | $

MECHANICAL FEES

HEAT APPLIANCE	
PLATE — OUTLETS	
sq. FT. — UNIT HEATER	
sq. FT. — PERF. CEILING MAT.	
APPLIANCE VENT	
GAS PIPE	
REPAIR OR ALTER	
VENT SYSTEM ☐ HOOD ☐ EXAU. COOL ☐	
COMPRESSOR	
COMPRESSOR	
COMPRESSOR	
PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	YARDS, AND/OR T. CLS.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	FEES	DBL	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
155881									

BUILDING INFORMATION

WOOD		CONCRETE	✓	FIREPLACE		
CONCRETE		FIBER		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
					✓	

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY

PLAN FILE # 1651

WATER CLOSET GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐ CONCRETE & STRUCTURE 6,000 TOTAL

JOB ADDRESS

OWNER

USE OF BUILDING

DATE

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE

LEGAL DESCRIPTION

PERMIT NUMBER 155881

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	POSTED	CASH
3-31-65						

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void. 10-3-65 10-7-65 10-4-65

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Conc Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	3-18-65	Quadrafire
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		
DPN NO.	**PROGRESS CHECKS**		
	Residential Inspection		

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route

Land Use Div.
Road Dept.
Health Dept.
Other Dept.
Building Dept.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office: Elsinore

Permit No.

Del. Date

OWNER

Owner: Watson Cowboy Corp. Architect: Steven Wyatt & Co. Contractor:

Address: 23 Journeyman Lane Address: 23 Journeyman Lane Address:

City: Lake Elsi. City: Lake Elsi. City:

Phone: 245-3420 Phone: 245-5240 Phone:

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE: 10-31-62 SIGNATURE OF OWNER: Watson Cowboy Corp

Approved by Signature from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit

LAND USE DIVISION BUILDING AND SAFETY

Location of Job: 23-200 Journeyman Lane USE OF STRUCTURE

Legal Description of Property: W½ of SW¼ of SW¼ of Sec 29 T 5 S R 6 W SBB&M

SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☐
ALTERATIONS ☐

NO. OF SUBMITTED PLANS: 3 TYPE OF CONSTRUCTION: Lean Office
ADDITIONAL PLOT PLANS:
CASE NO.:

NO. OF PARKING SPACES REQUIRED: 10 NO. OF BUILDINGS NOW EXISTING: 2

ZONE: M-S SETBACKS FRONT: 100 SIDE: 10 REAR: 100

IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☐ NO ☐

SETBACK ORDINANCE # None OF FEET REQUIRED ON STREET

DATE: 10-31-62 SIGNATURE OF LAND USE OFFICIAL:

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET

CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET

THE ABOVE CONSTRUCTION? YES ☐ NO ☐

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐

HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐

DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL

COMMERCIAL SEWAGE

FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK

FLOOD CONTROL WATER POLLUTION

AIR POLLUTION DIV OF HWY.

REMARKS: Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

Plate # 264-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sal.	Sq. Ft. @	
Str. Ft.	Sq. Ft. @	
Fdn.	Sq. Ft. @	
Grg.	Sq. Ft. @	
Cab. P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLS.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

SERVICE NUMBER	INSP.	DOL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155900			4.50					4.50	

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		FIBRE		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
PLASTER	DRY WALL	ROOF COVERING				SQ. MTS.

ZONE: M-3

ZONING CHECKED BY: B.H.

PERMIT USE NO.: #3707

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	50	50	50	

PLAN CHECK FEE	$ 4.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 4.50

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY: Raleigh

PLAN FILE #: 4707

WATER VOLUME SEPTIC TANK: GAL.

LEACH LINE: SQ. FT.

SEEPAGE PIT: GAL.

LETTER ☐ FILE ☐

J.H.

JOB ADDRESS: 29950 TEMESCAL

OWNER: FOSTER SAND

USE OF BUILDING: SCALES & ENG.

DATE: 12-6-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
ELCERRITO	Y/N	70	—	—	2

LEGAL DESCRIPTION: FOR SEC 29 T4SR4W

PERMIT NUMBER: 155900

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				3		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner J. M. Foster

Address 915 S. HARBOR

Telephone 505-1183

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor _____

Address _____

Tel. _____ Lic. # _____

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sql Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
EST HR 2000	Sq. Ft. @	

ESTIMATED VALUATION $ 2000.-

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
1	OUTLETS	30
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
1	CONSTRUCTION POLE	2 00
1	SERVICE ENTRANCE	1 00
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	1 80

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	COML	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155900			4.50	9.00		4.80		18.30	

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	D.H.	M3 1707

LOT	FRONT	SIDE	REAR	LOT SIZE
BACK	50	50	50	

PLAN CHECK FEE	$ 4.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9.00
ELECTRICAL FEE	$ 4.80
PLUMBING FEE	$
TOTAL FEE 9.00	$ 18.30

CASH 0 CHECK M.O. N.C.

RECEIVED BY Raleigh

PLAN FILE # 4707

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 22950 TEMESCAL

OWNER FOSTER SHAW

USE OF BUILDING SCALE > FAU.

DATE 12-6-67

COMMUNITY	DISTRICT	F.D.	UNITS	VALUATION	OFFICE
ELSINORE	3/4	40	—	2000	2

LEGAL DESCRIPTION POR SEC 21 T5SR4W

PERMIT NUMBER 155900

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
1-4-68	Raigl					

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall auromatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

525-1183

NO.	OPERATION	DATE	INSPECTOR
	SUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Cook. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		
Wall Roof @	4500	

ESTIMATED VALUATION $ 4500

ELECTRICAL FEES

NO.		
POLES		
SIGNS		
TRANS. AND/OR T. CLR.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
RESID. 1¢ SQ. FT.		
GARAGE ½¢ SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.		
DRAINAGE PIPING		
DRINKING FOUNTAIN		
URINAL		
WATER PIPING		
FLOOR DRAIN		
WATER SOFTENER		
WASHER (AUTO) (DISH)		
GARBAGE DISPOSAL		
LAUNDRY TRAY		
KITCHEN SINK		
WATER CLOSET		
LAVATORY		
SHOWER		
BATH TUB		
WATER HEATER		
SEWAGE DISPOSAL		
HOUSE SEWER		
GAS PIPING		
PERMIT FEE		

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. SQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	DEK	OSL	PLN CHK FEE	CONSTR. FEE	HT. & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEE	PLAN CHECKER
155966				18 00				18 00	BRINDLEY

J	F	M	A	M	J	J	A	S	O	N	D
J	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 18 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 18 00

CASH	CHECK	M.O.	N.C.
		○	

RECEIVED BY: Daniak

PLAN FILE # 4687

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: JIB CRANE STRUCTURE

DATE: 12-14-69

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	10	1	4500	Z

LEGAL DESCRIPTION: POR SEC 35 T4S R6W

PERMIT NUMBER: 155966

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				$		

CONTRACTOR:

LICENSE-TYPE: ☐

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp

Address: 23200 Temescal

Telephone: 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Steven Kasey

Address: P.O. Box 549

Tel. 27[illegible]49 Lic. #

Witness

80-4-11

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

		Sq. Ft. @	
Liv. Fl.		Sq. Ft. @	
Gar. Fl.		Sq. Ft. @	
Por.		Sq. Ft. @	
Cov.		Sq. Ft. @	
Cov. P.		Sq. Ft. @	
Sol.	Court Rm.	Sq. Ft. @	
	1500	Sq. Ft. @	

ESTIMATED VALUATION $ 4500

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	TOILETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	REGID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	PAH	DEL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155966				18 00				18 00	BRINKLEY

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	C-H	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	18 00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	18 00

CASH ☐ CHECK ☑ M.O. ☐ N.C. ☐

RECEIVED BY Kaempf

PLAN FILE # 46-21 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL

OWNER Hyland Community Corp

USE OF BUILDING 318 Church Structure

DATE 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	10	1	4500	E

LEGAL DESCRIPTION Por SEC 35 T4S R6W SBM

PERMIT NUMBER 155966

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
4-30-68	Burkett					

CONTRACTOR

LICENSE-TYPE ☐

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hyl. Comm. Corp

Address 23200 Temescal

Telephone 735-3420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

80-4-11

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Band Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	4-30-68 Residential Inspector	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS
	Residential Inspector

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Gar. P.	Sq. Ft. @	
Wall	2000 Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION	$ 20,000	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. SQ. FT. — UNIT HEATER		
	M. SQ. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☑ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

PERMIT NUMBER	REN	DEL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155967				63 00				63 00	BRINDLEY

J J F F M M A A M M J J J J A A S S O O N N D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 63 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 63 00

CASH | CHECK # | M.O. | N.C.

RECEIVED BY Raleigh

PLAN FILE # 4700

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL

OWNER HYDRO CONDUIT CORP

USE OF BUILDING KLW #2

DATE 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	10	1	20 000	2

LEGAL DESCRIPTION PAR SEC 35 T4S R6W

PERMIT NUMBER 155967

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				S		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23 200 Temescal

Telephone 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stearns Rogers

Address P.O. Box 548

Tel. 235-5249 Lic. #

W.H. Stanley

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

Apts.	Sq. Ft. @	
Comm.	Sq. Ft. @	
Ind.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carports	Sq. Ft. @	
Wall	Sq. Ft. @	
Concrete	Sq. Ft. @	

ESTIMATED VALUATION $ 20,000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. BQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	GEN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155967				63 00				63 00	Brindley

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			FIBRE		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FTS.

ZONE	ZONING CHECKED BY	PERMIT UBS NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	63 00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	63 00

CASH ☐ CHECK ☑ M.O. ☐ N.C. ☐

RECEIVED BY Daniels

PLAN FILE # 4700

WATER VOLUME SEPTIC TANK ____ GAL. | LEACH LINE ____ SQ. FT. | SEEPAGE PIT ____ GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL

OWNER Hydro Conduit Corp

USE OF BUILDING Kiln #2

DATE 12-14-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
ELCERRITO	N	10	1	20 000	2

LEGAL DESCRIPTION Por Sec 35 T4S R6W

PERMIT NUMBER 155967

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR MS	GROUP	TYPE	BOND	BOND	CASH
4-4-69	HUGHES			$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23200 Temescal

Telephone 225-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Shaw's Pipe

Address Box 1, Norco

Tel. 735-5244 Lic. #

T. H. Hensley

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4 3 69	
28	Service Entrance		
29	Wiring	4369	
30	Fixtures	4-3-69	
31	Service		
32	Final	4369	

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Wall Conc Blk	Sq. Ft. @	
20000	Sq. Ft. @	

ESTIMATED VALUATION $ 20,000

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLN.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 12 SQ. FT.		
	GARAGE 12 SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. BTU. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155968				63.00				63.00	Ramsey

J	F	M	A	M	J	J	A	S	O	N	D
J	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	EM	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 63 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 63 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY Kayish

PLAN FILE # 4699

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 Temescal

OWNER Hydro Conduit Corp

USE OF BUILDING Kiln #1

DATE 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrit	N	10		20,000	2

LEGAL DESCRIPTION Por SEC 35 T4S R6W

PERMIT NUMBER 155968

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ A

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal

Telephone 275-7420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stearns Roger

Address Box 548

Tel. 275-5279 Lic. #

W A Stearns

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
Frame		Sq. Ft. @	NO.			NO.		
Stucco		Sq. Ft. @						
Roof		Sq. Ft. @						
Conc.		Sq. Ft. @		POLES				
Conc. Pl.		Sq. Ft. @		SIGNS			DRAINAGE PIPING	
Wall	Conc. Pl.	Sq. Ft. @		TRANS. AND/OR T. CLK.			DRINKING FOUNTAIN	
		Sq. Ft. @		MOTOR H.P.			URINAL	
	20,000			MOTOR H.P.			WATER PIPING	
ESTIMATED VALUATION		$ 20,000		MOTOR H.P.			FLOOR DRAIN	
NO.	MECHANICAL FEES			MOTOR H.P.			WATER SOFTENER	
	HEAT APPLIANCE			MOTOR H.P.			WASHER (AUTO) (DISH)	
	INLETS - OUTLETS			FIXTURES			GARBAGE DISPOSAL	
	M. BO. FT. - UNIT HEATER			OUTLETS			LAUNDRY TRAY	
	M. BO. FT. - PERF. CEILING MAT.			SUB-PANEL			KITCHEN SINK	
	APPLIANCE VENT						WATER CLOSET	
	GAS PIPE			RANGE AND/OR OVEN			LAVATORY	
	REPAIR OR ALTER			WATER HEATER			SHOWER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐			SPACE HEATER			BATH TUB	
	COMPRESSOR			CONSTRUCTION POLE			WATER HEATER	
	COMPRESSOR			SERVICE ENTRANCE			SEWAGE DISPOSAL	
	COMPRESSOR			RESID. 1¢ 60. FT.			HOUSE SEWER	
				GARAGE ½¢ 50. FT.			GAS PIPING	
	PERMIT FEE			PERMIT FEE			PERMIT FEE	

PERMIT NUMBER	BSH	OSL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155968				63.00				63.00	BRUNSELL

J F	M M	A J	N M	J J	A S	S O	N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLANTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	63 00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	63 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Dwight

PLAN FILE # 4699 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: Hydro Conduit Corp

USE OF BUILDING: Kiln # 1

DATE: 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrit	N	10 ✓		20,000	E

LEGAL DESCRIPTION: Por Sec 35 T4S R6W

PERMIT NUMBER: 155968

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
12-19-67	Forrest Duckett					

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal

Telephone 275-2411

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Henry Kaiser

Address 1924 Sun

Tel. 275-5279 Lic. #

H. Kaiser

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final Kimberly Parker 12-19-07		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

DATE RECD.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

FORM 116

Stearns-Roger

JOB NO. DATE BY CHK

CUSTOMER PROJECT

SUBJECT

Permit No.	Dwng. No.	Description		Date
155839	80-3-18	Yard Slabs Kiln #1	Concrete	
155840	80-3-18	Yard Slabs Kiln #2	Concrete	
155841	80-3-21&22	Transfer Pits	Concrete	
155871	80-7-08	HydroCoat Electric	Electric	
155872	80-1-03	Septic Tank & Leach	Plumbing	
155874	80-7-09	Warehouse	Electric	
155875	80-7-01	Underground Cond.	Electric	
155876	80-7-12	Vehicle Service	Electric	
155877	80-3-36	Maint. Shop	Concrete	
155878	80-3-27	Hydrocoat Sta.Found.	Concrete	
155879	80-3-35	Vehicle Service	Concrete	
155880	80-3-28	Hydrocoat Batch	Concrete	
155881	80-4-17	Hydrocoat Batch	Struct.	
155966	80-4-11	Jib Crane	Struct.	
155967	Varco Dwng.	Kiln # 2	Building	
155968	Varco Dwng.	Kiln # 1	Building	
155969	80-3-11	Jib & Can Test	Concrete	

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carp.	Sq. Ft. @	
Carp.	Sq. Ft. @	
Wall Cont. Flr. 1400.00	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	TOILETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RGN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155969				9.00				9.00	Bandley

J J F F M M A A M M J J J J A A S S O O N N D D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTRS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B. F.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 9 00

CASH | CHECK ☑ | M.O. | N.C.

RECEIVED BY: J. Dreo

PLAN FILE # 4679

WATER	VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 Temescal

OWNER: Hydro Conduit Corp.

USE OF BUILDING: T.B. Crowe test Structure

DATE: 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrito	N	10		1400.00	2

LEGAL DESCRIPTION: Por Sec. 35 T4S R6W

PERMIT NUMBER: 155969

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23200 Temescal

Telephone 785-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Harris Roper

Address PO Box 569

Tel. 785-5119 Lic. #

W.H. Formby

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD 1

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Carport	Sq. Ft. @	
Wall Conc. Blk. 1450.00	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	NEW	ADD.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155969			—	9.00	—	—	—	9.00	Bromley

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	NO. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	R.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 9 00

CASH | CHECK C | M.O. | N.C.

RECEIVED BY Jones

PLAN FILE # 4619

WATER | VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 22201 Temescal

OWNER Hydro Conduit Corp.

USE OF BUILDING Tile Crawl Space

DATE 12-14-62

COMMUNITY El Cerrito | DISTRICT N | F.C. 10 | UNITS | VALUATION 1450.00 | OFFICE 2

LEGAL DESCRIPTION Por Sec. 35 T4S R6W

PERMIT NUMBER 155969

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
3-21-63	[illegible]					

CONTRACTOR | LICENSE-TYPE | RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp

Address 22201 Temescal

Telephone 657-2120

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Homes Hyer

Address P.O. Box 949

Tel. 735-5241 Lic. # 21 Hyer

80-3-11

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ Y/G ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPEN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Sverdrup & Parcel

PAGE Two

JOB NO. DATE BY CHK

CUSTOMER PROJECT

SUBJECT

Permit No.	Dwng.No.	Description		Date	% Comp
155839	80-3-18	Yard Slabs Kiln #1	Concrete	12-29-67	100
155840	80-3-18	Yard Slabs Kiln #2	Concrete	1-12-68	100
155841	80-3-21&22	Transfer Pits	Concrete	2-27-68	100
155871	80-7-08	HydroCoat Electric	Electric	2-29-68	0
155872	80-1-03	Septic Tank & Leach	Plumbing	12-15-67	100
155874	80-7-09	Warehouse	Electric	2-29-68	10
155875	80-7-01	Underground Cond.	Electric	2-29-68	97
155876	80-7-12	Vehicle Service	Electric	2-29-68	5
155877	80-3-36	Maint. Shop	Concrete	2-29-68	97
155878	80-3-27	Hydrocoat Sta.Found.	Concrete	1-9-68	100
155879	80-3-35	Vehicle Service	Concrete	1-17-68	100
155880	80-3-28	Hydrocoat Batch	Concrete	1-29-68	100
155881	80-4-17	Hydrocoat Batch	Struct.	2-29-68	90
155966	80-4-11	Jib Crane	Struct.	2-29-68	0
155967	Varco Dwng.	Kiln # 2	Building	2-29-68	60
155968	Varco Dwng.	Kiln # 1	Building	2-29-68	80
[illegible]	80-3-11	Jib & Can Test	Concrete	2-6-68	100

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Liv. Ft.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Port.	Sq. Ft. @	
Sun.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Misc.	Sq. Ft. @	
Cost Est.	Sq. Ft. @	
2500		

ESTIMATED VALUATION $

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. BO. FT. — UNIT HEATER		
	M. BO. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. BLK.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	REM	COL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
155970				12.00				12.00	Brindley

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE: M-3 | ZONING CHECKED BY: B.H. | PERMIT USE NO.:

SET BACK: FRONT — | SIDE — | REAR —

LOT SIZE:

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 12 00

CASH | CHECK C | M.O. | N.C.

RECEIVED BY: Jones

PLAN FILE # 4669

WATER VOLUME SEPTIC TANK: GAL. | LEACH LINE: SQ. FT. | SEEPAGE PIT: GAL.

LETTER ☐ FILE ☐

Foundation ONLY

JOB ADDRESS: 23200 Temescal

OWNER: Hydro Conduit Corp

USE OF BUILDING: Prestressed Fwd.

DATE: 8-14-67

COMMUNITY: Lake Comp. 12 | DISTRICT: N | F.C.: 10 | UNITS: | VALUATION: 2500.00 | OFFICE: 2

LEGAL DESCRIPTION: Por Sec 35 T4S R6W

PERMIT NUMBER: 155970

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR: | RELEASE BOND DATE:

LICENSE-TYPE ☐ #:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23-200 Temescal

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Sherwood Roper Corp

Address P.O. Box 529

Tel 735-5249 Lic. # With Foreman

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Est Cost	Sq. Ft. @	
ESTIMATED VALUATION	$	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. BO. FT. — UNIT HEATER	
	M. BO. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ M'OD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLS.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	R&R	DSL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155970				12.00				12.00	Bradley

U		F		M		A		M		J		J		A		S		O		N		D		

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
				X		

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	12 00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	12 00

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY: Jones

PLAN FILE # 4669 ✓

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

Foundation Only 80-3-24

JOB ADDRESS: 23200 Temescal

OWNER: Hydro Conduit Corp

USE OF BUILDING: PRESTRESSTA Fabd.

DATE: 12-19-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrito	N	NO		2500.00	2

LEGAL DESCRIPTION: Por Sec 35 T 4S R 6W

PERMIT NUMBER: 155970

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
1-31-68	Formerly Blank			$		

CONTRACTOR:

LICENSE-TYPE ☐ #

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit

Address: 23-200 Temescal

Telephone: 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Henry Ryan Corp

Address: P.O. Box 549

Tel 235-5349 Lic.# Witnessed

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Band Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPEN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Stearns-Roger Corporation

PAGE Three of

JOB NO. DATE BY CHK

CUSTOMER PROJECT

SUBJECT

Permit No.	Dwg. No.	Description		Date	% Comp
155970	80-3-24	PreStress Sta. Found	Concrete	1-12-68	100%
155972	Varco Dwng.	Warehouse	Building	1-31-68	30%
156024	80-3-05	Pour Station # 1	Concrete	1-19-68	100%
156025	80-3-31	Sand Hopper Pit	Concrete	1-12-68	100%
156026	80-3-03	Central Batch Plant	Concrete	1-23-68	100%
156133	80-3-34	Cage Building (LSR)	Concrete	1-31-68	0%
156134	80-3-26	Wire Storage Bldg.	Concrete	1-31-68	0%

W. H. Farnsley
Plant Supt.

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Ft.		Sq. Ft. @
Ft.		Sq. Ft. @
		Sq. Ft. @
Roof		Sq. Ft. @
Cor P.		Sq. Ft. @
Wall	Const	Sq. Ft. @
	3600	Sq. Ft. @

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. SQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLS.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. ¢ SQ. FT.		
	GARAGE ¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	MSN	GBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155971			7.50						

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	E.H	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$ 7.50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 7.50

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Kaisigh

PLAN FILE # 4716

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: CENTRAL BATCH PLANT FND

DATE: 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	VII	70		—	2

LEGAL DESCRIPTION: POR SEC 35 T4S R6W

PERMIT NUMBER: 155971

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp

Address: 23200 Temescal Cyn

Telephone: 935-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Slavin Layer

Address: P.O. Box 548

Tel. 735-5249 Lic. #

80-3-03

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

1 Fl.	Sq. Ft. @	
2 Fl.	Sq. Ft. @	
Bsmt.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Roof	Sq. Ft. @	
3500		

ESTIMATED VALUATION $

MECHANICAL FEES

NO.

HEAT APPLIANCE			
OUTLETS — OUTLETS			
M. BTU. FT. — UNIT HEATER			
M. BTU. FT. — PERF. CEILING MAT.			
APPLIANCE VENT			
GAS PIPE			
REPAIR OR ALTER			
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐			
COMPRESSOR			
COMPRESSOR			
COMPRESSOR			
PERMIT FEE			

ELECTRICAL FEES

NO.

POLES			
SIGNS			
TRANS. AND/OR T. CLK.			
MOTOR	H.P.		
MOTOR	H.P.		
MOTOR	H.P.		
MOTOR	H.P.		
MOTOR	H.P.		
FIXTURES			
OUTLETS			
SUB-PANEL			
RANGE AND/OR OVEN			
WATER HEATER			
SPACE HEATER			
CONSTRUCTION POLE			
SERVICE ENTRANCE			
RESID. 1¢ SQ. FT.			
GARAGE 1¢ SQ. FT.			
PERMIT FEE			

PLUMBING FEES

NO.

DRAINAGE PIPING			
DRINKING FOUNTAIN			
URINAL			
WATER PIPING			
FLOOR DRAIN			
WATER SOFTENER			
WASHER (AUTO) (DISH)			
GARBAGE DISPOSAL			
LAUNDRY TRAY			
KITCHEN SINK			
WATER CLOSET			
LAVATORY			
SHOWER			
BATH TUB			
WATER HEATER			
SEWAGE DISPOSAL			
HOUSE SEWER			
GAS PIPING			
PERMIT FEE			

PERMIT NUMBER	RGN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155971			7.50	15.00					

J F M A M J J A S O N D
J F M A M J J A S O N D

BUILDING INFORMATION

WOOD			CONCRETE	X	FIREPLACE	
CONCRETE	X		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.M	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 7	50
MECHANICAL FEE	$	
CONSTRUCTION FEE	$ 15	00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$ 7	50

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Kavanagh

PLAN FILE # 4716

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23300 Temescal

OWNER: Hyun Chung Cho

USE OF BUILDING: Central Baptist Church

DATE: 12-14-67

COMMUNITY: El Cerrito | DISTRICT: NW | P.C.: 29 | UNITS | VALUATION | OFFICE: 2

LEGAL DESCRIPTION: For Sec 35 T4S R6W

PERMIT NUMBER: 155971

SUPPLEMENT TO PERMIT: -

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-26-67	Cmyl			S		

CONTRACTOR | RELEASE BOND

LICENSE-TYPE ☐ | DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and on a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hyun Chung Cho

Address 23300 Temescal, El Cerrito

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. #

80-3-03

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & PRMS		
3	Steel		
4	Grout Blocks		
5	Band Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ext. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPER NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 8800

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BTU. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	OBL	PLR CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
155972				88.00				88.00	BRINDLEY

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.
		METAL	

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 88.00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 88.00

CASH | CHECK | C | M.O. | N.C.

RECEIVED BY: Barish

PLAN FILE # 4701

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: S 3200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: WAREHOUSE

DATE: 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	10		29000	2

LEGAL DESCRIPTION: POR SEC 35 T4S R6W

PERMIT NUMBER: 155972

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23-200 Torrance Blvd

Telephone 775-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Kaye

Address P.O. Box 549

Tel. 735-5249 Lic. #

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

Fr.	Sq. Ft. @	
Mas. Ft.	Sq. Ft. @	
Tile	Sq. Ft. @	
Stone	Sq. Ft. @	
Cor. F.	Sq. Ft. @	
Roll	Comp Sq. Ft. @	
	24000 Sq. Ft. @	
ESTIMATED VALUATION	$ 24000	

ELECTRICAL FEES

NO.		
	FOLED	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.	
	HEAT APPLIANCE
	INLETS — OUTLETS
	SQ. FT. — UNIT HEATER
	SQ. FT. — PERF. CEILING MAT.
	APPLIANCE VENT
	GAS PIPE
	REPAIR OR ALTER
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐
	COMPRESSOR
	COMPRESSOR
	COMPRESSOR
	PERMIT FEE

PERMIT NUMBER	REM	COL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155972				86.00				86.00	BRINKEY

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.
		METAL	

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 86
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 86

CASH | CHECK | C | M.O. | N.C.

RECEIVED BY: Design

PLAN FILE # 4701 ✓

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 33200 TEMECHL

OWNER: Hoke Construction Co

USE OF BUILDING: WAKE HOUSE

DATE: 12-14-67

COMMUNITY: EL CERRITO | DISTRICT: N | F.C.: 10 ✓ | UNITS:

VALUATION: 24000

OFFICE: 2

LEGAL DESCRIPTION: POR SEC 35 T4S R6W

PERMIT NUMBER: 155972

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
4-30-68	Quevedo			$		

CONTRACTOR:

LICENSE-TYPE ☐ #

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hoke Construction Co

Address 23-200 Temescal

Telephone 235-2421

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. 235-5[illegible] Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	4-30-85 Rucker	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPER. NO.	PROGRESS CHECKS
	Residential Inspector

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Apt.	Sq. Ft. @	
Ind. Ft.	Sq. Ft. @	
Flr.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
6 x T. $240	Sq. Ft. @	

ESTIMATED VALUATION $

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - RADT. CEILING/WALL	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	RES	COML	PLAN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155973			6 00					6 00	

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FTG.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.M.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 6 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 6 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Kavish

PLAN FILE # 4715

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 JEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: POWER STATION #1

DATE: 12-14-67

COMMUNITY: EL CERRITO | DISTRICT: Y/W | P.C.: 70 | UNITS | VALUATION: — | OFFICE: Z

LEGAL DESCRIPTION: PORSEC 35 T4S R6W

PERMIT NUMBER: 155973

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workman's Compensation Laws of the State of California.

Owner: Hydro Conduit

Address: 23200 Jemesal Cal

Telephone: 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Stevens Kyan

Address: PO Box 549

Tel. 235-2249 Lic. #

W.H. Foreman

80-3-05

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

		Sq. Ft. @	
Liv.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Cov. P.		Sq. Ft. @	
Wall	Block	Sq. Ft. @	
	Patio	Sq. Ft. @	
		Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. SQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING HEAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	BDR	GRL	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155973			6.00	15.00				6.00	

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$ 6.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 6.00

CASH	CHECK	M.O.	N.C.
		0	

RECEIVED BY: D. Lingle

PLAN FILE # 4715

WATER VOLUME DEPTH TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23300 Temescal

OWNER: Hyuko Corporation

USE OF BUILDING: Bus Station #1

DATE: 12-14-79

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrito	4/Rb	26		—	2

LEGAL DESCRIPTION: Parcel 35 T4S R6W

PERMIT NUMBER: 155973

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-20-79	[illegible]			$		

CONTRACTOR:

LICENSE-TYPE ☐ #

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hyuko Corporation

Address: 23300 Temescal

Telephone: 935-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: [illegible]

Address: [illegible]

Tel: [illegible] Lic. #

80-3-05

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Hard Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compartment		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

CPN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Conf	Sq. Ft. @	
600	Sq. Ft. @	
ESTIMATED VALUATION		$

MECHANICAL FEES

HEAT APPLIANCE		
INLETS - OUTLETS		
M. SQ. FT. - UNIT HEATER		
M. SQ. FT. - PERF. CEILING MAT.		
APPLIANCE VENT		
GAS PIPE		
REPAIR OR ALTER		
VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
COMPRESSOR		
COMPRESSOR		
COMPRESSOR		
PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS	@	
	TRANS. AND/OR T. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	REGID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	GRAVITY PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155974			4 50					4 50	

J J F F M M A A M M J J J J A A S S O O N N D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SD. WND.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	B.H	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$ 4 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 4 50

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY: Raigh

PLAN FILE #: 4712

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

MC 80-3-31

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT

USE OF BUILDING: NURSERY STOCK AND MAPER

DATE: 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	4	70		—	7

LEGAL DESCRIPTION: FOR SEC 35 T4S R6W

PERMIT NUMBER: 155974

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23200 Temescal

Telephone 235-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Bros

Address P.O. Box 549

Tel. 735-5248 Lic. #

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
1st Fl.		Sq. Ft. @	NO.			NO.		
2nd Fl.		Sq. Ft. @						
Bsmt.		Sq. Ft. @						
Gar.		Sq. Ft. @		POLES				
Cov. P.		Sq. Ft. @		SIGNS			DRAINAGE PIPING	
Wall	Conf	Sq. Ft. @		TRANS. AND/OR T. ELE.			DRINKING FOUNTAIN	
		Sq. Ft. @		MOTOR	H.P.		URINAL	
ESTIMATED VALUATION	$			MOTOR	H.P.		WATER PIPING	
NO.	MECHANICAL FEES			MOTOR	H.P.		FLOOR DRAIN	
	HEAT APPLIANCE			MOTOR	H.P.		WATER SOFTENER	
	INLETS — OUTLETS			MOTOR	H.P.		WASHER (AUTO) (DISH)	
	M. BU. FT. — UNIT HEATER			FIXTURES			GARBAGE DISPOSAL	
	M. SQ. FT. — PERF. CEILING MAT.			OUTLETS			LAUNDRY TRAY	
	APPLIANCE VENT			SUB-PANEL			KITCHEN SINK	
	GAS PIPE						WATER CLOSET	
	REPAIR OR ALTER			RANGE AND/OR OVEN			LAVATORY	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐			WATER HEATER			SHOWER	
	COMPRESSOR			SPACE HEATER			BATH TUB	
	COMPRESSOR			CONSTRUCTION POLE			WATER HEATER	
	COMPRESSOR			SERVICE ENTRANCE			SEWAGE DISPOSAL	
				RESID. ¢ SQ. FT.			HOUSE SEWER	
				GARAGE ¢ SQ. FT.			GAS PIPING	
	PERMIT FEE			PERMIT FEE			PERMIT FEE	

PERMIT NUMBER	GEN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155974			4 50	9 00				4 50	

J	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-2	D.H	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$ 4 50
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 4 50

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Enright

PLAN FILE #: 4712

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 33200 Temescal

OWNER: Hyde Conduit

USE OF BUILDING: Hydr. ANT Sand Haven

DATE: 12-14-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
El Cerrito	4M	10		—	Z

LEGAL DESCRIPTION: Pole 35 Tas NW

PERMIT NUMBER: 155974

SUPPLEMENT TO PERMIT:

*FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
12-26-67	Rodriguez			$		

CONTRACTOR:

LICENSE-TYPE ☐ #:

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hyde Conduit Co

Address: 33200 Temescal

Telephone: 735-2466

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Hyde Conduit Co

Address: P.O. Box 549

Tel. 735-2466 Lic. #

68-3-31

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & PRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Flr.		Sq. Ft. @	
2nd Flr.		Sq. Ft. @	
Pat.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Carp.		Sq. Ft. @	
Wall	Contra	Sq. Ft. @	
	2340	Sq. Ft. @	
ESTIMATED VALUATION		$ 2340	

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. BO. FT. — UNIT HEATER		
	M. BO. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES	@	
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	HEN	COOL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156024				12 00				12 00	BPINDLEY

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 12 00

CASH	CHECK	M.O.	N.C.
	✓		

RECEIVED BY: K Conrad

PLAN FILE # 4715

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 53200 TEMESCAL — OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: POWER STATION # 1 — DATE: 12-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	20	1	2340	Z

LEGAL DESCRIPTION: FOR SEC 35 T4S R6W — PERMIT NUMBER: 156024 — SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
				B		

CONTRACTOR — RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit Corp

Address: 53200 Temescal

Telephone: 735-2820

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Stearns Rumel

Address: P.O. Box 549

Tel. 735-5749 Lic. #

W H Stearns

80-305

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall CONTROL	Sq. Ft. @	
$240	Sq. Ft. @	

ESTIMATED VALUATION $ 3240

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS ~ OUTLETS		
	M. BQ. FT. ~ UNIT HEATER		
	M. BQ. FT. ~ PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156024				12 00				12 00	BINDLEY

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE	X		PIERS	X	MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	LH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 12 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 12 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: [illegible]

PLAN FILE # 4715

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23300 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: FOUR STATION #1

DATE: 12-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
ELCENTRO	N	20	1	3240	Z

LEGAL DESCRIPTION: FOR SEC 35 T4S R6W

PERMIT NUMBER: 156024

SUPPLEMENT TO PERMIT:

FINAL DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
1-31-68	Formby [illegible]			$		

CONTRACTOR:

LICENSE TYPE ☐ #

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit [illegible]

Address 23300 Temescal

Telephone 245 2426

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3300 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. #

80-305

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grou. Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		
	PROGRESS CHECKS		

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Stearns-Roger

PAGE Three of 4

JOB NO. DATE BY CHK'D

CUSTOMER PROJECT

SUBJECT

Permit No.	Dwng.No.	Desoription		Date	% Comp
155970	80-3-24	PreStress Sta.Found	Concrete	1-12-68	100%
155972	Varco Dwng.	Warehouse	Building	1-31-68	30%
156024	80-3-05	Pour Station # 1	Concrete	1-19-68	100%
156025	80-3-31	Sand Hopper Pit	Concrete	1-12-68	100%
156026	80-3-03	Central Batch Plant	Concrete	1-23-68	100%
156133	80-3-34	Cage Building(LSR)	Concrete	1-31-68	0%
156134	80-3-26	Wire Storage Bldg.	Concrete	1-31-68	0%

W Kennedy
Plant Supt.

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Flr.		Sq. Ft. @
2nd Flr.		Sq. Ft. @
Pat.		Sq. Ft. @
Gar.		Sq. Ft. @
Car P.		Sq. Ft. @
Wall	Conc Tilt	Sq. Ft. @
	2000	Sq. Ft. @

ESTIMATED VALUATION $ 2000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. BQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR SP. EQUIP.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156025				9 00				9 00	BRINDLEY

J J F F M M A A M M J J J J A A S S O O N N D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 9 00

CASH | CHECK C. | M.O. | N.C.

RECEIVED BY Raleigh

PLAN FILE # 4717

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL

OWNER Hydro Conduit Corp

USE OF BUILDING HYDROCOAT SAND HOPPER

DATE 12-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	10	1	2000	Z

LEGAL DESCRIPTION FOR SEC 35 T4S R6W

PERMIT NUMBER 156025

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND NO.	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 23200 Temescal Cyn

Telephone 735-2220

80-5-31

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Steven Rowe

Address P.O. Box 549

Tel. 735-5249 Lic. # W Hamilton

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD 1

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Pol.	Sq. Ft. @	
Gal.	Sq Ft. @	
Car P.	Sq. Ft. @	
Wall Conc Tilt	Sq. Ft. @	
2000	Sq. Ft. @	

ESTIMATED VALUATION $ 2000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BO. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ WOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	REMOD. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156025				9 00				9 00	BRUNER

J	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-3	ASH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 9 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Raleigh

PLAN FILE # 4017

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: Hydro Conduit Corp

USE OF BUILDING: HYDROCOAT SAND HOPPER

DATE: 12-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	10	1	2000	Z

LEGAL DESCRIPTION: PER SEC 35 T4S R6W

PERMIT NUMBER: 156025

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
1-3-68	Foundry by Clerk			$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

80-3-31

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Stearns-Rogers Corporation

PAGE Texas 4

JOB NO. DATE BY CHK

CUSTOMER PROJECT

SUBJECT

Permit No.	Dwng. No.	Description		Date	% Comp
155970	80-3-24	PreStress Sta. Found	Concrete	1-12-68	100%
155972	Varco Dwng.	Warehouse	Building	1-31-68	30%
156024	80-3-05	Pour Station # 1	Concrete	1-19-68	100%
156025	80-3-31	Sand Hopper Pit	Concrete	1-12-68	100%
156026	80-3-03	Central Batch Plant	Concrete	1-23-68	100%
156133	80-3-34	Cage Building (LSR)	Concrete	1-31-68	0%
156134	80-3-26	Wire Storage Bldg.	Concrete	1-31-68	0%

W. H. Hornby
Plant Supt.

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
1st Fl.	Sq. Ft. @		NO.			NO.		
2nd Fl.	Sq. Ft. @							
Por.	Sq. Ft. @							
Gar.	Sq. Ft. @		POLES			DRAINAGE PIPING		
Car P.	Sq. Ft. @		SIGNS			DRINKING FOUNTAIN		
Wall Conc. Blk. 3500	Sq. Ft. @		TRANS. AND/OR T. CLR.			URINAL		
	Sq. Ft. @		MOTOR H.P.			WATER PIPING		
ESTIMATED VALUATION	$ 3500		MOTOR H.P.			FLOOR DRAIN		
NO.	MECHANICAL FEES		MOTOR H.P.			WATER SOFTENER		
	HEAT APPLIANCE		MOTOR H.P.			WASHER (AUTO) (DISH)		
	INLETS — OUTLETS		FIXTURES			GARBAGE DISPOSAL		
	M. SQ. FT. — UNIT HEATER		OUTLETS			LAUNDRY TRAY		
	M. SQ. FT. — PERF. CEILING MAT.		SUB-PANEL			KITCHEN SINK		
	APPLIANCE VENT					WATER CLOSET		
	GAS PIPE		RANGE AND/OR OVEN			LAVATORY		
	REPAIR OR ALTER		WATER HEATER			SHOWER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		SPACE HEATER			BATH TUB		
	COMPRESSOR		CONSTRUCTION POLE			WATER HEATER		
	COMPRESSOR		SERVICE ENTRANCE			SEWAGE DISPOSAL		
	COMPRESSOR		RESID. 1¢ SQ. FT.			HOUSE SEWER		
			GARAGE ½¢ SQ. FT.			GAS PIPING		
	PERMIT FEE		PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	RES	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156026				15 00				15 00	BRINDLEY

J F	F F	M M	A A	M M	J J	J J	A A	S S	O O	N N	D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FTS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-1	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	15 00
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$	15 00

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY Lavingh

PLAN FILE # 4716

WATER VOLUME	SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL

OWNER HYDRO CONDUIT CORP

USE OF BUILDING NEUTRAL BATCH PLANT

DATE 12-20-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
EL CERRITO	D	20	1	3500	2

LEGAL DESCRIPTION NE SEC 35 T4S R6W

PERMIT NUMBER 156026

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit

Address 2320 Temescal Cyn.

Telephone 235-2+200

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens Ryan

Address PO Box 549

Tel 275-5249 Lic. # WH Homeowner

80-3-03

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq Ft @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Cont Tilt. 3500	Sq. Ft. @	

ESTIMATED VALUATION $ 3500

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156026				15⁰⁰				15⁰⁰	BUHLEY

J F M A M J J A S O N D

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-1	BH.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
		—	—	

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 15 ⁰⁰
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 15 ⁰⁰

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY Overnight

PLAN FILE # 4716

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

80-3-03

JOB ADDRESS 23200 TEMESCAL

OWNER HYPKO COMMUNITY CORP

USE OF BUILDING CENTRAL BATCH MANUFACTURING

DATE 12-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	IV	20	1	3500	2

LEGAL DESCRIPTION NE SEC 35 T4S R6W

PERMIT NUMBER 156026

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
1-31-68	Buckley	Tenney		$		

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPEN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

FORM 114

Stearns-Roger
CORPORATION

JOB NO. DATE BY CH'K

CUSTOMER PROJECT

SUBJECT

Permit No.	Dwng.No.	Description		Date	% Comp
155970	80-3-24	PreStress Sta.Found	Concrete	1-12-68	100%
155972	Varco Dwng.	Warehouse	Building	1-31-68	30%
156024	80-3-05	Pour Station # 1	Concrete	1-19-68	100%
156025	80-3-31	Sand Hopper Pit	Concrete	1-12-68	100%
156026	80-3-03	Central Batch Plant	Concrete	1-23-68	100%
156133	80-3-34	Cage Building(LSR)	Concrete	1-31-68	0%
156134	80-3-26	Wire Storage Bldg.	Concrete	1-31-68	0%

W.H. Formby
Plant Supt.

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @ 5 Cost	
	Sq. Ft. @	
	5000	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. SQ. FT. — UNIT HEATER		
	M. SQ. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLKS.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	RRN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156027			12 00					12 00	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER
PLASTER	DRY WALL	ROOF COVERING				BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-1	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 12 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 12 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Kavish

PLAN FILE # 4721

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT Corp

USE OF BUILDING: WIRE STORAGE FND

DATE: 12-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	Y/N	70		—	Z

LEGAL DESCRIPTION: PAR SEC 35 T4S R6W

PERMIT NUMBER: 156027

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp.

Address 23200 Temescal Cyn

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Stevens River

Address P.O. Box 5490

Tel. 735-5249 Lic. #

W. F. Hominy

80-3-26

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLK.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. # SQ. FT.	
	GARAGE # SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156027			12					12	

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-1	B.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 12	CC
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$ 12	CC

CASH	CHECK	M.O.	N.C.
			✓

RECEIVED BY: Raingh

PLAN FILE # 4121

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23a. TEMESCAL

OWNER: Hyuka Conduit Corp

USE OF BUILDING: WATER STORAGE TANK

DATE: 12-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	YW	76		—	2

LEGAL DESCRIPTION: 16 R SEC 35 T 4 S

PERMIT NUMBER: 156027

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
1-4-68	Raingh			$		

CONTRACTOR

RELEASE BOND DATE

LICENSE-TYPE ☐ #

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

80-3-26

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
9	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPEN NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
3060		

ESTIMATED VALUATION $

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	BLDG TRAP	
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156028			15 00					15 00	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		FIBRO		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

ZONE: M-3 | ZONING CHECKED BY: B.H. | PERMIT USE NO. PARCEL 35

SET BACK: FRONT — | SIDE — | REAR —

LOT SIZE

PLAN CHECK FEE	$ 15 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 15 00

CASH	CHECK	M.O.	N.C.

RECEIVED BY: Kaisigh

PLAN FILE # 4720

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: CABLE STRUCTURE FND

DATE: 12-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	Y/N	70			2

LEGAL DESCRIPTION: PARCEL 35 T4S R6W

PERMIT NUMBER: 156028

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hydro Conduit Corp

Address 23200 Temescal Cyn.

Telephone 735-2420

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor Steven Ryan

Address P.O. Box 5249

Tel. 735-5249 Lic. #

80-3-34

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.		Sq. Ft. @	
2nd Fl.		Sq. Ft. @	
Por.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Car P.		Sq. Ft. @	
Wall	ESTOS	Sq. Ft. @	
	3060	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.			
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. SQ. FT. — UNIT HEATER		
	M. SQ. FT. — PERF. CEILING MAT.		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐		
	COMPRESSOR		
	COMPRESSOR		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156028			15 00					15 00	

J	F	M	A	M	J	J	A	S	O	N	D
J	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	CO. RMS.

ZONE: M-3 | ZONING CHECKED BY: B.H. | PERMIT USE NO.: 12

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$ 15 00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 15 00

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Raisch

PLAN FILE # 4720

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CO

USE OF BUILDING: AGE STRUCTURE END

DATE: 12-20-67

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
ELSINORE	Y/N	75		—	2

LEGAL DESCRIPTION: PTN SEC 35 T4S R6W

PERMIT NUMBER: 156028

SUPPLEMENT TO PERMIT

FINAL DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
1-4-68	Raisch					

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner

Address

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

50-3-34

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPER. NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Floor	Sq. Ft. @	
Foundation	Sq. Ft. @	
Roof	Sq. Ft. @	
Garage	Sq. Ft. @	
Carport	Sq. Ft. @	
Wall Coating	Sq. Ft. @	

ESTIMATED VALUATION $ 2000

MECHANICAL FEES

No.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

No.			
	FOUR		
	SIGNS		
	TRANS. AND/OR CONV. CAP.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
6	OUTLETS		2.00
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
1	CONSTRUCTION POLE		3.00
1	SERVICE ENTRANCE		1.00
	RESID. 1M SQ. FT.		
	GARAGE 1M SQ. FT.		
1	PERMIT FEE		1.00

PLUMBING FEES

No.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	OBL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT.	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156123				9.00		4.20		13.20	FRIENDLY

J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. & MBS.

ZONE: M1-3 | PLANS CHECKED BY: E.H. | PERMIT USE NO.: M-3 207

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	50	15	50	

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$ 9.00
ELECTRICAL FEE	$ 4.20
PLUMBING FEE	$
TOTAL FEE	$ 13.20

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY: Original | PLAN FILE #: 4-707

WATER VOLUME REQ'D: ____ GAL. | TANK | LEACH LINE: ____ SQ. FT. | SEEPAGE PIT: ____ GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 22950 TEMESCAL | OWNER: FOSTER, SHRO

USE OF BUILDING: SCALES FND. | DATE: 1-4-68

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	10	1	2000	2

LEGAL DESCRIPTION: FOR SEC 21 T4S R6W | PERMIT NUMBER: 156123 | SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR: | RELEASE BOND DATE:

LICENSE-TYPE: ☐ #

In accordance with Sec. 202-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [signature]

Address 215 S. HARBOR

Telephone 525-1183

FULLERTON, CAL.

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor _____

Address _____

Tel. _____ Lic. # _____

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD 1

CONSTRUCTION ESTIMATE

1st Flr.	Sq. Ft. @	
2nd Flr.	Sq. Ft. @	
Fdn.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Cost Est.	Sq. Ft. @	

ESTIMATED VALUATION $ 2000

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M.BTU. PER — UNIT HEATER	
	M. BTU. PER — PERF. CEILING HGT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT. WATER ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERM. FAN	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CUR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
1	OUTLETS	30
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
1	CONSTRUCTION POLE	2 00
1	SERVICE ENTRANCE	2 00
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
1	PERMIT FEE	1 00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	FEN	GAL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKED
156123				9 00		4 30		13 30	RUMBLEY

C	F	M	A	R	J	J	A	S	O	H	D	L

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-M-3	J.H.	M-3 707

SET	FRONT	SIDE	REAR	LOT SIZE
BACK	50	50	50	

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE	$	9 00
ELECTRICAL FEE	$	4 30
PLUMBING FEE	$	
TOTAL FEE	$	13 30

CASH	CHECK	M.O.	H.C.

RECEIVED BY: Hughes

PLAN FILE # 470T

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 22950 Temescal

OWNER: Foster Sand

USE OF BUILDING: SCALE: F.D.

DATE: 1-4-68

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
ELSINORE	N	10	1	2000	2

LEGAL DESCRIPTION: Ptn Sec 19 T4S R4W

PERMIT NUMBER: 156123

SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
1-10-68	Hughes			$		

CONTRACTOR:

LICENSE-TYPE ☐ $

RELEASE BOND DATE:

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [signature]

Address 115 S. Main

Telephone 525-1152

Foreman for Owner

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800, of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor _____

Address _____

Tel. _____ Lic. # _____

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	1-10-69	Hughes
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring	1-10-69	Hughes
30	Fixtures	1-10-69	Hughes
31	Service	1-10-69	Hughes
32	Final	1-10-69	Hughes

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS
28	Not Ready Water 1-9-69
	Foundation inspected by
	Engineer for Seale Co. Hughes
	1-12-69

SEWER DISPOSAL LOCATION

SCALE

PRINT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route

Land Use Div. ✓
Road Dept. ✓
Health Dept. ✓
Other Dept. ✓
Building Dept. ✓

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office Temescal
Permit No.
Del. Date

OWNER

Owner Mr. Leonard L. Cesario
Address 915 S. Harbor Blvd
City Fullerton Calif.
Phone

Architect
Address
City
Phone

Contractor
Address
City
Phone

I (we) the undersigned, hereby certify and acknowledge that I (we) have read this application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 11-25-67 SIGNATURE OF OWNER [signature]

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 32-950 Temescal Cyn. Rd
Legal Description of Property Pcl 4 Sec 25 T4S R6W SBB&M

NO. OF SUBMITTED PLANS
ADDITIONAL PLOT PLANS
CASE NO. R-3 # 707

TYPE OF CONSTRUCTION

USE OF STRUCTURE
SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☐
ALTERATIONS ☐

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING
ZONE R-A-1 SETBACKS FRONT 50' SIDE 20' REAR 50'
IF 1 - 50 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. RECEIVED YES ☑ NO ☐
SETBACK ORDINANCE # None OF FEET REQUIRED ON STREET
DATE 11-25-67 SIGNATURE OF LAND USE OFFICIAL [signature]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☑ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☑ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE 12-5-67 SIGNATURE OF ROAD DEPT. OFFICIAL [signature]

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE Septic Tank & Leach Line
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION N/A DIV. OF HWY.

REMARKS: Your property may be subject to flood. Riverside County assumes no responsibility in event of flood.

Plate # 284-199

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Carport		
3060		
ESTIMATED VALUATION	$	3060

MECHANICAL FEES

NO.		
	HEAT APPLIANCES	
	INLETS — OUTLETS	
	M. SQ. FT. — UNIT HEATER	
	M. SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HIGH ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	SIGNS		
	TRANS. AND/OR SQ. FT. CLG.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION HOLE		
	SERVICE ENTRANCE		
	RESID. 1-50 FT.		
	GARAGE 1-50 FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	DENTAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	COM	PLN CHK FEE	COMBIN. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15633			1.50	1.50				3.00	R.L.V.

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE		
CONCRETE	X	PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE: M-3 | TOWNS CHECKED BY: A.H. | PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE (CLEARED)	$
MISCELLANEOUS Carport	$
STATE OF CALIF. CONSTRUCTION FEE 3.00	$ 1.50
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 1.50

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

EXAMINED BY: Rashid | PLAN FILE #: 4720

WATER | VOLUME SEPTIC TANK: GAL. | LEACH LINE: SQ. FT. | SEEPAGE PIT: GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL | OWNER: Hydro Conduit Corp

USE OF BUILDING: One Structure Fwd | DATE: 1-4-68

COMMUNITY	DISTRICT	T.C.	UNITS	VALUATION	OFFICE
El Cerrito	2	12		3060	Z

LEGAL DESCRIPTION: Sec 35 T4S R6W | PERMIT NUMBER: 15633 | SUPPLEMENT TO PERMIT:

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH

CONTRACTOR: | RELEASE BOND DATE:

LICENSE-TYPE ☐ | a

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 90 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit

Address: 23200 Temescal Rd

Telephone:

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: [illegible]

Address: 23200 Temescal

Tel.: Lic. #: ✓

80-3-34

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Cost	Sq. Ft. @	
3200		
ESTIMATED VALUATION		$ 3200

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLS.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	REMOD. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	15 SQ. FT. — UNIT HEATER	
	15 SQ. FT. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

SERVICE NUMBER	REG.	GEL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156133			750	15 00				7.50	Brunner

BUILDING INFORMATION

WOOD		CONCRETE	X	FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. FEET

DATE	ZONING CHECKED BY	PERMIT USE NO.
1-3	J.H.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE 750 00	$ 15 00
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 7 50

CASH | CHECK | M.O. | N.C.

RECEIVED BY Kennick

PLAN FILE # 4130 ✓

SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL — OWNER HYNES CONSTRUCTION CO.

USE OF BUILDING UNIT STRUCTURE FND — DATE 1-4-68

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
ELCERRITO	4	12		3200	2

LEGAL DESCRIPTION NE SEC 35 T4S R6W — PERMIT NUMBER 156133

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	BOND	CASH
3-21-68						

CONTRACTOR — RELEASE BOND

LICENSE-TYPE ☐ — DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed:

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner HYNES CONSTRUCT

Address 23200 TEMESCAL CANYON

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address 23200 TEMESCAL

Tel. Lic. #

3-3-34

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FNDS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	3-21-68	Quick Fix
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Sewer Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN NO.	PROGRESS CHECKS
	Residential Inspection

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
Ftg.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carp.	Sq. Ft. @	
Roll	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 3000

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. C.R.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 15 SQ. FT.	
	GARAGE 1 c SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS - OUTLETS	
	M. SQ. FT. - UNIT HEATER	
	M. SQ. FT. - RADT. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENTILATION ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	TRANSFER	

PERMIT NUMBER	RES.	ROU.	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
15634		RO	6.00	12.00				6.00	BEARDSLEY

J	F	M	A	M	J	J	A	S	O	N	D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE		
CONCRETE		PIERS		MEMBRANE		
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-1	BH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE OVER PAID	$
MECHANICAL FEE Combination	$
CONSTRUCTION FEE OVER PAID 6.00 12.00	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 6.00

CASH	CHECK	M.O.	N.C.

RECEIVED BY Dwight

PLAN FILE # 4731

WATER	VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
	GAL.	SQ.FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23200 TEMESCAL

OWNER HYDRO CONDUIT CORP

USE OF BUILDING WIRE STORAGE FWD.

DATE 1-4-65

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	D	12		3000	Z

LEGAL DESCRIPTION NE SEC. 35 T4S R6W

PERMIT NUMBER 15634

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	30ND	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3690 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workman's Compensation Laws of the State of California.

Owner HYDRO CONDUIT

Address 23200 TEMESCAL CO

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3690 of the Labor Code, and a certificate is certified copy is on file with the Riverside County Building Department.

Contractor

Address 23200 TEMESCAL

Tel. Lic. #

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

Gar.	Sq. Ft. @	
Liv. Ft.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq Ft @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Cont. Fr.	Sq. Ft. @	
3000		
ESTIMATED VALUATION	$ 3000	

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. BTU. — UNIT HEATER	
	M. BTU. — PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☒ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	WIRE	
	TRANS. AND/OR T. LTR.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DWL	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
155134		20	6 00	12 00				6 00	BERKLEY

J F M A M J J A S O N D J F

BUILDING INFORMATION

WOOD			CONCRETE		FIREPLACE	
CONCRETE			PIERS		MEMBRANE	
BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-1	DH	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$	
MECHANICAL FEE	$	
CONSTRUCTION FEE 20 6 00	$ 12 00	
ELECTRICAL FEE	$	
PLUMBING FEE	$	
TOTAL FEE	$ 6 00	

CASH | CHECK | M.O. | N.C.

RECEIVED BY Kamph

PLAN FILE # 4721 V

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 23900 TEMESCAL

OWNER Hynes Concrete Corp

USE OF BUILDING Lake Street Lot 1

DATE 1-4-63

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	M-1		3000	

LEGAL DESCRIPTION Por SEC 35 T 4 S R 6 W

PERMIT NUMBER 155134

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
3-19-63	Quarles			$		

CONTRACTOR

LICENSE-TYPE ☐ No.

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever so as to become subject to the Workmen's Compensation Laws of the State of California.

Owner Hynes Concrete

Address 23900 TEMESCAL RD

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address 23900 TEMESCAL

Tel. Lic. #

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	Ralph Quisenberry	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPN. NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY — HEADQUARTERS
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

LIVING	Sq. Ft. @	
GARAGE	Sq. Ft. @	
PATIO	Sq. Ft. @	
CARPORT	Sq. Ft. @	
BARN	Sq. Ft. @	
SHED	Sq. Ft. @	
OTHER	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS – OUTLETS	
	M. BQ. FT. – UNIT HEATER	
	M. SQ. FT. – PERF. CEILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	CONDENSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS., ASS'/ OR T. CLS.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	REPID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REV. SOL.	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
156135		6.00					6.00	

J F M A M J J A S O N D
J F M A M J J A S O N D

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE	X	PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

USE	ZONING CHECKED BY	PERMIT USE NO.
M-1	M	

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$ 6.00
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$
PLUMBING FEE	$
TOTAL FEE	$ 6.00

CASH | CHECK | M.O. | R.C.

RECEIVED BY: [illegible]

PLAN FILE # 4926

WATER VOLUME SEPTIC TANK GAL. | LEACH LINE 150 SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT CORP

USE OF BUILDING: BIKER STRUCTURE FND

DATE: 1-4-80

COMMUNITY: EL CERRITO | DISTRICT: Y/N | F.C.: TO | UNITS | VALUATION | OFFICE: Z

LEGAL DESCRIPTION: Pcl SEC 35 T4S R6W

PERMIT NUMBER: 156135

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND #	BOND	CASH

CONTRACTOR | RELEASE BOND

LICENSE-TYPE | DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner HYDRO CONDUIT

Address 23200 TEMESCAL RD

Telephone

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor

Address

Tel. Lic. #

80-3-06

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Port.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Det. G.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION		$ 2100.00

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	REBID. 10 SQ. FT.		
	GARAGE 15 SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

| | | |

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	PT&S & FBMS		
3	Seal		
4	Grade Stakes		
5	Piped Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Comb. & Ref. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		

OPR. NO.	PROGRESS CHECKS

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATES

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
P.	Sq. Ft. @	JAN 1700
ail	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 3100

MECHANICAL FEES

COMMERCIAL ONLY

APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
INDUSTRIAL FEE ____ SQ. FT. ____ HP	
PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	OTHER EQUIPMENT (NO. T. CEN.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	DOMESTIC 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	10
	DRINKING FOUNTAIN	
	DENTAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER 157647 | RESID. | COMM. | TOTAL FEES 8 00 | HEAT & VENT. FEE | PLUMB. FEE 6 00 | CONST. FEE 12 00 | ELEC. FEE | PLUMB. FEE

L | F | M | A | M | J | J | A | S | O | N | D

SET BACK | LOT SIZE | USE # | JOB ADDRESS 23200 TOWESEAL-HYDRO CONDUIT CORP

PLAN CHECK FEE 6 00 | ZONE M-1 | LINE OF BUILDING MISC. STRUCTURE ENG. | DATE 10-16

MECHANICAL FEE | CENSUS TR. 8.11 | COMMUNITY EL CERRITO | DISTRICT N | R.C. 10 | UNITS | VALUATION 3100 | OFFICE Z

CONSTRUCTION FEE 14 00 | BLDG. | TYPE | LEGAL DESCRIPTION Por SEC 35 T4SR6W | PERMIT NUMBER 157647

ELECTRICAL FEE | SPEC. INSP. | PERMIT TO PERMIT

PLUMBING FEE | FLSH. CHECKER Brandy | BOND # | BOND | CASH | PLAN FILE # 4126 | FINAL DATE | INSPECTOR

TOTAL FEES $ 18 00

CASH | CHECK # | M.O. | N.C.

ENTERED BY | SEWAGE SYSTEM T | LL | P

INFORMATION 20-3-26

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Steers Lagler Co.
ADDRESS 23200 Toweseal	ADDRESS PO Box 549
	P35 T2.49 ✓
TEL. NO.	TEL. NO.
	LICENSE NO.

984-203 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 2200

MECHANICAL FEES

☐ FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED

AIR CONDITIONING UNIT

GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL

COMPRESSOR HP

APPLIANCE VENT

ABSORPTION SYSTEM B.T.U.

INCINERATOR DOMESTIC ☐ MANUAL ☐ COMM.

HEATING SYSTEM ☐ FORCED ☐ GRAVITY

BOILER B.T.U.

RESIDENTIAL FAN SQ.FT.

PERMIT FEE

ELECTRICAL FEES

NO.	
OUTLETS	
SWITCHES	
TRANS. AMPS OR T. KVA	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 15 SQ. FT.	
GARAGE ½ SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
DRINKS	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
TRAPPER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER 15764 | PLUMB. | MECH. | ELEC. | TOTAL FEES 1 20 00 | HEAT & VENT FEE | PLAN EX. FEE 6 00 | CONST. FEE 13 80 | ELEC. FEE | PLUMB. FEE

TRACT	LOT	BLK	MAP	PAR	LOT	LOT	LOT	LOT	LOT	LOT	LOT	LOT

SET BACK | LOT SIZE | SEC #

PLAN CHECK FEE 6 00

MECHANICAL FEE

CONSTRUCTION FEE 13 80

ELECTRICAL FEE

PLUMBING FEE

ZONE R1-1

EXAMINED BY BH

CROSS | TYPE

SPEC. INSP.

BLDG. CHECKED

JOB ADDRESS 23200 Temescal Valley Estates

USE OF BUILDING Owner Storage Unit

COMMUNITY El Cerrito | DISTRICT N1 | P.C. 2 | UNITS | VALUATION 2200 | OFFICE 2

LEGAL DESCRIPTION E½ SEC 35 T4S R6W

PERMIT NUMBER 15764

COMP. TO NUMBER 1111

BOND # | BOND | CASH | PLAN FILE # 4226 | FINAL DATE 3/21/68 | INSPECTOR

OWNER William C. Ott

ADDRESS 23200 Temescal

TEL. NO.

CONTRACTOR Owner

ADDRESS

TEL. NO.

LICENSE NO.

TOTAL FEES $ 20 00

CASH | CHECK ☑ | M.O. | N.C.

ISSUED BY

SEWAGE SYSTEM

P | LL | P

INFORMATION

3-3-68

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA GOVERNING CONTRACTORS IS ALSO GUARANTEED.

304-203 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
	P.T.S. & H.O.S.		
3	Piers		
4	Grade Stakes		
5	Form Boards		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L [ ] T/D [ ]		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detector Device		
42	Commercial Hood		
43	Final		

NO.	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 3000

ELECTRICAL FEES

NO.		
SIGNS		
TRANS. AND/OR T. CLR.		
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
SUBPANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
MOBILE HOME SQ. FT.		
GARAGE & SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.		
DRAINAGE PIPING		
DRINKING FOUNTAIN		
URINAL		
WATER PIPING		
FLOOR DRAIN		
WATER SOFTENER		
WASHER (AUTO) (DISH)		
GARBAGE DISPOSAL		
LAUNDRY TRAY		
KITCHEN SINK		
WATER CLOSET		
LAVATORY		
SHOWER		
BATH TUB		
WATER HEATER		
SEWAGE DISPOSAL		
HOUSE SEWER		
GAS PIPING		
PERMIT FEE		

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ DUCT ☐ FLOOR ☐ BOARD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ BOOSTER		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
COOLER ____ B.T.U.		
RESIDENTIAL FEE SQ. FT. ____ @		
PERMIT FEE		

COMMERCIAL

PERMIT NUMBER	GEN.	ELEC.	TOTAL VENT.	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
157648			40.50		13.50	27.00		

SET BACK: F ____ R ____ S ____ LOT SIZE ____ USE ZONE ____

PLAN CHECK FEE 13.50 — ZONE M-1

MECHANICAL FEE ____ — CHECKED BY B.H.

CONSTRUCTION FEE 27.00 — GROUP ____ TYPE ____

ELECTRICAL FEE ____ — SPEC. INSP. ____

PLUMBING FEE ____ — PLAN CHECKER RUMSEY

TOTAL FEES $ 40.50

CASH ____ CHECK ☑ M.O. ____ N.C. ____

ENGINEER Rockwell — SEWAGE SYSTEM ____ LL ____ P ____

INFORMATION

JOB ADDRESS 23200 TEMESCAL — OWNER Agua Caliente Corp

USE OF BUILDING Boiler Room Features — DATE 1/16

COMMUNITY El Cerrito — DISTRICT N — P.C. 10 — UNITS ____ — VALUATION 3000 — BY ____

LEGAL DESCRIPTION SE SEC 35 T4S — PERMIT NUMBER 157648

SUPP. TO PERMIT ____

R6W

BOARD ____ ROAD ____ LASH ____ PLAN FILE # 4650 — FINAL DATE ____ — INSPECTOR ____

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
	Hanna Bros Corp
ADDRESS	ADDRESS
	P.O. Box 549
	735-5249
TEL. NO.	TEL. NO. ✓
	LICENSE NO.

284-208 11/87

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
[illegible]	Sq. Ft. @	NO.		NO.	
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @	POLES			
	Sq. Ft. @	SIGNS		SEWER PIPING	
	Sq. Ft. @	TRANS. AND/OR T. SLS.		BUILDING SEWER	
	Sq. Ft. @	MOTOR H.P.		VENTS	
ESTIMATED VALUATION	$ 50,000	MOTOR H.P.		WATER PIPING	
MECHANICAL FEES		MOTOR H.P.		FLOOR DRAIN	
VENT SYSTEM ☐ FAN ☐ GRAV. ☐ HOOD		MOTOR H.P.		WATER SOFTENER	
APPLIANCE		MOTOR H.P.		WASHER (AUTO.) (SINK)	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		FIXTURES		GARBAGE DISPOSAL	
AIR HANDLING UNIT		OUTLETS		LAUNDRY TRAY	
GAS PIPE: ☐ NATURAL ☐ L.P.G. ☐ OIL		SUB-PANEL		KITCHEN SINK	
CONDENSER HP				WATER CLOSET	
APPLIANCE VENT		RANGE AND/OR OVEN		LAVATORY	
REFRIGERATION SYSTEM G.T.U.		WATER HEATER		SHOWER	
INCINERATOR: ☐ ELECTRIC ☐ INDUS. ☐ COMM.		SPACE HEATER		BATH TUB	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		CONSTRUCTION POLE		WATER HEATER	
BOILER G.T.U.		SERVICE ENTRANCE		SEWAGE DISPOSAL	
RESIDENTIAL REV. SQ. FT. @		RESID. 1¢ SQ. FT.		HOUSE SEWER	
PERMIT FEE		GARAGE ½¢ SQ. FT.		GAS PIPING	
		PERMIT FEE		PERMIT FEE	

PERMIT NUMBER	MECH.	PLUMB.	TOTAL FEES	HEAT & VENT FEE	ELEC. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
157648			40.50		12.50	37.00		

OUT CASE	LOT SIZE	USE #	JOB ADDRESS	OWNER
			23900 Temescal	Hydro Electric Corp

	ZONE	USE OF BUILDING	DATE
PLAN CHECK FEE 13.50	M-1	Boiler Room Expansion	6/1

	CHECKED BY	COMMUNITY	DISTRICT	PC	UNITS	VALUATION	OK TO ISSUE
MECHANICAL FEE	B.H.	El Cerrito	M 10			7000	6/20

	GROUP	TYPE	LEGAL DESCRIPTION	PERMIT NUMBER
CONSTRUCTION FEE 27.00			NE SEC 35 T4S	157648
	SPEC. OCCP.		R6W	SUPP. TO PERMIT
ELECTRICAL FEE				

	PLAN CHECKER	BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
PLUMBING FEE	RAWLEY				4256	3-31-69	Checked

TOTAL FEES $ 40.50

CASH	CHECK	M.O.	N.C.

REFERRED BY	SEWAGE SYSTEM		
Kimball	T	LL	Q

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
	Kimball Electric
ADDRESS	ADDRESS
	Box 579
	Norco
TEL. NO.	TEL. NO.
	LICEN. # NO.

H34-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Site Work		
2	Piers & Piling		
3	Steel		
4	Cmnt. Blocks		
5	Sand Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Gas Pipe Test		
10	Fireplace		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	3-31-65	Passed
	PLUMBING APPROVALS		
16	Ground Plumb.		
17	Rough Plumb.		
18	Vents		
19	Sewage Disposal		
20	Septic		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MISCELLANEOUS APPROVALS		
33	Ventilation Grills		
34	Plumbing & Vents		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Chimney Cap		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
OPEN NO.	**PROGRESS CHECKS**		
	Gas Test for boiler was ok. Higher pressure test		
	Passed Inspected		

Unable to locate any Plumbing permits for this bldg, yet a gas test has been made.

SEWER DISPOSAL LOCATION

SCALE

NORTH

☐ INSIDE ☐ OUTSIDE ☐ NEW

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Elec.	Sq. Ft. @		
Plbg.	Sq. Ft. @		
	Sq. Ft. @		
Gas	Sq. Ft. @	JAN 1 1960	
Gar.	Sq. Ft. @		
Wall	Sq. Ft. @		
	Sq. Ft. @		

ESTIMATED VALUATION $

MECHANICAL FEES

COMMERCIAL ONLY

HEAT SYSTEM ☐ GAS ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ. FT. ____ #	
PERMIT FEE	

ELECTRICAL FEES

NO.			
	SIGNS		
	TRANS. AND/OR T. CLS.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NO.	RES.	COM'L	TOTAL FEES	HEAT & VENT. FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
157649			63.50		21.50	42.00		

SET BACK: F ____ S ____ R ____ | LOT SIZE | USE P | ZONE: R-1

PLAN CHECK FEE: 21.50

MECHANICAL FEE

CONSTRUCTION FEE: 42.00

ELECTRICAL FEE

PLUMBING FEE

CHECKED BY: [illegible]

GROUP | TYPE | SPEC. INSP.

PLAN CHECKER: Brindley

JOB ADDRESS: 23200 Temescal

USE OF BUILDING: Vehicle Service Facility

LEGAL DESCRIPTION: Por. Sec. 33 T4S R6W

COMMUNITY: El Cerrito | DISTRICT: V | P.C. | UNITS | VALUATION: 12500 | OFFICE: 2

PERMIT NUMBER: 157649

SUPP. TO PERMIT: 153879

BOND $ | WORK | TASK | PLAN FILE # 2652 | FINAL DATE | INSPECTOR

OWNER: Hydro-Coolant

ADDRESS: 23240 Temescal Cyn.

TEL. NO.

CONTRACTOR: Stevens Liquor Co.

ADDRESS: P.O. Box 83-5049

TEL. NO.

LICENSE NO.

TOTAL FEES $ 63.50

CASH | CHECK | M.O. | N.C.

RECEIVED BY: [illegible]

SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

BS4-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION: $

MECHANICAL FEES

HEAT APPLIANCE ☐ GAS ☐ OIL ☐ COAL ☐ WOOD		
APPLIANCE		
FURNACE ☐ GRIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
CONDENSER HP		
APPLIANCE VENT		
ABSORPTION SYSTEM B.T.U.		
INCINERATOR DOMESTIC ☐ LOCAL ☐ COMM.		
HEATING BOILER ☐ FIRED ☐ ELECTRIC		
BOILER H.P.		
RESIDENTIAL FEE Qty. @		
PERMIT FEES		

ELECTRICAL FEES

NO.		
POLES		
MAINS		
TRANS. AND/OR CAP. CLG.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
FIXTURES		
OUTLETS		
COMPANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
RESID. 15 SQ. FT.		
GARAGE 15 SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.		
DRAINAGE PIPING		
DRINKING FOUNTAIN		
DISPOSAL		
WATER PIPING		
FLOOR DRAIN		
WATER SOFTENER		
WASHER (AUTO) (SINK)		
GARBAGE DISPOSAL		
LAUNDRY TRAY		
KITCHEN SINK		
WATER CLOSET		
LAVATORY		
SHOWER		
BATH TUB		
WATER HEATER		
SEWAGE DISPOSAL		
HOUSE SEWER		
GAS PIPING		
PERMIT FEE		

PERMIT NUMBER	BSN.	BMD.	TOTAL FEES	MISC. & MISC. FEE	PLN. CK. FEE	CONST. FEE	MECH. FEE	PLUMB. FEE
15769			63.00		21.00	42.00		

LOT SIZE	USE #	JOB ADDRESS 23200 Temescal				OWNER Hydro-Conduit		
PLAN CHECK FEE 21.00	ZONE M-1	USE OF BUILDING Vehicle Service Fueling					DATE 1966	
MECHANICAL FEE	CHECKED BY [illegible]	COMMUNITY El Cerrito	DISTRICT N	P.C. 10	UNITS	VALUATION	OFFICE 2	
CONSTRUCTION FEE 42.00	GROUP TYPE	LEGAL DESCRIPTION Por Sec. 35 T4S R6W					PERMIT NUMBER 15769	
ELECTRICAL FEE	SPEC. INSP.						SUPP. TO PERMIT 153 #29	
PLUMBING FEE	PLAN CHECKER Brindley	BOND #	BOND	CASH	PLAN FILE # 965-5	FINAL DATE 5-31-66	INSPECTOR Quintero	

TOTAL FEES $ 63.00

CASH | CHECK ☒ | M.O. | N.C.

RECEIVED BY [illegible]

SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro-Conduit	[illegible]
ADDRESS 23200 Temescal Cyn.	ADDRESS Tel No. - P.O. Box 833-5217
TEL. NO.	TEL. NO.
	LICENSE NO.

	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	P.T.S.B. & Fill		
3	Steel		
4	Block		
5	Roof Deck		
6	Flashing		
7	Vents		
8	Garage Fire Wall		
9	Fireplace P/L ☐ T/S ☐		
10	Exterior Lath		
11	Interior Lath		
12	Exterior Coats		
13	Final	Called Owner	
	PLUMBING APPROVALS		
14	Ground Plumb		
15	Water Replace		
16	Rough Plumb		
17	Vents		
18	Sewage Disposal		
19	Sewer		
20	Water Heater		
21	Water Softener		
22	Water Service		
23	Gas Test		
24	Final		
	ELECTRICAL APPROVALS		
25	Power Pole		
26	Conduit		
27	Service Entrance		
28	Wiring		
29	Fixtures		
30	Service		
31	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Dampers		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		
	Pool Cleaner Inspected Once		

Tank No. Line

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ NEW

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 10000

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
CONNECTION ____ NO.	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ RESID. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
MECHANICAL FEE ____ SQ. FT. ____	
CAPACITY FEE	

ELECTRICAL FEES

NO.		
	POLES	
	WIRES 3-B C @	11 1000
	TRANS. AMPS OR K.V.A.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AMPS OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 12 SQ. FT.	
	GARAGE 3 SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.	
	GRAIN TRAP
	DRINKING FOUNTAIN
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (SINK)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

PLAN CHECK FEE	19.00	BOND	DUPL.	TOTAL FEES 53.00	PLAN CK. FEE	PLAN CK. FEE 12.2	CONST. TYPE 3B	ELEC. FEE	PLUMB. FEE		

SET BACK: F ____ R ____ L ____ T ____

LOT SIZE: Acres

USE #

JOB ADDRESS: 23200 Tamarisk

OWNER: Hydro-Conductor

ZONE: R-1

USE OF BUILDING: Manuf. Shop Framing

DATE: 4/6/87

PLAN CHECK FEE: 19.00

CHECKED BY: [illegible]

SUBDIVISION: El Cerrito

DISTRICT: M

P.C.: 10

UNITS:

VALUATION: 10000

OFFICE: 2

MECHANICAL FEE:

BUILDING: ____ YEAR: ____

LEGAL DESCRIPTION: Por Sec 35 4S 4S

PERMIT NUMBER: 157650

CONSTRUCTION FEE: 36.00

ELEC. DEPT.

NUMB. TO PERMIT: 155807

ELECTRICAL FEE:

PLAN CHECKED: Bonnell

BOND #: ____ BOND: ____ CASH: ____ PLAN FILE #: 4-2-3 FINAL DATE: ____ INSPECTOR: ____

PLUMBING FEE:

TOTAL FEES: $ 54.00

CASH ____ CHECK ____ M.O. ____ N.C. ____

RECEIVED BY: [illegible]

SEPTIC SYSTEM: T ____ LL ____ P ____

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduct	[illegible]
ADDRESS	ADDRESS
23200 Tamarisk	[illegible]
	725-5247
TEL. NO.	TEL. NO.
	LICENSE NO.

SEE 208 11/87

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FEES ✓

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION IS $ 2000

MECHANICAL FEES

VENT HOODS ☐ GAS ☐ ELECTRIC ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ OVERHEAD	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
REFRIGERATION DOMESTIC ☐ UNDER ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
HORIZONTAL FED ____ SQ. FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.		
POLES		
SIGNS		
TRANS. AND/OR V. FLR.		
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
MOBIL. 10 SQ. FT.		
GARAGE $3 SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

BLDG. PERMIT	BSN.	DSC.	TOTAL FEES	ROAD & YARD FEE	PLAN CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
15650					16.00	36.68		

1/2	1/4	1/8	1/16	A	B	C	D	E	F

LOT BACK ____ LOT SIDE ____ LOT SIDE Barcoe

TOWN CHECK FEE 16.00

MECHANICAL FEE

CONSTRUCTION FEE 36.68

ELECTRICAL FEE

PLUMBING FEE

TOTAL FEES $ 54.68

CASH ____ CHECK ✓ M.O. ____ W.C. ____

RECEIVED BY

SEWAGE SYSTEM

T ____ LL ____ P ____

INFORMATION

TRACT # ____

ZONE M-1

CHECKED BY Robbins

GROUP ____ TYPE ____

SPEC. INSP. ____

PLAN CHECKED Guiney

JOB ADDRESS 23200 Temescal

USE OF BUILDING Maint. Shop Fencing

OWNER Hydro-Conduit

DATE 4/4

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OCC.
El Cerrito	N	16		2000	—

LEGAL DESCRIPTION Por Sec 35 T4S R6W

PERMIT NUMBER 15650

BLDG. TO PERMIT 125307

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	TAXPAYER TO
			4-52	4-30-68	Hydro

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA GOVERNING WORKMEN'S COMPENSATION INSURANCE OF CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Stevens Bros
ADDRESS	ADDRESS
23200 Temescal	Box 529
	Yos-5214
TEL. NO.	TEL. NO.
	LICENSE NO.

BP-209 11/67

NO.	INSPECTION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Poles		
2	Piers & Piles		
3	Steel		
4	Drain Tiling		
5	Floor System		
6	Deck		
7	Framing		
8	Rough		
9	Garage Fire Wall		
10	Fireplace R/C ☐ T/O ☐		
11	Exterior Lath		
12	Insulation		
13	Exterior Coats		
14	Final	4-20-65 Pinkerton	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Drains		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilating Ducts		
34	Plenums & Ducts		
35	Furnace Cement		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fan Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
OPR NO.	**PROGRESS CHECKS**		
	Rejected Inspector		

Tank | Fill | Line

SEWER DISPOSAL DESCRIPTION

BACK

☐ INSIDE ☐ OUTSIDE ☐ REV

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONST. & ADDITION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	10,000
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 10,000

MECHANICAL FEES

HEAT SYSTEM ☐ GAS ☐ ELEC. ☐ OIL ☐ OTHER	
APPLIANCE	
DUCTWORK ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTAL FEE ____ SQ.FT. ____ @	
MISC. FEE	

ELECTRICAL FEES

NO.		
	SIGNS	
	TRANS. AND/OR GEN. CAP.	
	MOTOR ____ H.P.	
	MOTOR ____ H.P.	
	MOTOR ____ H.P.	
	MOTOR ____ H.P.	
	MOTOR ____ H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	REWIRE, 1ø SQ. FT.	
	GARAGE 1ø SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.	
	DRAINAGE PIPING
	DRINKING FOUNTAIN
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (4" or 2") (DISH)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

PERMIT NUMBER 157651 | RES. | COML. | TOTAL FEES 52.50 | HEAT & VENT | PLBG. UNIT FEE 16.50 | CONST. FEE 35.00 | ELEC. FEE | PLUMB. FEE

P		F		R		M		A		S		D

KEY SHEET | LOT SIZE | TRACT #

JOB ADDRESS: 43200 TEMESCAL | OWNER: RIVCO CONDUIT CORP.

PLAN CHECK FEE 16.50 | ZONE M-1 | USE OF BUILDING: Mfg. & Yard Shops | OCCUP. N/C

MECHANICAL FEE | CHECKED BY B H | OCCUPANCY: ELECTRIC | DIV/SUB: U | F.C.: 10 | UNITS | VALUATION: 10000 | OFFICE: 2

CONSTRUCTION FEE 36.00 | GROUP | TYPE | LEGAL DESCRIPTION: FOR SEC 35 T4S R5W | PERMIT NUMBER: 157651

ELECTRICAL FEE | SPEC. INSP. | SUPP. TO PERMIT: 155738

PLUMBING FEE | PLAN CHECKED: Shipley | BOND $ | BOND | CASH | PLAN FILE # 465-88 | FINAL DATE | INSPECTOR

TOTAL FEES $ 52.50

CASH | CHECK ☑ | N.O. | N.C.

RECEIVED BY: [illegible] | SEWAGE SYSTEM: T | LL | F

INFORMATION

90-3-38

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Rivco Conduit	Steve Lopez Corp.
ADDRESS: 32 201 Temescal Cyn.	ADDRESS: PO Box 547
	735-5249
TEL. NO.	TEL. NO.
	LICENSE NO.

284-203 11/57

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		POLES					
	Sq. Ft. @		SIGNS			GREASE TRAPS		
	Sq. Ft. @		TRANS. AND/OR CAP. OVER 1 KVA			SPECIAL PIPING		
	Sq. Ft. @		MOTOR H.P.			URINAL		
900			MOTOR H.P.			WATER PIPING		
ESTIMATED VALUATION	$	6200	MOTOR H.P.			FLOOR DRAIN		
MECHANICAL FEES			MOTOR H.P.			WATER SOFTENER		
HEAT ☐ gas ☐ elec. or oil ☐			MOTOR H.P.			WASHER (AUTO) (each)		
APPLIANCE			FIXTURES			GARBAGE DISPOSAL		
DUCTWORK ☐ roof ☐ wall ☐ floor ☐ underground			OUTLETS			LAUNDRY TRAP		
AIR HANDLING UNIT			SUB-PANEL			KITCHEN SINK		
GAS PIPE ☐ natural ☐ L.P.G. ☐ oil						WATER CLOSET		
COMPRESSOR HP			RANGE AND/OR OVEN			LAVATORY		
APPLIANCE VENT			WATER HEATER			SHOWER		
EVAPORATIVE SYSTEM B.T.U.			SPACE HEATER			BATH TUB		
DUCTWORK CONNECTED ☐ UNDER ☐ FLOOR			CONSTRUCTION POLE			WATER HEATER		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			SERVICE ENTRANCE			SEWAGE DISPOSAL		
SOLAR B.T.U.			REPAIR TO SQ. FT.			HOUSE SEWER		
RESIDENTIAL FEE SQ. FT.			GARAGE 1/2 SQ. FT.			GAS PIPING		
PERMIT FEE			PERMIT FEE			PERMIT FEE		

BLDG. PERMIT FEE	PLAN CHK. FEE	PARK.	REFG.	TOTAL FEES	HEAT & VENT. FEE	PLAN CHK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
1761				5250		4.50	33.00		

SET BACK		LOT SIZE	TRACT #	JOB ADDRESS	OWNER
				53700 Fenesal	Hugo Conrad Inc

PLAN CHECK FEE	ZONE	USE OF BUILDING	DATE
16.50	M-1	Elec 34 kv Yard Lights	6/6

MECHANICAL FEE	CHECKED BY	COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
	DH	EL Cerrito	IV	10%		4800	

CONSTRUCTION FEE	OCCUP.	TYPE	LEGAL DESCRIPTION	PERMIT NUMBER
36.00			Beset 35 7½ Kbw	157651

ELECTRICAL FEE	OPER. INSP.					SUPV. TO INSPECT
						35.25

PLUMBING FEE	PLAN CHECKED	BOND #	BOND	CASH	PLAN FILE #	INSPECTOR
	Brawley				46-68 11-6-68	Quick

TOTAL FEES	$ 52.50

CHECK	V.P.	M.O.	N.C.

RECEIVED BY	SEWAGE SYSTEM		
Linda			

INFORMATION

80-3-38

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hugo Conrad	Sharp Electric Co
ADDRESS	ADDRESS
22 Jan Terrace	Hemet
	733-5244
TEL. NO.	TEL. NO.
	LICENSE NO.

82-20A 11/69

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Forms		
2	Footings & Piers		
3	Steel		
4	Floor Slabs		
5	Sand Bed		
6	Rough		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace 1st [ ] 2nd [ ]		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Coats		
14	Final		
	PLUMBING APPROVALS		
15	Ground Floor		
16	Water Piping		
17	Waste Piping		
18	Vents		
19	Sewage Disposal		
20	Septic		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	APPROVALS	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Intake & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		
	Closed - Title Co.		
	Lot Corner		
	Mud Sheet		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

COMMERCIAL ONLY

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		POLES		WATER HEATER	
Sq. Ft. @		Feeder		GARBAGE DISPO	
Sq. Ft. @		TRANS. AND/OR CT'S, ETC.		DRINKING FOUNTAIN	
Sq. Ft. @		MOTOR H.P.		URINAL	
Sq. Ft. @		MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION $		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
☐ FAN ☐ EVAP. COOL ☐ HEAT		MOTOR H.P.		HOSE BIB (AUTO) (DISH)	
APPLIANCE		FIXTURES		GARBAGE DISPOSAL	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		OUTLETS		LAUNDRY TRAY	
AIR HANDLING UNIT		SUB-PANEL		KITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL				WATER CLOSET	
COMPRESSOR H.P.		RANGE AND/OR OVEN		LAVATORY	
APPLIANCE VENT		WATER HEATER		SHOWER	
ABSORPTION SYSTEM B.T.U.		SPACE HEATER		BATH TUB	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		CONSTRUCTION POLE		WATER HEATER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		SERVICE ENTRANCE		SEWAGE DISPOSAL	
BOILER B.T.U.		POWER, TO SQ. FT.		HOUSE SEWER	
RESIDENTIAL FEE SQ.FT. @		GARAGE, TO SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

PERMIT # 19652 | MECH. | ELEC. | TOTAL FEES 16.00 | HEAT & VENT FEE | PLAN CK. FEE 6.00 | CONST. FEE 10.00 | ELEC. FEE | PLUMB. FEE

	J	F	M	A	M	J	J	A	S	O	N	D			

EST. BACK — S R | LOT SIZE | USE # | JOB ADDRESS 23200 TEMESCAL | OWNER Hydro Conduit Corp

PLAN CHECK FEE 6.00 | ZONE R-1 | USE OF BUILDING MAIN EXTENSIONS | PLAN #

MECHANICAL FEE | CHECKED BY BH | SUBDIVISION EL CERRITO | DISTRICT A | P.C. 10 | VC/TO | VALUATION 2400 | DEPTH 2

CONSTRUCTION FEE 10.00 | SHEET | TYPE | LEGAL DESCRIPTION Por SEC 35 T4S R6W | PERMIT # 19652

ELECTRICAL FEE | APPEAL HEAR. | SUPPL. TO PERMIT 15.00

PLUMBING FEE | FLOW CHECKED | BOND # | BOND | CASH | PLAN FILE # 66-86-66 | FINAL DATE | INSPECTOR

TOTAL FEES $ 16.00

CASH | CHECK | M.O. | N.C.

PASSED BY | SEWAGE SYSTEM

INFORMATION

80-3-43

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Stevens Bros Corp
ADDRESS 23200 Temescal Rd	ADDRESS Box 539
	735-5249
TEL. NO.	TEL. NO. ✓
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

PERMIT

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 2000

MECHANICAL FEES

APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
CONVERSION: HP	
COMPLIANCE VENT	
ABSORPTION SYSTEM B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
OTHER H.P.	
SUPPLEMENTAL FOR SQ.FT. $	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
SIGNS	
TEMP. SERV. OR T. POLE	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
MISC. 12 SQ. FT.	
GARAGE 12 SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
SEWAGE EJECTOR	
FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (SINK)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER 15652 | MECH. | PLBG. | TOTAL FEES $ 100 | KEY & VENT FEE | PLAN CK. FEE $ 6.50 | CLOSET FEE 10.00 | ELEC. FEE | PLUMB. FEE

KEY DATA | LOT SIZE | USE @ | JOB ADDRESS 23200 TEMESCAL | OWNER Hyde Constr. Corp

PLAN CHECK FEE $ 6.50 | ZONE R1-1 | USE OF BUILDING Kiln Extensions | DATE 12

MECHANICAL FEE | CHECKED BY BH | COMMUNITY El Cerrito | DISTRICT D | P.C. 18 | UNITS | VALUATION 2000 | CYCLE 2nd

CONSTRUCTION FEE 12.00 | GROUP | TYPE | LEGAL DESCRIPTION Pt. Sec. 35 T4S R6W | PERMIT NUMBER 15652

ELECTRICAL FEES | SPEC. INSP. | SUPP. TO PERMIT

PLUMBING FEE | PLAN CHECKED Saunders | BOND # | BOND | CASH | PLAN FILE # 486-88 | INSP. DIST. 2 | INSPECTOR Saunders | DATE 1-11-89

TOTAL FEES $ 18.00

CASH | CHECK | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM

INFORMATION

30-3-43

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hyde Const. Corp	Same
ADDRESS 23200 Temescal	ADDRESS Same
	735-5249
TEL. NO.	TEL. NO.
	LICENSE NO.

84-808 11/87

No.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footing		
2	FTG's & Piers		
3	Floor		
4	Sand Blocks		
5	Sand Beams		
6	Rough		
7	Framing		
8	Garage Fire Wall		
9	Fireplace F/E ☐ F/O ☐		
10	Exterior Lath		
11	Internal Lath		
12	Exterior Grade		
13	Final		
	PLUMBING APPROVALS		
14	Ground Plumb		
15	Water Piping		
16	Rough Plumb		
17	Vents		
18	Sewage Disposal		
19	Septic		
20	Water Heater		
21	Water Softener		
22	Water Service		
23	Gas Test		
24	Final		
	ELECTRICAL APPROVALS		
25	Power Pole		
26	Conduit		
27	Service Entrance		
28	Wiring		
29	Fixtures		
30	Service		
31	Final		

No.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
32	Ventilation System		
33	Plenums & Ducts		
34	Furnace Compart.		
35	Inlets & Outlets		
36	Combustion Air		
37	Compressor		
38	Appl. Clearance		
39	Fire Sprinkler		
40	Smoke Detector Device		
41	Commercial Hood		
42	Final		

DRAW NO.	PROGRESS CHECKS

Tank Pit Lining

SKETCH FLOOR PLAN AND SITE

REAR

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

157632

FORM 16

Engineering-Science
Structures

PAGE 1 OF 2

JOB NO. _____ DATE _____ BY _____ CHK _____

CUSTOMER _____ PROJECT _____

SUBJECT _____

Permit No.	Dwg. No.	Description		Date	% Comp
✓ 155970	80-3-24	PreStress Sta. Found	Concrete	1-12-68	100
155972	Varco Dwng.	Warehouse	Building	2-29-68	75
✓ 156024	80-3-05	Four Station # 1	Concrete	1-19-68	100
✓ 156025	80-3-32	Sand Hopper Pit	Concrete	1-12-68	100
✓ 156026	80-3-02	Central Batch Plant	Concrete	1-23-68	100
156133	80-3-34	Cage Building(INR)	Concrete	2-27-68	55
156134	80-3-26	Wire Storage Bldg.	Concrete	2-29-68	60
✓ 157647	80-3-06	Mixer Foundation	Concrete	1-25-68	100
157648	Varco Dwng.	Boiler Room	Struct.	2-29-68	60
157649	Varco Dwng.	Vehicle Shop	Struct.	2-29-68	60
147650	Varco Dwng.	Maint. Shop	Struct.	2-29-68	55
157651	80-3-38	Kiln # 3	Concrete	2-29-68	0
157652	80-3-43	Kiln Ext.	Concrete	2-1-68	100
157653	80-3-40&11	Transfer Extensions	Concrete	2-27-68	100

WH Kenney

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @ ____
Sq. Ft. @ ____
Sq. Ft. @ ____
Sq. Ft. @ ____
Sq. Ft. @ ____
Sq. Ft. @ ____
Sq. Ft. @ ____

ESTIMATED VALUATION $ 2200.00

MECHANICAL FEES

FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDOR. ☐ GENRL.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
MECHANICAL FEE ____ SQ. FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.			
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR ____ H.P.		
	MOTOR ____ H.P.		
	MOTOR ____ H.P.		
	MOTOR ____ H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	FEEDS, 75 SQ. FT.		
	GARAGE & SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DISPOSAL UNITS		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

COMMERCIAL ☐ RESIDENTIAL ☐

PERMIT NUMBER 15763 | PERM. | DATE ISSUED 1/8/68 | PERM. & VISIT | PLM. CK. FEE 6.00 | CONST. FEE 16.00 | ELEC. FEE | PLUMB. FEE

J F M A M J J A S O N D

SET BACK | LOT SIZE | SEC. R.

PLAN CHECK FEE 6.00 | ZONE M-1 | JOB ADDRESS 23300 TEMESCAL | OWNER HYDRO CONDUIT CORP

USE OF BUILDING TRANSFER FAT EXTENSIONS | TYPE V-N

MECHANICAL FEE | CHECKED BY E.H. | COMMUNITY EL CERRITO | DISTRICT N 10 | M.C. | UNITS | VALUATION 2200 | OCCUP. F-1

CONSTRUCTION FEE 16.00 | GROUP | TYPE | LEGAL DESCRIPTION Lot SEC 35 T4S R6W | PERMIT NUMBER 15763

SPEC. INSP. | SUPPL. TO PERMIT 15584

ELECTRICAL FEE | PLAN CHECKED | BOND # | BOND | CASH | PLAN FILE # 6.00 | FINAL DATE | INSPECTOR

PLUMBING FEE

TOTAL FEES $ 16.00

CASH | CHECK | M.O. | N.C.

RECEIVED BY [illegible]

SEWAGE SYSTEM | T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER Hydro Conduit | CONTRACTOR Hydro Conduit Corp

ADDRESS 23300 Temescal Cyn | ADDRESS P.O. Box 587

TEL. NO. | TEL. NO. 735-6349

LICENSE NO.

904-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
R1	Sq. Ft. @	NO.		NO.	
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @	POLE			
	Sq. Ft. @	SIGNS		GREASE TRAPS	
	Sq. Ft. @	TRANS. AND/OR G. GEN.		SWIMMING POOLS	
	Sq. Ft. @	MOTOR H.P.		URINAL	
	Sq. Ft. @	MOTOR H.P.		WATER SIPING	
ESTIMATED VALUATION $		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
HEAT SYSTEM ☐ ☐ ☐		MOTOR H.P.		FENCES (AUTO) (DISM)	
APPLIANCES		FIXTURES		GARBAGE DISPOSAL	
FURNACE ☐ UNIT ☐ DUCT ☐ FLOOR ☐ SUBFLOOR		OUTLETS		LAUNDRY TRAY	
AIR HANDLING UNIT		SUB-PANEL		KITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL				WATER CLOSET	
COMPRESSOR HP		RANGE AND/OR OVEN		LAVATORY	
APPLIANCE VENT		WATER HEATER		SHOWER	
ABS. SYSTEM B.T.U.		SPACE HEATER		BATH TUB	
INCINERATOR CAPACITY ☐ INDUS. ☐ COMM.		CONSTRUCTION POLE		WATER HEATER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		SERVICE ENTRANCE		SEWAGE DISPOSAL	
BOILER R.P.H.		RESID. 1¢ SQ. FT.		HOUSE SEWER	
RESIDENTIAL FOR SQ. FT.		GARAGE ½ SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

PERMIT NUMBER 15753 | BLDG. | ELEC. | MECH. | PLUMB. | TOTAL FEES | BLDG. & MISC. FEE | ELEC. CK. FEE 6.00 | MECH. FEE 12.00 | PLUMB. FEE | PLANS CHK

| | | | |

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Piles & Piers		
3	Steel		
4	Grade Beams		
5	Form Work		
6	Framing		
7	Vents		
8	Garage Fire Wall		
9	Fireplace Pre ☐ T/O ☐		
10	Exterior Lath		
11	Interior Lath		
12	Exterior Grade		
13	Final		
	PLUMBING APPROVALS		
14	Ground Floor		
15	Water Piping		
16	Rough Plumb		
17	Vents		
18	Sewage Disposal		
19	Sewer		
20	Water Softener		
21	Water Heater		
22	Gas Test		
23	Final		
	ELECTRICAL APPROVALS		
24	Power Pole		
25	Conduit		
26	Service Entrance		
27	Wiring		
28	Fixtures		
29	Service		
30	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

157653

Scientific Paper
CORPORATION

PAGE THREE

JOB NO. DATE BY CHK

CUSTOMER PROJECT

SUBJECT

Permit No.	Dwng. No.	Description		Date	% Comp
✓ 155970	80-3-24	PreStress Sta. Found.	Concrete	1-12-68	100
155972	Varco Dwng.	Warehouse	Building	2-29-68	75
✓ 156024	80-3-05	Pour Station # 1	Concrete	1-19-68	100
✓ 156025	80-3-31	Sand Hopper Pit	Concrete	1-12-68	100
✓ 156026	80-3-03	General Batch Plant	Concrete	1-23-68	100
156133	80-3-34	Cage Building (ISR)	Concrete	2-29-68	50
156134	80-3-26	Wire Storage Bldg.	Concrete	2-29-68	60
✓ 157647	80-3-06	Mixer Foundation	Concrete	1-25-68	100
157648	Varco Dwng.	Boiler Room	Struct.	2-29-68	60
157649	Varco Dwng.	Vehicle Shop	Struct.	2-29-68	60
157650	Varco Dwng.	Maint. Shop	Struct.	2-29-68	55
157651	80-3-38	Kiln # 2	Concrete	2-29-68	4
157652	80-3-43	Kiln Ext.	Concrete	2-1-68	100
157653	80-3-40&41	Transfer Extensions	Concrete	2-27-68	100

W Hommey

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING PERMIT

Sq. Ft. @		NO.	NO.
Sq. Ft. @			
Sq. Ft. @			
Sq. Ft. @		POLES	
Sq. Ft. @		SIGNS	GREASE TRAPS
Sq. Ft. @		TRANS. LINES OR T. POLES	DRINKING FOUNTAIN
Sq. Ft. @		MOTOR S.P.	URINALS
ESTIMATED VALUATION $		MOTOR S.C.	WATER PIPING
MECHANICAL FEES		MOTOR H.P.	FLOOR DRAINS
Type: Heat Pump Evap. Cool Other		MOTOR H.P.	WATER SOFTENER
		MOTOR H.P.	WASHER (AUTO) (DISH)
FAN-COIL		FIXTURES	GARBAGE DISPOSAL
FURNACE WALL FLOOR SUSPENDED		OUTLETS	LOUNDRY TRAY
GAS VALVES-NO. ONLY		SUB-PANEL	KITCHEN SINK
GAS PIPE Overhead Below Soil			WATER CLOSET
COMPRESSOR HP		RANGE AND/OR OVEN	LAVATORY
APPLIANCE VENT		WATER HEATER	SHOWER
ABSORPTION SYSTEM M.B.H.		SPACE HEATER	BATH TUB
IGNITION COMBUSTION Manual Electric		CONSTRUCTION POLE	WATER HEATER
HEATING SYSTEM Forced Gravity		SERVICE ENTRANCE	SEWAGE DISPOSAL
BOILER H.P. B.T.U.		REBID. 10 SQ. FT.	HOUSE SEWER
RESIDENTIAL FEE SQ. FT.		GARAGE 10 SQ. FT.	GAS PIPING
PERMIT FEE		SUBMIT FEE	PERMIT FEE

157741									
SEC. BLOCK	LOT SIZE	FEE $	JOB ADDRESS	OWNER					
			23300 Temescal	Hyde Convalescent					
PLAN CHECK FEE	SCALE		USE OF BUILDING						
90.00	1/4-3		Office Bldg						
MECHANICAL FEE	DRAWN BY	CHECKED BY	NEIGHBORHOOD	DISTRICT	P.C.	UNITS	VALUATION	APPROVED	
	R.H.			4th	20				
CONSTRUCTION FEE	ENGR.	TYPE	LEGAL DESCRIPTION					PERMIT NUMBER	
			SW SEC 35 7S 6E SBB&M					157741	
ELECTRICAL FEE	ENGR. REQ.							SUPP. TO PERMIT	
PLUMBING FEE	PLAN CRITERIA		BOND $	BOND	SASH	PLAN FILE #	FINAL DATE	INSPECTOR	
						4736			
TOTAL FEES	$	90.00							
CASH	CHECK	M.O.	N.C.						
ACCEPTED BY	DRAINAGE SYSTEM								
[illegible]	[illegible]								

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hyde Convalescent	Evans Equip.
ADDRESS	ADDRESS
23300 Temescal	Box 549
	735-5249
TEL. NO.	TEL. NO.
	LICENSE NO.

BP-0009 11/87

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE			ELECTRICAL FEES				PLUMBING FEES			
	Sq. Ft. @		NO.				NO.			
	Sq. Ft. @		1	STORM DRAIN	4	00				
	Sq. Ft. @		16	FLOOR LAMPS	10	00				
	Sq. Ft. @			POLES			1	SODA SYPHON	5	00
	Sq. Ft. @			SIGNS				DRAINAGE PIPING		
	Sq. Ft. @		1	TRANS. AND/OR T. SCR.	7	00		DRINKING FOUNTAIN		
	Sq. Ft. @		7	MOTOR FRACT. H.P.	7	00	1	SINKS	1	50
			1/2	MOTOR QUIET IS H.P.	1/2	00		WATER PIPING		
ESTIMATED VALUATION $				MOTOR H.P.				FLOOR DRAIN		
MECHANICAL FEES				MOTOR H.P.				WATER SOFTENER		
FURNACE ☐ GAS ☐ OIL ☐ SOLID FUEL ☐ WALL				MOTOR H.P.				WASHER (AUTO) (DISH)		
APPLIANCE			13	FIXTURES	2	60		GARBAGE DISPOSAL		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			15	OUTLETS	15	00		LAUNDRY TRAY		
AIR HANDLING UNIT			1	SUB-PANEL	1	00	1	KITCHEN SINK	1	50
G.A. BIRD ☐ NATURAL ☐ L.P.G. ☐ OIL							2	WATER CLOSET	3	00
COMPRESSOR HP				RANGE AND/OR OVEN			2	LAVATORY	3	00
EXPLOSIVE VENT.			1	WATER HEATER	1	00		SHOWER		
ABSORPTION SYSTEM B.T.U.				SPACE HEATER				BATH TUB		
INCINERATOR DOMESTIC ☐ INDUS. ☐ CREM.				CONSTRUCTION POLE				WATER HEATER		
HEATING SYSTEM ☐ DUCTED ☐ GRAVITY			1	SERVICE ENTRANCE	1	00		SEWAGE DISPOSAL		
BOILER B.T.U.				RESID. 15 SQ. FT.			1	HOUSE SEWER	2	00
ACCESSORIAL FEE NO. PT. @				GARAGE 5¢ SQ. FT.				GAS PIPING		
PERMIT FEE			1	PERMIT FEE	1	00	1	PERMIT FEE	2	00

UNIT PRICE 15774 | SQ. FT. 25.20 | VALUE 25.00 | MECH. & MISC. FEE | PLAN CK. FEE | CONST. FEE 178.00 | ELEC. FEE 49.70 | PLUMB. FEE 17.50

| | | | | | | |

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
	Pier Blocks		
	Piers & Piles		
	Floor		
	Crawl Clears		
	Roof Deck		
	Framing		
	Nailing		
	Garage Fire Wall		
	Fireplace: F/S ☐ 1740		
	Rough Lath		
	Plaster Lath		
	Exterior Grade		
	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
32	Ventilating System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

DATE	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

COMMERCIAL ONLY

ELECTRICAL FEES			PLUMBING FEES		
	NO.			NO.	
POLES					
SIGNS			DRAINAGE PIPING		
TRANS. AND/OR T. CLS.			DRINKING FOUNTAIN		
MOTOR	H.P.		HOSE BIB		
MOTOR	H.P.		WATER PIPING		
MOTOR	H.P.		FLOOR DRAIN		
MOTOR	H.P.		WATER SOFTENER		
HEATER	K.W.		WASHER (WATER OUTLET)		
FIXTURES			GARBAGE DISPOSAL		
OUTLETS			LAUNDRY TRAY		
SUB-PANEL			KITCHEN SINK		
			WATER CLOSET		
RANGE HI/OR OVEN			LAVATORY		
WATER HEATER			SHOWER		
SPACE HEATER			BATH TUB		
CONSTRUCTION HOLE			WATER HEATER		
SERVICE ENTRANCE			SEWAGE DISPOSAL		
RESID. 1H SQ. FT.			ACCESS CROSS		
GARAGE 1 & 3RD FT.			GAS PIPING		
PERMIT FEE			PERMIT FEE		

ESTIMATED VALUATION $

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ OTHER	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ( ) HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ( ) B.T.U.	
REFRIGERATION SCHEMATIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ( ) B.T.U.	
RESIDENTIAL FEE SQ.FT. ( ) $	
PERMIT FEE	

PERMIT NUMBER 157813 | APPL. | ISSUED | TOTAL FEES | PLAN & MAP FEE | PLAN CK. FEE 450 | CONST. FEE | ELEC. FEE | PLUMB. FEE

YEAR		F	M	A	M	J	J	A	S	O	N	D	

SET BACK	LOT SIZE	ZONE	
PLAN CHECK FEE 450			
MECHANICAL FEE		CHECKED BY	
CONSTRUCTION FEE		GROUP	TYPE
ELECTRICAL FEE		BASE INSP.	
PLUMBING FEE		PLAN CHECKED	

JOB ADDRESS 23200 TEMESCAL | OWNER Hydro Conduit

USE OF BUILDING HANGERITE SYSTEM FWD. | DATE 9/16

FOR HOUSING	DWELLING	P.C.	UNITS	VALUATION	PERMIT
GARAGE/FWD		70	1		

LEGAL DESCRIPTION P.M. TR 30 T7S R4W | PERMIT NUMBER 157813 | SUPP. TO PERMIT

SEND TO	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR

TOTAL FEES $ 450

CASH | CHECK | M.O. | N.C.

ISSUED BY

SEWAGE SYSTEM

T | LL | P

INFORMATION

80-3-04

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
ADDRESS 23200 TEMESCAL RD	ADDRESS
CORONA, CALIF	
TEL. NO.	TEL. NO.
	LICENSE NO.

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FEES

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Bsmt.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carp.	Sq. Ft. @	
Wall	Sq. Ft. @	
Roof	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

VENT SYSTEM ☐ NON ☐ GRAV. SYS. ☐ MECH.	
APPLIANCE	
HOODS ☐ DUCT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
REFRIGERATION SYSTEM ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ.FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
SIGNS	
TRANS. AND/OR CAP. CAP.	
MOTOR ____ H.P.	
MOTOR ____ H.P.	
MOTOR ____ H.P.	
MOTOR ____ H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 1¢ SQ. FT.	
GARAGE ½¢ SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NO. 15813 | PER. | DEL. | TOTAL FEE $4.50 | HEAT & VENT FEE | PLB. EX. FEE $4.50 | CONST. FEE 9.00 | ELEC. FEE | PLUMB. FEE

			$4.50										

SET BACK | LOT SIZE | USE #

PLAN CHECK FEE $4.50 | ZONE

MECHANICAL FEE | CHECKED BY

CONSTRUCTION FEE 9.00 | GROUP | TYPE | SPEC. INSP.

ELECTRICAL FEE

PLUMBING FEE | PLAN CHECKED

JOB ADDRESS 23200 TEMESCAL | OWNER Hyde Edwards

USE OF BUILDING AGGREGATE SYSTEM FEE | DATE 2-19-68

COMMUNITY ELSINORE | DISTRICT 4 | FEE 2.50 | PAID | VALUATION 2000 | CHECK

LEGAL DESCRIPTION Elec. 3 T 6S R4W | PERMIT NO. OR REF. 15813 | SUPP. TO PERMIT

BOND # | DONE | CASH | PLAN FILE # 4743 | FINAL DATE | INSPECTOR

TOTAL FEES $9.00

CASH | CHECK | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM INFORMATION

T | LL | S

80-3-04

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
PSC	
ADDRESS 23200 TEMESCAL RD	ADDRESS
CORONA, CALIF	
TEL. NO.	TEL. NO.
	LICENSE NO.

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Job Card		
2	Piers & Piles		
3	Steel		
4	Sewer Stack		
5	Floor Beams		
6	Floor Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace T/S ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Concrete Slabs		
14	Final		
	PLUMBING APPROVALS		
15	Gas Pipe Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		POLES			
Sq. Ft. @		SIGNS		DRAINAGE PIPING	
Sq. Ft. @		TRANS. AND/OR R.T. SET		SWIMMING FOUNTAIN	
Sq. Ft. @		MOTOR H.P.		URINAL	
Sq. Ft. @		MOTOR H.P.		WATER PIPING	
TOTAL VALUATION $		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ WOOD		MOTOR H.P.		WASHER (AUTO) (DISH)	
FURNACES		FIXTURES		GARBAGE DISPOSAL	
FIREPLACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ RECESSED		OUTLETS		GREASE TRAP	
GAS CONVECTOR UNIT		SWITCHES		KITCHEN SINK	
GAS LOG ☐ NATURAL ☐ L.P.G. ☐ OIL				WATER CLOSET	
CONVECTOR No.		RANGE AND/OR OVEN		LAVATORY	
APPLIANCE VENT		WATER HEATER		SHOWER	
ASPHALT-OIL BURNER	B.T.U.	SPACE HEATER		BATH TUB	
GAS BURNER APPLIANCE ☐ UNIT ☐ WALL		CONSTRUCTION POWER		WATER HEATER	
HEATING SYSTEM ☐ DUCTED ☐ DUCTLESS		HEATING EQUIPMENT		SEWAGE DISPOSAL	
FURNACE	H.P.	FEEDS TO SUB-PT.		HOUSE SEWER	
ENGINEERING FEE	SQ. FT.	GARAGE (1 RECEPT.)		GAS PIPING	
MISCELLANEOUS		PERMIT FEE		PERMIT FEE	

| | | | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

PERMIT

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
	Sq. Ft. 0	NO.		NO.	
	Sq. Ft. 0				
	Sq. Ft. 0				
	Sq. Ft. 0	PIPES			
	Sq. Ft. 0	WIRE		AGITATOR WIRES	
	Sq. Ft. 0	TRANS. RECT. OR T. COIL		URINALS PORCELAIN	
176	Sq. Ft. 0	MOTOR H.P.		1 BASINS	1 50
		MOTOR H.P.		WATER PIPING	
TOTAL VALUATION	5	MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
VENT SYSTEM ☐ FAN ☐ GRAV. CIRC. ☐ DUCT		MOTOR H.P.		WASHER (SLOP) (SINK)	
COMPRESSOR		FIXTURES		SINK OR DISPOSAL	
FURNACE ☐ WALL ☐ FLOOR ☐ RECESSED		OUTLETS		LAUNDRY TRAY	
AIR CONDITIONER UNIT		SUB-PANEL		KITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ MFR.				1 WATER CLOSET	1 50
REFRIGERATOR		GARAGE AND/OR OVEN		1 LAVATORY	1 50
ACETYLENE TEST		WATER HEATER		SHOWER	
ABSORPTION SYSTEM		SPACE HEATER		BATH TUB	
REFRIGERATION DOMESTIC ☐ PKGD. ☐ COMM.		CONSTRUCTION POLE		WATER HEATER	
HEATING DUCTS ☐ FURNACE ☐ GRAVITY		SERVICE ENTRANCE		SEWAGE DISPOSAL	
BOILER		OVER 10 SQ. FT.		NURSE GERMS	2 00
MECHANICAL FEE		GARAGE 1/2 SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		1 PERMIT FEE	2 00

| | | | |

	INSPECTION	DATE	INSPECTOR
	PLUMBING APPROVALS		
4	Gas Check		
5	Rough Plumb		
6	Roof Drain		
7	Vents		
8	Sewer		
9	Gross Floor Drain		
10	Fixtures		
11	Exterior Lines		
12	Water Lines		
13	Sewage Ejector		
14	Final		
	MECHANICAL APPROVALS		
15	Ground Piping		
16	Hydr. Piping		
17	Rough Piping		
18	Vents		
19	Chimney Liner(s)		
20	Gas Lines		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Underfloor Ducts		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Valves & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

Task	No.	Line

SEWER DISPOSAL LOCATION

STREET

☐ INSIDE ☐ OUTSIDE ☐ NEW

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING ESTIMATE

Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	114.00
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	

WATER VALUATION $ 73.00

MECHANICAL FEES

VENT SYSTEM ☐ GAS ☐ OVEN, COIL ☐ HOOD

FURNACE

FIREPLACE ☐ PREFAB ☐ WALL ☐ FLOOR ☐ INCINERATOR

AIR CONDITIONING UNIT

GAS PIPE ☐ HEATER ☐ L.P.G. ☐ OIL

COMPRESSOR H.P.

APPLIANCE VENT

APPLIANCE OR BURNER B.T.U.

INCINERATOR TYPE ☐ GAS ☐ COAL

BOILER BURNER ☐ FORCED ☐ GRAVITY

BOILER B.H.P.

EVAPORATIVE COOLER H.P. CFM

REFRIGERATION

ELECTRICAL FEES

NO.			
	1 Bldg. Service	1	15.00
	2 Sub Panels	2	6.00
	Heater		
	Range		
	Motor 1/2 H.P.	1	3.00
	Motor 3 H.P.	1	6.00
	Motor H.P.		
	Motor H.P.		
	Motor H.P.		
	Fixtures	32	6.40
	Outlets	15	3.00
	Switches	1	1.00
	Range and/or Oven		
	Water Heater	1	1.00
	Space Heater		
	Construction Pole	1	
	Security Entrance	1	1.00
	Addl. 30 Sq. Ft.		
	Garage 30 Sq. Ft.		
	Permit Fee	1	1.00

PLUMBING FEES

NO.		
	Hose Bibb	1
	Sewer Main	1
	Drainage Piping	
	Drinking Fountain	
	Urinal	1
	Water Piping	
	Floor Drain	
	Water Softener	
	Washer (Auto) (Disc)	
	Garbage Disposal	
	Laundry Tray	
	Kitchen Sink	1
	Water Closet	2
	Lavatory	2
	Shower	
	Bath Tub	
	Water Heater	
	Sewage Disposal	
	House Sewer	1
	Gas Piping	
	Permit Fee	1

BLDG. $318.10	PLBG.	MECH.	TOTAL FEES $432.10	PLAN CK. FEE	COUNTY FEE 172.80	ELEC. FEE 114.70	PLUMB. FEE 12.50

| | | | | | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION CLASS/AREA

2BB	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	

ESTIMATED VALUATION $ 150,000

MECHANICAL FEES

TENT SYSTEM ☐ FAN ☐ STAT. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ WALL ☐ FLOOR ☐ SUSPENDED		
FLOOR FURNACE UNIT		
FUEL TYPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
INCINERATOR	NO.	
GRILL HOOD VENT		
ADDITIONAL OUTLETS	L.F.U.	
INCINERATOR SCRUBBER ☐ HOOD ☐ DUCT		
HEATING DUCTS ☐ FOR VENTILATION		
BOILER	H.P.U.	
UNDERGROUND PIPE	GAL.	
PERMIT FEE		

ELECTRICAL FEES

NO.		
1	SERVICE	
16	LIGHTS	
	POLES	
	SIGNS	
8	TRANS. AMP/ OR V. SEC.	
2	MOTOR H.P.	
2	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
12	FIXTURE	
12	OUTLETS	
1	SUB-PANEL	
	RANGE AND/OR OVEN	
1	WATER HEATER	
	SPACE HEATER	
	CONVECTION FOIL	
1	SERVICE ENTRANCE	
	WIRE, 1 to 20 CT.	
	CABLE 1 to 20 CT.	
1	PERMIT FEE	

PLUMBING FEES

NO.	
1	SEWER
	ARTESIAN WELLS
	DRINKING FOUNTAIN
1	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	TRAPPED GUTTER (PAIR)
	CATCH BASIN
1	LAUNDRY TRAY
1	KITCHEN SINK
2	WATER CLOSET
2	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	REMARK (GENERAL)
1	HOSE BIBBS
	GAS PIPING
1	PERMIT FEE

1,378.10		345.00			102.00	42.00	12.50

SUB-AREA | LOT SIZE | USE P. | SCMS: M-3

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 123.00

LOCATIONAL FEE 49.50

PLUMBING FEE 12.50

TOTAL FEES $ 245.20

CHECKED BY: R.H.

CHECK | TYPE

STRUCT. INSP.

PLAN CHECKER

CASH | CHECK # | M.O. | N.C.

REVIEWED BY

REMARKS SYSTEM

LL | P

INFORMATION

JOB ADDRESS: 23200 Teorcal

OWNER: Hyder Contract

USE OF BUILDING: Office Bldg.

COMMUNITY: Edgemont | DISTANCE: N 92 | U.C. | UNITS | VALUATION: 150,000

LEGAL DESCRIPTION: For Sec 32 T4S R2W

PERMIT NUMBER: 15710

SUPPL. TO PERMIT

BOND # | BOND | CASH | PLAN FILE # 4786 | FINAL DATE 9 3 67 | INSPECTOR

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hyder Co.	Steiner Corp.
ADDRESS: 23200 Teorcal Hyd	ADDRESS: P.O. Box 549
Corona, Calif.	Corona, Calif.
TEL. NO. 735-2010	TEL. NO. 735-5001
	LICENSE NO.

284-200 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Lot Data		
2	Piers & Piles		
3	Slab		
4	Grade Beams		
5	Conc Beams		
6	Rock Work		
7	Framing		
8	Trusses		
9	Garage Fire Wall		
10	Fireplace F.A. ☐ F.O. ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final	4-6-68	Bridges
	PLUMBING APPROVALS		
15	Ground Pipes		
16	Water Piping		
17	Septic Tank		
18	Vents		
19	Sewage Disposal		
20	Sewer	3-12-68	Lingham
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final	11-6-68	Bridges
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4-3-68	Yeats
28	Service Entrance		
29	Wiring	4-3-68	Yeats
30	Fixtures	4-3-68	Yeats
31	Service		
32	Final	11-3-68	Yeats

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Fireplace & Stacks		
35	Furnace Conversion		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressors		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		
	Fdn. to be covered 11-6-68 Bridges		

Tank Pit L Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route

Use Dist.

Asst. Dept.

Plan Dept.

Engineering Dept.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT

DEPARTMENT OF BUILDING AND SAFETY

COUNTY OF RIVERSIDE

Dist. Office

Permit No.

Del. Date

Owner [illegible] Architect [illegible] Contractor [illegible]

Address [illegible] Address [illegible] Address [illegible]

City [illegible] City [illegible] City [illegible]

Phone [illegible] Phone [illegible] Phone [illegible]

I (we) the undersigned, hereby certify and acknowledge that I (we) have read this application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a final inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE [illegible] SIGNATURE OF OWNER [illegible]

Approval by Signature From the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION — BUILDING AND SAFETY

Location of Lot [illegible]

Legal Description of Property [illegible]

NO. OF SUBMITTED PLANS [illegible]

ADDITIONAL PLOT PLANS

CASE NO. [illegible]

TYPE OF CONSTRUCTION [illegible]

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☑	INDUSTRIAL	☐
ALTERATIONS	☐		

NO. OF PARKING SPACES REQUIRED [illegible] NO. OF BUILDINGS NOW EXISTING [illegible]

ZONE [illegible] SETBACKS [illegible] FRONT [illegible] SIDE [illegible] REAR [illegible]

IF 1 - 10 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. YES ☑ NO ☐ RECEIVED YES ☑ NO ☐

SETBACK ORDINANCE # [illegible] OF [illegible] FEET REQUIRED ON [illegible] STREET

DATE [illegible] SIGNATURE OF LAND USE OFFICIAL [illegible]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET

CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET

THE ABOVE CONSTRUCTION? YES ☐ NO ☐

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐

HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐

DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL

COMMERCIAL SEWAGE

FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK

FLOOD CONTROL WATER POLLUTION

AIR POLLUTION DIV OF HWY

REMARKS:

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING PERMIT		ELECTRICAL PERMIT		PLUMBING PERMIT	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @		PANEL 1345 07	$ 5.00	1 TOILET	2.50
Sq. Ft. @		POLES			
Sq. Ft. @		SWGR.		DRAINAGE PIPING	
Sq. Ft. @		TRANS. AMPS/ SEC. 1 CAP.		BUILDING SEWER/DRAIN	
Sq. Ft. @		MOTOR H.P.		2 SEWER	7.50
Sq. Ft. @		MOTOR H.P.		WATER PIPING	
WATER VALUATION $ 24,000		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL PERMIT		MOTOR H.P.		WATER SOFTENER	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		MOTOR H.P.		WASHER (AUTO) (SINK)	
APPLIANCE		FIXTURES		GARBAGE DISPOSAL	
BURNER ☐ GAS ☐ OIL ☐ FLOOR ☐ SUSPENDED		OUTLETS		LAUNDRY TRAY	
AIR CONDITIONING UNIT		SWITCHES		KITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL				1 WATER CLOSET	5.00
COMPRESSOR H.P.		HOODS AND/OR CANS		1 LAVATORY	2.50
APPLIANCE VENT		WATER HEATER		SHOWER	
ADDITION SECTION S.F.G.		SPACE HEATER		BATH TUB	
REFRIGERATION MONITOR ☐ FREON ☐ AMMONIA		CONSTRUCTION POLE		WATER HEATER	
HEATING SYSTEM ☐ FURNACE ☐ GRAVITY		SERVICE ENTRANCE		SEWAGE DISPOSAL	
BOILER H.P.		PANEL TO BE SET		1 HOUSE SEWER	5.00
REFRIGERATING GAS 25 LB.		GARAGE OR AG. BLDG.		GAS PIPING	
HEATING GAS		PERMIT FEE		1 PERMIT FEE	5.00

BLDG. VALUATION $ 3707 | PER. FEE | SURV. | TOTAL FEES 23.50 | PLAN CK. FEE | ELEC. CK. FEE | COUNTY FEE 12.00 | ELEC. FEE | PLUMB. FEE 11.50

SET BACK: F ___ S ___ R ___ | LOT SIZE | USE P. | ZONE R-3 | ASSESSOR BK. 669 | PAGE | PARCEL

JOB ADDRESS: 23200 Temescal | OWNER: Nuteo Conduit

USE OF BUILDING: Trade Rooms for Service Pipe | Const. Type

COMMUNITY: Corona | DISTRICT 7 | P.C. 22 | UNITS | VALUATION 3707 | NOTICE 2

LEGAL DESCRIPTION: Por Sec. 35 T4S R6W | PERMIT NUMBER 15977

APPR. INSP. | BOND TO PERMIT

WORK ☐ | BOND | CASH | PLAN FEE $ 4.50 | FINAL DATE | INSPECTOR

PLAN CHECK FEE

MECHANICAL FEE

RECONSTRUCTION FEE 12.00

ELECTRICAL FEE

PLUMBING FEE 11.50

PLAN CHECKED

TOTAL FEES $ 23.50

CASH | CHECK | M.O. | N.C.

TAKEN BY | SEWAGE SYSTEM | Y | LL | D

INFORMATION

10

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Nuteo Conduit Corp.	Lemon Co. Inc.
ADDRESS 23200 Temescal	ADDRESS P.O. Box 279
Corona Calif.	Corona Calif.
TEL. NO. 735-8420	TEL. NO. 735-5249
	LICENSE NO. V

RS-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Fdn.	Sq. Ft.	NO.		NO.	
Sq. Ft.	Sq. Ft.				
Sq. Ft.	Sq. Ft.				
Sq. Ft.	Sq. Ft.	POLES			
Sq. Ft.	Sq. Ft.	SIGNS			SEWAGE EJECTOR
Sq. Ft.	Sq. Ft.	CRANE, HOIST OR T. TLK.			DRINKING FOUNTAIN
Sq. Ft.	Sq. Ft.	MOTOR	H.P.	1	URINAL
ESTIMATED VALUATION $		MOTOR	H.P.		WASTE PIPING
MECHANICAL FEES		MOTOR	H.P.		FLOOR DRAIN
HEATING: Floor Wall Unit Other		MOTOR	H.P.		WATER SOFTENER
APPLIANCE		MOTOR	H.P.		WASHER (AUTO) (RIGID)
VENTING: Gravity Mech. Other		FIXTURES			GARBAGE DISPOSAL
AIR HANDLING UNIT		OUTLETS			LAUNDRY TRAY
GAS PIPING: No. Outlets		BUSHINGS			SHOWER STALL
COMPRESSOR	HP				WATER CLOSET
REFRIGERANT		SIGNS OVER 6'0"			LAVATORY
ABSORPTION SYSTEM	B.T.U.	WATER HEATER			SINK
INCINERATOR: Domestic Commercial		SPACE HEATER			BATH TUB
DUCTWORK: Ft. Round Square		CONSTRUCTION HOLE			WATER HEATER
Other		SERVICE ENTRANCE			SEWAGE DISPOSAL
Other	B.T.U.	RECEP. TO 50 SQ. FT.		1	HOUSE SEWER
MECHANICAL FEE	SQ. FT.	GARAGE 50 SQ. FT.			GAS PIPING
PERMIT FEE		PERMIT FEE		1	PERMIT FEE

PLAN CHECK FEE	MECH. FEE	PLUMB. FEE	ELEC. FEE	SEPT. & VENT FEE	FLR. DR. FEE	CONST. FEE	GAS FEE	MISC. FEE
13.91		2.50				12.00		4.50

SET BACK: F ___ R ___ | LOT SIZE | USE # | ZONE R-3

JOB ADDRESS: 32200 Temescal | OWNER: Nuñez Conduit

USE OF BUILDING: Bath Rooms for Construction Crew | DATE

CHECKED BY: R.A. | COMMUNITY: El Cerrito | DISTRICT: IV | P.C. | UNITS | VALUATION: 300 | OFFICE

ROOMS | TYPE | LEGAL DESCRIPTION: Por Sec 35 7S 5W SW | PERMIT NUMBER: 15911

SPEC. DESIP. | SUPP. TO PERMIT: 85726

PLAN CHECKED | ZONE 5 | SEWR | CASH | PLAN FILE # | FINAL DATE: 11-6-70 | INSPECTOR

PLAN CHECK FEE	
MECHANICAL FEE	
CONSTRUCTION FEE	12.00
ELECTRICAL FEE	
PLUMBING FEE	11.50
TOTAL FEES	**$ 23.50**

CASH | CHECK | M.O. | N.O. | N.C.

COLLECTED BY | FORWARD STATUS: T | LL | B

INFORMATION

SMARATS File # 4652

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Nuñez Conduit	[illegible]
ADDRESS: 32200 Temescal	ADDRESS: PO Box 521
Canyon Lake	Canyon Lake
TEL. NO. 725-2420	TEL. NO. 725-2269
	LICENSE NO.

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
4	Pier Cap		
5	Piers & Grade		
6	Sills		
7	Grade Beams		
8	Beam Pockets		
9	Sand Bank		
10	Framing		
11	Vents		
12	Energy Conservation		
13	Fireplace ☐ ☐ ☐		
14	Exterior Lath		
15	Interior Lath		
16	Exterior Grade		
17	Final		
	PLUMBING APPROVALS		
18	Ground Plumb		
19	Water Piping		
20	Rough Plumb	2-27-85	[illegible]
21	Vents		
22	Sewage Disposal		
23	Sewer		
24	Water Heater		
25	Water Softener		
26	Water Service		
27	Gas Test		
28	Final	4-6-85	Owens
	ELECTRICAL APPROVALS		
29	Power Pole		
30	Conduit		
31	Service Entrance		
32	Wiring		
33	Fixtures		
34	Service		
35	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
36	Ventilation System		
37	Plenums & Ducts		
38	Furnace Category		
39	Inlets & Outlets		
40	Combustion Air		
41	Compressor		
42	Appl. Clearances		
43	Fire Damper		
44	Smoke Detection System		
45	Commercial Hood		
46	Final		
DATE	**PROGRESS CHECKS**		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION CLASSIFICATION		ELECTRICAL FEES		PLUMBING FEES	
	Sq. Ft. @	NO.		NO.	
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
ESTIMATED VALUATION					
MECHANICAL FEES					
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD					
AIR DUCT					
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED					
AIR HANDLING UNIT					
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL					
CHIMNEY/FLUE	LIN. FT.				
APPLIANCE VENT					
ABSORPTION SYSTEM	G.P.M.				
REFRIGERATION CONCRETE ☐ FLOOR ☐ PANEL					
HEATING SYSTEM ☐ FORCED ☐ GRAVITY					
BOILER	H.P.				
RESIDENTIAL SQ. FT.	NO. OF UNITS				
PERMIT FEE					

PERMIT NO.	ZONE	USE	VALUATION	OUT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
15978						9.00		

LOT	BLK	TRACT	LOT SIZE	USE #	JOB ADDRESS	OWNER
					23200 Temescal	Hydro Conduit

PLAN CHECK FEE

ZONE: M-3

TYPE OF BUILDING: Aggregate System Bldg.

DATE: 9/15

MECHANICAL FEE

CHECKED BY: [illegible]

CONSTRUCTION FEE: 9.00

OCCUP. TYPE:

LEGAL DESCRIPTION: Por Sec 35 T4S R6W

TENTAT. NUMBER: 15978

SUPP. TO PERMIT

ELECTRICAL FEE

SPEC. PROV.

PLUMBING FEE

PLAN CHECKED: Public

DIST.	VALUATION	INSPECTOR
	2000	

OVER 8	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4743		

TOTAL FEES $ 9.00

CASH | CHECK | M.O. | N.C.

ISSUED BY: [illegible]

SEWAGE SYSTEM INFORMATION

Y	EL	P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Storm Pipe
ADDRESS: 23200 Temescal	ADDRESS: P.O. Box 549
735-2420	Corona, Calif.
TEL. NO. Corona, Calif.	TEL. NO. 735-5249
	LICENSE NO. 1

154-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

PERMIT

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION		

MECHANICAL FEES

WARM AIR SYSTEM ☐ GAS ☐ ELECT. COIL ☐ HOOD		
APPLIANCES		
FLOOR FURNACES ☐ VENTS ☐ BLOWER ☐ CONVECTOR		
AIR CONDITIONING UNIT		
GAS PIPING ☐ OUTLETS ☐ L.P. ☐ NAT.		
COMPRESSOR TON		
REFRIGERANT PIPING		
EVAPORATIVE COOLER H.P.		
INCINERATOR DOMESTIC ☐ COMM. ☐ OTHER		
HEATING STOVES ☐ VENTED ☐ CONVECTED		
BOILER H.P.		
REFRIGERATION UNIT H.P.		
MECHANICAL FEES		

ELECTRICAL FEES

NO.		
METER		
WIRES		
TRANS. AND/OR M. GEN.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SWIMMER ENTRANCE		
BASIN, TUB OR PT.		
GARAGE OR MISC. PT.		
PERMIT FEE		

PLUMBING FEES

NO.	
DRAINAGE PUMPS	
REFRIGERATOR	
URINAL	
WATER HEATER	
PIPING REPAIR	
WATER SOFTENER	
SEWER (WITH CONN.)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PLAN CHECK FEE	$ 9.72	MECH. FEE	ELEC. FEE	PLUMB. FEE	DRAIN & CONT. FEE	PLN. CK. FEE	CONST. FEE	SEWER FEE

| | | | | | | | |

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footings		
2	Piers		
3	Sewer		
4	Drain Grades		
5	Sand Grade		
6	Roof Deck		
7	Framing		
8	Vents		
9	Corbels Fire Wall		
10	Fireplace P/B ☐ F/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	3-14-85	Beckett
	PLUMBING APPROVALS		
15	Ground Floor		
16	Water Piping		
17	Lawn Prints		
18	Vents		
19	Ground Abatement		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearances		
40	Fire Dampers		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		
	Residential Inspector		
	Yards ft	Lins	

SEWER DISPOSAL LOCATION

ROAD

STREET

☐ INSIDE ☐ OUTSIDE ☐ REV

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING FEES			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		POLES					
	Sq. Ft. @		SERVICE AMPS OR 3 WIRE				DRINKING FOUNTAIN	
	Sq. Ft. @		MOTOR H.P.				URINAL	
	Sq. Ft. @		MOTOR H.P.				WATER RINSE	
ESTIMATED VALUATION			MOTOR H.P.				FLOOR DRAIN	
MISCELLANEOUS FEES			MOTOR H.P.				PLASTER INTERCEPTOR	
VENT SYSTEM ☐ FAN ☐ OVER, COOL ☐ HOOD			MOTOR H.P.				WASHER (OUTLET ONLY)	
APPLIANCE			FIXTURES				GARBAGE DISPOSAL	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			OUTLETS				LAUNDRY TRAY	
AIR HANDLING UNIT			SUB-PANEL				KITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL							WATER CLOSET	
COMPRESSOR HP			HOUSE AND/OR GEN				LAVATORY	
APPLIANCE VENT			WATER HEATER				SHOWER	
ABSORPTION SYSTEM M.F.U.			SPACE HEATER				BATH TUB	
INCINERATOR RESIDENTIAL ☐ OVER ☐ CHAM.			CONSTRUCTION POLE				WATER HEATER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			SERVICE ENTRANCE				SEWAGE DISPOSAL	
BOILER H.P. B.T.U.			REMOD. TO SQ. FT.				HOUSE SEWER	
MECHANICAL FEE SQ. FT.			GARAGE TO SQ. FT.				GAS PIPING	
PERMIT FEE			PERMIT FEE				PERMIT FEE	

| SPRINKLERS | | | | | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

PAID ✓

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		No.			No.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		COILS					
	Sq. Ft. @		SIGNS				CHAINGE POINT	
	Sq. Ft. @		TRANS. AND/OR REG. & OIL				DRINKING FOUNTAIN	
	Sq. Ft. @		MOTOR	H.P.			URINAL	
	Sq. Ft. @		MOTOR	H.P.			WATER PIPING	
BUILDING VALUATION			MOTOR	H.P.			SEWER DRAIN	
MECHANICAL FEES			MOTOR	H.P.			WATER SOFTENER	
☐ SYSTEM ☐ FAN ☐ EVAP. COOL ☐ BOOS			MOTOR	H.P.			MANHOLE (AUTO) (SIZE)	
VENTILATION			FIXTURES				GARBAGE DISPOSAL	
VENTILATION ☐ GAS ☐ OIL ☐ FLOOR ☐ OVERHEAD			OUTLETS				LAUNDRY TRAY	
AIR CONDITIONING UNIT			SUB-PANEL				KITCHEN SINK	
GAS PIPING ☐ STEAM ☐ HOT H ☐ OIL							WATER CLOSET	
FURNACE	NO.		RANGE AND/OR OVEN				LAVATORY	
AIR DUCTS YES			WATER HEATER				SHOWER	
ABSORPTION SYSTEM	H.P.		SPACE HEATER				BATH TUB	
REFRIGERATION EQUIPT. ☐ MOTOR ☐ ENGINE			CONSTRUCTION POLE				WATER HEATER	
HEATING SYSTEM ☐ STEAM ☐ GRAVITY			SERVICE ENTRANCE				SEWAGE DISPOSAL	
OTHER			RESID. 1K SQ. FT.				HOUSE SEWER	
MECHANICAL FEE	SQ. FT.		GARAGE 1K SQ. FT.				SAN PIPING	
PERMIT FEE			PERMIT FEE				PERMIT FEE	

PERMIT NUMBER	PERM. FEE	TOTAL FEES	PLAN CK. FEE	ELEC. FEE	PLUMB. FEE
157979		5.00			

| | | | | | | |

NO.	OPERATION	DATE	INSPECTOR
	PLUMBING APPROVALS		
1	Set Up		
2	Top Out		
3	Final		
4	Water Piping		
5	Sewer Piping		
6	Fixtures		
7	Traps		
8	Service Line Test		
9	Pressure Test (Water)		
10	Exterior Leak		
11	Interior Leak		
12	Exterior Drain		
13	Final		
	MECHANICAL APPROVALS		
14	Ground Plugs		
15	Power Wiring		
16	Rough		
17	Vents		
18	Furnace Set Level		
19	Flame		
20	Gas Piping		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Circuit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plumbing & Ducts		
35	Furnace Cement		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Connected Heat		
43	Duct		
OPEN NO.	**PROCESS CHECKS**		

Tank PD S. Line

SEWER DISPOSAL LOCATION

BACK SIDE

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

SQUARE FOOTAGE FROM ESTIMATE		ELECTRICAL FEES			PLUMBING FEES	
	Sq. Ft. @	NO.			NO.	
	Sq. Ft. @					
	Sq. Ft. @					
	Sq. Ft. @	POLES				
	Sq. Ft. @	SIGNS			DRINKING FOUNTS	
	Sq. Ft. @	TRANS. AND/OR S. ELEC.			SHOWER FOUNTAIN	
	Sq. Ft. @	MOTOR	H.P.		URINAL	
	Sq. Ft. @	MOTOR	H.P.		SEWER PIPING	
		MOTOR	H.P.		FLOOR DRAIN	
		MOTOR	H.P.		WATER SOFTENER	
		MOTOR	H.P.		WASHER (AUTO) (DISH)	
		FIXTURES			GARBAGE DISPOSAL	
		OUTLETS			LAUNDRY TRAY	
		SUB-PANEL			KITCHEN SINK	
					WATER CLOSET	
		RANGE AND/OR STOVE			LAVATORY	
		WATER HEATER			SHOWER	
		SPACE HEATER			BATH TUB	
		CONSTRUCTION POLE			WATER HEATER	
		SERVICE ENTRANCE			SEWAGE DISPOSAL	
		WIRING 15 SQ. FT.			HOUSE SEWER	
		GARAGE 15 SQ. FT.			GAS PIPING	
		PERMIT FEE			PERMIT FEE	

EST. BLDG. VALUATION $

MECHANICAL FEES

- HEAT SYSTEM ☐ FAN ☐ STEAM, COAL ☐ WOOD
- COMPRESSOR
- FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED
- AIR HANDLING UNIT
- GAS VENT ☐ NATURAL ☐ L.P.G. ☐ OIL
- COMPRESSOR ____ HP
- APPLIANCE VENT
- ABSORPTION SYSTEM ____ B.T.U.
- INCINERATOR DOMESTIC ☐ HOSP. ☐ COMM.
- VENTING SYSTEM ☐ FORCED ☐ GRAVITY
- BOILER ____ B.H.P.
- RESIDENTIAL FEE SQ. FT. ____
- PERMIT FEE

| | | | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FILE #

CONSTRUCTION CONTRACT			MECHANICAL FEES			ELECTRICAL FEES		
	Sq. Ft. @	20,250	NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		POLES					
	Sq. Ft. @		HOODS				SPRINKLER SYSTEM	
	Sq. Ft. @		TRANS. AND/OR G. E. EQ.				DRINKING FOUNTAINS	
	Sq. Ft. @		MOTOR	H.P.			GREASE	
	Sq. Ft. @		MOTOR	H.P.			REFRIG. PIPING	
TOTAL VALUATION		$ 20,250	MOTOR	H.P.			FLOOR DRAIN	
MECHANICAL FEES			MOTOR	H.P.			WATER SOFTENER	
VENT SYSTEM ☐ FAN ☐ GRAV. COIL ☐ BOOST			MOTOR	H.P.			WASHER (AUTO) (HIGH)	
APPLIANCES			FIXTURES				GARBAGE DISPOSAL	
FURNACE ☐ GAS ☐ WALL ☐ BLOCK ☐ SUSPENDED			OUTLETS				LAUNDRY TRAY	
AIR HANDLING UNIT			SUB-PANEL				KITCHEN SINK	
GEN. FIRE ☐ NATURAL ☐ L.P.G. ☐ OIL							WATER CLOSET	
CHIMNEY/FLUE		FT.	RANGE AND/OR OVEN				LAVATORY	
EXHAUSTER VENT			WATER HEATER				SHOWER	
ADDITION SYSTEM		B.T.U.	SPACE HEATER				BATH TUB	
REFRIGERATION CONDENSING ☐ WATER ☐ AIR			CONSTRUCTION POLE				WATER HEATER	
HEATING SYSTEM ☐ FURNACE ☐ GRAVITY			SERVICE ENTRANCE				SEWAGE DISPOSAL	
BOILER		B.H.P.	BASIC @ 50 SQ. FT.				HOUSE SEWER	
MECHANICAL FEE	SQ. FT.	$	GARAGE @ 25 SQ. FT.				GAS PIPING	
PERMIT FEE			PERMIT FEE				PERMIT FEE	

$ VALUE	PLAN CK.	SQ. FT.	TOTAL FEES	HEAT & VENT. FEE	PLAN CK. FEE	ELECT. FEE	PLUMB. FEE
$ 1700					$ 25.50		

SET BACK		LOT SIZE	SQ. FT.
F	R		

AREA	PLAN CHECK FEE	$ 2.50
	DESIGNED BY	
MECHANICAL FEE		
CONSTRUCTION FEE	SCALE	TYPE
	$ 20.50	F-2
ELECTRICAL FEE	SPEC. COMP.	
	$ 4.25	
PLUMBING FEE	NEW SEWER	
TOTAL FEES		$ 27.25

CASH	CHECK #	M.O.	N.C.

RECEIVED BY

DISPOSAL SYSTEM

T	LL	P

INFORMATION

JOB ADDRESS	OWNER
93200 Tenecol	Hyder Cadet

USE OF BUILDING	DATE
Final Conn. Only	3/68

COMMUNITY	DISTRICT	M.D.	UNITS	VALUATION	OFFICE
El Cerrito	4	60	1	20,250	

GENERAL DESCRIPTION	PERMIT NUMBER
Use Sec 3 for New	157981
(Plan Check)	OVER 70 PERMIT

SQ. FT.	BOND	BATH	PLAN FILE #	FINAL DATE	INSPECTOR
			4820	3-29-68	Mack

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

Pl. Ck. 20.50
- 1.25
19.25

Write Two more Permits — 2 Cullen 3-29-68

Will be in Wed. or Thurs.

OWNER	CONTRACTOR
Wm. C. Cullen	Same
ADDRESS	ADDRESS
2300 Tenn. Ave.	Same
TEL. NO.	TEL. NO.
	LICENSE NO.

S84-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Soil Test		
2	Footing Forms		
3	Piers		
4	Sand Blocks		
5	Sand Beams		
6	Sand Roof		
7	Lintels		
8	Vents		
9	Manage Pits Set		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Coats		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Septic		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OPN NO.	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

No.	Sq. Ft.	$
	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	
	Sq. Ft.	

TOTAL VALUATION $

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ GRAV. COOL ☐ HOOD	
APPLIANCE	
DUCTWORK ☐ TILE ☐ SHEET ☐ FLEXIBLE ☐ PLENUM	
AIR HANDLING UNIT	
BOILER ☐ GAS/OIL ☐ STEAM ☐ HOT WATER	
COMPRESSOR HP	
APPLIANCE VENT	
CORROSION RESIST. B.T.U.	
INCINERATOR ☐ GAS ☐ OIL ☐ SOLID ☐ GRAV.	
HEATING STOVE ☐ RECESS ☐ GRAVITY	
FURNACE B.T.U.	
RESIDENTIAL FEE SQ. FT. #	
PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	TRANS. ARC/ MOTOR GEN.	
	MOTOR H.P.	
	MOTOR H.P.	
	LIGHTS K.W.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RES. 0 TO 50 SQ. FT.	
	GARAGE 0 TO 50 SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.	
	DRAINAGE PIPING
	DRINKING FOUNTAIN
	GARAGE
	GREASE PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (DOMI
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	DRAINAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

PLAN CK. FEE $ 21.07 | BLDG. $ | TOTAL FEES $ 21.07 | PAID $ 21.07 | PLAN CK. FEE $ 21.07 | CONSTR. FEE | ELEC. FEE | PLUMB. FEE

| | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FEE ✓

CONSTRUCTION ESTIMATE

Res	Sq. Ft. @	12,000.-
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 12,000.-

MECHANICAL FEES

HEAT SYSTEM ☐ YES ☐ EVAP. COOL ☐ HOOD	
APPLIANCES	
VENTS ☐ HOT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P. ☐ OIL	
COMPRESSOR HP	
APPLIANCE VENT	
EVAPORATIVE COOLER B.T.U.	
INCINERATOR DOMESTIC ☐ ABOVE ☐ CONC.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER B.T.U.	
RESIDENTIAL FEE SQ. FT.	
PERMIT FEE	

ELECTRICAL FEES

	NO.
POLES	
SIGNS	
TRANS. AND/OR G.T. CAP.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURE	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 1¢ SQ. FT.	
GARAGE 1¢ SQ. FT.	
PERMIT FEE	

PLUMBING FEES

	NO.
GRADUATE RISERS	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
GARBAGE (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER 157982 | PERM. FEES | PLAN CK. FEE | ZONE FEE | ELEC. FEE | PLUMB. FEE

| | | |

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Soil Check		
2	Piers & Piles		
3	Steel		
4	Grade Blocks		
5	Sand Beam		
6	Floor Deck		
7	Framing		
8	Vents		
9	Fireplace Flue Roll		
10	Fireplace R/S ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Grease		
21	Water Heater		
22	Solar Collector		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fan Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
DEV. 25	**PROGRESS CHECKS**		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	30,000
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

CONSTRUCTION VALUATION $ 30,000

MECHANICAL FEES

- HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD
- APPLIANCE
- FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED
- AIR HANDLING UNIT
- GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL
- COMPRESSOR HP
- APPLIANCE VENT
- REFRIGERATING SYSTEM B.T.U.
- INCINERATOR REFUSE ☐ HOOD ☐ CHAM.
- VACUUM SYSTEM ☐ PIPING ☐ SERVICE
- BOILER B.T.U.
- INDUSTRIAL FEE SQ. FT.
- PERMIT FEE

ELECTRICAL FEES

NO.

- FEEDS
- SIZES
- SERVICE
- MOTOR H.P.
- MOTOR H.P.
- MOTOR H.P.
- MOTOR H.P.
- MOTOR H.P.
- FIXTURES
- OUTLETS
- SUB-PANEL
- RANGE TOP OR OVEN
- WATER HEATER
- SPACE HEATER
- CONSTRUCTION POLE
- SERVICE ENTRANCE
- ADDN. SQ. FT.
- GARAGE SQ. FT.
- PERMIT FEE

PLUMBING FEES

NO.

- DRAINAGE PIPING
- URINAL
- WATER PIPING
- FLOOR DRAIN
- WATER SOFTENER
- GREASE INTCPT. (DISH)
- GARBAGE DISPOSAL
- LAUNDRY TRAY
- KITCHEN SINK
- BATH CLOSET
- LAVATORY
- SHOWER
- BATH TUB
- WATER HEATER
- SEWAGE DISPOSAL
- HOUSE SEWER
- GAS PIPING
- PERMIT FEE

PERMIT NO.	REV.	GRL.	TOTAL FEES	PLAN CHECK FEE	SOLD TO	CONST. FEE	ELEC. FEE	PLUMB. FEE
158386								

NET SQ. FT.	LOT SIZE	USE #	JOB ADDRESS	OWNER
			23200 Temescal	HYDRO CONDUIT

PLAN CHECK FEE 15%82 (CREDIT) 6.25 PD.

MECHANICAL FEE

CONSTRUCTION FEE 36.50

ELECTRICAL FEE

PLUMBING FEE

CHECKED BY	USE OF BUILDING	DATE
	Final cure kiln	3-29-68

OCCUPANCY	DISTRICT	P.C.	UNITS	VALUATION	SERVICE
S-Storage	3	10	1	30,000	X

DESIGN	TYPE
B-2	IV

LEGAL DESCRIPTION: Por Sec 35 T6S R6W

PERMIT NUMBER 158386

SUPP. TO PERMIT

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			Lake		

TOTAL FEES DUE $ 36.50

CASH | CHECK # | M.O. | S.C.

DRIVEN BY

SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK F ~ 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	
ADDRESS	ADDRESS
	23200 Temescal Rd Corona, Calif.
TEL. NO.	TEL. NO.
	LICENSE NO.

84-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD /

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		POLES					
	Sq. Ft. @		PANELS			DRAINAGE PIPING		
	Sq. Ft. @		TRANS. AMPS					
	Sq. Ft. @		MOTOR H.P.			URINAL		
	Sq. Ft. @		MOTOR H.P.			WATER PIPING		
ESTIMATED VALUATION	$		MOTOR H.P.			FLOOR DRAIN		
MECHANICAL FEES			MOTOR H.P.			WATER SOFTENER		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			MOTOR H.P.			WASHER (AUTO) (SINK)		
APPLIANCE			FIXTURES			GARBAGE DISPOSAL		
FURNACE ☐ DUCT ☐ WALL ☐ FLOOR ☐ SUSPENDED			OUTLETS			LAUNDRY TRAY		
AIR HANDLING UNIT			SUB-PANEL			KITCHEN SINK		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL						WATER CLOSET		
COMPRESSOR HP			RANGE AND/OR OVEN			LAVATORY		
APPLIANCE VENT			WATER HEATER			SHOWER		
ABSORPTION SYSTEM B.T.U.			SPACE HEATER			BATH TUB		
INCINERATOR CONCRETE ☐ METAL ☐ COMM.			CONSTRUCTION POLE			WATER HEATER		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			SERVICE ENTRANCE			SEWAGE DISPOSAL		
BOILER B.T.U.			UNDER 10 SQ. FT.			HOUSE SEWER		
REFRIGERATION SQ.FT.			REPAIR 10 SQ. FT.			GAS PIPING		
PERMIT FEE			PERMIT FEE			PERMIT FEE		

PERMIT NUMBER 158386 | BLDG. | ELEC. | TOTAL FEES | HEAT & VENT FEE | PLN. CK. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE

SET BACK	LOT SIZE	LOT #	JOB ADDRESS	OWNER

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE

ELECTRICAL FEE

PLUMBING FEE

ZONE | CHECKED BY | USE OF BUILDING | PARTS

GROUP	TYPE	SEC. REQ.

COMMUNITY	DISTRICT	P.C.	UNION	VALUATION	OFFICE

LEGAL DESCRIPTION

PERMIT NUMBER 158386

SUPP. TO PERMIT?

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR

TOTAL FEES $

CASH	CHECK	M.O.	N.C.

SEWAGE SYSTEM

T	LL	P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
ADDRESS	ADDRESS
	2320 S. TEMESCAL #12 CORONA, CALIF.
TEL. NO.	TEL. NO.
	LICENSE NO.

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footings		
2	PIERS FORM		
3	Piers		
4	Grout Blocks		
5	Beam Bearing		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final	H.L.A.C. Permit	
		Finished Inspection	
		Certificate Issued	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
OFFICE	**PROGRESS CHECKS**		

Tank Pit Lines

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @	12,000	NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @			OUTLETS			GREASE PIPING	
	Sq. Ft. @			SWITCHES			DRINKING FOUNTAIN	
	Sq. Ft. @			MOTOR H.P.			URINAL	
	Sq. Ft. @			MOTOR H.P.			WATER PIPING	
ESTIMATED VALUATION				MOTOR H.P.			FLOOR DRAIN	
MECHANICAL FEES				MOTOR H.P.			WATER SOFTENER	
VENT SYSTEM ☐ Fan ☐ Evap. Cool ☐ Hood				MOTOR H.P.			WASTE (SUMP) (TANK)	
APPLIANCE				FIXTURES			GARBAGE DISPOSAL	
DUCTWORK ☐ Unit ☐ Wall ☐ Floor ☐ Suspended				OUTLETS			LAUNDRY TRAY	
GAS HANDLING UNIT				SUB-PANEL			KITCHEN SINK	
FAN RUN ☐ Exterior ☐ S.P.R. ☐ Etc.							WATER CLOSET	
REFRIGERANT				RANGE AND/OR OVEN			LAVATORY	
REFRIGERANT PIPE				WATER HEATER			SHOWER	
REFRIGERATION SYSTEM		H.P.U.		SPACE HEATER			BATH TUB	
REFRIGERATOR DOMESTIC ☐ Large ☐ Coin.				CONSTRUCTION POLE			WATER HEATER	
HEATING SYSTEM ☐ Forced ☐ Gravity				GARAGE ENTRANCE			SEWAGE DISPOSAL	
BOILER		B.T.U.		OTHER, TO SQ. FT.			HOUSE SEWER	
REFRIGERANT PIPE		SQ.FT.		GARAGE TO SQ. FT.			GAS PIPING	
PERMIT FEE				PERMIT FEE			PERMIT FEE	

PERMIT # 158387 | MECH. | GAS | TOTAL 21.50 | BLDG. 21.50 | PLAN CK. FEE 1 CREDIT 6.50 | CONST. FEE (21.50) | ELEC. FEE 19.50 | PLUMB. FEE

J	F	M	S	J	F	A	M	J	J	A	S	O	N	D

SET BACK | LOT SIZE | BLK # | JOB ADDRESS 23250 Temescal | OWNER RIVCO CONDUIT

PLAN CHECK FEE PER ESTIMATE (RECD) 150.00 | ZONE M-1 | USE OF BUILDING Electrical Conduits | DATE 2-20-68

MECHANICAL FEE | CHECKED BY | OCCUPANCY E2 Service | DISTRICT X | P.C. 10 | UNITS | VALUATION 12,000 | OFFICE X

CONSTRUCTION FEE 19.50 | GRADE R-2 | TYPE FW | LEGAL DESCRIPTION Per Sec 35 T6S R6W | PERMIT ISSUED 158387

ELECTRICAL FEE | SPEC. INSP. | BUFF. TO PERMIT

PLUMBING FEE | PLAN CHECKER Cates | ZONE B | KIND | CASH | PLAN FILE # M60 | FINAL DATE | INSPECTOR

CASH | CHECK | M.O. | N.C.

RECEIVED BY | GARAGE SYSTEM

INFORMATION | T | LL | P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER Riv Co Conduit | CONTRACTOR P.G. Cates

ADDRESS | ADDRESS 23250 Temescal Rd Corona, Calif.

TEL. NO. | TEL. NO.

LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

PAID ✓

CONSTRUCTION ESTIMATE

Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		
Sq. Ft. @		

ESTIMATED VALUATION $

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ WOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
GAS PIPING ☐ NATURAL ☐ L.P.G. ☐ OIL	
VENTILATION HP	
REFRIGERATION HP	
EVAPORATIVE MEDIA S.F.C.M.	
CONDITIONING REGISTERS ☐ FLOOR ☐ WALL	
HEATER MOUNTED ☐ GROUND ☐ GRAVITY	
BOILER H.P.	
INSULATION FOR SQ.FT. #	
SERVICE FEE	

ELECTRICAL FEES

NO.	
POLES	
RISERS	
TRANSF. OVER 1 K.V.A.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SIGN CIRCUIT	
PANEL 200 OR OVER	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION FEE	
SERVICE ENTRANCE	
HOUSE 10 SQ. FT.	
GARAGE 10 SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER 158387 | PLN. CK. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE

LOT BLOCK | LOT SIZE | TRACT # | JOB ADDRESS | OWNER

ZONE | USE OF BUILDING | DATE

PLANS CHECK FEE 150.00 | CHECKED BY | COMMUNITY | DISTRICT | P.C. | UNITS | VALUATION | APPROVED

MECHANICAL FEE | GROUP | TYPE | LEGAL DESCRIPTION | PERMIT NUMBER

CONSTRUCTION FEE | SPEC. INSP. | BLDG. TO CONFORM

ELECTRICAL FEE | PLAN CHECKED | BOND # | BOND | CASH | PLAN FILE # | FINAL DATE | INSPECTOR

PLUMBING FEE

TOTAL FEES $

CASH | CHECK | M.O | N.C.

RECEIVED BY | SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
ADDRESS	ADDRESS
	23200 TEMESCAL RD.
	CORONA, CALIF.
TEL. NO.	TEL. NO.
	LICENSE NO.

284-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Job Card		
2	FTGS & PIERS		
3	[illegible]		
4	Sewer Stacks		
5	Sand Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Bonding Cable		
12	Internal Lath		
13	Exterior Coats		
14	Final	FEB-88	Lundgren
	PLUMBING APPROVALS		
15	Ground Plumb	2-14-88	Hopkins
16	Sewer Piping		
17	Rough Plumb		
18	Vents		
19	Storage Disposal		
20	Water		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Combustion Hood		
43	Final		
	PROGRESS CHECKS		
44	UNDER SLAB Yard 3-18-88		
	Residential Inspection on		
	Sewer work.		

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

FLOOR ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		SIGNS			
Sq. Ft. @		TRACK. AND/ OR FLUOR.			
Sq. Ft. @		MOTOR H.P.		UNDER SLAB	
		MOTOR H.P.		FLOOR SINKS	
MECHANICAL VALUATION					
MECHANICAL FEES		MOTOR H.P.		WATER CONDITIONER	
FURNACE UNIT WALL FLOOR SUSPENDED		MOTOR H.P.		GARBAGE DISPOSAL	
APPLIANCE		FIXTURES		LAUNDRY TRAY	
FURNACE UNIT WALL FLOOR SUSPENDED		OUTLETS		KITCHEN SINK	
AIR HANDLING UNIT		SUB-PANEL			
GAS PIPE NATURAL L.P.G. OIL				WATER CLOSET	
VENTILATION H.P.		ARMED MOTOR SYSTEM		LAVATORY	
COOLING UNIT		WATER HEATER		SHOWER	
CONDUCTION SYSTEM H.P.		ARMED HEATER		CATCH BASIN	
REFRIGERATING EQUIPMENT INDOOR OUTDOOR		CONDENSING WELL		WATER HEATER	
WATER SYSTEM PRIVATE PUBLIC		SERVICE ENTRANCE		SEWAGE DISPOSAL	
H.P.		PANEL, 12 OR FT.		HOUSE SEWER	
GAS PIPE FEE SQ. FT.		PANEL 13 SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

158368	REM.	USE	TOTAL FEES	TRAN. & CAP. FEE	PLN. CK. FEE	COUNTY FEE	ELEC. FEE	PLUMB. FEE
			88.50			12.00		33.50

| | | | | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

MELD

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION 15

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS LINE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR HP	
APPLIANCE VENT	
ABSORPTION SYSTEM B.T.U.	
INCINERATOR CAPACITY ☐ INDUS. ☐ COMM.	
HEATING CONTROL ☐ ZONED ☐ QUALITY	
BOILER B.T.U.	
HORIZONTAL PIPE SQ.FT. @	
PERMIT FEE	

ELECTRICAL FEES

NO.			
POLES			
SIGNS			
TRANS. AMP.			
MOTOR	H.P.		
MOTOR	H.P.		
MOTOR	H.P.		
MOTOR	H.P.		
MOTOR	H.P.		
FIXTURES			
OUTLETS			
SUB-PANEL			
WASTE AND/OR DISP.			
WATER HEATER			
SPACE HEATER			
CONSTRUCTION POLE			
SERVICE ENTRANCE			
RESID. 1¢ SQ. FT.			
GARAGE ½¢ SQ. FT.			
PERMIT FEE			

PLUMBING FEES

NO.			
DRAINAGE PIPING			
DRINKING FOUNTAIN			
2	URINAL	5	
	WATER PIPING		
	FLUSH VALVE		
	WATER SOFTENER		
	WASHER (AUTO) (SINK)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
3	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOSE BIBBS		
	GAS PIPING		
2	PERMIT FEE	2	

PERMIT NUMBER 158368 | BLDG. | ELEC. | TOTAL FEES | HEAT & VENT FEE | PLM. EN. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE

SET BACK N S | LOT SIZE | UNIT #

ZONE R-3

PLAN CHECK FEE

CHECKED BY

MECHANICAL FEE

GROUP | TYPE V-B

CONSTRUCTION FEE 22.00

SPEC. INSP.

ELECTRICAL FEE

PLAN CHECKED

PLUMBING FEE 33.00

TOTAL FEES

CASH | CHECK | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM

JOB ADDRESS

OWNER

USE OF BUILDING

DATE

COMMUNITY | DISTRICT | P.C. | UNITS | VALUATION | OFFICE

LEGAL DESCRIPTION

PERMIT NUMBER 158368

PERM. TO PERMIT 156024

ROAD # | BOND | CASH | PLAN FILE # 4754 | APPROVED 11-6-86 | INSPECTOR

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 180 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES (COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

INFORMATION

OWNER	CONTRACTOR
ADDRESS	ADDRESS
	23260 TEMESCAL E. CORONA, CALIF.
TEL. NO.	TEL. NO.
	LICENSE NO.

284-208 11/87

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Piers & Piles		
3	Grade		
4	Load Blocks		
5	Load Beams		
6	Rod Deck		
7	Framing		
8	Frame		
9	Garage Fire Wall		
10	Fireplace P/B [illegible] T/D [illegible]		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Stucco		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb	11-12-68	Approved
16	Rough Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Septic		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilating System		
34	Ducts & Floats		
35	Floor Furnace		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection System		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Permit Issued
Roofing in entire Life
Complete Final Inspection
Occupancy

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		SERVICE		DRAINAGE PIPING	
Sq. Ft. @					
Sq. Ft. @		OR T. SER.			
Sq. Ft. @		MOTOR H.P.		2 BASINS	
				SHOWER SUMPS	
ESTIMATED VALUATION $		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		MOTOR H.P.		WASHER (HOTEL (DISH)	
REFRIGER.		FIXTURES		GARBAGE DISPOSAL	
DUCTS ☐ WALL ☐ FLOOR ☐ SUSPENDED		OUTLETS		LAUNDRY TRAY	
AIR CONDITG. UNIT		SUB-PANEL		KITCHEN SINK	
FUEL: GASOLINE ☐ L.P.G. ☐ OIL				1 WATER CLOSET	
BOILER H.P.		RANGE AND/OR OVEN		1 LAVATORY	
CAULKING TEST		WATER HEATER		SHOWER	
EXCAVATION HISTORY	B.T.U.	SPACE HEATER		BATH TUB	
INCINERATOR DOMESTIC ☐ COMM'L. ☐ COMB.		CONSTRUCTION POLE		WATER HEATER	
HEATING STOVES ☐ WIRED ☐ PORTABLE		BORDER SIGNS		REMOVE DISPOSAL	
FURNACE B.T.U.		SQUARE FT. SQ. FT.		1 HOUSE SEWER	
HORIZONTAL FEE Sq. Ft.		GARAGE SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		1 PERMIT FEE	

PERMIT NUMBER 158389 | BLDG. | ELEC. | PLUMB. | HEAT & VENT FEE | MECH. FEE | CONST. FEE 12.00 | CLERK FEE | PLUMB. FEE 11.50

| | | | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		POLES			
Sq. Ft. @		RISER		DRAINAGE PIPING	
Sq. Ft. @		TEMP. SERV.			
Sq. Ft. @		PH. T. FEE			
		MOTOR H.P.		1 SPIGOT	1
ESTIMATED VALUATION	15	MOTOR H.P.		WATER PIPING	
MECHANICAL FEES		MOTOR H.P.		FLOOR DRAIN	
FLAT STATES ☐ FAN ☐ EVAP. COOL ☐ HOOD		MOTOR H.P.		WATER SOFTENER	
APPLIANCE		FIXTURES		WASHER (AUTO) (SINK)	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		OUTLETS		GARBAGE DISPOSAL	
AIR HANDLING UNIT		SUB-PANEL		LAUNDRY TRAY	
HEATING ☐ GAS/NAT ☐ L.P.G. ☐ OIL				KITCHEN SINK	
REFRIGERATION TONS		RANGE & OVEN		1 WATER CLOSET	1
EVAPORATIVE		WATER HEATER		1 LAVATORY	1
REFRIGERATION SYSTEM D.T.U.		SPACE HEATER		SHOWER	
INCINERATOR DOMESTIC ☐ COMM. ☐ INDUS.		CONSTRUCTION POLE		BATH TUB	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		SERVICE ENTRANCE		WATER HEATER	
DUCTWORK D.T.U.		UNDER 10 SQ. FT.		SEWAGE DISPOSAL	
COMMERCIAL FEE SQ. FT.		GARAGE 10 SQ. FT.		1 HOUSE SEWER	1
PERMIT FEE		PERMIT FEE		GAS PIPING	
				1 PERMIT FEE	1

PERMIT NUMBER	GEN.	DEL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	COMPT. FEE	ELEC. FEE	PLUMB. FEE
156389			23.00			22.00		33.00

KEY BACK	LOT SIZE	USE #	JOB ADDRESS	OWNER
			23870 Emerson	[illegible]

PLAN CHECK FEE	ZONE	USE OF BUILDING	DATE
	R-1	Single Family Dwelling	11-6-68

MECHANICAL FEE	CHECKED BY	COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
		Lake Elsinore	3		1	15,000	R

CONSTRUCTION FEE	GROUP	TYPE	LEGAL DESCRIPTION	PERMIT NUMBER
18.00	V-N	5B	Lot 200 Tr 5365	156389

ELECTRICAL FEE	AREA, TERR.		SUPP. TO PERMIT
			156354

PLUMBING FEE	PLAN CHECKED	SOLD TO	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
33.00	[illegible]				4754	11-6-68	[illegible]

[illegible] PAID
RECEIPT # [illegible] BY [illegible]

CASH	CHECK	M.O.	N.C.

OWNER BY	SEWAGE SYSTEM		
[illegible]			

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 180 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
[illegible]	[illegible]
ADDRESS	ADDRESS
	23200 TEMESCAL RD
	CORONA, CALIF
TEL. NO.	TEL. NO.
	LICENSE NO

83-206 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
3	Set Back		
4	Piers & Piles		
5	Seal		
6	Grade Blocks		
8	Sand Seams		
8	Roof Deck		
7	Framing	11-6-68	
8	Vents		
9	Garage Fire Wall		
10	Sheathing [illegible]		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade	11-6-68	
14	Paint		
	PLUMBING APPROVALS		
15	Ground Plumb	11-12-68	
16	Rough Piping		
17	Septic Plumb	11-6-68	
18	Fixtures		
20	Sewage Disposal		
21	Service		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final	11-6-68	
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Cement.		
35	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
OPEN NO.	**PROGRESS ONLY**		

Tank ____ Fill ____ Vent ____

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING PERMIT FEES		ELECTRICAL FEES			PLUMBING FEES	
	Sq. Ft. @	NO.			NO.	
	Sq. Ft. @	1	150 AMP SERVICE	15 00		
	Sq. Ft. @	POLES				
	Sq. Ft. @	SIGNS			UNDERGROUND	
	Sq. Ft. @					
	Sq. Ft. @	2	MOTOR Split H.P.	2 00	URINAL	
	Sq. Ft. @	1	MOTOR 2 H.P.	1 00	WATER PIPING	
ENGINEERING TABULATION	15 45 00	2	MOTOR 240 H.P.	20 00	FLOOR DRAIN	
MECHANICAL FEES			MOTOR H.P.		WATER SOFTENER	
EVAPORATIVE COOLERS			MOTOR H.P.		SEWAGE EJECTOR	
APPLIANCES		54	FIXTURES	5 40	SEWAGE DISPOSAL	
VENTS		27	OUTLETS	2 70	LAUNDRY TRAY	
AIR CONDITIONING		3	SWITCHES	3 00	KITCHEN SINK	
GAS PIPING					WATER CLOSET	
UNDERGROUND			BOILER AND/OR GTEE		LAVATORY	
REFRIGERANT PIPING			WATER HEATER		SHOWER	
INCINERATOR			SPACE HEATER		BATH TUB	
MECHANICAL EXHAUST			FURNACE H.P.		WATER HEATER	
BOILER & PRESS			BOILER HORSEPOWER		SEWAGE DISPOSAL	
CHECKED			WELD, IN SQ. FT.		HOUSE SEWER	
ENGINEERING TAB	SQ. FT.		FURNACE IN SQ. FT.		GAS PIPING	
MECHANICAL FEE		1	PERMIT FEE	1 00	PERMIT FEE	

15 00			49 50				49.50		

SET BACK: 25 30 85

LOT SIZE:

ZONE: M-3

PLAN CHECK FEE:

MECHANICAL FEE:

CONSTRUCTION FEE:

ELECTRICAL FEE: 49.50

PLUMBING FEE:

JOB ADDRESS: 23200 Temescal

USE OF BUILDING: Elsinore Boiler Room

OWNER: Hydro Conduit Corp. & Unit Sub. Sta.

CONTRACTOR: Ed Rogers

DIVISION: M

PC: 35

DATE: 1

VALUATION: 15,000

OCCUPANCY: 2

LEGAL DESCRIPTION: Por Sec 35 T 5 S R 4 W

PERMIT NO: 150850

SUPP. TO PERMIT:

BOND #	BOND	CHECK	PLAN FILE #	FINAL DATE	INSPECTION
			4120		

BUILDING PERMIT FEE: 49.50

CASH	CHECK	M.O.	N.C.

RECEIVED BY

SEWAGE SYSTEM

INSPECTION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Co.	Stevens Logan Co.
ADDRESS: 23200 Temescal Cal.	ADDRESS: P.O. Box 549
TEL. NO.: 735-2420	TEL. NO.: 735-5247
Corona Calif.	LICENSE NO.

284-206 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FILE

ESTIMATE	ELECTRICAL FEES	PLUMBING FEES
Sq. Ft. @	NO.	NO.
Sq. Ft. @	1 125 Amps	
Sq. Ft. @	POLES	
Sq. Ft. @	SIGNS	SEWAGE PUMPS
Sq. Ft. @	TEMP. SERV.	GARBAGE DISPOSALS
Sq. Ft. @	SW. T. FEE SQ. FT.	SINKS
	3 METER Feeder H.P. 3	WATER PIPING
ESTIMATED VALUATION 45,000	1 METER 2 H.P. 1	
MECHANICAL FEES	1 MOTOR 200 H.P. 30	FLOOR DRAINS
HEAT SYSTEM ☐ FAN ☐ RADIANT ☐ FLOOR	MOTOR H.P.	WATER SOFTENER
APPLIANCE	MOTOR H.P.	WASHER (AUTO) (HAND)
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	20 FIXTURES 1	GARBAGE DISPOSAL
AIR CONDITIONING	30 OUTLETS 9	LAUNDRY TRAY
GAS PIPE: OUTLETS ☐ U.G. ☐	2 RECEPTACLE 3	KITCHEN SINK
COMPRESSOR H.P.		WATER CLOSET
APPLIANCE VENT	RANGE AND/OR OVEN	LAVATORY
ARMORED CABLE L.F.U.	WATER HEATER	SHOWER
ACCESSIBLE DUCTWORK ☐ FLOOR ☐ CEILING	SPACE HEATER	BATH TUB
HEATING SYSTEM ☐ WINDOW ☐ CEILING	CONSTRUCTION POLE	OUTER HEATER
BOILER H.P.	SERVICE ENTRANCE	SEWAGE DISPOSAL
RESIDENTIAL FEE SQ. FT.	RESID. 10 SQ. FT.	HOUSE SEWER
PERMIT FEE	COMMER. 10 SQ. FT.	GAS PIPING
	1 PERMIT FEE 1.00	PERMIT FEE

PERMIT NUMBER 158469 | PLAN CK. | GEN. | TOTAL FEES 49.50 | TRUST & WAY FEE | PLAN CK. FEE | COMPT. FEE | ELEC. FEE 49.50 | PLUMB. FEE

SET BACK	LOT SIZE	USE #
25	25	

JOB ADDRESS 23400 Temescal OWNER Hydro Conduit Corp.

USE OF BUILDING Fire Loc Boiler Pad & Unit Sub. Pad

PLAN CHECK FEE | PAID | CHECKED BY | CASH | CHECK | M.O. | ZONE | DISTRICT | P.C. | UNITS | VALUATION | FILED

MECHANICAL FEE | CASH | CHECK | M.O. | ZONE | DISTRICT | P.C. | UNITS | VALUATION | FILED

LEGAL DESCRIPTION Por Sec 26 T 5S R 5W 158469

INSPECTION FEE | PAID | CHECK # | ISSUED TO PERMIT

ELECTRICAL FEE 49.50 | PLOT CHECKED

PLUMBING FEE | BOND # | BOND | DATE | FLOOR VALUE 4900 | FINAL DATE 4 3 68 | INSPECTOR

SEWAGE DISPOSAL FEES | CASH | CHECK | M.O. | N.C.

PLANS CHECKED BY | SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stone Pipe Co.
ADDRESS	ADDRESS
23400 Temescal	P.O. Box 547
735-2020	735-5249
TEL. NO.	TEL. NO.
Corona Calif.	
	LICENSE NO.

54-206 12/67

NO.	INSPECTION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footing		
2	Foundation		
3	Slab Base		
4	Floor Deck		
5	Framing		
6	Roof		
7	Chimney Fire Stop		
8	Electrical Rough		
9	Plumbing Rough		
10	Mechanical Rough		
11	Insulation		
12	Exterior Grade		
13	Final		
	PLUMBING APPROVALS		
14	Ground Piping		
15	Water Piping		
16	Rough Plumb		
17	Gas Piping		
18	Sewer Rough		
19	Gas Test		
20	Water Heater		
21	Water Softener		
22	Water Service		
23	Gas Test		
24	Final		
	ELECTRICAL APPROVALS		
25	Power Pole		
26	Conduit	4/3/69	
27	Service Entrance		
28	Wiring	4/3/69	
29	Fixtures	4/3/69	
30	Service		
31	Final	4/3/69	

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
32	Ventilation System		
33	Plenums & Ducts		
34	Furnace Vented		
35	Inlets & Outlets		
36	Combustion Air		
37	Compressor		
38	Appl. Clearance		
39	Fire Dampers		
40	Smoke Detection Device		
41	Commercial Hood		
42	Final		
	PROGRESS CHECKS		

Need letter to complete Mech. Permit

Yard — Pit — Misc.

SEWER DISPOSAL LOCATION

BACK — FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION SUMMARY

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
UNIT	Sq. Ft. @	
County Road Fee	30. Ft. @	3 Ea
ESTIMATED VALUATION		$ 3400 —

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD

APPLIANCE

BURNER ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED

AIR CONDITIONING UNIT

GAS PIPING ☐ NATURAL ☐ L.P.G. ☐ OIL

CONVENTIONAL NO

DUCTWORK (SIZE)

VENTILATING SYSTEM C.F.M.

INCINERATOR CONDUCTED ☐ NATURAL ☐ GAS

HEATING SYSTEM ☐ DIRECT ☐ GRAVITY

BOILER B.H.P.

RESIDENTIAL FOR sq. ft. @

PERMIT FEE

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. SIZE KVA, ELEC.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
4	SUB-PANEL	4 —
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION UNIT	
	SERVICE ENTRANCE	
	REMOD. TO SQ. FT.	
	GARAGE TO SQ. FT.	
1	PERMIT FEE	1 —

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
4	FLOOR DRAIN	4 —
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
1	PERMIT FEE	1 —

BUILDING PERMIT NO.	MECH.	ELEC.	TOTAL PLUMB. FEES	HEAT & VENT. FEES	PLAN CK. FEE	CONSTR. FEE	ELEC. FEE	PLUMB. FEE
158496			35.00		7.50	15 —	5 —	8.00

| | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
	Sq. Ft. @	NO.		NO.	
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @	POLES			
	Sq. Ft. @	SIGNS		LEADERS PIPING	
	Sq. Ft. @	TRANS. AND/		DRINKING FOUNTAIN	
	Sq. Ft. @	MOTOR H.P.		VENT	
ESTIMATED VALUATION		MOTOR H.P.		WATER PIPING	
MECHANICAL FEES		MOTOR H.P.		FLOOR DRAIN	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		MOTOR H.P.		WATER SOFTENER	
APPLIANCE		MOTOR H.P.		WASHER (AUTO) (DISH)	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		FIXTURES		GARBAGE DISPOSAL	
AIR HANDLING UNIT		OUTLETS		LAUNDRY TRAY	
GAS PIPE - ☐ NATURAL ☐ L.P.G. ☐ OIL		SUB-PANEL	4	KITCHEN SINK	
COMPRESSOR H.P.				WATER CLOSET	
APPLIANCE VENT		RANGE AND/OR OVEN		LAVATORY	
ABSORPTION SYSTEM B.T.U.		WATER HEATER		SHOWER	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		SPACE HEATER		BATH TUB	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		CONSTRUCTION POLE		WATER HEATER	
BOILER B.T.U.		SERVICE ENTRANCE		SEWAGE DISPOSAL	
ADDITIONAL FEE SQ.FT. @		RESID. 10 SQ. FT.		HOUSE SEWER	
PERMIT FEE		GARAGE 10 SQ. FT.		GAS PIPING	
		PERMIT FEE	1	PERMIT FEE	2

PERMIT FEE	BSN.	DCL.	TOTAL FEE	HEAT & VENT FEE	ELEC. FEE	CONST. FEE	PLUMB. FEE	MECH. FEE
158496			35.60		1.5	15.-	5.-	8.-

MAP GRID	LOT SIZE	USE C	JOB ADDRESS 2200 Tamarind		OWNER Hall Construction			
PLAN CHECK FEE		ZONE M-3	USE OF BUILDING For Concrete Batch Plant					
MECHANICAL FEE		APPROVED BY C.H.	ASSESSMENT 61 Corona	BOOK M	PAGE 351	LOT 1	VALUATION 0.00	CHART 2
CONSTRUCTION FEE		GROUP	TYPE	LEGAL DESCRIPTION Por Sec 32 T4S R6W				PERMIT NUMBER 158496
ELECTRICAL FEE		FIRE INSP.						MISC. YR PERMIT
PLUMBING FEE		PLAN CHECKER		CORR 2	BOND	CASH	PLAN FILE #	FINAL DATE 4-3-87
								INSPECTOR

TOTAL FEES $ 32.50

CASH | CHECK | I.O. | N.C.

ROAD AT | SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hall Construction Co.	Hall Const Co
ADDRESS 2200 Tamarind Ave	ADDRESS PO Box 549
735-2400	735-6249
TEL. NO. Corona Calif	TEL. NO.
	LICENSE NO.

84-208 11/87

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Footings		
3	Steel		
4	Concrete Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Lath		
9	Garage Fire Wall		
10	Fireplace F/L ☐ F/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Coats		
14	Final	11-6-68	[illegible]
	Residence complete		
	Occupied.		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Rough Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final	11-6-68	[illegible]
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4-2-68	[illegible]
28	Service Entrance		
29	Wiring	4-30-68	[illegible]
30	Fixtures	4-30-68	[illegible]
31	Service		
32	Final	4-30-68	[illegible]

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
OPEN NO	**PROGRESS CHECKS**		
	Elec. roof to complete w-h-ht Overnight		

Issued Fee Permit No.

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING PERMIT		ELECTRICAL PERMIT		PLUMBING PERMIT	
	Sq. Ft. @	NO.		NO.	
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				

ESTIMATED VALUATION	12	SIGNS	GRAYWARE PIPING
MECHANICAL FEES		TRANS. AND/	DRINKING FOUNTAIN
TYPE SYSTEM ☐ GAS ☐ ELEC. COOL ☐ HEAT		MOTOR H.P.	URINAL
APPLIANCES		MOTOR H.P.	WATER PIPING
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		MOTOR H.P.	FLOOR DRAIN
FOR PURCHASE VENT		MOTOR H.P.	WATER SOFTENER
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		MOTOR H.P.	WASHER (AUTO) (DISH)
APPLIANCES	NO.	FIXTURES	GARBAGE DISPOSAL
APPLIANCE VENT		OUTLETS	LAUNDRY TRAY
AIR CONDITIONING SYSTEM	B.T.U.	SUB-PANEL	KITCHEN SINK
REFRIGERATION DEVICES ☐ MECH. ☐ COMM.			WATER CLOSET
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		RANGE AND/OR OVEN	LAVATORY
BOILER	B.T.U.	WATER HEATER	SHOWER
MECHANICAL FEE	SQ. FT.	SPACE HEATER	BATH TUB
PERMIT FEE		CONSTRUCTION POLE	WATER HEATER
		SERVICE ENTRANCE	SEWAGE DISPOSAL
		METER, TO BLDG. FT.	HOUSE SEWER
		GARAGE TO BLDG. FT.	GAS PIPING
		PERMIT FEE	PERMIT FEE

BUILDING PERMIT	MECH.	ELEC.	PLUMB. FEE	PLAN CK. FEE	CONSTR. FEE	ELEC. FEE	PLUMB. FEE
1553			21.60		31.50		

SEC. TWP.	LOT SIZE	BLK. #	LOT OR ADDRESS	OWNER			
			23200 Temescal	Hydro Conduit			
PLAN CHECK FEE 31.50	ZONE		USE OF BUILDING				
			Mini Storage	(Comm)			
MECHANICAL FEE	GENERAL PLAN		SUBDIVISION	LOT #	DISTRICT	UNITS	VALUATION	OFFICE
			El Cerrito	4/4	70	1		2
CONSTRUCTION FEE	CHECK #	TYPE	LEGAL DESCRIPTION					158597
								RECEIPT NO.
ELECTRICAL FEE								
PLUMBING FEE	PLAN CHECKED		SCHD. B	CODE	FARM	24 HR. FILE #	FINAL DATE	INSPECTOR
SEWER FEE 31.50								

EARTH	CHECK	M.O.	N.C.	
ISSUED BY	SEWAGE SYSTEM			
	Y	LIC.	F	

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Stevens Roger Corp
ADDRESS	ADDRESS
23200 Temescal Cyn	P.O. Box 569
735-2420	Corona Cal.
TEL. NO.	TEL. NO.
	737-5249
	LICENSE NO.

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Car P.	Sq. Ft. @	
Roll	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ WOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR CONDITIONING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ Oil	
COMPRESSOR HP	
APPLIANCE VENT	
ABSORPTION SYSTEM B.T.U.	
INCINERATOR DOMESTIC ☐ 1 DOOR, ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER B.T.U.	
SUBMITTAL FEE SQ. FT.	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
RISER	
TRANS. KVA/ OR T. SEC.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE KW/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
GEN. 1¢ 60 SQ. FT.	
GARAGE 1¢ 60 SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER 158591

LOT BLOCK TRACT

ZONE

PLAN CHECK FEE 32.50

MECHANICAL FEE

CONSTRUCTION FEE 65.00

ELECTRICAL FEE

PLUMBING FEE

TOTAL FEES $ 65.00

CASH | CHECK # | M.O. | H.C.

SERVICE BY

SEWAGE SYSTEM

T | R | S

INFORMATION

USE OF BUILDING

Dwg Storage

COMMUNITY: E.I. County | DISTRICT: 9 | P.C.: 10 | UNITS: 1 | VALUATION: 2,000 | OFFICE: 2

LEGAL DESCRIPTION

PERMIT NUMBER 158591

SUPP. TO PERMIT

BOND $ | BOND | CASH | PLAN FILE # 4794 | FINAL DATE 3-26-68 | INSPECTOR Mary

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER: Hub Construction

ADDRESS: 23360 Cactus Ave

TEL. NO. 655-3421

CONTRACTOR: Lewis Refrigeration Co

ADDRESS: P.O. Box 547

TEL. NO. 655-3421

LICENSE NO.

10-4-28-1 5/67

	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Lines & Posts		
3	Piers		
4	Girders		
5	Floor Joists		
6	Sub Floor		
7	Flashing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace A/L ☐ F/G ☐		
11	Rough Lath		
12	Screed Lath		
13	Exterior Coats		
14	Final		
	PLUMBING APPROVALS		
15	Conduit Plumb		
16	Water Pipe		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
35	Plenums & Ducts		
36	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detector Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

HEAT PUMPS ☐ PAC ☐ EVAP. COOL ☐ WASH	
ADDITIONS	
FURNACES ☐ WALL ☐ FLOOR ☐ DUCTWORK	
AIR HANDLING UNIT	
BOILERS ☐ STEAM ☐ L.P.G. ☐ OIL	
COMPRESSORS HP	
APPLIANCE VENTS	
EVAPORATIVE COOLER H.P.	
REFRIGERATION CONDENSE ☐ LIQUID ☐ CHAMP.	
HEATING REMOVAL ☐ PIPING ☐ GRAVITY	
FURNACE	
BOILER H.P.	
HORIZONTAL PIPE LIN. FT.	
PERMIT FEE	

ELECTRICAL FEES

NO.		
POLES		
TRANS., OVHD OR U. GRD.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
MOTOR H.P.		
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE SURFACE UNIT		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
AUDIO, TO 25 PT.		
GARAGE 1 TO 25 SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.		
GARBAGE DISP.		
DRINKING FOUNTAIN		
URINAL		
WATER PIPING		
FLOOR DRAIN		
WATER SOFTENER		
WASHER (AUTO) (DISH)		
GARBAGE DISPOSAL		
LAUNDRY TRAY		
KITCHEN SINK		
WATER CLOSET		
LAVATORY		
SHOWER		
BATH TUB		
WATER HEATER		
DRAINAGE SYSTEM		
HOUSE SEWER		
VENT PIPING		
PERMIT FEE		

PERMIT NUMBER 156592 | BLDG. | ELEC. | TOTAL FEES | PLAN CK. FEE | COUNTY FEE | ELEC. FEE | PLUMB. FEE

| | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

	Eq. Ft. @	
	Eq. Ft. @	
	Eq. Ft. @	
	Eq. Ft. @	
	Eq. Ft. @	
	Eq. Ft. @	
	Eq. Ft. @	

ESTIMATED VALUATION: $ 2000.-

MECHANICAL FEES

HEAT: FURNACE ☐ FAN ☐ WALL ☐ FLOOR ☐ RADIANT

APPLIANCE

FIREPLACE ☐ UNIT ☐ MASONRY ☐ FACTORY BUILT

AIR CONDITIONING UNIT

GAS PIPING - ☐ NATURAL ☐ L.P.G. ☐ OIL

SEWER CONNECTION

APPLIANCE VENT

ABSORPTION SYSTEM B.T.U.

INCINERATOR CAPACITY ☐ HOUSE ☐ COMM.

HEATING SYSTEM ☐ FORCED ☐ GRAVITY

BOILER H.P.

RESIDENTIAL FEE SQ. FT.

PERMIT FEE

ELECTRICAL FEES

NO.			
2	Bldg. Less	3	00
	POLES		
	WIRE		
1	TRANS. AND/OR REGR.	2	50
8	MOTOR FRACT. H.P.	9	80
4	MOTOR 1-5 H.P.	6	00
1	MOTOR 3-5 H.P.	5	00
9	MOTOR 15-50 H.P.	27	00
	MOTOR H.P.		
	FIXTURES	2	80
17	OUTLETS	5	00
3	SUB-PANEL	9	00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	PERIM. 12 SQ. FT.		
	GARAGE 6 SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	MANNER (AUTO) (HAND)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER 158592 BLDG. ELEC. PLBG. MECH.

LOT SIZE TRACT

ZONE

PLAN CHECK FEE

CHECKED BY

MECHANICAL FEE

GROUP TYPE

CONSTRUCTION FEE 21.00

BACK. INSP.

ELECTRICAL FEE 09.10

PLAN CHECKED

PLUMBING FEE

TOTAL FEES $ 91.10

CASH CHECK M.O. N.C.

RECEIVED BY

SEWAGE SYSTEM

Y LL

INFORMATION

USE OF BUILDING Police Station DATE

COMMUNITY Jurupa DISTRICT 5th P.C. 35 UNITS 1 VALUATION 8000.- OFFICE R

LEGAL DESCRIPTION

PERMIT NUMBER 158592

BLDG. TO PERMIT

BOND # BOND CASH PLAN FILE # 4786 FINAL DATE 3-26-68 INSPECTOR

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Jurupa Rec. Dist.	Thomas Bros. Co.
ADDRESS	ADDRESS
3581 Tyler St. Riv. Calif.	1 Box 549 Riv. Calif.
TEL. NO.	TEL. NO.
785-2402	
	LICENSE NO.

BP-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Lot Mark		
2	Piles & Piers		
3	Steel		
4	Rough Blocks		
5	Roof Beams		
6	Roof Deck		
7	Framing		
8	Veneer		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Hydr		
18	Vents		
19	Sewage Disposal		
20	Grease		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilating System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Concealed Duct		
43	Final		
	PROGRESS CHECKS		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @ _____

Sq. Ft. @ _____

Sq. Ft. @ 1344 [illegible]

Sq. Ft. @ _____

Sq. Ft. @ _____

Sq. Ft. @ _____

Sq. Ft. @ _____

ESTIMATED VALUATION $

MECHANICAL FEES

TEST SYSTEM ☐ GAS ☐ EVAP. COIL ☐ HOOD

APPLIANCE

FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED

AIR HANDLING UNIT

GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL

COMPRESSOR HP

APPLIANCE VENT

ADDITION SYSTEM C.F.M.

INCINERATOR CAPACITY ☐ WOOD ☐ COMM.

VENTING SYSTEM ☐ POWER ☐ GRAVITY

BOILER H.P.

MISCELLANEOUS FEE CU. FT.

PERMIT FEE

ELECTRICAL FEES

NO. _____

[illegible] $ 1505.75

SIGNS

TRANS. ARC/GR. F. GEN.

MOTOR H.P.

MOTOR H.P.

MOTOR H.P.

MOTOR H.P.

MOTOR H.P.

FIXTURES

OUTLETS

APPLIANCES

RANGE OUTLET/COOK SPACE

WATER HEATER

SPACE HEATER

LOW VOLTAGE SYSTEM

SERVICE ENTRANCE

REGIS. OF WD. FT.

GARAGE SQ. FT.

PERMIT FEE

PLUMBING FEES

NO. _____

[illegible] 2.50

DRAINAGE PIPING

DRINKING FOUNTAIN

URINAL

WATER PIPING

FLOOR DRAIN

WATER SOFTENER

WASHER (AUTO) (DISH)

GARBAGE DISPOSAL

LAUNDRY TRAY

KITCHEN SINK

WATER CLOSET

LAVATORY

SHOWER

BATH TUB

WATER HEATER

SEWAGE DISPOSAL

HOUSE SEWER

GAS PIPING

PERMIT FEE

ARMY $ [illegible] | NAV. | MAR. | TOTAL FEES 9.05 | MAINT. | CUR. REV. | PLAN CK. FEE 9.05 | CONST. FEE | ELEC. FEE | PLUMB. FEE

[illegible] | F | N | A | W | F | J | A | S | O | N | D

SET BACKS | LOT SIZE | CODE # | JOB ADDRESS 33200 Temescal | OWNER Hydro Conduit

PLAN CHECK FEE 9.05 | ZONE | USE OF BUILDING Pre-Stress Wire Winding Facility | DATE 3/86

MECHANICAL FEE | CHECKED BY | OCCUPANCY Electric | SPEC. SET SAU | P.C. 80 | UNITS 1 | VALUATION | OFFICE 2

CONSTRUCTION FEE | ZONING | STAFF | LEGAL DESCRIPTION | PERMIT NUMBER 158593

ELECTRICAL FEE | SPEC. TAXES | SUPP. TO PERMIT

PLUMBING FEE | PLAN CHECKED | BOND # | BOND | FARM | PLAN FILE # | FINAL DATE | INSPECTOR

TOTAL FEES $ 9.05

CASH | CHECK | M.O. | N.C.

RECEIVED BY | REMARKS SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER Hydro Conduit Corp.

ADDRESS 33200 Temescal Cyn

TEL. NO. 735-2420

CONTRACTOR Stevens Logan Co.

ADDRESS P.O. Box 549

TEL. NO. 735-5249

LICENSE NO.

204-508 11/87

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD /

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 5000.-

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ A/CO	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
A.C. WINDOW UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR HP	
APPLIANCE VENT	
VENTILATION HEATER B.T.U.	
INCINERATOR CAPACITY ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
FURNACE B.T.U.	
RESIDENTIAL FAU SQ. FT. @	
PERMIT FEE	

ELECTRICAL FEES

NO.			
1	Meter and Sec	15	00
2	Temporary Service	50	00
7	Misc. Fees		
	SIGNS		
1	TRANS. 25 KVA	4	00
2	MOTOR 10 H.P.	2	00
1	MOTOR 3-5 H.P.	2	00
2	MOTOR 5-15 H.P.	5	00
4	MOTOR 15-50 H.P.	12	00
2	MOTOR 50-500 H.P.	20	00
11	FIXTURES	2	20
21	OUTLETS	4	10
4	SUB-PANEL	4	00
	WAVE ANGLER OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 12 SQ. FT.		
	GARAGE 12 SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.	
	DRAINAGE PIPING
	DRINKING FOUNTAIN
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (DISH)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

UNIT NUMBER 5869 | RES. | IND. | TOTAL FEES | DEPT. & PERMIT FEES | PLAN CK. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE

TRACT | LOT | BLK.

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 18.00

ELECTRICAL FEE 101.50

PLUMBING FEE

TOTAL FEES $ 119.50

CASH | CHECK # | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM

INFORMATION

PLANS CHECKED BY

GROUP | TYPE | SPEC. INSP.

PLAN CHECKER

Temp Service (1) Unit Mobile Home

COMMUNITY Cherry Valley | DISTRICT 5A1 | TYPE | UNITS 1 | VALUATION 5000.- | OCC. FEE

LEGAL DESCRIPTION

PERMIT NUMBER 158593

SUPP. TO PERMIT

BOND # | BOND | CASH | PLAN FILE # 4787 | FINAL DATE 3-26-67 | INSPECTOR Savage

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO OBTAIN WORKMEN'S COMPENSATION INSURANCE IN ACCORDANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER Mobile Estates Inc

ADDRESS 2 miles East of Beaumont

TEL. NO. 845-2166

CONTRACTOR Owner Builder

ADDRESS [illegible]

TEL. NO. 845-2241

LICENSE NO.

284-209 - 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Lot Field		
2	Piles & Piers		
3	Steel		
4	Drain Stacks		
5	Soil Stacks		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Coats		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plan		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilating System		
34	Plenums & Ducts		
35	Furnace Cleaned		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
FOR USE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR	HP
CONDENSER UNIT	
REFRIGERATION SYSTEM	B.T.U.
EVAPORATOR DECORATIVE ☐ WOOD ☐ OTHER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER	B.T.U.
EVAPORATOR FEE	SQ. FT.
PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	MOTOR	H.P.
	MOTOR	H.P.
	MOTOR	H.P.
	MOTOR	H.P.
	MOTOR	H.P.
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	HEAT AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	WIRING (1 SQ. FT.	
	GARAGE (1 SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	GARBAGE DISPOSAL	
	GREASE TRAP	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

BUILD. FEE	PLUMB. FEE	ELEC. FEE	MECH. FEE	PLAN CK. FEE	ROAD & PERP. FEE	CONST. FEE	DISP. FEE	SEWER FEE
1958				6.50				

KEY BACK	KEY TYP	ZONE	JOB ADDRESS	OWNER
			23200 TEMESCAL	RIVERSIDE CONDUIT

PLAN CHECK FEE 6.50	ZONE	USE OF BUILDING MAINTENANCE SHOP						DATE 7-19-68
MECHANICAL FEE	CHECKED BY	COMMUNITY EL CERRITO	DISTRICT VIN	P.C. 70	UNITS 1	VALUATION		OFFICE 2
CONSTRUCTION FEE	GROUP	TYPE	LEGAL DESCRIPTION				PERMIT NUMBER 156594	
ELECTRICAL FEE	ENGR. INSP.						SUPPL. TO PERMIT	
PLUMBING FEE	PLAN CHECKER	BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR	

CASH	CHECK	M.O.	N.C.

RECEIVED BY

SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Edward Rapp
ADDRESS 23200 Temescal	ADDRESS Box 547
Corona Calif.	Corona Calif
TEL. NO. 735-2420	TEL. NO. 735-5249
	LICENSE NO.

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HOLD

CONSTRUCTION ESTIMATE

Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @

ESTIMATED VALUATION $ [illegible]

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ GRAV. COAL ☐ WOOD	
APPLIANCE	
DUCTWORK ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPING ☐ NATURAL ☐ L.P.G. ☐ OIL	
CHIMNEY(S)	No.
APPLIANCE VENT	
COMBUSTION SYSTEM	B.T.U.
REFRIGERATOR COMPLETE ☐ REMOTE ☐ SPLIT	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER	B.T.U.
RESIDENTIAL FAN	SQ. FT.
PERMIT FEE	

ELECTRICAL FEES

NO.		
65	Mobile Home	5.20
	POLES	
	SIGNS	
1	TEMP. POWER	2.00
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
5	FIXTURES	1.00
5	OUTLETS	5.70
2	SUB-PANEL	2.00
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
1	PERMIT FEE	1.00

PLUMBING FEES

NO.	
	DRAINAGE PIPING
	DRINKING FOUNTAIN
	LAVATORY
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (DISH)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

PERMIT NUMBER 158594 | APN | DOC | TAX AREA | LOT # | PLOT PLAN | PLUMB. FEE

[illegible] | [illegible] | [illegible] | [

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Piers & Piling		
2	Sills		
3	Floor Blocks		
4	Floor Joists		
5	Rough Deck		
6	Framing		
7	Roof		
8	Fireplace Fire Wall		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Rough Plumb		
17	Rough Flush		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilating System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ AGCO	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ UNDERFIRED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
CONDITIONER HP	
APPLIANCE VENT	
REFRIGERATION SYSTEM H.P.	
INCINERATOR DOMESTIC ☐ FIRED ☐ ELECTRIC	
BOILER OR FURNACE ☐ PORTABLE ☐ GRANITE	
BOILER H.P.	
RESIDENTIAL FEE SQ. FT.	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
OTHER 3320 @	3.50
OFFICE	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
DISPOSALS	
RANGE OVEN/OP OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 1M SQ. FT.	
GARAGE 1M SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
OTHER 6 @	3.00
WITHDRAW SYSTEM	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

| | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FEE $

CONSTRUCTION ESTIMATE

Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
PLUMBING, GAS, ELECTRICAL SYSTEMS (FOR VERIFICATION STUDY)	$ 1200.-

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ GRAV. DUCT ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSORS HP	
APPLIANCE VENT	
REFRIGERATING SYSTEM TONS	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING BOILER ☐ PROCESS ☐ GRAVITY	
BOILER H.P.	
GAS OUTLETS NO. H.P.	
PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRACK, BUS		
	MOTOR H.P.		
1	MOTOR 5.7 H.P.	1	50
2	MOTOR 7.5 H.P.	4	00
	MOTOR H.P.		
	MOTOR H.P.		
10	FIXTURES	2	50
3	OUTLETS	2	00
5	RECEPTACLES	5	00
	RINGS AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	REMOD. 1ST 50 SQ. FT.		
	GARAGE 1ST 50 SQ. FT.		
1	PERMIT FEE		00

PLUMBING FEES

NO.		
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

158595 REC. ADD. TOTAL FEES

$ 1200.- PAID

LOT SIZE

ZONE

PLAN CHECK FEE

CHECKED BY

MECHANICAL FEE

GROUP TYPE

CONSTRUCTION FEE 9.00

OCC. LOAD

ELECTRICAL FEE 19.50

PLAN CHECKED

PLUMBING FEE

TOTAL FEES $ 2350

SASH CHECK M.O. N.C.

RECEIVED BY SEWAGE SYSTEM

T LL R

INFORMATION

TYPE OF BUILDING

Pool Cover Patio Cover

DATE

COMMUNITY DISTRICT P.C. UNITS VALUATION OFFICE

El Cerrito 1 1200.- 2

LEGAL DESCRIPTION

PERMIT NUMBER 158595

SUPP. TO PERMIT

BOND # BOND SASH PLAN FILE # FINAL DATE INSPECTOR

4785 326068

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Industries Corp.	Lewis Pools Co.
ADDRESS	ADDRESS
2100 E. Lincoln Ave.	P.O. Box 9
Anaheim	Anaheim, Ca.
TEL. NO.	TEL. NO.
635-7831	
	LICENSE NO.

5-7-80

634-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footings		
2	Piers & Grade		
3	Final		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Coats		
14	Final		
	PLUMBING APPROVALS		
15	Ground Works		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sump		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Flue Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

Tank Ph L Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ REV

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING FEES	ESTIMATE	ELECTRICAL FEES		PLUMBING FEES	
	Sq. Ft. @	NO.		NO.	
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @				
MECHANICAL FEES					
VENT SYSTEM ☐ FAN ☐ EXAM. 20FT ☐ HOOD					
APPLIANCE					
APPLIANCE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED					
APPLIANCE VENT					
GAS LINE ☐ NATURAL ☐ L.P.G. ☐ OIL					
HEATER/STOVE	HP				
APPLIANCE VENT					
EXHAUST SYSTEM	C.F.M.	RANGE AND/OR OVEN		WATER CLOSET	
RECIRCULATING DUCTWORK ☐ RIGID ☐ FLEXIBLE		WATER HEATER		LAVATORY	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		SPACE HEATER		SHOWER	
BOILER	B.T.U.	CONSTRUCTION POLE		BATH TUB	
RESIDENTIAL FEE	SQ. FT.	SERVICE ENTRANCE		WATER HEATER	
PERMIT FEE		REMOD. (0 SQ. FT.		SEWAGE DISPOSAL	
		REMOD. (0 SQ. FT.		HOUSE SEWER	
		PERMIT FEE		GAS PIPING	
				PERMIT FEE	

BLDG. PERMIT	MECH. FEE	CONSTR. FEE	ELEC. FEE	PLUMB. FEE
5795				

SPT BASE	LOT SIZE	AREA #

JOB ADDRESS: 23200 Prescott

OWNER: Hydro Conduit Corp

USE OF BUILDING: Under ground Drain System

PLAN CHECK FEE	6.00	ZONING BY	FINAL
MECHANICAL FEE			
CONSTRUCTION FEE		SURVEY	FINAL
ELECTRICAL FEE		PLAN CHECKED	
PLUMBING FEE			

COMMUNITY	DISTRICT	T.R.	UNITS	VALUATION	BLOCK
El Cerrito	4/11	70	1		2

LEGAL DESCRIPTION

PERMIT NUMBER: 158596

NUMB. TO PERMIT

BLDG. C	SPEC	CASH	PLAN FILE #	FINAL DATE	INSPECTOR

TOTAL FEES: 6.00

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

ISSUED BY: [illegible]

SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 180 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Stevens Bros Co.
ADDRESS	ADDRESS
23200 Prescott	P.O. Box 548
Corona Calif	Corona Calif.
TEL. NO.	TEL. NO.
	LICENSE NO.

BA-208 11/57

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES	
	Sq. Ft. @		No.			No.	
	Sq. Ft. @						
	Sq. Ft. @		2	Circuits @ $2.00	4 00		
	Sq. Ft. @			POLES			
	Sq. Ft. @			A.C.			SHOWER PIPING
	Sq. Ft. @			TRANSFORMER			BUBBLER FOUNTAIN
	Sq. Ft. @		6	WATER HEATER H.P.	4 00		URINAL
ESTIMATED VALUATION			4	MOTOR 1-3 H.P.	4 00		WATER PIPING
MECHANICAL FEES			2	MOTOR 2-15 H.P.	2 00		FLOOR DRAIN
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD				MOTOR H.P.			WATER SOFTENER
APPLIANCE				MOTOR H.P.			WASHER (AUTO) (DISH)
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			28	FIXTURES	4 20		GARBAGE DISPOSAL
AIR HANDLING UNIT			28	OUTLETS	4 20		LAUNDRY TRAY
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL			2	SUB-PANEL	2 00		KITCHEN SINK
REFRIGERATOR							WATER CLOSET
APPLIANCE VENT				RANGE AND/OR OVEN			LAVATORY
ABSORPTION BOILER B.T.U.				WATER HEATER			SHOWER
INCINERATOR (WASTE) ☐ ISSUED ☐ CODE				SPACE HEATER			BATH TUB
HEATING SYSTEM ☐ RATED ☐ CAPACITY				CONSTRUCTION POLE			WATER HEATER
BOILER B.T.U.				SERVICE ENTRANCE			SEWAGE DISPOSAL
RESIDENTIAL FAN A.C.F.M.				RESID. 1¢ SQ. FT.			HOUSE SEWER
PERMIT FEE				GARAGE 1¢ SQ. FT.			GAS PIPING
			1	PERMIT FEE	1 00		PERMIT FEE

UNIT NO. 15596 | FOUND | CAPS | TYPE POLE | SIZE & WGT. PER | FOUND | CAPS | TYPE POLE | SIZE & WGT. PER | GUYS | GUYS

	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
	Job Card		
	FIELD INSPECTIONS		
4	Rough Electric		
5	Rough Plumb		
6	Rough Mech		
7	Framing		
8	Insul.		
9	Garage Fire Wall		
10	Fireplace F/S ☐ F/G ☐		
11	Exterior Lath		
12	Interior Lath		
13	Weather Strip		
14	Final		
	PLUMBING APPROVALS		
15	Rough Plumb		
16	Gas Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Ductwork & Ducts		
35	Furnace Connect		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Units		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @

ESTIMATED VALUATION $

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD
APPLIANCE
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED
AIR CONDITIONING UNIT
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL
COMPRESSOR HP
ADDITIONAL VENT
EVAPORATIVE SYSTEM B.T.U.
REFRIGERATED EQUIPMENT ☐ MECH. ☐ COMM.
HEATING SYSTEM ☐ FORCED ☐ GRAVITY
BOILER B.H.P.
RESIDENTIAL FEE SQ. FT.
PERMIT FEE

ELECTRICAL FEES

NO.

POLES
WIRES
TOWER, MAST OR T. CLR.
MOTOR H.P.
MOTOR H.P.
MOTOR H.P.
MOTOR H.P.
MOTOR H.P.
FIXTURES
OUTLETS
SUB-PANEL
RANGE AND/OR OVEN
WATER HEATER
SPACE HEATER
RECTIFYING POLE
SERVICE ENTRANCE
MISC. 10 SQ. FT.
GARAGE 10 SQ. FT.
PERMIT FEE

PLUMBING FEES

NO.

GREASE TRAP
DRAINAGE PIPING
DRINKING FOUNTAIN
URINAL
WATER PIPING
FLOOR DRAIN
WATER SOFTENER
WASHER (AUTO) (DISH)
GARBAGE DISPOSAL
LAUNDRY TRAY
KITCHEN SINK
WATER CLOSET
LAVATORY
SHOWER
BATH TUB
WATER HEATER
SEWAGE DISPOSAL
HOUSE SEWER
GAS PIPING
PERMIT FEE

PERMIT NO. 158597 | PERMIT | ENG. | TOTAL ESTIMATE | PLAN & MAP FEE | PLAN CK. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE

PAY BACK | LOT SIZE | USE # | ZONE

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE

ELECTRICAL FEE

PLUMBING FEE

CHECKED BY

SHEET | TYPE

SPEC. INSP.

PLAN CHECKED

JOB ADDRESS: 23200 Temescal
OWNER: Hyden Conduit
USE OF BUILDING: Central Batch Plant
DATE: 4/6/88
COMMUNITY: El Cerrito | DIST. | SEC. | TOWN | RANGE | VALUATION | OFFICE: 2
LEGAL DESCRIPTION
PERMIT NUMBER: 158597
SUPP. TO PERMIT
ROAD # | ZONE | MAP | PLAN FILE # | FINAL DATE | INSPECTOR

TOTAL FEE $ 6.00

CASH | CHECK | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS, CESSATION OF WORK FOR 180 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLY WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER: Hyden Conduit.
ADDRESS: 23200 Temescal
TEL. NO.: 245-2820

CONTRACTOR: Stearns Rogers
ADDRESS: P.O. Box 529
Corona Calif.
TEL. NO.:
LICENSE NO.

264-208 11/87

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION RETREATR

	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @

ESTIMATED VALUATION $ 2500.-

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ UNDERFLOOR	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR HP	
APPLIANCE VENT	
ABSORPTION SYSTEM B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING VESSEL ☐ PRESS ☐ GRAVITY	
BOILER B.T.U.	
GEN. RENTAL FEE SQ. FT.	
PERMIT FEE	

ELECTRICAL FEES

NO.			
4	Wall Heaters	1	60
	POLES		
	SIGNS		
1	TRANS. OVER 15 KVA	2	50
1	MOTOR FRACT. H.P.	1	00
	MOTOR H.P.		
1	MOTOR 1-3 H.P.	2	00
	MOTOR H.P.		
1	MOTOR 15-50 H.P.	3	00
17	FIXTURES	3	40
22	OUTLETS	4	40
2	SUB-PANEL	2	00
	RANGE AND OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	MISC. (1 SQ. FT.		
	GARAGE (1 SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.	
1	
	GREASE PIPING
	DRINKING FOUNTAIN
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (DISH)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

PERMIT NUMBER 158597 | BLDG. | ELEC. | PLBG. | MECH. | TEST & VERIF. FEE | PLAN CK. FEE | COMM. FEE | ELEC. FEE | PLBG. FEE | MECH. FEE

TAX CODE | LOT SIZE | USE #

ZONE

PLAN CHECK FEE 36.00

CHECKED BY

MECHANICAL FEE

GROUP | TYPE

CONSTRUCTION FEE 18.00

SPEC. COND.

ELECTRICAL FEE 20.90

PLAN CHECKED

PLUMBING FEE

TOTAL FEES $ 32.90

CASH | CHECK | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM

IT | IL | IP

INFORMATION

Central Rubidoux

COMMUNITY: El Casco | DISTRICT: 4th | MAP: 2 | DATE: 1 | VALUATION: 2500.- | OFFICE: 2

LEGAL DESCRIPTION

SEPTIC PERMIT

SUPP. TO PERMIT 158597

BOND # | BOND | CASH | PLAN FILE # 4792 | FINAL DATE 3-20-68 | INSPECTOR Mayo

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER: Hartland

ADDRESS: 5000 Arroyo

735-2470

TEL. NO.

CONTRACTOR: Lewis Signs

ADDRESS: Perris Blvd

Moreno

TEL. NO.

LICENSE NO.

X64-208 (11/67)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Stake		
2	Start & Erosion		
3	Footings		
4	Found. Blocks		
5	Found. Beams		
6	Floor Deck		
7	Framing		
8	Sheath		
9	Garage Fire Wall		
10	Fireplace P.A. ☐ T/O ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Stucco		
14	Final		
	PLUMBING APPROVALS		
15	Drains Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Connect.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONTRACTOR'S ESTIMATE

	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @

ELECTRICAL FEES

NO.		
	SOLAR	
	SPARE AMP/ [illegible]	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	BY-PASSES	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	REMOD. 25 SQ. FT.	
	GARAGE @ 30 SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.	
	[illegible]
	GARBAGE DISPOSAL
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (DISH)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

ELECTRICAL PERMIT

MECHANICAL FEES

- VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD
- APPLIANCES
- DUCTWORK ☐ DUCT ☐ WALL ☐ FLOOR ☐ SUSPENDED
- AIR HANDLING UNIT
- GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL
- COMPRESSOR ____ HP
- APPLIANCE VENT
- CONNECTOR DIAMETER ____ B.T.U.
- INCINERATOR DOMESTIC ☐ Upper. ☐ Comm.
- HEATING SYSTEM ☐ FORCED ☐ GRAVITY
- OTHER ____ B.T.U.
- REFRIGERATION FEE SQ. FT. ____ @
- PERMIT FEE

158598	INCR.	DEL.	TOTAL CHECK	HEAT & VENT FEE	PLUMB. GAS FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
			6.42		6.42			

J	F	M	A	M	J	J	A	S	O	N	D

GRY BACK	LOT SIZE	USE #
P P R		

PLAN CHECK FEE 6.00

MECHANICAL FEE

CONSTRUCTION FEE

ELECTRICAL FEE

PLUMBING FEE

ZONE

CHECKED BY

GROUP TYPE

ZONE, INSP.

PLAN CHECKER

JOB ADDRESS: 33200 TEMESCAL

OWNER: HYDRO CONDUIT

USE OF BUILDING: HYDROMOTIVE DRIVE SYSTEM "EAST"

DATE: 3-[illegible]

COMMUNITY	DIST/RICT	P.C.	UNITS	VALUATION	OFFICE
EL CERRITO	Y/N	70			Z

LEGAL DESCRIPTION

PERMIT ISSUED: 158598

SUPP. TO PERMIT

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR

TOTAL FEES COLLECTED: 6.00

CASH	CHECK	M.O.	M.C.

RECEIVED BY: [illegible]

SEWAGE SYSTEM

T	LL	P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Stevens Bros.
ADDRESS: 33200-Temescal	ADDRESS: P.O. Box 629
TEL. NO. 735-3420	Corona Ca.
	TEL. NO. 735-5249
	LICENSE NO.

384-204 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
	Sq. Ft. @
ESTIMATED VALUATION	$ 3000.-

MECHANICAL FEES

HEAT SYSTEM ☐ GAS ☐ EVAP. COOL ☐ WOOD	
APPLIANCE	
FURNACE ☐ WALL ☐ FLOOR ☐ SUSPENDED ☐ UNIT	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
REFRIGERATION COMPRESSOR ☐ INDUS. ☐ COMM.	
HEATING SYSTEM - ☐ FORCED ☐ GRAVITY	
DUCTS ____ B.T.U.	
RESIDENTIAL GAS ____ SQ. FT. ____	
PERMIT FEE	

ELECTRICAL FEES

NO.		
8	Circuits 3 KW	3 00
	POLES	
	SIGNS	
1	TRANS. 15 KVA	2 50
2	WATER HEATER	2 00
4	MOTOR 1-3 H.P.	4 00
4	MOTOR 1-15 H.P.	10 00
	MOTOR H.P.	
	MOTOR H.P.	
22	FIXTURES	4 40
22	OUTLETS	4 40
2	SUB-PANEL	2 00
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE 1¢ SQ. FT.	
1	PERMIT FEE	1 00

PLUMBING FEES

NO.	
	DRAINAGE PIPING
	DRINKING FOUNTAIN
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (SINK)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

PERMIT NUMBER 158598 | RESI. | COM. | TOTAL FEES | HEAT & VENT FEE | P. & M. CK. FEE | CONST. FEE 12.00 | ELEC. FEE

CITY LIMITS | LOT SIZE

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 12.00

ELECTRICAL FEE 40.10

PLUMBING FEE

CHECKED BY

GROUP | TYPE

CHEC. INSP.

PLAN TRACKER

TOTAL FEES $ 52.10

CASH | CHECK | M.O. | I.C.

RECEIVED BY

SEWAGE SYSTEM: T | LL | P

INFORMATION

USE OF BUILDING

DESCRIPTION OF WORK

DATE

SUBDIVISION | DISTRICT | LOT | UNITS | VALUATION 3000 | OFFICE Z

LEGAL DESCRIPTION

PERMIT NUMBER 158598

BOOK TO PERMIT

BAND # | BOND | CASH | PLAN FILE # 479 | ENTRY DATE 3-26-68 | INSPECTOR A

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hugh Cook	Thomas Kaye
ADDRESS	ADDRESS
232 Euclid	Corona
737-1120	Euclid
TEL. NO.	TEL. NO.
	LICENSE NO.

8344208 11/67

	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	[illegible]		
2	[illegible]		
3	Piers		
4	Grade Ripcha		
5	Sand Beams		
6	Roof Deck		
7	Flashing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/S ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Underg Piping		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
34	Ventilation System		
35	Pressure & Ducts		
36	Furnace Compart.		
37	Inlets & Outlets		
38	Combustion Air		
39	Compressor		
40	Appl. Clearance		
41	Fire Damper		
42	Smoke Detection Device		
43	Commercial Hood		
44	Final		
	PROGRESS CHECKS		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ELECTRICAL FEES

NO.		
POLES		
SIGNS		
TRANS. OVER/ UNDER		
METER	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION HOIE		
SERVICE ENTRANCE		
MISC. 12 SQ. FT.		
GARAGE 36 SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.		
DRAINAGE PIPING		
URINAL		
WATER PIPING		
FLOOR DRAIN		
WATER SOFTENER		
WASHER LAUNDRY (DIRM)		
GARBAGE DISPOSAL		
LAUNDRY TRAY		
KITCHEN SINK		
WATER CLOSET		
LAVATORY		
SHOWER		
BATH TUB		
WATER HEATER		
SEWAGE DISPOSAL		
HOUSE SEWER		
GAS PIPING		
PERMIT FEE		

MECHANICAL FEES

VENTILATION VALIDATION	
TEST SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCES	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ BOUNDED	
AIR HANDLER UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR HP	
APPLIANCE VENT	
ABSORPTION SYSTEM B.T.U.	
TONNAGE-REFRIGERATION ☐ INDUS ☐ COMM	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
COOLER B.T.U.	
MECHANICAL FEE SQ.FT.	
PERMIT FEE	

COMMERCIAL ONLY

PERMIT NUMBER 158600 | PLN. | SURV. | TOTAL FEES N.C. | HEAT & VENT. FEE | PLAN CK. FEE N.C. | CONST. FEE | ELEC. FEE | PLUMB. FEE

LOT BACK | LOT SIDE | USE #

ZONE

PLAN CHECK FEE N.C.

MECHANICAL FEE

CONSTRUCTION FEE

ELECTRICAL FEE

PLUMBING FEE

TOTAL FEES $ N.C.

CASH | CHECK | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM

Y | LL | P

INFORMATION

JOB ADDRESS 23200 TEMESCAL

OWNER KYBRO CONDUIT.

USE OF BUILDING FINAL CURE KILN

DATE 5-7-80

SUBDIVISION ELCERRITO | DISTRICT W/N | P.C. 70 | UNITS 1 | VALUATION | OFFICE 2

LEGAL DESCRIPTION

PERMIT NUMBER 158600

SUPP. TO PERMIT

GROUP | TYPE | SPEC. INSP.

PLAN CHECKED

BOND # | BOND | CASH | PLAN FILE # | FINAL DATE | INSPECTOR

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit -	Storms Rogers
ADDRESS 23200 Temescal	ADDRESS P.O. 549
Corona Calif.	Corona Calif.
TEL. NO. 735-7420	TEL. NO.
	LICENSE NO.

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

COMMERCIAL-INDUSTRIAL

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		METER					
	Sq. Ft. @		SIGNS				BRAINAGE PIPING	
	Sq. Ft. @		TRANS. 3HP/ 50 T. 55A				DRINKING FOUNTAIN	
	Sq. Ft. @		MOTOR H.P.				URINAL	
ESTIMATED VALUATION	15		MOTOR H.P.				WATER PIPING	
MECHANICAL FEES			MOTOR H.P.			12	FLOOR DRAIN	12
			MOTOR H.P.				WATER SOFTENER	
VENT SYSTEM ☐ CAN ☐ EVAP. COOL ☐ HOOD			MOTOR H.P.				WASHER (AUTO) (DISH)	
APPLIANCE			FIXTURES				GARBAGE DISPOSAL	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ BASEBOARD			OUTLETS				LAUNDRY TRAY	
AIR HANDLING UNIT			SUB-PANEL				KITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL							WATER CLOSET	
CONDENSOR HP			WASH AND/OR DARK				LAVATORY	
APPLIANCE VENT			WATER HEATER				SHOWER	
ABSORPTION SYSTEM B.T.U.			SPACE HEATER				BATH TUB	
INCINERATOR DOMESTIC ☐ TUBUL. ☐ COMM.			CONSTRUCTION POLE				WATER HEATER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			SERVICE ENTRANCE				SEWAGE DISPOSAL	
BOILER B.T.U.			RESID. 1¢ SQ. FT.			1	HOUSE SEWER	5 00
RESIDENTIAL FOR SQ.FT.			GARAGE 1¢ SQ. FT.				GAS PIPING	
PERMIT FEE			PERMIT FEE			1	PERMIT FEE	2 00

PERMIT NUMBER 158600 | BLDG. | ELEC. | TOTAL FEES | HEAT & VENT FEE | PLN. CK. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE

ACT DATE | LOT SIZE

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 9.00

ELECTRICAL FEE

PLUMBING FEE 35.00

TOTAL FEES $ 34.00

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY | SEWAGE SYSTEM

CHECKED BY | GROUP | TYPE | CHEC. ISSD.

PLAN CHECKER

DATE

COMMUNITY | DISTRICT | FEE | UNITS 1 | VALUATION 1600.- | OFFICE 2

LEGAL DESCRIPTION

PERMIT NUMBER 158600

SUPP. TO PERMIT

BOND $ | BOND | CASH | PLAN FILE # 4793 | FINAL DATE 3-26-68 | INSPECTOR

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

INFORMATION

OWNER	CONTRACTOR
[illegible]	[illegible]
ADDRESS	ADDRESS
[illegible]	[illegible]
[illegible]	[illegible]
TEL. NO.	TEL. NO.
[illegible]	
	LICENSE NO.

384-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Blocks		
2	PT&B & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Piping		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Cement		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
	Sq. Ft. @	
Est Cost. 600	Sq. Ft. @	

ESTIMATED VALUATION $ 600 00

ELECTRICAL FEES

NO.

POLES		
SIGNS		
TRANS. AND/OR GEN. ELEC.		
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
REMOD. 1¢ SQ. FT.		
GARAGE 1¢ SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.

DRAINAGE PIPING		
DRINKING FOUNTAIN		
URINAL		
WATER PIPING		
FLOOR DRAIN		
WATER SOFTENER		
WASHER (AUTO) (DISH)		
GARBAGE DISPOSAL		
LAUNDRY TRAY		
KITCHEN SINK		
WATER CLOSET		
LAVATORY		
SHOWER		
BATH TUB		
WATER HEATER		
SEWAGE DISPOSAL		
HOUSE SEWER		
GAS PIPING		
PERMIT FEE		

MECHANICAL FEES (COMMERCIAL ONLY)

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
RESIDENTAL FEE SQ FT. ____ @		
PERMIT FEE		

PERMIT NUMBER 158675 | REC. | OBL. | TOTAL FEES 5 00 | HEAT & VENT FEE | PLM. CK. FEE | CONST. FEE 5, 00 | ELEC. FEE | PLUMB. FEE

J F M A M J J A S O N D

SET BACK: F S R | LOT SIZE | USE P | ZONE M 3 | CHECKED BY R. B. | GROUP | TYPE | SPEC. INSP | PLAN CHECKER Gage

JOB ADDRESS 23200 TEMESCAL | OWNER HYDRO CONDUIT

USE OF BUILDING RING & CHN SHOP | DATE 5/26/68

COMMUNITY EL CERRITO | DISTRICT N | P.C. 10 | UNITS 1 | VALUATION 600 00 | OFFICE Z

LEGAL DESCRIPTION POR SEC 35 T4S R6W. | PERMIT NUMBER 158675 | SUPP. TO PERMIT

BOND $ | BOND | CASH | PLAN FILE # 4795 | FINAL DATE | INSPECTOR

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 5 00

ELECTRICAL FEE

PLUMBING FEE

TOTAL FEES $ 5 00

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY Allen

SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stearns Rogers Corp.
ADDRESS	ADDRESS
23240 Temescal Cyn.	P.O. Box 549
Corona Calif.	Corona Calif.
TEL. NO.	TEL. NO.
735-5249	735-5249
	LICENSE NO.

BP-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Liv.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Walls	Sq. Ft. @	
Roof	Sq. Ft. @	
Cost	Sq. Ft. @	

ESTIMATED VALUATION $ 600.00

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
RESIDENTIAL FEE SQ.FT. ____ @		
PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CAP.		
	MOTOR ____ H.P.		
	MOTOR ____ H.P.		
	MOTOR ____ H.P.		
	MOTOR ____ H.P.		
	MOTOR ____ H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	PEN.	DBL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158675								

Y	F	M	A	M	J	J	A	S	O	N	D

SET BACK: $ ____ R ____ | LOT SIZE | USE # | ZONE: M-3 | CHECKED BY | GROUP | TYPE | SPEC. INSP. | PLAN CHECKER: Gault

JOB ADDRESS: 26200 Thai [illegible] | OWNER: Hydro Conduit

USE OF BUILDING: Mfg. [illegible] | DATE: 5/6/68

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
[illegible]	N	18	1	600	Z

LEGAL DESCRIPTION: [illegible] SEC 35 T4S R6W. | PERMIT NUMBER: 158675 | SUBP. TO PERMIT

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4715	5-10-68	Overholtzer

TOTAL FEES $ [illegible]

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY: [illegible] | SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	[illegible]
ADDRESS: 23200 [illegible]	ADDRESS: [illegible]
[illegible]	[illegible]
TEL. NO. [illegible]	TEL. NO. 735-5247
	LICENSE NO.

64-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	5-10-68	Quackenbush
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Resident inspector on job

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.		Sq. Ft. @	
2nd Fl.		Sq. Ft. @	
Par.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Car P.		Sq. Ft. @	
Well		Sq. Ft. @	
		Sq. Ft. @	

ESTIMATED VALUATION $ 20,000

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L. P. G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ.FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1ST 30 FT		
	GARAGE 1ST 30 FT		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	MECH.	DBL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158676			63.00			63.00		

J F M A M J J A S O N D

SET BACK F — S — R —

LOT SIZE

USE #

JOB ADDRESS: 23200 Temescal

OWNER: Hydro Conduit

PLAN CHECK FEE

ZONE: M-3

USE OF BUILDING: Mixer Structure

DATE: 3/5/68

MECHANICAL FEE

CHECKED BY: R.W.B.

COMMUNITY: EL Cerrito | DISTRICT: N | F.C.: 10 | UNITS: 1 | VALUATION: 20,000 | OFFICE: 2

CONSTRUCTION FEE: 63.00

GROUP | TYPE

LEGAL DESCRIPTION: Por Sec 35 T4S R6W

PERMIT NUMBER: 158676

SPEC. INSP.

SUPP. TO PERMIT

ELECTRICAL FEE

PLUMBING FEE

PLAN CHECKER: Gaige

BOND $ | BOND | CASH | PLAN FILE # 4798 | FINAL DATE | INSPECTOR

TOTAL FEES $ 63.00

CASH | CHECK | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM Y | U | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Stearns Rogers Corp.
ADDRESS: 23200 Temescal Cyn.	ADDRESS: P.O. Box 549
TEL. NO.: 735-2420	TEL. NO.: 735-5249
	LICENSE NO.

284-205 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cor P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 20,000

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
RESIDENTIAL FEE 50 FT ____ @		
PERMIT FEE		

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLS.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ 50 FT		
	GARAGE 1¢ 50 FT		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	NEW	USE	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158676			63.00			63.00		

J F M A M J J A S O N D

SET BACK: ____ S ____ R | LOT SIZE | USE # | ZONE: M-3

JOB ADDRESS: 23200 Temescal | OWNER: Hydro Conduit

USE OF BUILDING: Mixer Structure | DATE: 3/24/68

PLAN CHECK FEE | CHECKED BY: R W B.

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
El Cerrito	N	104	1	20,000	2

MECHANICAL FEE | CONSTRUCTION FEE 63.00 | GROUP | TYPE

LEGAL DESCRIPTION: Por. Sec. 25 T4S R6W | PERMIT NUMBER: 158676

SPEC. INSP. | SUPP. TO PERMIT

ELECTRICAL FEE | PLAN CHECKER: Bridge

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4798	11-6-68	Rumbaltzer

PLUMBING FEE

TOTAL FEES $ 63.00

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY: [illegible] | SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stanley Kaye Co.
ADDRESS: 23200 Temescal Canyon	ADDRESS: P.O. Box 549
735-3000	735-5249
TEL. NO.	TEL. NO.
	LICENSE NO.

284-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Resident Inspector on job.
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 5,000.

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTAL FEE SQ.FT ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.		
3	Generators 15	30 00
1	motor over 500	15 00
8	[illegible] vapor	12 00
2	SIGNS	
1	TRANS. AND/OR T. CLR. 30 kva	4 00
2	MOTOR fract. H.P.	2 00
1	MOTOR 3-8- H.P.	2 00
2	MOTOR 8-15 H.P.	5 00
4	MOTOR 15-50 H.P.	12 00
2	MOTOR 100-500 H.P.	20 00
11	FIXTURES	2 20
21	OUTLETS	4 10
4	SUB-PANEL	4 00
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
1	PERMIT FEE	1 00

PLUMBING FEES

NO.		
	[illegible] 11 SL	11 [illegible]
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	DEM.	DBL.	TOTAL FEES	HEAT & VENT FEE	PLU. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158677			119.30			18.00	101.30	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

SET BACK F S R | LOT SIZE | USE # | ZONE M-3

JOB ADDRESS 23200 Temescal

OWNER Hydro Conduit Corp

USE OF BUILDING Pre-stress wire winding facility

DATE 3-26-68

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
El Corrito	N	35	1	5,000	2

LEGAL DESCRIPTION Por Sec 35 t4s r6w

PERMIT NUMBER 158677

SUPP. TO PERMIT

PLAN CHECK FEE	MECHANICAL FEE	CONSTRUCTION FEE	ELECTRICAL FEE	PLUMBING FEE
		18.00	101.30	

CHECKED BY | GROUP | TYPE | SPEC. INSP. | PLAN CHECKER Gaige

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4787		

TOTAL FEES $ 119.30

CASH | CHECK C | M.O. | N.C.

RECEIVED BY S. Jones

SEWAGE SYSTEM T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stearns Roger Corp.
ADDRESS	ADDRESS
23200 Temescal Cyn.	P.O. Box 549
Corona Calif.	Corona Calif.
TEL. NO.	TEL. NO.
735-2420	735-0249
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ none

COMMERCIAL ONLY

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTAL FEE SQ.FT. ____	
PERMIT FEE	

ELECTRICAL FEES

NO.			
3	generators 15	30	00
1	motor ea. # 500	25	00
5	Misc. recep. vapor		
2	SIGNS		
1	TRANS. AND/OR T. CLR. 30 kva	6	00
2	MOTOR 5 H.P.	2	00
1	MOTOR 3-3 H.P.	2	00
2	MOTOR 0 H.P.	1	00
6	MOTOR 15-50 H.P.	12	00
2	MOTOR 100-500 H.P.	30	00
11	FIXTURES	2	20
21	OUTLETS	4	10
6	SUB-PANEL	6	00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	FEN.	DSL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158677			119.30			18.00	101.30	

J	F	M	A	M	J	J	A	S	O	N	D

SET BACK: S ____ R ____

LOT SIZE: ____

USE #: ____

JOB ADDRESS: 23800 Temescal

OWNER: Hydro Conduit Corp

ZONE: M-3

USE OF BUILDING: Pre-stress wire winding facility

DATE: 3-26-68

PLAN CHECK FEE: ____

CHECKED BY: ____

MECHANICAL FEE: ____

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
El Cerrito	II	35	1	5,000	2

GROUP: ____ TYPE: ____

CONSTRUCTION FEE: 18.00

SPEC (HBD): ____

ELECTRICAL FEE: 101.30

PLAN CHECKER: ____

PLUMBING FEE: ____

LEGAL DESCRIPTION: Por Sec 35 T4S R6W

PERMIT NUMBER: 158677

SUPP. TO PERMIT: ____

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4 NS-7	4-3-69	Yale

TOTAL FEES $ 119.30

CASH	CHECK	M.O.	N.C.
	✓		

RECEIVED BY: S. Jones

SEWAGE SYSTEM: T ____ LL ____ P ____

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Co.	Stanley Hall-Pac
ADDRESS: 2200 Tower Way	ADDRESS: [illegible]
Corona Calif.	Corona Calif.
TEL. NO.: 735-2120	TEL. NO.: 735-5219
	LICENSE NO.: ____

394.208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Quesada
	Resident Inspector on job.		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	11 3 68	Green
28	Service Entrance		
29	Wiring	4 3 69	Hatton
30	Fixtures	4 3 69	Green
31	Service		
32	Final	4 3 69	Green

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Elec. 100% complete 11-6-68 Quesada

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cer P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Mfg. Cost	Sq. Ft. @ 25.00	

ESTIMATED VALUATION $ 2500 00

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS ☐ COMM	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ FT ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.		
4	MERCURY Vapor 160	
	POLES	
	SIGNS	$15.00
1	TRANS 15 KVA	2 50
1	MOTOR FRACT H.P.	1 00
	MOTOR H.P.	
1	MOTOR 3-8 H.P.	2 00
	MOTOR H.P.	
1	MOTOR 15-50 H.P.	3 00
17	FIXTURES	3 40
22	OUTLETS	4 40
2	SUB-PANEL	1 00
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
1	PERMIT FEE	2 00

PLUMBING FEES

NO.		
	GRAINAGE PIPING	
	DRINKING FOUNTAIN	
	LAVAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REM.	DBL.	TOTAL FEES	HEAT & VENT FEE	PLM. EQ. FEE	CONST. FEE	ELEC. FEE	PLUMB FEE
158678						12 00	20 90	

J J	F F	M M	A A	M M	J J	J J	A A	S S	O O	N N	D D

SET BACK: ____ S ____ R

LOT SIZE:

USE #:

ZONE: M 3

CHECKED BY: R.B.

GROUP: TYPE:

SPEC. INSP.

PLAN CHECKER

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT

USE OF BUILDING: CENTRAL BATCH PLANT

DATE: 3/26/68

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	35	1	2500 00	Z

LEGAL DESCRIPTION: POR SEC-35 T4S R6W

PERMIT NUMBER: 158678

SUPP. TO PERMIT:

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4792		

PLAN CHECK FEE:

MECHANICAL FEE:

CONSTRUCTION FEE: 12 00

ELECTRICAL FEE: 20 90

PLUMBING FEE:

TOTAL FEES $ 32 90

CASH ____ CHECK ✓ M.O. ____ M.C. ____

RECEIVED BY: Allen

SEWAGE SYSTEM: T ____ LL ____ P ____

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit.	Stearns Roger Corp.
ADDRESS: P.O. Box 574	ADDRESS: P.O Box 519
Corona Calif.	735-5249
TEL. NO.: 735-5249	TEL. NO.: ✓
	LICENSE NO.

64-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FEED

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Misc.	Sq. Ft. @	
Total		

ESTIMATED VALUATION $ [illegible]

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR COMESTIC ☐ INCIN. ☐ COMM.		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
RESIDENTAL FEE 60 FT. ____ #		
PERMIT FEE		

ELECTRICAL FEES

NO.			
4	[illegible]	1	60
	POLES		
	SIGNS		
1	TRANS. AND [illegible]	3	50
1	MOTOR [illegible] H.P.	1	00
	MOTOR ____ H.P.		
1	MOTOR 1-2 H.P.	2	00
	MOTOR ____ H.P.		
1	MOTOR 1-30 H.P.	4	00
11	FIXTURES		00
13	OUTLETS	4	50
1	SUB-PANEL	3	00
	RANGE AND OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	ASSID. TO 50 FT.		
	GARAGE 1 & 30 FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN.	CBL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158678						11 00	10 [illegible]	

J F M A M J J A S O N D

SET BACK: F ____ R ____ | LOT SIZE | USE # | ZONE: M 2 | CHECKED BY: [illegible]

GROUP | TYPE | SPEC. INSP. | PLAN CHECKER

JOB ADDRESS: 27100 TEMESCAL | OWNER: MYERS CONDUIT

USE OF BUILDING: CONTRACTOR'S EQUIPMENT | DATE: 4/26/

COMMUNITY: [illegible] | DISTRICT: M | P.C. | UNITS: 1 | VALUATION: 30 00 | OFFICE: Z

LEGAL DESCRIPTION: [illegible] | PERMIT NUMBER: 158678 | SUPP. TO PERMIT

BOND # | BOND | CASH | PLAN FILE # 4782 | FINAL DATE 4 3 69 | INSPECTOR [illegible]

PLAN CHECK FEE | MECHANICAL FEE | CONSTRUCTION FEE 11 00 | ELECTRICAL FEE 10 [illegible] | PLUMBING FEE

TOTAL FEES $ 31 [illegible]

CASH | CHECK [illegible] | M.O. | N.C.

RECEIVED BY: [illegible] | SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hardcrete	[illegible]
ADDRESS: P.O. Box 5711	ADDRESS: P.O. Box 349
Corona Calif.	735-5249
TEL. NO.: 735-5249	TEL. NO.: /
	LICENSE NO.

84-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Quenzer
	Resident Inspector on Job.		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4 3 69	Yates
28	Service Entrance		
29	Wiring	4 3 69	Yates
30	Fixtures	4-3-69	Yates
31	Service		
32	Final	4 3 69	Yates

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Elec. 100% Complete 11-6-68 Quenzer

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 1600 —

ELECTRICAL FEES

NO.		
	1 SERVICE @ 513687	
	POLES	
	SIGNS	
	TRANS. AND/OR T. CLE.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1E 50 FT.	
	GARAGE 1E 50 FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	— 11 ML	30 —
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
12	FLOOR DRAIN	18 00
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
1	HOUSE SEWER	5 00
	GAS PIPING	
1	PERMIT FEE	2 00

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ O. L.	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS ☐ COMM	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ. FT. ____ @	
PERMIT FEE	

PERMIT NUMBER 158679 | REN. | OBL. | TOTAL FEES 34.00 | HEAT & VENT FEE | PLM. CK. FEE | CONST. FEE 9.00 | ELEC. FEE | PLUMB. FEE 25.00

J J F F M M A A M M J J J J A A S S O C N N D D

SET BACK W S R | LOT SIZE | USE # | JOB ADDRESS 33200 Temescal | OWNER Hydro Conduit

PLAN CHECK FEE | ZONE M-3 | USE OF BUILDING Final Cure Kiln | DATE 3/24/68

MECHANICAL FEE | CHECKED BY R W B. | COMMUNITY EL CERRITO | DISTRICT N | P.C. 35 | UNITS 1 | VALUATION 1600 — | OFFICE 2

CONSTRUCTION FEE 9.00 | GROUP | TYPE | SPEC (INDP.) | LEGAL DESCRIPTION Por Sec 35 T4S RG W | PERMIT NUMBER 158679 | SUPP. TO PERMIT

ELECTRICAL FEE

PLUMBING FEE 25.00 | PLAN CHECKER Paige | BOND $ | BOND | CASH | PLAN FILE # 4793 | FINAL DATE | INSPECTOR

TOTAL FEES $ [redacted] 34.00

CASH | CHECK | M.O. | N.C.

RECEIVED BY Jones

SEWAGE SYSTEM INFORMATION T | LL | P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Stearns Rogers Corp
ADDRESS 23200 Temescal	ADDRESS P.O. Box 549
Corona Calif.	733-5249
TEL. NO. 735-2420	TEL. NO.
	LICENSE NO.

284-208 11/57

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

COMMERCIAL-INDUSTRIAL

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 1600 —

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
	PERMIT FEE	1	

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
14	FLOOR DRAIN	14	00
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
1	HOUSE SEWER	5	00
	GAS PIPING		
1	PERMIT FEE	2	00

PERMIT NUMBER	DEM.	OBL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158679			34.00			9.00		25.00

½	¼	M	R	N	¼	¼	¼	S	D	N	S

SET BACK F	SET BACK R	LOT SIZE	USE #

JOB ADDRESS: 23200 Lemon St. — OWNER: Hydro Conduit

ZONE: M-3 — USE OF BUILDING: Equal Concrete Kiln — DATE: 2-6-68

CHECKED BY: RWB — COMMUNITY: E.L. Corona — DISTRICT: N — P.C.: 35 — UNITS: 1 — VALUATION: 1600 — OFFICE: 2

GROUP: — TYPE: — SPEC. INSP.: — LEGAL DESCRIPTION: P.O. Sec. 35 T 4S R 6W — PERMIT NUMBER: 158679 — SUPP. TO PERMIT:

PLAN CHECKER: Dave — BOND $: — BOND: — CASH: — PLAN FILE #: 4793 — ISSUED DATE: 2-6-68 — INSPECTOR: Riverside

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 9.00

ELECTRICAL FEE

PLUMBING FEE 25.00

TOTAL FEES $ 34.00

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Dave

SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Stanislaus Co.
ADDRESS: 23200 Lemon St.	ADDRESS: P.O. Box 707
Corona Calif.	Turlock 723-5247
TEL. NO.	TEL. NO.
Not Rated	
	LICENSE NO.

284-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	~~Set Back~~		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Overholtzer
	Resident Inspector on Job		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final	11-6-68	Overholtzer
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	~~Ventilation System~~		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
	Sq. Ft. @	
EST. Cost Base	Sq. Ft. @	
ESTIMATED VALUATION	$ 8000 00	

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAV. FT.	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ. FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.			
2	TRANS. 2 KVA	3	00
	POLES - LOC	15	00
	SIGNS		
1	TRANS. 15 KVA	2	50
8	MOTOR FRACT. H.P.	8	00
4	MOTOR 1-3 H.P.	4	00
1	MOTOR 4-8 H.P.	2	00
9	MOTOR 15-50 H.P.	27	00
	MOTOR H.P.		
16	FIXTURES	3	20
17	OUTLETS	3	40
8	SUB-PANEL	8	00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 12 SQ. FT.		
	GARAGE 6 SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REV.	DBL.	TOTAL FEES	HEAT & VENT FEE	P.M. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158680			91 10			27 00	64 10	

J J | F F | M M | A A | M M | J J | J J | A A | S S | O O | N N | D D

SET BACK F ____ S ____ R ____ | LOT SIZE | USE # | JOB ADDRESS: 23200 TEMESCAL | OWNER: HYDRO CONDUIT

ZONE: M3 | USE OF BUILDING: POWER STATION | DATE: 2/6/68

PLAN CHECK FEE | MECHANICAL FEE | CHECKED BY: R.B. | COMMUNITY: EL CRISO | DISTRICT: N | P.C.: 35 | UNITS: 1 | VALUATION: 8000 00 | OFFICE: Z

CONSTRUCTION FEE: 27 00 | GROUP | TYPE | LEGAL DESCRIPTION: POR SEC 35 - T4S R6W. | PERMIT NUMBER: 158680

ELECTRICAL FEE: 64 10 | SPEC. INSP | SUPP. TO PERMIT

PLUMBING FEE | PLAN CHECKER: GAGE | BOND # | BOND | CASH | PLAN FILE #: 4786 | FINAL DATE | INSPECTOR

TOTAL FEES $ 91 10

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Allen | SEWAGE SYSTEM: T ____ LL ____ P ____

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ASSUMED.

OWNER	CONTRACTOR
Hydro Conduit	Stearns Rogers Corp
ADDRESS: 23200 Temescal	ADDRESS: P.O. Box 549
Corona Calif.	Corona Calif.
TEL. NO.: 735-2420	TEL. NO.: 735-5249
	LICENSE NO.

284-2(8 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Est. Cost	Sq. Ft. @	

ESTIMATED VALUATION $ [illegible]

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTAL FEE SQ.FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.		
2	Temp. Svc	3 00
	POLES	
	SIGNS	
1	TRANS. ADD'L KVA	3 00
1	MOTOR ____ H.P.	1 00
1	MOTOR 1-2 H.P.	1 00
1	MOTOR ____ H.P.	1 00
1	MOTOR ____ H.P.	3 00
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	REMOD. 1 TO 50 FT.	
	GARAGE 1 TO 50 FT.	
1	PERMIT FEE	1 00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN	DBL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158680			41 00			31 00	6 4 10	

J J — F F — M M — A A — M M — J — J — A A — S S — O O — N N — D D

SET BACK: S ____ R ____ | LOT SIZE | USE # | ZONE: M-3 | CHECKED BY: K.E. | GROUP | TYPE | SPEC. INSP. | PLAN CHECKER

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 27 00

ELECTRICAL FEE 6 4 10

PLUMBING FEE

JOB ADDRESS: 24000 Trail Lane

OWNER: Hyde Conduit

USE OF BUILDING: Pour Station

DATE: 4/26/69

COMMUNITY: El Casco | DISTRICT: N | F.C. 55 ✓ | UNITS: 1 | VALUATION: 2,000 00 | OFFICE: Z

LEGAL DESCRIPTION: POR Sec 32 T5S R4W

PERMIT NUMBER: 158680

SUPP. TO PERMIT

BOND $ | BOND | CASH | PLAN FILE # 4826 | FINAL DATE 4-3-69 | INSPECTOR Yates

TOTAL FEES $ 41 00

CASH | CHECK ☑ | M.O | N.C.

RECEIVED BY: [illegible]

SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hyde Conduit	[illegible]
ADDRESS: 2000 Trail	ADDRESS: [illegible]
[illegible]	[illegible]
TEL. NO. [illegible]	TEL. NO. [illegible]
	LICENSE NO.

84-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Band Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Overholtzer
	Resident Inspector on job.		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4 3 69	Yeatts
28	Service Entrance		
29	Wiring	4 3 69	Yeatts
30	Fixtures		
31	Service		
32	Final	4-3-69	Yeatts

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Elec. 100% Complete 11-6-68 Overholtzer

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Mill	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 3000 —

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS ☐ COMM	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.H.P.	
RESIDENTIAL FEE SQ. FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO		
35	Meter + Wire	6.00
	POLES	
	SIGNS	
1	TRANS. AND/OR T. CLS. 30KVA	4.00
	MOTOR ____ H.P.	
	MOTOR ____ H.P.	
	MOTOR ____ H.P.	
	MOTOR ____ H.P.	
	MOTOR ____ H.P.	
5	FIXTURES	1.00
37	OUTLETS	5.70
2	SUB-PANEL	2.00
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 1¢ SQ. FT.	
	GARAGE ½¢ SQ. FT.	
1	PERMIT FEE	1.00

PLUMBING FEES

NO.		
1	Sew 11 Ont	7.1
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN.	DBL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158681			31.50			12.00	19.50	

J F M A M J J A S O N D

SET BACK: F ____ S ____ R ____ | LOT SIZE | TYPE # | ZONE: M-3

JOB ADDRESS: 23200 Temescal | OWNER: Hydro Conduit

USE OF BUILDING: Maintenance Shop | DATE: 8/24/68

CHECKED BY: R.W.B. | COMMUNITY: El Cerrito | DISTRICT: N | P.C.: 35 | UNITS: 1 | VALUATION: 3000 | OFFICE: 2

GROUP | TYPE | LEGAL DESCRIPTION: For Sec 35 T4S R6W | PERMIT NUMBER: 158681

SPEC. INSP. | SUPP. TO PERMIT

PLAN CHECKER: Savage

BOND # | BOND | CASH | PLAN FILE # 4789 | FINAL DATE | INSPECTOR

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 12.00

ELECTRICAL FEE 19.50

PLUMBING FEE

TOTAL FEES $ 31.50

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY: Jones

SEWAGE SYSTEM INFORMATION: T | LL | P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 180 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stevens Rogers Corp
ADDRESS: 23200 Temescal	ADDRESS: PO Box 549
735-2420	Corona Calif
TEL. NO. Corona Calif.	TEL. NO. 735-5249
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

PERMIT ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cov P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 3000 –

ELECTRICAL FEES

NO.			
25	misc. Lapel	5	50
	POLES		
	SIGNS		
1	TRANS. AND/OR T. CLK. 30 KVA	4	55
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
6	FIXTURES	1	05
27	OUTLETS	5	40
3	SUB-PANEL	3	00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	PERIOD 12 SQ. FT.		
	GARAGE 12 SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ.FT. ____ @	
PERMIT FEE	

PERMIT NUMBER 158681 | REM. | OBL. | TOTAL FEES 31.20 | HEAT & VENT FEE | PLN. CK. FEE | CONST. FEE 12.75 | ELEC. FEE 17.50 | PLUMB. FEE

B	F	M	A	M	F	J	A	D	O	N	D		

SET BACK S ____ R ____ | LOT SIZE | USE # | ZONE M-S

JOB ADDRESS 2200 Tamarack | OWNER Hydro Conduit

USE OF BUILDING Maintenance Shop | DATE 8/16/89

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
El Cerrito	N	35	1	3000	2

CHECKED BY R.W.O.

GROUP ____ TYPE ____

LEGAL DESCRIPTION For Sec 35 T4S R6W

PERMIT NUMBER 158681

SUPP. TO PERMIT

SPEC. INSP.

PLAN CHECKER

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4N89	4-24-89	Gates

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 12.75

ELECTRICAL FEE 17.50

PLUMBING FEE

TOTAL FEES $ 31.20

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stevens Kinnon Corp
ADDRESS	ADDRESS
2350 Tamarack	PO Box 1549
	Corona Ca.
735-2122	
TEL. NO.	TEL. NO.
Corona Ca.	735-5249
	LICENSE NO.

284-208 11/87

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Owensboro
	Resident Inspector on job.		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4 3 69	Yates
28	Service Entrance		
29	Wiring	4 3 69	Yates
30	Fixtures	4 3 69	Yates
31	Service		
32	Final	4 3 69	Yates

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Planums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

We. not complete 11-6-68 Owensboro

Tank Pit L Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Ft.		Sq. Ft. @	
2nd Ft.		Sq. Ft. @	
Por.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Car P.		Sq. Ft. @	
Wall		Sq. Ft. @	
		Sq. Ft. @	

ESTIMATED VALUATION IS 3000.

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			
APPLIANCE			
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			
AIR HANDLING UNIT			
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL			
COMPRESSOR ____ HP			
APPLIANCE VENT			
ABSORPTION SYSTEM ____ B.T.U.			
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM			
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			
BOILER ____ P.F.U.			
RESIDENTIAL FEE SQ FT ____ @			
PERMIT FEE			

ELECTRICAL FEES

NO.			
1	[illegible]	150	00
2	TRANS 3KVA	3	00
	POLES		
	SIGNS		
1	TRANS 15KVA	3	50
1/6	MOTOR Exact H.P.	6	00
1/4	MOTOR 1-3 H.P.	6	00
1/2	MOTOR 5-15 H.P.	10	00
	MOTOR H.P.		
	MOTOR H.P.		
28	FIXTURES	4	80
28	OUTLETS	4	80
2	SUB-PANEL	2	00
	RANGE AND OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. TO SQ. FT.		
	GARAGE TO SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.			
	[illegible]		
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER 158682 | HRN. | DBL. | TOTAL FEES 52.10 | HEAT & VENT FEE | PLN. CK. FEE | CONST. FEE 12.00 | ELEC FEE 40.10 | PLUMB FEE

J F M A M J J A S O N D

SET BACK F S R | LOT SIZE | USE # | ZONE M-3 | CHECKED BY R.W.B. | GROUP | TYPE | SPEC. INSP. | PLAN CHECKED Design

JOB ADDRESS 23200 Temescal | OWNER Hydro Conduit

USE OF BUILDING Hydromotive DRI System "E" | DATE 3/6/68

COMMUNITY El Cerrito | DISTRICT N | P.C. 35 | UNITS 1 | VALUATION 3000 | OFFICE 2

LEGAL DESCRIPTION Por Sec 35 T4S R6W | PERMIT NUMBER 158682 | SUPP. TO PERMIT

BOND $ | BOND | CASH | PLAN FILE # 4791 | FINAL DATE | INSPECTOR

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 12.00

ELECTRICAL FEE 40.10

PLUMBING FEE

TOTAL FEES $ 52.10

CASH | CHECK | M.O. ☑ | N.C.

RECEIVED BY Jones

SEWAGE SYSTEM INFORMATION T | LL | P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Stearns Roger Corp
ADDRESS	ADDRESS
23200 Temescal	P.O. Box 549
Corona Calif.	735-5249
TEL. NO.	TEL. NO.
735-2920	Corona Calif.
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 3000.-

ELECTRICAL FEES

NO.			
2	4x40 3KVA	3	00
	POLES		
	SIGNS		
1	TRANS. AND OR THERM. 15KVA	2	50
6	MOTOR H.P.	6	00
4	MOTOR 1-3 H.P.	6	00
4	MOTOR H.P.	10	00
	MOTOR H.P.		
	MOTOR H.P.		
26	FIXTURES	4	80
18	OUTLETS	4	80
2	SUB-PANEL	2	00
	RANGE AND/OR C-TOP		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ. FT. ____ ¢	
PERMIT FEE	

PERMIT NUMBER	REN.	DEL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158682			53.10			12.05	40.10	

J	F	M	A	M	J	J	A	S	O	N	D

SET BACK: F ____ S ____ R ____

LOT SIZE: ____

USE P: ____

JOB ADDRESS: [illegible] Tenaja

OWNER: Hidden Conduit

ZONE: R1-2

USE OF BUILDING: Pipeline Dr/System "E"

DATE: 3/24

CHECKED BY: R.W.B.

COMMUNITY: El Cariso

DISTRICT: N

F.C.: 35

UNITS: 1

VALUATION: 3000-

OFFICE: 2

GROUP: ____ TYPE: ____

LEGAL DESCRIPTION: Por. Sec. 25 T4S R6W

PERMIT NUMBER: 158682

SUPP. TO PERMIT: ____

SPEC. INSP: ____

PLAN CHECKER: [illegible]

BOND $	BOND	CASH	PLAN FILED	FINAL DATE	INSPECTOR
			4-1-69	4-3-69	[illegible]

PLAN CHECK FEE: ____

MECHANICAL FEE: ____

CONSTRUCTION FEE: 12.05

ELECTRICAL FEE: 40.10

PLUMBING FEE: ____

TOTAL FEES $ 53.10

☐ CASH ☐ CHECK ☐ M.O. ☐ N.C.

RECEIVED BY: [illegible]

SEWAGE SYSTEM: T ____ LL ____ P ____

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hidden Conduit	[illegible]
ADDRESS	ADDRESS
[illegible]	[illegible]
[illegible]	[illegible]
TEL. NO.	TEL. NO.
735-2820	[illegible]
	LICENSE NO.

264-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Overhoff
	Resident Inspector on job.		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4-3-69	Cole
28	Service Entrance		✓
29	Wiring	4-3-69	Yates
30	Fixtures		✓
31	Service		
32	Final	4-7-69	Yates

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Elec 100% Complete 11-6-68 Overhoff

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Par.	Sq. Ft. @	
Ger.	Sq. Ft. @	
Car P.	Sq. Ft. @	
M-H	Sq. Ft. @	
EST. COST. 1200	Sq. Ft. @	

ESTIMATED VALUATION $ 1200

MECHANICAL FEES

COMMERCIAL ONLY

- VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD
- APPLIANCE
- FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED
- AIR HANDLING UNIT
- GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL
- COMPRESSOR ____ HP
- APPLIANCE VENT
- ABSORPTION SYSTEM ____ B.T.U.
- INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.
- HEATING SYSTEM ☐ FORCED ☐ GRAVITY
- BOILER ____ B.T.U.
- RESIDENTIAL FEE SQ. FT. ____ @
- PERMIT FEE

ELECTRICAL FEES

NO			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR ____ H.P.		
	MOTOR ____ H.P.		
1	MOTOR 3-½ H.P.	1	50
1	MOTOR 8-15 H.P.	4	00
	MOTOR ____ H.P.		
12	FIXTURES	2	40
13	OUTLETS	1	60
1	SUB-PANEL	3	00
	RANGE AND OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1ST 50 FT		
	GARAGE 1ST 50 FT		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	REN.	DBL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158683						9.00	14.50	

J F M A M J J A S O N D

SET BACK F S R | LOT SIZE | USE #

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 9.00

ELECTRICAL FEE 14.50

PLUMBING FEE

ZONE M S

CHECKED BY R B

GROUP | TYPE | SPEC. INSP.

PLAN CHECKER GAIGE

JOB ADDRESS 23200 TEMESCAL

OWNER HYDRO CONDUIT.

USE OF BUILDING FINAL KILN & POTABLE WATER

DATE 3/4/68

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
EL CERRITO	N	35	1	1200	Z

LEGAL DESCRIPTION POR SEC 35 T4S R6W.

PERMIT NUMBER 158683

SUPP. TO PERMIT

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4788		

TOTAL FEES $ 23.50

CASH | CHECK C | M.O. | N.C.

RECEIVED BY Allen

SEWAGE SYSTEM T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Stearns Kogal Corp
ADDRESS 23200 Temescal	ADDRESS P.O. Box 549
Corona Calif.	Corona Calif.
TEL. NO. 735-2420	TEL. NO. 735-5249
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

F&B ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Fen.	Sq. Ft. @	
Cost	12 M	
ESTIMATED VALUATION	$ [illegible]	

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G ☐ OIL	
COMPRESSOR HP	
APPLIANCE VENT	
ABSORPTION SYSTEM B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER B.T.U.	
RESIDENTIAL FEE SQ FT. #	
PERMIT FEE	

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR H.P.		
	MOTOR H.P.		
1	MOTOR 2-5 H.P.	1	50
3	MOTOR 1-15 H.P.	11	00
	MOTOR H.P.		
12	FIXTURES	2	40
	OUTLETS	2	40
	SUB-PANEL		00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN.	DBL	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST FEE	ELEC. FEE	PLUMB. FEE
158683						4 00	11 50	

J	F	M	A	M	J	J	A	S	O	N	D

SET BACK	LOT SIZE	UNIT #	JOB ADDRESS	OWNER
S R			2200 TEMESCAL	HYDRO CONDUIT

PLAN CHECK FEE	ZONE A-1	USE OF BUILDING TIGHT ASPHALT						DATE 7/6/71
MECHANICAL FEE	CHECKED BY	COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION		OFFICE
	DJC	EL CERRITO	N	20	1	12 00		Z
CONSTRUCTION FEE 4 00	GROUP	TYPE	LEGAL DESCRIPTION					PERMIT NUMBER
			SW SE SEC 5 T3S R6W.					158683
ELECTRICAL FEE 11 50	SPEC. INSP							SUPP. TO PERMIT
PLUMBING FEE	PLAN CHECKER	BOND $	BOND	CASH	PLAN FILE #	FINAL DATE		INSPECTOR
	CHIEF				4138	5-8-71		[illegible]

TOTAL FEES $ 15 50

CASH	CHECK	M.O.	N.C.
	✓		

RECEIVED BY [illegible]

SEWAGE SYSTEM T LL P

INFORMATION

	J	F	M	A	M	J	J	A	S	O	N	D
71												
72												
73												
74												
75												
76												
77												

C/4-30-71/E-1-71/RC

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	[illegible]
ADDRESS	ADDRESS
2200 Temescal	[illegible]
[illegible]	[illegible]
TEL. NO.	TEL. NO.
[illegible]	625-5245
	LICENSE NO.

284-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Not Complete 11-6-68 Quackenbush

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 3000 -

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTAL FEE SQ.FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.			
	2 TRANS. & KVA		08
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
6	MOTOR Exact H.P.	6	00
4	MOTOR 1-3 H.P.	4	00
2	MOTOR 8-15 H.P.	3	00
	MOTOR H.P.		
	MOTOR H.P.		
28	FIXTURES	4	80
28	OUTLETS	4	80
2	SUB-PANEL	2	00
	RANGE AND OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.			
	11 S/L		
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	RES.	COM.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158684			44.60			12.00	32.60	

DATE ISSUED	EXPIRES	INSPECTION
J F M A M J	J A S O N D	

SET BACK F S R	LOT SIZE	USE #

JOB ADDRESS: 23200 Temescal

OWNER: Hydro Conduit

ZONE: M-3

USE OF BUILDING: Hydromotive Pa. System "W" 3/66

DATE: 3/66

PLAN CHECK FEE

CHECKED BY

COMMUNITY: EL CERRITO | DISTRICT: N | P.C.: 35 | UNITS: 1 | VALUATION: 3000 | OFFICE: 2

MECHANICAL FEE

GROUP | TYPE

LEGAL DESCRIPTION: Por Sec 35 T4S R6W

CONSTRUCTION FEE 12.00

SPEC. INSP.

PERMIT NUMBER: 158684

SUPP TO PERMIT

ELECTRICAL FEE 32.60

PLAN CHECKER: Bridge

PLUMBING FEE

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4790		

TOTAL FEES $ 44.60

CASH | CHECK ☑ | M.O. | N.C.

RECEIVED BY: Jones

SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stearns Rogers Corp
ADDRESS: 23200 Temescal	ADDRESS: P.O. Box 5349
Corona Calif.	Corona Calif.
TEL. NO.: 735-2420	TEL. NO.: 735-5249
	LICENSE NO.

284-206 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 3000 =

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
RESIDENTAL FEE SQ.FT. ____ @		
PERMIT FEE		

ELECTRICAL FEES

NO			
2	Trans. Switch	3	00
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLK		
6	MOTOR Tract H.P.	6	00
4	MOTOR 1.3 H.P.	6	00
2	MOTOR 2.25 H.P.	5	00
	MOTOR H.P.		
	MOTOR H.P.		
28	FIXTURES	4	80
20	OUTLETS	4	00
2	SUB-PANEL	2	00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1ST 30 FT.		
	GARAGE 1ST 30 FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	DEN.	DBL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158684			44.60			12.00	32.60	

SET BACK	LOT SIZE	USE #	JOB ADDRESS	OWNER
F ____ S ____ R ____			23200 Temescal	Hydco Conduit

	ZONE	USE OF BUILDING						DATE
PLAN CHECK FEE	M-3	Find Location Dr. Sketch "W"						3/26/68
	CHECKED BY	COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION		OFFICE
MECHANICAL FEE		El Cerrito	N	2-5-	1	3000		2

	GROUP	TYPE	LEGAL DESCRIPTION	PERMIT NUMBER
CONSTRUCTION FEE 12.00			TR1 Sec 25 T4S R6W	158684
ELECTRICAL FEE 32.60	SPEC. INSP.			SUPP. TO PERMIT
PLUMBING FEE	PLAN CHECKER	BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
	DLA				4780	4-30-68	

TOTAL FEES $ 44.60

CASH	CHECK	M.O.	N.C.
	☐		

RECEIVED BY

SEWAGE SYSTEM

T ____ LL ____ P ____

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Co.	Thomas Bros Corp
ADDRESS	ADDRESS
23200 Temescal	P.O. Box 5119
Corona Calif.	Corona Calif.
TEL. NO.	TEL. NO.
737-2411	735-5219
	LICENSE NO.

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Quadalupe
	Resident Inspector on job		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4 3 69	[illegible]
28	Service Entrance		
29	Wiring	4 3 69	[illegible]
30	Fixtures	4 3 69	[illegible]
31	Service		
32	Final	4 3 69	[illegible]

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Elec 10% Complete 11-6-68 Quadalupe

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Par.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
ESt Conc. Pipe	Sq. Ft. @	

ESTIMATED VALUATION $

ELECTRICAL FEES

NO.			
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	PERIOD 1¢ SQ. FT		
	GARAGE ½¢ SQ. FT		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

MECHANICAL FEES (COMMERCIAL ONLY)

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR DOMESTIC ☐ INDUS ☐ COMM		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
RESIDENTIAL FEE SQ. FT. ____ @		
PERMIT FEE		

PERMIT NUMBER	REN.	DBL.	TOTAL FEES	HEAT & VENT FEE	PLBG. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158685			5.00		5.00	6.00		

J F M A M J J A S O N D

SET BACK F	S	R	LOT SIZE	USE #

JOB ADDRESS: 23200 TEMESCAL — OWNER: HYDRO CONDUIT.

ZONE: M 3 — USE OF BUILDING: TRIMMER FOUNDATION — DATE: 9/26/68

CHECKED BY: R.B. — COMMUNITY: EL CERRITO — DISTRICT: V/N — P.C.: 70 — UNITS: 1 — VALUATION: 700.00 — OFFICE: Z

GROUP / TYPE — LEGAL DESCRIPTION: PER SEC 35 - THS R4W. — PERMIT NUMBER: 158685

SPEC. INSP. — SUPP. TO PERMIT

PLAN CHECKER

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR

PLAN CHECK FEE 5.00

MECHANICAL FEE

CONSTRUCTION FEE

ELECTRICAL FEE

PLUMBING FEE

TOTAL FEES $ 5.00

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY: Allen

SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit.	Stone Rogers Corp
ADDRESS: 2320 Temescal	ADDRESS: P.O. Box 5249
Corona Calif.	Corona Calif.
TEL. NO.: 735-2420	TEL. NO.: 735-5249
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Cov. P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Pool, Spa, Fnce	Sq. Ft. @	

ESTIMATED VALUATION $

ELECTRICAL FEES

NO.		
POLES		
SIGNS		
TRANS. AND/OR T. CLR.		
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
RESID. 1ST 30 SQ. FT.		
GARAGE 1ST 30 SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.		
DRAINAGE PIPING		
DRINKING FOUNTAIN		
URINAL		
WATER PIPING		
FLOOR DRAIN		
WATER SOFTENER		
WASHER (AUTO) (DISH)		
GARBAGE DISPOSAL		
LAUNDRY TRAY		
KITCHEN SINK		
WATER CLOSET		
LAVATORY		
SHOWER		
BATH TUB		
WATER HEATER		
SEWAGE DISPOSAL		
HOUSE SEWER		
GAS PIPING		
PERMIT FEE		

MECHANICAL FEES

COMMERCIAL ONLY

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
RESIDENTAL FEE SQ.FT. ____ @		
PERMIT FEE		

PERMIT NUMBER 158685 | REN. | OBL. | TOTAL FEES | HEAT & VENT FEE | PLN. CK. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE

J F M A M J J A S O N D

SET BACK $ R | LOT SIZE | USE # | ZONE

JOB ADDRESS 23200 TEMESCAL | OWNER Hydro Conduit

USE OF BUILDING TRAILER FOUNDATION | DATE 4/6/68

PLAN CHECK FEE | CHECKED BY | COMMUNITY El Cerrito | DISTRICT T/M | P.C. 10 | UNITS 1 | VALUATION 100.00 | OFFICE Z

MECHANICAL FEE

CONSTRUCTION FEE N.E. * | GROUP | TYPE | LEGAL DESCRIPTION NW SEC 35- 7S R 6 W. | PERMIT NUMBER 158685

SPEC. INSP. | SUPP. TO PERMIT

ELECTRICAL FEE

PLAN CHECKER | BOND # | BOND | CASH | PLAN FILE # 4900 | FINAL DATE 4-23-68 | INSPECTED

PLUMBING FEE

TOTAL FEES $

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM: T | LL | P

INFORMATION

* NO FEE — CONST. FEE CHARGED ON THIS PERMIT.

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Thomas Kaye Corp.
ADDRESS	ADDRESS
[illegible]	P.O. Box 2109
[illegible]	Corona, Calif.
TEL. NO.	TEL. NO.
[illegible]	735-5249
	LICENSE NO.

84-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	~~Set Back~~		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
1st Fl.	Sq. Ft. @		NO.			NO.		
2nd Fl.	Sq. Ft. @							
Por.	Sq. Ft. @		POLES					
Gar.	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
Car P.	Sq. Ft. @		TRANS. AND/OR T. CLR.			DRINKING FOUNTAIN		
Wall	Sq. Ft. @		MOTOR	H.P.		URINAL		
Est cost 12,000	Sq. Ft. @		MOTOR	H.P.		WATER PIPING		
ESTIMATED VALUATION	$ 1200		MOTOR	H.P.		FLOOR DRAIN		
MECHANICAL FEES			MOTOR	H.P.		WATER SOFTENER		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			MOTOR	H.P.		WASHER (AUTO) (DISH)		
APPLIANCE			FIXTURES			GARBAGE DISPOSAL		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			OUTLETS			LAUNDRY TRAY		
AIR HANDLING UNIT			SUB-PANEL			KITCHEN SINK		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL						WATER CLOSET		
COMPRESSOR HP			RANGE AND/OR OVEN			LAVATORY		
APPLIANCE VENT			WATER HEATER			SHOWER		
ABSORPTION SYSTEM B.T.U.			SPACE HEATER			BATH TUB		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.			CONSTRUCTION POLE			WATER HEATER		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			SERVICE ENTRANCE			SEWAGE DISPOSAL		
BOILER B.T.U.			RCPTD. TO 30. FT.			HOUSE SEWER		
RESIDENTIAL FEE SQ.FT. @			GARAGE TO 30. FT.			GAS PIPING		
PERMIT FEE			PERMIT FEE			PERMIT FEE		

COMMERCIAL ONLY

PERMIT NUMBER	REN.	O.T.C.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158686			4 50		4 50			

J F M A M J J A S O N D

SET BACK F	SET BACK S	SET BACK R	LOT SIZE	USE #

JOB ADDRESS: 23200 TEMESCAL

OWNER: HYDRO CONDUIT.

USE OF BUILDING: FINAL CURE

DATE: 7-26-68

PLAN CHECK FEE: 4 50

ZONE: M-3

MECHANICAL FEE:

CHECKED BY:

COMMUNITY: EL CERRITO | DISTRICT: Y/N | F.C.: 70 | UNITS: | VALUATION: 1200 | OFFICE: L

CONSTRUCTION FEE: GROUP | TYPE

LEGAL DESCRIPTION: POR SEC 35 - THS R6W.

PERMIT NUMBER: 158686

ELECTRICAL FEE: SPEC. INSP.

SUPP. TO PERMIT

PLUMBING FEE: PLAN CHECKER

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR

TOTAL FEES $ 4 50

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY: Allen

SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Stearns Rogers Corp
ADDRESS: 23700 Temescal	ADDRESS: P.O. Box 549
Corona Calif	Corona Calif
TEL. NO.: 735-2420	TEL. NO.: 735-5349
	LICENSE NO.

284-203 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Por.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
Ext. Work	Sq. Ft. @	

ESTIMATED VALUATION $ 1100.00

MECHANICAL FEES

COMMERCIAL ONLY

- VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD
- APPLIANCE
- FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED
- AIR HANDLING UNIT
- GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL
- COMPRESSOR ____ HP
- APPLIANCE VENT
- ABSORPTION SYSTEM ____ B.T.U.
- INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.
- HEATING SYSTEM ☐ FORCED ☐ GRAVITY
- BOILER ____ B.T.U.
- RESIDENTAL FEE SQ.FT. ____ @
- PERMIT FEE

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLR.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	FIXTURES		
	OUTLETS		
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RCP'D. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER	REN.	OBL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
158686			9.00		4.50			

J	F	M	A	M	J	J	A	S	O	N	D
		M	A	M	J	J	A	S	O	N	D

SET BACK: S ____ R ____

LOT SIZE: ____

USE #: ____

JOB ADDRESS: 33100 TEMESCAL

OWNER: Hydro Conduit

PLAN CHECK FEE: 4.50

ZONE: M-3

USE OF BUILDING: FINAL CURE

DATE: 4/11

MECHANICAL FEE: —

CHECKED BY: ____

COMMUNITY: El Cerrito

DISTRICT: 4th

P.C.: 40

UNITS: ____

VALUATION: 1100

OFFICE: 2

CONSTRUCTION FEE: 9.00

GROUP: ____ TYPE: ____

LEGAL DESCRIPTION: PAR SEC 35 - T4S. R6W.

PERMIT NUMBER: 158686

SUPP. TO PERMIT: ____

ELECTRICAL FEE: ____

SPEC. INSP.: ____

PLUMBING FEE: ____

PLAN CHECKER: ____

BOND $: ____ BOND: ____ CASH: ____

PLAN FILE #: 4799

FINAL DATE: 4-3-68

INSPECTOR: [signature]

TOTAL FEES $ 9.00

CASH ____ CHECK ☑ M.O. ____ N.C. ____

RECEIVED BY: [signature]

SEWAGE SYSTEM: T ____ LL ____ P ____

INFORMATION

No Engineer Stamp

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Co.	Stevens Inc. Co.
ADDRESS: 33100 Temescal	ADDRESS: P.O. Box 549
Corona Calif	Corona Calif
TEL. NO.: 735-3100	TEL. NO.: 735-5349
	LICENSE NO.:

284-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

PROGRESS CHECKS

Tank Pit L Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @
Sq. Ft. @
Sq. Ft. @ APR 5 '68
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @
Sq. Ft. @

ESTIMATED VALUATION $ 1200.00

MECHANICAL FEES

- HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD
- APPLIANCE
- BURNER ☐ INST ☐ WALL ☐ FLOOR ☐ SUSPENDED
- GAS PIPE: ☐ NATURAL ☐ L.P.G. ☐ SFL
- CHIMNEY(S) ___ No
- APPLIANCE VENT
- ADSORPTION UNIT ___ B.T.U.
- REFRIGERATOR COMPRESS. ☐ INDIV. ☐ COMM.
- HEATING SYSTEM ☐ FORCED ☐ GRAVITY
- BOILER ___ B.T.U.
- HORIZONTAL FIRE ___ SQ. FT. ___ Q
- PERMIT FEE

ELECTRICAL FEES

NO. ___

DWELLING		$139581
SIGNS		
TRANS. ARC/ GR. T. ELE.		
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AIR/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
RESID. 10 SQ. FT.		
GARAGE ½¢ SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO. ___

11 SHL	9.00
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER	PLN.	BSL.	TOTAL FEE	PLOT & LOT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159581			9.00			9.00		

SET BACK	LOT SIZE	USE #
F — S — R —		

ZONE: M-3.

JOB ADDRESS: 23200 Temescal

USE OF BUILDING: Fuel Cure

OWNER: Hydro Conduit

DATE: 4/5/68

CHECKED BY: B.P.

COMMUNITY	DISTRICT	M.C.	UNITS	VALUATION	OFFICE
El Cerrito	N	10	1	1200.00	2

LEGAL DESCRIPTION: For Sec 35 - 7S R6W

PERMIT NUMBER: 159581

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4799		

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 9.00

ELECTRICAL FEE

PLUMBING FEE

BASIC GRADE ___ TYPE ___

BASIC USE ___

PLAN CHECKED: Davis

TOTAL FEES $ 9.00

CASH ___ CHECK ☑ M.O. ___ N.C. ___

RECEIVED BY: Irene

SEWER SYSTEM: LL ___ P ___

INFORMATION

No Engineer Stamp!

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stevens Roger Corp.
ADDRESS: 23200 Temescal Rd	ADDRESS: P.O. Box 559
Corona Calif.	Corona Calif.
TEL. NO. 735-2420	TEL. NO. 735-5249
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION VALUATION		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		M.C.		M.C.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		FEEDS			
Sq. Ft. @		SIGNS		GREASE TRAPS	
Sq. Ft. @		TRANS. AND/OR GEN. CAP.		DRINKING FOUNTAIN	
Sq. Ft. @		MOTOR H.P.		URINAL	
ESTIMATED VALUATION	$ 1200.00	MOTOR H.P.		WATER PIPING	
MECHANICAL FEES		MOTOR H.P.		FLOOR DRAIN	
HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ REFR.		MOTOR H.P.		WATER SOFTENER	
APPLIANCE		MOTOR H.P.		WASHER (AUTO) SINK	
VENT ☐ UNIT ☐ WALL ☐ FLOOR ☐ CONVERTED		FIXTURES		GARBAGE DISPOSAL	
GAS PIPING (OUT)		OUTLETS		LAUNDRY TRAY	
COOKING ☐ RANGE ☐ O.V. ☐ GRL		SUB-PANEL		KITCHEN SINK	
TRANSFORMER KVA				WATER CLOSET	
APPLIANCE VENT		RANGE AND/OR OVEN		LAVATORY	
ABSORPTION SYSTEM G.P.U.		WATER HEATER		SHOWER	
REFRIGERATION CONDENSER ☐ WATER ☐ AIR		SPACE HEATER		BATH TUB	
BLOWER SYSTEM ☐ DUCTED ☐ GRAVITY		CONSTRUCTION POLE		WATER HEATER	
BOILER H.P.		SERVICE ENTRANCE		SEWAGE DISPOSAL	
REFRIGERATING EQ. Sq. Ft.		REMOD. TO 50 SQ. FT.		HOUSE SEWER	
PERMIT FEE		GARAGE TO 50 SQ. FT.		GAS PIPING	
		PERMIT FEE		PERMIT FEE	

BUILDING PERMIT	MISC.	GEN.	TOTAL FEES	HEAT & VENT FEE	ELEC. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159581			9.00			9.00		

SET BACK	LOT SIZE	USE #	JOB ADDRESS	OWNER
			23300 Temescal	Nydro Conduit

PLAN CHECK FEE	ZONE M-3	USE OF BUILDING Final Coat							
MECHANICAL FEE	CHECKED BY B.P.	COMMUNITY El Cerrito	DISTRICT M	P.C. 10	UNITS 1	VALUATION 1200.00	OFFICE 2		
CONSTRUCTION FEE 9.00	GROUP	TYPE	LEGAL DESCRIPTION Por Sec 35-14S R5W				PERMIT NUMBER 159581		
ELECTRICAL FEE		BLDG. INSP.					BLDG. TO PERMIT		
PLUMBING FEE	PLAN CHECKER Bridge	ZONE #	BOOK	CASH	PLAN FILE # 4709	FINAL DATE 11-6-68	INSPECTOR		

TOTAL FEES $ 9.00

CASH | CHECK ☒ | M.O. | N.C.

PAID BY

SEWAGE SYSTEM

LL | P

INFORMATION

No Engineer Stamp!

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Same
ADDRESS	ADDRESS
23300 Temescal	Same
Corona Calif.	Same Calif.
TEL. NO.	TEL. NO.
735-2122	735-5149
	LICENSE NO.

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footings		
2	Piers & Piles		
3	Slab		
4	Under Floors		
5	Sewer Stubs		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final	11-6-68 Randolph	
		Building Inspector	
		City of [illegible]	
	PLUMBING APPROVALS		
15	Ground Floors		
16	Water Piping		
17	Rough Plumb.		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

CHECK NO.	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	

ESTIMATED VALUATION $ 700.00

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR CONDITIONING UNIT	
GAS PIPE - ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR HP	
APPLIANCE VENT	
REFRIGERATION SYSTEM G.V.U.	
INCINERATOR CONCRETE ☐ BRICK ☐ METAL	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER B.T.U.	
RESIDENTIAL FEE SQ.FT. @	
PENALTY FEE	

ELECTRICAL FEES

NO.	
SERVICE	
PANEL	
TRANS. VOLT/AMP. CAP.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
MISC. 1¢ SQ. FT.	
SIGNS 1¢ SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
SPRINKLER FOUNDATION	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PLAN CHECK FEE 15.382 | BLDG. | SEC. | TOTAL FEES N.F. | BLDG & GRAV FEE | PLN. CK. FEE | CERTF. FEE N.F. | ELEC. FEE | PLUMB. FEE

SET BACK	LOT SIZE	USE #
F — S — R —		

ZONE M-3

CHECKED BY B.P.

SPEC. INSP.

BOND CHECKED

JOB ADDRESS 23200 Temescal

USE OF BUILDING Trimmer Foundation

COMMUNITY El Cerrito | DISTRICT N | P.C. 10 | UNITS 1 | VALUATION 700.00 | OCCUP. 2

LEGAL DESCRIPTION Ptn. Sec. 35 - T4S R5W

DATE 4/6/87

159582

SUPP. TO PERMIT 158685

BOND # | BOND | CASH | PLAN FILE # 480 | FINAL DATE | INSPECTION

PLAN CHECK FEE	
MECHANICAL FEE	
CONSTRUCTION FEE N.F.	
ELECTRICAL FEE	
PLUMBING FEE	
TOTAL FEES $ N.F.	

CASH | CHECK | U.S. | M.C.

RECEIVED BY

SEWAGE SYSTEM

IT | CL | S

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

* No-Fee Const. Fee Charged on this Permit #158685 Same fee was charged on plan ck permit. This permit only to be left for records

OWNER	CONTRACTOR
Hydro Conduit	Storm Pipe
ADDRESS 23200 Temescal Rd	ADDRESS P.O. Box 589
Corona Ca.	Corona Ca.
TEL. NO. 735-2420	TEL. NO. 735-6249
	LICENSE NO.

284-208 11/87

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

ESTIMATED VALUATION $ 700.00

MECHANICAL FEES

HEAT SYSTEM ☐ GAS ☐ STEAM, COAL ☐ WOOD			
☐ FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ BOILER			
☐ GAS TYPE ☐ NATURAL ☐ L.P.G. ☐ OIL			
☐ AIR CONDITIONER	H.P.		
☐ APPLIANCE VENT			
☐ VENTILATING SYSTEM	C.F.M.		
☐ INCINERATOR ☐ DOMESTIC ☐ COMM. ☐ TOWN			
☐ HEATING SYSTEM ☐ FORCED ☐ GRAVITY			
☐ BOILER	B.T.U.		
☐ INCIDENTAL FEE	SQ. FT.		
☐ PERMIT FEE			

ELECTRICAL FEES

NO.		NO.	
POLES			
SIGNS		GRINDER PUMPS	
TRANS. UNDER 15 K.V.A.		SPRINKLER SYSTEMS	
MOTOR	H.P.	SOLAR	
MOTOR	H.P.	WATER PIPING	
MOTOR	H.P.	WATER SOFTENER	
MOTOR	H.P.	WASHER (AUTO) (DISH)	
FIXTURES		GARBAGE DISPOSAL	
OUTLETS		LAUNDRY TRAY	
SUB-PANEL		KITCHEN SINK	
		WATER CLOSET	
RANGE HOOD OVEN		LAVATORY	
WATER HEATER		SHOWER	
SPACE HEATER		BATH TUB	
CONSTRUCTION POLE		WATER HEATER	
SERVICE ENTRANCE		SEWAGE DISPOSAL	
RESID. 1¢ SQ. FT.		HOUSE SEWER	
GARAGE ½¢ SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE	

PERMIT NUMBER	EST.	MECH.	TOTAL FEES	HEAT & VENT. FEE	PLB. EN. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159582			N.F.			N.F.		

SET BACK	LOT SIZE	USE #	JOB ADDRESS	OWNER
N — W —			33200 Temescal	Hydro Conduit

	ZONE	USE OF BUILDING	DATE
PLAN CHECK FEE	M-3	Trimmer Foundation	4-21

	CHECKED BY	COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	SQ. FT.
MECHANICAL FEE	B.P.	El Cerrito	N	16	1	700.00	2

	COMM.	TYPE	LEGAL DESCRIPTION	PERMIT NO.
CONSTRUCTION FEE N.F.			NE Sec 35 - 4S - 5W SBM	159582
	SPEC. INSP.			SUPP. TO PERMIT
ELECTRICAL FEE				
	PLAN CHECKED			
PLUMBING FEE				

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4400	5-21-68	Durrett

TOTAL FEES $ N.F.

CASH	CHECK	M.O.	N.C.

ISSUED BY [illegible] BRANCH SYSTEM

INFORMATION

* No-Fee Const. Fee Charged on this Permit

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	[illegible]
ADDRESS	ADDRESS
3330 Temescal	[illegible]
Corona Calif.	Corona Calif.
TEL. NO.	TEL. NO.
[illegible]	735-6249
	LICENSE NO.

4-EOA 11/67

NO.	INSPECTION	DATE	INSPECTOR
	BUILDING APPROVALS		
	Footing		
	Piers & Piles		
3	Slab		
4	Grade Blocks		
5	Sand Beams		
6	Roof Deck		
7	Sheeting		
8	Tub		
9	Fire Wall		
10	Sheetrock P/L ☐ T/C ☐		
11	Crawl or Unit		
12	Insulation		
13	Exterior Grade		
14	Final	6-21-83	Dan Hoffer
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sanitary Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ductwork		
34	Flashing & Cowls		
35	Furnace Comport.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Flue Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

DATE NO.	PROGRESS CHECKS
	Resident inspector on job

Final Fee Lien

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

FROM ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		POLES			
Sq. Ft. @		SIGNS		GREASE TRAPS	
Sq. Ft. @		H.P.		VACUUM BREAKER	
Sq. Ft. @		MOTOR H.P.		URINAL	
Sq. Ft. @		MOTOR H.P.		SEWER PIPING	
ESTIMATED VALUATION $ 650.00		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		MOTOR H.P.		WASHER (AUTO) (DISH)	
APPLIANCE		FIXTURES		GARBAGE DISPOSAL	
PIPING ☐ GAS ☐ MAIL ☐ FLUES ☐ SUPERVISED		OUTLETS		LAUNDRY TRAY	
AIR HANDLING UNIT		MISCELLANEOUS		DRINKING FAUC.	
GAS FIRE ☐ ELECTRIC ☐ L.P.G. ☐ OIL				WATER CLOSET	
COMPRESSOR H.P.		ARMOR AND/OR DUCT		LAVATORY	
APPLIANCE VENT		WATER HEATER		SHOWER	
COMBUSTION SYSTEM B.T.U.		RANGE HOOD		BATH TUB	
EVAPORATIVE CONDENSER ☐ INDOOR ☐ COMM.		CONSTRUCTION HOIST		WATER HEATER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		SERVICE ENTRANCE		SEWAGE EJECTOR	
BOILER B.T.U.		FEEDER TO SQ. FT.		HOUSE SEWER	
MECHANICAL FEE AC.FT.		BONDED TO SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

PLAN CHK. FEE	PERM.	DEPT.	TOTAL FEES	BLDG. & HOIST FEE	MECH. FEE	CERTIF. FEE	ELEC. FEE	PLUMB. FEE
159778			5.00			5.00		

LOT		BLK.		TRACT		MAP BOOK		PAGE		PARCEL	

SET BACK			LOT SIZE	USE P	JOB ADDRESS	OWNER
F 100	S 300	R 100			23200 Temescal	Hydro Conduit

PLAN CHECK FEE

ZONE	USE OF BUILDING	DATE
M-3	Water Tank	1-23-68

MECHANICAL FEE

CHECKED BY	COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
B.W.A.	Corona	V	35	1	650.00	2

CONSTRUCTION FEE 5.00

GRADE	TYPE	LEGAL DESCRIPTION	PERMIT NUMBER
		Por SEC 35 T3S R6W	159778

PARCEL TRANS.

RUSH TO PERMIT

ELECTRICAL FEE

PLAN CHECKED

ZONE 9	ZONE	MAP	PLAN FILE #	FINAL DATE	INSPECTOR
			1282		

PLUMBING FEE

TOTAL FEES $ 5.00

CASH	CHECK	M.O.	W.C.

RECEIVED BY

SEWAGE SYSTEM

T LL P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Kenny Laser
ADDRESS	ADDRESS
P.O. Box 349	P.O. Box 349
735-5249	735-5249
TEL. NO.	TEL. NO.
Corona Calif	Corona Calif
	LICENSE NO.

284-208 1/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

WELD ✓

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @					
Sq. Ft. @		POLES			
Sq. Ft. @		BOXES		GARBAGE TRAPS	
Sq. Ft. @		TRANS. OVER 50 T. CLR.		DRINKING FOUNTAIN	
Sq. Ft. @		MOTOR H.P.		URINAL	
		MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION $ 650.00		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		MOTOR H.P.		WASHER (AUTO) (DISH)	
APPLIANCE		FIXTURES		GARBAGE DISPOSAL	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ APARTMENT		OUTLETS		LAUNDRY TRAY	
AIR CONDITIONING UNIT		SUB-PANEL		KITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL				WATER CLOSET	
COMPRESSOR HP		RANGE AND/OR OVEN		LAVATORY	
APPLIANCE VENT		WATER HEATER		SHOWER	
ABSORPTION SYSTEM B.T.U.		SPACE HEATER		BATH TUB	
INCINERATOR DOMESTIC ☐ HOUSE ☐ COMM'L		CONSTRUCTION POLE		WATER HEATER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		SERVICE ENTRANCE		SEWAGE DISPOSAL	
BOILER B.T.U.		AREAS, 12 SQ. FT.		HOUSE SEWER	
RESIDENTIAL FOR SQ. FT. 20		GARAGE 10 SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

CITY CHARGES	GAS.	OIL	TOTAL FEES	GRAT & DRIV FEE	PLAN CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159778			$.00			$.00		

J	F	M	A	M	J	J	A	S	O	N	D

SET BACK	LOT SIZE	USE #	JOB ADDRESS	OWNER
20 30 N 30			2350 Jurupa	Lyons Candies

PLAN CHECK FEE	ZONE	USE OF BUILDING	DATE
	R-1	Water Tank	

MECHANICAL FEE	CHECKED BY	DISTRICT	P.C.	SHEET	VALUATION	OFFICE
		2	35 ✓	1	$650.00	

CONSTRUCTION FEE	GROUP	TYPE	LEGAL DESCRIPTION	PERMIT NUMBER
$.00			20 30 N 30	159778

ELECTRICAL FEE	SPEC. INSP.		SUPP. TO PERMIT

PLUMBING FEE	PLAN CHECKER	BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
					10-3 ✓	4-30-68	

TOTAL FEES $ .00

CASH	CHECK ✓	M.O.	N.C.

RELEASE BY	SEWAGE SYSTEM		
	T	LT.	P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Lyons Candies	Lyons Elec
ADDRESS	ADDRESS
P.O. Box 549	P.O. Box 549
735-2nd	735-2nd
TEL. NO.	TEL. NO.
Corona Calif	Corona Calif
	LICENSE NO.

564-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	GENERAL BUILDING APPROVALS		
1	Footing		
2	Piers & Piles		
3	Grade		
4	Sewer Stacks		
5	Sand Screed		
6	Roof Deck		
7	Roofing		
8	Frame		
9	Damp Proof Wall		
10	Insulation P/L ☐ T/B ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final	7-30-69	
	PLUMBING APPROVALS		
15	Ground Piping		
16	Water Piping		
17	Rough Plumb.		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Complete		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

NO.	PROGRESS CHECKS
	Residential Inspection

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Use	Sq. Ft. @	PA-240
Occ.	Sq. Ft. @	
Type	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 450

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ RUNS/DUCTS	
AIR HANDLING UNIT	
GAS PIPE ☐ HEATER(S) ☐ L.P.G. ☐ OIL	
BOILER/FIRED	H.P.
APPLIANCE VENT	
REFRIGERATION SYSTEM	T.O.N.
REFRIGERATOR COMMERCIAL ☐ UNDER ☐ REMOTE	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER	B.T.U.
ENVIRONMENTAL FEE	SQ. FT. @
PERMIT FEE	

ELECTRICAL FEES

NO.		
	3x404 @	5159779
OUTLETS		
TRANS. ARC/ RE T. CLG.		
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
RESID. 1¢ SQ. FT.		
GARAGE 1¢ SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.	
GAS	1 USE
GARBAGE GRIND	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (2-BH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NO.	MECH.	PLBG.	TOTAL CODE	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159779			5.00			5.00		

SET BACK	LOT SIZE	U.P.C. #
F. 100 S. 100 R. 100		

JOB ADDRESS: 23200 Temescal

OWNER: Eyore Conduit

PLAN CHECK FEE

ZONE: M-3

MECHANICAL FEE

PROCESSED BY

CONSTRUCTION FEE: $5.00

OCCUP. GROUP | TYPE | OCCUP. LOAD

ELECTRICAL FEE

PLAN ENGINEER

PLUMBING FEE

USE OF BUILDING: Under ground fuel tank

DATE: 4-23-69

COMMUNITY	DISTRICT	F.C.	UNITS	VALUATION	OFFICE
Corona	II	35	1	450.00	E

LEGAL DESCRIPTION: Por sec 35 T4S R6W

PERMIT NUMBER: 159779

SUPP. TO PERMIT

ZONE #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4862		

TOTAL FEES $ 5.00

CASH | CHECK # | M.O. | N.C.

RECEIVED BY: M. Jones

ENTERED SYSTEM: V | M | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 180 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Stone Const.
ADDRESS: 23200 Temescal	ADDRESS: P.O. Box 549
TEL. NO. 735 2430	TEL. NO. 735-5249
459 Corona Calif.	Corona Calif.
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

	Sq. Ft.	$
	Sq. Ft.	$
	Sq. Ft.	$
	Sq. Ft.	$
	Sq. Ft.	$
	Sq. Ft.	$
	Sq. Ft.	$

ESTIMATED VALUATION IS $ [illegible]

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCES		
VENTING ☐ VENT ☐ WALL ☐ FLOOR ☐ OVERHEAD		
AIR HANDLING UNIT		
GAS TYPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
CONVERSION ☐ NO		
APPLIANCE CODE		
REFRIGERATION SYSTEM	H.P.	
CONDENSER	H.P.	
INDUSTRIAL FEE SQ. FT.		
PERMIT FEE		

ELECTRICAL FEES

NO.		
POLES		
SIGNS		
TRANS. AND/OR CT. CAP.		
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
APPLIANCES		
RANGE AND/OR OVEN		
WATER HEATER		
BRACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
RESID. 10 SQ. FT.		
GARAGE 10 SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.	
DRAINAGE PIPING	
GREASE INTERCEPTOR	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (SINK)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
DRAINAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER	PERM.	DUPL.	TOTAL FEES	HEAT & VENT FEE	PLM. EX. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159779			$ [illegible]			$ [illegible]		

SET BACK: [illegible], [illegible], [illegible]

LOT SIZE:

USE #:

ZONE: [illegible]

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE: $ [illegible]

ELECTRICAL FEE

PLUMBING FEE

ENGINEER BY: [illegible]

UNDER: TYPE:

REGT. INSP.

PLAN CHECKED

JOB ADDRESS: [illegible] Imperial

OWNER: [illegible] Construction

USE OF BUILDING: [illegible] gravel fuel tank

DATE: [illegible]

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
[illegible]	5	X	1	[illegible]	E

LEGAL DESCRIPTION: [illegible]

PERMIT NUMBER: 159779

SUPP. TO PERMIT #

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			[illegible]	9-30-63	[illegible]

TOTAL FEES $ [illegible]

WARR.	CHECK	M.O.	M.C.

RECEIVED BY: [illegible]

SEWAGE SYSTEM

T	LL	P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
[illegible]	[illegible]
ADDRESS: [illegible]	ADDRESS: [illegible]
[illegible]	[illegible]
TEL. NO. [illegible]	TEL. NO. [illegible]
	LICENSE NO.

284-R06 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footing		
2	Piers		
3	Sewer Stacks		
4	Sand Seams		
5	Roof Deck		
6	Framing		
7	Vents		
8	Garage Fire Wall		
9	Fireplace P/L ☐ T/G ☐		
10	Exterior Lath		
11	Interior Lath		
12	Exterior Grade		
13	Final	4-30-85 Occupied	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		
	Rough Inspector		
	Tank	Pit	Line

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Zone

Map Div.

Sub Dist.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office Riverside

Permit No.

Del. Date

OWNER

Owner Alpine Creek Corp. Architect Lawrence Collins Address Temescal Canyon Rd Address P.O. Box 278

City Corona, Calif. City City Corona, Calif.

Phone 737-2450 Phone Phone 737-1288

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and/or Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 4-23-68 SIGNATURE OF OWNER [signature]

Approval by Signatures from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 23-200 Temescal Canyon Rd USE OF STRUCTURE

Legal Description of Property Lot 4 Blk 21 Tract 6 Lot

NO. OF SUBMITTED PLANS	TYPE OF CONSTRUCTION	SINGLE FAMILY ☐	DUPLEX ☐
ADDITIONAL PLOT PLANS	Steel & Load Bear	APARTMENTS ☐	AGRIC. ☐
CASE NO.	Tilt Bailer.	COMMERCIAL ☐	INDUSTRIAL ☑
		ALTERATIONS ☐	

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING

ZONE M-2 SETBACKS FRONT 100' SIDE 100' REAR 130'

IF 1 - 10 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. YES ☐ NO ☑ RECEIVED yes ☐ no ☐

SETBACK ORDINANCE # — OF — FEET REQUIRED ON — STREET

DATE 4-23-68 SIGNATURE OF LAND USE OFFICIAL [signature]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET

CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET

THE ABOVE CONSTRUCTION? YES ☐ NO ☐

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐

HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐

DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL

COMMERCIAL SEWAGE

FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK

FLOOD CONTROL WATER POLLUTION

AIR POLLUTION DIV OF HWY.

REMARKS:

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

FORM # 284-159, 9/67

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
ESTIMATED VALUATION		1500.00

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR CONDITIONING UNIT	
GAS PIPE ☐ BOILERS ☐ O.F.A. ☐ OIL	
COMPRESSOR HP	
REFRIGERATION SYSTEM H.P.	
REFRIGERATION PERIMETER ☐ INDUS. ☐ COMM.	
VENTILATING SYSTEM ☐ EXHAUST ☐ BLOWER	
BOILER H.P.	
RESIDENTIAL FEE SQ. FT.	
PERMIT FEE	

ELECTRICAL FEES

NO.		
	TEMP. ALTER/ RE-T. SVC.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	MISC. 25 SQ. FT.	
	GARAGE 25 SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	GREASE TRAPS	
1	DRINKING FOUNTAIN	3 00
1	URINAL	3 50
	WATER PIPING	
1	FLOOR DRAIN	3 00
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
2	WATER CLOSET	6 00
1	LAVATORY	3 50
	SHOWER	
	BATH TUB	
	WATER HEATER	
1	SEWAGE DISPOSAL	10 00
	HOUSE SEWER	
	GAS PIPING	
1	PERMIT FEE	2 00

PERMIT NO. 59760 | REN. | CHG. | TOTAL FEES 21.00 | HEAT & VENT. FEE | PLN. CK. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE 21.00

| | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

RES 1

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
1st Flr. @		Misc. 2		Misc.	
2nd Flr. @					
3rd Flr. @					
4th Flr. @		POLES			
5th Flr. @		SIGNS		GARBAGE DISPOSAL	
6th Flr. @		TRANS. 45KV OR T. SUB.		DRINKING FOUNTAIN	
ESTIMATED VALUATION		MOTOR H.P.		DENTAL	
MECHANICAL FEES		MOTOR H.P.		WATER PIPING	
HEAT SYSTEM ☐ FAU ☐ ELEC. BOIL ☐ HOOD		MOTOR H.P.		FLOOR DRAIN	
APPLIANCE		MOTOR H.P.		WATER SOFTENER	
FURNACE ☐ WALL ☐ FLOOR ☐ SUSPENDED		FIXTURES		WASHER (AUTO. TYPE)	
AIR HANDLING UNIT		OUTLETS		GARBAGE DISPOSAL	
FUEL TYPE ☐ NATURAL ☐ L.P.G. ☐ OIL		SUB-PANELS		LAUNDRY TRAY	
COMPRESSOR HP				KITCHEN SINK	
REFRIGERANT TYPE		RANGE AND/OR OVEN		WATER CLOSET	
AUTOMATION SYSTEM B.T.U.		WATER HEATER		LAVATORY	
REFRIGERATION DOMESTIC ☐ HERM. ☐ COMM.		SPACE HEATER		SHOWER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		CONSTRUCTION POLE		BATH TUB	
BOILER B.H.P.		SERVICE ENTRANCE		WATER HEATER	
REFRIGERATION SQ. FT.		RESID. 1¢ SQ. FT.		SEWAGE DISPOSAL	
		GARAGE ½¢ SQ. FT.		HOUSE SEWER	
		PERMIT FEE		GAS PIPING	
				PERMIT FEE	

159780	RES.	COM.	TOTAL FEES	HEAT & VENT FEE	PLB. EA. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE

TRACT	LOT SIZE	USE #	JOB ADDRESS	OWNER

PLAN CHECK FEE — ZONE

MECHANICAL FEE — PROCESSED BY

CONSTRUCTION FEE — GROUP / TYPE — SPEC. INSP.

ELECTRICAL FEE

PLUMBING FEE — PLAN CHECKER

USE OF BUILDING — DATE

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	APPROX.

LEGAL DESCRIPTION — PERMIT NUMBER 159780 — SUPP. TO PERMIT

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR

TOTAL FEES $

CASH | CHECK | M.O. | N.C.

RECEIVED BY — SEWAGE SYSTEM: T ___ LL ___ P ___

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
ADDRESS	ADDRESS
TEL. NO.	TEL. NO.
	LICENSE NO.

284-208 11/87

		DATE	INSPECTOR
	BUILDING APPROVALS		
1	Staked		
2	Footings		
3	Foundation		
4	Rough Frame		
5	Roofing		
6	Flue		
7	Rough Gas Pipe		
8	Fireplace P/S ☐ I/S ☐		
9	Exterior Lath		
10	Interior Lath		
11	Exterior Grade		
12	Final	4-30-69	Clear
	PLUMBING APPROVALS		
13	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

		DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilating System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		
	Residential Inspector		

Yards Ft Lines

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route
Land Use Div.
Road Dept.
Health Dept.
Office Asst.
Ownership Chgd.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office Riverside
Permit No.
Dat. Date

Owner Alfred Landstrom Architect Edgar Engineer
Address 23 Via Fonseca Address Address
City Corona, Cal. City City
Phone 272-3930 Phone Phone

Contractor Frank Tafoya
Address Box 598
City Corona, Calif.
Phone 272-5709

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 4-23-69. SIGNATURE OF OWNER Alfred Landstrom

Approval by Signatures from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 32-205 Temescal Canyon Rd. USE OF STRUCTURE
Legal Description of Property Por Sec 35 T 4S R 6W

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☒
ALTERATIONS	☐		

NO. OF SUBMITTED PLANS 3
ADDITIONAL PLOT PLANS
CASE NO.
TYPE OF CONSTRUCTION Wire Fence & Rock Piers

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING Several
ZONE M-S SETBACKS FRONT 100 ft SIDE 100 ft REAR None
IF 1 - 10 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. YES ☐ NO ☒ RECEIVED YES ☐ NO ☒
SETBACK ORDINANCE # OF FEET REQUIRED ON STREET
DATE 4-24-69 SIGNATURE OF LAND USE OFFICIAL E. [illegible]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION DIV OF HWY.

REMARKS:

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

LATE # 284-199, 9/67

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING PERMIT ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @		Basic 1 @ 6.00	6.00	11 @ 2.00	22.00
Sq. Ft. @		Misc.		Drainage Piping	
Sq. Ft. @		Trans. and/or Gen. Equip.		Drinking Fountain	
Sq. Ft. @		Motor H.P.		Urinal	
Sq. Ft. @		Motor H.P.		Water Piping	
Sq. Ft. @		Motor H.P.		Floor Drain	
Sq. Ft. @		Motor H.P.		Water Softener	
Sq. Ft. @		Motor H.P.		Hose Bibb (Each)	
TOTAL VALUATION	$	Fixtures		Garbage Disposal	
MECHANICAL FEES		Outlets		Laundry Tray	
VENT SYSTEM ☐ Gas ☐ Evap. Cool. ☐ Unit		Switches		Kitchen Sink	
APPLIANCE				Water Closet	
FURNACE ☐ Wall ☐ Floor ☐ Suspended		Ranges and/or Oven		Lavatory	
FOR HEATING UNIT		Water Heater		Shower	
COOLER ☐ Ducted ☐ S.A.C. ☐ Coil		Space Heater		Bath Tub	
INCINERATOR	Lbs.	Construction Pole		Water Heater	
APPLIANCE VENT		Service Entrance		Sewage Disposal	
REFRIGERATING SYSTEM	H.P.	Signs, No. Sq. Ft.		House Sewer	
EVAPORATIVE COOLING ☐ Ducted ☐ Unit		Garage, No. Sq. Ft.		Gas Piping	
BOILER	H.P.	Permit Fee		Permit Fee	
UNDERFIRE FUEL	Sq. Ft.				
PERMIT FEE					

PERMIT NUMBER	PERM. FEES	TOTAL FEES	HEAT & VENT FEE	PLUM. EQ. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159783		6.00		6.00			

SET BLK.	LOT SIZE	USE #
108	100	108

JOB ADDRESS: 23200 Temescal — OWNER: Hydro Conduit

PLAN CHECK FEE: 6.00 — ZONE: M-3 — USE OF BUILDING: Pipe Fitter Shop Bldg & Oil tank

MECHANICAL FEE — SUBDIVISION: P.M.B. — COMMUNITY: El Cerrito — DISTRICT: — P.C.: 70 — UNITS: 1 — VALUATION: — OFFICE: 2

CONSTRUCTION FEE — ZONING FEE — LEGAL DESCRIPTION: Par Sec 35 T4S R6W — PERMIT NUMBER: 159783

ELECTRICAL FEE — Plan Ck. Only — SUPP. TO PERMIT

PLUMBING FEE — WIND CONDITION — SOILS G — SCAN — CARD — PLAN FILE # — PICK UP DATE — INSPECTOR

TOTAL FEES $ 6.00

CASH — CHECK ☑ — M.O. — N.C.

RECEIVED BY: [signature] — HEMCO OR SYSTEM — D — LL — P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 180 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Lewis Pipeline Co.
ADDRESS: 23200 Temescal Rd.	ADDRESS: P.O. Box 567
PHONE NO.: 735-2420	PHONE NO.: 735-5249
SIGNATURE: [signature]	SIGNATURE: [signature]
	LICENSE NO.

660

984-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

BUILDING PERMIT ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @		Basic 1 @ 6.00	6.00	11 @ 2.00	22.00
Sq. Ft. @		Misc.		Drainage Piping	
Sq. Ft. @		Trans. and/or Gen. Equip.		Drinking Fountain	
Sq. Ft. @		Motor H.P.		Urinal	
Sq. Ft. @		Motor H.P.		Water Piping	
Sq. Ft. @		Motor H.P.		Floor Drain	
Sq. Ft. @		Motor H.P.		Water Softener	
Sq. Ft. @		Motor H.P.		Hose Bibb (Each)	
TOTAL VALUATION	$	Fixtures		Garbage Disposal	
MECHANICAL FEES		Outlets		Laundry Tray	
VENT SYSTEM ☐ Gas ☐ Evap. Cool. ☐ Unit		Switches		Kitchen Sink	
APPLIANCE				Water Closet	
FURNACE ☐ Wall ☐ Floor ☐ Suspended		Ranges and/or Oven		Lavatory	
FOR HEATING UNIT		Water Heater		Shower	
COOLER ☐ Ducted ☐ S.A.C. ☐ Coil		Space Heater		Bath Tub	
INCINERATOR	Lbs.	Construction Pole		Water Heater	
APPLIANCE VENT		Service Entrance		Sewage Disposal	
REFRIGERATING SYSTEM	H.P.	Signs, No. Sq. Ft.		House Sewer	
EVAPORATIVE COOLING ☐ Ducted ☐ Unit		Garage, No. Sq. Ft.		Gas Piping	
BOILER	H.P.	Permit Fee		Permit Fee	
UNDERFIRE FUEL	Sq. Ft.				
PERMIT FEE					

PERMIT NUMBER	PERM. FEES	TOTAL FEES	HEAT & VENT FEE	PLUM. EQ. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159783		6.00		6.00			

SET BLK.	LOT SIZE	USE #
108	100	108

JOB ADDRESS: 23200 Temescal — OWNER: Hydro Conduit

PLAN CHECK FEE: 6.00 — ZONE: M-3 — USE OF BUILDING: Pipe Fitter Shop Bldg & Oil tank

MECHANICAL FEE — SUBDIVISION: P.M.B. — COMMUNITY: El Cerrito — DISTRICT: — P.C.: 70 — UNITS: 1 — VALUATION: — OFFICE: 2

CONSTRUCTION FEE — ZONING FEE — LEGAL DESCRIPTION: Par Sec 35 T4S R6W — PERMIT NUMBER: 159783

ELECTRICAL FEE — Plan Ck. Only — SUPP. TO PERMIT

PLUMBING FEE — WIND CONDITION — SOILS G — SCAN — CARD — PLAN FILE # — PICK UP DATE — INSPECTOR

TOTAL FEES $ 6.00

CASH — CHECK ☑ — M.O. — N.C.

RECEIVED BY: [signature] — HEMCO OR SYSTEM — D — LL — P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 180 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Lewis Pipeline Co.
ADDRESS: 23200 Temescal Rd.	ADDRESS: P.O. Box 567
PHONE NO.: 735-2420	PHONE NO.: 735-5249
SIGNATURE: [signature]	SIGNATURE: [signature]
	LICENSE NO.

660

984-208 11/67

NO.	BUILDING APPROVALS	DATE	INSPECTOR
1	Footing		
2	Piers		
3	Sewer Stack		
4	Sand Frame		
5	Roof Deck		
6	Roofing		
7	Vents		
8	Garage Fire Wall		
9	Fireplace F/L [ ] F/G [ ]		
10	Exterior Lath		
11	Interior Lath		
12	Exterior Grade		
13	Final		

NO.	PLUMBING APPROVALS	DATE	INSPECTOR
13	Rough Plumb		
14	Water Piping		
15	Rough Piping		
16	Vents		
17	Sewage Disposal		
18	Septic		
19	Water Heater		
20	Water Softener		
21	Septic System		
22	Gas Tests		
23	Final		

NO.	ELECTRICAL APPROVALS	DATE	INSPECTOR
24	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	MECHANICAL APPROVALS	DATE	INSPECTOR
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Mechanical Final		
43	Final		

PERMIT NO.	PROGRESS CHECKS

Tank Pit L Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION INDICATE

Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	
Sq. Ft. @	

ESTIMATED VALUATION $ 5200.

MECHANICAL FEES

HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
VENTING ☐ GAS ☐ FLUE ☐ VENT ☐ HOOD ☐ MECHANICAL	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
OUTLETS	
HOOD VENT	
ABSORPTION SYSTEM ____ B.T.U.	
WOOD HEATER APPROVED ☐ YES ☐ NO	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
REFRIGERATION UNIT ____ H.P.	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
SHED	
FRAME, ROOF OR T. POLE	
MOTOR ____ H.P.	
MOTOR ____ H.P.	
MOTOR ____ H.P.	
MOTOR ____ H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 1ST SQ. FT.	
GARAGE 1ST SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PLAN CHK. FEE $ 10.50 | PLAN CHK. FEE $ | PLAN CHK. FEE $ 10.50 | PLAN CHK. FEE $ 10.50 | CODE FEE | CALC. FEE | PLUMB. FEE

SET BACK	LOT SIZE	USE #
F 100 R 100 S 100		

ZONE M-3

PLAN CHECK FEE 10.50

MECHANICAL FEE

CONSTRUCTION FEE

ELECTRICAL FEE

PLUMBING FEE

JOB ADDRESS 23200 Temescal

USE OF BUILDING Ring & Can Shop Bldg.

OWNER Hydro Conduit

DATE 7/81

CONSTRUCTION BY R.W.B.

CONSTRUCT	FACILITY	H.C.	UNITS	VALUATION	OFFICE
EL Cerrito	V/N	70	1	-	5

LEGAL DESCRIPTION Sec. 35-7S-5W

PERMIT NUMBER 159784

SUPP. TO PERMIT

Plan Ck. only

BOND #	APPR	CASH	PLOT PLAN #	FINAL DATE	INSPECTOR

TOTAL FEES $ 10.50

PLAN CHECK | M.P. | M.H. | M.E.

DIST. | GRID | WATER SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Lewis Engelhardt
ADDRESS	ADDRESS
23200 Temescal Canyon	P.O. Box 549
735-2420	735-5249
TEL. NO.	TEL. NO.
Lic. No.	Lic. No.
	LICENSE NO.

530

REVISED 11/77

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HELD ✓

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 5,240.

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
BURNER ☐ WALL ☐ FLOOR ☐ WALL ☐ FLOOR ☐ FAN HEATER	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR HP	
APPLIANCE VENT	
ABSORPTION STATION B.T.U.	
CONVECTION HEATER ☐ WALL ☐ FLOOR	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER B.T.U.	
RESIDENTIAL FEE SQ. FT. $	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
SIGNS	
TRACK, ARC/ AIR T. SYS.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SWITCHES	
BLOWER AIR/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 1st 50 SQ. FT.	
GARAGE 1st 50 SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
BAR PIPING	
PERMIT FEE	

PERMIT NUMBER	BLD.	ELEC.	TOTAL FEES	HEAT & VENT FEE	PLBG. & GAS FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159784								

SET BACK	LOT SIZE	USE #	JOB ADDRESS	OWNER
			23265 Temescal	Hydeo Condon

	ZONE	USE OF BUILDING	DATE
PLAN CHECK FEE	M-2	King Car Shop Bldg.	4-26-04

	ENGINEER BY	COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
MECHANICAL FEE	K.W.H.	El Cerrito	4th	78	1	—	2

	BLOCK	TRACT	LEGAL DESCRIPTION	PERMIT NUMBER
CONSTRUCTION FEE			Por Lot 3-145 M&B	159784
	ASSES. PARA.			BLDG. TO PERMIT
ELECTRICAL FEE			Plan Ck. Only	

	PLAN CHECKED	BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
PLUMBING FEE	4-26-04				4822		

TOTAL FEES $ 70

CASH	CHECK	M.O.	N.C.
		☐	

RECEIVED BY: Jones

SEWAGE SYSTEM: T | LL | P

INFORMATION

Called 4-26-04 JJ

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES, COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
ADDRESS	ADDRESS
TEL. NO.	TEL. NO.
	LICENSE NO.

284-200 1.1/87

NO.	INSPECTION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footing		
2	Foundation		
3	Steel		
4	Floor Joists		
5	Floor Beams		
6	Roof Deck		
7	Framing		
8	Lath		
9	Shear Panel		
10	Fireplace - Pre-Fab		
11	Exterior Lath		
12	Drywall Lath		
13	Insulation		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb.		
16	Water Piping		
17	Drain Plumb.		
18	Vents		
19	Garage Disposal		
20	Sewer		
21	Sewer Riser		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	INSPECTION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Dampers		
41	Smoke Detector Device		
42	Commercial Hood		
43	Final		

GEN. NO.	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
Sq. Ft. @		NO.		NO.	
Sq. Ft. @					
Sq. Ft. @	66.38 @ 1	36547 @	59837	1 SH	6.00
Sq. Ft. @		POLES			
Sq. Ft. @		SIGNS		DRAINAGE PIPING	
Sq. Ft. @		TEMP. POLE OR T. CLT.		SPRINKLER SYSTEM	
Sq. Ft. @		MOTOR H.P.		URINAL	
Sq. Ft. @		MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION	$ 800.00	MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
HEAT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		MOTOR H.P.		WASHER (AUTO) (DISH)	
APPLIANCE		FIXTURES		GARBAGE DISPOSAL	
FIREPLACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		OUTLETS		LAUNDRY TRAY	
AIR HANDLING UNIT		SUB-PANEL		KITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL				WATER CLOSET	
CHIMNEY/FLUE	LF	RANGE AND/OR OVEN		LAVATORY	
APPLIANCE VENT		WATER HEATER		SHOWER	
VENTILATION SYSTEM	S.T.U.	SPACE HEATER		BATH TUB	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		CONSTRUCTION POLE		WATER HEATER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		SERVICE ENTRANCE		SEWAGE DISPOSAL	
BOILER	B.T.U.	AERIAL 12 SQ. FT.		HOUSE SEWER	
REFRIGERATION PER	SQ.FT. @	GARAGE 10 SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

PERMIT NUMBER	BLDG.	GRAD.	TOTAL FEES	LIGHT & HEAT FEE	FLR. FR. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159836			6.00			6.00		

SET BACK	LOT SIZE	USE V	JOB ADDRESS	OWNER
F 100 S 100 R 100			23200 Temescal	Hydro Conduit

PLAN CHECK FEE	ZONE M-3	USE OF BUILDING Oil Tank							Plan
MECHANICAL FEE	CHECKED BY RW.B.	COMMUNITY EL Cerrito	DISTRICT N	P.C. 10	UNITS 1	VALUATION 800.00	OFFICE 2		
CONSTRUCTION FEE 6.00	OWNER	TYPE	LEGAL DESCRIPTION Por Sec. 35 T4S R6W				PERMIT NUMBER 159836		
ELECTRICAL FEE	DATE RECD.						SUPP. TO PERMIT		
PLUMBING FEE	FROM SURVEY	BOND B	BOND	CASH	PLAN FILE # 4823	FINAL DATE	INSPECTOR		

TOTAL FEES $ 6.00

CASH | CHECK | M.O. | N.C.

PROCESSED BY

SEWAGE SYSTEM

T | ILL | IP

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stearns Rogers Corp.
ADDRESS	ADDRESS
23200 Temescal Rd.	P.O. Box 549
735-2420	735-5249
TEL. NO.	TEL. NO.
Owner Build	Corp. Off.
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 800.00

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR HP	
APPLIANCE VENT	
EVAPORATIVE COOLER B.T.U.	
INCINERATOR DOMESTIC ☐ HAND. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER B.T.U.	
RESIDENTIAL FEE SQ. FT. @	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
TRANS. AND/OR CAP. CAP.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. TO 50 SQ. FT.	
GARAGE 50 SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
WATER SOFTENER	
WASHER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
GAS PIPING	
PERMIT FEE	

PERMIT NUMBER	RES.	COM.	TOTAL FEES	HEAT & VENT FEE	ELEC. CO. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159836			6.00			6.00		

SET BACK: front, left

LOT SIZE:

VOC #:

JOB ADDRESS: 32300 Temescal

OWNER: Hughes Contr

PLAN CHECK FEE

ZONE: M-3

USE OF BUILDING: Oil Tank

DATE:

MECHANICAL FEE

CHECKED BY: R.W.B.

COMMUNITY: El Cerrito | DISTRICT: N | P.C.: 10 | UNITS: 1 | VALUATION: 800.00 | OFFICE:

CONSTRUCTION FEE: 6.00

GROUP: | TYPE: | SPEC. INSP.:

LEGAL DESCRIPTION: Por Sec. 35 T4S R6W

PERMIT NUMBER: 159836

SUPP. TO PERMIT:

ELECTRICAL FEE

PLUMBING FEE

PLAN CHECKER: Drake

BOND # | BOND | CASH | PLAN FILE # 4823 | FINAL DATE 11-6-68 | INSPECTOR

TOTAL FEES $ 6.00

CASH | CHECK ✓ | M.O. | N.C.

REC'D BY: Owner

SEWAGE SYSTEM: T | LL | R

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hughes Supply	Hughes Supply
ADDRESS	ADDRESS
Temescal Canyon Rd	1535 Spruce
735-2120	735-5217
TEL. NO.	TEL. NO.
Corona	Riverside
	LICENSE NO.

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Pier Block		
2	Piers & Piers		
3	Steel		
4	Grout Blocks		
5	Sand Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-69	Chas. Lyon
	Resident Inspector		
	Chief.		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
	Sq. Ft. @	NO.		NO.	
	Sq. Ft. @				
	Sq. Ft. @ 152-30-62	136548 @ 515937		@ 12.50	12.50
	Sq. Ft. @	POLES			
	Sq. Ft. @	SIGNS		DRAINAGE PIPING	
	Sq. Ft. @	TRANS. AND/OR T. SW.		DRINKING FOUNTAIN	
	Sq. Ft. @	MOTOR H.P.		URINAL	
	Sq. Ft. @	MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION	$ 2900.00	MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		MOTOR H.P.		WASHER (AUTO) (DISH)	
APPLIANCE		FIXTURES		GARBAGE DISPOSAL	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		OUTLETS		LAUNDRY TRAY	
AIR HANDLING UNIT		SUB-PANEL		CITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL				WATER CLOSET	
COMPRESSOR HP		RANGE AND/OR OVEN		LAVATORY	
APPLIANCE VENT		WATER HEATER		SHOWER	
ABSORPTION SYSTEMS B.T.U.		SPACE HEATER		BATH TUB	
INCINERATOR DOMESTIC ☐ TRASH ☐ COMM.		CONSTRUCTION HOLE		WATER HEATER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		SERVICE ENTRANCE		SEWAGE DISPOSAL	
BOILER B.T.U.		RESID. 10 SQ. FT.		HOUSE SEWER	
MECHANICAL FEE SQ. FT. @		GARAGE 12 SQ. FT.		GAS PIPING	
PERMIT FEE		PERMIT FEE		PERMIT FEE	

COMMERCIAL ONLY

PERMIT NUMBER	RES.	COM.	TOTAL FEES	HEAT & VENT FEE	PLAN CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159837			12.50			12.00		

SET BACK	LOT SIZE	USE #	JOB ADDRESS	OWNER
F 1 M 1 R 1			23200 Temescal	Hydro Conduit

	ZONE	USE OF BUILDING	DATE
PLAN CHECK FEE	M-3	Pipe Filter	

	ENTERED BY	COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
MECHANICAL FEE	RW/B.	El Cerrito	N	10	1	2900	R-2

	GROUP	TYPE	LEGAL DESCRIPTION	PERMIT NUMBER
CONSTRUCTION FEE 12.50			Por Sec. 35 T4S R6W	159837
	SPEC. (USE)			SUPP. TO PERMIT
ELECTRICAL FEE				
PLUMBING FEE	PLAN CHECKED	HOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTION
					4821		

TOTAL FEES $ 12.50

CASH | CHECK | M.O. | N.C.

RECEIVED BY | SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Steven Logan Rio.
ADDRESS	ADDRESS
23200 Temescal Can	P.O. Box 549
735-2424	735-6249
TEL. NO.	TEL. NO.
Corona Calif.	Corona Calif.
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		POLES					
	Sq. Ft. @		SIGNS			GREASE PIPING		
	Sq. Ft. @		TRANS. AND/OR T. CLS.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR	H.P.		URINAL		
	Sq. Ft. @		MOTOR	H.P.		WATER PIPING		
ESTIMATED VALUATION	$ 2900.00		MOTOR	H.P.		FLOOR DRAIN		
MECHANICAL FEES			MOTOR	H.P.		WATER SOFTENER		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			MOTOR	H.P.		WASTE (ACID) (SIGN)		
APPLIANCES			FIXTURES			GARBAGE DISPOSAL		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			OUTLETS			LAUNDRY TRAY		
AIR HANDLING UNIT			SUB-PANEL			KITCHEN SINK		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL						WATER CLOSET		
COMPRESSOR HP			RANGE AND/OR OVEN			LAVATORY		
APPLIANCE VENT			WATER HEATER			SHOWER		
ABSORPTION SYSTEM B.T.U.			SPACE HEATER			BATH TUB		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.			CONSTRUCTION POLE			WATER HEATER		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			SERVICE ENTRANCE			SEWAGE DISPOSAL		
BOILER B.T.U.			PERIM. 10 SQ. FT.			HOUSE SEWER		
RESIDENTIAL FEE SQ. FT. @			GARAGE ½ @ SQ. FT.			GAS PIPING		
PERMIT FEE			PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	MECH.	ELEC.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159837			12.05			12.05		

PLAN CHECK FEE		MECHANICAL FEE		CONSTRUCTION FEE 12.05		ELECTRICAL FEE		PLUMBING FEE	

TRACT NUMBER	LOT SIZE	USE M	JOB ADDRESS	OWNER
Pipe Fitter Int			23200 Temescal	Hydeo Condus

ZONE	CHECKED BY	GROUP	TYPE	TYPE OF BUILDING						
M-3	RWB			Pipe Fitter						Yes
				COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION		OFFICE
				El Cerrito	M	10	1	2900.00		R2
		SPEC. INSP.		LEGAL DESCRIPTION					PERMIT NUMBER	
				Por Sec 35 T4S R4W					159837	
									SUPP. TO PERMIT	

PLAN CHECKER	BOND #	BOND	CASH	PLAN FILE #	FISCAL DATE	INSPECTOR
				4826	11-6-69	

TOTAL FEES $ 12.05

CASH | CHECK ☑ | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydeo Condus Corp.	Pipe Fitter Corp.
ADDRESS	ADDRESS
2301 Tara Lane	491 Lassen
TEL. NO. 235-2411	TEL. NO. 235-5249
Same Calif.	Same Calif.
	LICENSE NO.

284-306 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	P'ers & Piers		
3	Steel		
4	Grout Blocks		
5	Sand Drains		
6	Rock Ducts		
7	Fireplace		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	Charlotte
	Permit Inspection		
	Cert. Fee		
	PLUMBING APPROVALS		
15	Ground Plumb		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Septic		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
OPEN NO.	**PROGRESS CHECKS**		

Tank Pit Lines

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route

Land Use Div. ✓
Road Dept.
Health Dept.
Other Dept.
Building Dept.

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office Riverside
Permit No.
Del. Date

OWNER

Owner Pete Conte & Son Address 33-200 Terrace Way
City Cathedral City, Calif. Phone 345-3620

Engineer Stewart Kemp
City
Phone

Contractor Sierra Road Sup
Address P.O. Box 547
City Coachella Calif.
Phone 398-5249

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 4-23-68 SIGNATURE OF OWNER Pete Conte by

Approval by Signatures from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 33-200 Terrace Way Cathedral Canyon Rd
Legal Description of Property Por Sec 35 T 5 S R 6 W.

NO. OF SUBMITTED PLANS 2
ADDITIONAL PLOT PLANS
CASE NO.

TYPE OF CONSTRUCTION
Pipe Fitter Shop Bld. & Oil Tank

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☑
ALTERATIONS	☐		

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING
ZONE M-S-A SETBACKS FRONT 100 SIDE 100 REAR 100
IF 1 - 10 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. YES ☐ NO ☑ RECEIVED yes ☐ no ☐
SETBACK ORDINANCE # — OF — FEET REQUIRED ON — STREET
DATE 4-24-68 SIGNATURE OF LAND USE OFFICIAL [illegible]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED YES ☐ NO ☐ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION DIV OF HWY

REMARKS:

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

LATC # 28c-159, 9/67 WHITE—ROAD DEPT. CANARY—FILE, PINK—APPLICANT

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

COMMERCIAL ONLY

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @	12x30.00					21.00	
	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
	Sq. Ft. @		TRANS. AND/OR T. CLR.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR	H.P.		URINAL		
	Sq. Ft. @		MOTOR	H.P.		WATER PIPING		
	Sq. Ft. @		MOTOR	H.P.		FLOOR DRAIN		
ESTIMATED VALUATION	$	5240.00	MOTOR	H.P.		WATER SOFTENER		
MECHANICAL FEES			MOTOR	H.P.		WASHER (AUTO) (DISH)		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			FIXTURES			GARBAGE DISPOSAL		
APPLIANCE			OUTLETS			LAUNDRY TRAY		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			SUB-PANEL			KITCHEN SINK		
AIR HANDLING UNIT						WATER CLOSET		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL						LAVATORY		
COMPRESSOR	HP		SIGNS AND/OR OVEN			SHOWER		
APPLIANCE VENT			WATER HEATER			BATH TUB		
ABSORPTION SYSTEM	B.T.U.		SPACE HEATER			WATER HEATER		
INCINERATOR CONCRETE ☐ INDUS. ☐ COMM.			CONSTRUCTION POLE			SEWAGE DISPOSAL		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			SERVICE ENTRANCE			HOUSE SEWER		
BOILER	B.T.U.		PRESID. 1¢ SQ. FT.			CAP PIPING		
8" DENTAL FEE	SQ. FT.		GARAGE 1¢ SQ. FT.			PERMIT FEE		
PERMIT FEE			PERMIT FEE			PERMIT FEE		

PERMIT NUMBER	DIST.	SUB.	TOTAL FEES	HEAT & VENT FEE	PLBG. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159838			21.00			21.00		

SET BACK	LOT SIZE	USE #	JOB ADDRESS	OWNER
F 100 S 100 R 100			23200 Temescal	Hydro Conduit

PLAN CHECK FEE		M-3	USE OF BUILDING: Ring + Can Shop							DATE 1/20/88
MECHANICAL FEE		CHECKED BY: R.W.B.	COMMUNITY: El Cerrito	DISTRICT: N	P.C: 10	UNITS: 1	VALUATION: 5240.	OFFICE: 2		
CONSTRUCTION FEE	21.00	CRAWL	YD. ³	LEGAL DESCRIPTION: Por Sec. 35 + 45 R6W					PERMIT NUMBER: 159838	
ELECTRICAL FEE		BASE INSP.							SUPP. TO PERMIT	
PLUMBING FEE		PLAN CHECKED: Burke	GOOD $	GOOD	CASH	PLAN FILE #: 4822	FINAL DATE	INSPECTOR		

TOTAL FEES $ 21.00

CASH	CHECK	M.O.	M.C.
		☑	

RECEIVED BY: Burke

SEWAGE SYSTEM INFORMATION: T | LL | P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stevens Kinzel Co.
ADDRESS	ADDRESS
23200 Temescal Cyn Rd.	P.O. Box 549
735-2429	735-5249
TEL. NO.	TEL. NO.
Exempt	Corp.
	LICENSE NO.

264.208 11/87

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FILE ✓

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 5240.00

MECHANICAL FEES

UNIT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE ____ SQ. FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TEMP. SERV. OR T. POLE	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	RESID. 10 SQ. FT.	
	GARAGE 10 SQ. FT.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES.	COM.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
T59838			21.00			21.00		

LOT	BLK	TRACT	MAP	BOOK	PAGE	PARCEL	ITEM

SET BACK	LOT SIZE	USE C	JOB ADDRESS	OWNER
100' 100' 100'			23200 Temescal	Hydeo Construction

	ZONE	USE OF BUILDING	DATE
PLAN CHECK FEE	R-2	R.V.& Car Shop	7/68

	CHECKED BY	COMMUNITY	DISTRICT	P.C.	UNIT	VALUATION	OFFICE
MECHANICAL FEE	R.W.S.	El Cerrito	N	10	1	5240.	2

	GROUP	TYPE	LEGAL DESCRIPTION	PERMIT NUMBER
CONSTRUCTION FEE 21.00			Por Sec 25 T4S R6W	159838
ELECTRICAL FEE	SPEC. INSP.			SUPP. TO PERMIT

	PLAN ENGINEER	BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
PLUMBING FEE	D.L.L.				4922	11-6-68	

TOTAL FEES $ 21.00

CASH | CHECK ✓ | M.O. | N.C.

ISSUED BY: [illegible]

SEWAGE SYSTEM: T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydeo Construction	Stevens Steel Co.
ADDRESS	ADDRESS
23200 Temescal Canyon Rd	1135 Grand Ave
735-2129	735-5249
TEL. NO.	TEL. NO.
[illegible]	[illegible]
	LICENSE NO.

124-202 (12/67)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Piles & Piers		
3	Steel		
4	Steel Erector		
5	Sand Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-68	
	PLUMBING APPROVALS		
15	Set Up Plumb		
16	Under Floor		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OPEN NO	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR ____ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
RESIDENTIAL FEE SQ.FT. ____ @	
PERMIT FEE	

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TRANS. AND/OR T. CAP.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	MOTOR H.P.	
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	RANGE AND/OR OVEN	
	WATER HEATER	
	SPACE HEATER	
	CONSTRUCTION POLE	
	SERVICE ENTRANCE	
	SERVICE UP TO 60 AMP.	
	GARAGE UP TO 60 AMP.	
	PERMIT FEE	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

COMMERCIAL-INDUSTRIAL

PERMIT NUMBER	RES.	COM.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
159839			82.25		82.25			

ART. BASE: 100. 100. 100

LOT PICK:

USE #:

ZONE: M-3

CHECKED BY: R.W.B.

GENUS: TYPE:

ASSE. INSP.:

PLAN CHECKER:

JOB ADDRESS: 23200 Temescal

USE OF BUILDING: Rlab & Con Shop Bldg.

COMMUNITY: El Cerrito | DISTRICT: 4/N | P.C.: 70 | UNITS: 1 | VALUATION: | OFFICE: 2

LEGAL DESCRIPTION: For Sec. 35 T4S R6W

PERMIT NUMBER: 159839

SUPP. TO PERMIT:

Plan Check

BOND #: | BOND: | CASH: | PLAN FILE #: | FINAL DATE: | INSPECTOR:

PLAN CHECK FEE 82.25

MECHANICAL FEE

CONSTRUCTION FEE

ELECTRICAL FEE

PLUMBING FEE

TOTAL FEES $ 82.25

CASH | CHECK ☐ | M.O. | N.C.

PROCESSED BY | SEWAGE SYSTEM

T | LL | >

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	Stevens Roofing Corp.
ADDRESS	ADDRESS
23200 Temescal Cyn	P.O. Box 549
735-2420	737-5249
TEL. NO.	TEL. NO.
Owner B.L.E.	Owner B.L.E.
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl. 22,140	Sq. Ft. @ 4.00	88,560.-
2nd Fl.	Sq. Ft. @	
Patio	Sq. Ft. @	
Cpts.	Sq. Ft. @	
Car Ports	Sq. Ft. @	
Walls	Sq. Ft. @	
Roof	Sq. Ft. @	
ESTIMATED VALUATION		$ 88,560.-

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR HP		
APPLIANCE VENT		
ABSORPTION SYSTEM B.T.U.		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER B.T.U.		
RESIDENTIAL FEE SQ. FT. @		
PERMIT FEE		

ELECTRICAL FEES

NO.			
1	Motor 1-10 - 500	10	00
3	MOTOR 5-50 HP	12	00
	POLES		
81	OUTLETS Mercury Vapor	17	00
	TRANS. AND/OR T. CLR.		
18	MOTOR Fract H.P.	18	00
5	MOTOR 1-3 H.P.	7	50
7	MOTOR 5-9 H.P.	14	00
2	MOTOR 7½-15 H.P.	5	00
2	MOTOR 25-50 H.P.	6	00
10	FIXTURES	2	00
105	OUTLETS	12	50
1	SUB-PANEL	1	00
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
1	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER 159839 | BLDG. | GRAD. | TOTAL FEES | HEAT & VENT FEE | PLM. SK. FEE 9.05 | CONST. FEE 199.00 | ELEC. FEE 104.00 | PLUMB. FEE

LOCATION

LOT SIZE: 100 x 165 M/L

USE ☐

JOB ADDRESS: 23200 Temescal

OWNER: Hydro Conditioning

DUE 17.25 09.50

ZONE: M-3

USE OF BUILDING: Rug & Car Shop / Bldg.

DATE: 4/68

PLAN CHECK FEE

CHECKED BY: R.L.W.P.

COMMUNITY: El Cerrito | DISTRICT: 4/N | P.C.: [illegible] | UNITS: 1 | VALUATION: — | COPIES: 2

MECHANICAL FEE

GROUP | TYPE

LEGAL DESCRIPTION: Por Sec. 35 T4S R6W

PERMIT NUMBER: 159839

CONSTRUCTION FEE 199.00

SPEC. USE

SUPP. TO PERMIT

ELECTRICAL FEE 104.00

Plot Check

PLAN CHECKER

BOND $ | BOND | CASH | PLAN FILE # 4827 | FINAL DATE 5-22-68 | INSPECTOR

PLUMBING FEE

TOTAL FEES $ 320.25

CASH | CHECK | M.O. | N.C.

RECEIVED BY

SEWAGE SYSTEM

T | LL | R

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER: Hydro Conditioning Co.

ADDRESS: 23200 Temescal

TEL. NO.: [illegible]

CONTRACTOR: [illegible]

ADDRESS: [illegible] 1315249

TEL. NO.: [illegible]

LICENSE NO.

884-208 11/67

	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Sill Seal		
2	Piers & Piles		
3	Steel		
4	Grade Stakes		
5	Sand Termite		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Under Floors		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

DATE (M)	PROGRESS CHECKS

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	22,140 Sq. Ft. @	4.00	88,560
2nd Fl.	Sq. Ft. @		
Bsmt.	Sq. Ft. @		
Gar.	Sq. Ft. @		
Low P.	Sq. Ft. @		
Roof	Sq. Ft. @		
	Sq. Ft. @		

ESTIMATED VALUATION $ 88,560.

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐			
APPLIANCE			
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			
AIR HANDLING UNIT			
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL			
COMPRESSOR		HP	
APPLIANCE VENT			
ABSORPTION SYSTEM		B.T.U.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.			
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			
BOILER		B.T.U.	
RESIDENTIAL FEE	SQ. FT.		
PERMIT FEE			

ELECTRICAL FEES

NO.			
1	motor 1hp 5 or less	10	00
12	motors 1 to 50 hp	120	00
	poles		
91	receptacles, fixtures	17	50
	transformers or t. capacity		
18	motor fract H.P.	18	00
5	motor 1-3 H.P.	7	50
7	motor 3-8 H.P.	14	00
2	motor 8-15 H.P.	5	00
3	motor 15-50 H.P.	6	00
10	fixtures	2	00
105	outlets	18	50
1	sub-panel	1	00
	range and/or oven		
	water heater		
	space heater		
	construction pole		
	service entrance		
	addn. to sq. ft.		
	garage sq. ft.		
1	permit fee	1	00

PLUMBING FEES

NO.			
	drainage piping		
	drinking fountain		
	urinal		
	water piping		
	floor drain		
	water softener		
	washer (auto) (dish)		
	garbage disposal		
	laundry tray		
	kitchen sink		
	water closet		
	lavatory		
	shower		
	bath tub		
	water heater		
	sewage disposal		
	house sewer		
	gas piping		
	permit fee		

COMMERCIAL ONLY

PERMIT NUMBER	RES.	COML.	MECH. FEE	CERT. & VENT. FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
160931			320.25		17.85	199.00	104.00	

J F M A M J J A S O N D

NET BASIS: 100 % 100 % 100 %

LOT SIZE

USE #

JOB ADDRESS: 23200 Temescal

OWNER: Hydro Conduit

PLAN CHECK FEE: 17.85 mech

ZONE: M-3

USE OF BUILDING: Equip & Car Shop Bldg.

DATE: 5/22/86

MECHANICAL FEE

CHECKED BY: R.W.B.

COMMUN. #: EL CERRITO

DISTRICT: N

P.C.: 18

UNITS: 1

VALUATION: 88,560.

OFFICE: 2

CONSTRUCTION FEE: 199.00

GRADE

TYPE

LEGAL DESCRIPTION: Por Sec 35 T4S R6W

PERMIT NUMBER: 160931

SUPP. TO PERMIT

ELECTRICAL FEE: 104.00

SPEC. PROV.

PLUMBING FEE

PLAN CHECKER: Debe

BOND #

BOND

CASH

PLAN FILE #: 4827

FINAL DATE

INSPECTOR

TOTAL FEES $ 320.25

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Jones

SEWAGE SYSTEM

Y | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
HYDRO CONDUIT	STEARNS & ROGERS
ADDRESS	ADDRESS
23200 TEMESCAL	SAME
GYN. RD. CORONA	
TEL. NO.	TEL. NO.
	LICENSE NO.

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st Fl.	22,140	Sq. Ft. @ 4.00	88,560
2nd Fl.		Sq. Ft. @	
Apt.		Sq. Ft. @	
Gar.		Sq. Ft. @	
Carp.		Sq. Ft. @	
Roof		Sq. Ft. @	
		Sq. Ft. @	

ESTIMATED VALUATION $ 88,560.00

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			
APPLIANCE			
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			
AIR HANDLING UNIT			
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL			
COMPRESSOR		H.P.	
APPLIANCE VENT			
ABSORPTION SYSTEM		G.P.M.	
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.			
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			
BOILER		B.T.U.	
RESIDENTIAL FEE	SQ. FT.	@	
PERMIT FEE			

ELECTRICAL FEES

NO.			
1	200 amp Service	10	00
2	Misc. Service	10	00
	POLES		
98	Misc. Receptacle, Switch	19	60
	TRANS. AND/OR T. ELN.		
15	MOTOR Exact H.P.	12	00
5	MOTOR 1-3 H.P.	3	50
7	MOTOR 3-5 H.P.	14	00
2	MOTOR 7-15 H.P.	3	00
3	MOTOR 15-50 H.P.	6	00
10	FIXTURES	2	25
100	OUTLETS	19	50
1	SUB-PANEL	1	00
	SIGNS AND/OR NEON		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER 160931 | BLDG. | PLBG. | TOTAL FEES 330.25 | HEAT & VENT FEE | PLN. CK. FEE 17.35 | CONST. FEE 199.00 | ELEC. FEE 104.00 | PLUMB. FEE

| | | |

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/S ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final	11-6-64	Boardman
		Plumbing Inspection not yet.	
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4 30 64	Yates
28	Service Entrance		
29	Wiring	4 30 64	Yates
30	Fixtures	4 30 64	Yates
31	Service		
32	Final	4 30 64	Yates

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Flue Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		
	Elec. 10% complete 11-6-64 Boardman		

Tank Pit L Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Route

Land Use Div. 1
Road Dept.
Health Dept.
Other Dept.
Building Dept. 1

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office Riverside
Permit No.
Del. Date

OWNER

Owner Riverside County Flood Control Dist. Architect Steve Lloyd Engineer
Address 23420 Temescal Canyon Rd. Address P.O. Box 829 Address Same
City Corona, Calif. City Corona Calif. City
Phone 735-2420 Phone 736-6449 Phone

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 4-28-68 SIGNATURE OF OWNER [signature]

Approval by Signatures from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

Location of Job 23420 Temescal Canyon Rd. USE OF STRUCTURE
Legal Description of Property Por Sec 35 T4S R6W.

SINGLE FAMILY ☐	DUPLEX ☐		
APARTMENTS ☐	AGRIC. ☐		
COMMERCIAL ☐	INDUSTRIAL ☑		
ALTERATIONS ☐			

NO. OF SUBMITTED PLANS 3
ADDITIONAL PLOT PLANS
CASE NO. —
TYPE OF CONSTRUCTION Rig & Cab Building

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING Several
ZONE M-2 SETBACKS FRONT 100' SIDE 100' REAR 100'
IF 1 - 10 GRADE OR MORE, TOPOGRAPHIC PLOT PLAN REQUIRED. YES ☐ NO ☑ RECEIVED ☐ ☑
SETBACK ORDINANCE # — OF — FEET REQUIRED ON — STREET
DATE 4-29-68 SIGNATURE OF LAND USE OFFICIAL [signature]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

RESIDENTIAL SEWAGE DISPOSAL
COMMERCIAL SEWAGE
FOOD ESTABLISHMENT SWIMMING POOLS PUBLIC

OTHER DEPARTMENTS

BLDG. DEPT. GRADING PERMIT REQUIRED PLAN CHECK
FLOOD CONTROL WATER POLLUTION
AIR POLLUTION DIV OF HWY.

REMARKS:

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

I-199, 9/67

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 4000

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD

APPLIANCE

FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED

AIR HANDLING UNIT

GAS LINE ☐ NATURAL ☐ L.P.G. ☐ OIL

COMBUSTION ____ CFM

COMPRESSOR

ABSORPTION SYSTEM ____ B.T.U.

REFRIGERATION CONTROL ☐ MECH. ☐ ELEC.

HEATING SYSTEM ☐ FURNACE ☐ BOILER

BOILER ____ B.T.U.

COMMERCIAL FEE ____ SQ. FT. ____

PERMIT FEE

ELECTRICAL FEES

NO.

POLES	
SIGNS	
TRANS. AND/OR C. ENV.	
MOTOR	H.P.
MOTOR	H.P.
MOTOR	H.P.
MOTOR	H.P.
FIXTURES	
OUTLETS	
SWITCHES	
OVEN AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 10 SQ. FT.	
GARAGE 10 SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.

11 SW	10 00
5 CHECK VAC	2 00
DRAINAGE PIPING	
DRINKING FOUNTAIN	
URINAL	
WATER PIPING	
FLOOR DRAIN	
1 WATER SOFTENER	4 50
WARMER (AUTO) (DISH)	
GARBAGE DISPOSAL	
LAUNDRY TRAY	
KITCHEN SINK	
WATER CLOSET	
LAVATORY	
SHOWER	
BATH TUB	
WATER HEATER	
SEWAGE DISPOSAL	
HOUSE SEWER	
1 GAS PIPING	1 50
1 PERMIT FEE	1 00

PERMIT NO. 161645 | BLDG. | GAR. | TOTAL FEES 10 00 | HEAT | VENT FEE | PLR. SN. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE 10 00

| | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st	Sq. Ft. @	
2nd	Sq. Ft. @	
Bsmt.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carp.	Sq. Ft. @	
Pat.	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 4000

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ ROOF	
APPLIANCES	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR CONDITIONING UNIT	
GAS PIPE ☐ OUTLETS ☐ L.P.G. ☐ OIL	
CONVERSION ☐ HP	
APPLIANCE VENT	
ABSORPTION SYSTEM ☐ B.T.U.	
REFRIGERATION DOMESTIC ☐ HOUR. ☐ COMM.	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ☐ B.H.P.	
RESIDENTIAL FEE SQ. FT. ☐ @	
PERMIT FEE	

ELECTRICAL FEES

NO.	
POLES	
SIGNS	
TRANS. AND/OR V. CLX.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
MOTOR H.P.	
FIXTURES	
OUTLETS	
SUB-PANEL	
RANGE AND/OR OVEN	
WATER HEATER	
SPACE HEATER	
CONSTRUCTION POLE	
SERVICE ENTRANCE	
RESID. 15 SQ. FT.	
GARAGE 15 SQ. FT.	
PERMIT FEE	

PLUMBING FEES

NO.	
5	CHECK VAL. 12.50
	DRAINAGE PIPING
	DRINKING FOUNTAIN
	URINAL
	WATER SPRINK
	FLOOR DRAIN
3	WATER SOFTENER 4.50
	WASHER (AUTO) (SINK)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	BATHTUB
	DATA TUB
	WATER HEATER
	SEWAGE DISPOSAL
	HOUSE SEWER
1	GAS PIPING 3.00
1	PERMIT FEE 10.00

PERMIT NUMBER 161645 | GEN. | DRI. | TOTAL FEE 10.00 | HEAT & VENT FEE | PLM. GR. FEE | CONST. FEE | ELEC. FEE | PLUMB. FEE 10.00

SET BACK | LOT SIZE | USE %

ZONE M-3

CHECKED BY

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE

ELECTRICAL FEE

PLUMBING FEE 10.00

CHECK | TYPE

SPEC. INSP.

PLAN CHECKER

JOB ADDRESS 23100 TEMESCAL OWNER Hydro Conduit Co.

USE OF BUILDING Boiler Room Pipe & Water Tank Outside DATE

COMMUNITY ELCERRITO | DISTRICT N | S.C. 35 1 | UNITS | VALUATION 4000 | SPACE 2

LEGAL DESCRIPTION Por Sec 35 T4S R6W

PERMIT NUMBER 161645

SUPP. TO PERMIT

BOND # | FUND | CASH | PLAN FILE # 4250 | INSPECTOR Orange

TOTAL FEES $ 10.00

CASH | CHECK ✓ | M.O. | N.C.

PROPERTY INFORMATION: SEWAGE SYSTEM | T | LL | P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	[illegible]
ADDRESS	ADDRESS
3361 Temescal Canyon Rd	[illegible]
735-4100	735-[illegible]
TEL. NO.	TEL. NO.
[illegible]	[illegible]
	LICENSE NO.

204-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T.D ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb	11-6-68	
18	Tests		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final	11-6-68	
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
APPR CO	**PROGRESS CHECKS**		

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @	SUB-1268	SERVICE 004 @		5141586	SEWER 1131		2.00
	Sq. Ft. @		SIGNS			DRAINAGE PIPING		
	Sq. Ft. @		TRANS. AND/OR T. CLS.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR	H.P.		URINAL		
	Sq. Ft. @		MOTOR	H.P.		WATER PIPING		
			MOTOR	H.P.		FLOOR DRAIN		
			MOTOR	H.P.		WATER SOFTENER		
			MOTOR	H.P.		WASHER (AUTO) (DIRT		
ESTIMATED VALUATION	$	150	FIXTURES			GARBAGE DISPOSAL		
MECHANICAL FEES			OUTLETS			LAUNDRY TRAY		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			SUB-PANEL			KITCHEN SINK		
APPLIANCE						WATER CLOSET		
FURNACE ☐ DUCT ☐ WALL ☐ FLOOR ☐ SUSPENDED			RANGE AND/OR OVEN			LAVATORY		
AIR HANDLING UNIT			WATER HEATER			SHOWER		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL			SPACE HEATER			BATH TUB		
COMPRESSOR	HP		CONSTRUCTION POLE			WATER HEATER		
APPLIANCE VENT			SERVICE ENTRANCE	1	100	SEWAGE DISPOSAL		
ABSORPTION SYSTEM	B.T.U.		RECEP. 12 SQ. FT.			HOUSE SEWER		
REFRIGERATION COMPRESSOR ☐ HERM. ☐ OPEN			GARAGE 12 SQ. FT.			GAS PIPING		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			PERMIT FEE	1	2.00	PERMIT FEE		
BOILER	B.H.P.							
REFRIGERATION FEE	SQ. FT.							
HEATING FEE								

BLDG.	PLAN CK.	MECH.	ELEC.	PLUMB.	GRAD. & VENT. FEE	MECH. EQ. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
151646			2.00					2.00	

SET BACK	LOT SIZE	USE #	JOB ADDRESS	OWNER
			23200 TEMESCAL	HYDRO CONDUIT CORP

PLAN CHECK FEE	ZONE	USE OF BUILDING	PLAN CK.
	M-3	SERVICE FOR PUMP	

MECHANICAL FEE	LICENSED BY	COMMUNITY	DISTRICT	T.G.	UNITS	VALUATION	APPLIC.
	C.S.	EL SERRITO	N	35	1	150	2

CONSTRUCTION FEE	GROUP	TYPE	LEGAL ASSOCIATION	PERMIT NUMBER
			Sec SEC 35 T4S R5W	151646

ELECTRICAL FEE	APPL. ISSD.		SHPP. TO PERMIT
2.00			

PLUMBING FEE	PLAN CHECKED	BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR

TOTAL FEES $ 2.00

CASH ☐ CHECK ☑ M.O. ☐ N.C. ☐

RECEIVED BY

SEWAGE SYSTEM INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit	Stevens Pump Corp
ADDRESS	ADDRESS
23200 Temescal Cyn.	PO Box 549
735-2420	735-5249
TEL. NO.	TEL. NO.
Corona Calif.	Corona, Calif.
	LICENSE NO.

FEE

284-205 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES	
	Sq. Ft. @		NO.			NO.	
	Sq. Ft. @						
	Sq. Ft. @						
	Sq. Ft. @		POLES				
	Sq. Ft. @		SIGNS			DRAINAGE PIPING	
	Sq. Ft. @		TRANS. AND/OR T. CLR.			DRINKING FOUNTAIN	
	Sq. Ft. @		MOTOR	H.P.		URINAL	
	Sq. Ft. @		MOTOR	H.P.		WATER PIPING	
ESTIMATED VALUATION	$ 150		MOTOR	H.P.		FLOOR DRAIN	
MECHANICAL FEES			MOTOR	H.P.		WATER SOFTENER	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			MOTOR	H.P.		WASHER (AUTO) (DISH)	
APPLIANCE			FIXTURES			GARBAGE DISPOSAL	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ RELOCATED			OUTLETS			LAUNDRY TRAY	
AIR HANDLING UNIT			DISHWASHER			KITCHEN SINK	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL						WATER CLOSET	
COMPRESSOR	HP		RANGE AND/OR OVEN			LAVATORY	
APPLIANCE VENT			WATER HEATER			SHOWER	
REFRIGERATION SYSTEM	B.T.U.		SPACE HEATER			BATH TUB	
REFRIGERATION MACHINERY ☐ HERM. ☐ OPEN			CONSTRUCTION POLE			WATER HEATER	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			1 SERVICE ENTRANCE	1	00	SEWAGE DISPOSAL	
OTHER	B.T.U.		BSMT. 15 SQ. FT.			HOUSE SEWER	
HORIZONTAL VENT	SQ.FT.	ft	GARAGE 22 SQ. FT.			GAS PIPING	
PERMIT FEE			PERMIT FEE	1	00	PERMIT FEE	

PERMIT NUMBER	RECV.	DOL	TOTAL FEES	HEAT & VENT FEE	PLM. BN. FEE	COMBT. FEE	ELEC. FEE	PLUMB. FEE
161640			$ 2 00				2 00	

SET BACK	LOT SIZE	USE #	ZONE
			M-3

CHECKED BY	MAPS	TYPE
BC		

SPEC. INSP.

PLAN CHECKER

JOB ADDRESS: 23200 TEMESCAL Hydro Conduit Inc

OWNER:

USE OF BUILDING: Service For Pump

BASE:

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
ELSINORE	N	3C	1	150	33

LEGAL DESCRIPTION: E ½ SEC 35 T5S R6W

PERMIT NUMBER: 161640

SUPP. TO PERMIT:

BOND #	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			✓	6-17-88	

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE

ELECTRICAL FEE 2 00

PLUMBING FEE

TOTAL FEES $ 2 00

CASH	CHECK	M.O.	N.C.
		✓	

FREEWAY

SEWAGE SYSTEM

T	LL	P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydroconduit	Hydro Conduit Corp
ADDRESS: 23200 Temescal	ADDRESS: P.O. Box 309
735-2420	735-3249
TEL. NO.	TEL. NO.
same	same
	LICENSE NO.

284-208 11/87

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Piles & Piers		
3	Steel		
4	Grout Blocks		
5	Sand Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Exterior Lath		
12	Interior Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	6 11 68	
28	Service Entrance		✓
29	Wiring	6 11 68	
30	Fixtures		✓
31	Service	6 11 68	
32	Final	6 11 68	

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		
OPN NO.	**PROGRESS CHECKS**		

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

COMMERCIAL ONLY

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Port.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall BOILER CONT. PL.	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 11000

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR DOMESTIC ☐ INDUS. ☐ COMM.		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
RESIDENTIAL FEE SQ. FT. ____ @		
PERMIT FEE		

ELECTRICAL FEES

NO.			
POLES			
SIGNS			
TRANS. AND/OR V. CLR.			
MOTOR H.P.			
MOTOR H.P.			
MOTOR H.P.			
MOTOR H.P.			
MOTOR H.P.			
FIXTURES			
OUTLETS			
SUB-PANEL			
RANGE AND/OR OVEN			
WATER HEATER			
SPACE HEATER			
CONSTRUCTION POLE			
SERVICE ENTRANCE			
RESID. 12 SQ. FT.			
GARAGE 6 SQ. FT.			
PERMIT FEE			

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER 165316 | CASH | CHK. | TOTAL FEES 47.00 | HEAT & VENT FEE | PLN. CK. FEE | CONST. FEE 47.00 | ELEC. FEE | PLUMB. FEE

J F M A M J J A S O N D

SET BACK F S R | LOT SIZE | USE # | ZONE M-3 | CHECKED BY DH

JOB ADDRESS 23300 TEMESCAL

OWNER HYDRO CONDUIT CORP

USE OF BUILDING REPLACE BOILER

DATE 7/30/68

COMMUNITY ELSINORE | DISTRICT N | P.C. 35 | UNITS | VALUATION 11000 | OFFICE 2

GROUP | TYPE

LEGAL DESCRIPTION PER SEC 35 T4S R6W

PERMIT NUMBER 165316

SPEC. INSP. | SUPP. TO PERMIT

PLAN CHECKER

BOND $ | BOND | CASH | PLAN FILE # 4955 | FINAL DATE | INSPECTOR

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 47.00

ELECTRICAL FEE

PLUMBING FEE

TOTAL FEES $ 47.00

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY Kaisigh

SEWAGE SYSTEM T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Stearns Roger
ADDRESS 23300 Temescal	ADDRESS 23300 Temescal
735-2420	736-6249
TEL. NO. Owner Cont.	TEL. NO. —
	LICENSE NO.

E&A

284-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD /

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Pat.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall: Stucco	Sq. Ft. @	
Roof: Comp.	Sq. Ft. @	
ESTIMATED VALUATION	$ 11000	

ELECTRICAL FEES

NO.		
POLES		
SIGNS		
TRANS. ADD/OR T. CLR.		
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
MOTOR	H.P.	
FIXTURES		
OUTLETS		
SUB-PANEL		
RANGE AND/OR OVEN		
WATER HEATER		
SPACE HEATER		
CONSTRUCTION POLE		
SERVICE ENTRANCE		
MISC. 12 SQ. FT.		
GARAGE 24 SQ. FT.		
PERMIT FEE		

PLUMBING FEES

NO.		
DRAINAGE PIPING		
DRINKING FOUNTAIN		
URINAL		
WATER PIPING		
FLOOR DRAIN		
WATER SOFTENER		
WASHER (AUTO) (DISH)		
GARBAGE DISPOSAL		
LAUNDRY TRAY		
KITCHEN SINK		
WATER CLOSET		
LAVATORY		
SHOWER		
BATH TUB		
WATER HEATER		
SEWAGE DISPOSAL		
HOUSE SEWER		
GAS PIPING		
PERMIT FEE		

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR DOMESTIC ☐ SINGLE ☐ COMM.		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
RESIDENTIAL FEE SQ.FT. ____ F		
PERMIT FEE		

PERMIT NUMBER 165316 | RES. | COM. | TOTAL FEES 47 00 | HEAT & VENT FEE | PLM. GA. FEE | COUNTY FEE 47 00 | ELEC. FEE | PLUMB. FEE

J F M A M J J A S O N D

SET BACK F S R | LOT SIZE | USE & ZONE R1-3 | CHECKED BY 13 H | GROUP | TYPE | SPEC. I.T.F.

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 47 00

ELECTRICAL FEE

PLUMBING FEE

PLAN CHECKER

TOTAL FEES $ 47 00

CASH | CHECK ✓ | M.O. | N.C.

RECEIVED BY Smith

SEWAGE SYSTEM T | LL | P

INFORMATION

APPLICANT 23200 Temescal Hyne Cement Co

USE BY BUILDING Redline Gallery

COMMUNITY Elsinore | DISTRICT N | P.C. 35 | UNITS | VALUATION 11000 | OFFICE 2

LEGAL DESCRIPTION PAR SEC 35 T4S R4W

PERMIT NUMBER 165316 SUPP. TO PERMIT

BOND $ | BOND | CASH | PLAN FILE # 40/55 | FINAL DATE 4-4-69 | INSPECTOR HUGHES MS

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Redline Gallery	Hynes Electric
ADDRESS 23200 Temescal	ADDRESS 23300 Temescal
Elsinore	244-8349
TEL. NO.	TEL. NO.
	LICENSE NO.

284-209 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FNDS		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4 3 69	Yates
28	Service Entrance		
29	Wiring	4 3 69	Yates
30	Fixtures	4 3 69	Yates
31	Service		
32	Final	4 3 69	Yates

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

CERT NO	PROGRESS CHECKS
	Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1st Fl.	Sq. Ft. @	
2nd Fl.	Sq. Ft. @	
Bsmt.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Carport	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	
30000		

ESTIMATED VALUATION $ 30000

MECHANICAL FEES

- VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD
- APPLIANCE
- FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED
- AIR HANDLING UNIT
- GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL
- COMPRESSOR ____ HP
- APPLIANCE VENT
- ABSORPTION UNIT ELEC. ____ B.T.U.
- INCINERATOR DOMESTIC ☐ INDUS. ☐ CREM.
- HEATING SYSTEM ☐ FORCED ☐ GRAVITY
- BOILER ____ B.T.U.
- RESIDENTIAL FEE SQ. FT. ____ #
- PERMIT FEE

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLG.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
12	FIXTURES	2	40
12	OUTLETS	2	40
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½ SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NUMBER 167826 | MON. | DEC. | TOTAL FEES 107 30 | HEAT & VENT FEE | PLM. CK. FEE | CONST. FEE 101 50 | ELEC. FEE 5 80 | PLUMB. FEE

J F M A M J J A S O N D

SET BACK F ____ R ____ | LOT SIZE | USE # | ZONE M-3 | CHECKED BY B.H.

JOB ADDRESS 23200 TEMESCAL | OWNER HYDRO CONDUIT Co

USE OF BUILDING REPAIR FIRE DAMAGE (TILT) | DATE 9/5/69

COMMUNITY EL CERRITO | DISTRICT N | P.C. 22 | UNITS | VALUATION 30000 | OFFICE 2

LEGAL DESCRIPTION FOR SEC 35 T4S R6W | PERMIT NUMBER 167826 | SUPP. TO PERMIT

BOND # | BOND | CASH | PLAN FILE # 4760 | FINAL DATE | INSPECTOR

ISSUED | TYPE | SPEC. INSP.

PLAN CHECK FEE

MECHANICAL FEE

CONSTRUCTION FEE 101 50

ELECTRICAL FEE 5 80

PLUMBING FEE

PLAN CHECKED

TOTAL FEES $ 107 30

CASH | CHECK | M.O. | N.C.

RECEIVED BY Paid | SEWAGE SYSTEM

INFORMATION

Name of Construction Leader:

Branch Office

Address

City State

Is Leader involved

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS, CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp	Stevens Ruger
ADDRESS 23200 Temescal Canyon Rd	ADDRESS P.O. Box 649
735-2420	Corona Calif.
TEL. NO.	TEL. NO. 735-5249
	LICENSE NO.

84-208 11/67

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
Roof: Comp. #2	Sq. Ft. @	
	Sq. Ft. @	
30000		

ESTIMATED VALUATION $ 30000

MECHANICAL FEES

- VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD
- APPLIANCE
- FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED
- AIR HANDLING UNIT
- GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL
- COMPRESSOR ____ HP
- APPLIANCE VENT
- ABSORPTION SYSTEM ____ B.T.U.
- (REFRIGERATION) DOMESTIC ☐ INDUS. ☐ COMM.
- HEATING SYSTEM ☐ FORCED ☐ GRAVITY
- BOILER ____ H.P.
- RESIDENTIAL FEE SQ. FT. ____
- PERMIT FEE

ELECTRICAL FEES

NO.			
	POLES		
	SIGNS		
	TRANS. AND/OR T. CLS.		
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
	MOTOR	H.P.	
12	FIXTURES	3 40	
12	OUTLETS	3 40	
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	MAINS TO 50 FT		
	GARAGE TO 50 FT.		
1	PERMIT FEE	1 00	

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WARMER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	REN.	DWL.	TOTAL FEES	HEAT & VENT FEE	PLN. CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
167826			107 30			101 50	5 80	

SET BACK	LOT SIZE	USE B	JOB ADDRESS	OWNER
			23300 TEMESCAL	HYDRO CONDUIT CO

	ZONE	USE OF BUILDING	DATE
PLAN CHECK FEE	M-3	REKNIT FINE QUINCE (ADD)	4/5/71

	CHECKED BY	COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
MECHANICAL FEE	B.H.	EL CENTRO	N	22		30000	Z

	OCCUP.	TYPE	LEGAL DESCRIPTION	PERMIT NUMBER
CONSTRUCTION FEE 101 50			Pcl 2 E 35 T 16 R 14 W	167826
ELECTRICAL FEE 5 80	SPEC. INSP.			SUPP. TO PERMIT
PLUMBING FEE	PLAN CHECKER			

BOND $	BOND	CASH	PLAN FILE #	FINAL DATE	INSPECTOR
			4766	4-21-71	Karl Smith

TOTAL FEES $ 107 30

CASH | CHECK | M.O. | N.C.

RECEIVED BY: Cindy

SEWAGE SYSTEM: T | LL | P

INFORMATION

Name of Construction Leader:

Permit Office

	J	F	M	A	M	J	J	A	S	O	N	D
74												
75												
76												
77												

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Co	Thomas Bros.
ADDRESS	ADDRESS
23300 Temescal	Perris
35 Miles	Calif.
TEL. NO.	TEL. NO.
	943-5347
EL APR 21 1971	LICENSE NO.

84-208 11/67

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Sub Slabs		
2	Piers & Piers		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Fence		
9	Garage Fire Wall		
10	Fireplace P/L ☐ T/C ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		
	Tank Pit L. Line		

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
	Sq. Ft. @		NO.			NO.		
	Sq. Ft. @							
	Sq. Ft. @							
	Sq. Ft. @		COILS					
	Sq. Ft. @	1300	OVENS			GREASE TRAPS		
	Sq. Ft. @		TANKS HEAT OR L. CAP.			DRINKING FOUNTAIN		
	Sq. Ft. @		MOTOR H.P.			URINAL		
ESTIMATED VALUATION			MOTOR H.P.			WATER PIPING		
MECHANICAL FEES			MOTOR H.P.			FLOOR DRAIN		
			MOTOR H.P.			WATER SOFTENER		
			MOTOR H.P.			WASHER (AUTO) (HAND)		
			FIXTURES			GARBAGE DISPOSAL		
			OUTLETS			LAUNDRY TRAY		
			SUB-PANEL			KITCHEN SINK		
						WATER CLOSET		
			RANGE AND/OR OVEN			LAVATORY		
			WATER HEATER			SHOWER		
			SPACE HEATER			BATH TUB		
			CONSTRUCTION POLE			WATER HEATER		
			SERVICE ENTRANCE			SEWAGE DISPOSAL		
			PERM. 1@ 80 SQ. FT.			HOUSE SEWER		
			GARAGE 1@ 80 SQ. FT.			GAS PIPING		
			PERMIT FEE			PERMIT FEE		

BLDG.	ELEC.	PLUMB.	MECH.	TOTAL & PERMIT FEE	PLAN CK. FEE	CONST. FEE	ELEC. FEE	PLUMB. FEE
				24.50	24.50			

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
		NO.		NO.	
		VOLT			
		AMP.			OUTSIDE PIPING
		TRANS. KVA OR T. KW.			SEWERING FIXTURES
		METER	S.P.		URINAL
		METER	H.P.		WATER PIPING
		METER	A.P.		FLOOR DRAIN
		MOTOR	H.P.		WATER SOFTENER
		MOTOR	H.P.		WATER HEATER (GAS)
		FIXTURES			GARBAGE DISPOSAL
		OUTLETS			LAUNDRY TRAY
		DISPOSAL			KITCHEN SINK
					WATER CLOSET
		RANGE RECEPT. OVEN			LAVATORY
		WATER HEATER			SHOWER
		SPACE HEATER			BATH TUB
		CONVERSION BURNER			WATER HEATER
		SERVICE ENTRANCE			SEWAGE DISPOSAL
		RADIO 10 SQ. FT.			HOUSE SEWER
		GARAGE 10 SQ. FT.			GAS PIPING
		PERMIT FEE			PERMIT FEE

ESTIMATED VALUATION $ [illegible]

MECHANICAL FEES

[illegible]

BLDG. PERMIT FEE	ELEC. PERMIT FEE	REPORT FEE	ELEC. FEE	PLUMB. FEE
[illegible]				

[illegible]

OWNER [illegible]

USE OF BUILDING [illegible]

DISTRICT [illegible] P.C. [illegible]

LEGAL DESCRIPTION [illegible]

PERMIT NUMBER 187178

BOND	CASH	PLAN FEE P.	PAID DATE	INSPECTOR
		E262	[illegible]	[illegible]

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CREATION OF WORK FOR 90 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UNDER MY EMPLOYEES. CONTRACTORS IN PLACE OF THE STATE OF CALIFORNIA GOVERNING SUCH CONTRACTORS IS ALSO GUARANTEED.

[illegible]

OWNER [illegible]

CONTRACTOR

ADDRESS

CITY STATE

OWNER-BUILDER

[illegible]

BY [illegible]

TELEPHONE

LICENSED NO.

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
	Footing		
	Piers & Piles		
	Foundation		
	Underpinning		
	Slab		
	Rough Floor		
	Rough Roof		
	Lath		
	Plaster		
	Drywall		
	Insulation		
	Fireplace		
	Chimney		
	Final		
	PLUMBING APPROVALS		
	Underground		
	Rough		
	Water Service		
	Gas Test		
	Fixtures		
	Sewer		
	Final		
	ELECTRICAL APPROVALS		
	Service		
	Rough		
	Fixtures		
	Service		
	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Damper		
36	Heaters & Boilers		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Relay		
42	Commercial Hood		
43	Final		
	PROGRESS CHECKS		
	Rough	Final	Letter

SEWER DISPOSAL LOCATION

SEWER

☐ INSIDE ☐ OUTSIDE ☐ NEW

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	15 00
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	

OWNER'S VALUATION $ 1500 00

MECHANICAL FEES

HEAT SYSTEM: Type ☐ Fuel ☐ EVAP. COOL: ☐ Watts

CHIMNEY

FLOOR FURNACE: ☐ Vent ☐ Wall ☐ Floor ☐ Unvented

WALL HEATER

VENTILATING FAN

REFRIGERATION UNIT

DUCT WORK

COMMERCIAL HOOD: ☐ Vent ☐ Exhaust

OTHER

PERMIT FEE

ELECTRICAL FEES

NO.		
	POLES	
	SIGNS	
	TEMP. SVC. OR T. POLE	
	MOTOR	H.P.
	WIRING	H.P.
	MOTOR	H.P.
	MOTOR	H.P.
	MOTOR	H.P.
	FIXTURES	
	OUTLETS	
	SUB-PANEL	
	BRANCH CIRC. OR CKTS.	
	WATER HEATER	
	SPACE HEATER	
	COURTESY LIGHT POLE	
	SERVICE ENTRANCE	
134	SQ. FT. @ .10 SQ. FT.	13 40
	GARAGE @ .10 SQ. FT.	
	PERMIT FEE	2 00

PLUMBING FEES

NO.	
	DRAINAGE PIPING
	DRINKING FOUNTAIN
	URINAL
	WATER PIPING
	FLOOR DRAIN
	WATER SOFTENER
	WASHER (AUTO) (DISH)
	GARBAGE DISPOSAL
	LAUNDRY TRAY
	KITCHEN SINK
	WATER CLOSET
	LAVATORY
	SHOWER
	BATH TUB
	WATER HEATER
	GREASE DISPOSAL
	HOUSE SEWER
	GAS PIPING
	PERMIT FEE

| | | |

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE		ELECTRICAL FEES		PLUMBING FEES	
	Sq. Ft. @	NO.		NO.	
	Sq. Ft. @				
	Sq. Ft. @				
	Sq. Ft. @	POLES			
	Sq. Ft. @	PIPES		SWIMMING POOL	
	Sq. Ft. @	TRANS. KVA/ OR T. CLR.		DRINKING FOUNTAIN	
	Sq. Ft. @	MOTOR H.P.		URINAL	
	Sq. Ft. @	MOTOR H.P.		WATER PIPING	
ESTIMATED VALUATION $		MOTOR H.P.		FLOOR DRAIN	
MECHANICAL FEES		MOTOR H.P.		WATER SOFTENER	
CENTRAL HEATING & AIR CONDITIONING		MOTOR H.P.		WASHER (INTO) (OUT)	
APPLIANCE		FIXTURES		GARBAGE DISPOSAL	
FLOOR FURNACE VENTED		OUTLETS		LAUNDRY TRAY	
WALL HEATER VENTED		BUS BARS		KITCHEN SINK	
FLOOR FURNACE GAS PIPING				WATER CLOSET	
VENTILATING FAN	NO	RANGE & OVEN OVER		LAVATORY	
VENTILATING DUCTWORK		WATER HEATER		SHOWER	
REFRIGERATION UNIT	H.P.	SPACE HEATER		BATH TUB	
SPECIAL EXHAUST SYSTEM (Commercial Cooking)		CONSTRUCTION POLE		WATER HEATER	
INCINERATOR (Commercial)		SERVICE ENTRANCE		SEWAGE DISPOSAL	
OTHER		PUBLIC IS SQ. FT.		HOUSE SEWER	
PERMIT FEE		GARAGE IS SQ. FT.		GAS PIPING	
		PERMIT FEE		PERMIT FEE	

BLDG. FEE	PLAN CK. FEE	STRUCT. FEE	ELEC. FEE	PLUMB. FEE

JOB ADDRESS

OWNER

TOTAL FEES

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 180 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES CLOSELY AGREE WITH LAWS OF THE STATE OF CALIFORNIA GOVERNING CONTRACTORS IS ALSO GUARANTEED.

NAME OF CONTRACTOR'S LAWYER

OWNER

CONTRACTOR

ADDRESS

ADDRESS

TELEPHONE NO.

TEL. NO.

APPROVED BY

LICENSE NO.

OPERATION	DATE	INSPECTOR
PLUMBING APPROVALS		
	1-25-22	[illegible]
	1-25-22	[illegible]
	1-25-22	[illegible]

NOTICE: THIS IS NOT A BUILDING PERMIT

Dist. Office K

Permit No

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Owner Mervic Corp. MAC Pearson

Address 2 Executive Circle

City Corona

Phone

Contractor Lee Taylor

Address 1232 Pennsylvania

City Santa Fe Springs

Phone 942-721-6651

Architect Mervic Corp.

Address 1202 Progress Ave

City SANTA FE SPRS.

Phone 692-2518 (Tom Jones)

I (we) the undersigned hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a final inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 7/15/80 SIGNATURE OF OWNER AND/OR AGENT

Approval by Signature from the Following Departments Listed Below
Must be Obtained Prior to the Issuing of a Construction Permit.

LOCATION OF USE 12202 Temescal Cyn. Rd.

LEGAL DESCRIPTION OF PROPERTY Por. NW 1/4 Sec.

3 T 4 S R 6 W

COMMUNITY Elsinore

NO. OF SUBMITTED PLANS 2

ZONING

NO. OF PARKING SPACES REQUIRED

ONE WAY STREETS

DEDICATION REQUIRED

DATE

USE OF STRUCTURE

SINGLE FAMILY ☐ DUPLEX ☐

APARTMENTS ☐ AGRIC. ☐

COMMERCIAL ☐ INDUSTRIAL ☒

ALTERATIONS ☐

TYPE OF CONSTRUCTION American To

Separate Area

NO. OF BUILDINGS NOW EXISTING

FRONT 150' SIDE 100' REAR 100'

ORIGINAL PERMIT RECEIVED YES ☐ NO ☒

SETBACK ORDINANCE # 460 OF FEET REQUIRED ON STREET

SIGNATURE OF LAND USE OFFICIAL

DEDICATION REQUIRED YES ☐ NO ☐ NO. OF FEET

CURB AND GUTTER REQUIRED YES ☐ NO ☐ STREET

ROAD CONSTRUCTION YES ☐ NO ☐

CAN SAND TRAP BE FEASIBLY BE INSTALLED YES ☐ NO ☐

HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENTS YES ☐ NO ☐

DATE SIGNATURE OF ROAD DEPT. OFFICIAL

WATER PURVEYOR PUBLIC

WATER DISTRICT

TYPE OF WATER SYSTEM

WATER POLLUTION

FLOOD CONTROL

AIR POLLUTION

FIRE DEPT.

REMARKS

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

15000 sq ft 1220

CANARY—FILE PINK—APPLICANT

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES		
1ST FL.	SQ. FT. @		NO.			NO.		
2ND FL.	SQ. FT. @		7	MOTOR 1 OR LESS H.P.	7 00			
POR.	SQ. FT. @		4	MOTOR 5 OR LESS H.P.	8 00			
GAR.	SQ. FT. @		6	MOTOR 20 OR LESS H.P.	18 00		DRAINAGE PIPING	
CAR P.	SQ. FT. @		2	50	10 00		DRINKING FOUNTAIN	
WALL	SQ. FT. @		2	100	14 00		URINAL	
	SQ. FT. @			K.W. UNITS		1	WATER PIPING	1 50
Cost Price		210,000					FLOOR DRAIN	
ESTIMATED VALUATION	$						WATER SOFTENER	
MECHANICAL FEES							WASHER (AUTO) (DISH)	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD				SIGN			GARBAGE DISPOSAL	
APPLIANCE				TRANSFORMER K.W.			LAUNDRY TRAY	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED				OUTLETS			KITCHEN SINK	
AIR HANDLING UNIT CFM				FIXTURE OR SOCKET			WATER CLOSET	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL				CONST. SERV. ENTRANCE			LAVATORY	
COMPRESSOR HP				POLE			SHOWER	
APPLIANCE VENT				AMPERES SERV. ENT.			BATH TUB	
ABSORPTION SYSTEM B.T.U.				SQ. FT.			WATER HEATER	
INCINERATOR ☐ DOMESTIC ☐ INDUS. OR COMM				SQ. FT.			SEWAGE DISPOSAL	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				SQ. FT. RESID.				
BOILER B.T.U.				SQ. FT. GARAGE		1	HOUSE SEWER	5 00
PERMIT FEE				BALANCE OF MIN. FEE			GAS PIPING	
MOBILEHOME HOOKUP FEE	$			PERMIT FEE	3 00		PERMIT FEE	2 00

PERMIT NUMBER	TOTAL FEES	MOBILEHOME HOOKUP FEE	HEAT & VENT FEE	PLAN CHECK FEE	CONST. FEE	ELEC. FEE	MECH. FEE	PLUMBING FEE
220375	601 45	MH 13 50		168 25	336 50	60 00	5 MI 14 70	8 50

	J	F	M	A	M	J	J	A	S	O	N	D
72												
73												
74												
75												
76												

JOB ADDRESS: 23200 Temescal Canyon
OWNER: Hydro Conduit Corp
USE OF BUILDING: Centrifugal Pipe Facilities
F.C. 10
DATE: 12-6-72
PERMIT NO.: 220375
COMMUNITY: Glenn Ivy
DST: M
UNITS:
ROOMS:
VALUATION: 210,000
SUPP. TO PERMIT:
OFFICE: 2

MOBILEHOME HOOKUP FEE	MH 1 & 2	$ 13 50
MECHANICAL FEE	DBL	$
PLAN CHECK FEE		$ 168 25
CONSTRUCTION FEE	DBL	$ 336 50
ELECTRICAL FEE	DBL	$ 60 00
Comm FEE		$ 14 70
PLUMBING FEE	DBL	$ 8 50
TOTAL FEES $		601 45

LEGAL DESCRIPTION: Por NW¼ Sec 35 T4S R6W

SET BACK	LOT SIZE	ZONE	USE NO.	GRP	TYPE	CK BY
F 50 S 50 R 50		M-3				H.S.

BOND AMT.	PLAN NO.	PLAN CHECKER	FINAL DATE	INSPECTOR
	6944-48	J.K		

NAME OF CONST. LENDER | BRANCH OFFICE | NO LENDER INVOLVED

ADDRESS | CITY | STATE

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.
I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.
I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5537 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

CASH ☐ CHECK ☑ M.O. ☐ N.C. ☐

Received By: Brenda

Permit Issued: Yes ☐ No ☐

INFORMATION:

OWNER	CONTRACTOR
Hydro Conduit Corp.	
ADDRESS: PO Box 927	ADDRESS
CITY: Colton, Calif.	CITY
TEL. NO.: 825-1500	TEL. NO. LICENSE

FORM 520-106 (Rev. 4/71)

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE			
1ST FL.		SQ. FT. @	
2ND FL.		SQ. FT. @	
POR.		SQ. FT. @	
GAR		SQ. FT. @	
CAR P.		SQ. FT. @	
WALL		SQ. FT. @	
		SQ. FT. @	
ESTIMATED VALUATION	$		

MECHANICAL FEES		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT	CFM	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR	HP	
APPLIANCE VENT		
ABSORPTION SYSTEM	B.T.U.	
INCINERATOR ☐ DOMESTIC ☐ INDUS. OR COMM		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER	B.T.U.	
PERMIT FEE		
MOBILEHOME HOOKUP FEE	$	

ELECTRICAL FEES			
NO.			
7	MOTOR 1 OR LESS H.P.	1	7
1	MOTOR 5 OR LESS H.P.		
6	MOTOR 20 OR LESS H.P.	1	12
3		1	
2	1	2	
	K.W. UNITS		
	SIGN		
	TRANSFORMER K.W.		
	OUTLETS		
	FIXTURE OR SOCKET		
	CONST. SERV. ENTRANCE		
	POLE		
	AMPERES SERV. ENT		
	SQ. FT.		
	SQ. FT.		
	SQ. FT. RESID.		
	SQ. FT. GARAGE		
	BALANCE OF MIN. FEE		
	PERMIT FEE	1	

PLUMBING FEES			
NO.			
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
1	WATER PIPING	1	
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) DISH		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
1	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE	1	

PERMIT NUMBER	TOTAL FEES	MOB. HOOK FEE	HEAT & VENT FEE	DBL	M. EQ. FEE	CONST. FEE	DBL	CLEC. FEE	DBL	FEE	PLUMBING FEE	DBL
220375	601.45	13.20			1.00	336.00		60.00		17.70	3.00	

	J	F	M	A	M	J	J	A	S	O	N	D
72												X
73	X	X	X					15	16			
74												
75												
76												

JOB ADDRESS: 23[illegible] OWNER: Hydro Conduit Corp

USE OF BUILDING: [illegible] F.C. ✓ DATE: 7-[illegible]-73 PERMIT NO. 220375

COMMUNITY: [illegible] DST: 11 UNITS: ROOMS: VALUATION: [illegible] SUPP. TO PERMIT: OFFICE: 2

LEGAL DESCRIPTION: Por Min 1 [illegible] 3 T4S R6W

SET BACK: F [illegible] S [illegible] R [illegible] LOT SIZE: ZONE: M-3 USE NO. GRP TYPE CK BY: [illegible]

BOND AMT. PLAN NO. 6941-1 PLAN CHECKER: J.K. FINAL DATE: 8-24-73 INSPECTOR: [illegible]

NAME OF CONST. LENDER: BRANCH OFFICE: OK ECH. NO LENDER INVOLVED

ADDRESS: 3-C-1 CITY: STATE:

MOBILEHOME HOOKUP FEE		$ 13.20
MECHANICAL FEE	DBL	$
PLAN CHECK FEE		$ 16.80
CONSTRUCTION FEE	DBL	$ 336.00
ELECTRICAL FEE	DBL	$ 60.00
[illegible] FEE		$ 17.70
PLUMBING FEE	DBL	$ 3.00
TOTAL FEES $		601.45

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 90 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES IN COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA, COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS WAS DONE SO IN ACCORDANCE WITH SECTION 5537 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

CASH ☐ CHECK ☑ M.O. ☐ N.C. ☐

Received By: [illegible]

Sewage System: [illegible] LE

Fee Refunded: Yes No

INFORMATION

OWNER	CONTRACTOR
Hydro Conduit Corp.	
ADDRESS: P.O. Box 927	ADDRESS
CITY: [illegible]	CITY
TEL. NO. 625-1500	TEL. NO. LICENSE

FORM 314-203 (REV. 1/71)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back	2-20-73	Raleigh
2	Ftgs & Frms	2-20-73	Raleigh
2A	Slab Grade	2-20-73	Raleigh
3	Steel	3-30-73	Raleigh
4	Grout Blocks	2-20-73	Raleigh
5	Bond Beams	2-20-73	Raleigh
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Exterior Grade		
14	Final	8-24-73	Smith
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final	8-24-73	Smith
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring	8-24-73	Smith
29A	Grounding Wire		
30	Fixtures		
31	Service		
32	Final	8-24-73	Smith

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

OP'N NO. **ADDITIONAL INFORMATION**

FTGS ON EAST END 12-14-72 Raleigh

FTGS ON SOUTH WEST SIDE 12-26-72 Raleigh

FTGS ON WEST AND NORTH SIDE 1-2-20-73 Raleigh

POR OF SLAB OK 1-4-73 Raleigh

POR OF SLAB OK 1-5-73 Raleigh

POR OF SLAB OK 1-9-73 Raleigh

POR OF SLAB OK 1-15-73 Raleigh

POR OF SLAB OK 1-16-73 Raleigh

POR OF SLABS OK 1-24-73 Raleigh

CONDUIT NOT COMPLETE 3-20-73 Raleigh

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

RIVERSIDE COUNTY DEPARTMENT OF PUBLIC HEALTH

PRELIMINARY ENVIRONMENTAL DESCRIPTION FORM
(Request for Exemption Declaration Status)

For Office Use Only

Name of Project:
Hydro Conduit Corp.
Corona

(NOTE: Not all projects will necessitate the preparation of an Environmental Impact Statement. In order to make a determination as to whether any significant environmental impacts may result from the proposed project, the following Preliminary Environmental Description must be filled out and submitted to the appropriate department's Environmental Impact Evaluator.

As soon as possible, the Environmental Impact Evaluator will determine whether or not the project will require an Environmental Impact Statement and will notify the project sponsor accordingly.

Please fill out the following:

1. Describe the proposed project, including the location and full address. (Please attach any maps or photographs which will assist in determining the significance of the project's impacts):
We proposed to add a centrifugally spun concrete pipe making operation to our existing facility at 22200 Temescal Cyn Rd - Glen Ivy Area

2. Describe briefly the existing environmental conditions in the area described:
The area is now used as a pipe storage area and the proposed construction will have no adverse environmental impact at this location.

II. Assessment of Environmental Impact

Answer the following questions by placing a check in the appropriate space.

	Yes	No
1. Could the project significantly change present uses of the project area? (See Notes)	____	✓
2. Could the project affect the use of a recreational area or area of unusual aesthetic value?	____	✓
3. Could the project affect the functioning of an established estuary? (See Notes)	____	✓
4. Could the project result in the displacement of currently used lands.	____	✓
5. Are any of the natural or man-made features in the project area unique, that is, not found in other parts of the County, State, or nation? (See Notes)	____	✓
6. Could the project significantly affect a historical or archaeological site on the island? (See Notes)	____	✓
7. Could the project significantly affect the potential use, exhaustion, or conservation of a scarce natural resource? (See Notes)	____	✓
8. Does the project area serve as a habitat, food source, nesting place, source of water, etc. for rare or endangered wildlife or fish species?	____	✓
9. Could the project significantly affect fish, wildlife, or plant life?	____	✓
10. Are there any rare or endangered plant species in the project area?	____	✓
11. Could the project change existing features of any of the region's lagoons, bays, or tidelands?	____	✓
12. Could the project change existing features of any of the region's beaches?	____	✓
13. Could the project change existing features of any of the region's desert areas?	____	✓
14. Could the project result in the erosion of agricultural lands?	____	✓
15. Could the project serve to encourage development in presently undeveloped areas or beyond existing outer limits of already developed areas? (See Notes)	____	✓

		Yes	No
16.	Will the project require a variance from environmental standards (air, water, noise, etc.), zoning ordinances?	____	✓
17.	Will the project require certification, authorization or licensing of a permit by any local, state, or Federal environmental control agency? (See Noise)	✓	____
18.	Will the project require issuance of a special use permit by the City?	____	✓
19.	Will the project involve the application, use, or disposal of potentially hazardous materials? (See Noise)	____	✓
20.	Will the project involve construction of facilities in a flood plain?	____	✓
21.	Will the project involve construction of facilities on a slope of 25 per cent or greater?	____	✓
22.	Will the project involve conservation of facilities in the area of an active fault?	____	✓
23.	Could the project result in the generation of significant amounts of noise?	____	✓
24.	Could the project result in the generation of significant amounts of dust?	____	✓
25.	Will the project involve the removal of brush, trees, conservation materials, etc?	____	✓
26.	Could the project result in a significant change to the quality of any portion of the region's air or water resources? (Should note surface, ground water, offshore)	____	✓

NOTE: "The applicant is cautioned that if an ENVIRONMENTAL IMPACT STATEMENT is required merely to satisfy this check list, the intent of environmental impact legislation is thwarted. It is important that impacts be evaluated and compared in proper perspective."

1. [illegible]

- [illegible]

2. [illegible]

Examples include, but are not limited to:

- [illegible]
- [illegible]
- [illegible]

3. Are any of the natural or man-made features in the project area (sites, uses, or natural resources) known to be of public interest?

- Features (e.g., trees, historic sites, structures, archeological sites, etc.) have public significance (characteristics) if they are considered important or interesting because they exemplify or reflect special qualities of the area's history, prehistory, natural history, or human culture.

4. Could the project significantly affect a historical or archaeological site or district?

- The notable or sacred sites include surrounding areas, the nature of which are important to the understanding and enjoyment of the site itself.

7. Could the project significantly affect the potential use, extraction, or conservation of a scarce natural resource?

Examples include, but are not limited to:

- Developments which effectively preclude the extraction of the area's rock, sand, gravel, or other mineral resources.
- Uses which effectively preclude the multiple use of regional natural resources in scarce supply.
- Activities which tend to diminish the supply or availability of [illegible]

8. Could the project serve to encourage development of presently undeveloped areas or invite other actions described in categories 1 through 7 above?

Examples include the introduction of facilities whose presence [illegible]

17. Will the project require certification, authorization, or the issuance of a permit by any local, State or Federal environmental control agency?

Such agencies include:

- Air Pollution Control District
- Regional Water Quality Control Board
- United States Environmental Protection Agency
- Any other agency or public body responsible for the establishment and enforcement of environmental quality standards

19. Will the project involve the application, use, or disposal of potentially hazardous materials?

- Examples include but are not limited to toxic substances and radioactive wastes.

STATEMENT OF NO SIGNIFICANT ENVIRONMENTAL EFFECTS
BY APPLICANT

If you believe that the proposed plan will have no significant environmental effects from a public health point of view, indicate your reasons below.

This request is for a small addition to an existing plantsite which was constructed to meet all the requirements of the Riverside County Building Department. The wastewater discharge permit has been submitted to the Regional Water Quality Control Board and no problems are anticipated.

Signature of Applicant: Leonard M. Johnson

Date: Nov 17, 1972

11-17-72

PROJECT DESCRIPTION: Hydro Conduit Corp.
23200 Temescal Cyn Rd, Corona

PROJECT LOCATION - ADDRESS: _____

PROJECT CENSUS TRACT (If known): _____

REVIEWING DEPARTMENT: _____

In accordance with Riverside County Board of Supervisors Policy, adopted regarding implementation of the California Environmental Quality Act of 1970 (specifically Section 21.5) of the Public Resources Code, the Environmental Impact Staff also for this Department has prepared the Preliminary Environmental Description material contained in support of the Exemption Declaration status for the above described project and hereby finds: (check one)

( ) That the Preliminary Environmental Description submitted is inadequate to facilitate a decision as to the environmental significance of the project and the project sponsor is hereby advised to submit a more thorough Preliminary Environmental Description covering the following information _____

( ) That the proposed project may have a significant effect on the environment and has not been revised and/or is not amenable to a negative declaration. Environmental Impact Statements or Preliminary Statements of Exemption Declaration status therefore cannot be granted for this project and an Environmental Impact Statement is required to be submitted to this department prior to the project's approval. The significant environmental impacts which may result from this project include but may not be limited to the following: _____

(X) That the proposed project exempt, or will not, have a significant effect on the environment. Exemption Declaration Status is therefore granted for this project and the preparation of an Environmental Impact Statement is therefore not necessary.

( ) That even though the proposed project may have a significant effect on the environment, the project is a lesser included part of another project for which an Environmental Impact Statement or Preliminary Environmental Description has previously been submitted, provided that the project and statement submitted was prepared and covers the specific environmental impacts of the lesser project. (In this case, the previous project and statement should be noted: _____

PREPARED BY: Steve C. Lant DATE: 11-17-72

ENVIRONMENTAL ASSESSMENT

I. Background Information

1. Give a brief description of the proposed project.

Tract No. Por NW 1/4 sec 35 T4SR6W

Refer to Application to Construct.

ADDING A CENTRIFUGALLY SPUN CONCRETE PIPE FACILITY TO AN EXISTING PRESTRESSED CONCRETE PIPE PLANT

23-200 TEMESCAL CYN. ROAD

2. Describe the project area, including distinguishing natural and man-made characteristics.

Refer to Application to Construct.

LOCATED WITHIN AN EXISTING CONCRETE PIPE PLANT AT 23200 TEMESCAL CANYON RD, CORONA, CALIF. AREA HAS BEEN GRADED TO PRESENT CONDITION UNDER A PREVIOUS CONSTRUCTION PROJECT, AREA OF NEW CONSTRUCTION IS CLEAR OF ALL NATURAL AND MAN MADE OBSTRUCTIONS.

RECEIVED
COUNTY OF RIVERSIDE
BUILDING DEPARTMENT
DATE 1-28-72
TIME 10:30 BY

Assessment of Environmental Impact

		Yes	No
1.	Could the project or use significantly change present uses of the project area?		✓
2.	Could the project affect the use of a recreational area or area of important aesthetic value?		✓
3.	Could the project affect the functioning of an established community?		✓
4.	Could the project result in the displacement of community residents?		✓
5.	Are any of the natural or man-made features in the project area unique, that is not found in other parts of the County, State, or nation?		✓
6.	Could the project significantly affect a historical or archaelogical site or its setting?		✓
7.	Could the project significantly affect the potential use, extraction, or conservation of a scarce natural resource?		✓
8.	Does the project area serve as a habitat, food source, nesting place, source of water, etc. for rare or endangered wildlife or fish species?		✓
9.	Could the project significantly affect fish, wildlife, or plant life?		✓
10.	Are there any rare or endangered plant species in the project area?		✓
11.	Could the project change existing features of any of the region's desert areas?		✓
12.	Could the project result in the erosion of agricultural lands?		✓
13.	Could the project serve to encourage development of presently undeveloped areas or intensify development of already developed areas?		✓
14.	Will the project require a variance from established environmental standards (Air, water, noise, etc.), and/or adopted plans?		✓
15.	Will the project require certification, authorization or issuance of a permit by any local, State, or Federal environmental control agency?		✓

		Yes	No
16.	Will the project require issuance of a special use permit by the County?	___	✓
17.	Will the project involve the application, use, or disposal of potentially hazardous materials?	___	✓
18.	Will the project involve construction of facilities in a flood plain?	___	✓
19.	Will the project involve construction of facilities on a slope of 25 percent or greater?	___	✓
20.	Will the project involve construction of facilities in the area of an active fault?	___	✓
21.	Could the project result in the generation of significant amounts of noise?	___	✓
22.	Could the project result in the generation of significant amounts of dust?	___	✓
23.	Will the project involve the burning of brush, trees, construction materials, etc.?	___	✓
24.	Could the project result in a significant change in the quality of any portion of the region's air or water resources?	___	✓

III. Statement of No Significant Evironmental Effects

If you have answered yes to one or more of the questions in Section II, but still think the project will have no significant environmental effects, indicate your reasons below.

IV. Conclusions

Place a check in the appropriate box

(✓) It has been determined that the project will not have significant enviromental effects.

( ) It has been determined that the project could have significant environmental effects.

There are earthquake faults in the area - Air Pollution, any. No Environmental Problem and they cleared on the Bay Area Application 11-17-72

LAND USE DIVISION
DEPT. OF BUILDING & PLANNING

HYDRO CONDUIT CORPORATION

NOTICE: THIS IS NOT A BUILDING PERMIT

Dist. Office "R"

Permit No

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

OWNER

Owner	Architect	Contractor
HYDRO CONDUIT CORP		
Address P O Box 939	Address	Address
City CORONA	City	City
Phone 735-2420	Phone	Phone

I (we) the undersigned hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE Oct 11, 1972 SIGNATURE OF OWNER AND/OR AGENT [signature]

Approval by Signature from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit

LAND USE DIVISION BUILDING AND SAFETY

LOCATION OF JOB 23-200 TEMESCAL CANYON RD

LEGAL DESCRIPTION OF PROPERTY PAR NW1/4 SEC 35 T4S R6W

COMMUNITY GLEN IVY AREA

NO. OF SUBMITTED PLANS 2 TYPE OF CONSTRUCTION PLAN CHECK ONLY FOR CENTRIFUGAL SPUN PIPE PLANT

CASE NO.

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING SEVERAL

ZONE M-3 SETBACKS NA FRONT 50' SIDE 50' REAR 50' FROM ROAD

GRADING PERMIT REQUIRED YES ☒ NO ☐

SETBACK ORDINANCE # NO OF FEET REQUIRED ON STREET

DATE 10/11/72 SIGNATURE OF LAND USE OFFICIAL [signature]

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☐
		ALTERATIONS	☐

ROAD DEPARTMENT

15-10-44

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET STREET

CURB AND GUTTER REQUIRED: YES ☐ NO ☒

THE ABOVE CONSTRUCTION? YES ☐ NO ☐

Plan #28 6078

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐

HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐

DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

SWIMMING POOLS PUBLIC

SEWAGE DISPOSAL Existing [signature] R. Ware

FOOD ESTABLISHMENT 10-17-72

OTHER DEPARTMENTS

WATER POLLUTION EA Report Filed

FLOOD CONTROL

AIR POLLUTION

DIV OF HWY Keep to West of Centerline

Authority to Construct

Ok to proceed by Air Pollution

REMARKS

Supervision by applicant

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD

284-199, 5/15/69

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE			ELECTRICAL FEES			PLUMBING FEES			DST
1ST FL.	SQ. FT. @		NO.			NO.			2
2ND FL.	SQ. FT. @								
POR.	SQ. FT. @		MOTOR 1 OR LESS H.P.						
GAR.	SQ. FT. @		MOTOR 5 OR LESS H.P.						
CAR P.	SQ. FT. @		MOTOR 20 OR LESS H.P.			DRAINAGE PIPING			
WALL	SQ. FT. @					DRINKING FOUNTAIN			
	SQ. FT. @					URINAL			
ESTIMATED CONSTRUCTION VALUATION	$		K.W. UNITS			WATER PIPING			
NOTE. Not to be used as property tax valuation						FLOOR DRAIN			
MECHANICAL FEES						WATER SOFTENER			
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			SIGN			WASHER (AUTO) (DISH)			
APPLIANCE			TRANS-FORMER K.W.			GARBAGE DISPOSAL			
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			OUTLETS			LAUNDRY TRAY			
AIR HANDLING UNIT CFM			FIXTURE OR SOCKET			KITCHEN SINK			
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL			CONST. SERV ENTRANCE			WATER CLOSET			
COMPRESSOR HP			POLE			LAVATORY			
APPLIANCE VENT			AMPERES SERV. ENT.			SHOWER			
ABSORPTION SYSTEM B.T.U.			SQ. FT. @ ¢			BATH TUB			
INCINERATOR ☐ DOMESTIC ☐ INDUS. OR COMM.			SQ. FT. @ ¢			WATER HEATER			
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			SQ. FT. RESID. @ 1¢			SEWAGE DISPOSAL			
BOILER B.T.U.			SQ. FT. GARAGE @ ½¢			HOUSE SEWER			
PERMIT FEE			BALANCE OF MIN. FEE			GAS PIPING			
MOBILE HOME HOOKUP FEE	$		PERMIT FEE			PERMIT FEE			

PERMIT NO	TOTAL FEES	MOB. HK. FEE	MICRO FEE	MECH FEE	DBL	PL. CK. FEE	CONST FEE	DBL	ELECT. FEE	DBL	SMI FEE	FEE	PLUMB. FEE	DBL
237381	43.00					43.00								

	J	F	M	A	M	J	J	A	S	O	N	D
73												
74												
75												

M.H. HOOKUP FEE		$
MICROFILM FEE	COPIES	$
MECHANICAL FEE	DBL	$
PLAN CHECK FEE		$ 43.00
CONSTRUCTION FEE	DBL	$
ELECTRICAL FEE	DBL	$
SMI FEE		$
FEE		$
PLUMBING FEE	DBL	$
TOTAL FEES ➧		$ 43.00

JOB ADDRESS: 23200 TEMESCAL CYN
OWNER: HYDRO CONDUIT
USE OF BUILDING: Remodel POR of EXISTING WAREHOUSE
F.C.
DATE: 10-12-73
PERMIT NO: 237381
COMMUNITY: EL CERRITO
DST: 2
UNITS
ROOMS
VALUATION
SUPP TO PERMIT
OFFICE: R
LEGAL DESCRIPTION: NW 1/4 Sec 35 T4S R6W
SET BACK: F S R
LOT SIZE
ZONE: M-3
USE NO
GRP
TYPE
CK BY: M.L.
BOND AMT.
PLAN NO
PLAN CHECKER
FINAL DATE
INSPECTOR
NAME OF CONST. LENDER
BRANCH OFFICE
NO LENDER INVOLVED
ADDRESS
CITY
STATE

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA, I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

CASH ☐ CHECK ☑ M.O. ☐ N.C. ☐

RECEIVED BY: Sanchez

SEWAGE SYSTEM: T | LL | P

TREES REQUIRED: YES | NO

INFORMATION

OWNER

ADDRESS

CITY

TEL NO.

CONTRACTOR: Riverside Acoustics Inc
Robert W Lunsford

ADDRESS: 15 Commercial Ave

CITY: Riverside Calif

TEL NO: 682-6120

LICENSE: 239964

FORM 284-208 (Rev. 1/72)

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

1ST FL.		SQ FT @	
2ND FL.		SQ. FT @	
POR.		SQ FT @	
GAR.		SQ FT. @	
CAR P.		SQ. FT. @	
WALL		SQ.FT @	
		SQ. FT. @	

ESTIMATED CONSTRUCTION VALUATION $

NOTE- Not to be used as property tax valuation

MECHANICAL FEES

VENT SYSTEM ☐ FAN ☐ EVAP COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT ____ CFM		
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL		
COMPRESSOR ____ HP		
APPLIANCE VENT		
ABSORPTION SYSTEM ____ B.T.U.		
INCINERATOR ☐ DOMESTIC ☐ INDUS OR COMM		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ____ B.T.U.		
PERMIT FEE		
MOBILE HOME HOOKUP FEE	$	

ELECTRICAL FEES

NO.		
	MOTOR 1 OR LESS H.P.	
	MOTOR 5 OR LESS H.P.	
	MOTOR 20 OR LESS H.P.	
	____ K.W. UNITS	
	SIGN	
	TRANS FORMER ____ K.W.	
	OUTLETS	
	FIXTURE OR SOCKET	
	CONST SERV ENTRANCE	
	POLE	
	AMPERES SERV ENT	
	SQ. FT. @ ¢	
	SQ. FT @ ¢	
	SQ FT RESID @1¢	
	SQ FT GARAGE @½¢	
	BALANCE OF MIN. FEE	
	PERMIT FEE	

PLUMBING FEES

DST		
NO.		2
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DI. SAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NO	TOTAL FEES	MOB HK FEE	MICRO FEE	MECH FEE	DBL	PL CK FEE	CONST FEE	DBL	ELECT FEE	DBL	SMI FEE	FEE	PLUMB FEE	DBL
237381	43.00					43.00								

	J	F	M	A	M	J	J	A	S	O	N	D
73												
74												
75												

M.H. HOOKUP FEE		$
MICROFILM FEE	COPIES	$
MECHANICAL FEE	DBL	$
PLAN CHECK FEE		$ 43.00
CONSTRUCTION FEE	DBL	$
ELECTRICAL FEE	DBL	$
SMI FEE		$
FEE		$
PLUMBING FEE	DBL	$
TOTAL FEES ➡		$ 43.00

CASH ☐ CHECK ☑ M.O ☐ N.C. ☐

RECEIVED BY D. Cornelius

SEWAGE SYSTEM		T	LL	P
TREES REQUIRED			YES	NO

INFORMATION

FORM 284-208 (Rev. 11-71)

JOB ADDRESS 22200 Temescal Valley

OWNER Hidden Springs Development

USE OF BUILDING PLAN CHECK

I C ✓

DATE 10-2-73

PERMIT NO 237381

COMMUNITY Elsinore

DST 2

UNITS

ROOMS

VALUATION

SUPP. TO PERMIT

OFFICE R

LEGAL DESCRIPTION N ½ Sec 35 T5S R6W

SET BACK F	S	R	LOT SIZE	ZONE	USE NO	GHP	TYPE	CK BY
				R-3			2	W.J.

BOND AMT	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7217	[illegible]	10-26-73	[illegible]

NAME OF CONST. LENDER

BRANCH OFFICE

NO LENDER INVOLVED

ADDRESS

CITY

STATE

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

OWNER

ADDRESS

CITY

TEL NO.

CONTRACTOR [illegible]

ADDRESS [illegible]

CITY [illegible]

TEL NO. [illegible] LICENSE [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Pigs & Piers		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
30	Fixtures		
31	Service		
32	Final		

NO	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		
CHK NO	**ADDITIONAL INFORMATION**		

Tank Pit L. Line

SEWER DISPOSAL LOCATION



☐ INSIDE ☐ OUTSIDE ☐ KEY

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

1ST FL.	3950	SQ. FT. @ 6.00	23460.00
2ND FL.		SQ. FT. @	
POR.		SQ. FT. @	
GAR.		SQ.FT. @	
CAR P.		SQ. FT. @	
WALL		SQ.FT. @	
		SQ. FT. @	
ESTIMATED CONSTRUCTION VALUATION			$23460.00

NOTE: Not to be used as property tax valuation

MECHANICAL FEES

VENT SYSTEM ☑ CLEAN ☐ EVAP. COOL ☐ HOOD		4 00
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT ☐ CFM		
GAS PIPE ☐ NATURAL ☐ L.P.G ☐ OIL		
COMPRESSOR ☑ HP		7 50
APPLIANCE VENT		
ABSORPTION SYSTEM ☐ B.T.U		
INCINERATOR ☐ DOMESTIC ☐ INDUS. OR COMM		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
BOILER ☐ B.T.U.		
PERMIT FEE		3 00
MOBILE HOME HOOKUP FEE	$	

ELECTRICAL FEES

NO.			
	MOTOR 1 OR LESS H.P.		
	MOTOR 5 OR LESS H.P.		
	MOTOR 20 OR LESS H.P.		
	☐ KW UNITS		
	SIGN		
	TRANS-FORMER ☐ KW		
	OUTLETS		
	FIXTURE OR SOCKET		
	CONST SERV. ENTRANCE		
	POLE		
200	AMPERES SERV ENT	2 00	
	SQ FT @ ¢		
3950	SQ FT @ .01 ¢	39 50	
	SQ FT RESID @ 1¢		
	SQ FT. GARAGE @ ½¢		
	BALANCE OF MIN. FEE		
1	PERMIT FEE	4 00	

PLUMBING FEES

DST 2			
NO.			
	DRAINAGE PIPING		
1	DRINKING FOUNTAIN	1	50
1	URINAL	1	50
1	WATER PIPING	1	50
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
2	WATER CLOSET	3	00
2	LAVATORY	3	00
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
1	HOUSE SEWER	5	00
	GAS PIPING		
1	PERMIT FEE	2	00

PERMIT NO.	TOTAL FEES	MOB HK FEE	MICRO FEE	MECH. FEE	DBL	PL. CK. FEE	CONST. FEE	DBL	ELECT FEE	DBL	SMI FEE	FEE	PLUMB FEE	DBL
237744	161.34		1.20	14.50		—	86.00		40.50		1.64		17.50	

	J	F	M	A	M	J	J	A	S	O	N	D
73												
74												
75												

JOB ADDRESS: 23200 TEMESCAL CYN — OWNER: HYDRO CONDUIT

USE OF BUILDING: REMODEL EXISTING WAREHOUSE — F.C. 0 3/4 — DATE: 10-29-73 — PERMIT NO. 237744

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP TO PERMIT	OFFICE
EL CERRITO	2			23460.00		R

LEGAL DESCRIPTION: NW 1/4, SEC 35, T4S, R6W

SET BACK	LOT SIZE	ZONE	USE NO	GRP	TYPE	CK BY
F — S — R —		M-3				N.L.

BOND AMT	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7217	DRAKE		

NAME OF CONST. LENDER | BRANCH OFFICE | NO LENDER INVOLVED

ADDRESS | CITY | STATE

M.H. HOOKUP FEE		$	
MICROFILM FEE	COPIES 4	$	1 20
MECHANICAL FEE	DBL	$	14 50
PLAN CHECK FEE		$	—
CONSTRUCTION FEE	DBL	$	86 00
ELECTRICAL FEE	DBL	$	40 50
SMI FEE		$	1 64
FEE		$	
PLUMBING FEE	DBL	$	17 50
TOTAL FEES ➡		$	161 34

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

CASH ☐ CHECK ☑ M.O. ☐ N.C. ☐

RECEIVED BY

SEWAGE SYSTEM SEWER

TREES REQUIRED YES ☐ NO ☐

INFORMATION

OWNER: Hydro Conduit Co
ADDRESS: 23200 Temescal Cany
CITY: El Cerrito
TEL NO.: 682-6120

CONTRACTOR: R.V. & Electric Inc
ADDRESS: 15 Commercial Ave
CITY: Riverside Calif
TEL NO.: 684-6120 LICENSE 195 64

FORM 284-206 (Rev. 11/72)

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE

1ST FL.	3950	SQ. FT. @ 6.00	23460.-
2ND FL.		SQ. FT. @	
POR.		SQ. FT. @	
GAR.		SQ. FT. @	
CAR P.		SQ. FT. @	
WALL		SQ. FT. @	
		SQ. FT. @	

ESTIMATED CONSTRUCTION VALUATION $23460.-

NOTE. Not to be used as property tax valuation

MECHANICAL FEES

VENT SYSTEM ☒ FAN ☐ EVAP COOL ☐ HOOD	4 00
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT ____ CFM	
GAS PIPE ☐ NATURAL ☐ L.P.G. ☐ OIL	
COMPRESSOR 1 HP	7 50
APPLIANCE VENT	
ABSORPTION SYSTEM ____ B.T.U.	
INCINERATOR ☐ DOMESTIC ☐ INDUS. OR COMM	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER ____ B.T.U.	
PERMIT FEE	3 00
MOBILE HOME HOOKUP FEE	$

ELECTRICAL FEES

NO.			
	MOTOR 1 OR LESS H.P.		
	MOTOR 5 OR LESS H.P.		
	MOTOR 20 OR LESS H.P.		
	____ K.W. UNITS		
	SIGN		
	TRANSFORMER ____ K.W.		
	OUTLETS		
	FIXTURE OR SOCKET		
	CONST. SERV. ENTRANCE		
	POLE		
200	AMPERES SERV. ENT.	2 00	
	SQ. FT. @ ¢		
3950	SQ. FT. @ .01 ¢	39 50	
	SQ. FT. RESID. @ 1¢		
	SQ. FT. GARAGE @ ½¢		
	BALANCE OF MIN. FEE		
1	PERMIT FEE	9 00	

PLUMBING FEES

DST	NO.		
2			
	DRAINAGE PIPING		
1	DRINKING FOUNTAIN	1	50
1	URINAL	1	50
1	WATER PIPING	1	50
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) (DISH)		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
2	WATER CLOSET	3	00
2	LAVATORY	3	00
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
1	HOUSE SEWER	4"	00
	GAS PIPING		
1	PERMIT FEE	2	00

PERMIT NO.	TOTAL FEES	MOB. HK. FEE	MICRO FEE	MECH. FEE	DBL.	PL. CK. FEE	CONST. FEE	DBL.	ELECT. FEE	DBL.	SMI FEE	FEE	PLUMB. FEE	DBL.
23744	161.39		1.20	19.50		—	86.00		40.50		1.69		17.50	

	J	F	M	A	M	J	J	A	S	O	N	D
73										V	X	X
74												
75												

JOB ADDRESS: 23900 TEMESCAL CYN. | OWNER: HYDRO CONDUIT

USE OF BUILDING: RELOCATE EXISTING WAREHOUSE | F.C. ✓ | DATE: 10-27-73 | PERMIT NO. 23744

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP. TO PERMIT	OFFICE
EL CERRITO	2			23460.-		R

LEGAL DESCRIPTION: NW1/4 SEC 35 T4S R6W

SET BACK F	S	R	LOT SIZE	ZONE	USE NO	GRP	TYPE	CK BY
				M-3		F2		M.L.

BOND AMT	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7217	DRAKE	12-17-73	Gallagher

NAME OF CONST. LENDER | BRANCH OFFICE | OK SEM | OTHER INVOLVED

ADDRESS | CITY | STATE

M.H. HOOKUP FEE		$
MICROFILM FEE	COPIES 1	$ 1 20
MECHANICAL FEE	DBL	$ 19 50
PLAN CHECK FEE		$ —
CONSTRUCTION FEE	DBL	$ 86 00
ELECTRICAL FEE	DBL	$ 40 50
SMI FEE		$ 1 69
FEE		$
PLUMBING FEE	DBL	$ 17 50
TOTAL FEES ➧		$ 161 39

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

CASH ☐ CHECK ☒ M.O. ☐ N.C. ☐

RECEIVED BY: [signature]

SEWAGE SYSTEM: SEWER

TREES REQUIRED: YES ☐ NO ☐

INFORMATION

OWNER: Hydro Conduit Co.

ADDRESS: 9200 Towne Ave

CITY: El Monte

TEL. NO. 591-6120

CONTRACTOR: D.S.V. Industrial Construction Inc.

ADDRESS: 15 Commercial Rd.

CITY: Riverside County

TEL. NO. [illegible] LICENSE [illegible]

Form 284-208 Rev. 1-73

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Figs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing ⊗	12-6-73	Raleigh
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O ☐		
11	Exterior Lath		
12	Internal Lath	11-19-73	Raleigh
12A	Drywall ⊗	12-14-73	Raleigh
13	Exterior Grade		
14	Final	12-17-73	Raleigh
	PLUMBING APPROVALS		
15	Ground Plumb	11-5-73	Raleigh
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer	12-5-73	Raleigh
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final	12-17-73	Raleigh
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring ⊗	12-6-73	Raleigh
29A	Grounding Wire		
30	Fixtures		
31	Service		
32	Final	12-17-73	Raleigh

NO	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts	12-6-73	Raleigh
35	Furnace Compart		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final	12-17-73	Raleigh

OPN NO

ADDITIONAL INFORMATION

NO WATER IN PLBG. 10-31-73 Raleigh

⊗ OUTSIDE WALLS ONLY FOR ELEC + FRAME 11-5-73 Raleigh

⊗ OUTSIDE WALLS ONLY 11-13-73 Raleigh

* Okay to install Suspended Ceiling Panel 12-13-73 Drijills

Tank Pit L. Line

SEWER DISPOSAL LOCATION

BACK FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

Department of Building and Safety
County of Riverside

Certificate of Compliance

THIS IS TO CERTIFY that the Warehouse Building

Located 23200 Temescal Canyon, El Cerrito, CA

Owner HydroConduit Co. - *Address* 23200 Temescal Canyon El Cerrito, CA

Building Permit No. 237744 *has*

been inspected and complies with the requirements for a group F--2 *occupancy.*

R. C. SMITH
Building Director

December 16, 19 73

INSPECTOR
Don E. Hughes

This Certificate must be posted and permanently maintained in a conspicuous place at or close to the entrance of the building or structure referred to above.

Department of Building and Safety
County of Riverside

Certificate of Compliance

THIS IS TO CERTIFY that the Warehouse Building

Located 23200 Temescal Canyon, El Cerrito, CA

Owner HydronConduit Co. - *Address* 23200 Temescal Canyon El Cerrito, CA

Building Permit No. 237744 *has*

been inspected and complies with the requirements for a group F-2 *occupancy.*

R. C. SMITH
Building Director

December 18, 19 73

INSPECTOR
Don E. Hughes

This Certificate must be posted and permanently maintained in a conspicuous place at or close to the entrance of the building or structure referred to above.

NOTICE: THIS IS NOT A BUILDING PERMIT

Dist. Office 2

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Permit No. # 2,37749

OWNER

Owner Hydro Conduit
Address 23200 Temescal Canyon Rd
City Corona Calif
Phone 735-2430

Architect —
Address
City
Phone

Contractor Riverside Acoustics
Address 15 commercial Ave
City Riverside calif
Phone 682-6126

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 10-12-73 SIGNATURE OF OWNER AND/OR AGENT Robert W Lunsford

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

LOCATION OF JOB 23-200 TEMESCAL CYN RD
LEGAL DESCRIPTION OF PROPERTY NW 1/4 SEC 35 T4S, R6W
COMMUNITY El Cerrito
NO. OF SUBMITTED PLANS —
CASE NO —
NO. OF PARKING SPACES REQUIRED — NO. OF BUILDINGS NOW EXISTING TEN
ZONE M-3 SETBACKS — FRONT — SIDE — REAR —
GRADING PERMIT REQUIRED YES ☐ NO ☑
SETBACK ORDINANCE # — OF — FEET REQUIRED ON — STREET
DATE Oct 10, '73 SIGNATURE OF LAND USE OFFICIAL N.A. Fontana

USE OF STRUCTURE
SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☑
ALTERATIONS ☐

TYPE OF CONSTRUCTION REMODEL PORTION OF EXISTING WAREHOUSE & LUNCHEON BLDG

10-4-73

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET —
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ — STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE — SIGNATURE OF ROAD DEPT. OFFICIAL —

HEALTH DEPT.

SWIMMING POOLS PUBLIC —
SEWAGE DISPOSAL EXISTING 10-10-73 R. L. Freeman
FOOD ESTABLISHMENT —

OTHER DEPARTMENTS

WATER POLLUTION — REMARKS —
FLOOD CONTROL —
AIR POLLUTION —
DIV OF HWY —

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

284-199, 5/16/69.

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	SQ.FT. @			UNITS						
2ND FL.	SQ. FT. @							BOILER ☐ B T U		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				POOF DRAINS		
CAR P.	SQ.FT. @		4	1 H/P MOTORS	4	00		DRAINAGE PIPING		
WALL	SQ. FT. @		1	125 H/P MOTOR	10	00		DRINKING FOUNTAIN		
	SQ. FT. @		1	30 H/P MOTOR	5	00		URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 60000.00	1	WELDING MACH	5	00	1	WATER PIPING	1	50
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL COMM				WATER SOFTENER		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD				SIGN				WASHER (AUTO) DISHI		
APPLIANCE								GARBAGE DISPOSAL		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED								LAUNDRY TRAY		
AIR HANDLING UNIT ☐ CFM				IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM ☐ B.T.U				TEMP USE PERM SVC				WATER CLOSET		
COMPRESSOR ☐ HP				POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT				SHOWER		
				SQ FT @ ¢				BATH TUB		
				SQ FT @ ¢				WATER HEATER		
				SQ FT RESID @ 1¢				SEWAGE DISPOSAL		
				SQ FT GARAGE @ ½¢				HOUSE SEWER		
PERMIT FEE				TEMP ELEC SVC				GAS PIPING		
MOBILE HOME PERMIT FEE	$		1	PERMIT FEE	4	00	1	PERMIT FEE	2	00

PERMIT NO	TOTAL FEES	MOB. HM. FEE	MICRO FEE	VECH FEE	DBL	PL. CK FEE	CONST FEE	DBL	ELECT. FEE	DBL	SMI FEE	FEE	PLUMB FEE	DBL
240238	288.75		11 / 3.30			83.25	166.50		28.00		4.20		3.50	

	J	F	M	A	M	J	J	A	S	O	N	D
73												
74												
75												

JOB ADDRESS: 23200 TEMESCAL CYN RD — SP NO — OWNER: HYDRO CONDUIT CORP

USE OF PERMIT: ADD. TO EXIST. HYD. CONDUIT CORP — F C: 010 — DATE: 1-10-74 — PERMIT NO: 240238

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP. TO PERMIT	OFFICE
TEMESCAL CYN.	2			60000.00		R

LEGAL DESCRIPTION: POR NW¼ SEC 35, POR E½, NE¼, SEC 34, T4S, R6W.

SET BACK	LOT SIZE	ZONE	USE NO	GRP	TYPE	CK BY
F 200 S 100 R 100		M-S M-3		F-2	V/N	H.S.

BOND AMT	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7267	DRAKE		X

NAME OF CONST. LENDER	BRANCH OFFICE	NO LENDER INVOLVED
		X

ADDRESS	CITY	STATE

M H PERMIT FEE		$	
MICROFILM FEE	COPIES 11	$ 3	30
MECHANICAL FEE	DBL	$	
PLAN CHECK FEE		$ 83	25
CONSTRUCTION FEE	DBL	$ 166	50
ELECTRICAL FEE	DBL	$	
SMI FEE		$ 4	20
FEE		$	
PLUMBING FEE	DBL	$ 3	50
TOTAL FEES ➡		$ 288	75

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN ~~120~~ 180 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

CASH ☐ CHECK ☒ M.O. ☐ N.C. ☐

RECEIVED BY: Lamon — TREES REQUIRED

SEWAGE SYSTEM — T — LL — P

INFORMATION: 2

OWNER/AGENT'S SIGNATURE: Mark Johnson — CONTRACTOR

ADDRESS: 23200 Temescal Cyn Rd — ADDRESS

CITY: Corona — ZIP CODE — CITY — ZIP CODE

TEL. NO.: 735-2420 — TEL. NO. — LICENSE

FORM 284-208 (Rev. 9-73)

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	SQ.FT. @			UNITS						
2ND FL.	SQ. FT. @							BOILER B.T.U		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ.FT @		9	1 HP MOTOR	A	00		DRAINAGE PIPING		
WALL	SQ. FT. @		1	125 HP MOTOR	10	00		DRINKING FOUNTAIN		
	SQ. FT. @		1	30 HP MOTOR	5	00		URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 60000.00	1	WELDING MACH	5	00	1	WATER PIPING	1	50
NOTE: Not to be used as property tax valuation			1	SWIM POOL, PVT				FLOOR DRAIN		
				SWIM POOL, COMM				WATER SOFTENER		
				SIGN				WASHER (AUTOMATIC)		
								GARBAGE DISPOSAL		
								LAUNDRY TRAY		
				IDLE METER				KITCHEN SINK		
				TEMP USE PERM SVC				WATER CLOSET		
				POLE, TEMP/PERM				LAVATORY		
				AMPERES SERV CNT				SHOWER		
				SQ FT @ ¢				BATH TUB		
				SQ FT @ ¢				WATER HEATER		
				SQ FT RESID @ 1¢				SEWAGE DISPOSAL		
				SQ FT GARAGE @ ½¢				HOUSE SEWER		
				TEMP ELEC SVC				GAS PIPING		
MOBILE HOME PERMIT FEE	$		1	PERMIT FEE	9	00	1	PERMIT FEE	2	00

MECHANICAL FEES	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT ____ CFM	
ABSORPTION SYSTEM ____ B.T.U.	
COMPRESSOR ____ HP	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
PERMIT FEE	

REPORT NO	TOTAL FEES	MOB HM FEE	MICRO FEE	MECH FEE	DBL	PL CK FEE	CONST FEE	DBL	ELECT FEE	DBL	SMI FEE	FEE	PLUMB FEE	DBL
240238	288.75		11 x 30			83.25	166.50		28.00		4.20		3.50	

	J	F	M	A	M	J	J	A	S	O	N	D
73												
74	XX					26X						
75												

JOB ADDRESS: 23200 TEMESCAL CAN RD | SP NO | OWNER: HYDRO CONDUIT CORP

USE OF PERMIT: ADD. TO EXIST. HYD. CONDUIT CORP | V.C. OK | DATE: 1-11-74 | PERMIT NO: 240238

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP TO PERMIT	OFFICE
TEMESCAL CAN.	2			60000.00		R

LEGAL DESCRIPTION: FOR NW¼ SEC 35, PORE½ NE¼ SEC 14 T9S R6W.

SET BACK	LOT SIZE	ZONE	USE NO	GRP	TYPE	CK BY
F 200 S 100 R 100		M-S-7 M-3		F-2	IV	H.S.

BOND AMT	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7267	DRAKE	4-1-74	

NAME OF CONST. LENDER | BRANCH OFFICE | PRECENDER INVOLVED: X

ADDRESS | CITY | STATE

M.H. PERMIT FEE		$
MICROFILM FEE	COPIES 11	$ 3 30
MECHANICAL FEE	DBL	$
PLAN CHECK FEE		$ 83 25
CONSTRUCTION FEE	DBL	$ 166 50
ELECTRICAL FEE	DBL	$
SMI FEE		$ 4 20
FEE		$
PLUMBING FEE	DBL	$ 3 50
TOTAL FEES		$ 288 75

CASH ☐ CHECK ☒ M.O. ☐ N.C. ☐

RECEIVED BY: [illegible] | TREES REQUIRED

SEWAGE SYSTEM | T | LL | P

INFORMATION

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

OWNER/AGENT'S SIGNATURE	CONTRACTOR
[signature]	
ADDRESS: P.O. Box [illegible]	ADDRESS
CITY: Corona # ZIP CODE	CITY ZIP CODE
TEL. NO. 735-4136	TEL. NO. LICENSE

FORM 284-208 (Rev. 9-73) 154

NO	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back	1-22-74	Flatt
2	Ftgs & Frms	1-22-74	Flatt
2A	Slab Grade	1-22-74	Flatt
3	Steel	1-22-74	Flatt
4	Grout Blocks	2-22-74	Spurlock
5	Bond Beams	2-27-74	Spurlock
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade	7-1-74	Fenton
14	Final	7-1-74	Fenton
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	7-1-74	Fenton
28	Service Entrance		
29	Wiring	7-1-74	Fenton
29A	Grounding Wire	7-1-74	Fenton
29B	Bonding		
30	Fixtures	7-1-74	Fenton
31	Service	7-1-74	Fenton
32	Final	7-1-74	Fenton

NO	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

OPR NO	ADDITIONAL INFORMATION
	2. TO EARTH 1-21-74 Flatt
	Mark-on-Plans "Approved on all walls at 4 ft level B/Beam only" 2-27-74 Smyth
	8'X12' ck Back Wall and 2 ving walls only. 2-25-74 Public Dem

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME:

WHEN COMPLETE CALL

#240238

NOTICE: THIS IS NOT A BUILDING PERMIT

Dist. Office #2

Permit No.

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

OWNER

Owner HYDRO CONDUIT CORP | Architect | Contractor

Address 23200 TEMESCAL CYN RD | Address | Address

City CORONA, CAL | City | City

Phone 735-2220 | Phone | Phone

MARK JOHNSON

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE Dec 20, 1973 SIGNATURE OF OWNER AND/OR AGENT M J Johnson (Mark)

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

LOCATION OF JOB 23-200 TEMESCAL CYN RD

LEGAL DESCRIPTION OF PROPERTY PORT'N NE 1/4 SE 1/4 NE 1/4 SEC. 34 T 4S R 6W

COMMUNITY TEMESCAL CYN

NO. OF SUBMITTED PLANS 2

CASE NO.

USE OF STRUCTURE

SINGLE FAMILY ☐ DUPLEX ☐

APARTMENTS ☐ AGRIC. ☐

COMMERCIAL ☐ INDUSTRIAL ☒

ALTERATION ☐

TYPE OF CONSTRUCTION ADD TO EXISTING HYDRO CONDUIT CORP. SEVERAL OFFICE BUILDINGS

NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING

ZONE M-S-A M-3 SETBACKS FRONT 200 SIDE 100 + REAR 100 + 1/2/74

GRADING PERMIT REQUIRED YES ☐ NO ☒

SETBACK ORDINANCE # No OF FEET REQUIRED ON STREET

DATE 12-20-73 SIGNATURE OF LAND USE OFFICIAL

10-44

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET

CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET

THE ABOVE CONSTRUCTION? YES ☐ NO ☐

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐

HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐

DATE 12-5 SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

SWIMMING POOLS PUBLIC

SEWAGE DISPOSAL

FOOD ESTABLISHMENT

OTHER DEPARTMENTS

WATER POLLUTION *

FLOOD CONTROL ? NEED O.K. FROM

AIR POLLUTION

DIV OF HW ? OK WHITE P.C.

REMARKS

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

199, 5/16/69

WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

DST 2

CONSTRUCTION ESTIMATE		
1ST FL. 1224	SQ.FT. @ 7	8568
2ND FL.	SQ. FT. @	
POR.	SQ. FT. @	
GAR.	SQ. FT. @	
CAR P.	SQ.FT. @	
WALL	SQ. FT. @	
	SQ. FT. @	
ESTIMATED CONSTRUCTION VALUATION	$	

NOTE: Not to be used as property tax valuation

MECHANICAL FEES		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT ____ CFM		
ABSORPTION SYSTEM ____ B.T.U.		
COMPRESSOR ____ HP		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
PERMIT FEE		
MOBILE HOME PERMIT FEE	$	

NO.	ELECTRICAL FEES		
	UNITS		
	MOBILEHOME SVC		
	POWER OUTLET		
	SWIM POOL, PVT		
	SWIM POOL, COMM		
	SIGN		
	IDLE METER		
	TEMP USE PERM SVC		
	POLE, TEMP/PERM		
	AMPERES SERV ENT		
	SQ FT @ ¢		
	SQ FT @ ¢		
	SQ FT RESID @ 1¢		
	SQ FT GARAGE @ ½¢		
	TEMP ELEC SVC		
	PERMIT FEE		

NO.	PLUMBING FEES		
	BOILER ____ B.T.U.		
	BAR SINK		
	ROOF DRAINS		
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) DISHW		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NO.	TOTAL FEES	MOB HM FEE	MICRO FEE	MECH FEE	DBL	PL CK FEE	CONST FEE	DBL	ELECT FEE	DBL	SMI FEE	FEE	PLUMB FEE	DBL
253463	31 20					31 20								

	J	F	M	A	M	J	J	A	S	O	N	D
73												
74												
75												

JOB ADDRESS 23200 TEMESCAL CYN RD — OWNER HYDRO CONDUIT

USE OF PERMIT PLAN CHECK WELDING SHELTER — FC — DATE 3-11-75 — PERMIT NO. 253463

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP TO PERMIT	OFFICE
TEMESCAL CYN	2					R

LEGAL DESCRIPTION: FOR E½ NE¼ SEC 34 T4S R6W

SET BACK	LOT SIZE	ZONE	USE NO	GRP	TYPE	CK BY
F 100 S 100-48 R 100		M-R-A				H.S.

BOND AMT.	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7494			

NAME OF CONST. LENDER	BRANCH OFFICE	NO LENDER INVOLVED
ADDRESS	**CITY**	**STATE**

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

MH PERMIT FEE		$
MICROFILM FEE	COPIES	$
MECHANICAL FEE	DBL	$
PLAN CHECK FEE		$ 31 20
CONSTRUCTION FEE	DBL	$
ELECTRICAL FEE	DBL	$
SMI FEE		$
FEE		$
PLUMBING FEE	DBL	$
TOTAL FEES ➧		$ 31 20

CASH ☐ CHECK ☒ M.O. ☐ N.C. ☐

RECEIVED BY Leamon — TREES REQUIRED

SEWAGE SYSTEM — T — LL — P

INFORMATION

FORM 284-208 (Rev 9-73)

OWNER/AGENT'S SIGNATURE	CONTRACTOR
	Tilley Jay A.B.A.
ADDRESS	ADDRESS
	P.O. Box 726
CITY ZIP CODE	CITY ZIP CODE
	Riverside 92507
TEL. NO	TEL. NO LICENSE
	682-2518 283001

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD ✓

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL. 1227	SQ.FT. @	1.50		UNITS						
2ND FL.	SQ. FT. @							BOILER ____ B.T.U.		
POR.	SQ. FT. @			MOBILEHOME SVC				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ.FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION	$							WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
				SWIM POOL, COMM				WATER SOFTENER		
MECHANICAL FEES				SIGN				WASHER (AUTO) DISH		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD								GARBAGE DISPOSAL		
APPLIANCE								LAUNDRY TRAY		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED								KITCHEN SINK		
AIR HANDLING UNIT ____ CFM				IDLE METER				WATER CLOSET		
ABSORPTION SYSTEM ____ B.T.U.				TEMP USE PERM SVC				LAVATORY		
COMPRESSOR ____ HP				POLE, TEMP/PERM				SHOWER		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT				BATH TUB		
				SQ FT @ ¢				WATER HEATER		
				SQ FT @ ¢				SEWAGE DISPOSAL		
				SQ FT RESID @ 1¢				HOUSE SEWER		
				SQ FT GARAGE @ ½¢				GAS PIPING		
PERMIT FEE				TEMP ELEC SVC				PERMIT FEE		
MOBILE HOME PERMIT FEE	$			PERMIT FEE						

PERMIT NO	TOTAL FEES	MOB HM. FEE	MICRO FEE	MECH FEE	DBL	PLAN CK FEE	CONST FEE	DBL	ELECT FEE	DBL	SMI FEE	FEE	PLUMB. FEE	DBL
25363	31.20					31.20								

	J	F	M	A	M	J	J	A	S	O	N	D
73												
74												
75												

JOB ADDRESS: 22801 TEMECULA RD OWNER: FIBER CONDUIT

USE OF PERMIT: WELDING SHELTER ✓ C DATE: 3-11-75 PERMIT NO. 25363

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP. TO PERMIT	OFFICE
TEMECULA	2					R

LEGAL DESCRIPTION: PAR 1 PM 4479 SEC 24 T7S R3W

SET BACK	LOT SIZE	ZONE	USE NO.	GRP	TYPE	CK BY
F 30 S 10 R 30		M-H-W				

BOND AMT	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7714	DRAKE	3-18-75	JAMES

NAME OF CONST. LENDER	BRANCH OFFICE	NO LENDER INVOLVED
ADDRESS	**CITY**	**STATE**

MH PERMIT FEE		$
MICROFILM FEE	COPIES	¢
MECHANICAL FEE	DBL	$
PLAN CHECK FEE		$ 31.20
CONSTRUCTION FEE	DBL	$
ELECTRICAL FEE	DBL	$
SMI FEE		$
FEE		$
PLUMBING FEE	DBL	$
TOTAL FEES ➡		$ 31.20

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

OWNER/AGENT'S SIGNATURE	CONTRACTOR
	[illegible]
ADDRESS	ADDRESS
	[illegible]
CITY ZIP CODE	CITY ZIP CODE
	[illegible]
TEL. NO	TEL. NO. LICENSE
	[illegible]

CASH ☐ CHECK ☒ M.O. ☐ N.C. ☐

RECEIVED BY [illegible] TREES REQUIRED

SEWAGE SYSTEM INFORMATION: T LL P

FORM 264 (REV. 9-73)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

ADDITIONAL INFORMATION

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L. Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME: _____

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

DST 2

CONSTRUCTION ESTIMATE			
1ST FL. 1224	SQ.FT. @ 6.75	8507
2ND FL.	SQ. FT. @	
POR.	SQ. FT. @	
GAR.	SQ. FT. @	
CAR P.	SQ.FT. @	
WALL	SQ. FT. @	
	SQ. FT. @	
ESTIMATED CONSTRUCTION VALUATION		$ 8507

NOTE: Not to be used as property tax valuation

MECHANICAL FEES		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD		
APPLIANCE		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED		
AIR HANDLING UNIT ____ CFM		
ABSORPTION SYSTEM ____ B.T.U.		
COMPRESSOR ____ HP		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY		
PERMIT FEE		
MOBILE HOME PERMIT FEE	$	

NO.	ELECTRICAL FEES		
	UNITS		
	MOBILEHOME SVC		
	POWER OUTLET		
	SWIM POOL, PVT		
	SWIM POOL, COMM		
	SIGN		
	IDLE METER		
	TEMP USE PERM SVC		
	POLE, TEMP/PERM		
	AMPERES SERV ENT		
	SQ FT @ ¢		
	SQ FT @ ¢		
	SQ FT RESID @ 1¢		
	SQ FT GARAGE @ ½¢		
	TEMP ELEC SVC		
	PERMIT FEE		

NO.	PLUMBING FEES		
	BOILER ____ B.T.U.		
	BAR SINK		
	ROOF DRAINS		
	DRAINAGE PIPING		
	DRINKING FOUNTAIN		
	URINAL		
	WATER PIPING		
	FLOOR DRAIN		
	WATER SOFTENER		
	WASHER (AUTO) DISHI		
	GARBAGE DISPOSAL		
	LAUNDRY TRAY		
	KITCHEN SINK		
	WATER CLOSET		
	LAVATORY		
	SHOWER		
	BATH TUB		
	WATER HEATER		
	SEWAGE DISPOSAL		
	HOUSE SEWER		
	GAS PIPING		
	PERMIT FEE		

PERMIT NO	TOTAL FEES	MOB HM FEE	MICRO FEE	MECH FEE	DBL	PL CK FEE	CONST FEE	DBL	ELECT FEE	DBL	SMI FEE	FEE	PLUMB. FEE	DBL
253595	52 80	—	14 4 20	—		[illegible]	48 00		—		.60		—	

	J	F	M	A	M	J	J	A	S	O	N	D
73												
74												
75												

JOB ADDRESS 23200 TEMESCAL CYN RD | APP NO | OWNER HYDRO CONDUIT

USE OF PERMIT WELDING SHELTER | F C 010 | DATE 3-18-75 | PERMIT NO. 253595

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP TO PERMIT	OFFICE
TEMESCAL CANYON	2			8507		R

LEGAL DESCRIPTION: POR E½ NE¼ SEC 34 T4S R6W

SET BACK	LOT SIZE	ZONE	USE NO.	GRP	TYPE	CK BY
F 10 S 20-48 R 100		M-SR-A		F-1	IV N	HS

BOND AMT.	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7494	DRAKE		

NAME OF CONST LENDER	BRANCH OFFICE	NO LENDER INVOLVED
		X
ADDRESS	CITY	STATE

MH PERMIT FEE		$
MICROFILM FEE	COPIES 14	$ 4 20
MECHANICAL FEE	DBL	$
PLAN CHECK FEE		$
CONSTRUCTION FEE	DBL	$ 48 00
ELECTRICAL FEE	DBL	$
SMI FEE		$ .60
FEE		$
PLUMBING FEE	DBL	$
TOTAL FEES ➡		$ 52 80

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA, I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

OWNER/AGENT'S SIGNATURE	CONTRACTOR Mark Bate Sup. Mary Jay
ADDRESS	ADDRESS P.O. Box 5736 92507
CITY ZIP CODE	CITY Riverside ZIP CODE
TEL NO	TEL. NO. 682-2518 LICENSE 183001

CASH ☐ CHECK ☒ MO ☐ N.C. ☐

RECEIVED BY Leamon | TREES REQUIRED

SEWAGE SYSTEM INFORMATION | T | LL | P

FORM 284 208 (Rev 9-73) 005

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL. 1224	SQ. FT. @			UNITS 1						
2ND FL.	SQ. FT. @							BOILER ☐ B.T.U.		
POR.	SQ. FT. @			MOBILEHOME SVC				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 5207						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
				SWIM POOL, COMM				WATER SOFTENER		
MECHANICAL FEES				SIGN				WASHER (AUTO) (DISH)		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD								GARBAGE DISPOSAL		
APPLIANCE								LAUNDRY TRAY		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED								KITCHEN SINK		
AIR HANDLING UNIT ☐ CFM				IDLE METER				WATER CLOSET		
ABSORPTION SYSTEM ☐ B.T.U.				TEMP USE PERM SVC				LAVATORY		
COMPRESSOR ☐ HP				POLE, TEMP/PERM				SHOWER		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT				BATH TUB		
				SQ FT @ ¢				WATER HEATER		
				SQ FT @ ¢				SEWAGE DISPOSAL		
				SQ FT RESID @ 1¢				HOUSE SEWER		
				SQ FT GARAGE @ ½¢				GAS PIPING		
PERMIT FEE				TEMP ELEC SVC				PERMIT FEE		
MOBILE HOME PERMIT FEE	$			PERMIT FEE						

PERMIT NO.	TOTAL FEES	MOB HM FEE	MICRO FEE	MECH FEE	DBL	PL CK FEE	CONST FEE	DBL	ELECT FEE	DBL	SMI FEE	FEE	PLUMB. FEE	DBL
253595	52 50		1 10				48 00				60			

	J	F	M	A	M	J	J	A	S	O	N	D
73												
74												
75			X									

JOB ADDRESS 2300 Temescal Canyon Rd. LOT NO. OWNER Hydro Conduit

USE OF PERMIT Welding Shelter F.C. 010 DATE 3-18-75 PERMIT NO. 253595

COMMUNITY Temescal Canyon DST 2 UNITS ROOMS VALUATION 5207 SUPP. TO PERMIT OFFICE 45

LEGAL DESCRIPTION Parcel 1 M.M. Sec 34 T5S R6W

SET BACK F 5-7-75 R LOT SIZE ZONE M-H-M USE NO. GRD T-1 TYPE IV-N CK BY

BOND AMT PLAN NO 1111 PLAN CHECKER D. Mike FINAL DATE 5-12-75 INSPECTOR

NAME OF CONST. LENDER BRANCH OFFICE NO LENDER INVOLVED X

ADDRESS CITY 37B5 STATE

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

MH PERMIT FEE		$	
MICROFILM FEE	COPIES 11	$ 1	10
MECHANICAL FEE	DBL	$	
PLAN CHECK FEE		$	
CONSTRUCTION FEE	DBL	$ 48	00
ELECTRICAL FEE	DBL	$	
SMI FEE		$	60
FEE		$	
PLUMBING FEE	DBL	$	
TOTAL FEES ➡		$ 52	50

OWNER/AGENT'S SIGNATURE — CONTRACTOR

ADDRESS — ADDRESS

CITY ZIP CODE — CITY ZIP CODE

TEL NO — TEL NO LICENSE

CASH ☐ CHECK ☒ MO ☐ NC ☐

RECEIVED BY [illegible] TREES REQUIRED

SEWAGE SYSTEM INFORMATION T LL P

FORM 284-208 (Rev. 9-73)

NO	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back	3/24/75	Wann
2	Ftgs & Frms	3/24/75	Wann
2A	Slab Grade	3/24/75	Wann
3	Steel	3/24/75	Wann
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck	5-12-75	Wann
7	Framing	5-12-75	Wann
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
14	Final	5-12-75	Wann
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

ADDITIONAL INFORMATION

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L. Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME: _____

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

DISTRICT #2
Permit No 253595
Call

OWNER

Owner Hydro Conduit | Architect | Contractor Shook Bldg. Sys
Address 2320 Cotemesgua | Address | Address P.O. Box 5726
City Corona | City | City Riverside
Phone 735-2420 | Phone | Phone 682-2515

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 3-11-75 SIGNATURE OF OWNER AND/OR AGENT [signature]

Approval by Signature from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

JOB ADDRESS 23-200 TEMESCAL CYN RD | SPACE NO.
LEGAL DESCRIPTION OF PROPERTY POR E½ NE¼ Sec. 34 T 4S R 6W
COMMUNITY TEMESCAL CYN

USE OF STRUCTURE
SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☒
ALTERATIONS ☐

NO. OF SUBMITTED PLANS 2 | USE OF PERMIT WELDING SHELTER
CASE NO. —

NO. OF PARKING SPACES REQUIRED — NO. OF BUILDINGS NOW EXISTING SEVERAL
ZONE M-R-A SETBACKS: FRONT 100 SIDE 100 + 48 REAR 100 +
GRADING PERMIT REQUIRED? YES ☐ NO ☑ LOT SIZE 20 Ac.
SETBACK ORDINANCE # A(2) OF — FEET REQUIRED ON — STREET
DATE 3-11-75 SIGNATURE OF LAND USE OFFICIAL [signature]

283 180-006

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET —
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ — STREET

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE — SIGNATURE OF ROAD DEPT. OFFICIAL —

HEALTH DEPT.

SWIMMING POOLS PUBLIC —
SEWAGE DISPOSAL —
FOOD ESTABLISHMENT —

OTHER DEPARTMENTS

WATER POLLUTION — REMARKS —
FLOOD CONTROL —
AIR POLLUTION —
DIV OF HWY —

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

284 199A 9/74

CANARY — FILE, PINK — APPLICANT

BUILDING PERMIT

HEADQUARTERS

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES		NO.	PLUMBING FEES	
1ST FL	SQ. FT. @			UNITS				
2ND FL	SQ. FT. @						YARD SPKLR SYSTEM	
POR.	SQ. FT. @			MOBILEHOME SVC.			BAR SINK	
GAR.	SQ. FT. @			POWER OUTLET			ROOF DRAINS	
CAR P.	SQ. FT. @						DRAINAGE PIPING	
WALL	SQ. FT. @	9.45	1496				DRINKING FOUNTAIN	
160	SQ. FT. @						URINAL	
ESTIMATED CONSTRUCTION VALUATION	$						WATER PIPING	
NOTE: Not to be used as property tax valuation				SWIM POOL PVT			FLOOR DRAIN	
MECHANICAL FEES				SWIM POOL COMM			WATER SOFTENER	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD				SIGN			WASH UP (AUTO) DISH	
APPLIANCE							GARBAGE DISPOSAL	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED							LAUNDRY TRAY	
AIR HANDLING UNIT	CFM			IDLE METER			KITCHEN SINK	
ABSORPTION SYSTEM	B.T.U.			TEMP USE PERM SVC			WATER CLOSET	
COMPRESSOR	HP			POLE TEMP/PERM			LAVATORY	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT			SHOWER	
BOILER	SYS.			SQ FT @ ¢			BATH TUB	
				SQ FT @ ¢			WATER HEATER	
				SQ FT RESID @ 1¢			SEWAGE DISPOSAL	
				SQ FT GARAGE @ ½¢			HOUSE SEWER	
PERMIT FEE							GAS PIPING	
MOBILE HOME PERMIT FEE	$			PERMIT FEE			PERMIT FEE	

PERMIT NO.	TOTAL FEES	MOB HM FEE	MICRO FEE	MECH FEE	DBL	PL CK FEE	CONST FEE	DBL	ELEC FEE	DBL	PLMBG FEE	FEE	PLUMB FEE	DBL
269892	5.00					5.00								

	J	F	M	A	M	J	J	A	S	O	N	D
74												
75												
76												

JOB ADDRESS: 23200 Temescal Cyn — SP NO — OWNER: Hydro Conduit Corp.

USE OF PERMIT: PLAN CHECK Rest Rooms — F C — DATE: 12-31-75 — PERMIT NO: 269892

COMMUNITY: El Cerrito	DST: 2	UNITS	ROOMS	VALUATION	SUPP TO PERMIT	OFFICE: R		

LEGAL DESCRIPTION: 283-160-006 Por E½ NE¼ Sec 34 T4SR6W

SET BACK			LOT SIZE	ZONE	USE NO	GRP	TYPE	CK BY
F 100	S 100	R 160		M-R-A				EG

BOND AMT	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7612			

NAME OF CONST LENDER	BRANCH OFFICE	NO LENDER INVOLVED
ADDRESS	CITY	STATE

M.H. PERMIT FEE		$	
MICROFILM FEE	COPIES	$	
MECHANICAL FEE	DBL	$	
PLAN CHECK FEE		$	5.00
CONSTRUCTION FEE	DBL	$	
ELECTRICAL FEE	DBL	$	
STRONG MOTION INSTRUMENTATION FEE		$	
FEE		$	
PLUMBING FEE	DBL	$	
TOTAL FEES		$	5.00

OWNER/AGENT'S SIGNATURE: T Mark Johnson — CONTRACTOR

ADDRESS: 22894 Brentwood St — ADDRESS

CITY: Colton — ZIP CODE: 92324 — CITY — ZIP CODE

TEL NO: 783-2555 — TEL NO — LICENSE

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY

TREES REQUIRED

SEWAGE SYSTEM 1/200 LL 350 ft P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5537 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

FORM 284-208 (Rev 10-74) ®L

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES		NO.	PLUMBING	
1ST FL	SQ. FT. @			UNITS				
2ND FL	SQ. FT. @						YARD SPKLR SYSTEM	
PCH	SQ. FT. @			MOBILEHOME SVC.			BAR SINK	
GAR	SQ. FT. @			POWER OUTLET			ROOF DRAINS	
CARPT	SQ. FT. @						DRAINAGE PIPING	
WALL	SQ. FT. @ 2						DRINKING FOUNTAIN	
	LIN. FT. @ 11.35	1476					URINAL	
ESTIMATED CONSTRUCTION VALUATION	$						WATER PIPING	
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT			FLOOR DRAIN	
MECHANICAL FEES				SWIM POOL, COMM			WATER SOFTENER	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD				SIGN			WASHER (AUTO) DISH	
APPLIANCE							GARBAGE DISPOSAL	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED							LAUNDRY TRAY	
AIR HANDLING UNIT CFM				IDLE METER			KITCHEN SINK	
ABSORPTION SYSTEM B.T.U				TEMP USE PERM SVC			WATER CLOSET	
COMPRESSOR HP				HOLE, TEMP/PERM			LAVATORY	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT			SHOWER	
BOILER B.T.U				SQ FT @ ¢			BATH TUB	
				SQ FT @ ¢			WATER HEATER	
				SQ FT RESID @ 1¢			SEWAGE DISPOSAL	
				SQ FT GARAGE @ ½¢			HOUSE SEWER	
PERMIT FEE							GAS PIPING	
MOBILE HOME PERMIT FEE	$			PERMIT FEE			PERMIT FEE	

PERMIT NO.	TOTAL FEES	MOB. HM SEE	MICRO FEE	MECH. FEE	DBL	PL. CK. FEE	CONST. FEE	DBL	ELECT. FEE	DBL	SMI FEE	FEE	PLUMB. FEE	DBL
269892	5.00					2.50								

	J	F	M	A	M	J	J	A	S	O	N	D
74												
75												
76												

M H PERMIT FEE		$	
MICROFILM FEE	COPIES	$	
MECHANICAL FEE	DBL	$	
PLAN CHECK FEE		$	2.50
CONSTRUCTION FEE	DBL	$	
ELECTRICAL FEE	DBL	$	
STRONG MOTION INSTRUMENTATION FEE		$	
FEE		$	
PLUMBING FEE	DBL	$	
TOTAL FEES		$	5.00

JOB ADDRESS: [illegible] SP NO: | OWNER: Hydro Conduit Corp

USE OF PERMIT: [illegible] | FC: ✓ | DATE: 12 3 75 | PERMIT NO.: 269892

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP. TO PERMIT	OFFICE
[illegible]						R

LEGAL DESCRIPTION: [illegible]

SET BACK F	G	I	R	LOT SIZE	ZONE	USE NO	GRT	TYPE	CK BY
					M-2-14				EC

BOND AMT	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
		H.C. OLSEN	4-20-76	Seaman

NAME OF CONST. LENDER: | BRANCH OFFICE: | NO LENDER INVOLVED

ADDRESS: | CITY: | STATE:

OWNER/AGENT'S SIGNATURE: | CONTRACTOR:

ADDRESS: [illegible] | ADDRESS:

CITY: [illegible] ZIP CODE: 4 | CITY: ZIP CODE:

TEL NO: [illegible] | TEL NO: LICENSE:

CASH ☐ CHECK ☐ M.O. ☐ N/C ☐

RECEIVED BY: [illegible] | TREES REQUIRED

SEWAGE SYSTEM | T-12.5 | U 200 | P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5537 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

FORM 284-208 (Rev. 10-74) ®L

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Footing		
2	Fire Stops		
2A	Slab Floor		
3	Sills		
4	Floor Blocks		
5	Girder Beams		
6	Roof Deck		
7	Framing		
8	Piers		
9	Garage Fire Wall		
10	Fireplace P.I. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Interior Lath		
12A	Drywall		
13	Finish Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Drains		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE
	MECHANICAL APPROVALS	
33	Ventilation System	
34	Plenums & Ducts	
35	Furnace Complete	
36	Inlets & Outlets	
37	Combustion Air	
38	Compressor	
39	Appl. Electrical	
40	Fire Damper	
41	Smoke Detection Device	
42	Commercial Hood	
43	Final	

ADDITIONAL INFORMATION

SEWAGE SYSTEM SIZE & LOCATION

Tank P.I. I. Line

REAR OF PROPERTY LINE

P.I. P.I.

STREET NAME

BUILDING PERMIT

HEADQUARTERS

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

CONSTRUCTION ESTIMATE			
1ST FL.	160	SQ. FT. @ 935	1496
2ND FL.		SQ. FT. @	
POR.		SQ. FT. @	
GAR.		SQ. FT. @	
CARP.		SQ. FT. @	
WALL		SQ. FT. @	
		SQ. FT. @	
ESTIMATED CONSTRUCTION VALUATION		$	1496

NOTE: Not to be used as property tax valuation

MECHANICAL FEES			
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD			
APPLIANCE			
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED			
AIR HANDLING UNIT		CFM	
ABSORPTION SYSTEM		B.T.U.	
COMPRESSOR		HP	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY			
BOILER		B.T.U.	
PERMIT FEE			
MOBILE HOME PERMIT FEE	$		

NO.	ELECTRICAL FEES		
	UNITS		
	MOBILEHOME SVC.		
	POWER OUTLET		
	SWIM POOL, PVT		
	SWIM POOL, COMM		
	SIGN		
	HOLE METER		
	TEMP USE PERM SVC		
	POLE TEMP/PERM		
	AMPERES SERV ENT		
	SQ FT @	¢	
	SQ FT @	¢	
	SQ FT RESID @	1¢	
	SQ FT GARAGE @	¢	
	PERMIT FEE		

NO.	PLUMBING FEES	
	YARD SPKLR SYSTEM	
	BAR SINK	
	ROOF DRAINS	
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
1	URINAL	2 —
1	WATER PIPING	2 50
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
2	WATER CLOSET	4 —
1	LAVATORY	2
	SHOWER	
	BATH TUB	
	WATER HEATER	
1	SEWAGE DISPOSAL	10 —
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	3 —

PERMIT NO.	TOTAL FEES	MOD. HMS FEE	MICRO FEE	MECH FEE	DBL	PL CK FEE	CONST FEE	DBL	ELECT FEE	DBL	SMI FEE	FEE	PLUMBING FEE	DBL
271840	44 55		4 20			4 75	15 00				10		23 50	

	J	F	M	A	M	J	J	A	S	O	N	D
76												
76												
76												

JOB ADDRESS: 23200 TEMESCAL CYN — SP NO — OWNER: HYDRO CONDUIT CORP.

USE OF PERMIT: REST ROOMS — F C — DATE: 2-20-76 — PERMIT NO.: 271840

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP. TO PERMIT	OFFICE
EL CERRITO	2			1496	269892	R

LEGAL DESCRIPTION: 283-160-006 POR E½ NE¼ SEC 34 T4S R6W

SET BACK			LOT SIZE	ZONE	USE NO	GRP	TYPE	CK BY
F 100	S 100	R 100		M-R-A				EC

BOND AMT	PLAN NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	7612	OLSEN		

NAME OF CONST. LENDER	BRANCH OFFICE	NO LENDER INVOLVED

ADDRESS	CITY	STATE

M H PERMIT FEE		$	
MICROFILM FEE	COPIES 4	$ 1	20
MECHANICAL FEE	DBL	$	
PLAN CHECK FEE		$ 4	75
CONSTRUCTION FEE	DBL	$ 15	00
ELECTRICAL FEE	DBL	$	
STRONG MOTION INSTRUMENTATION FEE		$	10
FEE		$	
PLUMBING FEE	DBL	$ 23	50
TOTAL FEES ➡		$ 44	55

OWNER/AGENT'S SIGNATURE: Mark Johnson

ADDRESS: P O Box 939

CITY: Corona — ZIP CODE: 91720

TEL NO: 735-2420

CONTRACTOR

ADDRESS

CITY — ZIP CODE

TEL NO. — LICENSE

CASH ☐ CHECK ☒ M.O. ☐ NC ☐

RECEIVED BY: Leamon — TREES REQUIRED

SEWAGE SYSTEM — T — LL — P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5537 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

FORM 284-209 (Rev. 10-74) ⓒL

BUILDING PERMIT

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES		NO.	PLUMBING FEES	
1ST FL.	SQ. FT. @			UNITS				
2ND FL.	SQ. FT. @						YARD SEWER SYSTEM	
POR.	SQ. FT. @			MOBILEHOME SVC			BAR SINK	
GAR.	SQ. FT. @			POWER OUTLET			ROOF DRAINS	
CARP.	SQ. FT. @						DRAINAGE PIPING	
WALL	SQ. FT. @						DRINKING FOUNTAIN	
	SQ. FT. @					1	URINAL	2
ESTIMATED CONSTRUCTION VALUATION		$				1	WATER PIPING	2
NOTE: Not to be used as property tax valuation				SWIM POOL PVT			FLOOR DRAIN	
				SWIM POOL COMM			WATER SOFTENER	
MECHANICAL FEES				SIGN			WASHER (AUTO) DISH	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD							GARBAGE DISPOSAL	
APPLIANCE							LAUNDRY TRAY	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED							KITCHEN SINK	
AIR HANDLING UNIT ____ CFM				IDLE METER			KITCHEN SINK	
ABSORPTION SYSTEM ____ B.T.U.				TEMP USE PERM SVC		2	WATER CLOSET	4
COMPRESSOR ____ HP				POLE, TEMP/PERM		2	LAVATORY	4
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT			SHOWER	
BOILER ____ B.T.U.				SQ FT @ ¢			BATH TUB	
				SQ FT @ ¢			WATER HEATER	
				SQ FT RESID @ 1¢		1	SEWAGE DISPOSAL	10
				SQ FT GARAGE @ ½¢			HOUSE SEWER	
PERMIT FEE							GAS PIPING	
MOBILE HOME PERMIT FEE	$			PERMIT FEE		1	PERMIT FEE	2

PERMIT NO.	TOTAL FEES	MOB. HM FEE	MICRO FEE	MECH FEE	DBL	PL CK FEE	CONST. FEE	DBL	ELECT FEE	DBL	SMI FEE	SCE	PLUMB. FEE	DBL
271840	44 22		1 12			11 00	1 -				10		2 3 00	

	J	F	M	A	M	J	J	A	S	O	N	D
74												
75												
76							X					

M H PERMIT FEE		$	
MICROFILM FEE	COPIES 4	$	1 20
MECHANICAL FEE	DBL	$	
PLAN CHECK FEE		$	4 11
CONSTRUCTION FEE	DBL	$	1 -
ELECTRICAL FEE	DBL	$	
STRONG MOTION INSTRUMENTATION FEE		$	1 -
FEE		$	
PLUMBING FEE	DBL	$	23 00
TOTAL FEES		$	44 55

JOB ADDRESS: 23100 TEMESCAL CAN | SP NO | OWNER: HYDRO CONDUIT CORP.

USE OF PERMIT: REST ROOMS | F C | DATE: 1-20-76 | PERMIT NO. 271840

COMMUNITY	DST	UNITS	ROOMS	VALUATION	SUPP TO PERMIT	OFFICE
ELSINORE	4			11 00	2 76 72	K

LEGAL DESCRIPTION: [illegible]

SET BACK F	S	R	LOT SIZE	ZONE	USE NO	GRP	TYPE	CK BY
				M-M	—			EA

BOND AMT	P AMT NO	PLAN CHECKER	FINAL DATE	INSPECTOR
	11	[illegible]	4-8-10-76	[illegible]

NAME OF CONST LENDER | BRANCH OFFICE SEE INSIDE | NO LENDER INVOLVED

ADDRESS | CITY 21A6 | STATE

OWNER/AGENT'S SIGNATURE | CONTRACTOR

ADDRESS | ADDRESS

CITY | ZIP CODE | CITY | ZIP CODE

TEL NO | TEL NO | LICENSE

CASH ☐ CHECK ☒ M.O. ☐ N C ☐

RECEIVED BY [illegible] | TREES REQUIRED

SEWAGE SYSTEM #200 | LL 300 | P

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA; I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH THE LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

FORM 284-208 (Rev 10 74) ®L

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Pigs & Fins		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P L ☐		
10A	Fireplace T O ☐		
11	Exterior Lath		
12	Interior Lath		
12A	Drywall		
13	Finish Grade		
14	Final METAL FIREPLACE	5-10-76	Wm
	PLUMBING APPROVALS		
15	Ground Plumb	5-1-76	Wm
16	Water Piping	--	
17	Rough Plumb		
18	Vents		
19	Sewage Disposal	5-1-76	Wm
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service	5-10-76	Wm
24	Gas Test		
25	Final	5-10-76	Wm
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

OPT. NO.	ADDITIONAL INFORMATION
	* FINALED IN ERROR Wm 5/28/76 CORRECTIONS NOT COMPLETED 7/24/76 Wm

SEWAGE SYSTEM SIZE & LOCATION

1200 GALLON Line 300

REAR OF PROPERTY LINE



STREET LINE

SEWAGE SYSTEM SIZE & LOCATION

AREA 1200 SQUARE FEET LINES 300

REAR OF PROPERTY LINE



SCALE 1 INCH

RIVERSIDE COUNTY DEPARTMENT OF BUILDING AND SAFETY

CORRECTION NOTICE

To: _____ Permit No. 271840

Address: 23200 TEMESCAL Date: 7-27-76

FINAL STRUCTURAL INSPECTION – U.B.C., 1973 EDITION

1. Slope finish grade away from building ½" per foot for 3' from building [Ord. 457].
2. Finish grade to be 6 inches below wood [2907(e)].
3. Counterflash chimney. [3208].
4. Firewall: door to be solid core 1 3/8" and self-closing. [503].
5. Back wall on planter shall be 6" above outside wall of planter. [Sec. 2517 Ord. 457].
6. Glass not fixed. Door not self-closing. [Sec. 1412].
7. Hand rail or guard rail. Intermediate rails 9" Max apart. [1716].

FINAL ELECTRICAL INSPECTION

1. Install missing blanks in main service or subpanel dead fronts [230-62].
2. Place circuit identification on panel board [110-22].
3. Fixtures or plates shall be installed in _____ room. [410-12].
4. Provide disconnect for AC and/or airhandlers. [430-102]
5. Install correct wire size for appliances. [Article 310, 430].

FINAL PLUMBING INSPECTION -- U.P.C., 1973 EDITION

1. Permanent water supply to be connected to building before final. [1001].
2. Hot and cold water supplies are crossed. [321]
3. Trap leaks. _____ [318].
4. No more than one approved slip joint on outlet side of trap. [703].
5. Clean breather holds on vent buckets. [1315]
6. Shower enclosure not watertight at walls. [909].
7. Water heater burners or heating elements shall be 18" from floor. [1310].
8. Water heater shall have protective barrier in front. [1310].
9. Separate combustion air and return air intakes by 10' Min. [706 Vol. II U.B.C.]
10. Gas gauge down; must hold 10 Lb. pressure for 15 Min. [1206].
11. Gas gauge defective; replace. [1206].
12. Seal floor and door of furnace room. [706 Vol. II U.B.C.].
13. Full way gate valve to be readily accessible on service line and at water heater. [1005].
14. Support conductor vent pipe on water heater _____ furnace _____. [1315].
15. Toilets to be sealed water tight at floors. [907]
16. Anti-syphon Ball cock required on toilet. [1003].
17. No appliance or equipment permitted in lot setback. [Ord 349].
18. More combustion air required for water heater ( ), Furnace ( ) top ( ), bottom ( ). [1307].
19. Furnace compartment too small. [704 Vol. II U.B.C.].

(1) WATER LINE TO CONSIST OF GALVANIZED FITTINGS & PIPE NO BLACK PIPE.

_____ Inspector _____

CORRECT THE ABOVE CIRCLED ITEMS AND CALL FOR RE-INSPECTION

(2) SUPPORT VENT CROSS-OVER MID-WAY

RIVERSIDE COUNTY DEPARTMENT OF BUILDING AND SAFETY

CORRECTION NOTICE

To: _____ Permit No. 221840

Address: 23200 HWY 71 Date: 6-1-76

GROUND PLUMBING – U.P.C., 1973 EDITION

1. Approved plans shall be on job for inspection. [U.B.C. 302].
2. Toilet facilities shall be on job site. (Calif. Health & Safety Code).
3. Post job card. [U.B.C. 304].
4. Replace defective fitting at _____ [309].
5. Support soil pipe each joint ( ), continuous ( ) [316].
6. Closet bend to extend minimum floor level [805].
7. Off set plumbing out of bearing footing. [315].
8. Fill soil pipe with water for testing. [318].
9. Stop leaks on _____ line. [318].
10. Unapproved fittings on _____ line. [405 and 310].
11. Minimum ¼" per foot grade required on _____ line [407].
12. Gas line not permitted under slab. [1213-b].
13. Pipe shall not be installed in a strained position. [503] [1205].
14. All horizontal vents required to drain to fixture it serves. [505].
15. Total vent area to be equal to largest required building sewer [504].
16. Cleanouts to grade. [406].

FOOTING AND FORM INSPECTION – U.B.C., 1973 EDITION

1. Approved plans shall be on job for inspection. [302].
2. Provide legal lot stakes. [301 and 304].
3. Foundation footing to be 12 inches – 18 inches into undisturbed soil and 12 inches – 15 inches wide. [Table 29-A].
4. Regrade and compact fill, minimum thickness of concrete floor, 3½ inches. [2623].
5. Fireplace footing to be 12 inches larger each dimension than fireplace. [3707(b)].
6. Interior bearing footings to be 12 inches into undisturbed soil; width, minimum 12 inches. [2907 (b)].
7. Pier footings minimum 16 inches square. [Chapt. 29].
8. Forms shall conform to plan; tied and braced. [2606(a)].
9. Minimum foundation height 6 inches above finish grade. [2907(a)]
10. Re-bar shall be tied in place. [2607(d)].
11. Provide footing for veneer. Brick ( ), Rock ( ) [2006(b)]
12. Water piping on branch to _____ too small. [1009 U.P.C.].
13. Gas piping not permitted under slab. [1213-b U.P.C.].
14. Mastic required on all metallic pipes where they come through slab or footings. [316 U.P.C.].
15. Form shall be in place for tub trap recess. It shall be poured monolithic. [803 U.P.C.].
16. Post job card [U.B.C. 304(b)].
17. Job not ready for inspection.

LEAK IN ELBOW ON VENT

REPLACE

Inspector Warren

CORRECT THE ABOVE CIRCLED ITEMS AND CALL FOR RE-INSPECTION

284-233 REV 4/74

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

DISTRICT #2
Permit No. 271840

OWNER

Owner: HYDRO CONDUIT CORP
Address: 23200 TEMESCAL CANYON RD
City: CORONA
Phone: 735-2420

Architect
Address
City
Phone

Contractor: HYDRO CONDUIT CORP
Address: 23200 TEMESCAL CANYON RD
City: CORONA
Phone: 735-2420

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property, and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE Oct 31, 1975 SIGNATURE OF OWNER AND/OR AGENT T M Johnson

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

JOB ADDRESS 23200 Temescal Canyon Rd SPACE NO.
LEGAL DESCRIPTION OF PROPERTY APN# 283-160-006
POR E½, NE¼ SEC 34 T4S R6W
COMMUNITY El Cerrito
NO. OF SUBMITTED PLANS
CASE NO.
USE OF PERMIT Relocation for Corona Conduit Plant & Main Office
NO. OF PARKING SPACES REQUIRED 4 NO. OF BUILDINGS NOW EXISTING
ZONE M-R-A SETBACKS: FRONT 100' SIDE 100' REAR 100'
GRADING PERMIT REQUIRED? YES ☐ NO ☐ LOT SIZE
SETBACK ORDINANCE # None OF FEET REQUIRED ON STREET
DATE 10/31/75 SIGNATURE OF LAND USE OFFICIAL

USE OF STRUCTURE
SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☒
ALTERATIONS ☒

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

SWIMMING POOLS PUBLIC
SEWAGE DISPOSAL 1200 GAL SEPTIC TANK 30' LEACH LINE
FOOD ESTABLISHMENT 12-3-75

OTHER DEPARTMENTS

WATER POLLUTION 11/13/75
FLOOD CONTROL
AIR POLLUTION
DIV OF HWY

REMARKS

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

284 199A 9/74

CANARY — FILE, PINK — APPLICANT

HEADQUARTERS

BUILDING PERMIT

PERMIT NO 319128

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

DIST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	SQ. FT. @	$		UNITS						
2ND FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$30000						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD				SIGN				WASHER (AUTO) (DISH)		
APPLIANCE ☐ DRYER								GARBAGE DISPOSAL		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED								LAUNDRY TRAY		
AIR HANDLING UNIT ____ CFM				IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM ____ B.T.U.				TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR ____ HP				POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT				SHOWER		
BOILER ____ B.T.U				SQ. FT. @ ¢				BATH TUB		
				SQ. FT. @ ¢				WATER HEATER		
				SQ. FT. RESID @ 1¼¢				SEWAGE DISPOSAL		
				SQ. FT. GAR @ ¾¢				HOUSE SEWER		
								GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL	TOTAL FEES	MOB HM FEE	MICRO FEE	MECH FEE	PL CK FEE	CONST FEE	ELECT FEE	SMI FEE	FEE	PLUMB FEE
	84.50				84.50					

PERMIT NO. 319128 Supp. Permit ____

MH Permit Fee		$
Micro Film Fee	Cop	$
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 84 50
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 84 50

M.O ☐ N.C ☐ Cash ☒ Check ☐

Received by BENOIT

Trees required

Sewage System

1 LL P

Sewer District

Job Address: 23200 TEMESCAL CYN RD — Space — Zip — Owner: HYDRO CONDUIT CORP

Community: TEMESCAL CYN — Valuation: $ 30000 — Date: 12-15-77 — Dist: 2 — Occ: R — F.C.

Use of Permit: LOWER EXISTING STRUCTURAL FRAME (BATCH PLANT)

Parcel No: 283-160-006 — Use No — Qty: HS

Set Backs: F N/C S S R — Lot Size

Legal Description: POR NE 1/4 SEC. 34, T4S, R6W

Zone: M-R-A — Grp — Type — Unit

Bond Amt $ — Plan No: 1244 — Plan Checker — Final Date — Inspector

Const. Lender — Branch

Address — City — Zip

Owner/Agent: HYDRO CONDUIT CORP — Tel: (714) 735-2420

Address: P.O. Box 939 — City: Corona — Zip: 91720

Contractor — Tel — License #

Address — City — Zip — Workers' Comp. yes ☐ no ☐

I HEREBY AGREE THAT ALL WORK ... SHALL BE COMMENCED WITHIN ... DAYS CESSATION OF ... SHALL BE ... DAYS. ALL ALSO CAN ... BELOW ... OD

... AGREE THAT ALL WORK ... THIS PERMIT ... DONE IN ACCORDANCE ... ORDINANCES OF COUNTY AND STATE OF CALIFORNIA

... CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE ... IN ACCORDANCE WITH THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

Form 284-208 (Rev 4-77)

BUILDING PERMIT

PERMIT NO. 319128

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD OFFICE

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	SQ. FT. @	$		UNITS						
2ND FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 30000-						WATER PIPING		
NOTE. Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
				SWIM POOL, COMM				WATER SOFTENER		
MECHANICAL FEES				SIGN				WASHER (AUTO) DISHI		
VENT SYSTEM ☐ FAN ☐ EVAP COOL ☐ HOOD								GARBAGE DISPOSAL		
APPLIANCE ☐ DRYER								LAUNDRY TRAY		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED								KITCHEN SINK		
AIR HANDLING UNIT CFM				IDLE METER				WATER CLOSET		
ABSORPTION SYSTEM BTU				TEMP USE PERMIT SVC				LAVATORY		
COMPRESSOR HP				POLE, TEMP/PERM				SHOWER		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT				BATH TUB		
BOILER BTU				SQ FT @ ¢				WATER HEATER		
				SQ FT @ ¢				SEWAGE DISPOSAL		
				SQ FT RESID @ ¢				HOUSE SEWER		
				SQ FT GAR @ ¢				GAS PIPING		
								PERMIT FEE		
PERMIT FEE				PERMIT FEE						
DBL.	TOTAL FEES 84.50	MOB HM FEE	MICRO FEE	MECH FEE	PL CK FEE 84.50	CONST FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE

PERMIT NO 319128 — Supp. Permit —

Job Address: 23200 TEMESCAL CYN RD — Space — Zip — Owner: HYDRO CONDUIT CORP

Temporary: TEMESCAL CYN — Valuation: $ 30000.- — Date: 12-15-77 — Dist. 2 — Occ. R — T.C.

Use of Permit: LOWER EXISTING STRUCTURAL FRAME (BATCH PLANT) — Parcel No. 283-160-006 — Use No. — Occ. H5

Set Backs: F N/C S S R — Lot Size

Legal Description: POR NE 1/4 SEC. 34. T4S, R6W — Zone M-R-A — Grp — Type — Unit

Bond Amt $ — Plan No 1244 — Plan Checker — Final Date 12-28-77 — Inspector

Const. Lender — Branch

Applicant — City — Zip — Owner Signature

Owner/Agent: KILMORE CONDUIT CORP — Tel (714) 525-2420 — Zip

Address: P.O. BOX 757 — City CORONA — Zip 91720

Contractor — Tel — License #

Address — City — Zip — Workers' Comp. yes ☐ no ☐

MH Permit Fee		$
Micro Film Fee	Cop	$
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 84 50
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Regist. Fee		$
Mileage Fee		$
Witness Fee		$
Recap. Fee		$
Total Fees		$ 84 50

MO ☐ NC ☐ Cash ☒ Check ☐

Received by: BENOIT

Trees required

Sewage System

T — LL — P

Sewer District

Verified by:

Form 284-208 (Rev. 4-77) PS

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace F.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		

	INSULATION	Thick	"R" Value		
7A	Walls (Batts)				
12B	Ceiling (Batts)				
12C	Ceiling (Blown)				
14	Final				

	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		

	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

OP N NO.	ADDITIONAL INFORMATION

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L. Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME _____

HEADQUARTERS

BUILDING PERMIT

PERMIT NO. 319500

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

DIST 02

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	SQ. FT. @	$		UNITS						
2ND FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
Remodel Batch Plant	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 30000.						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD				SIGN				WASHER (AUTO) (DISH)		
APPLIANCE ☐ DRYER								GARBAGE DISPOSAL		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED								LAUNDRY TRAY		
AIR HANDLING UNIT CFM				IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM B.T.U				TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR HP				POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT				SHOWER		
BOILER B.T.U.				SQ. FT @ ¢				BATH TUB		
				SQ. FT. @ ¢				WATER HEATER		
				SQ FT RESID @ 1¼¢				SEWAGE DISPOSAL		
				SQ FT GAR @ ¼¢				HOUSE SEWER		
								GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL	TOTAL FEES	MOB HM FEE	MICRO FEE	MECH FEE	PL. CK FEE	CONST FEE	ELECT FEE	SMI FEE	FEE	PLUMB. FEE
	132.10		10/3.00					2.10	0.00	

0319500

PERMIT NO. 319500 BO 19500 Supp. Permit

Job Address: 23200 TEMESCAL CANYON RD Space: Zip: 91720 Owner: HYDRO CONDUIT CORP

Community: TEMESCAL Valuation: $ 30000.00 Date: 12-30-77 Dist.: 02 Off.: R F.C: 022

Legal Description: REMODEL BATCH PLANT POR NE 1/4 SEC 34 T4S R6W

Parcel No: 283-160-006-8 Use No: Ck.by: HS

Set Backs: F S S R Lot Size

Zone: MRA Grp: B 2 Type: 11 N Unit: 00

Bond Amt: $ Plan No: R 1244 Plan Checker: OLSEN Final Date: Inspector:

Constr Lender: Branch:

Address: City: Zip:

Owner/Agent: HYDRO CONDUIT CORP Tel: 735-2420 Zip:

Address: P.O. BOX 939 City: CORONA 91720 Zip:

Contractor: Tel: License #:

Address: City: Zip: Workers' Comp. yes ☒ no ☐

MH Permit Fee		$
Micro Film Fee	10 Cap	$ 3.00
Mech. Fee	Dbl	$
Pl. Ck. Fee		$
Construction Fee	Dbl	$ 127.00
Electrical Fee	Dbl	$
SMI Fee		$ 2.10
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 132.10

M.O. ☐ N.C. ☐ Cash ☐ Check ☒

Received by: BENOIT

Trees required:

Sewage System:

T LL P

Sewer District:

Form 284-208 (Rev. 4-77)

I HEREBY AGREE THAT ALL WORK PERFORMED WITH THIS PERMIT SHALL BE DONE IN ACCORDANCE WITH ORDINANCES OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION [illegible] OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

BUILDING PERMIT

PERMIT NO 319500

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FILED

DST 02

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	SQ. FT @	$		UNITS						
2ND FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ FT @			MOBILEHOME SVC				BAR SINK		
GAR	SQ FT @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ FT @							DRAINAGE PIPING		
WALL	SQ FT @							DRINKING FOUNTAIN		
Remove Batch Plant	SQ FT @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 30000.						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL PVT				FLOOR DRAIN		
				SWIM POOL COMM				WATER SOFTENER		
MECHANICAL FEES				SIGN				WASHER (AUTO) DISH)		
VENT SYSTEM ☐ FAN ☐ EVAP COOL ☐ HOOD								GARBAGE DISPOSAL		
APPLIANCE ☐ DRYER								LAUNDRY TRAY		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED								KITCHEN SINK		
AIR HANDLING UNIT CFM				IDLE METER				WATER CLOSET		
ABSORPTION SYSTEM BTU				TEMP USE PERMIT SVC				LAVATORY		
COMPRESSOR HP				POLE TEMP PERM				SHOWER		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT				BATH TUB		
BOILER BTU				SQ FT @ ¢				WATER HEATER		
				SQ FT @ ¢				SEWAGE DISPOSAL		
				SQ FT RESID @ 1½¢				HOUSE SEWER		
				SQ FT GAR @ ¾¢				GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL.	TOTAL FEES	MOB HM FEE	MICRO FEE	MECH FEE	PL CK FEE	CONST FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	132.10		5.00			127.00		2.10	0.00	

B 0319500

PERMIT NO. 319500 Supp Permit 319500

MH Permit Fee		$
Micro Film Fee	Cop	$ 5.00
Mech Fee	Dbl	$
Pl Ck Fee		$
Construction Fee	Dbl	$ 127.00
Electrical Fee	Dbl	$
SMI Fee		$ 2.10
Plumbing Fee	Dbl	$
Sp Insp Fee		$
Demol Fee		$
Registr Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp Fee		$
Total Fees		$ 132.10

MO ☐ NC ☐ Cash ☐ Check ☒

Received by BENOIT

Trees required

Sewage System

T LL P

Sewer District

16-C-3

Job Address: 25200 TEMESCAL CANYON RD Space: Zip: 91720 Owner: HYDRO CONDUIT CORP

Community: TEMESCAL Valuation: $ 30000.00 Date: 12-30-77 Dist.: 02 Off.: R F.C.: 022

Description: REMODEL BATCH PLANT

Parcel No: 283-160-006-8 Use No: Ck by: HS

Set Backs: F S S R Lot Size:

Zone: MRA Grp: B 2 Type: 11 N Unit: 00

Bond Amt: $ Plan No: R 1244 Plan Checker: OLSEN Final Date: Inspector:

Const. Lender: Branch:

Address: City: Zip:

I certify that in the performance of the work for which this permit is issued I shall not employ any person in any manner so as to become subject to the workmen's compensation laws of California.

Owner's Signature:

Owner/Agent: HYDRO CONDUIT CORP Tel.: 735-2420 Zip:

Address: P.O. BOX 939 City: CORONA 91720 Zip:

Contractor: Tel: License #:

Address: City: Zip: Workers' Comp. yes ☒ no ☐

I HEREBY AGREE TO COMPLY WITH ALL ORDINANCES AND LAWS OF THE COUNTY OF RIVERSIDE REGULATING BUILDING CONSTRUCTION AND HEREBY AUTHORIZE REPRESENTATIVES OF THIS COUNTY TO ENTER THE ABOVE-MENTIONED PROPERTY FOR INSPECTION PURPOSES. I AGREE THAT WORK WILL BE STARTED WITHIN 180 DAYS FROM ISSUANCE OF PERMIT OR WORK WILL BE STOPPED FOR 180 DAYS OR MORE, PERMIT IS VOID AND I AGREE TO OBTAIN A NEW PERMIT AND PAY NEW FEES IN ACCORDANCE WITH ORDINANCE NO. 305 OF THE COUNTY OF RIVERSIDE.

verified by:

Form 284-208 (Rev. 4-77) P3

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION / Thick / "R" Value		
7A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	**Final**	5/15/78	Yeoman
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	**Final**		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	**Final**	5/15/78	Yeoman

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	**Final**	5/15/78	Yeoman
OP'N NO.	**ADDITIONAL INFORMATION**		

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME _____

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

NOTICE TO APPLICANT

In conformity with the provisions of State of California Labor Code Section 3800, the applicant shall have on file or file with the Riverside County Department of Building and Safety a certificate as designated in Items I or II below, or shall indicate Item III, IV or V, whichever is applicable.

CERTIFICATE OF APPLICANT

Please mark the appropriate block:

☐ I. Certificate of Consent to self-insure issued by the Director of Industrial Relations.

☐ Copy on file ☐ Copy submitted

☒ II. Certificate of Workers' Compensation Insurance issued by an admitted insurer.

☒ Copy on file ☐ Copy submitted

☐ III. The cost of the work to be performed is $100 or less.

☐ IV. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California. I further certify that, in the event I become subject to the Workers' Compensation provisions of the Labor Code that I will comply forthwith with the provisions of Labor Code Section 3700, et seq., and understand that, if I do not comply, the permit shall be deemed revoked.

☐ V. I certify as the owner (or the agent of the owner) that in the performance of the work for which this permit is issued I have engaged _____, contractor. (Contractor must have on file, or submit certificate required by I or II above.)

Applicant's Signature J M Rubio for Hydro Conduit

Date 12-30-77 Permit No. 319500

Address and location where work is to be performed

23200 TEMESCAL,

284-141 Rev. 6/77

NOTICE: THIS IS NOT A BUILDING PERMIT

DISTRICT # 2

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Permit No.

OWNER

Owner HYDRO CONDUIT CORP. Architect. Contractor INLAND VALLEY
Address 23200 TEMESCAL CYN. RD. Address Address
City CORONA City City COLTON, CALIF.
Phone 735-2420 Phone Phone 824-2402

I (we) the undersigned hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 12-15-77 SIGNATURE OF OWNER AND/OR AGENT

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

JOB ADDRESS 23-200 TEMESCAL CYN. Rd SPACE NO.
LEGAL DESCRIPTION OF PROPERTY 283-160-006 POR NE¼ SEC. 34 T4S R6W
COMMUNITY TEMESCAL CYN.
NO. OF SUBMITTED PLANS 2 USE OF PERMIT LOWER EXISTING STRUCTRIAL FRAME FOR BATCH PLANT
CASE NO.
NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING
ZONE M-R-A SETBACKS: FRONT N/C SIDE REAR
GRADING PERMIT REQUIRED? YES NO X LOT SIZE
SETBACK ORDINANCE # N/A OF FEET REQUIRED ON STREET
DATE 12-15-77 SIGNATURE OF LAND USE OFFICIAL

USE OF STRUCTURE
SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☐
ALTERATIONS ☒

ROAD DEPARTMENT

DEDICATION REQUIRED YES ☐ NO ☐ NO OF FEET
CURB AND GUTTER REQUIRED YES ☐ NO ☐ STREET

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

SWIMMING POOLS PUBLIC
SEWAGE DISPOSAL
FOOD ESTABLISHMENT

OTHER DEPARTMENTS

WATER POLLUTION REMARKS
FLOOD CONTROL
AIR POLLUTION
DIV OF HWY

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

284 199 9 74

CANARY — FILE, PINK — APPLICANT

BUILDING PERMIT

PERMIT NO. 325177

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	SQ. FT. @	$		UNITS						
2ND FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 40,000						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD				SIGN				WASHER (AUTO) DISH		
APPLIANCE ☐ DRYER								GARBAGE DISPOSAL		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED								LAUNDRY TRAY		
AIR HANDLING UNIT CFM				IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR HP				POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT				SHOWER		
BOILER B.T.U.				SQ. FT. @ ¢				BATH TUB		
				SQ. FT. @ ¢				WATER HEATER		
				SQ. FT. RESID @ 1¼¢				SEWAGE DISPOSAL		
				SQ. FT. GAR @ ¼¢				HOUSE SEWER		
								GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL.	TOTAL FEES	MCBS. HM. FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	102.05				102.05					

PERMIT NO. 325177 — Supp. Permit

Job Address: 23-200 TEMESCAL Cyn. — Space — Zip — Owner: Hydro Conduit

Community: El Cerrito — Valuation: $ — Date: 2-1-78 — Dist.: 2 — Occ.: R — F.C.

Use of Permit: Blanchard Cyn Mechanic Bldg

Parcel No: 283-160-006 — Use No.: 8 — Cl.: 22

Set Backs: F S S R — Lot Size

Legal Description: Por NE 1/4 Sec 34 T4S R6W

Zone: M/RA — Grp — Type — Unit

Bond Amt.	Plan No.	Plan Checker	Final Date	Inspector
$	1299			

Const. Lender — Branch

"I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workmen's compensation laws of California."

Address — City — Zip

Owner Signature

Builder Signature

MH Permit Fee		$
Micro Film Fee	Cop	$
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 102.05
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 102.05

M.O. ☐ Ck. ☐ Cash ☐ Check ☒

Received by: Smith

Trees required

Sewage System

T — LL — P

Sewer District

Owner/Agent: HYDRO CONDUIT CORP — Tel. — Zip

Address: 23200 TEMESCAL CYN RD — City — Zip

Contractor: Owner — Tel. — License #

Address — City — Zip — Workers' Comp. yes ☐ no ☐

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

verified by:

Form 284-208 (Rev. 4-77) ©5

BUILDING PERMIT

PERMIT NO. 325177

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD DIST. 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	SQ. FT. @	$		UNITS						
2ND FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 10,000						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
				SWIM POOL, COMM				WATER SOFTENER		
MECHANICAL FEES				SIGN				WASHER (AUTO) (DISH)		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD								GARBAGE DISPOSAL		
APPLIANCE ☐ DRYER								LAUNDRY TRAY		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED								KITCHEN SINK		
AIR HANDLING UNIT CFM				IDLE METER				WATER CLOSET		
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC				LAVATORY		
COMPRESSOR HP				POLE, TEMP/PERM				SHOWER		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY				AMPERES SERV ENT				BATH TUB		
BOILER B.T.U.				SQ. FT. @ ¢				WATER HEATER		
				SQ. FT. @ ¢				SEWAGE DISPOSAL		
				SQ. FT. RESID @ 1¼¢				HOUSE SEWER		
				SQ. FT. GAR @ ¾¢				GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL.	TOTAL FEES	MOB. HM FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	102.05				102.05					

PERMIT NO. 325177 Supp. Permit

MH Permit Fee		$	
Micro Film Fee	Cop	$	
Mech. Fee	Dbl	$	
Pl. Ck. Fee		$	102 05
Construction Fee	Dbl	$	
Electrical Fee	Dbl	$	
SMI Fee		$	
Plumbing Fee	Dbl	$	
Sp. Insp. Fee		$	
Demol. Fee		$	
Registr. Fee		$	
Mileage Fee		$	
Witness Fee		$	
Reinsp. Fee		$	
Total Fees		$	102 05

M.O. ☐ M.C. ☐ Cash ☐ Check ☒

Received by: Smith

Trees required

Sewage System

T LL P

Sewer District

Job Address: 23-200 TEMESCAL Cyn Space Zip Owner: Hydro Conduit

Community: El Cerrito Valuation: $ Date: 2-1-78 Dist.: 2 Otr: R F.C.: 1

Use of Permit: Trunchock Pipe Machine Bldg

Parcel No.: 283-160 006 Use No.: 59 Occ.

Set Backs: F S S R Lot Size

Legal Description: Por NE 1/4 Sec 31 T3S R6W

Zone: RA Grp Type Unit

Bond Amt. $ Plan No. 1299 Plan Checker: RESPALIV & TIMM, E. YATES Final Date: 3/15/78 Inspector

Const. Lender Branch

Address City Zip

"I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workmen's compensation laws of California."

Owner Signature

Builder Signature

Owner/Agent: HYDRO CONDUIT CORP Tel. Zip

Address: 23200 TEMESCAL CYN RD City Zip

Contractor: Owner Tel. License #

Address City Zip Workers' Comp. yes ☐ no ☐

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

verified by:

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

Form 284-208 (Rev. 4-77) Ps

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Figs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		

	INSULATION	Thick	"R" Value		
7A	Walls (Batts)				
12B	Ceiling (Batts)				
12C	Ceiling (Blown)				
14	Final				

	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		

	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final		

OP'N NO.	**ADDITIONAL INFORMATION**

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L. Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME _____

HEADQUARTERS

BUILDING PERMIT

PERMIT NO. 327184

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

DIST 02

CONSTRUCTION ESTIMATE				NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	3961	SQ. FT. @ 10.00	$ 39610.00		UNITS						
2ND FL.		SQ. FT. @		1	3 HP MTR	2	—		YARD SPKLR SYSTEM		
POR.		SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.		SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.		SQ. FT. @		1	7.5 HP MTR	4	—		DRAINAGE PIPING		
WALL		SQ. FT. @		1	10 HP MTR	4	—		DRINKING FOUNTAIN		
		SQ. FT. @		2	60 HP MTR	18	—		URINAL		
ESTIMATED CONSTRUCTION VALUATION			$ 39610.00	2	40 KW Mtr.	12	—		WATER PIPING		
NOTE: Not to be used as property tax valuation					SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES					SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD					SIGN				WASHER (AUTO) (DISH)		
APPLIANCE ☐ DRYER				1	15 KW TRANS	—			GARBAGE DISPOSAL		
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED				1	DIST PANEL	8	—		LAUNDRY TRAY		
AIR HANDLING UNIT		CFM			IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM		B.T.U.			TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR		HP			POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM ☐ FORCED ☐ GRAVITY					AMPERES SERV ENT				SHOWER		
BOILER		B.T.U.			SQ. FT. @ ¢				BATH TUB		
					SQ. FT. @ ¢				WATER HEATER		
					SQ. FT. RESID @ 1¼¢				SEWAGE DISPOSAL		
					SQ. FT. GAR @ ¼¢				HOUSE SEWER		
									GAS PIPING		
PERMIT FEE					PERMIT FEE	3	—		PERMIT FEE		

OBL.	TOTAL FEES	MON HM. FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	212.27		1.50	—	0	157.00	51.00	2.77	0.00	—

RB 0327184

PERMIT NO. 327184 Supp. Permit RB0327184

MH Permit Fee		$	
Micro Film Fee	Dbl	$	1.50
Mech. Fee	Dbl	$	
Pl. Ck. Fee		$	
Construction Fee	Dbl	$	157.00
Electrical Fee	Dbl	$	51.00
SMI Fee		$	2.77
Plumbing Fee	Dbl	$	
Sp. Insp. Fee		$	
Demol. Fee		$	
Registr. Fee		$	
Mileage Fee		$	
Witness Fee		$	
Reinsp. Fee		$	
Total Fees		$	212.27

M.O. ☐ N.C. ☐ Cash ☐ Check ☒

Received by BENOIT

Trees required

Sewage System

T LL P

Sewer District

Job Address: 23200 TEMESCAL CANYON | Space | Zip: 91720 | Owner: HYDRO CONDUIT

Community: EL CERRITO | Valuation: $ 39610.00 | Date: 03-16-78 | Dist.: 02 | Off.: R | F.C.: 010

Use of Permit: CAGE MACHINE BLDG | Parcel No.: 283-160-005-8 | Use No. | Ck. by: EG

Description: PAR NE1/4 SEC 34 T4SR6W | Set Backs F S S R | Lot Size

Zone: MRA | Grp: B-2 | Type: VN | Unit: 00

Bond Amt. $ | Plan No.: R 1299 | Plan Checker: TIMM | Final Date | Inspector

Const. Lender | Branch

I certify that in the performance of the work for which this permit is issued I shall not employ any person in any manner so as to become subject to the workmen's compensation laws of California.

Address | City | Zip | Owner Signature | Builder Signature

Owner/Agent: HYDRO CONDUIT CORP | Tel. | Zip

Address: 23200 TEMESCAL CYN RD | City: CORONA CA | Zip

Contractor | Tel. | License #

Address | City | Zip | Workers' Comp. yes ☒ no ☐

Sewer District

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

verified by:

Form 284-208 (Rev. 4-77) Bs

BUILDING PERMIT

PERMIT NO. 327184

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

DIST. 02

CONSTRUCTION ESTIMATE			
1ST FL.	3961 SQ. FT.	@ 10.00	$ 39610.00
2ND FL.	SQ. FT.	@	
POR.	SQ. FT.	@	
GAR.	SQ. FT.	@	
CAR P.	SQ. FT.	@	
WALL	SQ. FT.	@	
	SQ. FT.	@	
ESTIMATED CONSTRUCTION VALUATION			$ 39610.00

NOTE: Not to be used as property tax valuation

MECHANICAL FEES	
VENT SYSTEM ☐ FAN ☐ EVAP. COOL ☐ HOOD	
APPLIANCE ☐ DRYER	
FURNACE ☐ UNIT ☐ WALL ☐ FLOOR ☐ SUSPENDED	
AIR HANDLING UNIT CFM	
ABSORPTION SYSTEM B.T.U.	
COMPRESSOR HP	
HEATING SYSTEM ☐ FORCED ☐ GRAVITY	
BOILER B.T.U.	
PERMIT FEE	

NO.	ELECTRICAL FEES		
	UNITS		
1	3 HP MTR	2	—
	MOBILEHOME SVC.		
	POWER OUTLET		
1	7.5 HP MTR	4	—
1	10 HP MTR	4	—
2	60 HP MTR	18	—
2	40 KW WELD.	12	—
	SWIM POOL, PVT		
	SWIM POOL, COMM		
	SIGN		
1	15 KV TRANS		—
1	DIST PANEL	8	—
	IDLE METER		
	TEMP USE PERMIT SVC		
	POLE, TEMP/PERM		
	AMPERES SERV ENT		
	SQ. FT. @ ¢		
	SQ. FT. @ ¢		
	SQ. FT. RESID @ 1¼¢		
	SQ. FT. GAR @ ¾¢		
	PERMIT FEE	3	—

NO.	PLUMBING FEES	
	YARD SPKLR SYSTEM	
	BAR SINK	
	ROOF DRAINS	
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

DBL.	TOTAL FEES	MOB HM FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	212.27		1.50	—	0	157.00	51.00	2.77	0.00	—

RB 0327184

PERMIT NO. 3271 Supp. Permit 0327184

MH Permit Fee		$
Micro Film Fee	Cap	$ 1.50
Mech. Fee	Dbl	$
Pl. Ck. Fee		$
Construction Fee	Dbl	$ 157.00
Electrical Fee	Dbl	$ 51.00
SMI Fee		$ 2.77
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Regist. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 212.27

M.O ☐ N.C. ☐ Cash ☐ Check ☒

Received by BENOIT

Trees required

Sewage System

T LL P

Sewer District

Form 284-208 (Rev. 4-77) Ⓑs

Job Address: 23200 TEMESCAL CANYON — Space — Zip: 91720 — Owner: HYDRO CONDUIT

Community: EL CERRITO — Valuation: $ 39610.00 — Date: 03-16-78 — Dist.: 02 — Occ.: R — F.C.: 010

Use of Permit: CAGE MACHINE BLDG — Parcel No.: 283-160-006-8 — Use No. — Ck.by: EG

Description: RAN ME174 SEC 34 T4SR6W

Set Backs: F S S R — Lot Size

Zone: MRA — Grp: B-2 — Type: VN — Unit: 00

Bond Amt. $ — Plan No.: R 1299 — Plan Checker: TIMM — Final Date: 1/15/79 — Inspector

Const. Lender — Branch

I certify that in the performance of the work for which this permit is issued I shall not employ any person in any manner so as to become subject to the workmen's compensation laws of California.

Address — City — Zip

Owner Signature

Builder Signature

Owner/Agent: HYDRO CONDUIT CORP — Tel. — Zip

Address: 23200 TEMESCAL CYN RD — City: CORONA CA — Zip

Contractor — Tel. — License #

Address — City — Zip — Workers' Comp. yes ☒ no ☐

verified by:

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5537 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back	3-16-78	Arndt
2	Pigs & Frms	3-16-78	Arndt
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION / Thick / "R" Value		
7A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	Final	5/15/78	Yeman
	PLUMBING APPROVALS		
15	Ground Plumb	3-16-78	Arndt
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final	5/19/78	Yeman

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detention Device		
42	Commercial Hood		
43	Final	5/15/78	Yeman

OP'N NO. **ADDITIONAL INFORMATION**

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L. Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

NOTICE TO APPLICANT

In conformity with the provisions of State of California Labor Code Section 3800, the applicant shall have on file or file with the Riverside County Department of Building and Safety a certificate as designated in Items I or II below, or shall indicate Item III, IV or V, whichever is applicable.

CERTIFICATE OF APPLICANT

Please mark the appropriate block:

☐ I. Certificate of Consent to self-insure issued by the Director of Industrial Relations.

☐ Copy on file ☐ Copy submitted

☒ II. Certificate of Workers' Compensation Insurance issued by an admitted insurer.

☒ Copy on file ☐ Copy submitted

☐ III. The cost of the work to be performed is $100 or less.

☐ IV. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California. I further certify that, in the event I become subject to the Workers' Compensation provisions of the Labor Code that I will comply forthwith with the provisions of Labor Code Section 3700, et seq., and understand that, if I do not comply, the permit shall be deemed revoked.

☐ V. I certify as the owner (or the agent of the owner) that in the performance of the work for which this permit is issued I have engaged _____, contractor. (Contractor must have on file, or submit certificate required by I or II above.)

Applicant's Signature × J D Robertson Jr.

Date 3-16-78 Permit No. 327184

Address and location where work is to be performed _____

23200 TEMESCAL CYN RD
EL CERRITO

284-141 Rev. 6/77

NOTICE: THIS IS NOT A BUILDING PERMIT

DISTRICT #2

Permit No.

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

OWNER

Owner Hyde Lowdut | Architect | Contractor Inland Valley Co.
Address 23200 Temescal Canyon Rd. | Address | Address Rancho Ave
City Corona | City | City Colton, Cal
Phone 735-2420 | Phone | Phone 824-2402

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 2-1-78 SIGNATURE OF OWNER AND/OR AGENT [signature]

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

JOB ADDRESS 23-200 Temescal Canyon | SPACE NO. RD
LEGAL DESCRIPTION OF PROPERTY 283-160-006 Por NE¼ Sec 34 T4S R6W
COMMUNITY El Cerrito

USE OF STRUCTURE
SINGLE FAMILY ☐ DUPLEX ☐
APARTMENTS ☐ AGRIC. ☐
COMMERCIAL ☐ INDUSTRIAL ☒
ALTERATIONS ☐

NO. OF SUBMITTED PLANS | USE OF PERMIT Cage Machine
CASE NO. | Bldg.
NO. OF PARKING SPACES REQUIRED | NO. OF BUILDINGS NOW EXISTING
ZONE M-R-A SETBACKS: FRONT | SIDE | REAR
GRADING PERMIT REQUIRED? YES ☐ NO ☐ LOT SIZE
SETBACK ORDINANCE # None OF | FEET REQUIRED ON | STREET
DATE 2-1-78 SIGNATURE OF LAND USE OFFICIAL [signature]

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

SWIMMING POOLS PUBLIC
SEWAGE DISPOSAL
FOOD ESTABLISHMENT

OTHER DEPARTMENTS

WATER POLLUTION | REMARKS
FLOOD CONTROL
AIR POLLUTION
DIV OF HWY

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

284 199 9/74

CANARY — FILE, PINK — APPLICANT

NOTICE TO APPLICANT

In conformity with the provisions of State of California Labor Code Section 3800, the applicant shall have on file or file with the Riverside County Department of Building and Safety a certificate as designated in Items I or II below, or shall indicate Item III, IV, or V, whichever is applicable.

CERTIFICATE OF APPLICANT

Please mark the appropriate block:

☐ I. Certificate of Consent to self-insure issued by the Director of Industrial Relations.
☐ Copy on file ☐ Copy submitted

☑ II. Certificate of Workers' Compensation Insurance issued by an admitted insurer.
☑ Copy on file ☑ Copy submitted

☐ III. The cost of the work to be performed is $100 or less.

☐ IV. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California. I further certify that, in the event I become subject to the Workers' Compensation provisions of the Labor Code that I will comply forthwith with the provisions of Labor Code Section 3700, et seq., and understand that, if I do not comply, the permit shall be deemed revoked.

☐ V. I certify as the owner (or the agent of the owner) that in the performance of the work for which this permit is issued I have engaged _____ contractor. (Contractor must have on file, or submit certificate required by I or II above.)

Applicant's Signature Willie F. Beale

Date 3-13-80 Permit No. 392500

Address and location where work is to be performed _____

284-141 Rev. 6/77

BUILDING PERMIT

PERMIT NO. 392500 RB 0392500

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

DST 1

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES		NO.	PLUMBING FEES	
1ST FL.	SQ. FT. @	$		UNITS				
2ND. FL.	SQ. FT. @						YARD SPKLR SYSTEM	
POR.	SQ. FT. @			MOBILEHOME SVC.			BAR SINK	
GAR.	SQ. FT. @			POWER OUTLET			ROOF DRAINS	
CAR P.	SQ. FT. @						DRAINAGE PIPING	
WALL	SQ. FT. @						DRINKING FOUNTAIN	
	SQ. FT. @						URINAL	
ESTIMATED CONSTRUCTION VALUATION		$ 32000.00					WATER PIPING	
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT			FLOOR DRAIN	
MECHANICAL FEES				SWIM POOL, COMM			WATER SOFTENER	
VENT SYSTEM	FAN EVAP. COOL HOOD			SIGN			WASHER (AUTO)(DISH)	
APPLIANCE	DRYER						GARBAGE DISPOSAL	
FURNACE	UNIT WALL FLOOR SUSPENDED						LAUNDRY TRAY	
AIR HANDLING UNIT	CFM			IDLE METER			KITCHEN SINK	
ABSORPTION SYSTEM	B.T.U.			TEMP USE PERMIT SVC			WATER CLOSET	
COMPRESSOR	HP			POLE, TEMP/PERM			LAVATORY	
HEATING SYSTEM	FORCED GRAVITY			AMPERES SERV ENT			SHOWER	
BOILER	B.T.U.			SQ. FT. @ c			BATH TUB	
				SQ. FT. @ c			WATER HEATER	
				SQ. FT. RESID @ 11¢ c			SEWAGE DISPOSAL	
				SQ. FT. GAR @ 5¢ c			HOUSE SEWER	
							GAS PIPING	
PERMIT FEE				PERMIT FEE			PERMIT FEE	

DBL.	TOTAL FEES	MOB.HM.FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB.FEE
	158.59		2.40		20.95	133.00		2.24		

PERMIT NO. 392500

MH Permit Fee		$ 6.00
Micro Film Fee	Cop	$ 2.40
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 20.95
Construction Fee	Dbl	$ 133.00
Electrical Fee	Dbl	$
SMI Fee		$ 2.24
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reimp. Fee		$
Total Fees		$ 158.59

M.O. ☐ N.C. ☐ Cash ☐ Check ☑

Received by

Times required

Sewage System

T 11 P

Sewer District

Job Address 23200 TEMESCAL CANYON RD Space Zip 91720 Owner TEMES. PROP. INC.

Community GLEN IVY Valuation $ 32000.00 Date 03-12-80 Dist. 1 Off. 1 F.C.C. 228

Use of Permit FOUNDATIONS FOR MACHINERY Parcel No. 283160006-8 Use/Case No. Ck. By AC

Set Backs 000 000 000 000 Lot Size 000 000 000

Legal Description E 1/2 NE 1/4 SEC. 34 T4S R6W Zone Restrictions MRA Group Type

Bond Amt. $ Plan No. R 02183 Plan Checker CLARK Final Date Inspector Unit

Const. Lender Branch Supplemental Permit Numbers RB0392500

Address City Zip

Owner/Agent INLAND VALLEY ENG. CORP. Tel. 681-0700 Zip

Address 11611 INDUSTRY AVE. City FONTANA 92335 Zip

Contractor Tel. License#

Address City Zip

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

verified by:

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

Form 284 208 (Rev. 8-78) (P)1

BUILDING PERMIT

PERMIT NO. 392500

RB 0392500

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

DST 1

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	SQ. FT. @	$		UNITS						
2ND. FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 32000.00						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM	FAN EVAP. COOL HOOD			SIGN				WASHER (AUTO)(DISH)		
APPLIANCE	DRYER							GARBAGE DISPOSAL		
FURNACE	UNIT WALL FLOOR SUSPENDED							LAUNDRY TRAY		
AIR HANDLING UNIT	CFM			IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM	B.T.U.			TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR	HP			POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM	FORCED GRAVITY			AMPERES SERV ENT				SHOWER		
BOILER	B.T.U.			SQ. FT. @ c				BATH TUB		
				SQ. FT. @ c				WATER HEATER		
				SQ. FT. RESID @1¼c				SEWAGE DISPOSAL		
				SQ. FT. GAR @ ¾c				HOUSE SEWER		
								GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL	TOTAL FEES	MOB.HM.FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	158.59		2.40		20.95	133.00		2.24		

PERMIT NO. 392500

MH Permit Fee		$
Micro Film Fee	Cop	$ 240
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 2095
Construction Fee	Dbl	$ 13300
Electrical Fee	Dbl	$
SMI Fee		$ 224
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 15859

M.O. ☐ N.C. ☐ Cash ☐ Check ☐

Received by

Trees required

Sewage System

T LL P

Sewer District F

RY

Form 284-208 (Rev.8/78) (P)S

Job Address 25200 TEMESCAL CANYON RD | Space | Zip 91720 | Owner TEMES. PROP. INC.

Community GLEN IVY | Valuation $ 32000.00 | Date 03-12-80 | Dist. 1 | Off. 1 | F.C.C. 220

Use of Permit: FOUNDATIONS FOR MACHINERY

Parcel No. 283160026-8 | Use/Case No | Ck. By AC

Set Backs 000 000 000 000 | Lot Size 000 000 000

Legal Description: E 1/2 NE 1/4 SEC. 34 T4S R6W

Zone Restrictions MRA | Group | Type

Bond Amt. $ | Plan No. R 02183 | Plan Checker CLARK

Final Date 1-9-81 | Inspector Howard | Unit

Const. Lender | Branch

Address | City | Zip

Supplimental Permit Numbers RB392500

Owner/Agent INLAND VALLEY ENG. CORP. | Tel. 681-0700 | Zip

Address 11611 INDUSTRY AVE. | City FONTANA 92335 | Zip

Contractor | Tel. | License#

Address | City | Zip

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

verified by:

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Ftgs. & Frms	3/27/80	Yeomans
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION / Thick / "R" Value		
12A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	**Final**	1-9-81	Howard
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	**Final**		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	**Final**		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	**Final**		

OP'N NO

ADDITIONAL INFORMATION

* Footings and Steel for Machine Track #'s D244-114C OK 4-2-80 B.H.

* Footings & Steel For Sections 244-114B & D-244-118 - OK To pour. 4-14-80 B.H.

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L.Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

DISTRICT #1

Permit No. 392500

OWNER

X

Owner	Architect	Contractor
TEMESQUAL PROP. INC	HYDRO CONDUIT CORP.	INLAND VALLEY ENG.
Address 1310 N. JOY ST	Address 23200 TEMESQUAL RD	Address 11611 INDUSTRY AVE
City CORONA CA.	City CORONA CA	City FONTANA CA
Phone 737-9770	Phone 735-2420	Phone 681-0700

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 3/3/80 SIGNATURE OF OWNER AND/OR AGENT Inland Valley Eng Co Verlet Wahl

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

JOB ADDRESS 23200 Temescal Cyn. Rd. SPACE NO.

LEGAL DESCRIPTION OF PROPERTY 283-160-006
E1/2, NE1/4, Sec. 31, T4S, R6W

COMMUNITY CORONA

NO. OF SUBMITTED PLANS — USE OF PERMIT ALTERATIONS TO EXIST. HYDRO CONDUIT PLANT

CASE NO. —

NO. OF PARKING SPACES REQUIRED — NO. OF BUILDINGS NOW EXISTING 1

ZONE M-R-A SETBACKS: FRONT — SIDE — REAR —

GRADING PERMIT REQUIRED? YES ☐ NO ☐ LOT SIZE —

SETBACK ORDINANCE # — OF — FEET REQUIRED ON — STREET

DATE 3-3-80 SIGNATURE OF LAND USE OFFICIAL [signature]

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☒
		ALTERATIONS	☒

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET —

CURB AND GUTTER REQUIRED: YES ☐ NO ☐ — STREET

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐

HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐

DATE — SIGNATURE OF ROAD DEPT. OFFICIAL —

HEALTH DEPT.

SWIMMING POOLS PUBLIC —

SEWAGE DISPOSAL —

FOOD ESTABLISHMENT —

OTHER DEPARTMENTS

WATER POLLUTION — REMARKS —

FLOOD CONTROL —

AIR POLLUTION —

DIV OF HWY —

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

NOTICE TO APPLICANT

In conformity with the provisions of State of California Labor Code Section 3800, the applicant shall have on file or file with the Riverside County Department of Building and Safety a certificate as designated in Items I or II below, or shall indicate Item III, IV, or V, whichever is applicable.

CERTIFICATE OF APPLICANT

Please mark the appropriate block:

☐ I. Certificate of Consent to self-insure issued by the Director of Industrial Relations.
☐ Copy on file ☐ Copy submitted

☐ II. Certificate of Workers' Compensation Insurance issued by an admitted insurer.
☐ Copy on file ☐ Copy submitted

☐ III. The cost of the work to be performed is $100 or less.

☐ IV. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California. I further certify that, in the event I become subject to the Workers' Compensation provisions of the Labor Code that I will comply forthwith with the provisions of Labor Code Section 3700, et seq., and understand that, if I do not comply, the permit shall be deemed revoked.

☐ V. I certify as the owner (or the agent of the owner) that in the performance of the work for which this permit is issued I have engaged _____ contractor. (Contractor must have on file, or submit certificate required by I or II above.)

Applicant's Signature _____

Date _____ Permit No. _____

Address and location where work is to be performed _____

284-141 Rev. 6/77

BUILDING PERMIT

PERMIT NO. 392609

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

DST 1

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	32,000 SQ. FT. @	$ 32,000.00		UNITS						
2ND. FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM FAN EVAP. COOL HOOD				SIGN				WASHER (AUTO)(DISH)		
APPLIANCE DRYER								GARBAGE DISPOSAL		
FURNACE UNIT WALL FLOOR SUSPENDED								LAUNDRY TRAY		
AIR HANDLING UNIT CFM				IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR HP				POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM FORCED GRAVITY				AMPERES SERV ENT				SHOWER		
BOILER B.T.U.				SQ. FT. @ c				BATH TUB		
				SQ. FT. @ c				WATER HEATER		
				SQ. FT. RESID @ 1½ c				SEWAGE DISPOSAL		
				SQ. FT. GAR @ ½ c				HOUSE SEWER		
								GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL.	TOTAL FEES	MOB.HM.FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	65.50				65.50					

PERMIT NO. 392609

MH Permit Fee		$	
Micro Film Fee	Cap	$	
Mech. Fee	Dbl	$	
Pl. Ck. Fee		$	65.50
Construction Fee	Dbl	$	
Electrical Fee	Dbl	$	
SMI Fee		$	
Plumbing Fee	Dbl	$	
Sp. Insp. Fee		$	
Demol. Fee		$	
Registr. Fee		$	
Mileage Fee		$	
Witness Fee		$	
Reinsp. Fee		$	
Total Fees		$	65.50

M.O. ☐ M.C. ☐ Cash ☐ Check ☐

Received by C. Clark

Trees required

Sewage System

T LL P

Sewer District

Job Address 23-200 TEMESCAL CAN. RD Space Zip Owner TEMES. PROP., INC.

Community GLEN IVY Valuation $ 32,000.00 Date 3-3-80 ✓ Dist. 1 Off. R F.C.C.

Use of Permit P/C HYDRO CONDUIT PLANT Parcel No. 283-160-006-8 Use/Case No Ck. By

Set Backs F S S R Lot Size

Legal Description E-½, NE¼ SEC. 34 T4S, R6W Zone Restrictions M-R4 Group Type

Bond Amt. $ Plan No. 2183 Plan Checker Final Date Inspector Unit

Const. Lender Branch Supplimental Permit Numbers

Address City Zip

Owner/Agent Tel. Zip

Address City Zip

Contractor INLAND VALLEY ENG. CORP. Tel. 714-681-0700 License 306041

Address 11611 INDUSTRY AVE City FONTANA Zip 92335

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

verified by: _____

Form 284-208 (Rev. 8/78) (P)

BUILDING PERMIT

PERMIT NO. 392609

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD | DST

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL. 32,000	SQ. FT. @	$		UNITS						
2ND. FL.	SQ. FT. @ 32,000							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM FAN EVAP. COOL HOOD				SIGN				WASHER (AUTO)(DISH)		
APPLIANCE DRYER								GARBAGE DISPOSAL		
FURNACE UNIT WALL FLOOR SUSPENDED								LAUNDRY TRAY		
AIR HANDLING UNIT CFM				IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR HP				POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM FORCED GRAVITY				AMPERES SERV ENT				SHOWER		
BOILER B.T.U.				SQ. FT. @ c				BATH TUB		
				SQ. FT. @ c				WATER HEATER		
				SQ. FT. RESID @1¼c				SEWAGE DISPOSAL		
				SQ. FT. GAR @ ¾c				HOUSE SEWER		
								GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL.	TOTAL FEES	MOB.HM.FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	65.50				65.50					

PERMIT NO. 392609

MH Permit Fee		$
Micro Film Fee	Cop	$
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 65.50
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 65.50

M.O. ☐ N.C. ☐ Cash ☐ Check ☒

Received by C Clark

Trees required

Sewage System

T LL P

Sewer District

RV

Form 284-206 (Rev.8/78) (P)

Job Address: 23-200 TEMESCAL CANYON RD. Space: Zip: Owner: TEMES. PROP. HR.

Community: GLEN IVY Valuation: $ 32,000.00 Date: 3-2-80 Dist.: 1 Off.: K F&C

Use of Permit: P/L HYDRO CONDUIT PLANT Parcel No.: 283-140-005 Use/Case No.: Ck. By:

Set Backs: F S S R Lot Size:

Legal Description: E-½, NE¼ SEC. 34 T4S R6W

Zone Restrictions: M-R4 Group: Type:

Bond Amt.: $ Plan No.: 7183 Plan Checker: Clark Final Date: 3/19/80 Inspector: Unit:

Const. Lender: Branch: Supplemental Permit Numbers:

Address: City: Zip:

Owner/Agent: Tel.: Zip:

Address: City: Zip:

Contractor: TWANU VALLEY ENG. CORP. Tel.: 714-681-0700 License#: 306041

Address: 11611 INDUSTRY AVE City: FONTANA Zip:

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

verified by: _____

BUILDING APPROVALS

NO.	OPERATION	DATE	INSPECTOR
1	Set Back		
2	Figs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.O. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		

	INSULATION	Thick	"R" Value		
7A	Walls (Batts)				
12B	Ceiling (Batts)				
12C	Ceiling (Blown)				
14	Final				

PLUMBING APPROVALS

NO.	OPERATION	DATE	INSPECTOR
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		

ELECTRICAL APPROVALS

NO.	OPERATION	DATE	INSPECTOR
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

MECHANICAL APPROVALS

NO.	OPERATION	DATE	INSPECTOR
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OP'N NO.

ADDITIONAL INFORMATION

SEWAGE SYSTEM SIZE & LOCATION

Tank Fit L.Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME _____

NOTICE TO APPLICANT

In conformity with the provisions of State of California Labor Code Section 3800, the applicant shall have on file or file with the Riverside County Department of Building and Safety a certificate as designated in Items I or II below, or shall indicate Item III, IV, or V, whichever is applicable.

CERTIFICATE OF APPLICANT

Please mark the appropriate block:

☐ I. Certificate of Consent to self-insure issued by the Director of Industrial Relations.
☐ Copy on file ☐ Copy submitted

☑ II. Certificate of Workers' Compensation Insurance issued by an admitted insurer.
☐ Copy on file ☐ Copy submitted

☐ III. The cost of the work to be performed is $100 or less.

☐ IV. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California, I further certify that, in the event I become subject to the Workers' Compensation provisions of the Labor Code that I will comply forthwith with the provisions of Labor Code Section 3700, et seq., and understand that, if I do not comply, the permit shall be deemed revoked.

☐ V. I certify as the owner (or the agent of the owner) that in the performance of the work for which this permit is issued I have engaged _____ contractor. (Contractor must have on file, or submit certificate required by I or II above.)

Applicant's Signature _____

Date _____ Permit No. NA

Address and location where work is to be performed _____

BUILDING PERMIT
PERMIT NO. 395773

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL. 2500	SQ. FT. @ 10	$ 25 000		UNITS						
2ND. FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR.P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM FAN EVAP. COOL HOOD				SIGN				WASHER (AUTO)(DISH)		
APPLIANCE DRYER								GARBAGE DISPOSAL		
FURNACE UNIT WALL FLOOR SUSPENDED								LAUNDRY TRAY		
AIR HANDLING UNIT CFM				IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR HP				POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM FORCED GRAVITY				AMPERES SERV ENT				SHOWER		
BOILER B.T.U.				SQ. FT. @ c				BATH TUB		
				SQ FT @ c				WATER HEATER		
				SQ. FT. RESID @ 11¢				SEWAGE DISPOSAL		
				SQ FT GAR @ 3¢				HOUSE SEWER		
								GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL.	TOTAL FEES	MOB. HM FEE	MICRO FEE	MECH FEE	PL. CK FEE	CONST FEE	ELECT FEE	SMI FEE	FEE	PLUMB FEE
	72.80				72.80					

PERMIT NO. 395773

MH Permit Fee		$
Micro Film Fee	Cap	$
Mech. Fee	Dbl	$
Pl. Ck. Fee	/	$ 72.80
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee: /		$
Total Fees		$ 72.80

M.O. ☐ Cash ☐ Check ☒
Received by L Smith
Trees required
Sewage System

T LL P
Sewer District

Job Address: 23-200 TEMESCAL CYN. RD Space Zip
Owner: TEMESCAL Prop.
Community: Temescal Cyn Valuation: $ [redacted] Date: 4.28.80 Dist: 2 Occ: R FCC
Use of Permit: Add to Existing Bldg 50'x50' Bldg Bldg
Parcel No: 283.160-006 Use/Case No: 8 Ck. By: HS
Legal Description: E½ NE¼ Sec 34 T4S R6W
Set Backs: F 100 S 100 S 100 R 100 Lot Size
Zone Restrictions: MRA Group Type
Bond Amt. $ Plan No. 2346 Plan Checker Final Date Inspector Unit
Const. Lender Branch
Address City Zip
Supplemental Permit Numbers
Owner/Agent Tel Zip
Address City Zip
Contractor Inland Valley Eng Corp Tel License
Address 1611 Industry Av. Fontana City Zip

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

verified by

Form 284 208 (Rev. 1-80)

BUILDING PERMIT

PERMIT NO. 395773

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL. 2 CFD	SQ. FT. @ 1.07	$ 25.00		UNITS						
2ND. FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM FAN EVAP. COOL HOOD				SIGN				WASHER (AUTO)(DISH)		
APPLIANCE DRYER								GARBAGE DISPOSAL		
FURNACE UNIT WALL FLOOR SUSPENDED								LAUNDRY TRAY		
AIR HANDLING UNIT CFM				IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT-SVC				WATER CLOSET		
COMPRESSOR HP				POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM FORCED GRAVITY				AMPERES SERV ENT				SHOWER		
BOILER B.T.U.				SQ. FT. @ ¢				BATH TUB		
				SQ. FT. @ ¢				WATER HEATER		
				SQ. FT. RESID @ 1¼¢				SEWAGE DISPOSAL		
				SQ. FT. GAR @ ¾¢				HOUSE SEWER		
								GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL	TOTAL FEES	MOB. HM. FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	72.00				72.00					

PERMIT NO. 395773

MH Permit Fee		$
Micro Film Fee	Cap	$
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 72.00
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 72.00

M.O. ☐ N.C. ☐ Cash ☐ Check ☐

Received by

Trees required

Sewage System

T R P

Sewer District

Job Address: 22 [illegible] Jensen [illegible] Space: Zip: Owner:

Community: Valuation: $ Date: Dist.: Off: F.C.C.:

Use of Permit: Add to Existing Bldg

Parcel No.: Use/Case No.: Ck. By:

Set Backs: F S S R Lot Size:

Legal Description: E½ NE¼ Sec 34

Zone Restrictions: Group: Type:

Bond Amt: $ Plan No.: Plan Checker: Clark Final Date: 5-8-80 Inspector: Unit:

Const. Lender: Branch: Supplemental Permit Numbers:

Address: City: Zip:

Owner/Agent: Tel: Zip:

Address: City: Zip:

Contractor: Tel.: License#:

Address: City: Zip:

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

verified by

Form 284-208 (Rev. 1/80)

BUILDING APPROVALS

NO.	OPERATION	DATE	INSPECTOR
	Footings		
	Piers & Piles		
	Slab or Floor		
	Sills		
	Framing		
	Roof Deck		
	Roofing		
	Lath		
	Plaster Required		
	Flashing		
	Fireplace		
	Chimney		
	Insulation		
	Gypsum Board		
	Shower Pan		
	Tub Enclosure		
	Final		

PLUMBING APPROVALS

NO.	OPERATION	DATE	INSPECTOR
	Ground Work		
	Water Piping		
	Sewage Disposal		
	Septic Tank		
	Gas Piping		
	Water Softener		
	Water Service		
	Fuel Tank		
	Final		

ELECTRICAL APPROVALS

NO.	OPERATION	DATE	INSPECTOR
	Underground		
	Service		
	Rough Wiring		
	Fixtures		
	Final		

MECHANICAL APPROVALS

NO.	OPERATION	DATE	INSPECTOR
33	Ventilation System		
34	Plenum & Ducts		
35	Furnace Complete		
36	Inlets & Outlets		
37	Ventilation Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Combustible Roof		
43	Final		

ADDITIONAL INFORMATION

OPTI NO

SEWAGE SYSTEM SIZE & LOCATION

MAP OF PROPERTY LINE

P/L

P/L

NOTICE TO APPLICANT

In conformity with the provisions of State of California Labor Code Section 3800, the applicant shall have on file or file with the Riverside County Department of Building and Safety a certificate as designated in items I or II below, or shall indicate item III, IV, or V, whichever is applicable.

CERTIFICATE OF APPLICANT

Please mark the appropriate block:

☐ I. Certificate of Consent to self-insure issued by the Director of Industrial Relations.
☐ Copy on file ☐ Copy submitted

☐ II. Certificate of Workers' Compensation Insurance issued by an admitted insurer.
☐ Copy on file ☐ Copy submitted

☐ III. The cost of the work to be performed is $100 or less.

☐ IV. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California, I further certify that, in the event I become subject to the Workers' Compensation provisions of the Labor Code that I will comply forthwith with the provisions of Labor Code Section 3700, et seq., and understand that, if I do not comply, the permit shall be deemed revoked.

☐ V. I certify as the owner (or the agent of the owner) that in the performance of the work for which this permit is issued I have engaged _____ contractor. (Contractor must have on file, or submit certificate required by I or II above.)

Applicant's Signature _____

Date _____ Permit No. N/A

Address and location where work is to be performed _____

BUILDING PERMIT
PERMIT NO. 395774

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE
HEADQUARTERS

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES		NO.	PLUMBING FEES	
1ST FL.	900 SQ. FT. @ 10	$ 9 00		UNITS				
2ND. FL.	SQ. FT. @						YARD SPKLR SYSTEM	
POR.	SQ. FT. @			MOBILEHOME SVC.			BAR SINK	
GAR.	SQ. FT. @			POWER OUTLET			ROOF DRAINS	
CAR P.	SQ. FT. @						DRAINAGE PIPING	
WALL	SQ. FT. @						DRINKING FOUNTAIN	
	SQ. FT. @						URINAL	
ESTIMATED CONSTRUCTION VALUATION		$					WATER PIPING	
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT			FLOOR DRAIN	
MECHANICAL FEES				SWIM POOL, COMM			WATER SOFTENER	
VENT SYSTEM FAN EVAP. COOL HOOD				SIGN			WASHER (AUTO)(DISH)	
APPLIANCE DRYER							GARBAGE DISPOSAL	
FURNACE UNIT WALL FLOOR SUSPENDED							LAUNDRY TRAY	
AIR HANDLING UNIT CFM				IDLE METER			KITCHEN SINK	
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC			WATER CLOSET	
COMPRESSOR HP				POLE, TEMP/PERM			LAVATORY	
HEATING SYSTEM FORCED GRAVITY				AMPERES SERV ENT			SHOWER	
BOILER B.T.U.				SQ. FT. @ ¢			BATH TUB	
				SQ. FT. @ ¢			WATER HEATER	
				SQ FT RESID @ 1½¢			SEWAGE DISPOSAL	
				SQ FT. GAR @ ¾¢			HOUSE SEWER	
							GAS PIPING	
PERMIT FEE				PERMIT FEE			PERMIT FEE	

DBL.	TOTAL FEES	MOB. HM. FEE	MICRO FEE	MECH FEE	PL. CK. FEE	CONST FEE	ELECT FEE	SMI FEE	FEE	PLUMB FEE
	31.20				31.20					

PERMIT NO. 395774

MH Permit Fee		$
Micro Film Fee	Cap	$
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 31.20
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee	1	$
Total Fees		$ 31.20

M.O. ☐ V.C. ☐ Cash ☐ Check ☒

Received by Emerald

Trees required

Sewage System

T R P

Sewer District

Job Address: 23-200 Temescal Cyn Rd | Suite | Zip | Owner: Temescal Prop

Community: Temescal Cyn | Valuation: $ [illegible] | Taxe | Dist: 2 | Off: R | P.C.C. 08/86

Use of Permit: add to Existing Bldg Cover for Car Wash 30x30 | Parcel No: 283-160-006 | Use/Case No: 8 | Ck. by: HS

Legal Description: E½ NE¼ Sec 34 T4S R6W | Set Backs: F 100 S 100 S 100 R 100 | Lot Size

Zone Restrictions: MRA | Group | Type

Bond Amt. $ | Plan No. 2247 | Plan Checker | Final Date | Inspector | Unit

Const. Lender | Branch | Supplemental Permit Numbers

Address | City | Zip

Owner/Agent | Tel | Zip

Address | City | Zip

Contractor Wells & Mahr Inland Valley Equip. Corp. | Tel | License#

Address 11611 Industry Ave. Fontana | City | Zip

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5561 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

verified by _____

Form 284-208 (Rev. 1/80)

BUILDING PERMIT

PERMIT NO. 395774

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST. FL. 900	SQ. FT. @ 10 =	$ 9 00		UNITS						
2ND. FL.	SQ. FT. @							YARD SPKLR SYSTEM		
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @							DRAINAGE PIPING		
WALL	SQ. FT. @							DRINKING FOUNTAIN		
	SQ. FT. @							URINAL		
ESTIMATED CONSTRUCTION VALUATION		$						WATER PIPING		
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM FAN EVAP. COOL HOOD				SIGN				WASHER (AUTO)(DISH)		
APPLIANCE DRYER								GARBAGE DISPOSAL		
FURNACE UNIT WALL FLOOR SUSPENDED								LAUNDRY TRAY		
AIR HANDLING UNIT CFM				IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR HP				POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM FORCED GRAVITY				AMPERES SERV ENT				SHOWER		
BOILER B.T.U.				SQ. FT. @ ¢				BATH TUB		
				SQ. FT. @ ¢				WATER HEATER		
				SQ. FT RESID @ 1¼¢				SEWAGE DISPOSAL		
				SQ FT GAR @ ¾¢				HOUSE SEWER		
								GAS PIPING		
PERMIT FEE				PERMIT FEE				PERMIT FEE		

DBL	TOTAL FEES	MOB. HM. FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	31.20				31.20					

PERMIT NO. 395774

MH Permit Fee		$
Micro Film Fee	Cap	$
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 31.20
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
		$
Total Fees		$ 31.20

M.O. ☐ N.C. ☐ Cash ☐ Check ☒

Received by Bonetti

Trees required

Sewage System

T R P

Sewer District

Form 284-208 (Rev. 1/80)

Job Address: 23-225 Temescal Cyn Rd Space: Zip: Owner: Temescal Prop

Community: Temescal Cyn Valuation: $ Date: 1-22-80 Dist.: 2 Quad: 12 C.C.:

Use of Permit: Add'l to Existing Bldg Work for Cap Kitchen 30x20

Parcel No.: 279-160-006 Use/Case No.: Ck. By: KS

Set Backs: F 100 S 100 R 100 Lot Size: 10

Legal Description: E/2 NE4 SEC 24 T4S R6W SI

Zone Restrictions: M/SA Group: Type:

Bond Amt: $ Plan No.: 2471 Plan Checker: Clark Final Date: 5-8-80 Inspector: Unit:

Const. Lender: Branch: Supplemental Permit Numbers:

Address: City: Zip:

Owner/Agent: Tel: Zip:

Address: City: Zip:

Contractor: Tel: License#

Address: City: Zip:

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

verified by

BUILDING APPROVALS

NO	OPERATION	DATE	INSPECTOR
1	Set Back		
2	Pipe & Cond.		
2A	Bldg. Grade		
3	Slab		
4	Cond. Blocks		
5	Bond Beams		
6	Roof Deck		
7	Trusses		
8	Lath		
9	Drywall/Plywall		
10	Fireplace		
11	Paint		
12	Exterior Trim		
13	Interior Trim		
14	Shelving		
15	Finish Floors		
16	Insulation		
17	Vapor Barrier		
18	Ceiling (Plaster)		
19	Ceiling (Other)		
20	Final		

PLUMBING APPROVALS

NO	OPERATION	DATE	INSPECTOR
21	Ground Plumb.		
22	Cesspool		
23	Water Piping		
24	Water Softener		
25	Sewage Disposal		
26	Tanks		
27	Water Heater		
28	Water Softener		
29	Water Service		
30	Gas Piping		
31	Final		

ELECTRICAL APPROVALS

NO	OPERATION	DATE	INSPECTOR
32	Temp. Pole		
32A	Conduit		
33	Service Entrance		
34	Panel		
34A	Grounding		
35	Rough-In		
36	Fixtures		
37	Service		
38	Final		

MECHANICAL APPROVALS

NO	OPERATION	DATE	INSPECTOR
33	Ventilation System		
34	Ducting & Vents		
35	Burning Equipment		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
41	Fire Damper		
42	Smoke Detector / Heads		
42	Commercial Hood		
43	Final		

OPEN NO

ADDITIONAL INFORMATION

SEWAGE SYSTEM SIZE & LOCATION

NEAR OF PROPERTY LINE

P L

P/L

In conformity with the provisions of State of California Labor Code Section 3800, the applicant shall have on file or file with the Riverside County Department of Building and Safety a certificate as designated in items I or II below, or shall indicate item III, IV, or V, whichever is applicable.

CERTIFICATE OF APPLICANT

Please mark the appropriate block:

☐ I. Certificate of Consent to self-insure issued by the Director of Industrial Relations.
☐ Copy on file ☐ Copy submitted

☒ II. Certificate of Workers' Compensation Insurance issued by an admitted insurer.
☒ Copy on file ☐ Copy submitted

☐ III. The cost of the work to be performed is $100 or less.

☐ IV. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California, I further certify that, in the event I become subject to the Workers' Compensation provisions of the Labor Code that I will comply forthwith with the provisions of Labor Code Section 3700, et seq., and understand that, if I do not comply, the permit shall be deemed revoked.

☐ V. I certify as the owner (or the agent of the owner) that in the performance of the work for which this permit is issued I have engaged _____ contractor. (Contractor must have on file, or submit certificate required by I or II above.)

Applicant's Signature Vella K. Mah

Date 5-12-80 Permit No. 395977

Address and location where work is to be performed 23200 Temescal Cny

284-141 REV. 6/77

BUILDING PERMIT
PERMIT NO.: 395977 RB 0395977

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE
HEADQUARTERS

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES		NO.	PLUMBING FEES	
1ST FL.	2500 SQ. FT. @ 10.00	$ 25000.00		UNITS				
2ND. FL.	SQ. FT. @						YARD SPKLR SYSTEM	
POR.	SQ. FT. @			MOBILEHOME SVC.			BAR SINK	
GAR.	SQ. FT. @			POWER OUTLET			ROOF DRAINS	
CAR P.	SQ. FT. @						DRAINAGE PIPING	
WALL	SQ. FT. @						DRINKING FOUNTAIN	
	SQ. FT. @						URINAL	
ESTIMATED CONSTRUCTION VALUATION		$ 25000.00					WATER PIPING	
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT			FLOOR DRAIN	
MECHANICAL FEES				SWIM POOL, COMM			WATER SOFTENER	
VENT SYSTEM FAN EVAP. COOL HOOD				SIGN			WASHER (AUTO)(DISH)	
APPLIANCE DRYER							GARBAGE DISPOSAL	
FURNACE UNIT WALL FLOOR SUSPENDED							LAUNDRY TRAY	
AIR HANDLING UNIT CFM				IDLE METER			KITCHEN SINK	
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC			WATER CLOSET	
COMPRESSOR HP				POLE, TEMP/PERM			LAVATORY	
HEATING SYSTEM FORCED GRAVITY				AMPERES SERV ENT			SHOWER	
BOILER B.T.U.				SQ. FT. @ ¢			BATH TUB	
				SQ. FT. @ ¢			WATER HEATER	
				SQ. FT. RESID @ 1½¢			SEWAGE DISPOSAL	
				SQ. FT. GAR @ ¾¢			HOUSE SEWER	
							GAS PIPING	
PERMIT FEE				PERMIT FEE			PERMIT FEE	

DBL.	TOTAL FEES	MOB. HM. FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	116.55		2.80		.00	112.00		1.75		

PERMIT NO. 395977

MH Permit Fee		$
Micro Film Fee	Dbl	$ 2.80
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ .00
Construction Fee	Dbl	$ 112.00
Electrical Fee	Dbl	$
SMI Fee		$ 1.75
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Register. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 116.55

M.O. ☐ N.C. ☐ Cash ☐ Check ☐

Received by

Trees required

Sewage System

T LL P

Sewer District

Job Address 23200 TEMESCAL CYN RD Space Zip 92390 Owner TEMESCAL PROP

Community TEMESCAL Valuation $ 25000.00 Date 05-12-80 Dist 2 Off. 1 F.C.C. 022

Use of Permit ADD TO EXISTING BLDG 50X50 STORAGE BLDG Parcel No 283160006-8 Use Code No. Ck. By RS

Legal Description E1/2 NE1/4 SEC 34 T4S R6W Set Backs 100 100 100 100 Lot Size 000 000 000

Zone Restrictions MRA Group B-2 Type VN

Bond Amt. $ Plan No. R 02246 Plan Checker CLARK Final Date Inspector Unit

Const. Lender Branch Address City Zip

Supplimental Permit Numbers RB0395977

Owner/Agent INLAND VALLEY CORP Tel. Zip

Address 1611 INDUSTRY City FONTANA Zip

Contractor Vella K. Mah. Tel. License#

Address 11611 Industry Ave. Fon. City Zip

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5537 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

verified by

Form 284-208 (Rev. 7-80)

BUILDING PERMIT

PERMIT NO. 395977

RB 0395977

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

DST 2

CONSTRUCTION ESTIMATE				NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	2500 SQ. FT. @	10.00	$ 25000.00		UNITS						
2ND. FL.	SQ. FT. @								YARD SPKLR SYSTEM		
POR.	SQ. FT. @				MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @				POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @								DRAINAGE PIPING		
WALL	SQ. FT. @								DRINKING FOUNTAIN		
	SQ. FT. @								URINAL		
ESTIMATED CONSTRUCTION VALUATION			$ 25000.00						WATER PIPING		
NOTE: - Not to be used as property tax valuation					SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES					SWIM POOL, COMM.				WATER SOFTENER		
VENT SYSTEM	FAN	EVAP. COOL	HOOD		SIGN				ASHER (AUTO)(DISH)		
APPLIANCE		DRYER							GARBAGE DISPOSAL		
FURNACE	UNIT WALL	FLOOR	SUSPENDED						LAUNDRY TRAY		
AIR HANDLING UNIT		CFM			IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM		B.T.U.			TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR		HP			POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM	FORCED	GRAVITY			AMPERES SERV ENT				SHOWER		
BOILER	B.T.U.				SQ. FT. @ ¢				BATH TUB		
					SQ. FT. @ ¢				WATER HEATER		
					SQ. FT. RESID @ 1¼¢				SEWAGE DISPOSAL		
					SQ. FT. GAR @ ¼¢				HOUSE SEWER		
									GAS PIPING		
PERMIT FEE					PERMIT FEE				PERMIT FEE		

DBL	TOTAL FEES	MOB. HM. FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	116.55		2.80		.04	112.00		1.75		

PERMIT NO. 395977

MH Permit Fee		$
Micro Film Fee	Cap	$ 2.80
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ .04
Construction Fee	Dbl	$ 112.00
Electrical Fee	Dbl	$
SMI Fee		$ 1.75
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 116.55

M.O. ☐ N.C. ☐ Cash ☐ Check ☐

Received by

Trees required

Sewage System

T LL P

Sewer District F

Job Address 23290 TEMESCAL CYN RD | Space | Zip 92390 | Owner TEMESCAL PROP

Community TEMESCAL | Valuation $ 25000.00 | Date 05-12-80 | Dist. 2 | Off 1 | F&G 010

Use of Permit: ADD TO EXISTING BLDG 50X50 STORAGE BLDG

Parcel No. 283160006-8 | Use/Case No. | Cl. By HS

Set Backs: F 100 S 100 S 100 R 100 | Lot Size 000 000 000

Legal Description: E1/2 NE1/4 SEC 34 T4S R6W

Zone Restrictions: MRA | Group B-2 | Type VN

Bond Amt. $ | Plan No R/02245 | Plan Checker CLARK | Final Date 1-9-81 | Inspector | Unit

Const. Lender | Branch | Supplemental Permit Numbers: RB0395977

Address | City | Zip

Owner/Agent: INLAND VALLEY CORP | Tel. | Zip

Address: 1611 INDUSTRY | City: FONTANA | Zip

Contractor | Tel. | License#

Address | City | Zip

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

Verified by

Form 284-208 (Rev. 1/80)

BUILDING APPROVALS

NO.	OPERATION	DATE	INSPECTOR
	Site Work		
	Footings	6-2-80	
	Foundation	6-2-80	
	Piers		
	Underpinning		
	Rough Frame		
	Roof Deck		
	Sheathing		
	Weather		
9	Garage Rough		
10	Fireplace		
10A	Fireplace F.O.		
11	Exterior Lath		
11A	Interior Lath		
12	Drywall		
12A	Insul. Ceiling		

INSPECTION	Date	"R" Value
Walls (Ext.)		
Ceiling (Attic)		
Ceiling (Flat)		

14	Final	1-9-81	Howard

PLUMBING APPROVALS

15	Ground Plumb.		
17	Rough Plumb.		
19	Vents		
19	Sewage System		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		

ELECTRICAL APPROVALS

26	Temp. Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Panelling		
30	Fixtures		
31	Service		
32	Final		

MECHANICAL APPROVALS

NO.	OPERATION	DATE	INSPECTOR
33	Ventilation System		
34	Plenums & Duct		
35	Furnace Conversion		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearances		
40	Fire Dampers		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

ADDITIONAL INFORMATION

OPN NO.

SEWAGE SYSTEM SIZE & LOCATION

REAR OF PROPERTY LINE

P/L P/L

STREET NAME

NOTICE: THIS IS NOT A BUILDING PERMIT

DISTRICT #2

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Permit No.

OWNER

Owner TEMESCAL PROP. JVC
Address 1310 N. Jay ST
City CORONA, CA.
Phone (714) 737-9770

Architect
Address
City
Phone

Contractor INLAND VALLEY EMC
Address 11611 INDUSTRY AVE
City FONTANA, CA.
Phone (714) 681-0700

(HYDRO-CONDUIT)

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 4-28-80 SIGNATURE OF OWNER AND/OR AGENT Verle K. Mahs

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

SPACE NO.

JOB ADDRESS 23-200 TEMESCAL Canyon Rd.
LEGAL DESCRIPTION OF PROPERTY 283-160-006
E½ NE/4 SEC. 34, T4S R6W
COMMUNITY TEMESCAL CANYON
NO. OF SUBMITTED PLANS 2
CASE NO. —

USE OF PERMIT EXTEND STEEL UNLOADING + STORAGE BLDG. - (EXTENTION OF RTD FACIL)

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☒
50X50		ALTERATIONS	☐

NO. OF PARKING SPACES REQUIRED ____ NO. OF BUILDINGS NOW EXISTING SEVERAL
ZONE M-R-A SETBACKS: FRONT 100' SIDE 100' + 10' REAR 100'
GRADING PERMIT REQUIRED? YES ☐ NO ☒ LOT SIZE ____
SETBACK ORDINANCE # NA OF ____ FEET REQUIRED ON ____ STREET
DATE 4-28-80 SIGNATURE OF LAND USE OFFICIAL H. Hollamon Jr.

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET ____
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ ____ STREET

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE ____ SIGNATURE OF ROAD DEPT. OFFICIAL ____

HEALTH DEPT.

SWIMMING POOLS PUBLIC ____
SEWAGE DISPOSAL ____
FOOD ESTABLISHMENT ____

OTHER DEPARTMENTS

WATER POLLUTION ____ REMARKS ____
FLOOD CONTROL ____
AIR POLLUTION ____
DIV OF HWY ____

OK PLANNING - P.M. Cert 28 AM. 80

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

284 199 9/74

CANARY — FILE, PINK — APPLICANT

NOTICE TO APPLICANT

In conformity with the provisions of State of California Labor Code Section 3800, the applicant shall have on file or file with the Riverside County Department of Building and Safety a certificate as designated in Items I or II below, or shall indicate Item III, IV, or V, whichever is applicable.

CERTIFICATE OF APPLICANT

Please mark the appropriate block:

☐ I. Certificate of Consent to self-insure issued by the Director of Industrial Relations.
☐ Copy on file ☐ Copy submitted

☐ II. Certificate of Workers' Compensation Insurance issued by an admitted insurer.
☐ Copy on file ☐ Copy submitted

☐ III. The cost of the work to be performed is $100 or less.

☐ IV. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California. I further certify that, in the event I become subject to the Workers' Compensation provisions of the Labor Code that I will comply forthwith with the provisions of Labor Code Section 3700, et seq., and understand that, if I do not comply, the permit shall be deemed revoked.

☐ V. I certify as the owner (or the agent of the owner) that in the performance of the work for which this permit is issued I have engaged _____ contractor. (Contractor must have on file, or submit certificate required by I or II above.)

Applicant's Signature Webb A. Mahs

Date 5-12-80 Permit No. 395979

Address and location where work is to be performed 23200 Temescal Cyn.

284-141 REV. 6/77

BUILDING PERMIT

PERMIT NO. 395979 RB 0395979

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE
HEADQUARTERS

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES		NO.	PLUMBING FEES	
1ST FL.	1190 SQ. FT. @ 10.00	$ 11900.00		UNITS				
2ND. FL.	SQ. FT. @						YARD SPKLR SYSTEM	
POR.	SQ. FT. @			MOBILEHOME SVC.			BAR SINK	
GAR.	SQ. FT. @			POWER OUTLET			ROOF DRAINS	
CAR P.	SQ. FT. @						DRAINAGE PIPING	
WALL	SQ. FT. @						DRINKING FOUNTAIN	
	SQ. FT. @						URINAL	
ESTIMATED CONSTRUCTION VALUATION		$ 11900.00					WATER PIPING	
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT			FLOOR DRAIN	
MECHANICAL FEES				SWIM POOL, COMM			WATER SOFTENER	
VENT SYSTEM FAN EVAP. COOL HOOD				SIGN			WASHER (AUTO)(DISH)	
APPLIANCE DRYER							GARBAGE DISPOSAL	
FURNACE UNIT WALL FLOOR SUSPENDED							LAUNDRY TRAY	
AIR HANDLING UNIT CFM				IDLE METER			KITCHEN SINK	
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC			WATER CLOSET	
COMPRESSOR HP				POLE, TEMP/PERM			LAVATORY	
HEATING SYSTEM FORCED GRAVITY				AMPERES SERV ENT			SHOWER	
BOILER B.T.U.				SQ. FT. @ ¢			BATH TUB	
				SQ. FT. @ ¢			WATER HEATER	
				SQ. FT RESID @ 1¼¢			SEWAGE DISPOSAL	
				SQ FT. GAR @ ¾¢			HOUSE SEWER	
							GAS PIPING	
PERMIT FEE				PERMIT FEE			PERMIT FEE	

DBL.	TOTAL FEES	MOB. HM. FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	71.03		2.40		7.80	60.00		.83		

PERMIT NO. 395979

MH Permit Fee		$
Micro Film Fee	6	Cap $ 2.40
Mech. Fee		Dbl $
Pl. Ck. Fee		$ 7.80
Construction Fee		Dbl $ 60.00
Electrical Fee		Dbl $
SMI Fee		$ .83
Plumbing Fee		Dbl $
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 71.03

M.O ☐ N.C. ☐ Cash ☐ Check ☐

Received by

Trees required

Sewage System

T U P

Sewer District

Job Address 23200 TEMESCAL CYN RD Space Zip 92390 Owner TEMESCAL PROP

Community TEMESCAL Valuation $ 11900.00 Date 05-12-80 Dist 2 Off 4 F.C.C. 022

Use of Permit ADD TO EXISTING BLDG FOR CAGE WELDING 30X30 Parcel No 283160006-8 Use Code No Ck By HS

Legal Description E1/2 NE1/4 SEC 34 T4S Set Backs 100 100 100 100 Lot Size 000 000 000

Zone Restriction MRA Group B-2 Type VN

Bond Amt $ Plan No R 02247 Plan Checker Final Date Inspector Unit

Const. Lender Branch Address City Zip

Supplemental Permit Numbers RB0395978 RB0395979

Owner/Agent INLAND VALLEY AVE Tel Zip

Address 11611 INDUSTRY AVE City FONTANA Zip

Contractor Webb A. Mahs Tel License#

Address 11611 Industry Ave. City Fon Zip

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID

verified by

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

Form 284-208 (Rev. 1/80)

BUILDING PERMIT

PERMIT NO. 395979

RB 0395979

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

DIST. 2

CONSTRUCTION ESTIMATE				NO.	ELECTRICAL FEES			NO.	PLUMBING FEES		
1ST FL.	1190 SQ. FT. @ 10.00	$ 11900.00			UNITS						
2ND. FL.	SQ. FT. @								YARD SPKLR SYSTEM		
POR.	SQ. FT. @				MOBILEHOME SVC.				BAR SINK		
GAR.	SQ. FT. @				POWER OUTLET				ROOF DRAINS		
CAR P.	SQ. FT. @								DRAINAGE PIPING		
WALL	SQ. FT. @								DRINKING FOUNTAIN		
	SQ. FT. @								URINAL		
ESTIMATED CONSTRUCTION VALUATION		$ 11900.00							WATER PIPING		
NOTE: Not to be used as property tax valuation					SWIM POOL, PVT				FLOOR DRAIN		
MECHANICAL FEES					SWIM POOL, COMM				WATER SOFTENER		
VENT SYSTEM FAN EVAP. COOL HOOD					SIGN				WASHER (AUTO)(DISH)		
APPLIANCE DRYER									GARBAGE DISPOSAL		
FURNACE UNIT WALL FLOOR SUSPENDED									LAUNDRY TRAY		
AIR HANDLING UNIT CFM					IDLE METER				KITCHEN SINK		
ABSORPTION SYSTEM B.T.U.					TEMP USE PERMIT SVC				WATER CLOSET		
COMPRESSOR HP					POLE, TEMP/PERM				LAVATORY		
HEATING SYSTEM FORCED GRAVITY					AMPERES SERV ENT				SHOWER		
BOILER B.T.U.					SQ. FT. @ ¢				BATH TUB		
					SQ. FT. @ ¢				WATER HEATER		
					SQ. FT. RESID @ 1¼¢				SEWAGE DISPOSAL		
					SQ. FT. GAR @ ¾¢				HOUSE SEWER		
									GAS PIPING		
PERMIT FEE					PERMIT FEE				PERMIT FEE		

DBL	TOTAL FEES	MOB. HM. FEE	MICRO FEE	MECH. FEE	PL. CK FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	71.03		2.40		7.30	60.00		.83		

PERMIT NO. 395979

Mkt Permit Fee		$
Micro Film Fee	Cap	$ 2.40
Mech. Fee	Dbl	$
Pl. Ck. Fee		$ 7.30
Construction Fee	Dbl	$ 60.00
Electrical Fee	Dbl	$
SMI Fee		$ .83
Plumbing Fee	Dbl	$
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 71.03

M.O. ☐ N.C. ☐ Cash ☐ Check ☐

Received by

Trees required

Sewage System

T LL P

Sewer District F

Job Address 23200 TEMESCAL CYN RD | Space | Zip 92390 | Owner TEMESCAL PROP

Community TEMESCAL | Valuation $ 11900.00 | Date 05-12-80 | Dist. 2 | Off. 4 | F.C. 010

Use of Permit ADD TO EXISTING BLDG FOR CAGE WELDING 30X30 | Parcel No. 283160006-8 | Use/Case No. | Cl. By RS

Legal Description E1/2 NE1/4 SEC 34 T4S | Set Backs F 100 S 100 S 100 R 100 | Lot Size 000 000 000

Zone Restrictions MRA | Group B-2 | Type VN

Bond Amt. $ | Plan No. R 02247 | Plan Checker | Final Date 1-9-81 | Inspector | Unit

Const. Lender | Branch | Address | City | Zip

Supplemental Permit Numbers RB0395978 RB0395979

Owner/Agent INLAND VALLEY AVE | Tel | Zip

Address 11611 INDUSTRY AVE | City FONTANA | Zip

Contractor [illegible] | Tel. | License

Address [illegible] | City | Zip

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID

Verified by

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

Form 284-20E (Rev. 1/80)

BUILDING APPROVALS

NO.	OPERATION	DATE	INSPECTOR
1	Set Up		
2	Dig & Pier	6-5-86	Thom
3	Pier		
4	Slab	6-5-86	Thom
5	Grade Beam		
6	Rough Floor		
7	Framing		
8	Lath		
9	Rough Wall		
10	Plaster		
11	Fixtures Set		
12	Exterior Lath		
13	Ceiling		
14	Rough Cover		
	INSULATION	TYPE	R Value
15	Attic (Roof)		
16	Ceiling (Roof)		
17	Ceiling (Floor)		
18	Final	1-9-81	Howard

PLUMBING APPROVALS

NO.	OPERATION	DATE	INSPECTOR
19	Ground Plumb		
20	Under Floor		
21	Rough Plumb		
22	Vents		
23	Sewage Disposal		
24	Sewer		
25	Water Heater		
26	Water Softener		
27	Water Service		
28	Gas Test		
29	Final		

ELECTRICAL APPROVALS

NO.	OPERATION	DATE	INSPECTOR
30	Temp Pole		
31	Conduit		
32	Service Entrance		
33	Wiring		
34	Underground Wire		
35	Rough-in		
36	Fixtures		
37	Final		

MECHANICAL APPROVALS

NO.	OPERATION	DATE	INSPECTOR
33	Ventilation System		
34	Flexuras & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OPN NO.	ADDITIONAL INFORMATION

SEWAGE SYSTEM SIZE & LOCATION

REAR OF PROPERTY LINE

P/L P/L

STREET NAME

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

DISTRICT #2

Permit No.

OWNER

Owner TEMESCAL PROD INC
Address 1310 N. SOY
City CORONA
Phone 714 737-9770 (4 4 DRC - CONDUIT)

Architect
Address
City
Phone

Contractor INLAND VALLEY ENG
Address 1611 INDUSTRY AVE
City FONTANA, CA
Phone 714-681-0700

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE 4-28-80 SIGNATURE OF OWNER AND/OR AGENT Verle K. Mack

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

SPACE NO.

JOB ADDRESS 23-200 TEMESCAL CANYON RD.
LEGAL DESCRIPTION OF PROPERTY 283-160-006 E 1/2 NE 1/4 SEC. 34 T4S R6W
COMMUNITY TEMESCAL CANYON 30X30
NO. OF SUBMITTED PLANS 2 USE OF PERMIT PROPOSED EXTENSION
CASE NO. - OF COVER FOR CAGE WELDING
NO. OF PARKING SPACES REQUIRED NO. OF BUILDINGS NOW EXISTING SEVERAL
ZONE M-R-A SETBACKS: FRONT 100 SIDE 100 T 100 REAR 100
GRADING PERMIT REQUIRED? YES ☐ NO ☒ LOT SIZE
SETBACK ORDINANCE # N/A OF FEET REQUIRED ON STREET
DATE 4-28-80 SIGNATURE OF LAND USE OFFICIAL

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☒
		ALTERATIONS	☐

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐
DATE SIGNATURE OF ROAD DEPT. OFFICIAL

HEALTH DEPT.

SWIMMING POOLS PUBLIC
SEWAGE DISPOSAL
FOOD ESTABLISHMENT

OTHER DEPARTMENTS

WATER POLLUTION REMARKS
FLOOD CONTROL
AIR POLLUTION
DIV OF HWY

OK - PLANNING - 27 TTM, Cont 25 APR 80

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

284 199 9/74

CANARY — FILE, PINK — APPLICANT

NO

In conformity with the provisions of State of California Labor Code Se. , the applicant shall have on file or file with the Riverside County Department of Building and Safety a certificate as designated in Items I [illegible] below, or shall indicate Item III, IV, or V, whichever is applicable.

CERTIFICATE OF APPLICANT

Please mark the appropriate block:

☐ I. Certificate of Consent to self-insure issued by the Director of Industrial Relations.
☐ Copy on file ☐ Copy submitted

☐ II. Certificate of Workers' Compensation Insurance issued by an admitted insurer.
☐ Copy on file ☐ Copy submitted

☐ III. The cost of the work to be performed is $100 or less.

☒ IV. I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California, I further certify that, in the event I become subject to the Workers' Compensation provisions of the Labor Code that I will comply forthwith with the provisions of Labor Code Section 3700, et seq., and understand that, if I do not comply, the permit shall be deemed revoked.

☐ V. I certify as the owner (or the agent of the owner) that in the performance of the work for which this permit is issued I have engaged _____ contractor. (Contractor must have on file, or submit certificate required by I or II above.)

284-141 REV. 6/77

Applicant's Signature X L M Johnson

Date 7/2/80 Permit No. 405213

Address and location where work is to be performed _____

BUILDING PERMIT
PERMIT NO. 405213

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES		NO.	PLUMBING FEES	
1ST FL.	SQ. FT. @	$		UNITS				
2ND. FL.	SQ. FT. @						YARD SPKLR SYSTEM	
POR.	SQ. FT. @			MOBILEHOME SVC.			BAR SINK	
GAR.	SQ. FT. @			POWER OUTLET			ROOF DRAINS	
CAR P.	SQ. FT. @						DRAINAGE PIPING	
WALL	SQ. FT. @						DRINKING FOUNTAIN	
	SQ. FT. @						URINAL	
ESTIMATED CONSTRUCTION VALUATION		$					WATER PIPING	
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT			FLOOR DRAIN	
MECHANICAL FEES				SWIM POOL, COMM			WATER SOFTENER	
VENT SYSTEM	FAN EVAP. COOL HOOD			SIGN			WASHER (AUTO)(DISH)	
APPLIANCE	DRYER						GARBAGE DISPOSAL	
FURNACE	UNIT WALL FLOOR SUSPENDED						LAUNDRY TRAY	
AIR HANDLING UNIT	CFM			IDLE METER			KITCHEN SINK	
ABSORPTION SYSTEM	B.T.U.			TEMP USE PERMIT SVC			WATER CLOSET	
COMPRESSOR	HP			POLE, TEMP/PERM			LAVATORY	
HEATING SYSTEM	FORCED GRAVITY			AMPERES SERV ENT			SHOWER	
BOILER	B.T.U.			SQ. FT. @ c			BATH TUB	
				SQ. FT. @ c			WATER HEATER	
				SQ. FT. RESID @ 1¼c			SEWAGE DISPOSAL	
				SQ. FT. GAR @ ¼c			HOUSE SEWER	
							GAS PIPING	250
PERMIT FEE				PERMIT FEE			PERMIT FEE	400

DBL.	TOTAL FEES	MOB. HM. FEE	MICRO FEE	MECH. FEE	PL. CK. FEE	CONST. FEE	ELECT. FEE	SMI FEE	FEE	PLUMB. FEE
	6.50									6.50

PERMIT NO. 405213

MH Permit Fee		$
Micro Film Fee	Cop	$
Mech. Fee	Dbl	$
Pl. Ck. Fee		$
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$ 6.50
Sp. Insp. Fee		$
Demol. Fee		$
Registr. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 6.50

M.O. ☐ N.C. ☐ Cash ☒ Check ☐

Received by [signature]

Trees required

Sewage System

I LL P

Sewer District

D3

Form 284-208 (Rev. 1-80)

Job Address: 23200 Temescal Cynld Space Zip — Owner: Hydro Corp

Community: Corona — Valuation: $ — Date: 7/2/80 — Dist.: 2 — Off.: R — F.C.C.

Use of Permit: GAS Line — Parcel No.: 283-160-006 — Use/Case No.: — Ck. By: CW

Set Backs: F S S R — Lot Size

Legal Description: SEC 35 T4SR6W — Zone Restrictions: MRA — Group — Type

Bond Amt. $ — Plan No. — Plan Checker — Final Date — Inspector — Unit

Const. Lender — Branch — Supplemental Permit Numbers

Address — City — Zip

Owner/Agent: X L M JOHNSON — Tel.: (714) 735-2420 — Zip

Address: X 23200 TEMESCAL CYN RD — City: CORONA — Zip

Contractor — Tel — License#

Address — City — Zip — verified by

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5541 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA.

BUILDING PERMIT

PERMIT NO. 405213

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

FIELD

DST 2

CONSTRUCTION ESTIMATE			NO.	ELECTRICAL FEES			NO.	PLUMBING FEES	
1ST FL.	SQ. FT. @	$		UNITS					
2ND. FL.	SQ. FT. @							YARD SPKLR SYSTEM	
POR.	SQ. FT. @			MOBILEHOME SVC.				BAR SINK	
GAR.	SQ. FT. @			POWER OUTLET				ROOF DRAINS	
CAR P.	SQ. FT. @							DRAINAGE PIPING	
WALL	SQ. FT. @							DRINKING FOUNTAIN	
	SQ. FT. @							URINAL	
ESTIMATED CONSTRUCTION VALUATION		$						WATER PIPING	
NOTE: Not to be used as property tax valuation				SWIM POOL, PVT				FLOOR DRAIN	
MECHANICAL FEES				SWIM POOL, COMM				WATER SOFTENER	
VENT SYSTEM FAN EVAP. COOL HOOD				SIGN				WASHER (AUTO)(DISH)	
APPLIANCE DRYER								GARBAGE DISPOSAL	
FURNACE UNIT WALL FLOOR SUSPENDED								LAUNDRY TRAY	
AIR HANDLING UNIT CFM				IDLE METER				KITCHEN SINK	
ABSORPTION SYSTEM B.T.U.				TEMP USE PERMIT SVC				WATER CLOSET	
COMPRESSOR HP				POLE, TEMP/PERM				LAVATORY	
HEATING SYSTEM FORCED GRAVITY				AMPERES SERV ENT				SHOWER	
BOILER B.T.U.				SQ. FT. @ ¢				BATH TUB	
				SQ. FT. @ ¢				WATER HEATER	
				SQ. FT. RESID @ 1¼¢				SEWAGE DISPOSAL	
				SQ. FT. GAR @ ¾¢				HOUSE SEWER	
								GAS PIPING	2 50
PERMIT FEE				PERMIT FEE				PERMIT FEE	6 00

DBL.	TOTAL FEES	HOSP. HM. FEE	MICRO FEE	MECH FEE	PL. CK. FEE	CONST. FEE	ELECT FEE	SMI FEE	FEE	PLUMB FEE
	6 50									6 10

PERMIT NO. 405213

MH Permit Fee		$
Micro Film Fee	Copy	$
Mech. Fee	Dbl	$
Pl. Ck. Fee		$
Construction Fee	Dbl	$
Electrical Fee	Dbl	$
SMI Fee		$
Plumbing Fee	Dbl	$ 6 50
Sp. Insp. Fee		$
Demol. Fee		$
Regist. Fee		$
Mileage Fee		$
Witness Fee		$
Reinsp. Fee		$
Total Fees		$ 6 50

M.O. ☐ N.C. ☐ Cash ☒ Check ☐

Received by

Trees required

Sewage System

T LL P

Sewer District F

Job Address: 23200 Tamescal Cyn Rd Space Zip Owner: Hydeo Corp

Community: Arlora Valuation $ Date: 7/2/80 Dist. 2 Off R F.G.C. /

Use of Permit: GAS Line Parcel No: 283-160-006 Use/Case No Ck. By CW

Legal Description: SEC 35 T4S R6W Set Backs F S S R Lot Size

Zone Restrictions: MRA Group Type

Bond Amt.	Plan No	Plan Checker	Final Date	Inspector	Unit
$			7-3-80		

Const. Lender Branch Supplimental Permit Numbers

Address City Zip

Owner/Agent X Tel Zip

Address City Zip

Contractor Tel License#

Address City Zip

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 120 DAYS CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID

verified by

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA.

I HEREBY CERTIFY THAT THE INDIVIDUAL WHO PREPARED THE PLANS AND SPECIFICATIONS HAS DONE SO IN ACCORDANCE WITH SECTION 5537 OF THE BUSINESS AND PROFESSIONS CODE OF THE STATE OF CALIFORNIA

Form 284-208 (Rev 1/80)

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	Fgs & Frms		
2A	Slab Grade		
3	Steel		
4	Grout Blocks		
5	Bond Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace P.L. ☐		
10A	Fireplace T.C. ☐		
11	Exterior Lath		
12	Internal Lath		
12A	Drywall		
13	Finish Grade		
	INSULATION — Thick: — "R" Value		
12A	Walls (Batts)		
12B	Ceiling (Batts)		
12C	Ceiling (Blown)		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test	7-3-80	
25	Final	7-3-80	
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit		
28	Service Entrance		
29	Wiring		
29A	Grounding Wire		
29B	Bonding		
30	Fixtures		
31	Service		
32	Final		

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ventilation System		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Combustion Air		
38	Compressor		
39	Appl. Clearance		
40	Fire Damper		
41	Smoke Detection Device		
42	Commercial Hood		
43	Final		

OP'N NO.	ADDITIONAL INFORMATION

SEWAGE SYSTEM SIZE & LOCATION

Tank Pit L Line

REAR OF PROPERTY LINE

P/L P/L

STREET NAME

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

APPLICATION CERTIFICATE
PERMIT #_____

Effective July 1, 1980, Chapter 1301, Section 19825 of the Health and Safety Code requires the execution of the following applicable declarations prior to the issuance of a building permit. Please print or type and sign below.

☐ LICENSED CONTRACTORS DECLARATION

I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect.

License Class_____ License No._____
Date_____ Contractor_____

☒ OWNER-BUILDER DECLARATION

I hereby affirm that I am exempt from the Contractor's License Law for the following reasons:

☑ I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure is not intended or offered for sale. If I sell within one year of completion, I understand I will have the burden of proving I did not build or improve for the purpose of sale (Sec. 7031.5, B.&P.C.).

☐ I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec. 7044, B.&P.C.).

☐ I am exempt under Section_____, B.&P.C. for this reason:

_____

Date 7-2-80 Owner T M Johnson for Hydro Conduit Corp

☒ WORKERS' COMPENSATION DECLARATION

I hereby affirm that I have a certificate of consent to self-insure, or a Certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Lab. Code).

Policy No._____ Insurance Company_____

☐ Certified copy is hereby furnished.

☐ Certified copy is filed with the County of Riverside, Department of Building and Safety.

Date 7-2-80 Applicant T M Johnson

☐ CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE

(This section need not be completed if permit is for $100.00 or less.)

I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation laws of California. I further understand that if after making this Certificate of Exemption, I should become subject to the Workers' Compensation provisions of the labor code, I must forthwith comply with such provisions or this permit shall be deemed revoked.

Date_____ Applicant_____

CONSTRUCTION LENDING AGENCY

I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued (Sec. 3097, Civ. Code).

Lender's Name_____

Lender's Address_____

DIVISION OF INDUSTRIAL SAFETY PERMIT CERTIFICATION

☒ I hereby certify that no excavation five (5) or more feet in depth into which a person is required to descend, will be made in connection with work authorized by this permit, and that no building, structure, scaffolding, falsework, or demolition or dismantling thereof, will be more than thirty-six (36) feet high.

☐ As owner-builder, I will not employ anyone to do work which would require a permit from the Division of Industrial Safety, as noted above, unless such person has a permit to do such work from that division.

☐ Division of Industrial Safety Permit No._____

Date 7-2-80 Applicant L M Johnson

CERTIFICATE OF COMPLIANCE AND AUTHORIZATION OF ENTRY

I certify I have read this application and state that the information given is correct. I agree to comply with all state laws and county ordinances relating to building construction, and authorize a representative of the County of Riverside, Department of Building and Safety to enter upon the property for which I have applied for this permit for the purpose of making inspections.

L M Johnson
Signature of Applicant/Agent

7-2-80
Date

L M JOHNSON
Print Applicant/Agent Name

284-2000 7/80

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

An 'owner builder' building permit has been applied for in your name and bearing your signature.

Please complete and return this information in the envelope provided at your earliest opportunity to avoid unnecessary delay in processing and issuing your building permit. No building permit will be issued until this verification is received.

1. I personally plan to provide the major labor and materials for construction of the proposed property improvement (yes or no) yes

2. I (have/have not) have signed an application for building permit for the proposed work.

3. I have contracted with the following person (firm) to provide the proposed construction:

   Name _____ Phone _____
   Address _____ City _____
   Contractors License No. _____

4. I plan to provide portions of the work, but I have hired the following person to coordinate, supervise, and provide the major work:

   Name _____ Phone _____
   Address _____ City _____
   Contractors License No. _____

5. I will provide some of the work but I have contracted (hired) the following persons to provide the work indicated:

Name	Address	Phone	Type of Work

T M Johnson for HydroConduit Corp — 7-2-80
Signature Property Owner — Date

284-2002

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

DISTRICT #2
Permit No. 405213

OWNER

Owner	Architect	Contractor
HYDRO CONDUIT CORP		
Address 23200 TEMESCAL CYN RD.	Address	Address
City CORONA	City	City
Phone 735-2920	Phone	Phone

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE July 2, 1980 SIGNATURE OF OWNER AND/OR AGENT D M Johnson

Approval by Signature from the Following Departments Listed Below Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

JOB ADDRESS 23200 TEMESCAL CYN RD SPACE NO.

LEGAL DESCRIPTION OF PROPERTY 289-160-006
SEC 35 T4S R6W

COMMUNITY CORONA

NO. OF SUBMITTED PLANS —

USE OF PERMIT INSTALL GAS LINE

CASE NO.

NO. OF PARKING SPACES REQUIRED — NO. OF BUILDINGS NOW EXISTING 1

ZONE MRA SETBACKS: FRONT — SIDE — REAR —

GRADING PERMIT REQUIRED? YES ☐ NO ☐ LOT SIZE

SETBACK ORDINANCE # — OF — FEET REQUIRED ON — STREET

DATE 7-2-80 SIGNATURE OF LAND USE OFFICIAL C. Hall

USE OF STRUCTURE

SINGLE FAMILY	☒	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☒
		ALTERATIONS	☐

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET — —

CURB AND GUTTER REQUIRED: YES ☐ NO ☐ — STREET

CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐

HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENT? YES ☐ NO ☐

DATE — SIGNATURE OF ROAD DEPT. OFFICIAL —

HEALTH DEPT.

SWIMMING POOLS PUBLIC —

SEWAGE DISPOSAL —

FOOD ESTABLISHMENT —

OTHER DEPARTMENTS

WATER POLLUTION — REMARKS —

FLOOD CONTROL —

AIR POLLUTION —

DIV OF HWY —

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

284 199 9/74

CANARY — FILE, PINK — APP'

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

HEADQUARTERS

CONSTRUCTION ESTIMATE

	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	
	Sq. Ft. @	INCLUDED

ESTIMATED VALUATION $ 500

MECHANICAL FEES

NO.		
	HEAT APPLIANCE	
	INLETS — OUTLETS	
	M. BTU. PER HR. — UNIT HEATER	
	M. BTU. PER HR. — REFR. COILING MAT.	
	APPLIANCE VENT	
	GAS PIPE	
	REPAIR OR ALTER	
	VENT SYSTEM ☐ HOOD ☐ EVAP. COOL ☐	
	COMPRESSOR	
	COMPRESSOR	
	COMPRESSOR	
	PERMIT FEE	

ELECTRICAL FEES

NO.			
	20 LIGHT POLES	@ 1.50	
	POLES		
	SIGNS		
	TRANS. AND/OR CT. ENS.		
	MOTOR H.P.		
	MOTOR 2 H.P.	@	1.50
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
	OUTLETS	9 @	
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE 1¢ SQ. FT.		
	PERMIT FEE		1.00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	MISC.	GAS.	PLAN CHK. FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154930						24.80		24.80	YATES

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		BRICK		HOMEBANK	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	SQ. MTS.

ZONE: M-3 | ZONING CHECKED BY: EH | PERMIT USE NO.:

SET BACK	FRONT	SIDE	REAR	LOT SIZE

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$ 24.80
PLUMBING FEE	$
TOTAL FEE	$ 24.80

CASH ☐ CHECK ☐ M.O. ☐ N.C. ☐

RECEIVED BY: Kendall

PLAN FILE #

WATER: VOLUME SEPTIC TANK GAL. | LEACH LINE SQ. FT. | SEEPAGE PIT GAL.

LETTER ☐ FILE ☐

JOB ADDRESS: 33200 TEMESCAL

OWNER: HYDRO CONDUIT CO.

USE OF BUILDING: GENERAL AREA LIGHTING

DATE: 4-24-67

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	OFFICE
EL CERRITO	A	35		500	2

LEGAL DESCRIPTION: FOR SEC. 35 T4S R6W

PERMIT NUMBER: 154930

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND $	ZONE	CASH

CONTRACTOR

LICENSE-TYPE ☐ #

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner: Hydro Conduit

Address: 35-200 Temescal

Telephone: 245-2468

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor: Stevens Elec.

Address: Box 549

Tel. 235-5772 Lic. 133781

DEPARTMENT OF BUILDING & SAFETY

COUNTY OF RIVERSIDE

FIELD ✓

CONSTRUCTION ESTIMATE

1st F.	Sq. Ft. @	
2nd F.	Sq. Ft. @	
Bsmt.	Sq. Ft. @	
Gar.	Sq. Ft. @	
Car P.	Sq. Ft. @	
Wall	Sq. Ft. @	
	Sq. Ft. @	

ESTIMATED VALUATION $ 500

NO.	MECHANICAL FEES		
	HEAT APPLIANCE		
	INLETS — OUTLETS		
	M. BD. FT. — UNIT HEATER		
	M. BD. FT. — FLOOR, CEILING, WALL		
	APPLIANCE VENT		
	GAS PIPE		
	REPAIR OR ALTER		
	VENT SYSTEM ☐ MECH. ☐ EVAP. COOL ☐		
	COMPRESSOR		
	CONDENSER		
	COMPRESSOR		
	PERMIT FEE		

ELECTRICAL FEES

NO.			
20	LIGHT OUTLETS	4	80
	POLES		
	SIGNS		
	TRANS. AND/OR T. CAP.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	MOTOR H.P.		
	FIXTURES		
30	OUTLETS	9	00
	SUB-PANEL		
	RANGE AND/OR OVEN		
	WATER HEATER		
	SPACE HEATER		
	CONSTRUCTION POLE		
	SERVICE ENTRANCE		
	RESID. 1¢ SQ. FT.		
	GARAGE ½¢ SQ. FT.		
1	PERMIT FEE	1	00

PLUMBING FEES

NO.		
	DRAINAGE PIPING	
	DRINKING FOUNTAIN	
	URINAL	
	WATER PIPING	
	FLOOR DRAIN	
	WATER SOFTENER	
	WASHER (AUTO) (DISH)	
	GARBAGE DISPOSAL	
	LAUNDRY TRAY	
	KITCHEN SINK	
	WATER CLOSET	
	LAVATORY	
	SHOWER	
	BATH TUB	
	WATER HEATER	
	SEWAGE DISPOSAL	
	HOUSE SEWER	
	GAS PIPING	
	PERMIT FEE	

PERMIT NUMBER	RES	COM	PLN CHK FEE	CONSTR. FEE	HEAT & VENT	ELECT. FEE	PLUMB. FEE	TOTAL FEES	PLAN CHECKER
154930						94 80		94 80	

BUILDING INFORMATION

WOOD		CONCRETE		FIREPLACE	
CONCRETE		PIERS		MEMBRANE	

BLOCK	FRAME	STUCCO	BRICK	CONC.	METAL	OTHER

PLASTER	DRY WALL	ROOF COVERING	BD. RMS.

ZONE	ZONING CHECKED BY	PERMIT USE NO.
M-S	B.M.	

SET BACK	FRONT	SIDE	REAR	LOT SIZE
	—	—	—	—

PLAN CHECK FEE	$
MECHANICAL FEE	$
CONSTRUCTION FEE	$
ELECTRICAL FEE	$ 94 80
PLUMBING FEE	$
TOTAL FEE	$ 94 80

CASH	CHECK	M.O.	N.C.

RECEIVED BY [illegible]

PLAN FILE #

WATER VOLUME SEPTIC TANK	LEACH LINE	SEEPAGE PIT
GAL.	SQ. FT.	GAL.

LETTER ☐ FILE ☐

JOB ADDRESS 53200 JEFFERSON

OWNER HYATT GRANT TRS

USE OF BUILDING GENERAL WAREHOUSING

DATE 11-24-87

COMMUNITY	DISTRICT	P.C.	UNITS	VALUATION	DEPOSIT
ELSINORE	4	33		500	2

LEGAL DESCRIPTION FOR SEC 35 T4S R4W

PERMIT NUMBER 154930

SUPPLEMENT TO PERMIT

FINALED DATE	INSPECTOR	GROUP	TYPE	BOND	BOND	CASH
4-3-88	Yates			B		

CONTRACTOR

LICENSE-TYPE ☐ B

RELEASE BOND DATE

In accordance with Sec. 302-D of the Uniform Building Code, this permit shall expire if work is not commenced within 60 days. If work is suspended or abandoned for a period of 120 days, this permit shall automatically become null and void.

This permit is issued, and shall continue in effect, pursuant to the terms and conditions of Sec. 3800 of the Business and Professions Code and as a condition of the issuance hereof the following certificate is executed.

OWNER-BUILDER

I hereby certify that in performance of the work for which this permit is issued I shall not employ any person in any manner whatsoever as to become subject to the Workmen's Compensation Laws of the State of California.

Owner [illegible]

Address [illegible]

Telephone [illegible]

CONTRACTOR

I hereby certify that in performance of the work for which this permit is issued I have complied with Title 8, Article 3, Sec. 3800 of the Labor Code, and a certificate or certified copy is on file with the Riverside County Building Department.

Contractor [illegible]

Address [illegible]

Tel. [illegible] Lic. # [illegible]

NO.	OPERATION	DATE	INSPECTOR
	BUILDING APPROVALS		
1	Set Back		
2	FTGS & FRMS		
3	Steel		
4	Conc Blocks		
5	Conc Beams		
6	Roof Deck		
7	Framing		
8	Vents		
9	Garage Fire Wall		
10	Fireplace F/L ☐ T/O ☐		
11	Exterior Lath		
12	Internal Lath		
13	Exterior Grade		
14	Final		
	PLUMBING APPROVALS		
15	Ground Plumb		
16	Water Piping		
17	Rough Plumb		
18	Vents		
19	Sewage Disposal		
20	Sewer		
21	Water Heater		
22	Water Softener		
23	Water Service		
24	Gas Test		
25	Final		
	ELECTRICAL APPROVALS		
26	Power Pole		
27	Conduit	4-3-69	Yates
28	Service Entrance		
29	Wiring	4-3-69	Yates
30	Fixtures		
31	Service		
32	Final	4-3-69	Yates

NO.	OPERATION	DATE	INSPECTOR
	MECHANICAL APPROVALS		
33	Ovens		
34	Plenums & Ducts		
35	Furnace Compart.		
36	Inlets & Outlets		
37	Comb. & Ret. Air		
38	Compressor		
39	Appl. Clearance		
40	Final		
OPER NO.	**PROGRESS CHECKS**		
	70% Complete 11-6-68		
	Owner		

SEWER DISPOSAL LOCATION

BACK

FRONT

☐ INSIDE ☐ OUTSIDE ☐ KEY

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Field

GRADING ORDINANCE NO. 489

Permit shall be valid for a period not to exceed one (1) year.

Items Required for Permit:	Received	Checked
1. Existing Grading Plan (Sec. 2C1)	☒	☐
2. Final Grade Plan (Sec. 2C1)	☐	☐
3. Soils Engineer's Written Report (Sec. 2C3)	☒	☐
4. Geologist's Report (when required) (Sec. 2C3)	☐	☐
5. Other _____	☐	☐

Special Conditions:

1. Time of Commencement _____
2. Time of Completion _____
3. Working Hours _____
4. Working Days _____
5. Other _____

The permittee agrees to save, indemnify and hold harmless the County of Riverside, its agents and employees, from all liability and claims for damage by reason of injury to or death of any person, or damage to property, from any cause whatsoever connected with the work covered by this permit, and further agrees to defend the County and its representatives in any claim arising out of or as a result of the work done under this permit.

HAP

FILING FEE: 1000 cu. yds.or less	$ 15.00	Owner HYLAND-CONCRETE CORP.	Date Issued 12-3-67	Expiration Date 12-3-68
$1.00 per add'l 1000 cu.yds. or fraction	11	Job Location 60-200 TEMESCAL CYN. RD.		
	11	Legal Description SW. SEC. 35 T4S R6W		
Cash ☐ Check ☐ M.O. ☐ N.C. ☐		Community Temescal	School District	Permit Number G 00380
Received by F. Edmund	Date 12-3-67	Cut 100,000	Fill 100,000	Separate Site	Plan File No.
		Dist. M	Code Area	Zone	No.Cu.Yds. 100,000	Office	Sup. to Permit
		Engr. Final	Soil Engr.Final	By
		Engineer C.R. ANDSON	License #

Remarks:
1. SOIL REPORT TO BE REVIEWED BY COUN. ENGINEER
2. FINAL CONTOUR MAP.

This permit shall become void if work is not commenced within 180 days. Cessation of work for 90 days shall also cause permit to become void.

I hereby agree that all work in connection with this permit will be done in accordance with the laws of Riverside County and the State of California. I also agree to carry compensation insurance upon my employees. Compliance with laws of the State of California covering Contractors is also guaranteed.

Owner HYLAND-CONCRETE CORP.	Contractor STEARNS-ROGER
Mailing Add P.O. BOX 5885 TERMINAL ANNEX	Mailing Add. 660 S. SPRUCE ST.
Post Office DENVER, COLO. 80217	Post Office DENVER, COLO. 80217
Tel. By	Tel. 222-4524 By Harry B. Cassmeyer

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Field

GRADING ORDINANCE NO. 489

Permit shall be valid for a period not to exceed one (1) year.

Items Required for Permit:	Received	Checked
1. Existing Grading Plan (Sec. 2C1)	☑	☐
2. Final Grade Plan (Sec. 2C1)	☑	☐
3. Soils Engineer's Written Report (Sec. 2C3)	☑	☐
4. Geologist's Report (when required) (Sec. 2C3)	☐	☐
5. Other	☐	☐

Special Conditions:

1. Time of Commencement
2. Time of Completion
3. Working Hours
4. Working Days
5. Other

The permittee agrees to save, indemnify and hold harmless the County of Riverside, its agents and employees, from all liability and claims for damage by reason of injury to or death of any person, or damage to property, from any cause whatsoever connected with the work covered by this permit, and further agrees to defend the County and its representatives in any claim arising out of or as a result of the work done under this permit.

FILING FEE: 1000 cu. yds. or less	$ 15.00	Owner HYDRO-CONDUIT CORP.	Date Issued 1-3-67	Expiration Date 1-3-68
$1.00 per add'l 1000 cu. yds. or fraction	117	Job Location 23-200 TEMESCAL CANYON ROAD		
	114	Legal Description NW. SEC. 35 T4S R6W		
Cash / Check / M.O. / N.C.		Community Elsinore	School District	Permit Number G 00380
Received by K Wilson	Date 1-3-67	Cut 100,000	Fill 100,000	Separate Site / Plan File No.
		Dist. N	Code Area / Zone / No. Cu. Yds. 100,000	Office / Sup. to Permit
		Engr. Final	Soil Engr. Final	By
		Engineer C.R. HUDSON		License #

Remarks:
1. SOIL REPORT TO BE REVIEWED BY CALIF ENGR.
-1 FINAL CONTOUR MAP!

This permit shall become void if work is not commenced within 180 days. Cessation of work for 90 days shall also cause permit to become void.

I hereby agree that all work in connection with this permit will be done in accordance with the laws of Riverside County and the State of California. I also agree to carry compensation insurance upon my employees. Compliance with laws of the State of California covering Contractors is also guaranteed.

Owner HYDRO-CONDUIT CORP.	Contractor STEARNS-ROGER
Mailing Add P.O. Box 5885 TERMINAL ANNEX - DENVER, COLO. 21ST AVE. PERMANENT	Mailing Add. 660 LINCOLN ST.
Post Office	Post Office DENVER COLO. 80203
Tel. By	Tel. 222-4444 By Larry B Cannon

THIS COPY SHALL BE PLACED IN A CONSPICUOUS PLACE ON THE SITE.

DO NOT CONTINUE ANY WORK UNTIL EACH STEP HAS BEEN APPROVED AND SIGNED BY THE ENGINEER.

REQUIREMENTS

	Date	Signature
1. Wood, roots and debris have been removed. (Sec. 5A1)	10-13-67	Gary Lawrence
2. Surface plowed, scarified, leveled and compacted to a depth of six (6) inches. (Sec. 5A2)	10-13-67	Gary Lawrence
3. When necessary, steps or benches have been cut. (Sec. 5A3)	None	
4. Lumps in fill less than six (6) inches in dimension, and free of debris. (Sec. 5B)	11-8-67	Gary Lawrence
5. Intermediate field density tests made. (Sec. 5C)	11-15-67	Gary Lawrence
6. Fills were made during favorable weather conditions. (Sec. 5D)	11-15-67	Gary Lawrence

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Headquarters

GRADING ORDINANCE NO. 489

Permit shall be valid for a period not to exceed one (1) year.

Items Required for Permit:	Received	Checked
1. Existing Grading Plan (Sec. 2C1)	☐	☐
2. Final Grade Plan (Sec. 2C1)	☐	☐
3. Soils Engineer's Written Report (Sec. 2C3)	☐	☐
4. Geologist's Report (when required) (Sec. 2C3)	☐	☐
5. Other _____	☐	☐

Special Conditions:

1. Time of Commencement SEP-12-67 130095 ◦ 3◦00389 — 11SAL 50.00
2. Time of Completion _____
3. Working Hours _____
4. Working Days _____
5. Other _____

The permittee agrees to save, indemnify and hold harmless the County of Riverside, its agents and employees, from all liability and claims for damage by reason of injury to or death of any person, or damage to property, from any cause whatsoever connected with the work covered by this permit, and further agrees to defend the County and its representatives in any claim arising out of or as a result of the work done under this permit.

FILING FEE:	
1000 cu. yds. or less	$ 15.00
$1.00 per add'l 1000 cu.yds. or fraction	35.00
	50.00

Cash | Check X | M.O. | N.C.

Received by _____ Date 9-11-67

Remarks:

REFER TO GRADING PERMIT 00380

Owner	Date Issued	Expiration Date
HYDRO-CONDUIT CORP.	9-11-67	9-11-68

Job Location: 23200 TEMESCAL CYN ROAD

Legal Description: POR SEC 35 T4S, R6W

Community	School District	Permit Number
EL CERRITO		G 00389

Cut	Fill	Separate Site	Plan File No.
KMX 35,000	35,000		

Dist.	Code Area	Zone	No.Cu.Yds.	Office	Sup. to Permit
N			36,000	Z	

Engr. Final	Soil Engr.Final	By

Engineer	License #

This permit shall become void if work is not commenced within 180 days. Cessation of work for 90 days shall also cause permit to become void.

I hereby agree that all work in connection with this permit will be done in accordance with the laws of Riverside County and the State of California. I also agree to carry compensation insurance upon my employees. Compliance with laws of the State of California covering Contractors is also guaranteed.

Owner W.J. Bradley Hydro Conduit	Contractor Stearns-Roger
Mailing Add. P.O. Box 5885 Terminal	Mailing Add. 660 Bannock St.
Post Office Aynsx-Denver, Colo	Post Office Denver Colo 80217
Tel. 21st Nell Barb Bldg BY	Tel 222-8489 By Jerry Bloomquist

DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Headquarters

GRADING ORDINANCE NO. 489

Permit shall be valid for a period not to exceed one (1) year.

Items Required for Permit:	Received	Checked
1. Existing Grading Plan (Sec. 2C1)	☐	☐
2. Final Grade Plan (Sec. 2C1)	☐	☐
3. Soils Engineer's Written Report (Sec. 2C3)	☐	☐
4. Geologist's Report (when required) (Sec. 2C3)	☐	☐
5. Other _____	☐	☐

Special Conditions: NOV-13-67 131908 o 3o00397 — 11SAL 64.00

1. Time of Commencement 11-9-67
2. Time of Completion 12-1-67
3. Working Hours
4. Working Days
5. Other

The permittee agrees to save, indemnify and hold harmless the County of Riverside, its agents and employees, from all liability and claims for damage by reason of injury to or death of any person, or damage to property, from any cause whatsoever connected with the work covered by this permit, and further agrees to defend the County and its representatives in any claim arising out of or as a result of the work done under this permit.

FILING FEE:		Owner	Date Issued	Expiration Date
1000 cu. yds. or less	$15.00	Hydro Conduit Corp.	11-9-67	11-9-68
$1.00 per add'l 1000 cu.yds. or fraction	49.00	Job Location: 25200 Temescal		
	64.00	Legal Description: Sec 35 T4S R6E		
Cash / Check / M.O. / N.C.		Community: El Cerrito	School District	Permit Number: G 00397
Received by: RAIRIGH	Date: 11-9-67	Cut: 50 000	Fill	Separate Site / Plan File No.
Remarks:		Dist. / Code Area / Zone / No.Cu.Yds. / Office / Sup. to Permit: N		
		Engr. Final	Soil Engr.Final	By
		Engineer: Pioneer Testing Lab		License #

This permit shall become void if work is not commenced within 180 days. Cessation of work for 90 days shall also cause permit to become void.

I hereby agree that all work in connection with this permit will be done in accordance with the laws of Riverside County and the State of California. I also agree to carry compensation insurance upon my employees. Compliance with laws of the State of California covering Contractors is also guaranteed.

Owner Stearns Rogers Corp. By W Hornsby	Contractor
Mailing Add. PO Box 5749	Mailing Add.
Post Office Denver Colo	Post Office
Tel. 733-5249 By W Hornsby	Tel. By

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

GRADING PERMIT

(White) HEADQUARTERS
(Pink) APPLICANT
(Blue) COUNTER
(Canary) DISTRICT OFFICE
(Green) AUDIT

PERMIT NUMBER: G- 01264

SUPP. TO PERMIT: G-0265

PLAN CHECK FEE	$	10 00
	$	
GRADING PERMIT FEE	$	
	$	
TOTAL FEES	$	10.00

CASH | CHECK ✓ | M.O. | H.C.

RECEIVED BY: Konkle

INFORMATION

JOB ADDRESS: 23-200 TEMESCAL CYN RD.

OWNER: HYDRO CONDUIT CORP.

COMMUNITY	DIST.	OFFICE	DATE ISSUED	EXPIRATION DATE
GLEN AVY	N	Z	10-13-72	

LEGAL DESCRIPTION: Por N W ¼ SEC. 35 T4S R6W

CUT	FILL	NO. CUBIC YARDS
		3,600.

BOND $	BOND	CASH	PLAN CHECKER	PLAN FILE #

ENGINEER	LICENSE NO.	FINAL DATE	INSPECTOR
STERNS-Roger Corp Wood Warren Calvert Sherrard And ASSOC			

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

X Mark Johnson

OWNER	CONTRACTOR
Hydro Conduit Corp.	
ADDRESS: P. O. Box 939	ADDRESS:
CITY: Corona — STATE: Calif.	CITY: — STATE:
TEL. NO.: 735-2420	TEL. NO. — LICENSE NO.

384-162 REV. 5/70

DEPARTMENT OF BUILDING & SAFETY
COUNTY OF RIVERSIDE

GRADING PERMIT

(White) HEADQUARTERS
(Pink) APPLICANT
(Blue) COUNTER
(Canary) DISTRICT OFFICE
(Green) AUDIT

PERMIT NUMBER: G- 01265

SUPP. TO PERMIT: G-01264

PLAN CHECK FEE	$	
	$	
GRADING PERMIT FEE	$	27 00
	$	
TOTAL FEES	$	27.00

CASH | | CHECK | X | M.O. | | N.C.

RECEIVED BY: Konkle

INFORMATION

284-162 REV. 5/70

JOB ADDRESS: 23-200 TEMESCAL CANYON RD.

OWNER: HYDRO CONDUIT CORP.

COMMUNITY	DIST.	OFFICE	DATE ISSUED	EXPIRATION DATE
GLEN IVY	N	Z	10-17-72	

LEGAL DESCRIPTION: Por NW¼ SEC. 35 T4S R6W

CUT	FILL	NO. CUBIC YARDS
		3,600

BOND $	BOND	CASH	PLAN CHECKER	PLAN FILE #

ENGINEER	LICENSE NO.	FINAL DATE	INSPECTOR

THIS PERMIT SHALL BECOME VOID IF WORK IS NOT COMMENCED WITHIN 60 DAYS. CESSATION OF WORK FOR 120 DAYS SHALL ALSO CAUSE PERMIT TO BECOME VOID.

I HEREBY AGREE THAT ALL WORK IN CONNECTION WITH THIS PERMIT WILL BE DONE IN ACCORDANCE WITH THE LAWS OF RIVERSIDE COUNTY AND THE STATE OF CALIFORNIA. I ALSO AGREE TO CARRY COMPENSATION INSURANCE UPON MY EMPLOYEES. COMPLIANCE WITH LAWS OF THE STATE OF CALIFORNIA COVERING CONTRACTORS IS ALSO GUARANTEED.

OWNER	CONTRACTOR
Hydro Conduit Corp.	
ADDRESS: P. O. Box 939	ADDRESS:
CITY: Corona — STATE: Calif.	CITY: — STATE:
TEL. NO.: 735-2420	TEL. NO. — LICENSE NO.

01265

ENVIRONMENTAL ASSESSMENT

I. Background Information

1. Give a brief description of the proposed project.

Tract No. Por NW ¼ Sec. 35 T4SR6W

Refer to Application to Construct.

ADDING A CENTRIFUGALLY SPUN CONCRETE PIPE FACILITY TO AN EXISTING PRESTRESSED CONCRETE PIPE PLANT — GRADING ONLY.

23-200 TEMESCAL CYN. ROAD

2. Describe the project area, including distinguishing natural and man-made characteristics.

Refer to Application to Construct.

LOCATED WITHIN AN EXISTING CONCRETE PIPE PLANT AT 23200 TEMESCAL CANYON RD., CORONA, CALIF. AREA HAS BEEN GRADED TO PRESENT CONDITION UNDER A PREVIOUS CONSTRUCTION CONTRACT. AREA OF NEW CONSTRUCTION IS CLEAR OF ALL NATURAL AND MAN MADE OBSTRUCTIONS.

01265

II. Assessment of Environmental Impact

	Yes	No
1. Could the project or use significantly change present uses of the project area?		✓
2. Could the project affect the use of a recreational area or area of important aesthetic value?		✓
3. Could the project affect the functioning of an established community?		✓
4. Could the project result in the displacement of community residents?		✓
5. Are any of the natural or man-made features in the project area unique, that is not found in other parts of the County, State, or nation?		✓
6. Could the project significantly affect a historical or archaelogical site or its setting?		✓
7. Could the project significantly affect the potential use, extraction, or conservation of a scarce natural resource?		✓
8. Does the project area serve as a habitat, food source, nesting place, source of water, etc. for rare or endangered wildlife or fish species?		✓
9. Could the project significantly affect fish, wildlife, or plant life?		✓
10. Are there any rare or endangered plant species in the project area?		✓
11. Could the project change existing features of any of the region's desert areas?		✓
12. Could the project result in the erosion of agricultural lands?		✓
13. Could the project serve to encourage development of presently undeveloped areas or intensify development of already developed areas?		✓
14. Will the project require a variance from established environmental standards (Air, water, noise, etc.), and/or adopted plans?		✓
15. Will the project require certification, authorization or issuance of a permit by any local, State, or Federal environmental control agency?		✓

	Yes	No
16. Will the project require issuance of a special use permit by the County?	___	✓
17. Will the project involve the application, use, or disposal of potentially hazardous materials?	___	✓
18. Will the project involve construction of facilities in a flood plain?	___	✓
19. Will the project involve construction of facilities on a slope of 25 percent or greater?	___	✓
20. Will the project involve construction of facilities in the area of an active fault?	___	✓
21. Could the project result in the generation of significant amounts of noise?	___	✓
22. Could the project result in the generation of significant amounts of dust?	___	✓
23. Will the project involve the burning of brush, trees, construction materials, etc.?	___	✓
24. Could the project result in a significant change in the quality of any portion of the region's air or water resources?	___	✓

012-65

III. Statement of No Significant Evironmental Effects

If you have answered yes to one or more of the questions in Section II, but still think the project will have no significant environmental effects, indicate your reasons below.

Oct 12, 1972
L M Johnson

IV. Conclusions

Place a check in the appropriate box

(✓) It has been determined that the project will not have significant environmental effects.

( ) It has been determined that the project could have significant environmental effects.

LAND USE DIVISION
DEPT. OF BUILDING & SAFETY
RIVERSIDE OFFICE

Bill Harvey 11-13-72
APPROVED

NOTICE: THIS IS NOT A BUILDING PERMIT

APPLICATION TO CONSTRUCT
DEPARTMENT OF BUILDING AND SAFETY
COUNTY OF RIVERSIDE

Dist. Office "R"
Permit No. G-01265

OWNER

Owner	Architect	Contractor
HYDRO CONDUIT CORP		
Address PO Box 939	Address	Address
City CORONA	City	City
Phone 735-2420	Phone	Phone

I (we) the undersigned, hereby certify and acknowledge that I (we) have read the application and agree that if Curb and Gutter, and Paving, and/or Dedication of right of way is required by the County of Riverside, the Riverside County Department of Building and Safety shall not make a Final Inspection until said requirements have been met. I am also aware that no work is to be done within the County R/W without an encroachment permit.

NOW, therefore, it is agreed that I (we) will not occupy said property and will not cause said property to be occupied until I (we) have complied with all laws of the County of Riverside and the State of California governing said property.

DATE Oct 11, 1972 SIGNATURE OF OWNER AND/OR AGENT [signature]

Approval by Signature from the Following Departments Listed Below
Must Be Obtained Prior to the Issuing of a Construction Permit.

LAND USE DIVISION BUILDING AND SAFETY

LOCATION OF JOB 23-200 TEMESCAL CYN RD.
LEGAL DESCRIPTION OF PROPERTY POR NW¼ SEC. 35 T4S R6W
COMMUNITY GLEN IVY AREA
NO. OF SUBMITTED PLANS 2
CASE NO.
NO. OF PARKING SPACES REQUIRED —
ZONE M-3 SETBACKS NA FRONT SIDE REAR
GRADING PERMIT REQUIRED YES ☒ NO ☐
SETBACK ORDINANCE # No OF FEET REQUIRED ON STREET
DATE 10/11/72 SIGNATURE OF LAND USE OFFICIAL [signature]

TYPE OF CONSTRUCTION GRADING FOR MANUFACTURING AREA.

USE OF STRUCTURE

SINGLE FAMILY	☐	DUPLEX	☐
APARTMENTS	☐	AGRIC.	☐
COMMERCIAL	☐	INDUSTRIAL	☒
		ALTERATIONS	☐

NO. OF BUILDINGS NOW EXISTING SEVERAL

ROAD DEPARTMENT

DEDICATION REQUIRED: YES ☐ NO ☐ NO. OF FEET
CURB AND GUTTER REQUIRED: YES ☐ NO ☐ STREET
THE ABOVE CONSTRUCTION? YES ☐ NO ☐
CAN CURB AND GUTTER FEASIBLY BE INSTALLED? YES ☐ NO ☐
HAS AN ACCEPTABLE APPLICATION BEEN MADE FOR ENCROACHMENT PERMIT FOR DRIVEWAY AND STREET IMPROVEMENTS? YES ☐ NO ☐
DATE 10-12-72 SIGNATURE OF ROAD DEPT. OFFICIAL [signature]

13-10-72

HEALTH DEPT.

SWIMMING POOLS PUBLIC Not Necessary Install'd For grading Permit Clearance only.
SEWAGE DISPOSAL 10-13-72 [signature]
FOOD ESTABLISHMENT

OTHER DEPARTMENTS

WATER POLLUTION
FLOOD CONTROL
AIR POLLUTION
DIV OF HWY

REMARKS Environmental Report Filed

YOUR PROPERTY MAY BE SUBJECT TO FLOOD. RIVERSIDE COUNTY ASSUMES NO RESPONSIBILITY IN EVENT OF FLOOD.

3600 - cu yrd. AMR 1BL. 10-12

284-199, 5/16/69 WHITE — ROAD DEPT., CANARY — FILE, PINK — APPLICANT